AMAZON BASE BUILDING COMPLIANCE STANDARD

Task Title	Asbestos
APM Object	CT.ENVIRO.ASBESTOS
APM Description	Asbestos
General tasks always required	Follow safety procedures - e.g. 1MRA, LOTO, PPE, etc. Ensure that all WOs are carried out by qualified, certified staff with appropriate familiarisation and supervision as required Add notes for each observation and create a FWO if necessary to eliminate defects Use appropriate tools, chemicals and industry standard practices (RME policy permitting) Ensure relevant logs, readings and certification is uploaded to APM prior to WO closure. CT evidence must be additionally uploaded to the DMS (WorkDocs in DE) To suggest improvements please raise a SIM or contact document authors Leonardo Vitale (LEOVITAL) Rob Gisby (EWARTGXR) or APM, Benito Sanchez Sanchez de Puerta (BPPUERTA) SIM - Link to SIM template

Last Update: (Version)	ago-23	**Last Update Change Detail:**	Transfer to new template. Rationalisation of EU RME Minimum standards. Alignment with dependant PM. Released as Draft.	**Activities may be covered by No-Go restrictions:**	Yes	**Special Certification Required:**	**Delivered By:**
Evidenced part or full by PM:	Not Specified	**Related BBM PM:**	N/A	**Related CT Areas:**	Not Specified		

Scope

Maintenance and repair works at any site with Asbestos Containing Materials (ACM), where ACM has either been identified on site or has not been identified but there is a risk of ACM being present. The use of asbestos and ACM in buildings is banned in all countries included in this Compliance Standard, but on different years. Refer to table 2 for details.
Asbestos removal/demolition and associated legal requirements as well as annual reporting to local government is presumed to be managed as a standalone project via EHS Manager.

Using this document

This document is intended as a guide and may not be exhaustive. Whilst this document is based extensively on professional guidance and subject to periodic review, individual sites must be diligent to ensure they are aware of, and comply to, local and changing regulations.
The format of these standards is intended to improve navigation between maintenance and compliance standards and to allow frequent, minor updates to a single living resource. Please avoid offline or printed versions and check version dates and change log.
In the event of becoming aware of errors or omissions in this document, sites must provide detail, including references to relevant source information to their local planner for escalation - SIM Link above.
This document is considered released as draft.
For Information contact Authors: R Gisby (ewartgxr), Leonardo Vitale (leovital) and Benito Sanchez Sanchez de Puerta (bppuerta)

Maintenance and Compliance Relationship

Where relevant, associated Base Building PM's are listed on the header . In many cases maintenance contributes to, or fulfils compliance requirement. This may not be exhaustive and is intended to assist users to identify relevant maintenance.
If a BBM Maintenance activity fully meets the compliance requirements below, periodic upload of PM evidence will be required to APM and DMS / Workdays depending on region.

Key to Abbreviations

The key to the below document is as follows:
CT - Amazon compliance / statutory task - not otherwise covered by a BBM Standard PM. Evidence to be provided into APM and DMS upon task closure.
CT* - This is a conditional task based or based on findings from previous inspections. If a frequency is not used, a further appropriate frequency needs to be in either the region, or 'ALL'. Local teams must ensure appropriate frequency.
(CT) - Compliance task which is likely met or exceeded by a CT task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met.
PM - Requirement can demonstrated through appropriate maintenance - Refer to relevant PM Standard
(PM) - Maintenance task which is met or exceeded by a PM task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met including regional / manufacturer requirements.
EVID - Periodic upload of evidence to DMS, for non-CT task lines. For example, evidence of PM completion, certification, licence etc.
EVID* - Conditional requirement to upload evidence at the interval provided
N A R - No Additional Requirement

Required Tasks

Region	Task Index	Task Frequency	Task Requirements	Qualification of Inspector	Records Required	PM	Weekly	Monthly	3 Monthly	6 Monthly	12 Monthly	24 Monthly	Additional
All	1	Undertake a survey if site is likely to contain asbestos, specifying type, condition and quantities (and review register prior to undertaking any maintenance activity).	Initial inspection and risk assessment	Competent person, best practice to outsource to specialist, licenced company	Up-to-date asbestos register Asbestos surveys reports Asbestos Management Plan (AMP) Training records								Initial Activity EVID
All	2	Produce and update a risk assessment for each ACM identified.	Initial inspection and risk assessment	Competent person, best practice to outsource to specialist, licenced company	Up-to-date asbestos register Asbestos surveys reports Asbestos Management Plan (AMP) Training records						CT		
All	3	Monitor condition of identified ACM	Annual reinspection of known ACM unless significant deterioration is observed before this, or incident e.g. accidental damage.	Depending on type and condition of ACM, could be external company, or, if low risk a suitably trained and competent person	Up-to-date asbestos register Asbestos surveys reports Asbestos Management Plan (AMP) Training records						CT		
SK	4	Before starting work in which workers may be exposed to asbestos dust.	Submit a notification to the competent public health authority.	Trained person	Submitted notification								As Needed EVID*
SK	5	Every time when such activity is performed	Keep records of employees who carry out an activity in which they could be exposed to asbestos dust.	N/A	Records of employees, need to be kept for 40 years.								As Needed EVID*

Related Regional Legislation

Region	Relevant legislation	Vendor Certification	Statutory requirement
CZ	Survey: Decree No. 499/2006 (as amended by Decree No. 62/2013, resp. 405/2017 Coll.) on the documentation of buildings (Annex 15, paragraph B.2.h) Notification - Act No. 258/2000 Coll. on the protection of public health (§37, 38, 40, 41) Decree no. 6/2003, setting hygiene limits (§4, Annex 2) Asbestos abatement: Notification - Act No. 258/2000 Coll. on the protection of public health (§37, 38, 40, 41) Health protection Regulation 361/2007, plus Decree No. 394/2006 for work with asbestos Act No. 225/2012 Coll., amending Act No. 309/2006 Coll. (§7, 8) Decree No. 6/2003, setting hygiene limits (§4, Annex 2); inside of the building after asbestos	Specialist company / technicians; accreditation is not required for survey; accreditation is required for taking/analyses of samples Accreditation is not required for asbestos abatement company; accreditation is required for measurement after/during abatement	Likely present in buildings built before 2000. Safety plan for the work (RA) before works commence. Reporting of asbestos work
DE	Gefahrstoffverordnung (GefStoffV) Technical Rules for Hazardous Substances: TRGS 519 – Asbestos: Demolition, reconstruction or maintenance work.	Specialist company (Fachbetriebe), expert (sachkundige Person).	Likely present in buildings built before 1992. Initial survey and risk assessment of each identified ACM, including sampling where necessary. Monitoring based on RA.
ES	RD 396/2006, on H&S measures for activities work activities exposed to asbestos Prevention Technical Notes NTP 463: exposition to asbestos fibbers Prevention Technical Notes NTP 796: working plans for maintenance and removal of asbestos containing materials (ACM) Prevention Technical Notes NTP 632: identification of asbestos containing materials (ACM) Prevention Technical Notes NTP 633-II: identification of asbestos containing materials (ACM) Prevention Technical Notes NTP 862 : practical examples of maintenance and removal of asbestos containing materials (ACM) Prevention Technical Notes NTP 707-708: diagnosis of ACM in buildings	Competent person. Activities with maintenance or removal of ACM with risk of fibre release must be done by certified companies (RERA). Before removal of ACM, a Working Plan must be approved by the Work Authorities.	Likely present in buildings built before 1992. It was totally banned in 2002. Produce, update and manage a Risk assessment. Ensure yearly training of personnel.
FR	Public Health Code Art. L.1334-16 to L.1334-17 https://www.legifrance.gouv.fr/codes/id/LEGIARTI000031927993/2016-01-28 Public Health Code Art. R1334-14 to R1334-29-9 https://www.legifrance.gouv.fr/codes/id/LEGISCTA000024140902/2012-02-01 Decree n°2011-629 of 3rd June 2011 relating to the protection of people against asbestos risks "Décret n°2011-629 du 3 juin 2011 relatif à la protection de la population contre les risques sanitaires liés à une exposition à l'amiante dans les immeubles bâtis" https://www.legifrance.gouv.fr/loda/id/JORFTEXT000024114426/ 12th December 2012 Decrees list A and B evaluation "Arrêté du 12 décembre 2012 relatif aux critères d'évaluation de l'état de conservation des matériaux	Qualified and certified person or operator.	Likely present in buildings built before 1997. Survey and assessment before commencing the works.
IT	Lex n. 257 27 March 1992 – regulation regarding the ban of the use of Asbestos Legislative Decree n. 81 of 9 April 2008 – protection of health and safety in the workplace	Competent person.	Likely present in buildings built before 1992. In case of presence of Asbestos, produce, and early update a Management and Control Plan. Ensure training of personnel.
PL	Act of June 19, 1997 on the prohibition of the use of asbestos- containing products (Journal of Laws of 2020, item 1680) as amended Regulation of the Minister of Economy, Labor and Social Policy of 2 April 2004 on the methods and conditions for safe use and removal of asbestos-containing products (Journal of Laws of 2004, item 649) Regulation of the Minister of Economy of 13 December 2010 on requirements for the use of asbestos-containing products and the use and cleaning of installations or devices in which asbestos-containing products have been or are used. (Journal of Laws 2011, number 8, item 31) Regulation of Minister of Economy and Labor on the principles of occupational health and safety for the protection and removal of asbestos-containing products and the training program on the safe use	Qualified or competent person.	Likely present in buildings built before 1997. Periodical technical inspection if asbestos is known to be present. Formal assessment every 1-5 years. Asbestos register. Monitoring each year.
ROI	Safety, Health and Welfare at Work (Exposure to Asbestos) Regulations 2006 (S.I. No. 386/2006)	Competent person.	Likely present in buildings built before 2004. Initial survey and risk assessment of each identified ACM. Monitoring based on RA and AMP. Asbestos register.
SK	Act No. 355/2007 Coll. on protection, support and development of public health and amending certain Acts, as amended Government Regulation No. 253/2006 Coll. on the protection of workers from risks related to exposure to asbestos at work	Trained person considered best practice to outsource to licensed company. Removal of asbestos or ACM only by licensed person or company.	Likely present in buildings built before 1999. Initial and periodical training. Initial and periodical assessment. Monitoring is based on RA. Undertake risk assessment and create AMP. Asbestos register.
UK	The Control of Asbestos Regulations 2012 Managing and working with asbestos (hse.gov.uk) A comprehensive guide to Managing Asbestos in premises (hse.gov.uk) The Control of Asbestos Regulations (Northern Ireland) 2012	Competent person, considered best practice to outsource to licensed, specialist company.	Likely present in buildings built before 2000. Initial survey and risk assessment of each identified ACM. Monitoring based on RA and AMP. Asbestos register.