AMAZON BASE BUILDING COMPLIANCE STANDARD

amazon rme

Task Title	Mobile Ladders
APM Object	CT.HEIGHT.LADDERS.M
APM Description	Mobile ladders.
General tasks always required	Follow safety procedures - e.g. 1MRA, LOTO, PPE, etc. Ensure that all WOs are carried out by qualified, certified staff with appropriate familiarisation and supervision as required Add notes for each observation and create a FWO if necessary to eliminate defects Use appropriate tools, chemicals and industry standard practices (RME policy permitting) Ensure relevant logs, readings and certification is uploaded to APM prior to WO closure. CT evidence must be additionally uploaded to the DMS (WorkDocs in DE) To suggest improvements please raise a SIM or contact document authors Leonardo Vitale (LEOVITAL) Rob Gisby (EWARTGXR) or APM, Benito Sanchez Sanchez de Puerta (BPPUERTA) SIM - Link to SIM template

Last Update: (Version)	abr-24	**Last Update Change Detail:**	PM evidence changed from 3M to 12M.	**Activities may be covered by No-Go restrictions:**	Not Specified	**Special Certification Required:**	**Delivered By:**
Evidenced part or full by PM:	Yes	**Related BBM PM:**	LADDER.MOBILE	**Related CT Areas:**	Not Specified		

Scope

Any site with mobile ladders being used.

Using this document

This document is intended as a guide and may not be exhaustive. Whilst this document is based extensively on professional guidance and subject to periodic review, individual sites must be diligent to ensure they are aware of, and comply to, local and changing regulations.
The format of these standards is intended to improve navigation between maintenance and compliance standards and to allow frequent, minor updates to a single living resource. Please avoid offline or printed versions and check version dates and change log.
In the event of becoming aware of errors or omissions in this document, sites must provide detail, including references to relevant source information to their local planner for escalation - SIM Link above.
This document is considered released as draft.
For Information contact Authors: R Gisby (ewartgxr), Leonardo Vitale (leovital) and Benito Sanchez Sanchez de Puerta (bppuerta)

Maintenance and Compliance Relationship

Where relevant, associated Base Building PM's are listed on the header . In many cases maintenance contributes to, or fulfils compliance requirement. This may not be exhaustive and is intended to assist users to identify relevant maintenance.
If a BBM Maintenance activity fully meets the compliance requirements below, periodic upload of PM evidence will be required to APM and DMS / Workdays depending on region.

Key to Abbreviations

The key to the below document is as follows:
CT - Amazon compliance / statutory task - not otherwise covered by a BBM Standard PM. Evidence to be provided into APM and DMS upon task closure.
CT* - This is a conditional task based or based on findings from previous inspections. If a frequency is not used, a further appropriate frequency needs to be in either the region, or 'ALL'. Local teams must ensure appropriate frequency.
(CT) - Compliance task which is likely met or exceeded by a CT task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met.
PM - Requirement can demonstrated through appropriate maintenance - Refer to relevant PM Standard
(PM) - Maintenance task which is met or exceeded by a PM task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met including regional / manufacturer requirements.
EVID - Periodic upload of evidence to DMS, for non-CT task lines. For example, evidence of PM completion, certification, licence etc.
EVID* - Conditional requirement to upload evidence at the interval provided
N A R - No Additional Requirement

Required Tasks

Region	Task Index	Task Frequency	Task Requirements	Qualification of Inspector	Records Required	PM	Weekly	Monthly	3 Monthly	6 Monthly	12 Monthly	24 Monthly	Additional
All	1	Regularly, at least every 12 months. More frequent inspections might be needed based on risk assessment of use frequency, environmental conditions, etc.	Periodic inspection of mobile ladders to ensure correct and safe operation, including stiles, feet, rungs, locking mechanisms, platforms, etc. If defects are identified, prevent subsequent use through quarantine prior to repair or destruction and replacement – do Not use. Report issue.	Competent person	Inspection records, report or certificates Risk assessment	PM					EVID		
IT	2	No additional requirements	Inspection as per [1].	No additional requirements	Declaration of Conformity (UNI EN 131/D.Lgs 81/08); Inspection records must be kept for at least 3 years	(PM)					EVID		
PL	3	No additional requirements	Inspection as per [1].	No additional requirements	Records must be kept for at least 5 years	(PM)					EVID		
ROI	4	No additional requirements	Inspection as per [1].	No additional requirements	Records must be kept for at least 5 years	(PM)					EVID		

Related Regional Legislation

Region	Relevant legislation	Vendor Certification	Statutory requirement

CZ	Regulation No. 101/2005 Coll. Regulation No. 378/2001 Coll.	Competent person, best practice to outsource to specialist.	Inspections carried out every 12 months
DE	Technische Regeln für Betriebssicherheit: TRBS 2121 Teil 2 - Gefährdung von Beschäftigten bei der Verwendung von Leitern TRBS 1201 - Prüfungen und Kontrollen von Arbeitsmitteln und überwachungsbedürftigen Anlagen	Competent person (fachkundig) for general inspection, Qualified person (befähigte) for periodic inspections.	Frequency dependant on operating conditions, and risk assessment. Visual inspections before each use, and after installation of attachments and repairs.
ES	UNE EN 131 Standard (ladders) RD 1215/97 establishing minimum security provisions and Health for the use by workers of work equipment. Prevention Technical Note NTP 239 (Mobile ladders)	Competent person.	Periodic inspections depending on use and conditions. Maintenance is recommended every 6 months.
FR	Labour Code Art L. 4321-1 and Art R. 4322-1 (equipment maintenance) https://www.legifrance.gouv.fr/codes/article_lc/LEGIARTI000018531543/ Labour code Article R4323-81 to R4323-88 https://www.legifrance.gouv.fr/codes/id/LEGISCTA000018531342/	Qualified person.	Inspections carried out every 12 months.
IT	UNI EN 131:2013 UNI EN 14183:2004 UNI 10401:2004 Legislative Decree 9.04.2008 n° 81 Annex XX	Competent and trained person.	Periodic maintenance follow manufacturer's instructions.
PL	Regulation of the Minister of Labour and Social Policy of September 26, 1997 on general provisions on health and safety at work (Journal of Laws of 1997, No. 129, item 844) Regulation of the Minister of Economy of 30 October 2002. On minimum requirements for health and safety in the use of machines by workers at work. (Journal of Laws of 2002, No. 191, item 1596)	Competent person.	Periodic inspection in accordance with manufacturer's instructions or internal procedures.
ROI	S.I. No. 299/2007 - Safety, Health and Welfare at Work (General Application) Regulations 2007 (irishstatutebook.ie)	Competent and trained person.	Frequency based on risk assessment. Visual check prior use and recommended every month.
SK	Ordinance No. 147/2013 Coll., laying down details for ensuring safety and health protection in construction work and work related to them and details on professional competence to perform certain work activities Government Regulation no. 392/2006 Coll. on the minimum safety and health requirements for the use of work equipment STN EN 131-2+A2: Ladders. Part 2: Requirements, testing, marking.	Competent person, best practice to outsource to specialist company.	Visual check prior each use. Inspections must be carried out every 12 months.
UK	The Workplace (Health, Safety and Welfare) Regulations 1992 (legislation.gov.uk) The Work at Height Regulations 2005 (legislation.gov.uk) The Provision and Use of Work Equipment Regulations 1998 (legislation.gov.uk) Health and Safety at Work etc. Act 1974 (legislation.gov.uk) Safe use of ladders and stepladders: A brief guide (hse.gov.uk) The Work at Height Regulations (Northern Ireland) 2005 (legislation.gov.uk) Provision and Use of Work Equipment Regulations (Northern Ireland) 1999 (legislation.gov.uk)	Competent and trained person. Typically an insurance company.	Undertake visual check prior to each use. Inspection frequency should be based on risk assessment but should not exceed 12 months.