AMAZON BASE BUILDING COMPLIANCE STANDARD

Task Title	Light barriers
APM Object	CT.SAFE.LIGHTBARRIERS
APM Description	Light barriers
General tasks always required	Follow safety procedures - e.g. 1MRA, LOTO, PPE, etc. Ensure that all WOs are carried out by qualified, certified staff with appropriate familiarisation and supervision as required Add notes for each observation and create a FWO if necessary to eliminate defects Use appropriate tools, chemicals and industry standard practices (RME policy permitting) Ensure relevant logs, readings and certification is uploaded to APM prior to WO closure. CT evidence must be additionally uploaded to the DMS (WorkDocs in DE) To suggest improvements please raise a SIM or contact document authors Leonardo Vitale (LEOVITAL) Rob Gisby (EWARTGXR) or APM, Benito Sanchez Sanchez de Puerta (BPPUERTA) SIM - Link to SIM template

Last Update: (Version)	ago-23	**Last Update Change Detail:**	Transfer to new template. Rationalisation of EU RME Minimum standards. Alignment with dependant PM. Released as Draft.	**Activities may be covered by No-Go restrictions:**	Not Specified	**Special Certification Required:**	**Delivered By:**
Evidenced part or full by PM:	Not Specified	**Related BBM PM:**	Not Specified	**Related CT Areas:**	Not Specified		

Scope

Any site that uses physical or non-physical barriers as means to prevent, control or mitigate undesired events or accidents.
This Standard is for planned preventative maintenance only. It is expected that pre-use checks are undertaken by operator prior to using the equipment and that equipment would not be used where guarding has been removed or damaged.
Note other guarding is covered in CT.SAFE.CONVGUARDING

Using this document

This document is intended as a guide and may not be exhaustive. Whilst this document is based extensively on professional guidance and subject to periodic review, individual sites must be diligent to ensure they are aware of, and comply to, local and changing regulations.
The format of these standards is intended to improve navigation between maintenance and compliance standards and to allow frequent, minor updates to a single living resource. Please avoid offline or printed versions and check version dates and change log.
In the event of becoming aware of errors or omissions in this document, sites must provide detail, including references to relevant source information to their local planner for escalation - SIM Link above.
This document is considered released as draft.
For Information contact Authors: R Gisby (ewartgxr), Leonardo Vitale (leovital) and Benito Sanchez Sanchez de Puerta (bppuerta)

Maintenance and Compliance Relationship

Where relevant, associated Base Building PM's are listed on the header . In many cases maintenance contributes to, or fulfils compliance requirement. This may not be exhaustive and is intended to assist users to identify relevant maintenance.
If a BBM Maintenance activity fully meets the compliance requirements below, periodic upload of PM evidence will be required to APM and DMS / Workdays depending on region.

Key to Abbreviations

The key to the below document is as follows:
CT - Amazon compliance / statutory task - not otherwise covered by a BBM Standard PM. Evidence to be provided into APM and DMS upon task closure.
CT* - This is a conditional task based or based on findings from previous inspections. If a frequency is not used, a further appropriate frequency needs to be in either the region, or 'ALL'. Local teams must ensure appropriate frequency.
(CT) - Compliance task which is likely met or exceeded by a CT task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met.
PM - Requirement can demonstrated through appropriate maintenance - Refer to relevant PM Standard
(PM) - Maintenance task which is met or exceeded by a PM task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met including regional / manufacturer requirements.
EVID - Periodic upload of evidence to DMS, for non-CT task lines. For example, evidence of PM completion, certification, licence etc.
EVID* - Conditional requirement to upload evidence at the interval provided
N A R - No Additional Requirement

Required Tasks

Region	Task Index	Task Frequency	Task Requirements	Qualification of Inspector	Records Required	PM	Weekly	Monthly	3 Monthly	6 Monthly	12 Monthly	24 Monthly	Additional
All	1	In accordance with manufacturer's instructions and recommendations	Regular maintenance of all light barriers, including cleaning, parts replacing, etc.	Competent person	Maintenance logbook			CT					
All	2	Based on risk assessment (environment and manufacturers instructions), but at least monthly Technical assessment annually (it is assumed supervisors will check for unauthorised modifications more frequently)	Regular inspection of condition and integrity of all light barriers to ensure safe use.	Competent person	Inspection records, report or certificate. Risk assessment CE declaration of conformity			CT			CT		
CZ	3	Between 6 - 36 months	Inspection and maintenance of equipment (depending on type and environment)	Competent person.	Inspection records					(CT)			6-36 Month CT

Related Regional Legislation

Region	Relevant legislation	Vendor Certification	Statutory requirement
CZ	Government Regulation No. 101/2005 Coll., Nam. Government Regulation No. 378/2001 Coll. Decree No 50/1978 Coll. ČSN 33 1600 ed.2.	Competent person, best practice to outsource to specialist	Inspection every 12 months. Inspection and maintenance of equipment (depending on type and environment) between 6 - 36 months

DE	Betriebssicherheitsverordnung (BetrSichV) Technische Regeln für Betriebssicherheit: TRBS 1201 - Prüfungen und Kontrollen von Arbeitsmitteln und überwachungsbedürftigen Anlagen TRBS 1203 - Befähigte Personen Prüfungen an BWS - Berührungslos Wirkende Schutzeinrichtungen	competent person (befähigte Person) according to TRBS 1203	Regular inspections based on risk assessment.
ES	Directive 2006/42 / EC of the European Parliament and of the Council of 17 May 2006 on machines. RD 1644/2008, of October 10, which establishes the rules for marketing and commissioning of the machines. RD 1215/1997, of July 18, establishing minimum security provisions and Health for the use by workers of work equipment. RD 1435/1992, of November 27, which establishes the regulation of the Directive 89/392/CEE, related to the approach to the regulation of the member Estates related to machines.	Competent person.	Maintenance follow manufacturer's instructions. Regular inspections and checks.
FR	Labor Code : Article R4323-22 to R4323-28 relating to work equipment checks Code du travail article R4223-22 à 128 relatifs au contrôle des équipements de travail https://www.legifrance.gouv.fr/codes/section_lc/LEGITEXT000006072050/LEGISCTA000018489757/#LEGISCTA000018531487	Qualified person	Daily with visual inspections Required after dismantling the equipment. Regular inspections in accordance with manufacturer's instructions, but at least every 6 months
IT	Legislative Decree 9/04/2008 n.81 IEC 61496-1:2020 (Electro-sensitive protective equipment) IEC 62046:2018 (Application of protective equipment to detect the presence of persons) IEC TS 62998-1:2019 (Safety-related sensors used for the protection of persons)	Qualified personnel	Daily checks. Regular inspections in accordance with manufacturer's instructions, but at least every 6 months
PL	Regulation of Minister of Labour and Social Policy on general provisions for occupational health and safety (Journal of Laws 2003, number 169, item 1650) as amended. Regulation of the Minister of Economy of 30 October 2002 on the minimum requirements for occupational health and safety in the use of machines by employees at work (Journal of Laws 2002, number 191, item 1596) Regulation of the Minister of Economy of October 21, 2008 on essential requirementsfor machines (Dz.U. 2008 nr 199 poz. 1228)	Qualified or competent person	Regular inspections based on risk assessment. In accordance with manufacturer's instruction or internal procedure / good practices implemented in the company.
ROI	S.I. No. 299/2007 - Safety, Health and Welfare at Work (General Application) Regulations 2007 (irishstatutebook.ie) Safety, Health and Welfare at Work Act 2005 (irishstatutebook.ie)	Competent person - but often delivered by the owner or manager	Routine maintenance Regular inspections in line with risk assessment.
SK	Act No. 124/2006 Coll. on safety and health at work. Ordinance No. 508/2009 Coll. on details for ensuring safety and health protection when working with technical pressure, lifting, electric and gas equipment and laying down technical equipment which is considered to be the reserved technical equipment	Competent and qualified person	In accordance with the type of equipment on which the system is mounted in accordance with the manufacturer's instructions or at least every two years.
UK	The Provision and Use of Work Equipment Regulations 1998 Provision and Use of Work Equipment Regulations (Northern Ireland) 1999 Provision and Use of Work Equipment Regulations 1998. Approved Code of Practice and guidance L22 (hse.gov.uk)	Competent person - but often delivered by the owner / manager of the site	Routine maintenance Regular inspections in line with risk assessment, but at least monthly.