amazon rme

AMAZON BASE BUILDING MAINTENANCE STANDARD

GLOBAL CENTRAL RME STANDARDS & COMPLIANCE

Task Title	BUILDING, RAINWATER COLLECTORS - 3
APM Object	BLDG.RAINCOLL
APM EC	AMZ.BLDG.RAINCOLL
BBM Handbook Title	Rainwater Collectors- Rainwater drainage Systems
General tasks always required	Follow safety procedures - e.g. 1MRA, LOTO, PPE, etc. Ensure that all WOs are carried out by qualified, certified staff with appropriate familiarisation and supervision as required Add notes for each observation and create a FWO if necessary to eliminate defects Use appropriate tools, chemicals and industry standard practices (RME policy permitting) Ensure relevant logs, readings and certification is uploaded to APM prior to WO closure These tasks are based on industry guidance, SME knowledge and HIE learning. Please ensure vendor specific requirements are followed. To suggest improvements please raise a SIM SIM - Link to SIM template

Last Update: (Version)	Jun-24	**Geo Applied:**	Intl APM Instance	**F-Gas**	Not Identified	**Activies may be covered by No-Go restrictions:**	TBC	**Special Certificaion Required:**	TBC	**Delivered By:**	TBC	**OCB:**	BBM
Evidence for CT:	TBC	**Pricing template Position:**	3	**Related CT Areas:**	CT.RAINWATERPUMP			**Assets included in this PM:**	RAINWATER COLLECTORS	**Schedule With:**	BLDG.EXT BLDG.EXTSURFACES BLDG.BUSSHELTER BLDG.GATEBARRIER LIGHT.EXT		

Description of System / Technology (According to BBM Handbook)

Rainwater Collectors - Rainwater drainage Systems
All surfaces and installed equipment throughout the parking area.

Additional Information

All sites with the above listed Base Building Asset should conduct routine maintenance and inspections according to this standard PM package. The Amazon maintenance standard supports compliance, reduces safety risks,improves asset reliability & efficiency.
Some maintenances captures several assets within one PM package -> Ensure that corrective/reactive maintenance for assets where proactive maintenance is contained under another asset is created against the original asset.

Task Index	Component	Tasks	Tasks Nested for frequencies > weekly									
			Daily	Weekly	Monthly	3 Monthly	6 Monthly	12 Monthly	24 Monthly	36 Monthly	48 Monthly	60 Monthly
1	Drainage systems	Manholes/inspection shafts, grit chamber - check for dirt, damage and corrosion						SC				
2	Drainage systems	Clearing of the sand/dirt trap if necessary						SC				
3	Drainage systems	Clearing of gutters/rainwater inlets if necessary						SC				
4	Drainage systems	Schedule a cleaning of deposits around the rainwater inlets if necessary						SC				
5	Drainage systems	Check the main (accessible) drainage pipes for dirt deposit and schedule a flush truck for cleaning if necessary						SC				
6	Rain Water Retention	Check all water retention devices for correct functionality (Environmental protection)						SC				
7	Rain Water Retention	Check rain retention basins for clenliness and react appropriately if necessary (e.g. intense vegetation. etc.)						SC				

Change Log

July 2023 - First issue in new format. Simplification of task scope, alignment with CT.
June 2024 - Updating the APM Object according to the last OCB updates and the APM description as well.