# AMAZON BASE BUILDING COMPLIANCE STANDARD

| | |
|---|---|
| **Task Title** | Building technical and environmental review |
| **APM Object** | CT.FAC.BUILDING |
| **APM Description** | Building technical and environmental review |
| **General tasks always required** | Follow safety procedures - e.g. 1MRA, LOTO, PPE, etc.<br>Ensure that all WOs are carried out by qualified, certified staff with appropriate familiarisation and supervision as required<br>Add notes for each observation and create a FWO if necessary to eliminate defects<br>Use appropriate tools, chemicals and industry standard practices (RME policy permitting)<br>Ensure relevant logs, readings and certification is uploaded to APM prior to WO closure. CT evidence must be additionally uploaded to the DMS (WorkDocs in DE)<br>To suggest improvements please raise a SIM or contact document authors<br>Leonardo Vitale (LEOVITAL) Rob Gisby (EWARTGXR) or APM, Benito Sanchez Sanchez de Puerta (BPPUERTA)<br>SIM - Link to SIM template |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Last Update: (Version)** | abr-24 | **Last Update Change Detail:** | PM evidence changed from 3M to 12M. | **Activities may be covered by No-Go restrictions:** | Not Specified | **Special Certification Required:** | **Delivered By:** |
| **Evidenced part or full by PM:** | Not Specified | **Related BBM PM:** | BLDG.INT<br>BLDG.ROOF<br>BLDG.EXT<br>BLDG.EXTSURFACES<br>+D&C structural assessment) | **Related CT Areas:** | CT.FAC.ROOFTOPINSPECT | | |

## Scope

All sites should be structurally checked regularly to ensure that structural deficiencies, such as deteriorated or corroded beams and connections along with other issues like slippage and settlement in the foundation, cracks and holes in walls and floors, etc., are identified and corrected promptly.

## Using this document

This document is intended as a guide and may not be exhaustive. Whilst this document is based extensively on professional guidance and subject to periodic review, individual sites must be diligent to ensure they are aware of, and comply to, local and changing regulations.
The format of these standards is intended to improve navigation between maintenance and compliance standards and to allow frequent, minor updates to a single living resource. Please avoid offline or printed versions and check version dates and change log.
In the event of becoming aware of errors or omissions in this document, sites must provide detail, including references to relevant source information to their local planner for escalation - SIM Link above.
This document is considered released as draft.
For Information contact Authors: R Gisby (ewartgxr), Leonardo Vitale (leovital) and Benito Sanchez Sanchez de Puerta (bppuerta)

## Maintenance and Compliance Relationship

Where relevant, associated Base Building PM's are listed on the header . In many cases maintenance contributes to, or fulfils compliance requirement. This may not be exhaustive and is intended to assist users to identify relevant maintenance.
If a BBM Maintenance activity fully meets the compliance requirements below, periodic upload of PM evidence will be required to APM and DMS / Workdays depending on region.

## Key to Abbreviations

The key to the below document is as follows:
**CT** - Amazon compliance / statutory task - not otherwise covered by a BBM Standard PM. Evidence to be provided into APM and DMS upon task closure.
**CT*** - This is a conditional task based or based on findings from previous inspections. If a frequency is not used, a further appropriate frequency needs to be in either the region, or 'ALL'. Local teams must ensure appropriate frequency.
**(CT)** - Compliance task which is likely met or exceeded by a CT task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met.
**PM** - Requirement can demonstrated through appropriate maintenance - Refer to relevant PM Standard
**(PM)** - Maintenance task which is met or exceeded by a PM task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met including regional / manufacturer requirements.
**EVID** - Periodic upload of evidence to DMS, for non-CT task lines. For example, evidence of PM completion, certification, licence etc.
**EVID*** - Conditional requirement to upload evidence at the interval provided
**N A R** - No Additional Requirement

## Required Tasks

| Region | Task Index | Task Frequency | Task Requirements | Qualification of Inspector | Records Required | PM | Weekly | Monthly | 3 Monthly | 6 Monthly | 12 Monthly | 24 Monthly | Additional |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All | | Based on risk assessment (use and environmental conditions), but at least every 2 or 3 years. | Regular on-site structural system inspections to identify signs of deterioration (e.g. cracks, holes, etc.). | Competent person, usually internally sourced. | Records of periodic inspection<br>Risk assessment | PM | | | | | EVID | | |
| All | | Based on risk assessment (use and environmental conditions), but at least every 4 or 5 years. | Regular professional visual inspections (extended on-site inspection). | Competent person, best practice to outsource | Records of periodic inspection<br>Risk assessment | | | | | | | | 4Y |
| All | | Based on risk assessment (use and environmental conditions), but at least every 12 or 15 years. | Regular detail structural inspection, which might include material testing. | Competent person, best practice to outsource | Records of periodic inspection<br>Risk assessment | | | | | | | | 12Y |
| All | | In line with engineer's recommendations or instructions. | Corrective or improvement actions need to be actioned to prevent further issues. | Competent person, best practice to outsource | Records of periodic inspection<br>Risk assessment | PM | | | | | EVID | | |
| All | | 12 monthly | Carry out the structural assessment owned using D&C SOP | Trained person | Records of periodic inspection<br>Risk assessment | | | | | | CT | | |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All | | On off 2 months after PC | Engineering inspection | External consultant (e.g. civil engineer) | Inspection report | | | | | | | | Check |
| All | | On off 24 months after PC | Engineering inspection | External consultant (e.g. civil engineer) | Inspection report | | | | | | | | Check |
| All | | 5 yearly inspection | Engineering inspection | External consultant (e.g. civil engineer) | Inspection report | | | | | | | | 5Y |
| All | | Safety inspection 6 monthly in the first 2 years after PC | Follow D&C `s"Structural Inspection Handbook" https://quip-amazon.com/OgtHATffQjNK/Concrete-Inspection-Handbook#temp:C:JbC7edde02fa3754617a8e98c83b | External consultant (e.g. civil engineer) | Inspection report | | | | | CT | | | |
| All | | Safety inspection 12 monthly starting 2 years after PC | Follow D&C `s"Structural Inspection Handbook" https://quip-amazon.com/OgtHATffQjNK/Concrete-Inspection-Handbook#temp:C:JbC7edde02fa3754617a8e98c83b | External consultant (e.g. civil engineer) | Inspection report | | | | | CT | | | |
| CZ | | Regular revisions - from 1 year to 5 years | Regular revisions depending on the type of environment according to the Protocol on The Determination of External Influences | Review technician | Revision report | PM | | | | | EVID | | |

**Related Regional Legislation**

| Region | Relevant legislation | Vendor Certification | Statutory requirement |
|---|---|---|---|
| CZ | Decree 73/2010 Coll., ČSN 331500, ČSN 333320 ed.2,<br>ČSN 332570, ČSN 332000, ČSN EN 62305, ČSN 331600.ed.2,<br>Decree 50/1978 | Competent, competent electrician<br>Review technician | Frequency determined by the Protocol on the list of external influences, between 6 and 60 months. |
| DE | VDI 6200 - Standsicherheit von Bauwerken - Regelmäßige Überprüfung<br><br>Musterbauordnung (MBO)<br><br>Relevant Building Codes of the pertinent Federal States (Landesbauordnung) | On-site inspection usually by site owner.<br>Extended on-site and detailed inspections by competent person (befähigte Person ) | Recommended that an initial inspection is conducted as soon as possible after taking over a property.<br><br>On-site structural system inspections every 1-5 years, based on damage class (Schadensfolgeklase).<br><br>Visual inspection (extended on-site inspection without the use of technical aids) every 2-5 years.<br><br>Detailed inspection, including material testing if necessary, every 6-15 years.<br><br>Unscheduled inspections should be carried out after extraordinary impacts such as subsidence, heavy snow, extreme weather events etc., or as soon as any damage to the building is observed. |
| ES | RD 314/2006, of March 17, which approves the Building Technical Code, and further modifications such us RD732/2019, of December 20.<br><br>Structural Security Basic Document (DB SE) - Appendix D of existing buildings structural assessment. | Architect, technical architect, or structural engineer associated with any Official Architect or Engineer Association. | Responsibility of maintaining the workplace in a good condition.<br>Regular inspections of structural condition of workplaces based on information recompilation, structural analysis, verification, and qualitative assessment.<br>Inspection's periodicity according to assessments results. |
| FR | Labor Code Art R4224-17 to 19 relating to site and installation maintenance<br>https://www.legifrance.gouv.fr/codes/id/LEGISCTA000018532199/ | On-site inspection by competent person | Responsibility of maintaining the workplace in a good condition, including walls and floors. Regular inspections of structural condition of workplace (e.g. cracks, uneven floors, etc.), based on risk assessment. |
| IT | Legislative Decree 9/04/2008 n.81<br>DPR 06/06/2001 n.380 | Competent person. | Regular inspections of structural condition of workplace based on the maintenance program, contained in the worksheet (Fascicolo dell'Opera) provided by the building design coordinator. |

| | | | |
|---|---|---|---|
| PL | Regulation of Minister of Infrastructure of 12 April 2002 on the technical conditions to be met by buildings and their location (Journal of Laws 2019, item 1065)<br>Act of 7 July 1994 on Construction Law (Journal of Laws 2020, item 1333) | Competent person. | Responsibility of maintaining the workplace in a good condition, including walls and floors. Regular inspections of structural condition of workplace (e.g. cracks, uneven floors, etc.), |
| ROI | S.I. No. 299/2007 - Safety, Health and Welfare at Work (General Application) Regulations 2007 (irishstatutebook.ie)<br>Safety, Health and Welfare at Work Act 2005 (irishstatutebook.ie) | Competent person, usually outsourced to specialist company or engineer. | Responsibility of maintaining the workplace in a good condition, including walls and floors. Regular inspections of structural condition of workplace (e.g. cracks, uneven floors, etc.), based on risk assessment. |
| SK | STN 73 2011/a Non-destructive testing of concrete structures<br>STN ISO 13822 Bases for design of structures. Assessment of existing structures<br>STN EN 15643-1 Sustainability of construction works. Sustainability assessment of buildings. Part 1:General framework | Competent person, usually outsourced to specialist company or engineer. | Regular inspection (by owner or administrator of building) of conditions, including walls and floors, inspections of structural condition of workplace (e.g. cracks, uneven floors, etc). |
| UK | The Management of Health and Safety at Work Regulations 1999 (legislation.gov.uk)<br>Management of Health and Safety at Work Regulations (Northern Ireland) 2000 (legislation.gov.uk)<br>The Workplace (Health, Safety and Welfare) Regulations 1992 (legislation.gov.uk)<br>Workplace (Health, Safety and Welfare) Regulations (Northern Ireland) 1993 (legislation.gov.uk) | Competent person, usually outsourced to specialist company or engineer. | Responsibility of maintaining the workplace in a good condition, including walls and floors. Regular inspections of structural condition of workplace (e.g. cracks, uneven floors, etc.), based on risk assessment. |