AMAZON BASE BUILDING COMPLIANCE STANDARD

Task Title	Rooftop inspection
APM Object	CT.FAC.ROOFTOPINSPECT
APM Description	Rooftops
General tasks always required	Follow safety procedures - e.g. 1MRA, LOTO, PPE, etc. Ensure that all WOs are carried out by qualified, certified staff with appropriate familiarisation and supervision as required Add notes for each observation and create a FWO if necessary to eliminate defects Use appropriate tools, chemicals and industry standard practices (RME policy permitting) Ensure relevant logs, readings and certification is uploaded to APM prior to WO closure. CT evidence must be additionally uploaded to the DMS (WorkDocs in DE) To suggest improvements please raise a SIM or contact document authors Leonardo Vitale (LEOVITAL) Rob Gisby (EWARTGXR) or APM, Benito Sanchez Sanchez de Puerta (BPPUERTA) SIM - Link to SIM template

Last Update: (Version)	abr-24	**Last Update Change Detail:**	PM evidence changed from 3M to 12M.	**Activities may be covered by No-Go restrictions:**	Yes	**Special Certification Required:**	**Delivered By:**
Evidenced part or full by PM:	Yes	**Related BBM PM:**	BLDG.ROOF	**Related CT Areas:**	CT.FAC.BUILDING		

Scope

All sites should undertake routine rooftop inspections to ensure stability, adequate condition of all roof features, such as flues, parapet walls, etc., in order to prevent or minimise health and safety risks to employees and visitors.
Note the inspection of the remaining building fabric is covered in CT.FAC.BUILDING

Using this document

This document is intended as a guide and may not be exhaustive. Whilst this document is based extensively on professional guidance and subject to periodic review, individual sites must be diligent to ensure they are aware of, and comply to, local and changing regulations.
The format of these standards is intended to improve navigation between maintenance and compliance standards and to allow frequent, minor updates to a single living resource. Please avoid offline or printed versions and check version dates and change log.
In the event of becoming aware of errors or omissions in this document, sites must provide detail, including references to relevant source information to their local planner for escalation - SIM Link above.
This document is considered released as draft.
For Information contact Authors: R Gisby (ewartgxr), Leonardo Vitale (leovital) and Benito Sanchez Sanchez de Puerta (bppuerta)

Maintenance and Compliance Relationship

Where relevant, associated Base Building PM's are listed on the header . In many cases maintenance contributes to, or fulfils compliance requirement. This may not be exhaustive and is intended to assist users to identify relevant maintenance.
If a BBM Maintenance activity fully meets the compliance requirements below, periodic upload of PM evidence will be required to APM and DMS / Workdays depending on region.

Key to Abbreviations

The key to the below document is as follows:
CT - Amazon compliance / statutory task - not otherwise covered by a BBM Standard PM. Evidence to be provided into APM and DMS upon task closure.
CT* - This is a conditional task based or based on findings from previous inspections. If a frequency is not used, a further appropriate frequency needs to be in either the region, or 'ALL'. Local teams must ensure appropriate frequency.
(CT) - Compliance task which is likely met or exceeded by a CT task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met.
PM - Requirement can demonstrated through appropriate maintenance - Refer to relevant PM Standard
(PM) - Maintenance task which is met or exceeded by a PM task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met including regional / manufacturer requirements.
EVID - Periodic upload of evidence to DMS, for non-CT task lines. For example, evidence of PM completion, certification, licence etc.
EVID* - Conditional requirement to upload evidence at the interval provided
N A R - No Additional Requirement

Required Tasks

Region	Task Index	Task Frequency	Task Requirements	Qualification of Inspector	Records Required	PM	Weekly	Monthly	3 Monthly	6 Monthly	12 Monthly	24 Monthly	Additional
All	1	Based on risk assessment and building O&M manual but at least annually.	Routine maintenance and cleaning of rooftop areas.	Competent person, usually internally sourced	Inspection records, report of certificate. Risk assessment.	PM					EVID		
All	2	Based on risk assessment (use and environmental conditions and building O&M manual), but at least annually.	Regular inspection of the rooftops. This includes roof surface and coverings, general condition to prevent leaks, inspection of flues and chimneys (if present), parapet walls, internal structure (e.g. signs of stress), etc.	Competent person, best practice to outsource	Inspection records, report of certificate. Risk assessment.	PM					EVID		

Related Regional Legislation

Region	Relevant legislation	Vendor Certification	Statutory requirement
CZ	Government Regulation No. 101/2005 Coll., Nam. Government Regulation No. 378/2001 Coll. Act No. 133/1985 Coll. Decree No. 34/2016 Coll.	Competent person, best practices for outsourcing to a specialist. chimney sweep	Inspection and maintenance every 12 months
DE	DIN 18531-4 - Abdichtung von Dächern sowie von Balkonen, Loggien und Laubengängen - Teil 4: Nicht genutzte und genutzte Dächer - Instandhaltung	Competent person (befähigte Person), best practice to outsource to specialist company (Fachbetrieb)	Maintenance and cleaning from contamination conducted annually. Recommended twice a year maintenance and inspection of the roof surface, its connections and terminations of the penetrations and transitions to neighbouring surfaces and, if necessary, the condition of the surface layers.

ES	RD 314/2006, of March 17, which approves the Building Technical Code, and further modifications such us RD732/2019, of December 20. Health Standards Basic Document (DB HS) – Protection against humidity: DB HS1. Section 2.4: roofs.	Competent person, best practice to outsource to specialist company.	Responsibility of maintaining the workplace in a good condition, including rooftops. Regular inspections based on risk assessment and in accordance with a planned safe system of work.
FR	Labor Code Art R4224-17 to 19 relating to site and installation maintenance. Code du travail article R4224-17 à 19 relatifs à la maintenance du site et de ses installations https://www.legifrance.gouv.fr/codes/id/LEGISCTA000018532199/	On-site inspection by competent person.	Responsibility of maintaining the workplace in a good condition, including rooftops. Regular inspections based on risk assessment and in accordance with a planned safe system of work.
IT	Legislative Decree 9/04/2008 n.81 DPR 06/06/2001 n.380	Competent person.	Regular inspections of structural condition of workplace (including rooftops) based on the maintenance program, contained in the worksheet (Fascicolo dell'Opera) provided by the building design coordinator.
PL	Regulation of Minister of Infrastructure of 12 April 2002 on the technical conditions to be met by buildings and their location (Journal of Laws 2019, item 1065) Act of 7 July 1994 on Construction Law (Journal of Laws 2020, item 1333)	Competent person.	Responsibility of maintaining the workplace in a good condition, including rooftops. Regular inspections based on risk assessment.
ROI	S.I. No. 299/2007 - Safety, Health and Welfare at Work (General Application) Regulations 2007 (irishstatutebook.ie) Safety, Health and Welfare at Work Act 2005 (irishstatutebook.ie)	Competent person, usually outsourced to specialist company or engineer.	Responsibility of maintaining the workplace in a good condition, including rooftops. Regular inspections based on risk assessment.
SK	Ordinance No. 391/2006 Coll. on the minimum safety and health requirements for the workplace STN 73 1901 Designing of roofs. Basic provisions	Competent person, usually outsourced to specialist company or engineer.	Regular inspection of roof by the owner or administrator of the building.
UK	The Management of Health and Safety at Work Regulations 1999 (legislation.gov.uk) Management of Health and Safety at Work Regulations (Northern Ireland) 2000 (legislation.gov.uk) The Workplace (Health, Safety and Welfare) Regulations 1992 (legislation.gov.uk) Workplace (Health, Safety and Welfare) Regulations (Northern Ireland) 1993 (legislation.gov.uk) The Work at Height Regulations 2005	Competent person, usually outsourced to specialist company or engineer.	Responsibility of maintaining the workplace in a good condition, including rooftops. Regular inspections based on risk assessment and in accordance with a planned safe system of work.