AMAZON BASE BUILDING COMPLIANCE STANDARD

Task Title	Fixed Ladders
APM Object	CT.HEIGHT.LADDERS.F
APM Description	Fixed ladders.
General tasks always required	Follow safety procedures - e.g. 1MRA, LOTO, PPE, etc. Ensure that all WOs are carried out by qualified, certified staff with appropriate familiarisation and supervision as required Add notes for each observation and create a FWO if necessary to eliminate defects Use appropriate tools, chemicals and industry standard practices (RME policy permitting) Ensure relevant logs, readings and certification is uploaded to APM prior to WO closure. CT evidence must be additionally uploaded to the DMS (WorkDocs in DE) To suggest improvements please raise a SIM or contact document authors Leonardo Vitale (LEOVITAL) Rob Gisby (EWARTGXR) or APM, Benito Sanchez Sanchez de Puerta (BPPUERTA) SIM - Link to SIM template

Last Update: (Version)	abr-24	**Last Update Change Detail:**	PM evidence changed from 3M to 12M.	**Activities may be covered by No-Go restrictions:**	Not Specified	**Special Certification Required:**	**Delivered By:**
Evidenced part or full by PM:	Yes	**Related BBM PM:**	LADDERS.FIXED	**Related CT Areas:**	Not Specified		

Scope

Any site with fixed ladders installed to access areas such as roofs, plants or machines.

Using this document

This document is intended as a guide and may not be exhaustive. Whilst this document is based extensively on professional guidance and subject to periodic review, individual sites must be diligent to ensure they are aware of, and comply to, local and changing regulations.
The format of these standards is intended to improve navigation between maintenance and compliance standards and to allow frequent, minor updates to a single living resource. Please avoid offline or printed versions and check version dates and change log.
In the event of becoming aware of errors or omissions in this document, sites must provide detail, including references to relevant source information to their local planner for escalation - SIM Link above.
This document is considered released as draft.
For Information contact Authors: R Gisby (ewartgxr), Leonardo Vitale (leovital) and Benito Sanchez Sanchez de Puerta (bppuerta)

Maintenance and Compliance Relationship

Where relevant, associated Base Building PM's are listed on the header . In many cases maintenance contributes to, or fulfils compliance requirement. This may not be exhaustive and is intended to assist users to identify relevant maintenance.
If a BBM Maintenance activity fully meets the compliance requirements below, periodic upload of PM evidence will be required to APM and DMS / Workdays depending on region.

Key to Abbreviations

The key to the below document is as follows:
CT - Amazon compliance / statutory task - not otherwise covered by a BBM Standard PM. Evidence to be provided into APM and DMS upon task closure.
CT* - This is a conditional task based or based on findings from previous inspections. If a frequency is not used, a further appropriate frequency needs to be in either the region, or 'ALL'. Local teams must ensure appropriate frequency.
(CT) - Compliance task which is likely met or exceeded by a CT task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met.
PM - Requirement can demonstrated through appropriate maintenance - Refer to relevant PM Standard
(PM) - Maintenance task which is met or exceeded by a PM task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met including regional / manufacturer requirements.
EVID - Periodic upload of evidence to DMS, for non-CT task lines. For example, evidence of PM completion, certification, licence etc.
EVID* - Conditional requirement to upload evidence at the interval provided
N A R - No Additional Requirement

Required Tasks

Region	Task Index	Task Frequency	Task Requirements	Qualification of Inspector	Records Required	PM	Weekly	Monthly	3 Monthly	6 Monthly	12 Monthly	24 Monthly	Additional
All	1	Regularly every 12 months. More frequent inspections might be needed based on risk assessment.	Thorough inspection of fixed ladders. If defects are identified, prevent subsequent use through quarantine prior to repair or destruction and replacement – do Not use. Report issue.	Competent person	Inspection records, report or certificate Risk assessment	PM					EVID		
FR	3	No additional requirements	No additional requirements	No additional requirements	Maintenance logbook Training records								NAR
IT	2	No additional requirements.	Check if the dimensions allow the passage of people and any work tools, and in any case with a width of not less than 60 cm. Protective cage required if the ladder's height exceeds 5 metres or an angle of 75°, the cage must be installed starting from 5 metres from the ground.	No additional requirements	No additional requirements						CT		
PL	5	No additional requirements	No additional requirements	No additional requirements	Inspection records must be kept for 5 years. Training records								NAR
ROI	4	No additional requirements	No additional requirements	No additional requirements	Inspection records must be kept for 5 years.								NAR

Related Regional Legislation

Region	Relevant legislation	Vendor Certification	Statutory requirement
CZ	Regulation No. 101/2005 Coll. Regulation No. 378/2001 Coll.	Competent person, best practice to outsource to specialist company.	Inspections carried out every 12 months.
DE	DGUV Information 208-032 - Auswahl und Benutzung von Steigleitern	Expert person (sachkundige Person).	Visual check by user prior to each use Inspection intervals according to manufacturer's stipulation, and based on risk assessment, but at least every 12 months is recommended.
ES	Royal Decree 486/1997, minimum prevention measures in working places. Prevention Technical Note NTP 404 (Fixed ladders) Prevention Technical Note NTP 408 (Service fixed ladders)	Competent person.	Periodic inspections depending on use and conditions. Recommended every 3 months. Recommended to have a checklist and maintain inspection records.
FR	Labour Code Art L. 4321-1 and Art R. 4322-1 (equipment maintenance) https://www.legifrance.gouv.fr/codes/article_lc/LEGIARTI000018531543/ Labour code Article R4323-81 to R4323-88 https://www.legifrance.gouv.fr/codes/id/LEGISCTA000018531342/	Qualified person.	Inspections carried out every 12 months.
IT	UNI EN ISO 14122-4:2016 Legislative Decree 9.04.2008 n° 81 art. 113 UNI EN 353:2018 (If a fall arrest system is installed, as an alternative to the protective cage)	Competent and trained person.	Periodic inspections follow manufacturer's instructions.
PL	Regulation of Minister of Labour and Social Policy on general provisions for occupational health and safety (OJ 2003 No 169 item 1650) as amended.	Competent person.	Periodic inspection in accordance with manufacturer's instructions or internal procedures.
ROI	S.I. No. 299/2007 - Safety, Health and Welfare at Work (General Application) Regulations 2007 (irishstatutebook.ie)	Competent, trained person.	Frequency of inspection based on risk assessment and competency of the person conducting the inspection. Inspection records to be kept for at least 5 years.
SK	Ordinance No. 147/2013 Coll., laying down details for ensuring safety and health protection in construction work and work related to them and details on professional competence to perform certain work activities Government Regulation no. 392/2006 Coll. on the minimum safety and health requirements for the use of work equipment STN 74 3282: Steel ladders. Basic regulations.	Competent person, best practice to outsource to specialist company.	Visual check prior each use. Inspections must be carried out every 12 months.
UK	The Workplace (Health, Safety and Welfare) Regulations 1992 (legislation.gov.uk) The Work at Height Regulations 2005 (legislation.gov.uk) The Provision and Use of Work Equipment Regulations 1998 (legislation.gov.uk) Health and Safety at Work etc. Act 1974 (legislation.gov.uk) Provision and Use of Work Equipment Regulations (Northern Ireland) 1999 (legislation.gov.uk) The Work at Height Regulations (Northern Ireland) 2005 (legislation.gov.uk) Provision and Use of Work Equipment Regulations (Northern Ireland) 1999	Competent and trained person.	Visual check prior each use. Inspections should be conducted at least every 12 months.