AMAZON BASE BUILDING COMPLIANCE STANDARD

Task Title	Noise Inspections
APM Object	CT.WHS.NOISE
APM Description	Noise inspections - whole site
General tasks always required	Follow safety procedures - e.g. 1MRA, LOTO, PPE, etc. Ensure that all WOs are carried out by qualified, certified staff with appropriate familiarisation and supervision as required Add notes for each observation and create a FWO if necessary to eliminate defects Use appropriate tools, chemicals and industry standard practices (RME policy permitting) Ensure relevant logs, readings and certification is uploaded to APM prior to WO closure. CT evidence must be additionally uploaded to the DMS (WorkDocs in DE) To suggest improvements please raise a SIM or contact document authors Leonardo Vitale (LEOVITAL) Rob Gisby (EWARTGXR) or APM, Benito Sanchez Sanchez de Puerta (BPPUERTA) SIM - Link to SIM template

Last Update: (Version)	ago-23	**Last Update Change Detail:**	Transfer to new template. Rationalisation of EU RME Minimum standards. Alignment with dependant PM. Released as Draft.	**Activities may be covered by No-Go restrictions:**	Not Specified	**Special Certification Required:**	**Delivered By:**
Evidenced part or full by PM:	Not Specified	**Related BBM PM:**	Not Specified	**Related CT Areas:**	Not Specified		

Scope

All sites are required under Health and Safety regulations to safeguard the health and safety of their employees, visitors and that of others whom their work might affect. This includes the statutory requirement of risk assessing and minimising sources of noise as well as providing control measures in high noise areas.

Using this document

This document is intended as a guide and may not be exhaustive. Whilst this document is based extensively on professional guidance and subject to periodic review, individual sites must be diligent to ensure they are aware of, and comply to, local and changing regulations.
The format of these standards is intended to improve navigation between maintenance and compliance standards and to allow frequent, minor updates to a single living resource. Please avoid offline or printed versions and check version dates and change log.
In the event of becoming aware of errors or omissions in this document, sites must provide detail, including references to relevant source information to their local planner for escalation - SIM Link above.
This document is considered released as draft.
For Information contact Authors: R Gisby (ewartgxr), Leonardo Vitale (leovital) and Benito Sanchez Sanchez de Puerta (bppuerta)

Maintenance and Compliance Relationship

Where relevant, associated Base Building PM's are listed on the header . In many cases maintenance contributes to, or fulfils compliance requirement. This may not be exhaustive and is intended to assist users to identify relevant maintenance.
If a BBM Maintenance activity fully meets the compliance requirements below, periodic upload of PM evidence will be required to APM and DMS / Workdays depending on region.

Key to Abbreviations

The key to the below document is as follows:
CT - Amazon compliance / statutory task - not otherwise covered by a BBM Standard PM. Evidence to be provided into APM and DMS upon task closure.
CT* - This is a conditional task based or based on findings from previous inspections. If a frequency is not used, a further appropriate frequency needs to be in either the region, or 'ALL'. Local teams must ensure appropriate frequency.
(CT) - Compliance task which is likely met or exceeded by a CT task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met.
PM - Requirement can demonstrated through appropriate maintenance - Refer to relevant PM Standard
(PM) - Maintenance task which is met or exceeded by a PM task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met including regional / manufacturer requirements.
EVID - Periodic upload of evidence to DMS, for non-CT task lines. For example, evidence of PM completion, certification, licence etc.
EVID* - Conditional requirement to upload evidence at the interval provided
N A R - No Additional Requirement

Required Tasks

Region	Task Index	Task Frequency	Task Requirements	Qualification of Inspector	Records Required	PM	Weekly	Monthly	3 Monthly	6 Monthly	12 Monthly	24 Monthly	Additional
All	1	Initially and at regular intervals as identified on the risk assessment, but at least yearly. Additionally, following any change in the activities, technology used or number of occupants.	Initial and periodic assessment of working conditions to identify sources of noise and put measures in place to minimise or remove/reduce sources that could pose a risk for the health and safety of the employees and visitors.	Competent person. Often outsourced although Amazon Safety Team maybe able to support)	Risk assessment Training records. Inspection records, reports or certificate. Surveillance/ medical examination records. CE Declaration of Conformity for machinery and Personal						CT		
All	2	Regular checks based on risk assessment.	Monitor levels of noise at work to ensure the noise thresholds and exposure limits (peak and daily) are not exceeded.	Competent person. Often outsourced although Amazon Safety Team maybe able to support)	Risk assessment Training records. Inspection records, reports or certificate. Surveillance/ medical examination records. CE Declaration of Conformity for machinery and Personal						CT		
All	3	Based on risk assessment (use conditions and frequency).	If Personal Protection Equipment (PPE) is required, regular maintenance should be conducted to ensure correct operation and condition.	Competent person.	Risk assessment Training records. Inspection records, reports or certificate. Surveillance/ medical examination records. CE Declaration of Conformity for machinery and Personal						CT		
All	4	Initially (baseline) and at regular intervals, usually annually.	Health surveillance (e.g. audiometric testing) to monitor employees' hearing ability when they are likely to be frequently exposed above the upper exposure action values or are at risk for any other reason.	Competent person. Often outsourced	Risk assessment Training records. Inspection records, reports or certificate. Surveillance/ medical examination records. CE Declaration of Conformity for machinery and Personal						CT		
All	5	Based on risk assessment and/or manufacturer's instructions and recommendations.	Regular maintenance of all equipment that has been identified as a source of noise to ensure it continues to work effectively and minimises noise to lowest possible level.	Competent person.	Risk assessment Training records. Inspection records, reports or certificate. Surveillance/ medical examination records. CE Declaration of Conformity for machinery and Personal						CT		

Related Regional Legislation

Region	Relevant legislation	Vendor Certification	Statutory requirement
ALL	No region specific legislation specified	N/A	N/A