AMAZON BASE BUILDING COMPLIANCE STANDARD

amazon rme

Task Title	Automatic gate - pedestrians
APM Object	CT.WORK.AUTOGATE-PEDESTRIAN
APM Description	Powered gates and doors for pedestrians
General tasks always required	Follow safety procedures - e.g. 1MRA, LOTO, PPE, etc. Ensure that all WOs are carried out by qualified, certified staff with appropriate familiarisation and supervision as required Add notes for each observation and create a FWO if necessary to eliminate defects Use appropriate tools, chemicals and industry standard practices (RME policy permitting) Ensure relevant logs, readings and certification is uploaded to APM prior to WO closure. CT evidence must be additionally uploaded to the DMS (WorkDocs in DE) To suggest improvements please raise a SIM or contact document authors Leonardo Vitale (LEOVITAL) Rob Gisby (EWARTGXR) or APM, Benito Sanchez Sanchez de Puerta (BPPUERTA) SIM - Link to SIM template

Last Update: (Version)	ago-23	**Last Update Change Detail:**	Transfer to new template. Rationalisation of EU RME Minimum standards. Alignment with dependant PM. Released as Draft.	**Activities may be covered by No-Go restrictions:**	Not Specified	**Special Certification Required:**	**Delivered By:**
Evidenced part or full by PM:	Yes	**Related BBM PM:**	BLDG.DOOR.AUTODOOR BLDG.DOOR.RLRDOORS BLDG.EXT BLDG.TURNST BLDG.SPEEDGATE	**Related CT Areas:**	Not Specified		

Scope

Any site with automatic gates and doors designed for pedestrian use, including turnstiles.

Using this document

This document is intended as a guide and may not be exhaustive. Whilst this document is based extensively on professional guidance and subject to periodic review, individual sites must be diligent to ensure they are aware of, and comply to, local and changing regulations.
The format of these standards is intended to improve navigation between maintenance and compliance standards and to allow frequent, minor updates to a single living resource. Please avoid offline or printed versions and check version dates and change log.
In the event of becoming aware of errors or omissions in this document, sites must provide detail, including references to relevant source information to their local planner for escalation - SIM Link above.
This document is considered released as draft.
For Information contact Authors: R Gisby (ewartgxr), Leonardo Vitale (leovital) and Benito Sanchez Sanchez de Puerta (bppuerta)

Maintenance and Compliance Relationship

Where relevant, associated Base Building PM's are listed on the header . In many cases maintenance contributes to, or fulfils compliance requirement. This may not be exhaustive and is intended to assist users to identify relevant maintenance.
If a BBM Maintenance activity fully meets the compliance requirements below, periodic upload of PM evidence will be required to APM and DMS / Workdays depending on region.

Key to Abbreviations

The key to the below document is as follows:
CT - Amazon compliance / statutory task - not otherwise covered by a BBM Standard PM. Evidence to be provided into APM and DMS upon task closure.
CT* - This is a conditional task based or based on findings from previous inspections. If a frequency is not used, a further appropriate frequency needs to be in either the region, or 'ALL'. Local teams must ensure appropriate frequency.
(CT) - Compliance task which is likely met or exceeded by a CT task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met.
PM - Requirement can demonstrated through appropriate maintenance - Refer to relevant PM Standard
(PM) - Maintenance task which is met or exceeded by a PM task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met including regional / manufacturer requirements.
EVID - Periodic upload of evidence to DMS, for non-CT task lines. For example, evidence of PM completion, certification, licence etc.
EVID* - Conditional requirement to upload evidence at the interval provided
N A R - No Additional Requirement

Required Tasks

Region	Task Index	Task Frequency	Task Requirements	Qualification of Inspector	Records Required	PM	Weekly	Monthly	3 Monthly	6 Monthly	12 Monthly	24 Monthly	Additional
All	1	Before it is first used	Initial inspection.	Competent person.	Inspection records, report or certificate Risk assessment Maintenance logbook								Check
All	2	In accordance with manufacturer's instructions and recommendations.	Regular maintenance of the equipment	Competent person.	Inspection records, report or certificate Risk assessment Maintenance logbook	PM					EVID		
All	3	Based on risk assessments, but at least once every 12 months. Additionally, following any modifications.	Regular inspections and checks to ensure safe use and correct operation, including effectiveness of protective devices. If defects are identified, prevent subsequent use through quarantine prior repair or disposal and replacement - do Not use. Report issue	Competent person.	Inspection records, report or certificate Risk assessment Maintenance logbook	PM					EVID		
CZ	8	When gate is commissioned and further as needed.	Automatic pedestrian gates need to be appropriately marked with black and yellow tape.	No additional requirements	No additional requirements								Check
FR	4	Every 6 months	Automatic and semi-automatic doors inspections.	No additional requirements	No additional requirements	PM					EVID		

IT	5	No additional requirements	Check technical specification.	No additional requirements	CE Declaration of Conformity	PM					EVID		
ROI	6	At least every 12 months, based on manufacturer's instructions.	If falls within the scope of BS EN 13241:2003+A2:2016, it might also be subject to the requirements of the Construction Products Regulations.	No additional requirements	Declaration of Performance	PM					EVID		
SK	7	At least every 12 months, based on manufacturer's instructions.	Vertical sliding gates with motor drive with a lift height of more than 2.7m requires a professional inspection and professional test.	No additional requirements	No additional requirements	PM					EVID		

Related Regional Legislation			
Region	**Relevant legislation**	**Vendor Certification**	**Statutory requirement**
CZ	Regulation No. 101/2005 Coll. Regulation No. 378/2001 Coll. Regulation No. 375/2017 Coll.	Competent person, best practice to outsource to specialist.	Inspections every 12 months.
DE	Arbeitsstättenverordnung (ArbStättV), §3ff, Annex1 Section 1.7 Technische Regel für Arbeitsstätten ASR A1.7 - Türen und Tore DGUV Information 208-022 - Sicherer Umgang mit Toren DGUV Information 208-026 Sicherheit von kraftbetätigten Karusselltüren DIN 18650-1:2010-06 Respective law of the federal state with reference to the building permit (case-by-case examination)	Competent person (befähigte Person) according to ASR A1.7,	Regular visual and functional checks to detect defects. Inspection before initial start-up, after modifications and at least every 12 months.
ES	RD 1215/97 establishing minimum security provisions and Health for the use by workers of work equipment. UNE-EN 16005: 2013. Power operated pedestrian doorsets - Safety in use - Requirements and test methods. UNE 85121:2018. Powered pedestrian doors. Installation, use and maintenance. UNE-EN 16361: 2014+A1: 2017. Power operated pedestrian doors - Product standard, performance characteristics - Pedestrian doorsets, other than swing type, initially designed for installation with power operation Building Technical Code (CTE). Fire Safety Basic Document (DB SI3 - Evacuation). Section 6.5 "powered pedestrian doors must have a system which, in case of electric supply failure or in case of emergency	Competent person. Manufacturer, maintenance or installation staff (UNE 85121 4.1, 4.2)	Maintenance follow manufacturer's instructions. Regular inspections and checks. Maintenance Registers must be kept at least for 5 years. (According to UNE 85121).
FR	Labour code : Art. R4224-12 Article R4224-12 - Code du travail - Légifrance (legifrance.gouv.fr). Arrêté du 21 décembre 1993 relatif aux portes et portails automatiques et semi-automatiques sur les lieux de travail - Légifrance (legifrance.gouv.fr)	Qualified person. (internal or not)	Inspections every 6 months and adapted to the frequency of use and the nature of the door or gate.
IT	Directive 2006/42/CE on machinery (Annex II A) Legislative Decree 9.04.2008 n° 81 Circular letter n.4962-04.04.2012 UNI EN 16005:2012 (Safety) UNI EN 12978:2009 (Safety devices) UNI EN 16361:2016 (Requirements)	Authorised person.	Maintenance follow manufacturer's instructions. Inspection at suitable intervals. Periodic maintenance every 12 months for individuals, every 6 months for companies.
PL	Regulation of Minister of Labour and Social Policy of 26 September 1997on general provisions for occupational health and safety (Journal of Laws 2003 No 169 item 1650) Regulation of the Minister of Economy of 30 October 2002 on the minimum requirements for occupational health and safety in the use of machines by employees at work (Journal of Laws 2002, number 191, item 1596) Regulation of Minister of Infrastructure of 12 April 2002 on on the technical conditions to be met by buildings and their location (Journal of Laws 2019, item 1065)	Qualified & competent person.	Inspections follow manufacturer's instructions or internal procedures.
ROI	S.I. No. 299/2007 - Safety, Health and Welfare at Work (General Application) Regulations 2007 (irishstatutebook.ie) Safety, Health and Welfare at Work Act 2005 (irishstatutebook.ie)	Competent person, best practice to outsource to specialist.	Regular maintenance. Inspections at least every 12 months.
SK	Act No. 124/2006 Coll. on safety and health at work and on the amendment of certain acts Government Regulation No. 392/2006 Coll. on minimum safety and health requirements for the use of work equipment No. 59/1982 Coll. laying down the basic requirements to ensure the safety of work and technical equipment STN EN 12453: Industrial, commercial and garage doors and gates. Safety in use of power operated doors. Requirements and test methods	Competent person.	Inspections at least every 12 months as defined by STN 12453.

UK	The Provision and Use of Work Equipment Regulations 1998 (legislation.gov.uk) The Supply of Machinery (Safety) Regulations 2008 (legislation.gov.uk) Health and Safety at Work etc. Act 1974 (legislation.gov.uk) Workplace (Health, Safety and Welfare) Regulations 1992 (legislation.gov.uk) Provision and Use of Work Equipment Regulations (Northern Ireland) 1999 Workplace (Health, Safety and Welfare) Regulations (Northern Ireland) 1993	Competent person, best practice to outsource to specialist.	Regular maintenance. Initial inspection, and at least every 12 months.