AMAZON BASE BUILDING COMPLIANCE STANDARD

amazon rme

Task Title	Dock Assets
APM Object	CT.WORK.DOCK
APM Description	Dock doors and associated equipment (dock levellers, dock locks, etc.), security gates and barriers.
General tasks always required	Follow safety procedures - e.g. 1MRA, LOTO, PPE, etc. Ensure that all WOs are carried out by qualified, certified staff with appropriate familiarisation and supervision as required Add notes for each observation and create a FWO if necessary to eliminate defects Use appropriate tools, chemicals and industry standard practices (RME policy permitting) Ensure relevant logs, readings and certification is uploaded to APM prior to WO closure. CT evidence must be additionally uploaded to the DMS (WorkDocs in DE) To suggest improvements please raise a SIM or contact document authors Leonardo Vitale (LEOVITAL) Rob Gisby (EWARTGXR) or APM, Benito Sanchez Sanchez de Puerta (BPPUERTA) SIM - Link to SIM template

Last Update: (Version)	abr-24	**Last Update Change Detail:**	PM evidence changed from 6M to 12M.	**Activities may be covered by No-Go restrictions:**	Yes	**Special Certification Required:**	**Delivered By:**
Evidenced part or full by PM:	Yes	**Related BBM PM:**	Docks Doors Dock levellers Dock Shelters Dock Airbags	**Related CT Areas:**	Not Specified		

Scope

Any site with automatic dock doors for loading/unloading operations, including associated equipment such as dock levellers and locks. This Compliance Standard also includes the minimum maintenance and inspection requirements for security gates and barriers.

Using this document

This document is intended as a guide and may not be exhaustive. Whilst this document is based extensively on professional guidance and subject to periodic review, individual sites must be diligent to ensure they are aware of, and comply to, local and changing regulations.
The format of these standards is intended to improve navigation between maintenance and compliance standards and to allow frequent, minor updates to a single living resource. Please avoid offline or printed versions and check version dates and change log.
In the event of becoming aware of errors or omissions in this document, sites must provide detail, including references to relevant source information to their local planner for escalation - SIM Link above.
This document is considered released as draft.
For Information contact Authors: R Gisby (ewartgxr), Leonardo Vitale (leovital) and Benito Sanchez Sanchez de Puerta (bppuerta)

Maintenance and Compliance Relationship

Where relevant, associated Base Building PM's are listed on the header . In many cases maintenance contributes to, or fulfils compliance requirement. This may not be exhaustive and is intended to assist users to identify relevant maintenance.
If a BBM Maintenance activity fully meets the compliance requirements below, periodic upload of PM evidence will be required to APM and DMS / Workdays depending on region.

Key to Abbreviations

The key to the below document is as follows:
CT - Amazon compliance / statutory task - not otherwise covered by a BBM Standard PM. Evidence to be provided into APM and DMS upon task closure.
CT* - This is a conditional task based or based on findings from previous inspections. If a frequency is not used, a further appropriate frequency needs to be in either the region, or 'ALL'. Local teams must ensure appropriate frequency.
(CT) - Compliance task which is likely met or exceeded by a CT task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met.
PM - Requirement can demonstrated through appropriate maintenance - Refer to relevant PM Standard
(PM) - Maintenance task which is met or exceeded by a PM task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met including regional / manufacturer requirements.
EVID - Periodic upload of evidence to DMS, for non-CT task lines. For example, evidence of PM completion, certification, licence etc.
EVID* - Conditional requirement to upload evidence at the interval provided
N A R - No Additional Requirement

Required Tasks

Region	Task Index	Task Frequency	Task Requirements	Qualification of Inspector	Records Required	PM	Weekly	Monthly	3 Monthly	6 Monthly	12 Monthly	24 Monthly	Additional
All	1	Maintenance program follow manufacturer's instructions.	Regular maintenance of equipment (lubrication, cleaning, replacement of parts, topping-up liquids, etc.).	Competent person.	Maintenance logbook	PM					EVID		
All	2	Before it is first used and once assembled.	Acceptance inspection	Competent person.	Inspection records, report or certificate. Risk assessment	PM					EVID		
All	3	Inspections based on risk assessments, but at least once every 12 months.	Regular inspections and checks to ensure safe use and correct operation, including effectiveness of protective devices.	Competent person.	Inspection records, report or certificate. Risk assessment	PM					EVID		
CZ	9	No additional requirements	Inspection as per [2] and [3].	No additional requirements	CE Declaration of Conformity	(PM)					EVID		
FR	6	Every 6 months	Automatic and semi-automatic doors inspections.	No additional requirements	No additional requirements	PM					EVID		

FR	7	Regular inspections of dock levellers to take place every 6 months.	Dock levellers inspections.	No additional requirements	No additional requirements	PM					EVID		
IT	8	No additional requirements	Inspection as per [2] and [3].	No additional requirements	CE Declaration of Conformity	(PM)					EVID		
SK	4	At least every 12 months, based on manufacturer's instructions.	Vertical sliding gates with motor drive with a lift height of more than 2.7m requires a professional inspection and professional test.	No additional requirements	No additional requirements	PM					EVID		

Related Regional Legislation			
Region	**Relevant legislation**	**Vendor Certification**	**Statutory requirement**
CZ	Regulation No. 101/2005 Coll. Regulation No. 378/2001 Coll. Decree No 50/1978 ČSN 33 1600 ed.2.	Competent person, best practice to outsource to specialist.	Inspections every 12 months
DE	Arbeitsstättenverordnung (ArbStättV), §3ff, Annex1 Section 1.7 Technische Regel für Arbeitsstätten ASR A1.7 - Türen und Tore DGUV Information 208-022 - Sicherer Umgang mit Toren DGUV Information 208-026 Sicherheit von kraftbetätigten Karusselltüren DIN 18650-1:2010-06 Respective law of the federal state with reference to the building permit (case-by-case examination)	Competent person (befähigte Person) according to ASR A1.7	Regular visual and functional checks to detect defects. Inspection before initial start-up, after modifications and at least every 12 months, based on risk assessment.
ES	RD 1644/2008, which establishes the rules for marketing and commissioning of the machines. RD 1215/97 establishing minimum security provisions and Health for the use by workers of work equipment. RD1435/1992, of November 27, which establishes the regulation of the Directive 89/392/CEE, related to the approach to the regulation of the member Estates related to machines. Prevention Technical Note NTP 1016. Loading and unloading bays: security. Prevention Technical Note NTP 985. Loading and unloading bays: security. UNE-EN 13241-1: 2004+A1:2011. Industrial, commercial and garage doors and gates - Product standard - Part 1: Products without fire resistance or smoke control characteristics	Competent person.	Maintenance follow manufacturer's instructions. Regular inspections and checks.
FR	Labour code : Art. R4224-12 https://www.legifrance.gouv.fr/codes/article_lc/LEGIARTI000018532211/#:~:text=Les%20portes%20et%20portails%20sont,pr%C3%A9vu%20%C3%A0%20l'article%20R. 21 December 1993 Decree "Arrêté du 21 décembre 1993 relatif aux portes et portails automatiques et semi-automatiques sur les lieux de travail" https://www.legifrance.gouv.fr/loda/id/LEGITEXT000006082855/	Qualified person. (internal or not).	Inspections every 6 months and adapted to the frequency of use and the nature of the door or gate.
IT	Directive 2006/42/CE on machinery (Annex II A) Legislative Decree 9.04.2008 n° 81 UNI EN 12978:2009 (Safety devices) UNI EN 1398:2009 (Dock levellers) UNI EN 13241:2016 (Performance requirements) UNI EN 1570:2015 (Lifting platforms for dock levellers) UNI EN 12453:2017 (Safety requirements)	Authorised person.	Maintenance follow manufacturer's instructions. Inspection at every 6 months.
PL	Regulation of Minister of Labour and Social Policy of 26 September 1997 on general provisions for occupational health and safety (Journal of Laws 2003, no 169, item 1650) as amended. Regulation of the Minister of Economy of 30 October 2002 on the minimum requirements for occupational health and safety in the use of machines by employees at work (Journal of Laws 2002, number 191, item 1596) Regulation of the Minister of Economy of October 21, 2008 on essential requirements for machines (Journal of Laws 2008, number 199, item 1228)	Qualified & competent person.	Inspections follow manufacturer's instructions or internal procedures
ROI	Safety, Health and Welfare at Work Act 2005 (irishstatutebook.ie) S.I. No. 299/2007 - Safety, Health and Welfare at Work (General Application) Regulations 2007 (irishstatutebook.ie)	Competent person, best practice to outsource to specialist.	Regular inspections based on risk assessment, but at least every 12 months.
SK	Act No. 124/2006 Coll. on safety and health at work and on the amendment of certain acts Government Regulation No. 392/2006 Coll. on minimum safety and health requirements for the use of work equipment Ordinance No. 508/2009 Coll., laying down details to ensure safety and health protection when working with technical equipment - pressure, lifting, electrical and gas and which lays down technical equipment that is considered to be reserved technical equipment STN EN 12453: Industrial, commercial and garage doors and gates. Safety in use of power operated doors. Requirements and test methods	Competent person, best practice to outsource to specialist.	Inspections at least every 12 months defined by STN EN 12453. GENERAL: Inspection after installation and before first use. Further inspection intervals to be defined by employer according to manufacturer´s instruction. Inspection record required.

UK	The Provision and Use of Work Equipment Regulations 1998 The Supply of Machinery (Safety) Regulations 2008 Health and Safety at Work etc. Act 1974) Provision and Use of Work Equipment Regulations (Northern Ireland) 1999 (legislation.gov.uk) Workplace (Health, Safety and Welfare) Regulations (Northern Ireland) 1993 (legislation.gov.uk)	Competent person, best practice to outsource to specialist.	Regular maintenance. Initial inspection, and at least every 12 months.