AMAZON BASE BUILDING COMPLIANCE STANDARD

Task Title	Pest control – check database
APM Object	CT.WORK.PEST
APM Description	Sitewide
General tasks always required	Follow safety procedures - e.g. 1MRA, LOTO, PPE, etc. Ensure that all WOs are carried out by qualified, certified staff with appropriate familiarisation and supervision as required Add notes for each observation and create a FWO if necessary to eliminate defects Use appropriate tools, chemicals and industry standard practices (RME policy permitting) Ensure relevant logs, readings and certification is uploaded to APM prior to WO closure. CT evidence must be additionally uploaded to the DMS (WorkDocs in DE) To suggest improvements please raise a SIM or contact document authors Leonardo Vitale (LEOVITAL) Rob Gisby (EWARTGXR) or APM, Benito Sanchez Sanchez de Puerta (BPPUERTA) SIM - Link to SIM template

Last Update: (Version)	ago-23	**Last Update Change Detail:**	Transfer to new template. Rationalisation of EU RME Minimum standards. Alignment with dependant PM. Released as Draft.	**Activities may be covered by No-Go restrictions:**	Not Specified	**Special Certification Required:**	**Delivered By:**
Evidenced part or full by PM:	Not Specified	**Related BBM PM:**	Not Specified	**Related CT Areas:**	Not Specified		

Scope

Any site where goods or food products are stored.

Using this document

This document is intended as a guide and may not be exhaustive. Whilst this document is based extensively on professional guidance and subject to periodic review, individual sites must be diligent to ensure they are aware of, and comply to, local and changing regulations.
The format of these standards is intended to improve navigation between maintenance and compliance standards and to allow frequent, minor updates to a single living resource. Please avoid offline or printed versions and check version dates and change log.
In the event of becoming aware of errors or omissions in this document, sites must provide detail, including references to relevant source information to their local planner for escalation - SIM Link above.
This document is considered released as draft.
For Information contact Authors: R Gisby (ewartgxr), Leonardo Vitale (leovital) and Benito Sanchez Sanchez de Puerta (bppuerta)

Maintenance and Compliance Relationship

Where relevant, associated Base Building PM's are listed on the header . In many cases maintenance contributes to, or fulfils compliance requirement. This may not be exhaustive and is intended to assist users to identify relevant maintenance.
If a BBM Maintenance activity fully meets the compliance requirements below, periodic upload of PM evidence will be required to APM and DMS / Workdays depending on region.

Key to Abbreviations

The key to the below document is as follows:
CT - Amazon compliance / statutory task - not otherwise covered by a BBM Standard PM. Evidence to be provided into APM and DMS upon task closure.
CT* - This is a conditional task based or based on findings from previous inspections. If a frequency is not used, a further appropriate frequency needs to be in either the region, or 'ALL'. Local teams must ensure appropriate frequency.
(CT) - Compliance task which is likely met or exceeded by a CT task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met.
PM - Requirement can demonstrated through appropriate maintenance - Refer to relevant PM Standard
(PM) - Maintenance task which is met or exceeded by a PM task in [ALL] and therefore achieved by proxy BUT local site must satisfy themselves that requirements are fully met including regional / manufacturer requirements.
EVID - Periodic upload of evidence to DMS, for non-CT task lines. For example, evidence of PM completion, certification, licence etc.
EVID* - Conditional requirement to upload evidence at the interval provided
N A R - No Additional Requirement

Required Tasks

Region	Task Index	Task Frequency	Task Requirements	Qualification of Inspector	Records Required	PM	Weekly	Monthly	3 Monthly	6 Monthly	12 Monthly	24 Monthly	Additional
All	1	Frequency determined by risk assessment, but at least monthly.	Vendor inspection.	Competent person, usually sub contracted to pest control	Inspection records, report or certificate Risk assessment						EVID		

Related Regional Legislation

Region	Relevant legislation	Vendor Certification	Statutory requirement
ALL	No region specific legislation specified	N/A	N/A
CZ	Act No. 258/2000 Coll.	Competent person	Frequency determined by risk assessment

DE	Lebensmittel- und Futtermittelgesetzbuch - LFGB; §36 LMHV - Lebensmittelhygiene-Verordnung TRGS 523 - Schädlingsbekämpfung mit sehr giftigen, giftigen und gesundheitsschädlichen Stoffen und Zubereitungen IFS Pest Control Guideline	N/A	N/A
ES	RD485/1997, of April 14, about minimum requirements for occupational health and safety signs. RD3349/1983. Sanitary and technical regulation on manufacturing and use of pesticides. RD 830/2010, Establishing the regulatory regulations for training to perform biocide treatments. RD363/1995, of March 10, approving the regulation about notification of new substances and classification, packaging and labelling of hazardous substances. RD374/2001, of April 6, about health and safety protection for workers against chemical agents on workplaces. RD1054/2002, of October 11, which regulate the evaluation process for the register, authorisation and commercialisation of biocides. RD255/2003, of February 28, approving the regulation about classification, packaging and labelling of	Authorized and accredited technician (possession of official license is compulsory).	Maintenance in accordance with Pest Control Plan. Equipment: once during the first 5 years after purchase and, from that point, every 3 years (RD1702/2011).
FR	N/A	N/A	Regular inspections
IT	CE n. 852/2004 Reg. UE 625/2017 D.P.R 327/80 UNI/ PdR 86:2020 (Guidelines for application of UNI EN 16636) UNI EN 16636:2015 (Pest management requirements) CE n.178/2002 CE n.853/2004 CE n.2023/2006 CE N.183/2005	Competent person.	Check database monthly. Daily inspection (walkaround).
PL	Regulation of Minister of Labour and Social Policy on general provisions for occupational health and safety (Journal of Laws 2003, no 169, item 1650) as amended. Regulation of the Minister of Economy of 30 October 2002 on the minimum requirements for occupational health and safety in the use of machines by employees at work (Journal of Laws 2002, number 191, item 1596) The Act of 25 August 2006 on food and nutrition safety (Journal of Laws 2020, item 2021) The Act of 5 December 2008 on preventing and combating infections and infectious diseases in humans (Journal of Laws 2020, item 1845) The Act of 13 September 1996 on maintaining cleanliness and order in communes (Journal of Laws 2020, item 1439)	Competent or qualified person.	Inspection frequency based on manufacturer's recommendations
ROI	Safety, Health and Welfare at Work Act 2005 (irishstatutebook.ie) Waste Management Act, 1996 (irishstatutebook.ie)	Competent person.	Based on risk assessment.
SK	Act No. 152/1995 Coll. on food Ordinance No. 585/2008 Coll., which lays down details on the prevention and control of transmittable diseases	Competent person.	Inspection frequency depending on stored material.
UK	Health and Safety at Work etc. Act 1974 Health and Safety at Work (Northern Ireland) Order 1978 (legislation.gov.uk)	Competent person.	Based on risk assessment.