amazon rme

AMAZON BASE BUILDING MAINTENANCE STANDARD

GLOBAL CENTRAL RME STANDARDS & COMPLIANCE

Task Title	BUILDING, EXTERIOR SURFACES - 3
APM Object	BLDG.EXTSURFACES
APM EC	AMZ.BLDG.EXTSURFACES
BBM Handbook Title	Exterior Surfaces
General tasks always required	Follow safety procedures - e.g. 1MRA, LOTO, PPE, etc. Ensure that all WOs are carried out by qualified, certified staff with appropriate familiarisation and supervision as required Add notes for each observation and create a FWO if necessary to eliminate defects Use appropriate tools, chemicals and industry standard practices (RME policy permitting) Ensure relevant logs, readings and certification is uploaded to APM prior to WO closure These tasks are based on industry guidance, SME knowledge and HIE learning. Please ensure vendor specific requirements are followed. To suggest improvements please raise a SIM SIM - Link to SIM template

Last Update: (Version)	Jun-24	**Geo Applied:**	Intl APM Instance	**F-Gas**	Not Identified	**Activies may be covered by No-Go restrictions:**	TBC	**Special Certificaion Required:**	TBC	**Delivered By:**	TBC	**OCB:**	BBM
Evidence for CT:	YES	**Pricing template Position:**	3	**Related CT Areas:**	CT.FAC.BUILDING			**Assets included in this PM:**	ROADS/PAVEMENTS - ROAD SIGNS - SPEED BUMPS - CAR PARK	**Schedule With:**	BLDG.EXT BLDG.RAINCOLL BLDG.BUSSHELTER BLDG.GATEBARRIER LIGHT.EXT		

Description of System / Technology (According to BBM Handbook)

All surfaces and installed equipment throughout the parking area

Additional Information

All sites with the above listed Base Building Asset should conduct routine maintenance and inspections according to this standard PM package. The Amazon maintenance standard supports compliance, reduces safety risks,improves asset reliability & efficiency.
Some maintenances captures several assets within one PM package -> Ensure that corrective/reactive maintenance for assets where proactive maintenance is contained under another asset is created against the original asset.
This maintenance is specifically for the parking areas and doesn`t include the yard.

Task Index	Component	Tasks	Tasks Nested for frequencies > weekly									
			Daily	Weekly	Monthly	3 Monthly	6 Monthly	12 Monthly	24 Monthly	36 Monthly	48 Monthly	60 Monthly
1	ROADS / PAVEMENTS	Check the ground surfaces for damage and unwanted vegetation						SC				
2	ROADS / PAVEMENTS	Are flammable or unnecessary goods stored						SC				
3	ROADS / PAVEMENTS	Ensure all salt boxes and storage units are fully stocked for winter readiness						SC				
4	Road Signs - line marking, etc.	Check line marking for damage						SC				
5	Road Signs-speed bumps, etc.	Check the speed bumps & tire stops for correct seating (securely fixed) and damage						SC				
6	Road Signs-speed bumps, etc.	Check all road signs for damage & corrosion						SC				
7	Multi storage car park specific	Are there any water leaks visible at the walls or ceiling						SC				
8	Multi storage car park specific	Does the light work properly						SC				
9	Multi storage car park specific	Check walls and ceilings for damage & corrosion						SC				
10	Multi storage car park specific	Are technical installations damaged or loose (e.g. cable trays, MCP, fire extinguisher)						SC				

Change Log

July 2023 - First issue in new format. Simplification of task scope, alignment with CT.
June 2024 - Removing in the asset related cell: Speed bumps / tire stops.
Aug 2024 - Added task to check for salt storage