Answers to Questions from TT1.2

Name: Nguyễn Minh Kiệt

Student ID: 104972679

1.Desk Check Task: Calculate Bill Total

Required Variables:

Real (floating point):

appetizer_price, main_price, dessert_price

total_price

Pseudocode:

Read the value of appetizer_price

Read the value of main_price

Read the value of dessert_price

total_price = appetizer_price + main_price + dessert_price

Print '$' then the value of total_price to the terminal showing two decimal places.

Test Data:

	First data set	Second data set
appetizer_price	10.30	12.40
main_price	34.00	41.00
dessert_price	8.50	9.80

Expected Result:

	First data set	Second data set
Output:	$52.80	$63.20

Desk check:

	Statement	*appetizer_price*	*main_price*	*dessert_price*	*total_price*	*output*
First Pass	***Read the value of appetizer_price***	**10.30**				
	Read the value of main_price	**10.30**	**34.00**			
	Read the value of dessert_price	**10.30**	**34.00**	**8.50**		
	Calculate the total_price	**10.30**	**34.00**	**8.50**	**52.80**	
	Convert to dollars				**52.80**	
	Output the total_price					**$52.80**
Second Pass	***Read the value of appetizer_price***	**12.40**				
	Read the value of main_price	**12.40**	**41.00**			
	Read the value of dessert_price	**12.40**	**41.00**	**9.80**		
	Calculate the total_price	**12.40**	**41.00**	**9.80**	**63.20**	
	Convert to dollars				**63.20**	
	Output the total_price					**$63.20**

2.Complete Program Calculate Bill Total

```
PS D:\coding learning\COS1009\Week 01> & C:/Users/PC/AppData/Local/Microsoft/WindowsApps/python3.13.e
xe "d:/coding learning/COS1009/Week 01/calculate_bill_total.py"
Enter the appetizer price:
10.30
Enter the main price:
34.00
Enter the dessert price:
8.50
$52.80
```

```
PS D:\coding learning\COS1009\Week 01> & C:/Users/PC/AppData/Local/Microsoft/WindowsApps/python3.13.e
xe "d:/coding learning/COS1009/Week 01/calculate_bill_total.py"
Enter the appetizer price:
12.40
Enter the main price:
41.00
Enter the dessert price:
9.80
$63.20
PS D:\coding learning\COS1009\Week 01>
```

3. Short Answer Questions:

1.

The program must execute statements in the correct order because later statements may depend on values calculated earlier. If statements are executed out of order, variables may not yet have values, leading to incorrect results or errors.

2.

This is an assignment statement.

3.

The computer first evaluates the expression a +b

Then it assigns the result back to variable a

4.

Data	Type

A person's name e.g: “Fred Smith”	String
Number of students in a class e.g: 23	Integer
Average age of a group of people e.g: 23.5	Float
A temperature in Celsius e.g: 45.7	Float
True or false e.g: 1 == 2	Boolean

6.

Two variable scopes in Python

_Local scope

_Global scope