

# Đề xuất các quy luật tĩnh trong mapping MITRE ATT&CK

## **Reconn TA0043**

- T1595: Active Scanning
- T1593: Search open Websites
- T1590: Gather victim network information

## **Resource Dev TA0042**

- T1583: Acquire infrastructure
- T1587: Develop capabilities

## **Initial access TA0001**

- T1190: Exploit public facing app
- T1189: Drive by compromise
- T1566: Phishing
- T1078: Valid accounts
- T1659: Content Injection

## **Execution TA0002**

- T1059 - Command And Scripting Interpreter
- T1072 - Software Deployment Tools
- T1203 - Exploitation For Client Execution

## **Persistence TA0003**

- T1505 - Server Software Component
- t1133 - External Remote Services

### **Stealth TA0005 (Defense invasion)**

- T1027 - Obfuscated Files or Information
- T1036 - Masquerading
- T1205 - Traffic Signaling

### **Defense Impairment TA0112**

- T1689: Downgrade attack
- T1687: Exploitation for Defense Impairment

### **Credential Access TA0006**

- T1110: Brute force
- T1187: Forced Authentication
- T1557: Adversary-in-the-Middle
- T1558: Steal or Forge Kerberos Tickets

### **Discovery TA0007**

- T1614 - System Location Discovery
- T1083 - File And Directory Discovery
- T1082 - System Information Discovery
- T1046 - Network Service Discovery
- T1018 - Remote System Discovery
- T1135 - Network share Discovery

### **Lateral movement TA0008**

- T1210 - Exploitation Of Remote Service
- T1570 - Lateral Tool Transfer
- T1021 - Remote Services

### **Collection TA0009**

- T1005 - Data from local system
- T1557.001/2/3: Adversary In The Middle
- T1039: Data from Network Shared Drive
- T1602: Data from Configuration Repository

### **Command and control TA0011 (TA0037 là của mobile)**

- T1071 - Application Layer Protocol
- T1568 - Dynamic Resolution
- T1572 - Protocol Tunneling
- T1102 - Web Service
- T1219 - Remote Access Tools
- T1001 - Data Obfuscation
- T1105 - Ingress Tool Transfer
- T1573 - Encrypted Channel
- T1095 - Non Application Layer Protocol
- T1090 - Proxy

### **Exfiltration TA0010**

- T1041 - Exfiltration Over C2 Channel
- T1567 - Exfiltration Over Web Service
- T1048 - Exfil Over Alternative Protocol
- T1048 - Encrypted Non-C2 Protocol

### **Impact TA0040**

- T1486 - Data Encrypted for Impact
- T1496 - Resource Hijacking
- T1498 - Network Denial of Service

## **Các dấu hiệu mapping**

- C2 → Command and Control
- Backdoor → Exfiltration
- Evade / evasion → Stealth
- Malicious cert / SSL certificate → Develop Capabilities (Resource Dev hoặc C2 )
- (ngầm) ET DYN DNS → T1568
- LDAP → Discovery hoặc Credential access
- Overflow: Lateral movement hoặc Initial access
- SMB → Lateral movement
- Adware → Một trong 3 technique:
  - Impact: Resource Hijacking
  - Collection: Data from local system
  - Exfiltration: Exfiltration over C2 Channel
- Command injection → Exploit Of Remote Service (Lateral movement) hoặc Exploit public facing app (Initial access)
- Backdoor → TA0010
- Download (có thể thêm "payload") → Ingress tools Requested (C2) hoặc Drive-by compromised (Initial access)
- gần như mọi ET WEB SPECIFIC APPS → T1190
- Mọi ET PHISHING → T1566
- Crawler → T1593
- Ransomware → T1486
- coinminer → T1496
- RMM / Remote Monitoring and Management → T1219
- SSL Cert / malicious cert → T1587
- Double extension, Right-to-left → T1036
- QR Generator / Generation → T1036
- Stealer → T1005

- Spyware (không phải antispymware) → T1005
- Path / Directory Traversal → T1083
- Information Disclosure → T1082
- Hầu hết SQL injection, Cross-site scripting, Remote code execution → T1190
- DNS Over HTTPS → T1572
- Đa số **tên alert** có Tunnel → T1572
- Obfuscated hoặc tên các loại mã hoá (XOR, base64, zip ...) → T1027
- SNMP → T1602
- Backdoor → TA0010