

BILL OF QUANTITIES

PM1403

DATE : 04-05-2026

CLIENT: ASIA REFRIGERATION INDUSTRY JOINT STOCK COMPANY

PROJECT: NEW BOILER HOUSE

LOCATION: SOLOMON ISLANDS



BILL OF QUANTITIES

PM1403

DATE : 04-05-2026

CLIENT: ASIA REFRIGERATION INDUSTRY JOINT STOCK COMPANY

PROJECT: NEW BOILER HOUSE

LOCATION: SOLOMON ISLANDS

Dear Customers,

Tri Viet Steel Buildings company would like to express heartfelt thanks for giving us the opportunity in order to quote a price for your project.

The quotation based on current technical standards and dimension as well as your general requirements.

We would like to cooperate and supply qualitative products for your project.

Best regards,

ACCEPTANCE FROM CLIENT

DIRECTOR

MR. NGUYEN PHI THUONG

SUMMARY

No.	ITEMS	Q'TY	UNIT PRICE (VND)	AMOUNT (VND)
1	BOILER (19.67 x 11.91) M2	1	3,488,719,750	3,488,719,750
SUB TOTAL (TAX EXCLUDED)				3,488,719,750
8% VAT				279,097,580
TOTAL (VAT INCLUDED)				3,767,817,330

Remarks

- * This quotation are valid for 7 days from the date of the quotation
- * The listed items in BOQ is based on the attached drawings and material list
- * BOQ is excluded supplying and installing of: column base grout, handrails for concrete staircase, ceiling with supporting frames.
- * Party A shall provides source of water and power at Site, Party B shall connect the source to serve Party B's works

ITEM: BOILER (19.67 x 11.91) M2

PROJECT: NEW BOILER HOUSE

PM1403

LOCATION: SOLOMON ISLANDS

DATE : 04-05-2026

STT	DESCRIPTION	SPECIFICATION	UNIT	Q.TY	UNIT PRICE (VND)	AMOUNT (VND)	REMARKS
A	STEEL STRUCTURE					574,729,750	
A.1	FABRICATION					368,613,500	
1	Supplying & fabricating of steel structure	Steel plate <= 12mm Q355/Q355B Steel plate >12mm, < 25mm A572 Gr 50 Hot rolled SS400 CHS/ SHS/ RHS steel SAE1006/SPHT/SPHC/SS400	kg	10,099.00	26,400	266,613,600	
2.3	Hot dip galvanized	ASTM A123	kg	10,099.00	10,100	101,999,900	
A.2	PURLINS & GIRTS					132,981,600	
1	Supply of galvanized purlins & girts	Fy = 45 (KN/cm2), Z275 Purlins thickness tolerance is ±0.08mm or base on Manufacturer	kg	4,962.00	26,800	132,981,600	
A.3	SUPPLY FOR ACCESSORIES FRAME					73,134,650	
1	Bracing systems	Sag arrestors: Fy = 35 (KN/cm2), Z120 2V25x1.0mm Bracing rods: Electro galvanized Ø20 + Hillside 20, Gr4.6	lot	1.00	28,353,000	28,353,000	
2	Anchor bolts	Hot dip galvanized Gr5.6 - Fu = 50 (KN/cm2)TCVN 1916-1995 with PVC cover	lot	1.00	13,012,000	13,012,000	
3	Connection bolts	Hot dip galvanized Gr8.8 - Fu = 80 (KN/cm2), DIN 933 Hot dip galvanized Gr 4.6 - Fu = 40 (KN/cm2), DIN933	lot	1.00	31,769,650	31,769,650	
B	ARCHITECTURE					170,763,000	
B.1	SUPPLY OF COVER SYSTEMS					77,400,000	

1	Roof sheet	Dong A AZ150 - G550 sheet with 0.45mmAPT thickness, Kliplock profile and 960-970mm size width, pewter grey GR42 color Accessories: clips, screw Class 3, silicon	m2	225.00	283,000	63,675,000	
2	Panel wall	Excluded	m2	625.00	-	-	
3	Roof insulation	Air bubble, SA-FR - Cat Tuong Accessories: galvanized flat bar, double faced tape	m2	225.00	61,000	13,725,000	
B.2	SUPPLY OF COMPLETION SYSTEMS					93,363,000	
1	Eaves gutter	Stainless steel 304, with 0.7mm thickness and 700mm girth Accessories: Strap, screw Class 3, rivet	md	34.00	475,000	16,150,000	
2	Downspouts from eaves gutter to +0.0m	uPVC Minh Hung Ø90x2.9mm Accessories: funnel, elbow, strap hot dip galvanized , sewage ball stainless steel 304, screw Class 3, rivet, silicon	md	55.00	238,000	13,090,000	
3	Gable trims	Dong A AZ150 - G550 sheet with 0.45mmAPT thickness, pewter grey GR42 color Accessories: screw Class 3, rivet, sikaflex, flat bar	lot	1.00	8,625,000	8,625,000	
4	Roof flashing	Dong A AZ150 - G550 sheet with 0.45mmAPT thickness, pewter grey GR42 color Accessories: screw Class 3, rivet, sikaflex, waterp foam closure	lot	1.00	7,104,000	7,104,000	
5	Flashing and trims for wall, door, window, rolling door, louver	Dong A AZ150 - G550 sheet with 0.45mmAPT thickness, pewter grey GR42 color Accessories: screw Class 3, rivet, sikaflex, waterp foam closure	lot	1.00	48,394,000	48,394,000	

C	SUPPLY OF ACCESSORIES FOR BUILDING					160,827,000	
1	Metal louver on metal wall	Xingfa Vietnam aluminum frame system 55 is 1.4mm thick Blades : Steel sheet with 1.2mm thickness Insect screen stainless steel 304	m2	7.00	3,870,000	27,090,000	
2	Rolling door	Size: 4000x3000mm Roll up shutter door metal sheet 0.9mm thickness Powder Coating Door guide rail 10P-1.4mm thick Octagonal roller tube Φ 114 - 140 made from galvanized steel 01 motor, 01 control box, 01 wall switch switch wire, 02 remote controls.	set	2.00	31,119,000	62,238,000	Kích thước: 4000x3000mm
3	Single door 1	Size: 750x2100mm Metal sheet 1.0mm thickness for 2 side Powder coating grey color Included stainless steel hinges, stainless steel door locks, door closers	set	4.00	4,885,000	19,540,000	Kích thước: 750x2100mm
4	Single door 2	Frame steel 850x2100mm Metal sheet 1.0mm thickness for 2 side Powder coating grey color Included stainless steel hinges, stainless steel door locks, door closers	set	3.00	5,291,000	15,873,000	Kích thước: 850x2100mm
5	Single door 3	Frame steel 900x2100mm Metal sheet 1.0mm thickness for 2 side Powder coating grey color Included stainless steel hinges, stainless steel door locks, door closers	set	2.00	5,494,000	10,988,000	Kích thước: 900x2100mm
6	Double door - 60-minute fire-resistant	Steel frame 2100x1400mm 1.2mm thick galvanized steel frame Galvanized steel door 0.8mm thick Frame thickness 50x100 (+5mm) Honeycomb paper/mineral fiber door core is fireproof and insulated Fire resistance time 60 minutes Door set includes: wings, frame, powder coating	set	1.00	14,752,000	14,752,000	Kích thước: 1400x2100mm

7	Window 1	Size: 600x600mm Xingfa aluminum door 1.2 - 1.4mm thick, tempered glass 8mm	set	1.00	2,193,000	2,193,000	Kích thước: 600x600mm
8	Window 2	Size: 1500x1500mm Xingfa aluminum door 1.2 - 1.4mm thick, tempered glass 8mm	set	1.00	8,153,000	8,153,000	Kích thước: 1500x1500mm
D	TRANSPORTATION					52,000,000	
1	Packing, stuffing & ship out on the basis of EX work In 40" container	+ Steel structure, purlin & girts , accessories for steel frame, accessories for building, cover systems, complete systems. + Material component will be containerized according to Tri Viet standards.	cont	2.00	26,000,000	52,000,000	
E	TESTING COST					22,000,000	
1	Material testing at TriViet factory	LAS 643/329 Tensile testing cost * Steel plate, Hot steel (3 pcs for each item/ 50ton) * Body & thread bolt of all kinds (3 pcs for each kind) Excluded : the owner's flight ticket to Vietnam	lot	1.00	16,500,000	16,500,000	
2	Welding line test at TriViet factory	LAS 643/329 * Magnetic weld test: 2% of welding length total of fillet weld built-up steel column & rafters * Ultrasonic weld test 2% of welding length total of butt weld steel column & rafters Excluded : the owner's flight ticket to Vietnam	lot	1.00	5,500,000	5,500,000	
F	INSTALLATION					2,508,400,000	
1	Salary	Salary for 1 Engineer 5 workers from Vietnam in 75days.	lot	1.00	1,384,500,000	1,384,500,000	
2	Visa,flight ticket	Visa, round trip flight ticket Viet Nam - Munda Airport, Solomon islands for 1 Engineer 5 workers from Vietnam	lot	1.00	702,000,000	702,000,000	
3	Tools and machines used for installation Steel structure work	Package of tools and machines used for installation Steel structure work	lot	1.00	123,500,000	123,500,000	

4	Project Management Expense		lot	1.00	298,400,000	298,400,000	
5	Other cost, The owner provide	The owner provides round-trip transportation from Mudan airport to the project location The owner provides meals and accommodation for the staff from Vietnam during the steel structure installation period. The owner provided a 25-ton crane, manlift, electricity, water, machinery as required and 10 workers have experience performing construction work to complete the steel structure installation work.	lot	1.00	-	-	
SUMMARY (EXCLUDED TAXES)						3,488,719,750	

MATERIAL LIST

PROJECT: NEW BOILER HOUSE
LOCATION: SOLOMON ISLANDS

No.	MATERIAL	SPECIFICATION	MANUFACTURER	ORIGIN	NOTE
1	Steel plate <= 12mm	Q355/Q355B		Vietnam - China	
2	Steel plate >12mm	A572 Gr 50		Vietnam - China	
3	Hot rolled (I, U, V,....)	SS400		Vietnam - China	
4	Steel pipe, steel box	SAE1006/SPHT/SPHC/SS400	Hoa Phat - Nguyen Minh - 190 or equivalent	Vietnam	
5	Hot dip galvanized	ASTM A123	Bien Hoa/Chien You/Vy Lam	Vietnam	
6	Purlins and girts	Fy = 45 (KN/cm2), Z275 Purlins thickness tolerance is ±0.08mm or base on Manufacturer	Nam Kim - Phuong Nam - TVP - Dong A - Hoa Sen or equivalent	Vietnam	
7	Sag arrestors	Fy = 35 (KN/cm2), Z120 2V25x1.0mm	HPC/Cuong Thinh/Jikon/Bulon Sai	Vietnam	
8	Bracing rods	Electro galvanized Ø20 + Hillside 20, Gr4.6	HPC/Cuong Thinh/Jikon/Bulon Sai	Vietnam	
9	Anchor bolts	Hot dip galvanized Gr5.6 - Fu = 50 (KN/cm2)TCVN 1916-1995 with PVC cover	Minh Hoang/Cuong Thinh/Khai Nguyen	Vietnam	
10	Connecting bolts	Hot dip galvanized Gr8.8 - Fu = 80 (KN/cm2), DIN 933	Minh Hoang/Cuong Thinh/Bulon Viet Nam/Khai Nguyen	Vietnam - China	
11	Hex. Bolts	Hot dip galvanized Gr 4.6 - Fu = 40 (KN/cm2), DIN933	Minh Hoang/Cuong Thinh/Bulon Viet Nam/Khai Nguyen	Vietnam - China	
12	Roof sheet	Dong A AZ150 - G550 sheet with 0.45mmAPT thickness, Kliplock profile and 960-970mm size width, pewter grey GR42 color Accessories: clips, screw Class 3, silicon	Bluescope	Vietnam	
13	Panel Wall	Excluded			
14	Roof insulation	Air bubble, SA-FR - Cat Tuong Accessories: galvanized flat bar, double faced tape	Cat Tuong	Vietnam	
15	Inox gutter	Stainless steel 304, with 0.7mm thickness and 700mm girth Accessories: Strap, screw Class 3, rivet	Posco - Hyundai	Korea - Vietnam	
16	Gable trim	Dong A AZ150 - G550 sheet with 0.45mmAPT thickness, pewter grey GR42 color Accessories: screw Class 3, rivet, sikaflex, flat bar	Dong A	Vietnam	Metal shall be the same specification and color with roof sheet
17	Roof flashing	Dong A AZ150 - G550 sheet with 0.45mmAPT thickness, pewter grey GR42 color Accessories: screw Class 3, rivet, sikaflex, waterp foam closure	Dong A	Vietnam	Metal shall be the same specification and color with roof sheet
18	Flashing and trims for wall, door, window, rolling door, louver	Dong A AZ150 - G550 sheet with 0.45mmAPT thickness, pewter grey GR42 color Accessories: screw Class 3, rivet, sikaflex, waterp foam closure	Dong A	Vietnam	Metal shall be the same specification and color with roof sheet
19	Downspouts	uPVC Minh Hung Ø90x2.9mm Accessories: funnel, elbow, strap hot dip galvanized , sewage ball stainless steel 304, screw Class 3, rivet, silicon	Minh Hung	Vietnam	
20	Louver	Xingfa Vietnam aluminum frame system 55 is 1.4mm thick Blades : Steel sheet with 1.2mm thickness Insect screen stainless steel 304	Xingfa	Vietnam	Metal shall be the same specification and color with wall sheet
21	Rolling door	Size: 4000x3000mm Roll up shutter door metal sheet 0.9mm thickness Powder Coating Door guide rail 10P-1.4mm thick Octagonal roller tube Φ 114 - 140 made from galvanized steel 01 motor, 01 control box, 01 wall switch switch wire, 02 remote controls.	Mitadoor	Taiwan	
22	Single door 1	Size: 750x2100mm Metal sheet 1.0mm thickness for 2 side Powder coating grey color Included stainless steel hinges, stainless steel door locks, door closers	Vietnam	Vietnam	
23	Single door 2	Frame steel 850x2100mm Metal sheet 1.0mm thickness for 2 side Powder coating grey color Included stainless steel hinges, stainless steel door locks, door closers	Vietnam	Vietnam	

24	Single door 3	Frame steel 900x2100mm Metal sheet 1.0mm thickness for 2 side Powder coating grey color Included stainless steel hinges, stainless steel door locks, door closers	Vietnam	Vietnam	
25	Double door - 60-minute fire-resistant	Steel frame 2100x1400mm 1.2mm thick galvanized steel frame Galvanized steel door 0.8mm thick Frame thickness 50x100 (+5mm) Honeycomb paper/mineral fiber door core is fireproof and insulated Fire resistance time 60 minutes Door set includes: wings, frame, powder coating	Vietnam	Vietnam	
26	Window 1	Size: 600x600mm Xingfa aluminum door 1.2 - 1.4mm thick, tempered glass 8mm	Xingfa	China	
27	Window 2	Size: 1500x1500mm Xingfa aluminum door 1.2 - 1.4mm thick, tempered glass 8mm	Xingfa	China	