#### 1. Build code

mvn clean install

### 2. Start the code

- mvn spring-boot:run

# 3. Access to Swagger API documentation

http://localhost:8080/restaurant/swagger-ui.html

### 4. Consume Contact Rest APIs:

a. Get all contacts with pagination support.

URL: http://<ip>:<port>/contact?page=<page number>&size=<page size>

HTTP Method: GET

EX: <a href="http://localhost:8080/contact?page=0&size=5">http://localhost:8080/contact?page=0&size=5</a>

b. Get a contact by ID

URL: <a href="http://<ip>:<port>/contact/<contact\_id></a>

HTTP Method: GET

EX: <a href="http://localhost:8080/contact/1">http://localhost:8080/contact/1</a>

c. Create a contact

```
URL: http://<ip>:<port>/contact
HTTP Method: POST
Body:
```

```
"id": Number,
"name": String,
"emailAddress": String,
"postalAddress": String,
"telephoneNumber": String
}
```

EX: http://localhost:8080/contact

"id": 0,

"name": "Nguyen Ngoc Bao",

"emailAddress": "ngocbao@gmail.com",

"postalAddress": "District 7",

"telephoneNumber": "0342340787"

}

## d. Update a contact

```
URL: <a href="http://<ip>:<port>/contact/<contact">http://<ip>:<port>/contact/<contact</a> id>
HTTP Method: PUT

Body:

{
    "id": Number,
    "name": String,
    "emailAddress": String,
    "postalAddress": String,
    "telephoneNumber": String
}

EX: <a href="http://localhost:8080/contact/1">http://localhost:8080/contact/1</a>

{
    "id": 1,
    "name": "Nguyen Ngoc Bao",
    "emailAddress": "ngocbao@gmail.com",
    "postalAddress": "District 7",
    "telephoneNumber": "0342340787"
}
```

e. Delete a contact item by ID

URL: : http://<ip>:<port>/contact/<contact id>

HTTP Method: DELETE

EX: : http://localhost:8080/contact/1