```
pr class Main {
    public static void main (String[] args)
{
    HangSanXuat h1 = new HangSanXuat ("Toyota", "Nhat Ban")
    XeOto oto = new XeOto ("xe oto", h1, "xang");
    XeDap xedap = new XeDap ("xe dap", h1);
    MayBay maybay = new MayBay ("May bay", h1, "xang
maybay");
        System.out.println ("Van toc oto: " + oto.layVan
toc ());
        System.out.println ("Van toc xe dap: " + xedap.lay
vanToc ());
        System.out.println ("Van toc may bay: " + maybay.lay
VanToc ());
    }
}
```

Bài 4

```
ab stract class Car {
    protected String color;
    protected double speed;
```

```
public car(String color, double speed){
    this.color = color
    this.speed = speed;
}
public String getColor(){
    return color;
}
public double getSpeed(){
    return speed;
}
public abstract void accelerate();
}
class Bmw extend Car{
public Bmw (String color, double speed){
    super(color, speed);
}
@ override
public void accelerate(){
    speed += 20;
}
```

```
@ Override
public String toString (){
    return "Bmw " + color + speed;
}
}

class Civic extend Car {
    public civic (String color, double speed){
        super(color, speed);
    }

    @ Override
    public void accelerate (){
        speed += 15;
    }

    @ Override
    public String toString (){
        return "Civic " + color + speed;
    }
}

public class Main {
    public static void main (String [] args){
        Bmw c1 = new Bmw ("Red", 100);
```

```
Car c2 = new Car("blue", 80);
c1.accelerate();
c2.accelerate();
```