




CONVOY

BRAND GUIDELINES

AGENT SWARM COORDINATION FOR CLAUDE CODE

THE MARK



LEAD AND LANES


The amber chevron is the lead: the coordinator that talks to the user, assigns scope and reviews work. The two chevrons behind it are lanes: long-lived, linked sessions moving in formation.

CONSTRUCTION

One 45° angle, one stroke thickness, flat vertical terminals. The lead is 1.25× the width of a lane. Each lane's outer edge sits on the extension of the lead's inner edge, so the fleet reads as one arrow.

Never redraw the mark. Use the supplied files.

CLEAR SPACE & SIZE



CLEAR SPACE

X = the chevron stroke (22% of the mark's height). Keep at least 1X clear on every side of the mark and of both lockups.

MINIMUM SIZE

Mark: 24 px tall on screen, 8 mm in print. Horizontal lockup: 24 px tall. Below 24 px, use the micro icon: the lead chevron alone on an ink square.



MARK 24 PX • LOCKUP 24 PX • MICRO 16 PX

LOCKUPS

HORIZONTAL • PRIMARY



HORIZONTAL • ON LIGHT




STACKED



STACKED • LIGHT



COLOR VERSIONS



Use the full-color mark wherever you can. On dark backgrounds the lead is Amber; on light backgrounds it switches to Amber Deep. Use the one-color versions for single-ink print, embossing and photography.

COLOR

INK

#101214

RGB 16 18 20

Primary ground

GRAPHITE

#15171A

RGB 21 23 26

Type and lanes on light

PAPER

#ECE8DF

RGB 236 232 223

Light ground, lanes on dark

AMBER

#F2A23A

RGB 242 162 58

Lead on dark · signal

AMBER DEEP

#C2680C

RGB 194 104 12

Lead on light

MUTE

#8A8F98

RGB 138 143 152

Labels, meta

Ratio: roughly 70% Ink, 20% Paper and Graphite, 10% Amber. Amber is a signal color: it marks the lead and the active element, never a background wash. Amber Deep keeps at least 3:1 contrast on Paper for graphics. Set body text in Ink or Graphite, never Amber.

TYPOGRAPHY

DISPLAY • BARLOW CONDENSED SEMIBOLD • UPPERCASE • +80 TRACKING

LANES IN FORMATION

HEADING • BARLOW CONDENSED SEMIBOLD • +60

COORDINATOR ASSIGNS SCOPE

TEXT & UI • JETBRAINS MONO MEDIUM

The lead coordinator talks to you, splits the work into lanes, reviews what comes back and passes results between sessions.

LABEL • JETBRAINS MONO BOLD • UPPERCASE • +140

LANE-02 • REVIEW • 3 OPEN

Two typefaces, both free under the SIL Open Font License; the files are in /fonts. The wordmark is custom lettering: its V is redrawn with a pointed apex. Always use the logo files, never type “CONVOY” in Barlow.

ICON & FAVICON



SQUARE, NO ROUNDING

The icon is the full-color mark on Ink, 62% of the tile's width and nudged up 2.5% so it looks centered. Ship the corners square: platforms that mask icons (iOS, Android) apply their own shape.

MICRO

At 16 px, use `favicon.svg / favicon-16`: the lead chevron alone. At 32 px and up, use the full mark. `favicon.ico` contains 16, 32 and 48.

DON'T



DON'T ROTATE



DON'T ROUND CORNERS



DON'T STRETCH



DON'T COLOR THE LANES



DON'T OUTLINE



DON'T SWAP THE LEAD



DON'T ADD EFFECTS



DON'T RECOLOR

FILES

logo/svg/ mark · horizontal · stacked · wordmark × color-dark · color-light · black · white

logo/png/ the same set, transparent, at several widths (256-2400 px)

icon/ app icon SVG + 1024 · 512 · 192 PNG, apple-touch-icon-180

favicon/ favicon.ico (16/32/48), favicon.svg, 16 · 32 · 48 PNG

social/ Open Graph card 1200×630 (SVG + PNG)

tokens/ colors.css, tokens.json

fonts/ Barlow Condensed, JetBrains Mono (SIL OFL)

All wordmarks are converted to outlines, so no font is needed to display the logo. "color-dark" files are for dark backgrounds, "color-light" files for light ones.