

MICROSOFT EXCEL:

# FORMULAS & FUNCTIONS

★★★★★ *With Best-Selling Excel instructor **Chris Dutton***



# COURSE OUTLINE

<b>1</b> Excel Formulas 101	<i>Syntax, reference types, errors, auditing, shortcuts, etc.</i>
<b>2</b> Conditionals & Logical Operators	<i>IF, AND, OR, NOT, ISERROR, ISNUMBER, etc.</i>
<b>3</b> Basic Statistical Functions	<i>MAX/MIN, RANK, RAND(), SUMIFS/COUNTIFS, SUMPRODUCT, etc.</i>
<b>4</b> Lookup/Reference Functions	<i>VLOOKUP/HLOOKUP, INDEX/MATCH, OFFSET, etc.</i>
<b>5</b> Text Formulas	<i>TEXT/VALUE, LEFT/MID/RIGHT, SEARCH, TRIM, LEN, etc.</i>
<b>6</b> Date & Time Functions	<i>DATEVALUE, TODAY/NOW, DATEDIF, YEARFRAC, EOMONTH, etc.</i>
<b>7</b> Formula-Based Formatting	<i>Creating, editing, and managing formula-driven formatting rules</i>
<b>8</b> Array Formulas	<i>Vertical/Horizontal arrays, double unary, TRANSPOSE, etc.</i>
<b>9</b> Extra Bonus Functions	<i>HYPERLINK, INDIRECT, WEBSERVICE, FILTERXML, etc.</i>

# SETTING EXPECTATIONS

## 1 We'll be using Excel for **Windows/PC** (Excel 2013-2019)

- *What you see on your screen **will not always match** mine, especially if you're using an older version of Excel*

## 2 We'll focus on many of Excel's most **powerful, widely-used** functions

- *Excel's formula library includes nearly **500 functions**; we won't cover some of the more specialized categories (like Financial or Engineering functions), or those which require knowledge outside the scope of this course*

## 3 The goal of this course is to help you **master the building blocks**

- *The beauty of Excel formulas is that no matter how complex they get, they're ALL comprised of simple pieces. We'll start by mastering each individual component before combining them in more complex ways*

## 4 Feeling stuck? **We've got your back.**

- *If you have questions about the course material, feel free to post a question and we'll be happy to help*
- *For project-specific questions, recommend posting to the **answers.microsoft.com** community forum*



# FORMULAS 101

All formulas start with an **equals sign**

Arguments are always surrounded by **parentheses**

Arguments are separated by **commas** in the US, but other regions may use different list separators (like **semi-colons**)

= **MATCH**(lookup\_value, lookup\_array, [match\_type])

The **function name** tells Excel what type of operation you're about to perform (*Excel offers ~500 functions*)

**Note:** Function names aren't case-sensitive, and aren't always required; basic arithmetic and logical operations often don't need one:

- = A1 + B1
- = A1 / B1
- = A1 > B1
- = A1 = B1

These are **arguments**, which vary by function and provide Excel with the info needed to evaluate a result

**Note:** Not all arguments are required; optional arguments are surrounded by square brackets (*like [match\_type] above*)

Most functions have at least one required argument, but some don't require any, like **ROW()**, **COLUMN()**, **TODAY()** or **NOW()**



### PRO TIP:

=MATCH(A2,

MATCH(lookup\_value, lookup\_array, [match\_type])

As you begin writing a formula, the **Function ScreenTips** box will guide you through each individual argument – this is an extremely helpful tool!

**Reference types** allow you to “recycle” formulas across multiple cells, without having to manually update your references (which would be completely impractical)

Cell references are **relative** by default (A1). This **allows the reference to change** as the formula is copied to new cells

The **\$** symbol is used to create **fixed** references. You can fix entire cells (\$A\$1) or just the column (\$A1) or row (A\$1), which **prevents references from changing** as the formula is copied to new cells



## PRO TIP:

*Mastering reference types is my #1 tip for working efficiently with formulas*

*Relative Column & Row*

	A	B	C
1	A1		
2			
3			
4			C4

*Relative Column, Fixed Row*

	A	B	C
1	A\$1		
2			
3			
4			C\$1

*Fixed Column, Relative Row*


	A	B	C
1	\$A1		
2			
3			
4			\$A4

*Fixed Column & Row*

	A	B	C
1	\$A\$1		
2			
3			
4			\$A\$1

# Common Errors

Error Type	What it means	How to fix it
<b>#####</b>	Column isn't wide enough to display values	<i>Drag or double-click column border to increase width, or right-click to set custom column width</i>
<b>#NAME?</b>	Excel does not recognize text in a formula	<i>Make sure that function names are correct, references are valid and spelled properly, and quotation marks and colons are in place</i>
<b>#VALUE!</b>	Formula has the wrong type of argument	<i>Check that your formula isn't trying to perform an arithmetic operation on text strings or cells formatted as text</i>
<b>#DIV/0!</b>	Formula is dividing by zero or an empty cell	<i>Check the value of your divisor; if 0 is correct, use an IF statement to display an alternate value if you choose</i>
<b>#REF!</b>	Formula refers to a cell that is not valid	<i>Make sure that you didn't move, delete, or replace cells that are referenced in your formula</i>
<b>#N/A</b>	Formula can't find a referenced value	<i>Check that all references and formula arguments evaluate properly (the most common cause is a lookup value with no match)</i>



## Trace Precedents

Identifies cells which **affect** the value of the one selected

PROPERTY COST		Cash to Close:
Purchase Price	\$499,000	\$59,880
Tax Rate	\$9.50	
LOAN COST		\$3,021
Down Payment %	10%	
Interest Rate	4.50%	Monthly Expenses: \$3,021
Term Length (yrs)	30	
Loan Amount	\$449,100	
Est. Closing Costs	\$9,980	
MONTHLY EXPENSES		
Mortgage Costs	\$2,276	
Property Tax	\$395	
Utilities	\$150	
Insurance	\$200	

## Trace Dependents

Identifies cells which **are affected by** the value of the one selected

PROPERTY COST		Cash to Close:
Purchase Price	\$499,000	\$59,880
Tax Rate	\$9.50	
LOAN COST		\$3,021
Down Payment %	10%	
Interest Rate	4.50%	Monthly Expenses: \$3,021
Term Length (yrs)	30	
Loan Amount	\$449,100	
Est. Closing Costs	\$9,980	
MONTHLY EXPENSES		
Mortgage Costs	\$2,276	
Property Tax	\$395	
Utilities	\$150	
Insurance	\$200	



## Show Formulas

Temporarily displays all formulas in the worksheet as **text strings**

PROPERTY COST		Cash to Close:
Purchase Price	\$499,000	=(H3*H7)+H11
Tax Rate	\$9.50	
LOAN COST		Monthly Expenses: =SUM(\$H\$14:\$H\$17)
Down Payment %	10%	
Interest Rate	4.50%	
Term Length (yrs)	30	
Loan Amount	=H3*(1-H7)	
Est. Closing Costs	=H\$3*0.02	
MONTHLY EXPENSES		
Mortgage Costs	=1*PMT((\$H\$8/12),(\$H\$9*12),(\$H\$10)	
Property Tax	=((H3/1000)*\$H\$4)/12	
Utilities	\$150	
Insurance	\$200	


**TIP:** To select all cells containing formulas, use **Ctrl-G** to launch the Go-To menu, then select **Special > Formulas**





## Evaluate Formula

Allows you to cycle through each individual calculation step within a formula, see how each component evaluates, and pinpoint the source of the error





## PRO TIP:


*Evaluate Formula is my **go-to tool** for breaking down complex or unfamiliar formulas*

## Error Checking

Scans the sheet for errors and provides a summary with options to trace the source, ignore the error, modify your options, or link out to Microsoft support



PROPERTY COST	
Purchase Price	\$499,000
Tax Rate	9.50
LOAN COST	
Down Payment %	10%
Interest Rate	4.50%
Term Length (yrs)	30
Loan Amount	\$449,100
Est. Closing Costs	\$9,980
MONTHLY EXPENSES	
Mortgage Costs	\$2,276
Property Tax	#VALUE!
Utilities	\$150
Insurance	\$200



## Ctrl + Arrow

- Jumps to the last cell in a data region, in the direction of the arrow

## Ctrl + Shift + Arrow

- Selects to the last cell in a data region, in the direction of the arrow

## Ctrl + Home/End


- Jumps to the **Home** (*top-left*) or **End** (*bottom-right*) cell in a region

## Ctrl + .

- Jumps straight to **each corner** within a selected cell range

## Ctrl + PgUp/PgDn

- Switches worksheet tabs, either to the **left** (*PgUp*) or **right** (*PgDn*)



## F1

- Launches the **Excel help** pane (*default*)
- Links to the **Microsoft Support** website (*tool-specific*)

## F2


- Allows you to **edit** the active cell
- Highlights cells referenced by the active formula

## F4

- Repeats the **last action** taken (*default*)
- Toggles **absolute/relative** cell references within a formula

## F9

- Calculates all workbook formulas (*when in **manual** mode*)
- Evaluates **each function argument** within the formula bar



# Common Mac Shortcuts

Mac Shortcut	Purpose	PC Equivalent
<b>Command-T</b>	<i>Cycles between cell reference types</i>	<b>F4</b>
<b>Command-Y</b>	<i>Repeats the last user action</i>	<b>F4</b>
<b>Control-U</b>	<i>Displays cell ranges tied to a given formula</i>	<b>F2</b>
<b>Command-Arrow</b>	<i>Jumps to the edge of a contiguous data array</i>	<b>CTRL-ARROW</b>
<b>Command-Shift-Arrow</b>	<i>Extends a selection to the edge of a data array</i>	<b>CTRL-SHIFT-ARROW</b>
<b>Command-Fn-Up/Down</b>	<i>Jumps between workbook tabs</i>	<b>CTRL-PAGE UP/DOWN</b>

## Alt Key Tips

- Allow you to quickly access tools from ribbon menus and sub-menus using only the **keyboard** (*no clicks!*)
- Each keystroke takes you a layer deeper, until you land on the tool you need (**Note: Simply *press & release* the Alt key, instead of holding it down**)
- There are hundreds of combinations, so start by focusing on the tools that you use most frequently:

*Some of my go-to key tips*

### Alt – H – V – V


- Paste Special as Values

### Alt – A – T

- Add or remove filters

### Alt – M – V

- Evaluate Formula





## Data Validation

Restricts the values that a user can enter into a given cell, based on:


- **Number Type** (*Whole vs. Decimal*)
- **Value** (*Between, Less Than, Equal To, etc*)
- **List of Items** (*Based on cell range or manual list*)
- **Date/Time** (*Between, Less Than, Equal To, etc*)
- **Text Length** (*Between, Less Than, Equal To, etc*)
- **Custom** (*Formula-Driven*)

**FUN FACT:** You can customize your own **error alerts**!



LOAN COST	
Down Payment %	20%
Interest Rate	4.50%
Term Length (yrs)	30
Loan Amount	\$399,200
Est. Closing Costs	\$9,980

*Decimal from 0 -1*




LOAN COST	
Down Payment %	20%
Interest Rate	4.50%
Term Length (yrs)	10
Loan Amount	10
Est. Closing Costs	15
	30

	M
1	Term Length:
2	10
3	15
4	30


*List of Items*

# Congrats, You're a Developer!

By definition, Excel is a **full-stack development** platform\*; but rather than separating each layer of the process (*data, logic & presentation*), Excel mixes them all within the same user interface:



VS





A horizontal banner with a dark green background. Inside the banner, there is a faint, semi-transparent image of a financial spreadsheet or dashboard. The image shows various data points, including dates like '11/2/2014', '11/9/2014', '11/16/2014', and '11/23/2014', along with numerical values and percentages. There are also some bar charts and line graphs visible in the background.

# CONDITIONAL STATEMENTS



All **Conditional Statements** in Excel are based on simple “IF/THEN” statements:

*-IF it's raining, **THEN** bring an umbrella*

*-IF it's sunny, **THEN** bring sunglasses*

*-IF it's sunny **AND** it's summer, skip work and go to the beach*

You're basically saying ***“Hey Excel, if this statement is true, do this. Otherwise, do something else.”***

**=IF(logical\_test, [Value if True], [Value if False])**

Any test that results in either **TRUE** or **FALSE**

(i.e. *A1="Google"*, *B2<100*, etc)

Value returned if logical test is **TRUE**

Value returned if logical test is **FALSE**

	A	B	C	D
1	Location	Temp (F)	Precip (mm)	Freeze
2	A	75	0	No
3	B	18	0	Yes
4	C	86	0	No
5	D	80	2.3	No
6	E	28	1.2	Yes
7	F	68	0.5	No
8	G	26	0	Yes

**= IF(B2<=32,"Yes","No")**

*In this case we're categorizing the Freeze column as "Yes" if the temperature is equal to or below 32, otherwise "No"*

By using **Nested IF Statements**, you can include multiple logical tests within a single formula:

	A	B	C	D	E
1	Location	Temp (F)	Precip (mm)	Freeze	Climate
2	A	75	0	No	Mild
3	B	18	0	Yes	Cold
4	C	86	0	No	Hot
5	D	80	2.3	No	Mild
6	E	28	1.2	Yes	Cold
7	F	68	0.5	No	Mild
8	G	26	0	Yes	Cold

→ = IF(B2<40,"COLD",IF(B2>80,"HOT","MILD"))

*If temp<40, climate = "Cold", if temp>80,  
climate = "Hot", otherwise climate = "Mild"*

Excel's **AND** and **OR** statements allow you to include multiple logical tests at once:

	A	B	C	D	E	F	G
1	Location	Temp (F)	Precip (mm)	Freeze	Climate	Precip Type	Conditions
2	A	75	0	No	Mild	None	Dry
3	B	18	0	Yes	Cold	None	Dry
4	C	86	0	No	Hot	None	Dry
5	D	80	2.3	No	Mild	Rain	Wet
6	E	28	1.2	Yes	Cold	Snow	Wet
7	F	68	0.5	No	Mild	Rain	Wet
8	G	26	0	Yes	Cold	None	Dry

**=IF(OR(F2="Rain",F2="Snow"),"Wet","Dry")**

*Here we're categorizing conditions as "Wet" if the precipitation type equals "rain" OR "snow", otherwise Conditions = "Dry"*

**=IF(AND(D2="Yes",C2>0),"Snow",IF(AND(D2="No",C2>0),"Rain","None"))**

*If the temp is below freezing AND the amount of precipitation > 0, then Precip Type = "Snow", if the temp is above freezing AND the amount of precipitation > 0, then Precip Type = "Rain", otherwise Precip Type = "None"*



### PRO TIP:

*When writing nested functions, copy/paste repetitive pieces and tweak individual elements to save time (rather than starting from scratch)*

If you want to evaluate a case where a logical statement is *not* true, you can use either the **NOT** statement or a "<>" operator

	A	B	C	D	E	F	G
1	Location	Temp (F)	Precip (mm)	Freeze	Climate	Precip Type	Conditions
2	A	75	0	No	Mild	None	Dry
3	B	18	0	Yes	Cold	None	Dry
4	C	86	0	No	Hot	None	Dry
5	D	80	2.3	No	Mild	Rain	Wet
6	E	28	1.2	Yes	Cold	Snow	Wet
7	F	68	0.5	No	Mild	Rain	Wet
8	G	26	0	Yes	Cold	None	Dry

=IF(NOT(C2=0),"Wet","Dry")

=IF(C2<>0,"Wet","Dry")

*In both of these examples, we're defining Conditions = "Wet" if the amount of precipitation is NOT equal to 0*

The **IFERROR** statement is an excellent tool to eliminate annoying error messages (**#N/A**, **#DIV/0!**, **#REF!**, *etc.*), which is particularly useful for front-end formatting

**=IFERROR(value, value\_if\_error)**



Formula or value that may or may not result in an error



Value returned in the case of an error



### PRO TIP:

*If you're writing a formula that may trigger an error (i.e. a VLOOKUP where not all values have a match), WRITE THE FULL FORMULA FIRST then wrap it in an IFERROR statement*

Excel offers a number of different **IS** formulas, each of which checks whether a certain condition is true:

**ISBLANK** = Checks whether the reference cell or value is blank

**ISNUMBER** = Checks whether the reference cell or value is numerical

**ISTEXT** = Checks whether the reference cell or value is a text string

**ISERROR** = Checks whether the reference cell or value returns an error

**ISEVEN** = Checks whether the reference cell or value is even

**ISODD** = Checks whether the reference cell or value is odd

**ISLOGICAL** = Checks whether the reference cell or value is a logical operator

**ISFORMULA** = Checks whether the reference cell or value is a formula





# COMMON STATS FUNCTIONS

The **Count**, **Average**, **Median**, **Mode**, **Max/Min**, **Percentile** and **Standard Deviation/Variance** functions are used to perform basic calculations on a data array

	A	B	C	D
1	Value			
2	90	Sample Size	19	=COUNT(A2:A20)
3	13			
4	22	Average:	51.47	=AVERAGE(A2:A20)
5	98			
6	61	Median:	54	=MEDIAN(A2:A20)
7	68			
8	50	Mode:	22	=MODE(A2:A20)
9	91			
10	16	Max:	98	=MAX(A2:A20)
11	23			
12	60	Min:	13	=MIN(A2:A20)
13	22			
14	56	25th Percentile	23	=PERCENTILE(A2:A20,.25)
15	54			
16	87	75th Percentile	68	=PERCENTILE(A2:A20,.75)
17	33			
18	68	Standard Deviation	28	=STDEV(A2:A20)
19	45			
20	21	Variance	767	=VAR(A2:A20)
21				

	A
1	Value
2	90
3	13
4	22
5	98
6	61
7	68
8	50

→ RANK(A2,A2:A8) = 2

→ RANK(A3,A2:A8) = 7 (*lowest*)

→ RANK(A4,A2:A8) = 6

→ RANK(A5,A2:A8) = 1 (*highest*)

→ RANK(A6,A2:A8) = 4

→ RANK(A7,A2:A8) = 3

→ RANK(A8,A2:A8) = 5

The **RANK** function returns the rank of a particular number among a list of values

The **SMALL/LARGE** functions return the *n*th smallest/largest values within an array

	A
1	Value
2	90
3	13
4	22
5	98
6	61
7	68
8	50

**LARGE(A2:A8,2) = 90**

(the 2nd largest number in the array is 90)

**SMALL(A2:A8,3) = 50**

(the 3rd smallest number in the array is 50)

	A	B
1	Value	Percent Rank
2	2,717	18%
3	3,485	24%
4	5,202	76%
5	3,612	29%
6	4,432	59%
7	2,699	12%
8	4,585	65%
9	6,003	94%
10	4,820	71%
11	2,550	6%
12	5,795	88%
13	4,240	41%
14	6,827	100%
15	4,359	53%
16	2,320	0%
17	5,775	82%
18	4,241	47%
19	3,966	35%

**PERCENTRANK** returns the rank of a value as a percentage of a given array or dataset

**=PERCENTRANK(array, x)**

What range of data  
are you looking at?

Which **value** within the  
range are you looking at?

**PERCENTRANK(\$A\$2:\$A\$19, A14) = 100% (highest)**

**PERCENTRANK(\$A\$2:\$A\$19, A16) = 0% (lowest)**

**RAND()** and **RANDBETWEEN** act like random number generators in Excel:

	A	B	C	D	E
1	0.5173	0.4091	0.7560	0.9012	0.2167
2	0.0906	0.2317	0.0906	0.5856	0.8646
3	0.1544	0.8240	0.4279	0.8782	0.7795
4	0.0097	0.0872	0.7740	0.9137	0.7815
5	0.2089	0.7028	0.0449	0.8173	0.9983
6	0.0761	0.4388	0.4056	0.5639	0.0668

The **RAND()** function returns a random value between 0 and 1 (to 15 digits)

The **RANDBETWEEN** function returns an integer between two values that you specify

	A	B	C	D	E
1	83	23	64	62	92
2	59	45	40	50	91
3	24	37	70	30	32
4	54	85	69	55	3
5	73	12	36	53	2
6	29	72	68	59	99

*=RANDBETWEEN(0,100)*

The **SUMPRODUCT** formula multiplies corresponding cells from multiple arrays and returns the sum of the products (*Note: all arrays must have the same dimensions*)

**=SUMPRODUCT(array1, array2 ... array\_N)**

*Example: Total Revenue*

	A	B	C	D
1	Product	Quantity	Price	Revenue
2	Apple	2	\$0.50	\$1.00
3	Banana	4	\$1.00	\$4.00
4	Orange	3	\$0.80	\$2.40
5	Total			\$7.40

*Without using SUMPRODUCT, you could multiply quantity\*price in each row and sum the products*

	A	B	C	D
1	Product	Quantity	Price	Revenue
2	Apple	2	\$0.50	
3	Banana	4	\$1.00	
4	Orange	3	\$0.80	
5	Total			\$7.40

**SUMPRODUCT(B2:B4,C2:C4) = \$7.40**

**SUMPRODUCT** is often used with filters to calculate products *only* for rows that meet certain criteria:

	A	B	C	D
1	Store	Product	Quantity	Price
2	Stop & Shop	Apple	2	\$0.50
3	Shaws	Banana	4	\$1.00
4	Market Basket	Banana	3	\$1.00
5	Trader Joe's	Pineapple	8	\$2.50
6	Stop & Shop	Orange	2	\$0.80
7	Shaws	Apple	1	\$0.50
8	Market Basket	Apple	5	\$0.50
9	Trader Joe's	Banana	6	\$1.00
10	Market Basket	Pineapple	3	\$2.50
11	Trader Joe's	Orange	8	\$0.80
12	Stop & Shop	Pineapple	3	\$2.50
13	Shaws	Pineapple	5	\$2.50
14	Stop & Shop	Banana	2	\$1.00
15	Shaws	Orange	6	\$0.80
16	Market Basket	Orange	7	\$0.80
17	Trader Joe's	Apple	3	\$0.50

*Quantity of goods sold at Shaws:*

**SUMPRODUCT((A2:A17="Shaws")\*C2:C17) = 16**

*Total revenue from Shaws:*

**SUMPRODUCT((A2:A17="Shaws")\*C2:C17\*D2:D17) = \$21.80**

*Revenue from apples sold at Shaws:*

**SUMPRODUCT((A2:A17="Shaws")\*(B2:B17="Apple")\*C2:C17\*D2:D17) = \$0.50**



### PRO TIP:

*When you add filters to a SUMPRODUCT, you need to change the commas to multiplication signs*

## Great, but how does it *really* work?

**SUMPRODUCT((A2:A17="Shaws")\*(B2:B17="Apple")\*C2:C17\*D2:D17) = \$0.50**

	A	B	C	D
1	Store	Product	Quantity	Price
2	Stop & Shop	Apple	2	\$0.50
3	Shaws	Banana	4	\$1.00
4	Market Basket	Banana	3	\$1.00
5	Trader Joe's	Pineapple	8	\$2.50
6	Stop & Shop	Orange	2	\$0.80
7	Shaws	Apple	1	\$0.50
8	Market Basket	Apple	5	\$0.50
9	Trader Joe's	Banana	6	\$1.00
10	Market Basket	Pineapple	3	\$2.50
11	Trader Joe's	Orange	8	\$0.80
12	Stop & Shop	Pineapple	3	\$2.50
13	Shaws	Pineapple	5	\$2.50
14	Stop & Shop	Banana	2	\$1.00
15	Shaws	Orange	6	\$0.80
16	Market Basket	Orange	7	\$0.80
17	Trader Joe's	Apple	3	\$0.50

What YOU see

What EXCEL sees

*When you apply a condition or filter to a column, Excel translates those cells as **0's** (if false) and **1's** (if true)*

*If you multiply all four columns, **ONLY ROWS THAT SATISFY ALL CONDITIONS WILL PRODUCE A NON-ZERO SUM***

	A	B	C	D
1	Store	Product	Quantity	Price
2	0	1	2	\$0.50
3	1	0	4	\$1.00
4	0	0	3	\$1.00
5	0	0	8	\$2.50
6	0	0	2	\$0.80
7	1	1	1	\$0.50
8	0	1	5	\$0.50
9	0	0	6	\$1.00
10	0	0	3	\$2.50
11	0	0	8	\$0.80
12	0	0	3	\$2.50
13	1	0	5	\$2.50
14	0	0	2	\$1.00
15	1	0	6	\$0.80
16	0	0	7	\$0.80
17	0	1	3	\$0.50



The **COUNTIF**, **SUMIF**, and **AVERAGEIF** formulas calculate a sum, count, or average based on specific criteria

	A	B
1	Name	Age
2	George	90
3	Maria	13
4	Ryan	22
5	Tim	98
6	George	61
7	Tim	68
8	Tim	50
9	Maria	91
10	George	16
11	Maria	23
12	Tim	60
13	Ryan	22
14	Maria	56
15	George	54
16	George	87
17	Ryan	33
18	Ryan	68
19	Ryan	45
20	George	21

=COUNTIF(range, criteria)

=SUMIF(range, criteria, sum\_range)

=AVERAGEIF(range, criteria, average\_range)

Which cells need to match your criteria?

Under what condition do I want to sum, count, or average?

Where are the values that I want to sum or average?

COUNTIF(B2:B20,22) = **2**

SUMIF(A2:A20,"Ryan",B2:B20) = **190**

SUMIF(A2:A20,"<>Tim",B2:B20) = **702**

AVERAGEIF(A2:A20,"Maria",B2:B20) = **45.75**

**COUNTIFS, SUMIFS, and AVERAGEIFS** are used when you want to evaluate a count, sum, or average based on *multiple* conditions or criteria

**=COUNTIFS(criteria\_range1, criteria1, criteria\_range2 , criteria2...)**

**=SUMIFS(sum\_range, criteria\_range1, criteria1, criteria\_range2 , criteria2...)**

**=AVERAGEIFS(average\_range, criteria\_range1, criteria1, criteria\_range2 , criteria2...)**

	A	B	C	D
1	Month	Tactic	Campaign	Clicks
2	Jan	Search	Google	166
3	Jan	Search	MSN	263
4	Jan	Display	Contextual	289
5	Jan	Display	Retargeting	137
6	Feb	Search	Google	124
7	Feb	Search	MSN	311
8	Feb	Display	Contextual	350
9	Feb	Display	Retargeting	384
10	Mar	Search	Google	168
11	Mar	Search	MSN	358
12	Mar	Display	Contextual	347
13	Mar	Display	Retargeting	390

**COUNTIFS(B2:B13,"Search", D2:D13,">200") = 3**

**SUMIFS(D2:D13, A2:A13,"Feb",B2:B13,"Display") = 734**

**AVERAGEIFS(D2:D13, A2:A13,"Jan",C2:C13,"MSN") = 263**



### PRO TIP:


*If you use < or >, you need to add quotation marks as you would with text (i.e. ">200")*

A horizontal banner with a dark green background. It features a faint, semi-transparent image of an Excel spreadsheet. The spreadsheet contains various data points, including dates (e.g., 11/2/2014, 11/9/2014, 11/16/2014), numerical values, and percentages. There are also small bar charts and line graphs visible within the spreadsheet grid.

# LOOKUP & REFERENCE FUNCTIONS

Using **Named Arrays** can simplify a lookup function if you use the same data array in multiple formulas

*For example, if you name the array from A1:D6 "Apparel"...*



The screenshot shows an Excel interface. At the top, a dropdown menu is set to 'Apparel', with a red box around it. To its right are icons for cancel (X), confirm (checkmark), and formula (fx). Below this is a table with columns A, B, C, and D. The rows are numbered 1 to 6. The table contains the following data:

	A	B	C	D
1	Product	Quantity	Product ID	Price
2	T-shirt	26	93754	\$14.99
3	Sweater	14	24783	\$49.99
4	Shorts	22	23984	\$24.50
5	Socks	36	58394	\$9.99
6	Spandex Unitard	2	27838	\$79.99

*...you can write your vlookup formula in either of the following ways:*

**=VLOOKUP(A1,\$A\$1:\$D\$6,2)**

**=VLOOKUP(A1,Apparel,2)**

Let's take a look at one of Excel's most common reference functions – **VLOOKUP**:

**=VLOOKUP(lookup\_value, table\_array, col\_index\_num, [range\_lookup])**

This is the **value** that you are trying to match in the table array

This is **where** you are looking for the lookup value

**Which column** contains the data you're looking for?

Are you trying to match the **exact** lookup value (0), or something similar (1)?

	A	B	C	D
1	Product	Quantity	Product ID	Price
2	T-shirt	26	93754	\$14.99
3	Sweater	14	24783	\$49.99
4	Shorts	22	23984	\$24.50
5	Socks	36	58394	\$9.99
6	Spandex Unitard	2	27838	\$79.99

**D2=VLOOKUP(A2, \$G\$1:\$H\$5, 2, 0)**

G	H
Product	Price
Shorts	\$24.50
Sweater	\$49.99
Spandex Unitard	\$79.99
T-shirt	\$14.99
Socks	\$9.99

*To populate the Price in column D, we look up the name of the product in the data array from G1:H5 and return the value from the 2<sup>nd</sup> column over*

Use **HLOOKUP** if your table array is transposed (variables headers listed in rows)

**=HLOOKUP(lookup\_value, table\_array, row\_index\_num, [range\_lookup])**

This is the **value** that you are trying to match in the table array

This is **where** you are looking for the lookup value

**Which row** contains the data you're looking for?

Are you trying to match the **exact** lookup value (0), or something similar (1)?

	A	B	C	D
1	Product	Quantity	Product ID	Price
2	T-shirt	26	93754	\$14.99
3	Sweater	14	24783	\$49.99
4	Shorts	22	23984	\$24.50
5	Socks	36	58394	\$9.99
6	Spandex Unitard	2	27838	\$79.99

**D2=HLOOKUP(A2, \$H\$1:\$L\$2, 2, 0)**

*With an HLOOKUP, we search for the product name in F1:J2 and return the value from the 2<sup>nd</sup> row down*

G	H	I	J	K	L
Product	Shorts	T-shirt	Sweater	Spandex Unitard	Socks
Price	\$24.50	\$14.99	\$49.99	\$79.99	\$9.99

There are **two key rules** that constrain **VLOOKUP** and **HLOOKUP** formulas:



1. The lookup value must be in the **first column** of a VLOOKUP table array or the **first row** of a HLOOKUP table array
2. Excel will always return the value from the **top most row** or **left most column** of a table array when multiple instances of the lookup value are present



## PRO TIP:

*Avoid breaking Law #2 by identifying a "Key" that is common to both datasets and is unique for every row (NOTE: Keys often take the form of a concatenation of multiple fields)*

The **ROW** function returns the row number of a given *reference*, while the **ROWS** function returns the number of rows in a given *array* or *array formula*

**=ROW**([reference])

**=ROWS**(array)

*This example uses an array, which is why it includes the fancy {} signs – more on that in the ARRAY functions section*

**ROW**(C10) = 10

**ROWS**(A10:D15) = 6

**ROWS**({1,2,3;4,5,6}) = 2



The **COLUMN** function returns the column number of a given *reference*, while the **COLUMNS** function returns the number of columns in a given *array* or *array formula*

**=COLUMN([reference])**

**=COLUMNS(array)**



**PRO TIP:**

*Leave the cell reference out and just write ROW() or COLUMN() to return the row or column number of the cell in which the formula is written*

**COLUMN(C10) = 3**

**COLUMNS(A10:D15) = 4**

**COLUMNS({1,2,3;4,5,6}) = 3**

The **INDEX** function returns the *value* of a specific cell within an array

**=INDEX(array, row\_num, column\_num)**

What range of cells  
are you looking at?

How many rows  
down is the value  
you want?

How many columns  
over is the value you  
want?

	A	B	C
1	Tools	Price	Inventory
2	Hammer	\$5.00	55
3	Screw Driver	\$2.50	66
4	Pliers	\$3.34	333
5	Wrench set	\$10.00	234
6	Chain Saw	\$55.48	23
7	Tool Box	\$19.99	5
8	Level	\$2.25	7

**INDEX(\$A\$1:\$C\$5, 5, 3) = 234**

*In this case we're telling Excel to find the value of a cell somewhere within the array of A1:C5. Starting from the upper left, we move down to the **5<sup>th</sup> row** and right to the **3<sup>rd</sup> column**, to return the value of **234***

The **MATCH** function returns the *position* of a specific value within a column or row

**=MATCH(lookup\_value, lookup\_array, [match\_type])**

What value are you trying to find the position of?

In which row or column are you looking? (**must be a 1-dimensional array**)

Are you looking for the exact value (0), or anything close?

*1: Find largest value  $\leq$  or = lookup\_value*

*0: Find exact lookup\_value*

*-1: Find smallest value  $\geq$  or = lookup\_value*

	A	B
1	Tools	Price
2	Hammer	\$5.00
3	Screw Driver	\$2.50
4	Pliers	\$3.34
5	Wrench set	\$10.00

**MATCH("Pliers", \$A\$1:\$A\$5, 0) = 4**

	A	B	C
1	Tools	Price	Inventory
2	Hammer	\$5.00	55
3	Screw Driver	\$2.50	66
4	Pliers	\$3.34	333

**MATCH(66, \$A\$3:\$C\$3, 0) = 3**

*Matching the word "Pliers" in column A, we find it in the **4<sup>th</sup>** row. Matching the number 66 in row 3, we find it in the **3<sup>rd</sup>** column*

**INDEX** and **MATCH** are commonly used in tandem to act like a LOOKUP function; the only difference is that **INDEX/MATCH** can find values in any column or row in an array

*Example: Price Checker*

	A	B	C	D
1		Small	Medium	Large
2	Sweater	\$10	\$12	\$15
3	Jacket	\$30	\$35	\$40
4	Pants	\$25	\$30	\$35
5				
6	Product:	Pants		
8	Size:	Medium		
10	PRICE:	?		
11				

*In this example, we want to populate the price of a given product and size in cell **B10** by returning a particular value within the array **B2:D4***

**B10=INDEX(B2:D4, MATCH(B6,A2:A4,0), MATCH(B8,B1:D1,0))**

*The number of rows down to index depends on what **product** I'm looking for, so we use a MATCH function and search for the value in cell **B6** (in this case "Pants")*


*The number of columns over to index depends on what **size** I'm looking for, so we use a MATCH function and search for the value in cell **B8** (in this case, "Medium")*

*Considering the output of each MATCH function, the formula is just a simple INDEX:*


**B10 = INDEX(B2:D4, 3, 2) = \$30**

**XLOOKUP** can retrieve values from a table or range by matching a lookup value, and offers more flexibility than **VLOOKUP**, **HLOOKUP**, or **INDEX & MATCH** formulas


**=XLOOKUP(lookup\_value, lookup\_array, return\_array, [if\_not\_found], [match\_mode], [search\_mode])**




Which **value** are you looking to match?




**Where** are you trying to find a match for your lookup value?




Where are the **values** you want to retrieve?



What if the lookup value **isn't found** in the lookup array?



Are you looking for an **exact, approximate, or wildcard** match?



Do you want to search **top down** or **bottom up**?

**IMPORTANT NOTE:** XLOOKUP is currently only available for **Office 365** subscribers

## XLOOKUP


- ✓ Can retrieve a **dynamic array** of results
- ✓ Can lookup values **anywhere** in an array (left or right, horizontal or vertical)
- ✓ Defaults to **exact match**
- ✓ Supports native **wildcard** text matching
- ✓ Includes **built-in error handling** when a lookup value is not found
- ✓ Can find approximate matches in **unsorted** lists
- ✓ Can search **top-down** or **bottom-up**

## VLOOKUP


- ✗ Can only return a **single value**
- ✗ Can only lookup values to the **right**, requires **HLOOKUP** for horizontal matching
- ✗ Defaults to **approximate match**
- ✗ Does not natively support **wildcard** matching
- ✗ Requires an additional **IFERROR** function for error handling
- ✗ Requires **sorted** lists for approximate matching
- ✗ Only searches **top-down**

The **CHOOSE** function selects a value, cell reference, or function to perform from a list, based on a given index number


**=CHOOSE(index\_num, value1, [value2], ...)**




Which item in the following list should be evaluated?



**1st** item in the list



**2nd** item in the list



3<sup>rd</sup>, 4<sup>th</sup>, 5<sup>th</sup>, etc...

### FUN FACTS ABOUT CHOOSE:

- List items can include **numbers, cell references, defined names, formulas, or text** (*or a mix!*)
- CHOOSE acts like an **INDIRECT** function, and can interpret cell references instead of treating them as text
- You can combine CHOOSE with other functions, or nest it directly into a cell reference

The **OFFSET** function is similar to **INDEX**, but can return either the value of a cell within an array (like INDEX) or a specific *range* of cells

**=OFFSET(reference, rows, columns, [height], [width])**

What's your starting point?

How many rows down should you move?

How many columns over should you move?

If you want to return a multidimensional array, how tall and wide should it be?

An **OFFSET** formula where [height]=1 and [width]=1 will operate exactly like an INDEX. A more common use of **OFFSET** is to create dynamic arrays (like the Scroll Chart example in the appendix)



### PRO TIP:

*Don't use OFFSET or INDEX/MATCH when a simple VLOOKUP will do the trick*





# TEXT FUNCTIONS

Text functions can be used to standardize formatting, particularly the **TRIM**, **UPPER**, **LOWER**, and **PROPER** functions:

	A	B	C	D
1	Sample Text String	Formula	Output	Notes
2	SAMPLE sentence	=TRIM(A2)	SAMPLE sentence	<i>Removes any leading or trailing spaces from a text string</i>
3	SAMPLE sentence	=LOWER(A3)	sample sentence	<i>Converts all characters in a text string to lower case</i>
4	SAMPLE sentence	=UPPER(A4)	SAMPLE SENTENCE	<i>Converts all characters in a text string to upper case</i>
5	SAMPLE sentence	=PROPER(A5)	Sample Sentence	<i>Converts all characters in a text string to proper case (first letter capitalized)</i>
6				



## PRO TIP:

*If two text strings are identical except one has a trailing space, they will look exactly the same but Excel will treat them as completely different values; TRIM will make them equivalent*

**CONCATENATE** allows you to combine text, cell values, or formula outputs into a single text string

**Note:** Rather than typing "**=CONCATENATE**(*Text1, Text2...*)", you can simply separate each piece of the resulting text string with an ampersand ("**&**")

	A	B	C	D
1	First Name	Last Name	Formula	Output
2	Daniel	Wright	=A2&B2	DanielWright
3	Daniel	Wright	=A3&" "&B3	Daniel Wright
4	Daniel	Wright	=LEFT(A4,3)&" "&B4	Dan Wright
5	Daniel	Wright	=LEFT(A5,3)&" "&LEFT(B5,1)&"."	Dan W.

The **LEFT**, **MID**, and **RIGHT** functions return a specific number of characters from a location within a text string, and **LEN** returns the total number of characters

**=LEFT(text, [num\_chars])**

**=RIGHT(text, [num\_chars])**

**=MID(text, start\_num, num\_chars)**

	A	B	C	D
1	Sample Text String	Formula	Output	Notes
3	MA-02215%AAA%_100	=LEFT(A3,2)	MA	Returns 2 characters, starting from the left
5	MA-02215%AAA%_100	=MID(A5,4,5)	02215	Returns 5 characters from the middle of the string, starting with position 4
7	MA-02215%AAA%_100	=RIGHT(A7,3)	100	Returns 3 characters, starting from the right
9	MA-02215%AAA%_100	=LEN(A9)	17	Returns the length of the string (=17 characters)

The **TEXT** function converts a numeric value to text and assigns a particular format

**=TEXT(value, format\_text)**

Numeric value, formula that evaluates to a numeric value, or reference to a cell containing a numeric value

Numeric format as a text string enclosed in quotes (i.e. "m/d/yyyy", "\$0.00" or "#,##0.00")

	A	B
1	Name	Earnings
2	Tim	\$4,500
3	George	\$3,250
4	Lisa	\$3,725

= "Lisa earned "&B4 *returns* "Lisa earned 3725"

= "Lisa earned "&TEXT(B4"\$#,###") *returns* "Lisa earned \$3,725"



### PRO TIP:

Use **VALUE** to convert a text string that represents a number into a value

The **SEARCH** function returns the number of the character at which a specific character or text string is first found (otherwise returns #VALUE! error)

**=SEARCH(find\_text, within\_text, [start\_num])**

What character or string  
are you searching for?

Where is the text that  
you're searching  
through?

Search from the beginning (default)  
or after a certain number of  
characters?

	A	B	C	D
11	MA-02215%AAA%_100	=SEARCH("%",A11)	9	Searches the string for "%" and returns the position
13	MA-02215%AAA%_100	=SEARCH("%",A13,10)	13	Searches for "%", starting with the 10th character, and returns the position
15	MA-02215%AAA%_100	=MID(A15,SEARCH("%",A15),5)	%AAA%	Returns 5 chars from the middle of the string, beginning where it finds the "%"
17	MA-02215%AAA%_100	=MID(A17,SEARCH("%",A17)+1,3)	AAA	Returns 3 characters from the middle of the string, beginning 1 position after "%"



### PRO TIP:

The **FIND** function works exactly the same way, but is case-sensitive

**IF(ISNUMBER(SEARCH** is powerful combination of functions that can be used to classify data based on cells that contain specific strings of text

**=IF(ISNUMBER(SEARCH(find\_text, within\_text)),value\_if\_true, value\_if\_false)**

Searches for a specific string of text within a given cell

Returns one value if that string is found (TRUE), and another if it is not found (FALSE)

	A	B
1	Placement	Media
2	12983-Aff-160x90_small	Other
3	982308-Disp-160x90_large	Display
4	23124-Aff-160x90_small	Other
5	463-Disp-160x90_small	Display
6	390238-Agg-160x90_large	Other

**=IF(ISNUMBER(SEARCH("Disp",A2)),"Display","Other")**

*Search the cells in column A for the text string "Disp" and classify column B as "Display" if you find it, "Other" if you don't*

A horizontal banner with a dark green background. The background features a faint, semi-transparent image of an Excel spreadsheet. The spreadsheet contains various data points, including dates (e.g., 11/2/2014, 11/9/2014, 11/16/2014, 11/23/2014, 11/30/2014), numerical values, and percentages. There are also some faint line and bar charts visible in the background.

# DATE & TIME FUNCTIONS



Every date in Excel has an associated **date value**, which is how Excel calculates the passage of time (using midnight on 1/1/1900 as the starting point)

Excel recognizes most typed dates and automatically applies a common format (i.e. m/d/yyyy), along with an associated date value (cell format → General)

*Note: If you type a date in a format that Excel does NOT recognize, it will be treated as text and there will be no associated date value; however, you can use a **DATEVALUE** or **TIMEVALUE** function to convert unformatted dates or times into serial values*


Date	Date Value
1/1/1900	1
1/11/1900	11
2/6/2015	42041
2/6/15 12:00 PM	42041.5
2/6/15 6:00 PM	42041.75

*Jan 1, 1900 is the first date with an assigned date value (1). Feb 6, 2015 is the 42,041st day since 1/1/1900, so its date value = 42041*


*Date values can also indicate fractions of days: 42041.5 translates to noon on 2/6/2015 (50% through the day), and 42041.75 translates to 6:00pm on 2/6/2015 (75% through the day)*

To format dates in Excel, you can either select a preset option from the “Date” category of the “Format Cells” dialog box, OR create your own **custom format**

## Preset Formats:



## Custom Format:




*You can build your own custom formats using combinations of date/time codes. For example:*

- d** = day w/out leading zero (1-31)
- dd** = day w/ leading zero (01-31)
- ddd** = day-of-week (Sat)
- dddd** = day-of-week (Saturday)
- m** = month w/out leading zero (1-15)
- mm** = month w/ leading zero (01-15)
- mmm** = month abbreviation (Jan)
- mmmm** = full month (January)
- yy** = last 2 digits of year (15)
- yyyy** = full year (2015)

*(full list available at [support.office.com](http://support.office.com))*

When you drag the corner of a cell containing a date, Excel automatically applies subsequent values automatically using **Fill Series** options:



*Click the **Auto Fill Options** button to determine exactly which values your subsequent cells should take:*

**Copy Cells** = Repeats the same value in all cells

**Fill Days** = Increases the date by 1 day per cell

**Fill Weekdays** = Increases the date by 1 day per cell (excluding weekends)

**Fill Months** = Increases the date by 1 month per cell

**Fill Years** = Increases the date by 1 year per cell

## The **TODAY()** and **NOW()** functions return the current date or exact time

*Note: These are **volatile** functions, meaning that they change with every worksheet calculation*

TODAY()=

2/6/2015

NOW()=

2/6/2015 17:15

*This is what the **TODAY()** and **NOW()** functions return at 5:15pm on February 6, 2015. Note that these values will automatically update with every change made to the workbook*



### PRO TIP:

*Make sure to enter **TODAY()** and **NOW()** functions with both parentheses included – these functions don't refer to other cells*

Excel will always calculate dates and times based on their *precise* underlying serial values, but what if you need to work with less-specific values, like months instead of days, or hours instead of seconds?

The **YEAR**, **MONTH**, **DAY**, **HOUR**, **MINUTE**, and **SECOND** functions extract individual components of a given date:

	A	B	C	D	E	F	G
1		YEAR	MONTH	DAY	HOUR	MINUTE	SECOND
2	2/6/2015 17:57	2015	2	6	17	57	16
3		=YEAR(A2)	=MONTH(A2)	=DAY(A2)	=HOUR(A2)	=MINUTE(A2)	=SECOND(A2)
4							

Use the **EOMONTH** function to calculate the last day of a given month, or to calculate the start/end dates of previous or future months

**=EOMONTH(start\_date, months)**

Reference to the cell containing  
the start/current date

Number of months before or after the start/current date (positive  
number yields a date in the future, negative number yields a date in  
the past)

	A	B	C
1			
2		Current Date:	8/3/2015
3			
4		End of month:	8/31/2015
5		Start of Month:	8/1/2015
6		Start of Next Month:	9/1/2015

→ =EOMONTH(C2, 0)

→ =EOMONTH(C2, -1)+1

→ =EOMONTH(C2, 0)+1

**YEARFRAC** calculates the fraction of a year represented by the number of whole days between two dates

**=YEARFRAC(start\_date, end\_date, [basis])**

Reference to the cell  
containing the start date

Reference to the cell  
containing the end  
date

Option specify the type of day count to use:

**0 (default)** = US (NASD) 30/360

**1** = actual/actual (**RECOMMENDED**)

**2** = actual/360

**3** = actual/365

**4** = European 30/360

	A	B
1		
2	Start Date:	1/1/2015
3	End Date:	2/28/2015

**=YEARFRAC(B2, B3, 1) = 15.9%**

**=YEARFRAC(B2, B3, 2) = 16.1%**



### PRO TIP:

***YEARFRAC** is a great  
tool for pacing and  
projection calculations*


If you want to know which day of the week a given date falls on, there are two ways to do it:


1) Use a custom cell format of either “ddd” (Sat) or “dddd” (Saturday)

*-Note that this doesn't change the underlying **value**, only how that value is displayed*

2) Use the **WEEKDAY** function to return a serial value corresponding to a particular day of the week (either 1-7 or 0-6)

**=WEEKDAY(serial\_number, [return type])**

  
This refers to a cell  
containing a **date** or **time**

  
**0** (default) = Sunday (1) to Saturday (7)

**1** = Monday (1) to Sunday (7)

**3** = Monday (0) to Sunday (6)



**WORKDAY** returns a date that is a specified number of days before or after a given start date, excluding weekends and (optionally) holidays; **NETWORKDAYS** counts the number of workdays between two dates:

**=WORKDAY(start\_date, days, [holidays])**

This refers to the cell containing the start date

Number of days before or after start date

Optional reference to a list of holiday dates

**=NETWORKDAYS(start\_date, end\_date, [holidays])**

This refers to the cell containing the start date

This refers to the cell containing the end date

Optional reference to a list of holiday dates

	A	B
1		
2	Start Date:	1/1/2015
3	End Date:	2/28/2015

**=WORKDAY(B2, 20) = 1/29/2015**

**=NETWORKDAYS(B2, B3) = 42**

**DATEDIF** calculates the number of days, months, or years between two dates

**=DATEDIF(start\_date, end\_date, unit)**

Reference to the cell  
containing the start date

Reference to the cell  
containing the end  
date

How do you want to calculate the difference?

*"D" = # of days between dates*

*"M" = # of months between dates*

*"Y" = # of years between dates*

*"MD" = # of days between dates, ignoring months and years*

*"YD" = # of days between dates, ignoring years*

*"YM" = # of months between dates, ignoring days and years*

	A	B
1		
2	Start Date:	1/1/2015
3	End Date:	2/28/2015

**=DATEDIF(B2, B3, "D") = 58**

**=DATEDIF(B2, B3, "MD") = 27**






### PRO TIP:

*If you only need to calculate the # of days between dates, just use subtraction*

The background of the slide is a dark green horizontal band. Inside this band is a faint, semi-transparent image of an Excel spreadsheet. The spreadsheet contains various data points, including dates like '11/2/2014', '11/9/2014', and '11/16/2014', as well as numerical values and percentages. There are also some faint line and bar charts visible in the background.

# FORMULA-BASED FORMATS

If you want to go rogue, you can adjust the style of existing conditional formats or create your own **formula-based rules**



*This is where you can add, clear, and manage your conditional formatting rules*

# Formula-Based Formatting

State:						
State		Population	Student Pop.	SAT Participation Rate	Mean Verbal Score	Mean Math Score
Alabama		4447100	177884	9%	559	554
Alaska		626932	12539	51%		
Arizona		5130632	102613	34%		
Arkansas	2001	2673400	53468	6%		
California	2001	33871648	1016149	51%		
Colorado	2001	4301261	172050	31%		
Connecticut	2001	3405565	102167	82%		
D.C.	2001	783600	23508	56%		
Delaware	2001	572059	17162	67%		

*In this example we're formatting the cells in columns B through H with a green fill and bold text, but only when the state name is equal to the value in cell \$C\$2*

*Note that the row label is relative (no "\$"), which allows us to apply this formatting to other rows without losing functionality*

Edit Formatting Rule

Select a Rule Type:

- Format all cells based on their values
- Format only cells that contain
- Format only top or bottom ranked values
- Format only values that are above or below average
- Format only unique or duplicate values
- Use a formula to determine which cells to format

Edit the Rule Description:

Format values where this formula is true:

=B6:H6=\$C\$2

Preview: AaBbCcYyZz

Format...

OK Cancel


A horizontal banner with a dark green background. It features a faint, semi-transparent image of an Excel spreadsheet. The spreadsheet contains various data points, including dates (e.g., 11/2/2014, 11/9/2014), numerical values, and percentages. There are also small bar and line charts visible within the spreadsheet grid. The text 'ARRAY FORMULAS' is overlaid in large, white, bold, sans-serif capital letters.

# ARRAY FORMULAS

**Array functions** perform multiple calculations on one or more items in an array, and can take the form of either a *single-cell* formula (which exists within one cell) or a *multi-cell* formula (which can be applied to a number of cells and return multiple results)


You must press **CTRL-SHIFT-ENTER** to enter, edit, or delete an array formula; this automatically adds brackets “{}” to indicate that the function applies to an array

	A	B	C	D
1	Name	Earnings	Units	
2	Tim	\$4,500	4	\$18,000
3	George	\$3,250	2	
4	Lisa	\$3,725	3	
5	Zach	\$4,150	5	



*If you select D2:D5, type “=B2:B5\*C2:C5” and hit ENTER, the formula will only be applied to cell D2*

	A	B	C	D
1	Name	Earnings	Units	
2	Tim	\$4,500	4	\$18,000
3	George	\$3,250	2	\$6,500
4	Lisa	\$3,725	3	\$11,175
5	Zach	\$4,150	5	\$20,750



*If you select D2:D5, type “=B2:B5 \* C2:C5” and hit CTRL-SHIFT-ENTER, you have created an array formula applied to all cells in the range*

When you work with **array functions**, you must obey the following rules:



1. You *must* press **CTRL-SHIFT-ENTER (C-S-E)** to edit or enter an array formula
2. For multi-cell array functions, you must select the range of cells *before* entering the formula
3. You cannot change the contents of any individual cell which is part an array formula
4. You can move or delete an *entire* array formula, but not a piece of it (so you often have to delete and rebuild)
5. You cannot insert blank cells into or delete cells from a multi-cell array formula



**Array functions** can be incredibly powerful, but also a total buzzkill to work with; here are some of the key pros and cons of using them:


## PROS

- Condenses multiple calculations into one formula, often reducing file size
- Can perform some complex functions that non-array formulas cannot
- Reduces the risk of human error such as accidentally deleting parts of arrays or mistyping formulas

## CONS


- Can be very difficult to modify or delete existing array formulas
- Limited visibility into the formula's function, especially for users who are not familiar with arrays
- Eliminates the option to modify cells contained within arrays
- May reduce processing speed if multiple array functions are used

**Array constants** are created by manually entering a list of items directly into the formula bar and manually surrounding the list with brackets ( { } )




	A	B	C	D
1	1	2	3	4

**Horizontal array constants** create an array contained within a single row, and are delimited by commas (i.e. Select A1:D1, type "**= {1,2,3,4}**" then hit C-S-E)



	A
1	1
2	2
3	3
4	4


**Vertical array constants** create an array contained within a single column, and are delimited by semicolons (i.e. Select A1:A4, type "**= {1;2;3;4}**" then hit C-S-E)



	A	B	C	D
1	1	2	3	4
2	5	6	7	8

**Two-dimensional array constants** create an array contained across multiple rows and columns (i.e. Select A1:D2, type "**= {1,2,3,4;5,6,7,8}**" then hit C-S-E)

**Array constants** can contain values, text (surrounded by " "), logical values (TRUE, FALSE), or error values (#N/A), and can be used as part of an array formula




*This function takes each value in the array A1:A5 and multiplies it against the corresponding value in the array constant {1;2;3;4;5}, which essentially translates into the following formula: =SUM(A1\*1, A2\*2, A3\*3, A4\*4, A5\*5)*

## PRO TIP:



*You manually add the brackets when you type array constants, but the additional brackets surrounding the entire formula are automatically added once you press C-S-E*


Just like normal cell ranges, **array constants** can be assigned a name using Excel's name manager, which can make them much easier to work with



Select "Define Name" (or Name Manager → New) from the Formulas tab

	A	B	C
1	Jan	Feb	Mar

Now if you select A1:C1, type "**=Quarter1**" and press CTRL-SHIFT-ENTER, the saved array will populate




In the New Name dialog box, enter the array constant (remembering to manually include the brackets), give it a name, and select OK

The **TRANSPOSE** function allows you to change the orientation of a given data array (*i.e. from 5 rows x 2 columns to 2 rows x 5 columns*)

**NOTE:** The range in which you enter a **TRANSPOSE** function must be the *exact dimensions* of the transposed data

**{=TRANSPOSE(array)}**



	A	B	C	D	E
3	20	125			
4	15	150			
5	25	120			
6	20	115			
7	15	140			
8					
9	20	15	25	20	15
10	125	150	120	115	140

Select A9:E10, type "**=TRANSPOSE(A3:B7)**" and press **CTRL-SHIFT-ENTER** to copy the transposed data



### PRO TIP:

To transpose a data set that you may want to later edit, just use Paste Special → Transpose (ALT-H-V-T)

A horizontal banner with a dark green background. The background features faint, semi-transparent financial data, including a table with columns for dates, values, and percentages, and a pie chart. The text "EXTRA BONUS FUNCTIONS" is prominently displayed in the center in a large, white, sans-serif font.


# EXTRA BONUS FUNCTIONS

The **INDIRECT** function returns the reference specified by a text string, and can be used to change a cell reference within a formula without changing the formula itself

**=INDIRECT(ref\_text, [a1])**

Which cell includes the text that you are evaluating?

Is your text string in **A1** format (1) or **R1C1** format (0)?



	A	B
1		5
2		
3		B1
4		R1C2
5		

**ROW(B3) = 3**

**ROW(INDIRECT(B3)) = 1**

**ROW(INDIRECT(B4,0)) = 1**

*In the first **ROW** function, Excel returns the row number of cell B3, regardless of what value it contains.*

*When you add **INDIRECT**, Excel sees that cell B3 contains a reference (B1) and returns the row of the reference*

Let's be real, the **INDIRECT** function is pretty confusing at first. Here are a few more examples that should give you a sense of how it works and why it can be useful:

	A	B	C	D
1	2014 Data			
2	Product	Sales		B3:B5
3	A	5		
4	B	8		A3:B5
5	C	3		A9:B11
6				
7	2015 Data			
8	Product	Sales		
9	A	12		
10	B	17		
11	C	8		

SUM(D2) = 0

SUM(INDIRECT(D2)) = 16

*The sum of "B3:B5" as a value doesn't make sense, but the sum of B3:B5 as a reference is valid – **INDIRECT** tells Excel to recognize that the cell you're referring to is a reference, not a value*

VLOOKUP("A", D4, 2, 0) = #N/A

VLOOKUP("A", INDIRECT(D4), 2, 0) = 5

***INDIRECT** will tell a **VLOOKUP** formula to use an array contained within a cell, rather than treat the cell itself as the array (which returns #N/A)*



**HYPERLINK** creates a shortcut that links users to a document or location within a document (which can exist on a network server, within a workbook, or via a web address)

**=HYPERLINK(link\_location,[friendly\_name])**

Where will people go if they click?

How do you want the link to read?

**=HYPERLINK("http://www.example.com/report.xlsx", "Click Here")**

**=HYPERLINK("[C:\My Documents\Report.xlsx]", "Open Report")**

**=HYPERLINK("#Sheet2!A1")**



### PRO TIP:

*Use =HYPERLINK("#"&A2&"!A1") to jump to cell A1 of the sheet name specified in A2 (note the extra single quotation marks!)*