

Moodle LMS 3.9 Database schema / Zoola Analytics

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
mnet_sso_access_control	Table	accessctrl	VARCHAR	20			allow	Whether or not this user/host can
competency_evidence	Table	action	TINYINT	3			null	
block_recent_activity	Table	action	BIT	1			null	0 created, 1 updated, 2 deleted
logstore_standard_log	Table	action	VARCHAR	100				
scorm_seq_rolluprule	Table	action	VARCHAR	15				
grade_outcomes_history	Table	action	BIGINT	19		0		created/modified/deleted constan
log_display	Table	action	VARCHAR	40				
mnet_log	Table	action	VARCHAR	40				
message_conversation_actions	Table	action	BIGINT	19			null	
analytics_used_files	Table	action	VARCHAR	50				
enrol_flatfile	Table	action	VARCHAR	30				
grade_categories_history	Table	action	BIGINT	19		0		created/modified/deleted constan
grade_grades_history	Table	action	BIGINT	19		0		created/modified/deleted constan
scorm_seq_ruleconds	Table	action	VARCHAR	25				
log	Table	action	VARCHAR	40				
scale_history	Table	action	BIGINT	19		0		created/modified/deleted constan
grade_items_history	Table	action	BIGINT	19		0		created/modified/deleted constan
message_user_actions	Table	action	BIGINT	19			null	
analytics_used_analysables	Table	action	VARCHAR	50				
analytics_prediction_actions	Table	actionname	VARCHAR	255				
competency_evidence	Table	actionuserid	BIGINT	19	✓		null	
quizaccess_seb_quizsettings	Table	activateurlfiltering	BIT	1	✓		null	Bool whether URLs will be filtered.
filter_active	Table	active	SMALLINT	5			null	Whether this filter is active in this context. +1 = On, -1 = Off, no row w this contextid = inherit. As a special case, when contextid points to the system context, -9999 means this is completely disabled.
grading_areas	Table	activemethod	VARCHAR	100	✓		null	The default grading method (plugin that should be used for this area
lesson	Table	activitylink	BIGINT	19		0		

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
course_modules	Table	added	BIGINT	19			0	
h5pactivity_attempts_results	Table	additional	LONGTEXT	2147483647	✓		null	Extra subcontent information in JS format
messageinbound_messagelist	Table	address	LONGTEXT	2147483647			null	The Inbound Message address that the message was originally sent to
user	Table	address	VARCHAR	255				
data	Table	addtemplate	LONGTEXT	2147483647	✓		null	
h5p_libraries	Table	addto	LONGTEXT	2147483647	✓		null	Plugin configuration data
local_id_import_logs_status	Table	adhoctaskId	BIGINT	19	✓		null	Import logs task id
grade_categories	Table	aggregateonlygraded	BIT	1			0	aggregate only graded activities
grade_categories_history	Table	aggregateonlygraded	BIT	1			0	aggregate only graded items
grade_categories	Table	aggregateoutcomes	BIT	1			0	Aggregate outcomes
grade_categories_history	Table	aggregateoutcomes	BIT	1			0	Aggregate outcomes
grade_categories_history	Table	aggregatesubcats	BIT	1			0	This setting was removed from grade_categories. It is kept here only to preserve history.
grade_categories	Table	aggregation	BIGINT	19			0	A constant pointing to one of the predefined aggregation strategies (none, mean,median,sum, etc)
grade_categories_history	Table	aggregation	BIGINT	19			0	A constant pointing to one of the predefined aggregation strategies (none, mean,median,sum, etc)
grade_items_history	Table	aggregationcoef	DECIMAL	10			0.00000	Aggregation coefficient used for category weights or other aggregation types
grade_items	Table	aggregationcoef	DECIMAL	10			0.00000	Aggregation coefficient used for category weights or other aggregation types
grade_items	Table	aggregationcoef2	DECIMAL	10			0.00000	Aggregation coefficient used for weights in aggregation types with an extra credit and weight
grade_items_history	Table	aggregationcoef2	DECIMAL	10			0.00000	Aggregation coefficient used for category weights or other aggregation types
grade_grades	Table	aggregationstatus	VARCHAR	10			unknown	One of several values describing how this grade_grade was used when

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								calculating the aggregation. Possible values are "unknown", "dropped", "novalue", "used"
grade_grades	Table	aggregationweight	DECIMAL	10	√		null	If the aggregationstatus == 'included' then this is the percent this item contributed to the aggregation.
tool_policy_versions	Table	agreementstyle	SMALLINT	5			0	How this agreement should flow: 0 - on the consent page, 1 - on a separate page before reaching the consent page
question_response_analysis	Table	aid	VARCHAR	100	√		null	
user	Table	aim	VARCHAR	50				
glossary_alias	Table	alias	VARCHAR	255				
quiz_statistics	Table	allattemptsavg	DECIMAL	15	√		null	
quiz_statistics	Table	allattemptscount	BIGINT	19			null	
assign_user_flags	Table	allocatedmarker	BIGINT	19			0	The allocated marker to this submission
role_allow_assign	Table	allowassign	BIGINT	19			0	
glossary	Table	allowcomments	TINYINT	3			0	
glossary	Table	allowduplicatedentries	TINYINT	3			0	
quizaccess_seb_quizsettings	Table	allowedbrowserexamkeys	LONGTEXT	2147483647	√		null	List of allowed browser exam keys
oauth2_issuer	Table	alloweddomains	LONGTEXT	2147483647			null	Allowed domains for this issuer.
choice	Table	allowmultiple	TINYINT	3			0	
quiz	Table	allowofflineattempts	BIT	1	√		0	Whether to allow the quiz to be attempted offline in the mobile app
lesson	Table	allowofflineattempts	BIT	1	√		0	Whether to allow the lesson to be attempted offline in the mobile app
role_allow_override	Table	allowoverride	BIGINT	19			0	
glossary	Table	allowprintview	TINYINT	3			1	
quizaccess_seb_quizsettings	Table	allowreloadinexam	BIT	1	√		null	Bool whether user can reload.
quizaccess_seb_quizsettings	Table	allowspellchecking	BIT	1	√		null	Bool whether spell checking will happen in SEB.
assign	Table	allowsubmissionsfromdate	BIGINT	19			0	If set, submissions will only be accepted after this date.
assign_overrides	Table	allowsubmissionsfromdate	BIGINT	19	√		null	Time at which students may start attempting this assign. Can be null

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
role_allow_switch	Table	allowswitch	BIGINT	19			null	which case the assign default is us The id of a role that the user is allo to switch to as a result of having th role.
choice	Table	allowupdate	TINYINT	3			0	
quizaccess_seb_quizsettings	Table	allowuserquitseb	BIT	1	√		null	Bool to show quit button.
role_allow_view	Table	allowview	BIGINT	19			null	The id of a role that the user is allo to view to as a result of having this
block_zoola_reports_schreps	Table	allstudents	TINYINT	3			0	if 1 reports will be sent to all stude enrolled into course
resource_old	Table	alltext	LONGTEXT	2147483647			null	
user	Table	alternatename	VARCHAR	255	√		null	Alternate name - Useful for three-n countries.
assign	Table	alwaysshowdescription	TINYINT	3			0	If false the assignment intro will or displayed after the allowsubmissionsfrom date. If true will always be displayed.
analytics_train_samples	Table	analysableid	BIGINT	19			null	
analytics_predict_samples	Table	analysableid	BIGINT	19			null	
analytics_used_analysables	Table	analysableid	BIGINT	19			null	
question_response_count	Table	analysisid	BIGINT	19			null	
logstore_standard_log	Table	anonymous	BIT	1			0	Was this event anonymous at the t of triggering?
feedback	Table	anonymous	BIT	1			1	
feedback_completedtmp	Table	anonymous_response	BIT	1			0	
feedback_completed	Table	anonymous_response	BIT	1			0	
question_answers	Table	answer	LONGTEXT	2147483647			null	
question_calculated	Table	answer	BIGINT	19			0	
question_numerical	Table	answer	BIGINT	19			0	Foreign key references question_answers.id.
lesson_answers	Table	answer	LONGTEXT	2147483647	√		null	
survey_answers	Table	answer1	LONGTEXT	2147483647			null	
survey_answers	Table	answer2	LONGTEXT	2147483647			null	
question_answers	Table	answerformat	TINYINT	3			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
lesson_answers	Table	answerformat	TINYINT	3		0		
lesson_attempts	Table	answerid	BIGINT	19		0		
question_calculated_options	Table	answernumbering	VARCHAR	10			abc	Indicates how and whether the choices should be numbered.
qtype_multichoice_options	Table	answernumbering	VARCHAR	10			abc	Indicates how and whether the choices should be numbered.
qtype_match_subquestions	Table	answertext	VARCHAR	255				
badge_external_backpack	Table	apiversion	VARCHAR	12		1.0		
mnet_service	Table	apiversion	VARCHAR	10				
user_devices	Table	appid	VARCHAR	128				the app id, usually something like com.moodle.moodlemobile
mnet_host	Table	applicationid	BIGINT	19		1		
data	Table	approval	SMALLINT	5		0		
glossary	Table	approvaldisplayformat	VARCHAR	50			default	Display Format when approving entries
glossary_entries	Table	approved	TINYINT	3		1		
data_records	Table	approved	SMALLINT	5		0		
role	Table	archetype	VARCHAR	30				Role archetype is used during installation, role reset, marks admin role and helper roles in site settings
tool_policy_versions	Table	archived	SMALLINT	5		0		Should the version be considered archived. All non-archived, non-current versions are considered to be drafts
customfield_category	Table	area	VARCHAR	100				
search_simplifiedb_index	Table	areaid	VARCHAR	255				
grading_definitions	Table	areaid	BIGINT	19		null		
grading_areas	Table	areaname	VARCHAR	100				The name of gradable area
data	Table	asearchtemplate	LONGTEXT	2147483647	✓	null		
badge_external	Table	assertion	LONGTEXT	2147483647	✓	null		Assertion of external badge
data	Table	assessed	BIGINT	19		0		
forum_discussions	Table	assessed	BIT	1		1		
glossary	Table	assessed	BIGINT	19		0		
forum	Table	assessed	BIGINT	19		0		
workshop	Table	assessmentend	BIGINT	19	✓	0		0 = will be closed manually, greater than 0 = automatic

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								0 the timestamp of the end of the assessment phase
workshop_grades	Table	assessmentid	BIGINT	19			null	Part of which assessment this grade is of
workshop	Table	assessmentstart	BIGINT	19	√		0	0 = will be started manually, greater 0 the timestamp of the start of the assessment phase
forum	Table	assesstimefinish	BIGINT	19			0	
glossary	Table	assesstimefinish	BIGINT	19			0	
data	Table	assesstimefinish	BIGINT	19			0	
data	Table	assesstimestart	BIGINT	19			0	
forum	Table	assesstimestart	BIGINT	19			0	
glossary	Table	assesstimestart	BIGINT	19			0	
assign_overrides	Table	assignid	BIGINT	19			0	Foreign key references assign.id
assignfeedback_comments	Table	assignment	BIGINT	19			0	
assignsubmission_onlinetext	Table	assignment	BIGINT	19			0	
assign_grades	Table	assignment	BIGINT	19			0	
assignment_submissions	Table	assignment	BIGINT	19			0	
assign_user_mapping	Table	assignment	BIGINT	19			0	
assignfeedback_file	Table	assignment	BIGINT	19			0	
assignsubmission_file	Table	assignment	BIGINT	19			0	
assign_submission	Table	assignment	BIGINT	19			0	
assign_user_flags	Table	assignment	BIGINT	19			0	The assignment these flags apply to
assign_plugin_config	Table	assignment	BIGINT	19			0	
assignment	Table	assignmenttype	VARCHAR	50				
glossary_entries	Table	attachment	VARCHAR	100				
forum_posts	Table	attachment	VARCHAR	100				
workshop_submissions	Table	attachment	TINYINT	3	√		0	Used by File API file_postupdate_standard_filemanager
post	Table	attachment	VARCHAR	100	√		null	attachment
badge	Table	attachment	BIT	1			1	Attach baked badge for download
qtype_essay_options	Table	attachments	SMALLINT	5			0	Whether, and how many, attachments a student is allowed to include with the answer

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								response. -1 means unlimited.
qtype_essay_options	Table	attachmentsrequired	SMALLINT	5			0	The number of attachments that should be required
h5pactivity_attempts	Table	attempt	MEDIUMINT	7			1	Attempt number
scorm_aicc_session	Table	attempt	BIGINT	19	√		null	
quiz_attempts	Table	attempt	MEDIUMINT	7			0	Sequentially numbers this student's attempts at this quiz.
scorm_scoes_track	Table	attempt	BIGINT	19			1	
assignfeedback_editpdf_queue	Table	attemptedconversions	BIGINT	19			0	
h5pactivity_attempts_results	Table	attemptid	BIGINT	19			null	h5pactivity_attempts ID
assign_grades	Table	attemptnumber	BIGINT	19			0	The attempt number that this grade relates to
assign_submission	Table	attemptnumber	BIGINT	19			0	Used to track attempts for an assignment
quiz	Table	attemptonlast	SMALLINT	5			0	Whether subsequent attempts start from the answer to the previous attempt (1) or start blank (0).
assign	Table	attemptreopenmethod	VARCHAR	10			none	How to determine when students are allowed to open a new submission. Valid options are none, manual, untilpass
quiz	Table	attempts	MEDIUMINT	7			0	The maximum number of attempts a student is allowed.
quiz_overrides	Table	attempts	MEDIUMINT	7	√		null	
question_attempt_step_data	Table	attemptstepid	BIGINT	19			null	Foreign key, references question_attempt_steps.id
tool_policy_versions	Table	audience	SMALLINT	5			0	Who is this policy targeted at: 0 - all users, 1 - logged in users only, 2 - guests only
user	Table	auth	VARCHAR	20			manual	
files	Table	author	VARCHAR	255	√		null	The original author of the file
workshop_submissions	Table	authorid	BIGINT	19			null	The author of the submission
scorm	Table	auto	BIT	1			0	
enrol_lti_lti2_share_key	Table	autoapprove	BIT	1			null	
scorm	Table	autocommit	BIT	1			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
questionnaire	Table	autonum	BIT	1		3		option for auto numbering questions and pages (both selected by default)
feedback	Table	autonumbering	BIT	1		1		
user	Table	autosubscribe	BIT	1		1		
badge_backpack	Table	autosync	BIT	1		0		
course_sections	Table	availability	LONGTEXT	2147483647	✓		null	Availability restrictions for viewing section, in JSON format. Null if no restrictions.
course_modules	Table	availability	LONGTEXT	2147483647	✓		null	Availability restrictions for viewing activity, in JSON format. Null if no restrictions.
lesson	Table	available	BIGINT	19		0		
lesson_overrides	Table	available	BIGINT	19	✓		null	Time at which students may start attempting this lesson. Can be null in which case the lesson default is used
badge_external_backpack	Table	backpackapiurl	VARCHAR	255				
badge_external	Table	backpackid	BIGINT	19			null	ID of a backpack
badge_backpack	Table	backpackuid	BIGINT	19			null	
badge_external_backpack	Table	backpackweburl	VARCHAR	255				
log_queries	Table	backtrace	LONGTEXT	2147483647	✓		null	php execution trace
upgrade_log	Table	backtrace	LONGTEXT	2147483647	✓		null	
backup_controllers	Table	backupid	VARCHAR	32				unique id of the backup
backup_logs	Table	backupid	VARCHAR	32				backupid the log record belongs to
badge_criteria	Table	badgeid	BIGINT	19		0		
badge_manual_award	Table	badgeid	BIGINT	19			null	
badge_endorsement	Table	badgeid	BIGINT	19		0		
badge_issued	Table	badgeid	BIGINT	19		0		
badge_alignment	Table	badgeid	BIGINT	19		0		
badge_related	Table	badgeid	BIGINT	19		0		
Itiservice_gradebookservices	Table	baseurl	LONGTEXT	2147483647	✓		null	Lineitem URL that will be returned by Tool provider
Iti_types	Table	baseurl	LONGTEXT	2147483647			null	
oauth2_issuer	Table	baseurl	LONGTEXT	2147483647			null	The base url to the issuer

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
oauth2_issuer	Table	basicauth	TINYINT	3		0		Use HTTP Basic authentication scheme when sending client ID and password
question_attempts	Table	behaviour	VARCHAR	32				The name of the question behaviour that is managing this question attempt
lesson	Table	bgcolor	VARCHAR	7			#FFFFFF	
assign	Table	blindmarking	TINYINT	3		0		Hide student/grader identities until reveal identities action is performed
forum	Table	blockafter	BIGINT	19		0		
message_users_blocked	Table	blockeduserid	BIGINT	19		null		
task_scheduled	Table	blocking	TINYINT	3		0		Block the entire cron when this task is running.
task_adhoc	Table	blocking	TINYINT	3		0		
block_zoola_reports_cohort	Table	blockinstanceid	BIGINT	19		null		Block instance ID
block_zoola_reports	Table	blockinstanceid	BIGINT	19		null		Block instance ID
block_positions	Table	blockinstanceid	BIGINT	19		null		The block_instance this position refers to.
block_zoola_reports_user	Table	blockinstanceid	BIGINT	19		null		Block instance ID
block_zoola_reports_schreps	Table	blockinstanceid	BIGINT	19		null		Block instance for which reports are scheduled
block_instances	Table	blockname	VARCHAR	40				The type of block this is. Foreign key references block.name.
forum	Table	blockperiod	BIGINT	19		0		
blog_association	Table	blogid	BIGINT	19		null		
block_zoola_reports_eventcfg	Table	body	LONGTEXT	2147483647		null		Email body
block_zoola_reports_schreps	Table	body	LONGTEXT	2147483647	✓	null		Email message body
block_zoola_reports_schreps	Table	bodyformat	SMALLINT	5		0		
block_zoola_reports_eventcfg	Table	bodyformat	SMALLINT	5		0		
book_chapters	Table	bookid	BIGINT	19		0		
quiz	Table	browsersecurity	VARCHAR	32				Restriction on the browser the student must use. E.g. 'securewindow'.
enrol_paypal	Table	business	VARCHAR	255				
wiki_pages	Table	cachedcontent	LONGTEXT	2147483647		null		Cache wiki content
course	Table	cacherev	BIGINT	19		0		Incrementing revision for validating

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
grade_items	Table	calculation	LONGTEXT	2147483647	✓		null	course content cache Formula describing how to derive the grade from other items, referring to them using giXXX where XXX is grade item id ... eg something like: =sin(square(#gi20#)) + #gi30#
grade_items_history	Table	calculation	LONGTEXT	2147483647	✓		null	Formula describing how to derive the grade from other items, referring to them using giXXX where XXX is grade item id ... eg something like: =sin(square(#gi20#)) + #gi30#
analytics_predictions	Table	calculations	LONGTEXT	2147483647			null	
course	Table	calendartype	VARCHAR	30				
user	Table	calendartype	VARCHAR	30			gregorian	
tag_area	Table	callback	VARCHAR	100	✓		null	
tag_area	Table	callbackfile	VARCHAR	100	✓		null	
portfolio_log	Table	caller_class	VARCHAR	150				the name of the class used to create the transfer
portfolio_log	Table	caller_component	VARCHAR	255	✓		null	the component name responsible for exporting
portfolio_log	Table	caller_file	VARCHAR	255				path to file to include where the class definition lives. (relative to dirroot)
portfolio_log	Table	caller_sha1	VARCHAR	255				sha1 of exported content as far as caller is concerned (before the portfolio plugin gets a hold of it)
quiz	Table	canredoquestions	SMALLINT	5			0	Allows students to redo any completed question within a quiz attempt.
external_functions	Table	capabilities	VARCHAR	255	✓		null	all capabilities that are required to run by the function (separated by comma)
role_capabilities	Table	capability	VARCHAR	255				
quiz_reports	Table	capability	VARCHAR	255	✓		null	Capability required to see this report. May be blank which means use the default of mod/quiz:viewreport. This is used when deciding which tabs to render.

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
message_providers	Table	capability	VARCHAR	255	√		null	Optional: permission that is required for the user's setting screen to see this message provider.
lti_tool_proxies	Table	capabilityoffered	LONGTEXT	2147483647			null	List of capabilities offered, one per
capabilities	Table	captype	VARCHAR	50				
glossary_entries	Table	casesensitive	TINYINT	3			0	
course_request	Table	category	BIGINT	19			0	
question	Table	category	BIGINT	19			0	
course	Table	category	BIGINT	19			0	
question_dataset_definitions	Table	category	BIGINT	19			0	
glossary_entries_categories	Table	categoryid	BIGINT	19			0	
event	Table	categoryid	BIGINT	19			0	
grade_items	Table	categoryid	BIGINT	19	√		null	(optional) the category group this item belongs to
user_info_field	Table	categoryid	BIGINT	19			0	id from category table
tool_dataprivacy_ctxlevel	Table	categoryid	BIGINT	19	√		null	
mnetSERVICE_enrol_courses	Table	categoryid	BIGINT	19			null	The id of the category on the remote server
tool_recyclebin_category	Table	categoryid	BIGINT	19			null	
customfield_field	Table	categoryid	BIGINT	19	√		null	
grade_items_history	Table	categoryid	BIGINT	19	√		null	(optional) the category group this item belongs to
tool_dataprivacy_ctxinstance	Table	categoryid	BIGINT	19	√		null	
event_subscriptions	Table	categoryid	BIGINT	19			0	
mnetSERVICE_enrol_courses	Table	categoryname	VARCHAR	255				
forum_posts	Table	charcount	BIGINT	19	√		null	
questionnaire_survey	Table	chart_type	VARCHAR	64	√		null	
customfield_data	Table	charvalue	VARCHAR	1333	√		null	
chat_messages	Table	chatid	BIGINT	19			0	
chat_users	Table	chatid	BIGINT	19			0	
chat_messages_current	Table	chatid	BIGINT	19			0	
chat	Table	chattime	BIGINT	19			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
backup_controllers	Table	checksum	VARCHAR	32				checksum of the backup_controller object
scorm_seq_rolluprule	Table	childactivityset	VARCHAR	15				
qtype_ddimageortext_drops	Table	choice	BIGINT	19		0		
qtype_ddmarker_drops	Table	choice	BIGINT	19		0		
questionnaire_response_rank	Table	choice_id	BIGINT	19		0		
questionnaire_response_bool	Table	choice_id	VARCHAR	1		y		
questionnaire_response_other	Table	choice_id	BIGINT	19		0		
questionnaire_resp_single	Table	choice_id	BIGINT	19		0		
questionnaire_resp_multiple	Table	choice_id	BIGINT	19		0		
choice_answers	Table	choiceid	BIGINT	19		0		
choice_options	Table	choiceid	BIGINT	19		0		
qtype_randomsamatch_options	Table	choose	BIGINT	19		4		Number of subquestions to randomly generate.
quiz_statistics	Table	cic	DECIMAL	15	√	null		
enrol_lti_tools	Table	city	VARCHAR	120				
user	Table	city	VARCHAR	120				
badge_endorsement	Table	claimcomment	LONGTEXT	2147483647	√	null		
badge_endorsement	Table	claimid	VARCHAR	255	√	null		
messageinbound_handlers	Table	classname	VARCHAR	255				The class defining the Inbound Message handler to be called.
task_adhoc	Table	classname	VARCHAR	255				The name of the class extending adhoc_task to run when this task is executed.
mnet_rpc	Table	classname	VARCHAR	150	√	null		
task_log	Table	classname	VARCHAR	255				The class of the task being run
external_functions	Table	classname	VARCHAR	100				
task_scheduled	Table	classname	VARCHAR	255				The class extending scheduled_task to be called when running this task.
external_functions	Table	classpath	VARCHAR	255	√	null		
question_hints	Table	clearwrong	BIT	1	√	null		Whether any wrong choices should be cleared before the next try. Whether it is applicable, and what it means,

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								depends on the question type, as v the shownumright option.
lti_types	Table	clientid	VARCHAR	255	✓		null	
oauth2_issuer	Table	clientid	LONGTEXT	2147483647			null	The client id used to connect to thi oauth2 service.
oauth2_issuer	Table	clientsecret	LONGTEXT	2147483647			null	The secret used to connect to this oauth2 service.
questionnaire	Table	closedate	BIGINT	19			0	Timestamp to close access on
competency_modulecomp	Table	cmid	BIGINT	19			null	ID of the record in the course_mod table.
resource_old	Table	cmid	BIGINT	19	✓		null	
tool_monitor_subscriptions	Table	cmid	BIGINT	19			null	Course module id
mnet_log	Table	cmid	BIGINT	19			0	
quizaccess_seb_quizsettings	Table	cmid	BIGINT	19			null	Foreign key to course module id.
block_recent_activity	Table	cmid	BIGINT	19			null	Course module id
block_recentlyaccesseditems	Table	cmid	BIGINT	19			null	Item course module id
log	Table	cmid	BIGINT	19			0	
tool_cohortroles	Table	cohortid	BIGINT	19			null	The cohort to sync
cohort_members	Table	cohortid	BIGINT	19			0	
competency_templatecohort	Table	cohortid	BIGINT	19			null	
block_zoola_reports_cohort	Table	cohortid	BIGINT	19			null	Cohort ID
badge_external	Table	collectionid	BIGINT	19			null	Badge collection id in the backpac
assignfeedback_editpdf_quick	Table	colour	VARCHAR	10	✓		yellow	
assignfeedback_editpdf_cmnt	Table	colour	VARCHAR	10	✓		black	Can be red, yellow, green, blue, whi black
assignfeedback_editpdf_annot	Table	colour	VARCHAR	10	✓		black	Can be red, yellow, green, blue, whi black
comments	Table	commentarea	VARCHAR	255				
assignfeedback_comments	Table	commentformat	SMALLINT	5			0	The feedback text format
data	Table	comments	SMALLINT	5			0	
tool_dataprivacy_request	Table	comments	LONGTEXT	2147483647	✓		null	More details about the request
tool_dataprivacy_request	Table	commentsformat	TINYINT	3			0	
assignfeedback_comments	Table	commenttext	LONGTEXT	2147483647	✓		null	The feedback text

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
workshopeval_best_settings	Table	comparison	SMALLINT	5	√	5		Here we store the recently set fact comparison of assessment in the workshop. Reasonable values are 1 to 10 or so. Default to 5.
competency	Table	competencyframeworkid	BIGINT	19			null	The framework this competency related to.
competency_plancomp	Table	competencyid	BIGINT	19			null	
competency_usercomp	Table	competencyid	BIGINT	19			null	Competency associated to the user
competency_coursecomp	Table	competencyid	BIGINT	19			null	The competency that is linked to the course.
competency_relatedcomp	Table	competencyid	BIGINT	19			null	
competency_templatecomp	Table	competencyid	BIGINT	19			null	The competency that is linked to the course.
competency_modulecomp	Table	competencyid	BIGINT	19			null	The course competency this activity linked to.
competency_usercompplan	Table	competencyid	BIGINT	19			null	Competency associated to the user
competency_usercompcourse	Table	competencyid	BIGINT	19			null	Competency associated to the user
competency_userevidencecomp	Table	competencyid	BIGINT	19			null	
questionnaire_response	Table	complete	VARCHAR	1			n	
feedback_valuetmp	Table	completed	BIGINT	19			0	
feedback_value	Table	completed	BIGINT	19			0	
lesson_grades	Table	completed	BIGINT	19			0	
lesson_timer	Table	completed	BIT	1	√		0	
h5pactivity_attempts_results	Table	completion	BIT	1	√		null	Store the xAPI tracking completion result.
course_completion_defaults	Table	completion	BIT	1			0	
h5pactivity_attempts	Table	completion	BIT	1	√		null	Store the xAPI tracking completion result.
course_modules	Table	completion	BIT	1			0	Whether the completion-tracking facilities are enabled for this activity not enabled (database default) 1 = manual tracking, user can tick this activity off (UI default for most activity types) 2 = automatic tracking, system should mark completion accordingly

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								rules specified in course_moduleS_completion
quiz	Table	completionattemptsexhausted	BIT	1	√		0	
forum	Table	completiondiscussions	INT	10			0	Nonzero if a certain number of posts are required to mark this forum completed for a user.
lesson	Table	completionendreached	BIT	1	√		0	
glossary	Table	completionentries	INT	10			0	Non zero if a certain number of entries are required to mark this glossary complete for a user.
data	Table	completionentries	BIGINT	19	√		0	Number of entries required for completion
course_completion_defaults	Table	completionexpected	BIGINT	19			0	
course_modules	Table	completionexpected	BIGINT	19			0	Date at which students are expected to complete this activity. This field is used when displaying student progress.
course_modules	Table	completiongradeitemnumber	BIGINT	19	√		null	Grade-item number used to track automatic completion, if applicable
course	Table	completionnotify	BIT	1			0	Notify users when they complete the course
quiz	Table	completionpass	BIT	1	√		0	
forum	Table	completionposts	INT	10			0	Nonzero if a certain number of posts or replies (total) are required to mark this forum complete for a user.
forum	Table	completionreplies	INT	10			0	Nonzero if a certain number of replies are required to mark this forum complete for a user.
scorm	Table	completionscorerequired	BIGINT	19	√		null	
course_modules_completion	Table	completionstate	BIT	1			null	Whether or not the user has completed the activity. Available states: 0 = not completed if there's no row in this table that also counts as 0 1 = completed 2 = completed, show passed 3 = completed, show failed
scorm	Table	completionstatusallscos	BIT	1	√		null	
scorm	Table	completionstatusrequired	BIT	1	√		null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
survey	Table	completionsubmit	BIT	1		0		If this field is set to 1, then the action will be automatically marked as 'complete' once the user submits the survey.
choice	Table	completionsubmit	BIT	1		0		If this field is set to 1, then the action will be automatically marked as 'complete' once the user submits the choice.
feedback	Table	completionsubmit	BIT	1		0		If this field is set to 1, then the action will be automatically marked as 'complete' once the user submits the choice.
assign	Table	completionsubmit	TINYINT	3		0		If this field is set to 1, then the action will be automatically marked as 'complete' once the user submits the assignment.
questionnaire	Table	completionsubmit	BIT	1		0		Questionnaire marked as 'complete' when submitted.
lesson	Table	completiontimespent	BIGINT	19	√	0		
course_completion_defaults	Table	completionusegrade	BIT	1		0		
course_modules	Table	completionview	BIT	1		0		Controls whether a page view is part of the automatic completion requirements for this activity. 0 = view not required, 1 = view required
course_completion_defaults	Table	completionview	BIT	1		0		
customfield_category	Table	component	VARCHAR	100				
message_read	Table	component	VARCHAR	100	√	null		
events_handlers	Table	component	VARCHAR	166				e.g. moodle, mod_forum, block_rss_client
external_services	Table	component	VARCHAR	100	√	null		
files	Table	component	VARCHAR	100				Full name of the component owning the file area
tag_coll	Table	component	VARCHAR	100	√	null		
log_display	Table	component	VARCHAR	100				owner of the log action
event	Table	component	VARCHAR	100	√	null		Component that created this event. If not specified, only component itself can be used

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								and delete it
role_assignments	Table	component	VARCHAR	100				plugin responsible responsible for assignment, empty when manually assigned
groups_members	Table	component	VARCHAR	100				Defines the Moodle component wh added this group membership (e.g 'auth_myplugin'), or blank if it was manually. (Entries which are create a Moodle component cannot be removed in the normal user interfa
notifications	Table	component	VARCHAR	100	√		null	
favourite	Table	component	VARCHAR	100				Defines the Moodle component in the favourite was created.
question_usages	Table	component	VARCHAR	255				The plugin this attempt belongs to. 'mod_quiz', 'block_questionoftheda 'filter_embedquestion'.
cohort	Table	component	VARCHAR	100				Component (plugintype_pluignnam that manages the cohort, manual modifications are allowed only whe to NULL
grading_areas	Table	component	VARCHAR	100				Frankenstyle name of the compon holding this area
tag_instance	Table	component	VARCHAR	100				Defines the Moodle component wh the tag was added to
capabilities	Table	component	VARCHAR	100				
messageinbound_handlers	Table	component	VARCHAR	100				The component this handler belong
external_functions	Table	component	VARCHAR	100				
task_log	Table	component	VARCHAR	255				The component that the task belong
task_scheduled	Table	component	VARCHAR	255				The component this scheduled tas belongs to.
task_adhoc	Table	component	VARCHAR	255				The component that triggered this adhoc task.
message_providers	Table	component	VARCHAR	200				The name of the component that produces these messages
rating	Table	component	VARCHAR	100				
logstore_standard_log	Table	component	VARCHAR	100				

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
tag_area	Table	component	VARCHAR	100				
message	Table	component	VARCHAR	100	✓		null	
message_conversations	Table	component	VARCHAR	100	✓		null	Defines the Moodle component where the area was added to
comments	Table	component	VARCHAR	255	✓		null	The plugin this comment belongs to
tool_customlang	Table	componentid	BIGINT	19			null	The id of the component
glossary_entries	Table	concept	VARCHAR	255				
workshop	Table	conclusion	LONGTEXT	2147483647	✓		null	A text to be displayed at the end of the workshop.
workshop	Table	conclusionformat	SMALLINT	5			1	The format of the conclusion field content.
scorm_seq_rulecond	Table	cond	VARCHAR	30			always	
scorm_seq_rolluprulecond	Table	cond	VARCHAR	25				
scorm_seq_rolluprule	Table	conditioncombination	VARCHAR	3			all	
scorm_seq_ruleconds	Table	conditioncombination	VARCHAR	3			all	
lesson	Table	conditions	LONGTEXT	2147483647			null	
data	Table	config	LONGTEXT	2147483647	✓		null	
groupings	Table	configdata	LONGTEXT	2147483647	✓		null	extra configuration data - may be used by group IU tools
contentbank_content	Table	configdata	LONGTEXT	2147483647	✓		null	
customfield_field	Table	configdata	LONGTEXT	2147483647	✓		null	
block_instances	Table	configdata	LONGTEXT	2147483647	✓		null	A serialized blob of configuration data for this block instance.
tool_usertours_steps	Table	configdata	LONGTEXT	2147483647			null	
tool_usertours_tours	Table	configdata	LONGTEXT	2147483647			null	
mnet_session	Table	confirm_timeout	BIGINT	19			0	UNIX timestamp for expiry of session
user	Table	confirmed	BIT	1			0	
registration_hubs	Table	confirmed	BIT	1			0	
auth_oauth2_linked_login	Table	confirmtoken	VARCHAR	64				If this is not empty - the user has not confirmed their email to create the account
auth_oauth2_linked_login	Table	confirmtokenexpires	BIGINT	19	✓		null	
block_zoola_reports_eventcfg	Table	constraints	LONGTEXT	2147483647	✓		null	Event constraints in JSON, e.g. constraints on groups, etc.

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
enrol_lti_lti2_consumer	Table	consumerguid	VARCHAR	1024	✓		null	
enrol_lti_lti2_tool_proxy	Table	consumerid	BIGINT	19			null	
enrol_lti_lti2_context	Table	consumerid	BIGINT	19			null	
enrol_lti_tool_consumer_map	Table	consumerid	BIGINT	19			null	The consumer ID.
enrol_lti_lti2_nonce	Table	consumerid	BIGINT	19			null	
enrol_lti_lti2_resource_link	Table	consumerid	BIGINT	19	✓		null	
enrol_lti_users	Table	consumerkey	LONGTEXT	2147483647	✓		null	
enrol_lti_lti2_consumer	Table	consumerkey	LONGTEXT	2147483647	✓		null	
enrol_lti_lti2_consumer	Table	consumerkey256	VARCHAR	255				
enrol_lti_lti2_consumer	Table	consumername	VARCHAR	255	✓		null	
enrol_lti_users	Table	consumersecret	LONGTEXT	2147483647	✓		null	
enrol_lti_lti2_consumer	Table	consumerversion	VARCHAR	255	✓		null	
message_contacts	Table	contactid	BIGINT	19			null	
questionnaire_question	Table	content	LONGTEXT	2147483647			null	
tool_policy_versions	Table	content	LONGTEXT	2147483647			null	Full policy text
wiki_versions	Table	content	LONGTEXT	2147483647			null	Not parsed wiki content
search_simplifiedb_index	Table	content	LONGTEXT	2147483647	✓		null	
comments	Table	content	LONGTEXT	2147483647			null	
tool_usertours_steps	Table	content	LONGTEXT	2147483647	✓		null	Content of the user tour - allow for multilang tags
quizaccess_seb_template	Table	content	LONGTEXT	2147483647			null	Content of the template
book_chapters	Table	content	LONGTEXT	2147483647			null	
workshop_submissions	Table	content	LONGTEXT	2147483647	✓		null	Submission text
questionnaire_quest_choice	Table	content	LONGTEXT	2147483647			null	
post	Table	content	LONGTEXT	2147483647	✓		null	
page	Table	content	LONGTEXT	2147483647	✓		null	
data_content	Table	content	LONGTEXT	2147483647	✓		null	
data_content	Table	content1	LONGTEXT	2147483647	✓		null	
data_content	Table	content2	LONGTEXT	2147483647	✓		null	
data_content	Table	content3	LONGTEXT	2147483647	✓		null	
data_content	Table	content4	LONGTEXT	2147483647	✓		null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
tool_policy_versions	Table	contentformat	SMALLINT	5			null	Format of the content field
page	Table	contentformat	SMALLINT	5			0	
workshop_submissions	Table	contentformat	SMALLINT	5			0	The format of submission text
book_chapters	Table	contentformat	SMALLINT	5			0	
wiki_versions	Table	contentformat	VARCHAR	20			creole	Markup used to write content
files	Table	contenthash	VARCHAR	40				sha1 hash of file content
h5p	Table	contenthash	VARCHAR	40				Defines the hash for the file content
lesson_pages	Table	contents	LONGTEXT	2147483647			null	
lesson_pages	Table	contentsformat	TINYINT	3			0	
workshop_submissions	Table	contenttrust	SMALLINT	5			0	The trust mode of the data
contentbank_content	Table	contenttype	VARCHAR	100				
favourite	Table	contextid	BIGINT	19			null	The context id of the item being favoured
competency_template	Table	contextid	BIGINT	19			null	
role_assignments	Table	contextid	BIGINT	19			0	
block_positions	Table	contextid	BIGINT	19			null	With pagetype and subpage, defines the position of the page we are setting the position for
search_simplifiedb_index	Table	contextid	BIGINT	19			null	
grading_areas	Table	contextid	BIGINT	19			null	The context of the gradable area, e.g. module instance context.
editor_atto_autosave	Table	contextid	BIGINT	19			null	The contextid that the form was loaded with.
comments	Table	contextid	BIGINT	19			null	
tool_monitor_events	Table	contextid	BIGINT	19			null	Context id
role_names	Table	contextid	BIGINT	19			0	
question_usages	Table	contextid	BIGINT	19			null	Every question usage must be associated with some context.
search_index_requests	Table	contextid	BIGINT	19			null	Context ID that has been requested for reindexing.
customfield_data	Table	contextid	BIGINT	19	√		null	
competency_framework	Table	contextid	BIGINT	19			null	
cohort	Table	contextid	BIGINT	19			null	Context is usually ignored in sync operations so that the cohorts may

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								moved freely around in the context without any side affects.
files	Table	contextid	BIGINT	19			null	The context id defined in context table identifies the instance of plugin owned by the file
tool_dataprivacy_ctxinstance	Table	contextid	BIGINT	19			null	
enrol_lti_lti2_resource_link	Table	contextid	BIGINT	19	√		null	
grade_letters	Table	contextid	BIGINT	19			null	What contextid does this letter apply to (for now these will always be course contextid but later...)
filter_active	Table	contextid	BIGINT	19			null	References context.id.
message_conversations	Table	contextid	BIGINT	19	√		null	The context id of the itemid or courseid the itemtype was added
enrol_lti_tools	Table	contextid	BIGINT	19			null	
competency_evidence	Table	contextid	BIGINT	19			null	
blog_association	Table	contextid	BIGINT	19			null	
external_tokens	Table	contextid	BIGINT	19			null	context id where in token valid
role_capabilities	Table	contextid	BIGINT	19			0	
tag_instance	Table	contextid	BIGINT	19	√		null	The context id of the item that was tagged
contentbank_content	Table	contextid	BIGINT	19			null	References context.id.
analytics_indicator_calc	Table	contextid	BIGINT	19			null	
logstore_standard_log	Table	contextid	BIGINT	19			null	
customfield_category	Table	contextid	BIGINT	19	√		null	
repository_instances	Table	contextid	BIGINT	19			null	
question_categories	Table	contextid	BIGINT	19			0	context that this category is shared in
analytics_predictions	Table	contextid	BIGINT	19			null	
filter_config	Table	contextid	BIGINT	19			null	References context.id.
tool_dataprivacy_ctxexpired	Table	contextid	BIGINT	19			null	
rating	Table	contextid	BIGINT	19			null	
analytics_models	Table	contextids	LONGTEXT	2147483647	√		null	The model will be restricted to this context
tool_monitor_events	Table	contextinstanceid	BIGINT	19			null	Context instance id

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
logstore_standard_log	Table	contextinstanceid	BIGINT	19			null	
role_context_levels	Table	contextlevel	BIGINT	19			null	
tool_dataprivacy_ctxlevel	Table	contextlevel	SMALLINT	5			null	
capabilities	Table	contextlevel	BIGINT	19			0	
tool_monitor_events	Table	contextlevel	BIGINT	19			null	Context level
context	Table	contextlevel	BIGINT	19			0	
logstore_standard_log	Table	contextlevel	BIGINT	19			null	
message_read	Table	contexturl	LONGTEXT	2147483647	√		null	If this message is a notification of an event contexturl should contain a link to view this event. For example if its a notification of a forum post contexturl should contain a link to the forum post
message	Table	contexturl	LONGTEXT	2147483647	√		null	If this message is a notification of an event contexturl should contain a link to view this event. For example if its a notification of a forum post contexturl should contain a link to the forum post
notifications	Table	contexturl	LONGTEXT	2147483647	√		null	
notifications	Table	contexturlname	LONGTEXT	2147483647	√		null	
message	Table	contexturlname	LONGTEXT	2147483647	√		null	Display text for the contexturl
message_read	Table	contexturlname	LONGTEXT	2147483647	√		null	Display text for the contexturl
portfolio_log	Table	continueurl	VARCHAR	255				the url the external system has set to view the transfer
backup_controllers	Table	controller	LONGTEXT	2147483647			null	serialised backup_controller object
message_email_messages	Table	conversationid	BIGINT	19			null	
message_conversation_members	Table	conversationid	BIGINT	19			null	
messages	Table	conversationid	BIGINT	19			null	
message_conversation_actions	Table	conversationid	BIGINT	19			null	
file_conversion	Table	converter	VARCHAR	255	√		null	
message_conversations	Table	convhash	VARCHAR	40	√		null	
qtype_ddmarker_drops	Table	coords	LONGTEXT	2147483647			null	
grading_definitions	Table	copiedfromid	BIGINT	19	√		null	The id of the original definition that was initially copied from or null if it was created from scratch

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
h5p_libraries	Table	coremajor	SMALLINT	5	✓		null	H5P core API major version required
h5p_libraries	Table	coreminor	SMALLINT	5	✓		null	H5P core API minor version required
lesson_attempts	Table	correct	BIGINT	19			0	
question_calculated	Table	correctanswerformat	BIGINT	19			2	
question_calculated	Table	correctanswerlength	BIGINT	19			2	
qtype_multichoice_options	Table	correctfeedback	LONGTEXT	2147483647			null	Feedback shown for any correct response.
qtype_ddimageortext	Table	correctfeedback	LONGTEXT	2147483647			null	Feedback shown for any correct response.
question_gapselect	Table	correctfeedback	LONGTEXT	2147483647			null	Feedback shown for any correct response.
question_ddwtos	Table	correctfeedback	LONGTEXT	2147483647			null	Feedback shown for any correct response.
qtype_randomsamatch_options	Table	correctfeedback	LONGTEXT	2147483647			null	Feedback shown for any correct response.
qtype_ddmarker	Table	correctfeedback	LONGTEXT	2147483647			null	Feedback shown for any correct response.
question_calculated_options	Table	correctfeedback	LONGTEXT	2147483647	✓		null	Feedback shown for any correct response.
qtype_match_options	Table	correctfeedback	LONGTEXT	2147483647			null	Feedback shown for any correct response.
question_ddwtos	Table	correctfeedbackformat	TINYINT	3			0	
qtype_ddimageortext	Table	correctfeedbackformat	TINYINT	3			0	
qtype_multichoice_options	Table	correctfeedbackformat	TINYINT	3			0	
qtype_match_options	Table	correctfeedbackformat	TINYINT	3			0	
question_gapselect	Table	correctfeedbackformat	TINYINT	3			0	
question_calculated_options	Table	correctfeedbackformat	TINYINT	3			0	
qtype_ddmarker	Table	correctfeedbackformat	TINYINT	3			0	
qtype_randomsamatch_options	Table	correctfeedbackformat	TINYINT	3			0	
h5pactivity_attempts_results	Table	correctpattern	LONGTEXT	2147483647	✓		null	Correct Pattern in xAPI format
tag_correlation	Table	correlatedtags	LONGTEXT	2147483647			null	
enrol	Table	cost	VARCHAR	20	✓		null	Custom - enrolment cost
enrol_lti_tools	Table	country	VARCHAR	2				

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
user	Table	country	VARCHAR	2				
lti	Table	course	BIGINT	19		0		Course basiclti activity belongs to
page	Table	course	BIGINT	19		0		
forum	Table	course	BIGINT	19		0		
feedback	Table	course	BIGINT	19		0		
book	Table	course	BIGINT	19		0		
chat_users	Table	course	BIGINT	19		0		
course_completion_crit_compl	Table	course	BIGINT	19		0		
feedback_template	Table	course	BIGINT	19		0		
lti_tool_settings	Table	course	BIGINT	19	√	null		Primary key of course (null for system wide settings)
lti_types	Table	course	BIGINT	19		null		
course_completion_defaults	Table	course	BIGINT	19		null		
course_sections	Table	course	BIGINT	19		0		
wiki	Table	course	BIGINT	19		0		Course wiki activity belongs to
label	Table	course	BIGINT	19		0		
resource	Table	course	BIGINT	19		0		
quiz	Table	course	BIGINT	19		0		Foreign key reference to the course quiz is part of.
glossary	Table	course	BIGINT	19		0		
lesson	Table	course	BIGINT	19		0		
log	Table	course	BIGINT	19		0		
chat	Table	course	BIGINT	19		0		
choice	Table	course	BIGINT	19		0		
survey	Table	course	BIGINT	19		0		
course_completion_criteria	Table	course	BIGINT	19		0		
course_modules	Table	course	BIGINT	19		0		
url	Table	course	BIGINT	19		0		
imscp	Table	course	BIGINT	19		0		
assignment	Table	course	BIGINT	19		0		
course_completions	Table	course	BIGINT	19		0		
h5pactivity	Table	course	BIGINT	19		null		ID of the course this activity is part

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
workshop	Table	course	BIGINT	19			null	ID of the parent course
scorm	Table	course	BIGINT	19			0	
resource_old	Table	course	BIGINT	19			0	
folder	Table	course	BIGINT	19			0	
course_completion_aggr_methd	Table	course	BIGINT	19			0	
assign	Table	course	BIGINT	19			0	
forum_discussions	Table	course	BIGINT	19			0	
mnet_log	Table	course	BIGINT	19			0	
data	Table	course	BIGINT	19			0	
questionnaire	Table	course	BIGINT	19			0	Id of course
feedback_valuetmp	Table	course_id	BIGINT	19			0	
feedback_value	Table	course_id	BIGINT	19			0	
course_categories	Table	coursecount	BIGINT	19			0	
groupings	Table	courseid	BIGINT	19			0	
grade_items	Table	courseid	BIGINT	19	√		null	The course this item is part of
badge	Table	courseid	BIGINT	19	√		null	
scale	Table	courseid	BIGINT	19			0	
competency_coursecomp	Table	courseid	BIGINT	19			null	The course this competency is link
local_id_lastactivity	Table	courseid	BIGINT	19			null	Course ID
tool_monitor_subscriptions	Table	courseid	BIGINT	19			null	Course id of the subscription
logstore_standard_log	Table	courseid	BIGINT	19	√		null	
grade_outcomes_courses	Table	courseid	BIGINT	19			null	id of the course
user_lastaccess	Table	courseid	BIGINT	19			0	
groups	Table	courseid	BIGINT	19			null	
grade_settings	Table	courseid	BIGINT	19			null	
feedback_completedtmp	Table	courseid	BIGINT	19			0	
enrol_paypal	Table	courseid	BIGINT	19			0	
event_subscriptions	Table	courseid	BIGINT	19			0	
local_activityvisibility_que	Table	courseid	BIGINT	19			null	
search_simplifiedb_index	Table	courseid	BIGINT	19			null	
feedback_sitecourse_map	Table	courseid	BIGINT	19			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
course_published	Table	courseid	BIGINT	19			null	the id of the published course
tool_monitor_rules	Table	courseid	BIGINT	19			null	Id of course to which this rule belongs
block_zoola_reports_schedule	Table	courseid	BIGINT	19			null	Course ID
stats_weekly	Table	courseid	BIGINT	19			0	
questionnaire_survey	Table	courseid	BIGINT	19	√		null	
tool_recyclebin_course	Table	courseid	BIGINT	19			null	
grade_outcomes_history	Table	courseid	BIGINT	19	√		null	Mostly these are defined site wide NULL
course_format_options	Table	courseid	BIGINT	19			null	Id of the course
grade_categories	Table	courseid	BIGINT	19			null	The course this grade category is part of
stats_user_weekly	Table	courseid	BIGINT	19			0	
local_activityvisibility	Table	courseid	BIGINT	19			null	
grade_outcomes	Table	courseid	BIGINT	19	√		null	Mostly these are defined site wide NULL
enrol	Table	courseid	BIGINT	19			null	
competency_coursecompsetting	Table	courseid	BIGINT	19			null	The course this setting is linked to
post	Table	courseid	BIGINT	19			0	
enrol_flatfile	Table	courseid	BIGINT	19			null	
stats_user_monthly	Table	courseid	BIGINT	19			0	
block_recentlyaccesseditems	Table	courseid	BIGINT	19			null	Course id the item belongs to
event	Table	courseid	BIGINT	19			0	
local_id_course	Table	courseid	BIGINT	19			null	Foreign key to the course
tool_monitor_events	Table	courseid	BIGINT	19			null	course id
scale_history	Table	courseid	BIGINT	19			0	
stats_user_daily	Table	courseid	BIGINT	19			0	
backup_courses	Table	courseid	BIGINT	19			0	
grade_items_history	Table	courseid	BIGINT	19	√		null	The course this item is part of
stats_daily	Table	courseid	BIGINT	19			0	
ltiservice_gradebookservices	Table	courseid	BIGINT	19			null	ID of the course related.
competency_usercompcourse	Table	courseid	BIGINT	19			null	The course this competency is linked to
block_recent_activity	Table	courseid	BIGINT	19			null	Course id

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
stats_monthly	Table	courseid	BIGINT	19		0		
grade_categories_history	Table	courseid	BIGINT	19		null		The course this grade category is p of
feedback_completed	Table	courseid	BIGINT	19		0		
course_completion_criteria	Table	courseinstance	BIGINT	19	√	null		Course instance id (if using course criteria type)
block_zoola_module_name	Table	coursemoduleid	BIGINT	19		null		Course module id
course_modules_completion	Table	coursemoduleid	BIGINT	19		null		Activity that has been completed (n not).
local_activityvisibility	Table	coursemoduleid	BIGINT	19		null		
local_id_lastactivity	Table	coursemoduleid	BIGINT	19		0		Coursemodule id
lti_tool_settings	Table	coursemoduleid	BIGINT	19	√	null		Primary key of course module - too added to course (null for system-w and context-wide settings)
post	Table	coursemoduleid	BIGINT	19		0		
local_id_module	Table	coursemoduleid	BIGINT	19		null		Foreign key to the course_modules
mnet_log	Table	coursename	VARCHAR	40				
lti_types	Table	coursevisible	BIT	1		0		
enrol_lti_lti2_user_result	Table	created	BIGINT	19		null		
enrol_lti_lti2_consumer	Table	created	BIGINT	19		null		
post	Table	created	BIGINT	19		0		
enrol_lti_lti2_resource_link	Table	created	BIGINT	19		null		
enrol_lti_lti2_context	Table	created	BIGINT	19		null		
forum_posts	Table	created	BIGINT	19		0		
enrol_lti_lti2_tool_proxy	Table	created	BIGINT	19		null		
lti_types	Table	createdby	BIGINT	19		null		
question	Table	createdby	BIGINT	19	√	null		userid of person who created this question
lti_tool_proxies	Table	createdby	BIGINT	19		null		ID of user which initiated the registration process
tool_dataprivacy_request	Table	creationmethod	BIGINT	19		0		The type of the creation method of data request
external_tokens	Table	creatorid	BIGINT	19		1		user id of the token creator (useful

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								know when the administrator created the token and so display the token to a specific administrator)
question_response_analysis	Table	credit	DECIMAL	15			null	
course_completion_crit_compl	Table	criteriaid	BIGINT	19			0	Completion criteria this references
badge_criteria	Table	criteriatype	BIGINT	19	✓		null	The criteria type we are aggregating
course_completion_criteria	Table	criteriatype	BIGINT	19			0	Type of criteria
course_completion_aggr_methd	Table	criteriatype	BIGINT	19	✓		null	The criteria type we are aggregating NULL if complete course aggregation
gradingform_rubric_levels	Table	criterionid	BIGINT	19			null	The rubric criterion we are level of
gradingform_guide_fillings	Table	criterionid	BIGINT	19			null	The ID of the criterion (row) in the
gradingform_rubric_fillings	Table	criterionid	BIGINT	19			null	The ID of the criterion (row) in the
badge_criteria_param	Table	critid	BIGINT	19			null	
badge_criteria_met	Table	critid	BIGINT	19			null	
block	Table	cron	BIGINT	19			0	
modules	Table	cron	BIGINT	19			0	
logstore_standard_log	Table	crud	VARCHAR	1				
data	Table	csstemplate	LONGTEXT	2147483647	✓		null	
enrol	Table	currency	VARCHAR	3	✓		null	Custom - cost currency
user	Table	currentlogin	BIGINT	19			0	
quiz_attempts	Table	currentpage	BIGINT	19			0	
tool_policy	Table	currentversionid	BIGINT	19	✓		null	ID of the current policy version that applies on the site, NULL if the policy does not apply
lesson	Table	custom	SMALLINT	5			0	
license	Table	custom	BIT	1			0	If this flag is set, license is custom can be updated or deleted, otherwise license is a core license and cannot be edited.
enrol	Table	customchar1	VARCHAR	255	✓		null	Custom - general short name
enrol	Table	customchar2	VARCHAR	255	✓		null	Custom - general short name
enrol	Table	customchar3	VARCHAR	1333	✓		null	Custom - general short name
messages	Table	customdata	LONGTEXT	2147483647	✓		null	Custom data to be passed to the

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								message processor. Must be serialisable using json_encode()
notifications	Table	customdata	LONGTEXT	2147483647	✓		null	Custom data to be passed to the message processor. Must be serialisable using json_encode()
message	Table	customdata	LONGTEXT	2147483647	✓		null	Custom data to be passed to the message processor. Must be serialisable using json_encode()
task_adhoc	Table	customdata	LONGTEXT	2147483647	✓		null	Custom data to be passed to the a task. Must be serialisable using json_encode()
enrol	Table	customdec1	DECIMAL	12	✓		null	Custom - general decimal
enrol	Table	customdec2	DECIMAL	12	✓		null	Custom - general decimal
enrol	Table	customint1	BIGINT	19	✓		null	Custom - general int
enrol	Table	customint2	BIGINT	19	✓		null	Custom - general int
enrol	Table	customint3	BIGINT	19	✓		null	Custom - general int
enrol	Table	customint4	BIGINT	19	✓		null	Custom - general int
enrol	Table	customint5	BIGINT	19	✓		null	Custom - general int
enrol	Table	customint6	BIGINT	19	✓		null	Custom - general int
enrol	Table	customint7	BIGINT	19	✓		null	Custom - general int
enrol	Table	customint8	BIGINT	19	✓		null	Custom - general int
task_scheduled	Table	customised	TINYINT	3			0	Used on upgrades to prevent overv custom schedules.
course_completion_defaults	Table	customrules	LONGTEXT	2147483647	✓		null	
enrol	Table	customtext1	LONGTEXT	2147483647	✓		null	Custom - general text
enrol	Table	customtext2	LONGTEXT	2147483647	✓		null	Custom - general text
enrol	Table	customtext3	LONGTEXT	2147483647	✓		null	Custom - general text
enrol	Table	customtext4	LONGTEXT	2147483647	✓		null	Custom - general text
book	Table	customtitles	TINYINT	3			0	
tag_coll	Table	customurl	VARCHAR	255	✓		null	Custom URL for the tag page inste of /tag/index.php
assign	Table	cutoffdate	BIGINT	19			0	The final date after which submiss will no longer be accepted for this assignment without an extensions

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
assign_overrides	Table	cutoffdate	BIGINT	19	√		null	Time by which students must have completed their attempt. Can be null in which case the assign default is used.
forum	Table	cutoffdate	BIGINT	19			0	The final date after which forum posts will no longer be accepted for this forum.
portfolio_tempdata	Table	data	LONGTEXT	2147483647	√		null	dumping ground for portfolio calls to store their data in.
profiling	Table	data	LONGTEXT	2147483647			null	the raw data gathered by xhprof
file_conversion	Table	data	LONGTEXT	2147483647	√		null	
user_info_data	Table	data	LONGTEXT	2147483647			null	Field data
assignment_submissions	Table	data1	LONGTEXT	2147483647	√		null	
assignment_submissions	Table	data2	LONGTEXT	2147483647	√		null	
user_info_data	Table	dataformat	TINYINT	3			0	
data_fields	Table	dataid	BIGINT	19			0	
data_records	Table	dataid	BIGINT	19			0	
messageinbound_datakeys	Table	datakey	VARCHAR	64	√		null	The secret key for this data item.
question_datasets	Table	datasetdefinition	BIGINT	19			0	
user_info_field	Table	datatype	VARCHAR	255				Type of data held in this field
messageinbound_datakeys	Table	datavalue	BIGINT	19			null	The integer value of the data item to which this key belongs to.
badge_issued	Table	dateexpire	BIGINT	19	√		null	
badge_issued	Table	dateissued	BIGINT	19			0	
badge_endorsement	Table	dateissued	BIGINT	19			0	
badge_manual_award	Table	datemet	BIGINT	19			null	
badge_criteria_met	Table	datemet	BIGINT	19			null	
lti_submission	Table	datesubmitted	BIGINT	19			null	
lti_submission	Table	dateupdated	BIGINT	19			null	
local_id_module_day	Table	day	VARCHAR	10				Day formatted as 'YYYY-MM-DD'
task_scheduled	Table	day	VARCHAR	25				
local_id_course_day	Table	day	VARCHAR	10				Day formatted as 'YYYY-MM-DD'
task_scheduled	Table	dayofweek	VARCHAR	25				
survey	Table	days	MEDIUMINT	7			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
local_id_course_day	Table	daytime	BIGINT	19			null	Timestamp of the beginning of the
local_id_module_day	Table	daytime	BIGINT	19			null	Timestamp of the beginning of the
task_log	Table	dbreads	BIGINT	19			null	The number of DB reads performed during the task.
task_log	Table	dbwrites	BIGINT	19			null	The number of DB writes performed during the task.
lesson	Table	deadline	BIGINT	19			0	
lesson_overrides	Table	deadline	BIGINT	19	✓		null	Time by which students must have completed their attempt. Can be null in which case the lesson default is used
lti	Table	debuglaunch	BIT	1			0	Enable the debug-style launch which pauses before auto-submit
quiz	Table	decimalpoints	SMALLINT	5			2	Number of decimal points to use when displaying grades.
grade_items_history	Table	decimals	BIT	1	✓		null	
grade_items	Table	decimals	BIT	1	✓		null	Also known as precision, the number of digits after the decimal point symbol
customfield_data	Table	decvalue	DECIMAL	10	✓		null	
local_id_course_day	Table	dedication	BIGINT	19			0	Time spent on course within this day
local_id_module_day	Table	dedication	BIGINT	19			0	Time spent on module within this day
glossary	Table	defaultapproval	TINYINT	3			1	
user_info_field	Table	defaultdata	LONGTEXT	2147483647	✓		null	Default value for this field
user_info_field	Table	defaultdataformat	TINYINT	3			0	
messageinbound_handlers	Table	defaultexpiration	BIGINT	19			86400	The default expiration period to use when creating a new key
tool_dataprivacy_ctxexpired	Table	defaultexpired	BIT	1			null	The default retention period has passed
wiki	Table	defaultformat	VARCHAR	20			creole	Wiki's default editor
course	Table	defaultgroupingid	BIGINT	19			0	default grouping used in course modules, does not have key intentionally
glossary_formats	Table	defaulthook	VARCHAR	50				
question	Table	defaultmark	DECIMAL	12			1.0000000	
glossary_formats	Table	defaultmode	VARCHAR	50				
block_instances	Table	defaultregion	VARCHAR	16				Which block region this block should be placed in

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								appear in on each page, in the absence of a specific position in the block_positions table.
data	Table	defaultsort	BIGINT	19			0	
data	Table	defaultsortdir	SMALLINT	5			0	
block_instances	Table	defaultweight	BIGINT	19			null	Used to order the blocks within a block region. Again, may be overridden by the block_positions table for a specific block where this block appears.
workshopform_rubric_levels	Table	definition	LONGTEXT	2147483647	✓		null	The definition of this level
question_dataset_items	Table	definition	BIGINT	19			0	
glossary_entries	Table	definition	LONGTEXT	2147483647			null	
gradingform_rubric_levels	Table	definition	LONGTEXT	2147483647	✓		null	The optional text describing the level
gradingform_rubric_levels	Table	definitionformat	BIGINT	19	✓		null	The format of the definition field
glossary_entries	Table	definitionformat	TINYINT	3			0	
workshopform_rubric_levels	Table	definitionformat	SMALLINT	5	✓		0	The format of the definition field
gradingform_guide_comments	Table	definitionid	BIGINT	19			null	The ID of the form definition this form is part of
grading_instances	Table	definitionid	BIGINT	19			null	The ID of the form definition this is an instance of
gradingform_rubric_criteria	Table	definitionid	BIGINT	19			null	The ID of the form definition this criterion is part of
gradingform_guide_criteria	Table	definitionid	BIGINT	19			null	The ID of the form definition this criterion is part of
glossary_entries	Table	definitiontrust	TINYINT	3			0	
assignfeedback_editpdf_rot	Table	degree	BIGINT	19			0	Rotation degree
quiz	Table	delay1	BIGINT	19			0	Delay that must be left between the first and second attempt, in seconds.
quiz	Table	delay2	BIGINT	19			0	Delay that must be left between the second and subsequent attempt, in seconds.
user	Table	deleted	BIT	1			0	
questionnaire_question	Table	deleted	VARCHAR	1			n	
mnet_host	Table	deleted	BIT	1			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
forum_posts	Table	deleted	BIT	1		0		
course_modules	Table	deletioninprogress	BIT	1		0		
user	Table	department	VARCHAR	255				
questionnaire_dependency	Table	dependandor	VARCHAR	4				Mandatory or obligatory dependent on.
questionnaire_dependency	Table	dependchoiceid	BIGINT	19		0		ID of question choice dependent on.
lesson	Table	dependency	BIGINT	19		0		
h5p_contents_libraries	Table	dependencytype	VARCHAR	10				dynamic, preloaded or editor
h5p_library_dependencies	Table	dependencytype	VARCHAR	255				preloaded, dynamic, or editor
feedback_item	Table	dependitem	BIGINT	19		0		
questionnaire_dependency	Table	dependlogic	TINYINT	3		0		
questionnaire_dependency	Table	dependquestionid	BIGINT	19		0		ID of question dependent on.
feedback_item	Table	dependvalue	VARCHAR	255				
context_temp	Table	depth	TINYINT	3		null		
course_categories	Table	depth	BIGINT	19		0		
grade_categories	Table	depth	BIGINT	19		0		How many parents does this category have?
context	Table	depth	TINYINT	3		0		
grade_categories_history	Table	depth	BIGINT	19		0		How many parents does this category have?
competency_evidence	Table	desca	LONGTEXT	2147483647	✓	null		
competency_evidence	Table	desccomponent	VARCHAR	255				
competency_evidence	Table	descidentifier	VARCHAR	255				
customfield_field	Table	description	LONGTEXT	2147483647	✓	null		
course_categories	Table	description	LONGTEXT	2147483647	✓	null		
workshopform_numerrors	Table	description	LONGTEXT	2147483647	✓	null		The description of the dimension
quizaccess_seb_template	Table	description	LONGTEXT	2147483647		null		
grade_outcomes	Table	description	LONGTEXT	2147483647	✓	null		outcome description
data_fields	Table	description	LONGTEXT	2147483647		null		
role	Table	description	LONGTEXT	2147483647		null		Empty descriptions may be automatically localised
competency_plan	Table	description	LONGTEXT	2147483647	✓	null		
h5pactivity_attempts_results	Table	description	LONGTEXT	2147483647	✓	null		

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
tool_usertours_tours	Table	description	LONGTEXT	2147483647	✓		null	
user_info_field	Table	description	LONGTEXT	2147483647	✓		null	Description of field
tool_dataprivacy_purpose	Table	description	LONGTEXT	2147483647	✓		null	
tool_monitor_rules	Table	description	LONGTEXT	2147483647	✓		null	Description of the rule
block_rss_client	Table	description	LONGTEXT	2147483647			null	
user	Table	description	LONGTEXT	2147483647	✓		null	
blog_external	Table	description	LONGTEXT	2147483647	✓		null	
badge	Table	description	LONGTEXT	2147483647	✓		null	
badge_criteria	Table	description	LONGTEXT	2147483647	✓		null	
event	Table	description	LONGTEXT	2147483647			null	
gradingform_guide_comments	Table	description	LONGTEXT	2147483647	✓		null	The comment description
grading_definitions	Table	description	LONGTEXT	2147483647	✓		null	More detailed description of the fo
tag	Table	description	LONGTEXT	2147483647	✓		null	
grade_outcomes_history	Table	description	LONGTEXT	2147483647	✓		null	Outcome description
gradingform_rubric_criteria	Table	description	LONGTEXT	2147483647	✓		null	The criterion description
cohort	Table	description	LONGTEXT	2147483647	✓		null	Standard description text box
groupings	Table	description	LONGTEXT	2147483647	✓		null	
workshopform_accumulative	Table	description	LONGTEXT	2147483647	✓		null	The description of the dimension
workshopform_comments	Table	description	LONGTEXT	2147483647	✓		null	The description of the dimension
groups	Table	description	LONGTEXT	2147483647	✓		null	
competency	Table	description	LONGTEXT	2147483647	✓		null	Description of a single competency
mnet_service	Table	description	VARCHAR	40				
competency_framework	Table	description	LONGTEXT	2147483647	✓		null	Description of this competency framework
scale	Table	description	LONGTEXT	2147483647			null	
tool_dataprivacy_category	Table	description	LONGTEXT	2147483647	✓		null	
gradingform_guide_criteria	Table	description	LONGTEXT	2147483647	✓		null	The criterion description for studen
customfield_category	Table	description	LONGTEXT	2147483647	✓		null	
competency_userevidence	Table	description	LONGTEXT	2147483647			null	
scale_history	Table	description	LONGTEXT	2147483647			null	
competency_template	Table	description	LONGTEXT	2147483647	✓		null	Description of this learning plan template

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
lti_types	Table	description	LONGTEXT	2147483647	✓		null	A description of what this LTI mod
workshopform_rubric	Table	description	LONGTEXT	2147483647	✓		null	The description of the dimension
search_simpledb_index	Table	description1	LONGTEXT	2147483647	✓		null	
search_simpledb_index	Table	description2	LONGTEXT	2147483647	✓		null	
tool_dataprivacy_category	Table	descriptionformat	BIT	1	✓		null	
gradingform_rubric_criteria	Table	descriptionformat	TINYINT	3	✓		null	The format of the description field
groups	Table	descriptionformat	TINYINT	3			0	
user	Table	descriptionformat	TINYINT	3			1	
cohort	Table	descriptionformat	TINYINT	3			null	
grade_outcomes_history	Table	descriptionformat	TINYINT	3			0	
workshopform_accumulative	Table	descriptionformat	SMALLINT	5	✓		0	The format of the description field
customfield_field	Table	descriptionformat	BIGINT	19	✓		null	
tool_dataprivacy_purpose	Table	descriptionformat	BIT	1	✓		null	
workshopform_rubric	Table	descriptionformat	SMALLINT	5	✓		0	The format of the description field
competency_userevidence	Table	descriptionformat	BIT	1			null	
user_info_field	Table	descriptionformat	TINYINT	3			0	
competency	Table	descriptionformat	SMALLINT	5			0	The format of the description field
tag	Table	descriptionformat	TINYINT	3			0	
workshopform_comments	Table	descriptionformat	SMALLINT	5	✓		0	The format of the description field
course_categories	Table	descriptionformat	TINYINT	3			0	
competency_framework	Table	descriptionformat	SMALLINT	5			0	The format of the description field
scale	Table	descriptionformat	TINYINT	3			0	
gradingform_guide_criteria	Table	descriptionformat	TINYINT	3	✓		null	The format of the description field
badge_criteria	Table	descriptionformat	TINYINT	3			0	
groupings	Table	descriptionformat	TINYINT	3			0	
grading_definitions	Table	descriptionformat	TINYINT	3	✓		null	Format of the description field
gradingform_guide_comments	Table	descriptionformat	TINYINT	3	✓		null	The format of the description field
competency_plan	Table	descriptionformat	SMALLINT	5			0	
tool_monitor_rules	Table	descriptionformat	BIT	1			null	Description format
workshopform_numerrors	Table	descriptionformat	SMALLINT	5	✓		0	The format of the description field
grade_outcomes	Table	descriptionformat	TINYINT	3			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
competency_template	Table	descriptionformat	SMALLINT	5		0		The format of the description field
customfield_category	Table	descriptionformat	BIGINT	19	✓	null		
gradingform_guide_criteria	Table	descriptionmarkers	LONGTEXT	2147483647	✓	null		Description for Markers
gradingform_guide_criteria	Table	descriptionmarkersformat	TINYINT	3	✓	null		
workshopform_numerrors	Table	descriptiontrust	BIGINT	19	✓	null		
file_conversion	Table	destfileid	BIGINT	19	✓	null		
upgrade_log	Table	details	LONGTEXT	2147483647	✓	null		
workshopform_rubric_levels	Table	dimensionid	BIGINT	19		null		Which criterion this level is part of
workshop_grades	Table	dimensionid	BIGINT	19		null		Foreign key. References dimensionid one of the grading strategy tables.
analytics_models_log	Table	dir	LONGTEXT	2147483647		null		
task_scheduled	Table	disabled	BIT	1		0		1 means do not run from cron
question_statistics	Table	discriminationindex	DECIMAL	15	✓	null		
question_statistics	Table	discriminativeefficiency	DECIMAL	15	✓	null		
forum_posts	Table	discussion	BIGINT	19		0		
forum_discussion_subs	Table	discussion	BIGINT	19		null		
forum_read	Table	discussionid	BIGINT	19		0		
forum_queue	Table	discussionid	BIGINT	19		0		
resource	Table	display	SMALLINT	5		0		
choice	Table	display	SMALLINT	5		0		
folder	Table	display	SMALLINT	5		0		Display type of folder contents - on separate page or inline
grade_items_history	Table	display	BIGINT	19		0		
page	Table	display	SMALLINT	5		0		
grade_items	Table	display	BIGINT	19		0		Display as real grades, percentages (reference to the minimum and maximum grades) or letters (A, B, C, etc..), or course default (0)
url	Table	display	SMALLINT	5		0		
lesson_pages	Table	display	SMALLINT	5		1		
mnet_application	Table	display_name	VARCHAR	50				
scorm	Table	displayactivityname	SMALLINT	5		1		

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
scorm	Table	displayattemptstatus	BIT	1			1	
scorm	Table	displaycoursestructure	BIT	1			0	
glossary	Table	displayformat	VARCHAR	50			dictionary	
lesson	Table	displayleft	SMALLINT	5			0	
lesson	Table	displayleftif	SMALLINT	5			0	
url	Table	displayoptions	LONGTEXT	2147483647	✓		null	
h5pactivity	Table	displayoptions	SMALLINT	5			0	H5P Button display options
page	Table	displayoptions	LONGTEXT	2147483647	✓		null	
resource	Table	displayoptions	LONGTEXT	2147483647	✓		null	
h5p	Table	displayoptions	SMALLINT	5	✓		null	H5P Button display options
quiz_reports	Table	displayorder	BIGINT	19			null	display order for report tabs
forum	Table	displaywordcount	BIT	1			0	
search_simplifiedb_index	Table	docid	VARCHAR	255				
external_services	Table	downloadfiles	BIT	1			0	1 if the service allow people to download file from webservice/ plugins.php - 0 if not
tool_dataprivacy_request	Table	dpo	BIGINT	19	✓		0	The user ID of the Data Protection Officer who is reviewing th request
tool_dataprivacy_request	Table	dpocomment	LONGTEXT	2147483647	✓		null	DPO's comments (e.g. reason for rejecting the request, etc.)
tool_dataprivacy_request	Table	dpocommentformat	TINYINT	3			0	
assignfeedback_editpdf_annot	Table	draft	TINYINT	3			1	Is this a draft annotation?
assignfeedback_editpdf_cmnt	Table	draft	TINYINT	3			1	Is this a draft comment?
editor_atto_autosave	Table	draftid	BIGINT	19	✓		null	Optional draft area id containing draft files.
editor_atto_autosave	Table	drafttext	LONGTEXT	2147483647			null	The draft text
qtype_ddimageortext_drag	Table	draggroup	BIGINT	19			0	
h5p_contents_libraries	Table	dropcss	BIT	1			null	1 if the preloaded css from the dependency is to be excluded
h5p_libraries	Table	droplibrarycss	LONGTEXT	2147483647	✓		null	List of libraries that should not have CSS included if this library is used. Comma separated list.
grade_categories_history	Table	droplow	BIGINT	19			0	Drop the X lowest items

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
grade_categories	Table	droplow	BIGINT	19		0		Drop the X lowest items
competency_template	Table	duedate	BIGINT	19	√	null		The default due date for instances of this plan.
forum	Table	duedate	BIGINT	19		0		A due date to show in the calendar used for grading.
competency_plan	Table	duedate	BIGINT	19	√	0		
assign_overrides	Table	duedate	BIGINT	19	√	null		Time by which students must have completed their attempt. Can be null in which case the assign default is used.
assign	Table	duedate	BIGINT	19		0		The due date for the assignment. Displayed to students.
h5pactivity_attempts_results	Table	duration	BIGINT	19	√	0		Seconds inverted in this result (extracted directly from statement)
h5pactivity_attempts	Table	duration	BIGINT	19	√	0		Number of second inverted in that attempt (provided by the statement)
glossary	Table	editalways	TINYINT	3		0		
data	Table	editany	SMALLINT	5		0		
wiki	Table	editbegin	BIGINT	19		0		editbegin
wiki	Table	editend	BIGINT	19	√	0		editend
logstore_standard_log	Table	edulevel	BIT	1		null		
question_statistics	Table	effectiveweight	DECIMAL	15	√	null		
scorm_scoes_track	Table	element	VARCHAR	255				
editor_atto_autosave	Table	elementid	VARCHAR	255				The unique id for the text editor in the form.
questionnaire_survey	Table	email	VARCHAR	255	√	null		
user	Table	email	VARCHAR	100				
oauth2_system_account	Table	email	LONGTEXT	2147483647	√	null		The email that was connected to the issuer.
badge_backpack	Table	email	VARCHAR	100				
auth_oauth2_linked_login	Table	email	LONGTEXT	2147483647		null		The external email to map to this moodle account
feedback	Table	email_notification	BIT	1		1		
block_zoola_reports_schreps	Table	emails	VARCHAR	1333				Comma separated list of emails to be sent to the report to.

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
block_zoola_reports_eventcfg	Table	emails	VARCHAR	1333	√		null	Comma separated list of emails
user	Table	emailstop	BIT	1			0	
assignment	Table	emailteachers	TINYINT	3			0	
h5p_libraries	Table	embedtypes	VARCHAR	255				List of supported embed types
message_airnotifier_devices	Table	enable	BIT	1			1	The user can enable/disable his de
quizaccess_seb_quizsettings	Table	enableaudiocontrol	BIT	1	√		null	Bool to show volume and audio controls.
course	Table	enablecompletion	BIT	1			0	1 = allow use of 'completion' progr tracking on this course. 0 = disable completion tracking on this course
mnet_remote_rpc	Table	enabled	BIT	1			null	
oauth2_issuer	Table	enabled	TINYINT	3			1	
workshopallocation_scheduled	Table	enabled	TINYINT	3			0	Is the scheduled allocation enabled
external_services	Table	enabled	BIT	1			null	
messageinbound_handlers	Table	enabled	BIT	1			0	Whether this handler is currently enabled.
enrol_lti_lti2_consumer	Table	enabled	BIT	1			null	
license	Table	enabled	BIT	1			1	
block_zoola_reports_eventcfg	Table	enabled	BIT	1			1	Is this schedule enabled
tool_usertours_tours	Table	enabled	BIT	1			0	
message_conversations	Table	enabled	BIT	1			0	
quizaccess_seb_template	Table	enabled	BIT	1			null	
analytics_models	Table	enabled	BIT	1			0	
tag_area	Table	enabled	BIT	1			1	
mnet_rpc	Table	enabled	BIT	1			0	
message_processors	Table	enabled	BIT	1			1	Defines if processor is enabled
lti_types	Table	enabledcapability	LONGTEXT	2147483647	√		null	Enabled capabilities, one per line (for LTI 1 tools)
enrol_lti_lti2_consumer	Table	enablefrom	BIGINT	19	√		null	
h5pactivity	Table	enabletracking	BIT	1			1	Enable xAPI tracking
enrol_lti_lti2_consumer	Table	enableuntil	BIGINT	19	√		null	
block_zoola_reports_schreps	Table	enddate	BIGINT	19	√		null	Timestamp after which the schedu will be disabled

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
course	Table	enddate	BIGINT	19			0	
analytics_indicator_calc	Table	endtime	BIGINT	19			null	
assignfeedback_editpdf_annot	Table	endx	BIGINT	19	✓		0	x-position of the end of the annotation
assignfeedback_editpdf_annot	Table	endy	BIGINT	19	✓		0	y-position of the end of the annotation
enrol	Table	enrol	VARCHAR	20				
enrol	Table	enrolenddate	BIGINT	19	✓		0	Custom - end of enrolment
enrol_lti_tools	Table	enrolid	BIGINT	19			null	
user_enrolments	Table	enrolid	BIGINT	19			null	
course_published	Table	enrollable	BIT	1			1	1 = enrollable, 0 = downloadable
groups	Table	enrolmentkey	VARCHAR	50	✓		null	
enrol	Table	enrolperiod	BIGINT	19	✓		0	Custom - enrolment duration
course_completion_criteria	Table	enrolperiod	BIGINT	19	✓		null	Number of days after enrolment the course is completed (if using enrolperiod criteria type)
enrol	Table	enrolstartdate	BIGINT	19	✓		0	Custom - start of self enrolment
mnetservice_enrol_enrolments	Table	enroltime	BIGINT	19			0	
mnetservice_enrol_enrolments	Table	enroltype	VARCHAR	20				The name of the enrol plugin at the remote server that was used to enrol our student into their course
glossary	Table	entbypage	SMALLINT	5			10	
badge_external	Table	entityid	VARCHAR	255	✓		null	
glossary_entries_categories	Table	entryid	BIGINT	19			0	
glossary_alias	Table	entryid	BIGINT	19			0	
log_queries	Table	error	MEDIUMINT	7			0	is error
events_queue_handlers	Table	errormessage	LONGTEXT	2147483647	✓		null	if an error happened last time we tried to process this event, record it here
quiz_statistics	Table	errorratio	DECIMAL	15	✓		null	
workshop	Table	evaluation	VARCHAR	30				The recently used grading evaluation method
analytics_models_log	Table	evaluationmode	VARCHAR	50				
block_zoola_reports_eventcfg	Table	event	VARCHAR	1333				Name of event that triggers the schedule
block_zoola_reports_schedule	Table	eventcfgid	BIGINT	19			0	Foreign key to

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
events_queue	Table	eventdata	LONGTEXT	2147483647			null	block_zoola_reports_eventcfg serialized version of the data object passed to the event handler.
logstore_standard_log	Table	eventname	VARCHAR	255				
events_handlers	Table	eventname	VARCHAR	166				name of the event, e.g. 'grade_update'
tool_monitor_rules	Table	eventname	VARCHAR	254				Fully qualified name of the event
tool_monitor_events	Table	eventname	VARCHAR	254				Event name
message_read	Table	eventtype	VARCHAR	100	✓		null	
notifications	Table	eventtype	VARCHAR	100	✓		null	
message	Table	eventtype	VARCHAR	100	✓		null	
event_subscriptions	Table	eventtype	VARCHAR	20				The type of the event
event	Table	eventtype	VARCHAR	20				
workshop_submissions	Table	example	TINYINT	3	✓		0	Is this submission an example from teacher
workshop	Table	examplesmode	SMALLINT	5	✓		0	0 = example assessments are voluntary 1 = examples must be assessed before submission, 2 = examples are available after own submission and must be assessed before peer/self assessment phase
grade_grades	Table	excluded	BIGINT	19			0	grade excluded from aggregation functions, date means when excluded
grade_grades_history	Table	excluded	BIGINT	19			0	grade excluded from aggregation functions, date means when excluded
log_queries	Table	exetime	DECIMAL	10			null	query execution time in seconds as float
backup_controllers	Table	execution	SMALLINT	5			null	type of execution (immediate/delayed)
backup_controllers	Table	executiontime	BIGINT	19			null	epoch secs when the backup should be executed (for delayed backups only)
badge	Table	expiredate	BIGINT	19	✓		null	
tool_dataprivacy_ctxexpired	Table	expiredroles	LONGTEXT	2147483647	✓		null	Explicitly expires roles
badge	Table	expireperiod	BIGINT	19	✓		null	
badge_backpack_oauth2	Table	expires	BIGINT	19	✓		null	
enrol_lti_lti2_nonce	Table	expires	BIGINT	19			null	
enrol_lti_lti2_share_key	Table	expires	BIGINT	19			null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
mnet_session	Table	expires	BIGINT	19		0		Expire time of session on peer
lock_db	Table	expires	BIGINT	19	✓	null		Expiry time for an active lock.
messageinbound_datakeys	Table	expires	BIGINT	19	✓	null		The expiry time of this key.
oauth2_access_token	Table	expires	BIGINT	19		null		Expiry timestamp (according to the issuer)
cache_flags	Table	expiry	BIGINT	19		null		
enrol	Table	expirynotify	BIT	1	✓	0		Custom - notify users before expiration
enrol	Table	expirythreshold	BIGINT	19	✓	0		Custom - when should be the participants notified
portfolio_tempdata	Table	expirytime	BIGINT	19		null		time this record will expire (used for cron cleanups) - the start of export in hours
grade_grades_history	Table	exported	BIGINT	19		0		date of last grade export, 0 if none
grade_grades	Table	exported	BIGINT	19		0		date of last grade export, 0 if none
block_zoola_reports_eventcfg	Table	exportformat	VARCHAR	10		XLSX		Export format: 'pdf', 'xlsx', 'csv', ...
block_zoola_reports_schreps	Table	exportformat	VARCHAR	10				Export format: 'pdf', 'xlsx', 'csv', ...
quizaccess_seb_quizsettings	Table	expressionsallowed	LONGTEXT	2147483647	✓	null		Comma or newline separated list of allowed expressions
quizaccess_seb_quizsettings	Table	expressionsblocked	LONGTEXT	2147483647	✓	null		Comma or newline separated list of blocked expressions
assign_user_flags	Table	extensionduedate	BIGINT	19		0		An extension date assigned to an individual student.
badge_backpack_oauth2	Table	externalbackpackid	BIGINT	19		null		
badge_backpack	Table	externalbackpackid	BIGINT	19	✓	null		
oauth2_user_field_mapping	Table	externalfield	VARCHAR	64				The fieldname returned by the user endpoint.
badge_external_identifier	Table	externalid	VARCHAR	128				
external_services_users	Table	externalserviceid	BIGINT	19		null		
external_tokens	Table	externalserviceid	BIGINT	19		null		
external_services_functions	Table	externalserviceid	BIGINT	19		null		
url	Table	externalurl	LONGTEXT	2147483647		null		
questionnaire_question	Table	extradata	LONGTEXT	2147483647	✓	null		If a question needs more than the standard fields provided, use this field

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
question_statistics	Table	facility	DECIMAL	15	✓		null	
task_scheduled	Table	faildelay	BIGINT	19	✓		null	
task_adhoc	Table	faildelay	BIGINT	19	✓		null	
blog_external	Table	failedlastsync	BIT	1			0	Whether or not the last sync failed some reason
question_truefalse	Table	falseanswer	BIGINT	19			0	Foreign key references question_answers.id. The 'False' cl
feedback_completedtmp	Table	feedback	BIGINT	19			0	
lesson	Table	feedback	SMALLINT	5			1	
grade_import_values	Table	feedback	LONGTEXT	2147483647	✓		null	
feedback_item	Table	feedback	BIGINT	19			0	
question_answers	Table	feedback	LONGTEXT	2147483647			null	
grade_grades	Table	feedback	LONGTEXT	2147483647	✓		null	grading feedback
grading_instances	Table	feedback	LONGTEXT	2147483647	✓		null	Overall feedback from the rater for author of the graded item
grade_grades_history	Table	feedback	LONGTEXT	2147483647	✓		null	grading feedback
feedback_completed	Table	feedback	BIGINT	19			0	
workshop_assessments	Table	feedbackauthor	LONGTEXT	2147483647	✓		null	The comment/feedback from the reviewer for the author.
workshop_submissions	Table	feedbackauthor	LONGTEXT	2147483647	✓		null	Teacher comment/feedback for the author of the submission, for example describing the reasons for the grade overriding
workshop_assessments	Table	feedbackauthorattachment	SMALLINT	5	✓		0	Are there some files attached to the feedbackauthor field? Sets to 1 by file_postupdate_standard_filemana
workshop_assessments	Table	feedbackauthorformat	SMALLINT	5	✓		0	
workshop_submissions	Table	feedbackauthorformat	SMALLINT	5	✓		0	
grading_instances	Table	feedbackformat	TINYINT	3	✓		null	The format of the feedback field
question_answers	Table	feedbackformat	TINYINT	3			0	
grade_grades	Table	feedbackformat	BIGINT	19			0	format of feedback text
grade_grades_history	Table	feedbackformat	BIGINT	19			0	format of feedback text
feedback_sitecourse_map	Table	feedbackid	BIGINT	19			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
questionnaire_feedback	Table	feedbacklabel	VARCHAR	50	✓		null	
questionnaire_survey	Table	feedbacknotes	LONGTEXT	2147483647	✓		null	
workshop_assessments	Table	feedbackreviewer	LONGTEXT	2147483647	✓		null	The comment/feedback from the teacher for the reviewer. For example, the reason why the grade for assessment was overridden
workshop_assessments	Table	feedbackreviewerformat	SMALLINT	5	✓		0	
questionnaire_survey	Table	feedbackscores	BIT	1	✓		0	
questionnaire_survey	Table	feedbacksections	TINYINT	3	✓		0	
questionnaire_feedback	Table	feedbacktext	LONGTEXT	2147483647	✓		null	
quiz_feedback	Table	feedbacktext	LONGTEXT	2147483647			null	The feedback to show for a attempt where mingrade <= attempt grade maxgrade. See function quiz_feedback_for_grade in mod/quiz/lib.php.
quiz_feedback	Table	feedbacktextformat	TINYINT	3			0	
questionnaire_feedback	Table	feedbacktextformat	TINYINT	3	✓		1	
log_display	Table	field	VARCHAR	200				
user_info_data	Table	fieldid	BIGINT	19			0	id from the field table
customfield_data	Table	fieldid	BIGINT	19			null	
data_content	Table	fieldid	BIGINT	19			0	
files	Table	filearea	VARCHAR	50				Like "coursefiles". "submission", "input" and "content" (images and swf links from summaries), etc.
analytics_used_files	Table	fileid	BIGINT	19			0	
mnet_rpc	Table	filename	VARCHAR	100				
files	Table	filename	VARCHAR	255				The full Unicode name of this file (case sensitive) - some chars are not allowed though
files	Table	filepath	VARCHAR	255				Optional - relative path to file from module content root, useful in Score module and Resource mod - most of the modules do not need this
files	Table	filesize	BIGINT	19			null	
qtype_essay_options	Table	filetypeslist	LONGTEXT	2147483647	✓		null	What attachment file type a student

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								allowed to include with their response or empty means unlimited.
cache_filters	Table	filter	VARCHAR	32				
filter_config	Table	filter	VARCHAR	32				The filter internal name, like 'tex'.
filter_active	Table	filter	VARCHAR	32				The filter internal name, like 'tex'.
h5p	Table	filtered	LONGTEXT	2147483647	✓		null	Filtered version of json_content
quizaccess_seb_quizsettings	Table	filterembeddedcontent	BIT	1	✓		null	Bool wither embedded content will be filtered
resource	Table	filterfiles	SMALLINT	5			0	
block_zoola_reports_schreps	Table	filters	LONGTEXT	2147483647	✓		null	Filter values used to run the report, in JSON format
blog_external	Table	filtertags	VARCHAR	255	✓		null	Comma-separated list of tags that will be used to filter which entries are copied over from the external blog to refer to existing tags in the external blog.
grade_import_values	Table	finalgrade	DECIMAL	10	✓		null	raw grade value
grade_grades_history	Table	finalgrade	DECIMAL	10	✓		null	The final grade (cached) after all calculations are made
grade_grades	Table	finalgrade	DECIMAL	10	✓		null	The final grade (cached) after all calculations are made
user	Table	firstaccess	BIGINT	19			0	
analytics_used_analysables	Table	firstanalysis	BIGINT	19			null	
quiz_statistics	Table	firstattemptsavg	DECIMAL	15	✓		null	
quiz_statistics	Table	firstattemptscount	BIGINT	19			null	
sessions	Table	firstip	VARCHAR	45	✓		null	
user	Table	firstname	VARCHAR	100				
user	Table	firstnamephonetic	VARCHAR	255	✓		null	First name phonetic
wiki	Table	firstpagetitle	VARCHAR	255			First Page	Wiki first page's name
chat_users	Table	firstping	BIGINT	19			0	
forum_discussions	Table	firstpost	BIGINT	19			0	
forum_read	Table	firstread	BIGINT	19			0	
quiz_sections	Table	firstslot	BIGINT	19			null	Number of the first slot in the section. The section runs from here to the slot + 1.

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								of the next section, or the end of the quiz.
lesson_branch	Table	flag	SMALLINT	5			0	
tag	Table	flag	SMALLINT	5	✓		0	a tag can be 'flagged' as inappropriate
question_attempts	Table	flagged	BIT	1			0	Whether this question has been flagged within the attempt.
lesson_answers	Table	flags	SMALLINT	5			0	
cache_flags	Table	flagtype	VARCHAR	255				
mnet_host	Table	force_theme	BIT	1			0	
scorm	Table	forcecompleted	BIT	1			0	
wiki	Table	forceformat	BIT	1			1	Forces the default editor
scorm	Table	forcenewattempt	BIT	1			0	
forum	Table	forcesubscribe	BIT	1			0	
user_info_field	Table	forceunique	TINYINT	3			0	should the field contain unique data
course_format_options	Table	format	VARCHAR	21				Format this option is for
comments	Table	format	TINYINT	3			0	
backup_controllers	Table	format	VARCHAR	20				format of the backup (moodle/ims)
course	Table	format	VARCHAR	21			topics	
event	Table	format	SMALLINT	5			0	
post	Table	format	BIGINT	19			0	
assignment_submissions	Table	format	SMALLINT	5			0	
forum_grades	Table	forum	BIGINT	19			null	The ID of the forum that this grade relates to
forum_discussion_subs	Table	forum	BIGINT	19			null	
forum_subscriptions	Table	forum	BIGINT	19			0	
forum_discussions	Table	forum	BIGINT	19			0	
forum_digests	Table	forum	BIGINT	19			null	
forum_track_prefs	Table	forumid	BIGINT	19			0	
forum_read	Table	forumid	BIGINT	19			0	
question_answers	Table	fraction	DECIMAL	12			0.0000000	
question_attempt_steps	Table	fraction	DECIMAL	12	✓		null	The grade for this question, when graded out of 1. Needs to be multiplied

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								by question_attempt.maxmark to g the actual mark for the question.
tool_monitor_rules	Table	frequency	SMALLINT	5			null	Frequency
wiki_links	Table	frompageid	BIGINT	19			0	Page id with a link
glossary_entries	Table	fullmatch	TINYINT	3			1	
messages	Table	fullmessage	LONGTEXT	2147483647	✓		null	
notifications	Table	fullmessage	LONGTEXT	2147483647	✓		null	
message	Table	fullmessage	LONGTEXT	2147483647	✓		null	
message_read	Table	fullmessage	LONGTEXT	2147483647	✓		null	
message	Table	fullmessageformat	SMALLINT	5	✓		0	The format of the full message
notifications	Table	fullmessageformat	BIT	1			0	
message_read	Table	fullmessageformat	SMALLINT	5	✓		0	The format of the full message
messages	Table	fullmessageformat	BIT	1			0	
messages	Table	fullmessagehtml	LONGTEXT	2147483647	✓		null	
message_read	Table	fullmessagehtml	LONGTEXT	2147483647	✓		null	html format of message
notifications	Table	fullmessagehtml	LONGTEXT	2147483647	✓		null	
message	Table	fullmessagehtml	LONGTEXT	2147483647	✓		null	html format of message
messages	Table	fullmessagetrust	TINYINT	3			0	
course_request	Table	fullname	VARCHAR	254				
grade_outcomes_history	Table	fullname	LONGTEXT	2147483647			null	The full description of the outcome (usually 1 sentence)
grade_outcomes	Table	fullname	LONGTEXT	2147483647			null	The full description of the outcome (usually 1 sentence)
mnetSERVICE_enrol_courses	Table	fullname	VARCHAR	254				
grade_categories_history	Table	fullname	VARCHAR	255				The name of this grade category
course	Table	fullname	VARCHAR	254				
license	Table	fullname	LONGTEXT	2147483647	✓		null	
grade_categories	Table	fullname	VARCHAR	255				The name of this grade category
tool_recyclebin_category	Table	fullname	VARCHAR	255				
h5p_libraries	Table	fullscreen	BIT	1			0	Display fullscreen button
external_services_functions	Table	functionname	VARCHAR	200				
mnet_remote_rpc	Table	functionname	VARCHAR	40				

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
mnet_rpc	Table	functionname	VARCHAR	40				
question	Table	generalfeedback	LONGTEXT	2147483647			null	to store the question feedback
question	Table	generalfeedbackformat	TINYINT	3			0	
glossary	Table	globalglossary	TINYINT	3			0	
glossary_entries	Table	glossaryid	BIGINT	19			0	
glossary_categories	Table	glossaryid	BIGINT	19			0	
quiz	Table	graceperiod	BIGINT	19			0	The amount of time (in seconds) after the time limit runs out during which attempts can still be submitted, if overduehandling is set to allow it.
workshopform_rubric_levels	Table	grade	DECIMAL	10			null	Grade representing this level.
lti	Table	grade	BIGINT	19			100	Grade scale
assignfeedback_comments	Table	grade	BIGINT	19			0	
lesson	Table	grade	BIGINT	19			0	
h5pactivity	Table	grade	BIGINT	19	✓		0	
competency_evidence	Table	grade	BIGINT	19	✓		null	
assign_grades	Table	grade	DECIMAL	10	✓		0.00000	The numerical grade for this assignment submission. Can be determined by scales/advancedgradingforms etc but will always be converted back to a float point number.
quiz_grades	Table	grade	DECIMAL	10			0.00000	The overall grade from the quiz. Not affected by overrides in the gradebook.
workshopform_accumulative	Table	grade	BIGINT	19			null	If greater than 0, then the value is maximum grade on a scale 0..grade; lesser than 0, then its absolute value is the id of a record in scale table. If equals 0, then no grading is possible in this dimension, just commenting.
assign	Table	grade	BIGINT	19			0	The maximum grade for this assignment. Can be negative to indicate the use of a scale.
questionnaire	Table	grade	BIGINT	19			0	Assign a grade to be received on submission.
assignfeedback_file	Table	grade	BIGINT	19			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
quiz	Table	grade	DECIMAL	10			0.00000	The total that the quiz overall grade scaled to be out of.
workshop	Table	grade	DECIMAL	10	✓		80.00000	The maximum grade for submission
competency_usercompcourse	Table	grade	BIGINT	19	✓		null	The course grade assigned for the competency.
workshop_submissions	Table	grade	DECIMAL	10	✓		null	Aggregated grade for the submission. The grade is a decimal number from interval 0..100. If NULL then the grade for submission has not been aggregated yet.
forum_grades	Table	grade	DECIMAL	10	✓		null	The numerical grade for this user's forum assessment. Can be determined by scales/advancedgradingforms but will always be converted back to a floating point number.
lesson_grades	Table	grade	DOUBLE	22			0	
workshopform_numerrors_map	Table	grade	DECIMAL	10			null	Percentual grade 0..100 for this number of negative responses
assignment_submissions	Table	grade	BIGINT	19			0	
assignment	Table	grade	BIGINT	19			0	
competency_usercompplan	Table	grade	BIGINT	19	✓		null	Grade assigned to the competency
workshop_grades	Table	grade	DECIMAL	10			null	Given grade in the referenced assessment dimension.
workshop_assessments	Table	grade	DECIMAL	10	✓		null	The aggregated grade for submission suggested by the reviewer. The grade 0..100 is computed from the values assigned to the assessment dimension fields. If NULL then it has not been aggregated yet.
lesson_answers	Table	grade	SMALLINT	5			0	
competency_usercomp	Table	grade	BIGINT	19	✓		null	Grade assigned to the competency
questionnaire_response	Table	grade	BIGINT	19			0	Grade awarded
workshopform_numerrors	Table	grade0	VARCHAR	50	✓		null	The word describing the negative evaluation (like Poor, Missing, Absent etc.). If NULL, it defaults to a translation string False

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
workshopform_numerrors	Table	grade1	VARCHAR	50	√		null	A word for possitive evaluation (like Good, Present, OK etc). If NULL, it defaults to a translated string True
forum	Table	grade_forum	BIGINT	19			0	
forum	Table	grade_forum_notify	SMALLINT	5			0	
workshop	Table	gradedecimals	SMALLINT	5	√		0	Number of digits that should be shown after the decimal point when displaying grades
course_completion_crit_compl	Table	gradefinal	DECIMAL	10	√		null	The final grade for the course (including regardless of whether a passing grade was required)
assignfeedback_editpdf_rot	Table	gradeid	BIGINT	19			0	
assignfeedback_editpdf_cmnt	Table	gradeid	BIGINT	19			0	
assignfeedback_editpdf_annot	Table	gradeid	BIGINT	19			0	
ltiservice_gradebookservices	Table	gradeitemid	BIGINT	19			null	ID of the gradeitem related.
grade_items_history	Table	grademax	DECIMAL	10			100.00000	What is the maximum allowable grade
grade_items	Table	grademax	DECIMAL	10			100.00000	What is the maximum allowable grade
h5pactivity	Table	grademethod	SMALLINT	5			1	Which H5P attempt is used for grading
quiz	Table	grademethod	SMALLINT	5			1	One of the values QUIZ_GRADEHIGHEST, QUIZ_GRADEAVERAGE, QUIZ_ATTEMPTFIRST or QUIZ_ATTEMPTLAST.
scorm	Table	grademethod	TINYINT	3			0	
grade_items	Table	grademin	DECIMAL	10			0.00000	What is the minimum allowable grade
grade_items_history	Table	grademin	DECIMAL	10			0.00000	What is the minimum allowable grade
workshop_submissions	Table	gradeover	DECIMAL	10	√		null	Grade for the submission manually overridden by a teacher. Grade is a float from interval 0..100. If NULL then the grade is not overridden.
workshop_submissions	Table	gradeoverby	BIGINT	19	√		null	The id of the user who has overridden the grade for submission.
grade_items_history	Table	gradepass	DECIMAL	10			0.00000	What grade is needed to pass? grademin < gradepass <= grademax
course_completion_criteria	Table	gradepass	DECIMAL	10	√		null	The minimum grade needed to pass

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								course (if passing grade criteria enabled)
grade_items	Table	gradepass	DECIMAL	10			0.00000	What grade is needed to pass? grademin < gradepass <= gradema
lti_submission	Table	gradepercent	DECIMAL	10			null	
assign_grades	Table	grader	BIGINT	19			0	
qtype_essay_options	Table	graderinfo	LONGTEXT	2147483647	√		null	Information shown to people with permission to manually grade the question, when they are grading.
qtype_essay_options	Table	graderinfoformat	SMALLINT	5			0	The text format for graderinfo.
enrol_lti_tools	Table	gradesync	BIT	1			0	
enrol_lti_tools	Table	gradesynccompletion	BIT	1			0	
grade_items	Table	gradetype	SMALLINT	5			1	0 = none, 1 = value, 2 = scale, 3 = t
grade_items_history	Table	gradetype	SMALLINT	5			1	0 = none, 1 = value, 2 = scale, 3 = t
assign	Table	gradingduedate	BIGINT	19			0	The expected date for marking the submissions.
workshop_aggregations	Table	gradinggrade	DECIMAL	10	√		null	The aggregated grade for all assessments made by this reviewer. The grade is a number from interval 0..100. If NULL then the grade for assessments has not been aggregated yet.
workshop_assessments	Table	gradinggrade	DECIMAL	10	√		null	The computed grade 0..100 for this assessment. If NULL then it has not been computed yet.
workshop	Table	gradinggrade	DECIMAL	10	√		20.00000	The maximum grade for assessment
workshop_assessments	Table	gradinggradeover	DECIMAL	10	√		null	Grade for the assessment manually overridden by a teacher. Grade is a number from interval 0..100. If NULL then the grade is not overridden.
workshop_assessments	Table	gradinggradeoverby	BIGINT	19	√		null	The id of the user who has overridden the grade for submission.
oauth2_system_account	Table	grantedscopes	LONGTEXT	2147483647			null	The scopes that this system account has been granted access to.
wiki_subwikis	Table	groupid	BIGINT	19			0	Group that owns this wiki
chat_messages_current	Table	groupid	BIGINT	19			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
quiz_overrides	Table	groupid	BIGINT	19	√		null	Foreign key references groups.id. Can be null if this is a per-user override
lesson_overrides	Table	groupid	BIGINT	19	√		null	Foreign key references groups.id. Can be null if this is a per-user override
data_records	Table	groupid	BIGINT	19			0	
forum_discussions	Table	groupid	BIGINT	19			-1	
event	Table	groupid	BIGINT	19			0	
groupings_groups	Table	groupid	BIGINT	19			0	
chat_messages	Table	groupid	BIGINT	19			0	
assign_submission	Table	groupid	BIGINT	19			0	The group id for team submissions
groups_members	Table	groupid	BIGINT	19			0	
chat_users	Table	groupid	BIGINT	19			0	
event_subscriptions	Table	groupid	BIGINT	19			0	
post	Table	groupid	BIGINT	19			0	
assign_overrides	Table	groupid	BIGINT	19	√		null	Foreign key references groups.id. Can be null if this is a per-user override
course_modules	Table	groupingid	BIGINT	19			0	
groupings_groups	Table	groupingid	BIGINT	19			0	
course	Table	groupmode	SMALLINT	5			0	
course_modules	Table	groupmode	SMALLINT	5			0	
course	Table	groupmodeforce	SMALLINT	5			0	
feedback_completedtmp	Table	guestid	VARCHAR	255				
lti_tool_proxies	Table	guid	VARCHAR	255	√		null	
h5pactivity_attempts	Table	h5pactivityid	BIGINT	19			null	H5P activity ID
h5p_contents_libraries	Table	h5pid	BIGINT	19			null	Identifier for the h5p content
scorm_aicc_session	Table	hacpsession	VARCHAR	255				sessionid used to authenticate AICC/HACP communication
messageinbound_datakeys	Table	handler	BIGINT	19			null	The handler that this key belongs to
events_handlers	Table	handlerfile	VARCHAR	255				path to the file of the function, eg /grade/export/lib.php
events_handlers	Table	handlerfunction	LONGTEXT	2147483647	√		null	serialized string or array describing function, suitable to be passed to call_user_func()

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
events_queue_handlers	Table	handlerid	BIGINT	19			null	foreign key id corresponding to the event_handlers table
questionnaire_question_type	Table	has_choices	VARCHAR	1		y		
user_password_history	Table	hash	VARCHAR	255				
h5p_libraries_cachedassets	Table	hash	VARCHAR	255				Cache hash key that this library is part of.
question_response_analysis	Table	hashcode	VARCHAR	40				sha1 hash of serialized qubaid condition class. Unique for every combination of class name and property.
question_statistics	Table	hashcode	VARCHAR	40				sha1 hash of serialized qubaid condition class. Unique for every combination of class name and property.
quiz_statistics	Table	hashcode	VARCHAR	40				sha1 hash of serialized qubaid condition class. Unique for every combination of class name and property.
feedback_item	Table	hasvalue	BIT	1			0	
quiz_sections	Table	heading	VARCHAR	1333	√		null	The text of the heading. May be an empty string/null. Multilang format
scorm	Table	height	BIGINT	19			600	
lesson	Table	height	BIGINT	19			480	
mnet_rpc	Table	help	LONGTEXT	2147483647			null	
grade_grades_history	Table	hidden	BIGINT	19			0	show 0, hide 1 or hide until date
grade_items_history	Table	hidden	BIGINT	19			0	1 is hidden, > 1 is a date to hide until (prevents viewing)
book_chapters	Table	hidden	TINYINT	3			0	
grade_items	Table	hidden	BIGINT	19			0	1 is hidden, > 1 is a date to hide until (prevents viewing)
grade_categories	Table	hidden	BIT	1			0	
grade_grades	Table	hidden	BIGINT	19			0	show 0, hide 1 or hide until date
grade_categories_history	Table	hidden	BIT	1			0	
question	Table	hidden	BIT	1			0	
scorm	Table	hidebrowse	BIT	1			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
assign	Table	hidegrader	TINYINT	3			0	Hide the grader's identity from students. The opposite of blind marking.
groups	Table	hidepicture	BIT	1			0	
scorm	Table	hidetoc	BIT	1			0	
quiz_statistics	Table	highestattemptsavg	DECIMAL	15	✓		null	
quiz_statistics	Table	highestattemptscount	BIGINT	19			null	
question_hints	Table	hint	LONGTEXT	2147483647			null	The text of the feedback to be given.
question_hints	Table	hintformat	SMALLINT	5			0	The format of the hint.
mnet_log	Table	hostid	BIGINT	19			0	Unique host ID
mnet-service_enrol_enrolments	Table	hostid	BIGINT	19			null	ID of the remote MNet host
mnet-host2service	Table	hostid	BIGINT	19			0	
mnet-service_enrol_courses	Table	hostid	BIGINT	19			null	The id of the remote MNet host
task_scheduled	Table	hour	VARCHAR	25				
course_published	Table	hubcourseid	BIGINT	19			null	the course id on the hub server
registration_hubs	Table	hubname	VARCHAR	255				
course_published	Table	huburl	VARCHAR	255	✓		null	the url of the "registered on" hub
registration_hubs	Table	huburl	VARCHAR	255				
lti_types	Table	icon	LONGTEXT	2147483647	✓		null	URL to icon file
lti	Table	icon	LONGTEXT	2147483647	✓		null	
user	Table	icq	VARCHAR	15				
choice_answers	Table	id	BIGINT	19		✓	null	
gradingform_guide_fillings	Table	id	BIGINT	19		✓	null	
context_temp	Table	id	BIGINT	19			null	This id isn't autonumeric/sequence the context->id
question_datasets	Table	id	BIGINT	19		✓	null	
files_reference	Table	id	BIGINT	19		✓	null	
grade_categories	Table	id	BIGINT	19		✓	null	
tool_usertours_tours	Table	id	BIGINT	19		✓	null	
tool_dataprivacy_purposerole	Table	id	BIGINT	19		✓	null	
role_assignments	Table	id	BIGINT	19		✓	null	
lesson_branch	Table	id	BIGINT	19		✓	null	
analytics_models_log	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
workshop_aggregations	Table	id	BIGINT	19		✓	null	
quiz_grades	Table	id	BIGINT	19		✓	null	
tool_policy	Table	id	BIGINT	19		✓	null	
user_devices	Table	id	BIGINT	19		✓	null	
assignment_submissions	Table	id	BIGINT	19		✓	null	
contentbank_content	Table	id	BIGINT	19		✓	null	
oauth2_endpoint	Table	id	BIGINT	19		✓	null	
role_names	Table	id	BIGINT	19		✓	null	
log	Table	id	BIGINT	19		✓	null	
stats_daily	Table	id	BIGINT	19		✓	null	
question_attempts	Table	id	BIGINT	19		✓	null	
workshopeval_best_settings	Table	id	BIGINT	19		✓	null	
local_id_import_logs_status	Table	id	BIGINT	19		✓	null	
course_completion_defaults	Table	id	BIGINT	19		✓	null	
folder	Table	id	BIGINT	19		✓	null	
groups	Table	id	BIGINT	19		✓	null	
grade_grades	Table	id	BIGINT	19		✓	null	
tool_customlang	Table	id	BIGINT	19		✓	null	
badge_issued	Table	id	BIGINT	19		✓	null	
stats_user_daily	Table	id	BIGINT	19		✓	null	
user_info_data	Table	id	BIGINT	19		✓	null	
message_providers	Table	id	BIGINT	19		✓	null	id of the table, please edit me
enrol_lti_lti2_resource_link	Table	id	BIGINT	19		✓	null	
enrol_lti_tool_consumer_map	Table	id	BIGINT	19		✓	null	
tool_monitor_events	Table	id	BIGINT	19		✓	null	
forum_queue	Table	id	BIGINT	19		✓	null	
question_statistics	Table	id	BIGINT	19		✓	null	
h5p	Table	id	BIGINT	19		✓	null	
local_activityvisibility_que	Table	id	BIGINT	19		✓	null	
question_categories	Table	id	BIGINT	19		✓	null	
assignment	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
tool_usertours_steps	Table	id	BIGINT	19		✓	null	
assign_plugin_config	Table	id	BIGINT	19		✓	null	
feedback_completedtmp	Table	id	BIGINT	19		✓	null	
forum_posts	Table	id	BIGINT	19		✓	null	
mnet_service_enrol_enrolments	Table	id	BIGINT	19		✓	null	Unique enrollment ID
blog_external	Table	id	BIGINT	19		✓	null	
course_modules_completion	Table	id	BIGINT	19		✓	null	
block_zoola_reports_schedule	Table	id	BIGINT	19		✓	null	
workshopform_numerrors_map	Table	id	BIGINT	19		✓	null	
qtype_match_subquestions	Table	id	BIGINT	19		✓	null	
lti_tool_proxies	Table	id	BIGINT	19		✓	null	
tag	Table	id	BIGINT	19		✓	null	
repository	Table	id	BIGINT	19		✓	null	
mnet_host	Table	id	BIGINT	19		✓	null	Unique Host ID
portfolio_mahara_queue	Table	id	BIGINT	19		✓	null	
glossary_categories	Table	id	BIGINT	19		✓	null	
stats_user_weekly	Table	id	BIGINT	19		✓	null	
badge_manual_award	Table	id	BIGINT	19		✓	null	
scorm_scoes	Table	id	BIGINT	19		✓	null	
question_attempt_step_data	Table	id	BIGINT	19		✓	null	
repository_instance_config	Table	id	BIGINT	19		✓	null	
competency	Table	id	BIGINT	19		✓	null	
grading_areas	Table	id	BIGINT	19		✓	null	
question_ddwtos	Table	id	BIGINT	19		✓	null	
scale	Table	id	BIGINT	19		✓	null	
assignfeedback_editpdf_cmnt	Table	id	BIGINT	19		✓	null	
lesson	Table	id	BIGINT	19		✓	null	
role_allow_assign	Table	id	BIGINT	19		✓	null	
cache_flags	Table	id	BIGINT	19		✓	null	
user_info_category	Table	id	BIGINT	19		✓	null	
scorm_aicc_session	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
message_contacts	Table	id	BIGINT	19		✓	null	
feedback_value	Table	id	BIGINT	19		✓	null	
gradingform_rubric_fillings	Table	id	BIGINT	19		✓	null	
block_recentlyaccesseditems	Table	id	BIGINT	19		✓	null	
external_tokens	Table	id	BIGINT	19		✓	null	
block_instances	Table	id	BIGINT	19		✓	null	
workshopform_accumulative	Table	id	BIGINT	19		✓	null	
quizaccess_seb_quizsettings	Table	id	BIGINT	19		✓	null	
badge_endorsement	Table	id	BIGINT	19		✓	null	
survey_questions	Table	id	BIGINT	19		✓	null	
backup_logs	Table	id	BIGINT	19		✓	null	
block_zoola_reports	Table	id	BIGINT	19		✓	null	
forum_discussions	Table	id	BIGINT	19		✓	null	
assignsubmission_onlinetext	Table	id	BIGINT	19		✓	null	
message_user_actions	Table	id	BIGINT	19		✓	null	
assignfeedback_editpdf_annot	Table	id	BIGINT	19		✓	null	
scorm_scoes_data	Table	id	BIGINT	19		✓	null	
survey_answers	Table	id	BIGINT	19		✓	null	
config_log	Table	id	BIGINT	19		✓	null	
enrol_lti_tools	Table	id	BIGINT	19		✓	null	
data_records	Table	id	BIGINT	19		✓	null	
mnet_sso_access_control	Table	id	BIGINT	19		✓	null	Required ID field
sessions	Table	id	BIGINT	19		✓	null	
qtype_ddimageortext_drops	Table	id	BIGINT	19		✓	null	
tag_coll	Table	id	BIGINT	19		✓	null	
quiz_attempts	Table	id	BIGINT	19		✓	null	Standard Moodle primary key.
block_zoola_module_name	Table	id	BIGINT	19		✓	null	
question_numerical_options	Table	id	BIGINT	19		✓	null	
groupings	Table	id	BIGINT	19		✓	null	
user	Table	id	BIGINT	19		✓	null	
scorm_seq_rolluprulecond	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
questionnaire_resp_single	Table	id	BIGINT	19		✓	null	
assignfeedback_comments	Table	id	BIGINT	19		✓	null	
chat_messages	Table	id	BIGINT	19		✓	null	
qtype_randomsamatch_options	Table	id	BIGINT	19		✓	null	
scorm_scoes_track	Table	id	BIGINT	19		✓	null	
tool_dataprivacy_purpose	Table	id	BIGINT	19		✓	null	
badge_backpack_oauth2	Table	id	BIGINT	19		✓	null	
competency_modulecomp	Table	id	BIGINT	19		✓	null	
quiz_slots	Table	id	BIGINT	19		✓	null	
block	Table	id	BIGINT	19		✓	null	
message_airnotifier_devices	Table	id	BIGINT	19		✓	null	
message_popup	Table	id	BIGINT	19		✓	null	
portfolio_instance_config	Table	id	BIGINT	19		✓	null	
workshop_submissions	Table	id	BIGINT	19		✓	null	
questionnaire_response_rank	Table	id	BIGINT	19		✓	null	
grade_import_values	Table	id	BIGINT	19		✓	null	
feedback	Table	id	BIGINT	19		✓	null	
scale_history	Table	id	BIGINT	19		✓	null	
workshopform_rubric_levels	Table	id	BIGINT	19		✓	null	
rating	Table	id	BIGINT	19		✓	null	
oauth2_user_field_mapping	Table	id	BIGINT	19		✓	null	
block_zoola_notifications	Table	id	BIGINT	19		✓	null	
stats_user_monthly	Table	id	BIGINT	19		✓	null	
search_index_requests	Table	id	BIGINT	19		✓	null	
local_id_lastactivity	Table	id	BIGINT	19		✓	null	
mnet_rpc	Table	id	BIGINT	19		✓	null	Unique Function ID
message_users_blocked	Table	id	BIGINT	19		✓	null	
question_gapselect	Table	id	BIGINT	19		✓	null	
tool_monitor_history	Table	id	BIGINT	19		✓	null	
glossary_formats	Table	id	BIGINT	19		✓	null	
question_response_analysis	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
workshopform_comments	Table	id	BIGINT	19		✓	null	
gradingform_rubric_levels	Table	id	BIGINT	19		✓	null	
wiki_versions	Table	id	BIGINT	19		✓	null	
grade_items_history	Table	id	BIGINT	19		✓	null	
portfolio_instance	Table	id	BIGINT	19		✓	null	
forum_read	Table	id	BIGINT	19		✓	null	
quiz_statistics	Table	id	BIGINT	19		✓	null	
block_zoola_schedule_rcp	Table	id	BIGINT	19		✓	null	
glossary_entries	Table	id	BIGINT	19		✓	null	
message_conversation_members	Table	id	BIGINT	19		✓	null	
tool_recyclebin_category	Table	id	BIGINT	19		✓	null	
page	Table	id	BIGINT	19		✓	null	
grade_outcomes_history	Table	id	BIGINT	19		✓	null	
choice_options	Table	id	BIGINT	19		✓	null	
wiki	Table	id	BIGINT	19		✓	null	
grade_import_newitem	Table	id	BIGINT	19		✓	null	
mnet_remote_service2rpc	Table	id	BIGINT	19		✓	null	Required ID field
oauth2_access_token	Table	id	BIGINT	19		✓	null	
event_subscriptions	Table	id	BIGINT	19		✓	null	
assign_submission	Table	id	BIGINT	19		✓	null	
book_chapters	Table	id	BIGINT	19		✓	null	
feedback_valuetmp	Table	id	BIGINT	19		✓	null	
groupings_groups	Table	id	BIGINT	19		✓	null	
tool_recyclebin_course	Table	id	BIGINT	19		✓	null	
question_multianswer	Table	id	BIGINT	19		✓	null	
gradingform_rubric_criteria	Table	id	BIGINT	19		✓	null	
mnet_remote_rpc	Table	id	BIGINT	19		✓	null	
competency_framework	Table	id	BIGINT	19		✓	null	
assign_grades	Table	id	BIGINT	19		✓	null	
analytics_prediction_actions	Table	id	BIGINT	19		✓	null	
favourite	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
enrol_lti_users	Table	id	BIGINT	19		✓	null	
data	Table	id	BIGINT	19		✓	null	
questionnaire_response	Table	id	BIGINT	19		✓	null	
survey	Table	id	BIGINT	19		✓	null	
role	Table	id	BIGINT	19		✓	null	
editor_atto_autosave	Table	id	BIGINT	19		✓	null	
questionnaire_feedback	Table	id	BIGINT	19		✓	null	
grade_settings	Table	id	BIGINT	19		✓	null	
competency_plan	Table	id	BIGINT	19		✓	null	
assignment_upgrade	Table	id	BIGINT	19		✓	null	
course_completions	Table	id	BIGINT	19		✓	null	
competency_templatecomp	Table	id	BIGINT	19		✓	null	
questionnaire_response_other	Table	id	BIGINT	19		✓	null	
chat_users	Table	id	BIGINT	19		✓	null	
role_context_levels	Table	id	BIGINT	19		✓	null	
assignsubmission_file	Table	id	BIGINT	19		✓	null	
stats_monthly	Table	id	BIGINT	19		✓	null	
task_log	Table	id	BIGINT	19		✓	null	
question_dataset_definitions	Table	id	BIGINT	19		✓	null	
badge	Table	id	BIGINT	19		✓	null	
course_modules	Table	id	BIGINT	19		✓	null	
qtype_match_options	Table	id	BIGINT	19		✓	null	
badge_alignment	Table	id	BIGINT	19		✓	null	
question_numerical_units	Table	id	BIGINT	19		✓	null	
qtype_ddmarker_drops	Table	id	BIGINT	19		✓	null	
question_usages	Table	id	BIGINT	19		✓	null	
course_completion_criteria	Table	id	BIGINT	19		✓	null	
workshop_assessments	Table	id	BIGINT	19		✓	null	
tool_dataprivacy_ctxexpired	Table	id	BIGINT	19		✓	null	
cohort_members	Table	id	BIGINT	19		✓	null	
external_services_functions	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
event	Table	id	BIGINT	19		✓	null	
user_password_resets	Table	id	BIGINT	19		✓	null	
questionnaire_survey	Table	id	BIGINT	19		✓	null	
tool_policy_versions	Table	id	BIGINT	19		✓	null	
user_info_field	Table	id	BIGINT	19		✓	null	
scorm_seq_rulecond	Table	id	BIGINT	19		✓	null	
assignfeedback_editpdf_rot	Table	id	BIGINT	19		✓	null	
course_completion_aggr_methd	Table	id	BIGINT	19		✓	null	
grading_definitions	Table	id	BIGINT	19		✓	null	
forum_track_prefs	Table	id	BIGINT	19		✓	null	
tool_dataprivacy_ctxinstance	Table	id	BIGINT	19		✓	null	
messageinbound_handlers	Table	id	BIGINT	19		✓	null	
events_queue	Table	id	BIGINT	19		✓	null	
auth_oauth2_linked_login	Table	id	BIGINT	19		✓	null	
forum_digests	Table	id	BIGINT	19		✓	null	
course	Table	id	BIGINT	19		✓	null	
resource_old	Table	id	BIGINT	19		✓	null	
tag_instance	Table	id	BIGINT	19		✓	null	
analytics_predictions	Table	id	BIGINT	19		✓	null	
mnet_host2service	Table	id	BIGINT	19		✓	null	
task_adhoc	Table	id	BIGINT	19		✓	null	
quiz_overview_regrades	Table	id	BIGINT	19		✓	null	
lti_access_tokens	Table	id	BIGINT	19		✓	null	
mnet_application	Table	id	BIGINT	19		✓	null	
backup_courses	Table	id	BIGINT	19		✓	null	
lesson_grades	Table	id	BIGINT	19		✓	null	
qtype_ddmarker	Table	id	BIGINT	19		✓	null	
quiz_slot_tags	Table	id	BIGINT	19		✓	null	
message_conversations	Table	id	BIGINT	19		✓	null	
filter_active	Table	id	BIGINT	19		✓	null	
lti_submission	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
course_format_options	Table	id	BIGINT	19		✓	null	
feedback_sitecourse_map	Table	id	BIGINT	19		✓	null	
local_id_module_day	Table	id	BIGINT	19		✓	null	
qtype_essay_options	Table	id	BIGINT	19		✓	null	
block_recent_activity	Table	id	BIGINT	19		✓	null	
qtype_ddimageortext_drag	Table	id	BIGINT	19		✓	null	
feedback_completed	Table	id	BIGINT	19		✓	null	
gradingform_guide_comments	Table	id	BIGINT	19		✓	null	
h5p_contents_libraries	Table	id	BIGINT	19		✓	null	
tool_dataprivacy_category	Table	id	BIGINT	19		✓	null	
course_sections	Table	id	BIGINT	19		✓	null	
role_allow_view	Table	id	BIGINT	19		✓	null	
forum	Table	id	BIGINT	19		✓	null	
course_completion_crit_compl	Table	id	BIGINT	19		✓	null	
question_answers	Table	id	BIGINT	19		✓	null	
message_popup_notifications	Table	id	BIGINT	19		✓	null	
wiki_synonyms	Table	id	BIGINT	19		✓	null	
messages	Table	id	BIGINT	19		✓	null	
competency_usercompplan	Table	id	BIGINT	19		✓	null	
workshopform_numerrors	Table	id	BIGINT	19		✓	null	
file_conversion	Table	id	BIGINT	19		✓	null	
stats_weekly	Table	id	BIGINT	19		✓	null	
lti_types_config	Table	id	BIGINT	19		✓	null	
competency_userevidencecomp	Table	id	BIGINT	19		✓	null	
tool_monitor_subscriptions	Table	id	BIGINT	19		✓	null	
customfield_data	Table	id	BIGINT	19		✓	null	
h5pactivity_attempts	Table	id	BIGINT	19		✓	null	
wiki_pages	Table	id	BIGINT	19		✓	null	
resource	Table	id	BIGINT	19		✓	null	
competency_coursecomp	Table	id	BIGINT	19		✓	null	
questionnaire_response_text	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
assignfeedback_file	Table	id	BIGINT	19		✓	null	
message_conversation_actions	Table	id	BIGINT	19		✓	null	
h5pactivity_attempts_results	Table	id	BIGINT	19		✓	null	
task_scheduled	Table	id	BIGINT	19		✓	null	
log_display	Table	id	BIGINT	19		✓	null	
local_id_module	Table	id	BIGINT	19		✓	null	
analytics_predict_samples	Table	id	BIGINT	19		✓	null	
badge_criteria	Table	id	BIGINT	19		✓	null	
glossary_entries_categories	Table	id	BIGINT	19		✓	null	
role_allow_switch	Table	id	BIGINT	19		✓	null	
customfield_field	Table	id	BIGINT	19		✓	null	
backup_controllers	Table	id	BIGINT	19		✓	null	
competency_coursecompsetting	Table	id	BIGINT	19		✓	null	
glossary_alias	Table	id	BIGINT	19		✓	null	
h5p_libraries	Table	id	BIGINT	19		✓	null	Primary Key: The id of the library
badge_external_identifier	Table	id	BIGINT	19		✓	null	
analytics_train_samples	Table	id	BIGINT	19		✓	null	
grade_items	Table	id	BIGINT	19		✓	null	
groups_members	Table	id	BIGINT	19		✓	null	
enrol_lti_lti2_consumer	Table	id	BIGINT	19		✓	null	
upgrade_log	Table	id	BIGINT	19		✓	null	
block_zoola_reports_schreps	Table	id	BIGINT	19		✓	null	
questionnaire_resp_multiple	Table	id	BIGINT	19		✓	null	
portfolio_instance_user	Table	id	BIGINT	19		✓	null	
assign_overrides	Table	id	BIGINT	19		✓	null	
choice	Table	id	BIGINT	19		✓	null	
survey_analysis	Table	id	BIGINT	19		✓	null	
workshop_grades	Table	id	BIGINT	19		✓	null	
enrol_lti_lti2_share_key	Table	id	BIGINT	19		✓	null	
notifications	Table	id	BIGINT	19		✓	null	
quizaccess_seb_template	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
assign	Table	id	BIGINT	19		✓	null	
data_fields	Table	id	BIGINT	19		✓	null	
analytics_models	Table	id	BIGINT	19		✓	null	
repository_onedrive_access	Table	id	BIGINT	19		✓	null	
imscp	Table	id	BIGINT	19		✓	null	
local_id_course_day	Table	id	BIGINT	19		✓	null	
badge_external	Table	id	BIGINT	19		✓	null	
questionnaire_dependency	Table	id	BIGINT	19		✓	null	
events_handlers	Table	id	BIGINT	19		✓	null	
oauth2_system_account	Table	id	BIGINT	19		✓	null	
grade_grades_history	Table	id	BIGINT	19		✓	null	
competency_plancomp	Table	id	BIGINT	19		✓	null	
qtype_ddmarker_drags	Table	id	BIGINT	19		✓	null	
message_processors	Table	id	BIGINT	19		✓	null	
questionnaire_question_type	Table	id	BIGINT	19		✓	null	
log_queries	Table	id	BIGINT	19		✓	null	
qtype_multichoice_options	Table	id	BIGINT	19		✓	null	
tool_cohortroles	Table	id	BIGINT	19		✓	null	
wiki_subwikis	Table	id	BIGINT	19		✓	null	
message	Table	id	BIGINT	19		✓	null	
messageinbound_datakeys	Table	id	BIGINT	19		✓	null	
ltiservice_gradebookservices	Table	id	BIGINT	19		✓	null	
tool_monitor_rules	Table	id	BIGINT	19		✓	null	
competency_template	Table	id	BIGINT	19		✓	null	
question	Table	id	BIGINT	19		✓	null	
customfield_category	Table	id	BIGINT	19		✓	null	
cohort	Table	id	BIGINT	19		✓	null	
block_zoola_reports_eventcfg	Table	id	BIGINT	19		✓	null	
assignfeedback_editpdf_queue	Table	id	BIGINT	19		✓	null	
lesson_timer	Table	id	BIGINT	19		✓	null	
tag_area	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
logstore_standard_log	Table	id	BIGINT	19		✓	null	
license	Table	id	BIGINT	19		✓	null	
badge_criteria_met	Table	id	BIGINT	19		✓	null	
user_preferences	Table	id	BIGINT	19		✓	null	
role_capabilities	Table	id	BIGINT	19		✓	null	
question_hints	Table	id	BIGINT	19		✓	null	
question_dataset_items	Table	id	BIGINT	19		✓	null	
user_private_key	Table	id	BIGINT	19		✓	null	
files	Table	id	BIGINT	19		✓	null	
scorm	Table	id	BIGINT	19		✓	null	
assignfeedback_editpdf_quick	Table	id	BIGINT	19		✓	null	
scorm_seq_rolluprule	Table	id	BIGINT	19		✓	null	
enrol_paypal	Table	id	BIGINT	19		✓	null	
enrol_lti_lti2_user_result	Table	id	BIGINT	19		✓	null	
lesson_answers	Table	id	BIGINT	19		✓	null	
context	Table	id	BIGINT	19		✓	null	
enrol_flatfile	Table	id	BIGINT	19		✓	null	
registration_hubs	Table	id	BIGINT	19		✓	null	
tool_customlang_components	Table	id	BIGINT	19		✓	null	
analytics_indicator_calc	Table	id	BIGINT	19		✓	null	
competency_usercompcourse	Table	id	BIGINT	19		✓	null	
forum_grades	Table	id	BIGINT	19		✓	null	
events_queue_handlers	Table	id	BIGINT	19		✓	null	
config	Table	id	BIGINT	19		✓	null	
course_published	Table	id	BIGINT	19		✓	null	
question_truefalse	Table	id	BIGINT	19		✓	null	
quiz_sections	Table	id	BIGINT	19		✓	null	
gradingform_guide_criteria	Table	id	BIGINT	19		✓	null	
lock_db	Table	id	BIGINT	19		✓	null	
badge_backpack	Table	id	BIGINT	19		✓	null	
chat	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
tool_policy_acceptances	Table	id	BIGINT	19		✓	null	
h5p_library_dependencies	Table	id	BIGINT	19		✓	null	
scorm_seq_objective	Table	id	BIGINT	19		✓	null	
role_allow_override	Table	id	BIGINT	19		✓	null	
badge_external_backpack	Table	id	BIGINT	19		✓	null	
chat_messages_current	Table	id	BIGINT	19		✓	null	
grade_letters	Table	id	BIGINT	19		✓	null	
h5p_libraries_cachedassets	Table	id	BIGINT	19		✓	null	
post	Table	id	BIGINT	19		✓	null	
mnet_service2rpc	Table	id	BIGINT	19		✓	null	Required ID field
tool_dataprivacy_ctxlevel	Table	id	BIGINT	19		✓	null	
message_contact_requests	Table	id	BIGINT	19		✓	null	
user_password_history	Table	id	BIGINT	19		✓	null	
local_id_course	Table	id	BIGINT	19		✓	null	
scorm_seq_mapinfo	Table	id	BIGINT	19		✓	null	
profiling	Table	id	BIGINT	19		✓	null	
label	Table	id	BIGINT	19		✓	null	
user_enrolments	Table	id	BIGINT	19		✓	null	
badge_criteria_param	Table	id	BIGINT	19		✓	null	
lti_types	Table	id	BIGINT	19		✓	null	
capabilities	Table	id	BIGINT	19		✓	null	
lti_tool_settings	Table	id	BIGINT	19		✓	null	
competency_templatecohort	Table	id	BIGINT	19		✓	null	
cache_filters	Table	id	BIGINT	19		✓	null	
external_services_users	Table	id	BIGINT	19		✓	null	
filter_config	Table	id	BIGINT	19		✓	null	
assign_user_flags	Table	id	BIGINT	19		✓	null	
lesson_pages	Table	id	BIGINT	19		✓	null	
search_simplifiedb_index	Table	id	BIGINT	19		✓	null	
mnet_service	Table	id	BIGINT	19		✓	null	Unique Service ID
quiz_feedback	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
questionnaire_quest_choice	Table	id	BIGINT	19		✓	null	
badge_related	Table	id	BIGINT	19		✓	null	
grade_outcomes	Table	id	BIGINT	19		✓	null	id of the table
block_positions	Table	id	BIGINT	19		✓	null	
lesson_overrides	Table	id	BIGINT	19		✓	null	
tag_correlation	Table	id	BIGINT	19		✓	null	
portfolio_tempdata	Table	id	BIGINT	19		✓	null	
comments	Table	id	BIGINT	19		✓	null	
competency_evidence	Table	id	BIGINT	19		✓	null	
questionnaire	Table	id	BIGINT	19		✓	null	
blog_association	Table	id	BIGINT	19		✓	null	
feedback_template	Table	id	BIGINT	19		✓	null	
question_calculated_options	Table	id	BIGINT	19		✓	null	
grade_categories_history	Table	id	BIGINT	19		✓	null	
wiki_locks	Table	id	BIGINT	19		✓	null	
analytics_used_analysables	Table	id	BIGINT	19		✓	null	
questionnaire_fb_sections	Table	id	BIGINT	19		✓	null	
course_request	Table	id	BIGINT	19		✓	null	
block_zoola_reports_cohort	Table	id	BIGINT	19		✓	null	
forum_subscriptions	Table	id	BIGINT	19		✓	null	
external_functions	Table	id	BIGINT	19		✓	null	
questionnaire_response_date	Table	id	BIGINT	19		✓	null	
grading_instances	Table	id	BIGINT	19		✓	null	
glossary	Table	id	BIGINT	19		✓	null	
lti	Table	id	BIGINT	19		✓	null	
my_pages	Table	id	BIGINT	19		✓	null	
modules	Table	id	BIGINT	19		✓	null	
assign_user_mapping	Table	id	BIGINT	19		✓	null	
quiz_reports	Table	id	BIGINT	19		✓	null	
lesson_attempts	Table	id	BIGINT	19		✓	null	
questionnaire_response_bool	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
competency_relatedcomp	Table	id	BIGINT	19		✓	null	
workshop	Table	id	BIGINT	19		✓	null	
config_plugins	Table	id	BIGINT	19		✓	null	
oauth2_issuer	Table	id	BIGINT	19		✓	null	
scorm_seq_ruleconds	Table	id	BIGINT	19		✓	null	
local_activityvisibility	Table	id	BIGINT	19		✓	null	
qtype_ddimageortext	Table	id	BIGINT	19		✓	null	
h5pactivity	Table	id	BIGINT	19		✓	null	
mnetSERVICE_enrol_courses	Table	id	BIGINT	19		✓	null	Unique remote-course ID
analytics_used_files	Table	id	BIGINT	19		✓	null	
enrol_lti_lti2_context	Table	id	BIGINT	19		✓	null	
block_zoola_reports_user	Table	id	BIGINT	19		✓	null	
enrol_lti_lti2_tool_proxy	Table	id	BIGINT	19		✓	null	
url	Table	id	BIGINT	19		✓	null	
question_numerical	Table	id	BIGINT	19		✓	null	
workshopform_rubric_config	Table	id	BIGINT	19		✓	null	
user_lastaccess	Table	id	BIGINT	19		✓	null	
competency_userevidence	Table	id	BIGINT	19		✓	null	
mnet_log	Table	id	BIGINT	19		✓	null	
quiz	Table	id	BIGINT	19		✓	null	Standard Moodle primary key.
forum_discussion_subs	Table	id	BIGINT	19		✓	null	
qtype_shortanswer_options	Table	id	BIGINT	19		✓	null	
mnet_session	Table	id	BIGINT	19		✓	null	Required ID field
external_services	Table	id	BIGINT	19		✓	null	
question_calculated	Table	id	BIGINT	19		✓	null	
feedback_item	Table	id	BIGINT	19		✓	null	
message_read	Table	id	BIGINT	19		✓	null	
wiki_links	Table	id	BIGINT	19		✓	null	
messageinbound_messagelist	Table	id	BIGINT	19		✓	null	
competency_usercomp	Table	id	BIGINT	19		✓	null	
message_email_messages	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
workshopallocation_scheduled	Table	id	BIGINT	19		✓	null	
enrol_lti_lti2_nonce	Table	id	BIGINT	19		✓	null	
grade_outcomes_courses	Table	id	BIGINT	19		✓	null	
tool_dataprivacy_request	Table	id	BIGINT	19		✓	null	
question_attempt_steps	Table	id	BIGINT	19		✓	null	
portfolio_log	Table	id	BIGINT	19		✓	null	
data_content	Table	id	BIGINT	19		✓	null	
questionnaire_question	Table	id	BIGINT	19		✓	null	
book	Table	id	BIGINT	19		✓	null	
quiz_overrides	Table	id	BIGINT	19		✓	null	
repository_instances	Table	id	BIGINT	19		✓	null	
question_response_count	Table	id	BIGINT	19		✓	null	
course_categories	Table	id	BIGINT	19		✓	null	
block_rss_client	Table	id	BIGINT	19		✓	null	
workshopform_rubric	Table	id	BIGINT	19		✓	null	
enrol	Table	id	BIGINT	19		✓	null	
scorm_scoes	Table	identifier	VARCHAR	255				
mnetservice_enrol_courses	Table	idnumber	VARCHAR	100				
competency_framework	Table	idnumber	VARCHAR	100	✓		null	Unique idnumber for this competency framework.
cohort	Table	idnumber	VARCHAR	100	✓		null	Unique identifier of a cohort, useful especially for mapping to external entities
course	Table	idnumber	VARCHAR	100				
user	Table	idnumber	VARCHAR	255				
question	Table	idnumber	VARCHAR	100	✓		null	
grade_items	Table	idnumber	VARCHAR	255	✓		null	Arbitrary idnumber provided by the module responsible
competency	Table	idnumber	VARCHAR	100	✓		null	
groups	Table	idnumber	VARCHAR	100				
groupings	Table	idnumber	VARCHAR	100				
question_categories	Table	idnumber	VARCHAR	100	✓		null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
course_modules	Table	idnumber	VARCHAR	100	✓		null	customizable idnumber
course_categories	Table	idnumber	VARCHAR	100	✓		null	
grade_items_history	Table	idnumber	VARCHAR	255	✓		null	Arbitrary idnumber provided by the module responsible
oauth2_issuer	Table	image	LONGTEXT	2147483647			null	
user	Table	imagealt	VARCHAR	255	✓		null	alt tag for user uploaded image
badge	Table	imageauthoremail	VARCHAR	255	✓		null	
badge	Table	imageauthorname	VARCHAR	255	✓		null	
badge	Table	imageauthorurl	VARCHAR	255	✓		null	
badge	Table	imagecaption	LONGTEXT	2147483647	✓		null	
grade_import_newitem	Table	importcode	BIGINT	19			null	import batch code for identification
grade_import_values	Table	importcode	BIGINT	19			null	similar to backup_code, a unique b code for identifying one batch of imports
grade_import_values	Table	importer	BIGINT	19	✓		null	
grade_import_newitem	Table	importer	BIGINT	19			null	user importing the data
grade_import_values	Table	importonlyfeedback	BIT	1	✓		0	
book_chapters	Table	importsrc	VARCHAR	255				
tool_monitor_subscriptions	Table	inactivedate	BIGINT	19			0	
choice	Table	includeinactive	TINYINT	3			1	
quiz_slots	Table	includingsubcategories	SMALLINT	5	✓		null	Whether the random question can picked from sub categories or not. be null if questioncategoryid is nul
qtype_multichoice_options	Table	incorrectfeedback	LONGTEXT	2147483647			null	Feedback shown for any incorrect response.
question_gapselect	Table	incorrectfeedback	LONGTEXT	2147483647			null	Feedback shown for any incorrect response.
question_calculated_options	Table	incorrectfeedback	LONGTEXT	2147483647	✓		null	Feedback shown for any incorrect response.
qtype_ddmarker	Table	incorrectfeedback	LONGTEXT	2147483647			null	Feedback shown for any incorrect response.
qtype_match_options	Table	incorrectfeedback	LONGTEXT	2147483647			null	Feedback shown for any incorrect response.
qtype_randomsamatch_options	Table	incorrectfeedback	LONGTEXT	2147483647			null	Feedback shown for any incorrect

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
qtype_ddimageortext	Table	incorrectfeedback	LONGTEXT	2147483647			null	response. Feedback shown for any incorrect response.
question_ddwtos	Table	incorrectfeedback	LONGTEXT	2147483647			null	Feedback shown for any incorrect response.
question_ddwtos	Table	incorrectfeedbackformat	TINYINT	3			0	
qtype_multichoice_options	Table	incorrectfeedbackformat	TINYINT	3			0	
qtype_randomsamatch_options	Table	incorrectfeedbackformat	TINYINT	3			0	
question_calculated_options	Table	incorrectfeedbackformat	TINYINT	3			0	
qtype_match_options	Table	incorrectfeedbackformat	TINYINT	3			0	
question_gapselect	Table	incorrectfeedbackformat	TINYINT	3			0	
qtype_ddimageortext	Table	incorrectfeedbackformat	TINYINT	3			0	
qtype_ddmarker	Table	incorrectfeedbackformat	TINYINT	3			0	
course_modules	Table	indent	MEDIUMINT	7			0	
search_index_requests	Table	indexpriority	BIGINT	19			null	Priority value so that important requests can be dealt with first; higher numbers are processed first
analytics_indicator_calc	Table	indicator	VARCHAR	255				
analytics_models_log	Table	indicators	LONGTEXT	2147483647			null	
analytics_models	Table	indicators	LONGTEXT	2147483647			null	
block_zoola_reports_schreps	Table	individualreports	TINYINT	3			0	if 1 reports will be filtered for individual students
qtype_ddmarker_drag	Table	infinite	SMALLINT	5			0	
qtype_ddimageortext_drag	Table	infinite	SMALLINT	5			0	
questionnaire_survey	Table	info	LONGTEXT	2147483647	✓		null	
log	Table	info	VARCHAR	255				
upgrade_log	Table	info	VARCHAR	255				
log_queries	Table	info	LONGTEXT	2147483647	✓		null	detailed info such as error text
mnet_log	Table	info	VARCHAR	255				
analytics_models_log	Table	info	LONGTEXT	2147483647	✓		null	
question_categories	Table	info	LONGTEXT	2147483647			null	
question_categories	Table	infoformat	TINYINT	3			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
grade_grades	Table	information	LONGTEXT	2147483647	✓		null	optiona information
grade_grades_history	Table	information	LONGTEXT	2147483647	✓		null	optiona information
grade_grades_history	Table	informationformat	BIGINT	19			0	format of information text
grade_grades	Table	informationformat	BIGINT	19			0	format of information text
event	Table	instance	BIGINT	19			0	
local_activityvisibility	Table	instance	BIGINT	19			0	The instance ID as defined in the course_module table.
portfolio_instance_config	Table	instance	BIGINT	19			null	instance of plugin we're configurat
course_modules	Table	instance	BIGINT	19			0	
portfolio_tempdata	Table	instance	BIGINT	19	✓		0	which portfolio plugin instance is b used
portfolio_instance_user	Table	instance	BIGINT	19			null	fk to instance table
user_private_key	Table	instance	BIGINT	19	✓		null	optional instance id
customfield_data	Table	instanceid	BIGINT	19			null	
repository_instance_config	Table	instanceid	BIGINT	19			null	
enrol_paypal	Table	instanceid	BIGINT	19			0	
gradingform_guide_fillings	Table	instanceid	BIGINT	19			null	The ID of the grading form instanc
context	Table	instanceid	BIGINT	19			0	
contentbank_content	Table	instanceid	BIGINT	19	✓		null	
gradingform_rubric_fillings	Table	instanceid	BIGINT	19			null	The ID of the grading form instanc
block_zoola_module_name	Table	instanceid	BIGINT	19			null	Instance id
enrol_lti_tools	Table	institution	VARCHAR	40				
user	Table	institution	VARCHAR	255				
workshop	Table	instructauthors	LONGTEXT	2147483647	✓		null	Instructions for the submission ph
workshop	Table	instructauthorsformat	SMALLINT	5			0	
lti	Table	instructorchoiceacceptgrades	BIT	1	✓		null	Accept grades from tool
lti	Table	instructorchoiceallowroster	BIT	1	✓		null	Allow the roster to be retrieved
lti	Table	instructorchoiceallowsetting	BIT	1	✓		null	Allow a tool to store a setting
lti	Table	instructorchoicesendemailaddr	BIT	1	✓		null	Send user's email
lti	Table	instructorchoicesendname	BIT	1	✓		null	Send user's name
lti	Table	instructorcustomparameters	VARCHAR	255	✓		null	Additional custom parameters pro by the instructor

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
workshop	Table	instructreviewers	LONGTEXT	2147483647	✓		null	Instructions for the assessment phase
workshop	Table	instructreviewersformat	SMALLINT	5			0	
h5pactivity_attempts_results	Table	interactiontype	VARCHAR	128	✓		null	
backup_controllers	Table	interactive	SMALLINT	5			null	is the backup interactive (1=yes/0=no)
events_handlers	Table	internal	TINYINT	3			1	1 means standard plugin handler, 0 means custom handler. Indicates if event handler sends data to external systems, this is used for example to prevent immediate sending of events from pending db transactions.
oauth2_user_field_mapping	Table	internalfield	VARCHAR	64				The name of the Moodle field this field maps to.
badge_external_identifier	Table	internalid	VARCHAR	128				
lesson	Table	intro	LONGTEXT	2147483647	✓		null	
glossary	Table	intro	LONGTEXT	2147483647			null	
lti	Table	intro	LONGTEXT	2147483647	✓		null	General introduction of the basiclti activity
questionnaire	Table	intro	LONGTEXT	2147483647			null	Description text.
survey_questions	Table	intro	VARCHAR	50				
assign	Table	intro	LONGTEXT	2147483647			null	The description of the assignment field is used by feature MOD_INTRO
assignment	Table	intro	LONGTEXT	2147483647			null	
page	Table	intro	LONGTEXT	2147483647	✓		null	
quiz	Table	intro	LONGTEXT	2147483647			null	Quiz introduction text.
feedback	Table	intro	LONGTEXT	2147483647			null	
imscp	Table	intro	LONGTEXT	2147483647	✓		null	
label	Table	intro	LONGTEXT	2147483647			null	
folder	Table	intro	LONGTEXT	2147483647	✓		null	
wiki	Table	intro	LONGTEXT	2147483647	✓		null	General introduction of the wiki activity
forum	Table	intro	LONGTEXT	2147483647			null	
resource	Table	intro	LONGTEXT	2147483647	✓		null	
chat	Table	intro	LONGTEXT	2147483647			null	
scorm	Table	intro	LONGTEXT	2147483647			null	
resource_old	Table	intro	LONGTEXT	2147483647	✓		null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
h5pactivity	Table	intro	LONGTEXT	2147483647	✓		null	Activity description.
url	Table	intro	LONGTEXT	2147483647	✓		null	
choice	Table	intro	LONGTEXT	2147483647			null	
data	Table	intro	LONGTEXT	2147483647			null	
workshop	Table	intro	LONGTEXT	2147483647	✓		null	The introduction or description of the activity
book	Table	intro	LONGTEXT	2147483647	✓		null	
survey	Table	intro	LONGTEXT	2147483647			null	
quiz	Table	introformat	SMALLINT	5			0	Quiz intro text format.
scorm	Table	introformat	SMALLINT	5			0	
label	Table	introformat	SMALLINT	5	✓		0	
folder	Table	introformat	SMALLINT	5			0	
wiki	Table	introformat	SMALLINT	5			0	Format of the intro field (MOODLE, HTML, MARKDOWN...)
url	Table	introformat	SMALLINT	5			0	
feedback	Table	introformat	SMALLINT	5			0	
h5pactivity	Table	introformat	SMALLINT	5			0	The format of the intro field.
questionnaire	Table	introformat	SMALLINT	5			0	text format of intro field
forum	Table	introformat	SMALLINT	5			0	text format of intro field
assignment	Table	introformat	SMALLINT	5			0	
resource	Table	introformat	SMALLINT	5			0	
glossary	Table	introformat	SMALLINT	5			0	
lesson	Table	introformat	SMALLINT	5			0	
book	Table	introformat	SMALLINT	5			0	
choice	Table	introformat	SMALLINT	5			0	
lti	Table	introformat	SMALLINT	5	✓		0	Format of the intro field (MOODLE, HTML, MARKDOWN...)
assign	Table	introformat	SMALLINT	5			0	The format of the description field of the assignment. This field is used for the feature MOD_INTRO.
chat	Table	introformat	SMALLINT	5			0	text format of intro field
survey	Table	introformat	SMALLINT	5			0	intro text field format

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
page	Table	introformat	SMALLINT	5			0	
imscp	Table	introformat	SMALLINT	5			0	
data	Table	introformat	SMALLINT	5			0	
workshop	Table	introformat	SMALLINT	5			0	The format of the intro field
resource_old	Table	introformat	SMALLINT	5			0	
customfield_data	Table	intvalue	BIGINT	19	√		null	
chat_users	Table	ip	VARCHAR	45				
logstore_standard_log	Table	ip	VARCHAR	45	√		null	IP address
log	Table	ip	VARCHAR	45				
mnet_log	Table	ip	VARCHAR	45				
mnet_host	Table	ip_address	VARCHAR	45				
user_private_key	Table	iprestriction	VARCHAR	255	√		null	ip restriction
external_tokens	Table	iprestriction	VARCHAR	255	√		null	ip restriction
external_services_users	Table	iprestriction	VARCHAR	255	√		null	ip restriction
tag_coll	Table	isdefault	TINYINT	3			0	
feedback_template	Table	ispublic	BIT	1			0	
message_popup	Table	isread	BIT	1			0	
assignfeedback_editpdf_rot	Table	isrotated	BIT	1			0	Whether the page is rotated or not
tag	Table	isstandard	BIT	1			0	Whether this tag is standard
badge_criteria_met	Table	issuedid	BIGINT	19	√		null	
badge	Table	issuercontact	VARCHAR	255	√		null	
badge_endorsement	Table	issueremail	VARCHAR	255				
oauth2_endpoint	Table	issuerid	BIGINT	19			null	The identity provider this service belongs to.
badge_backpack_oauth2	Table	issuerid	BIGINT	19			null	
badge_manual_award	Table	issuerid	BIGINT	19			null	
oauth2_access_token	Table	issuerid	BIGINT	19			null	Corresponding oauth2 issuer
oauth2_system_account	Table	issuerid	BIGINT	19			null	The id of the oauth 2 identity issuer
oauth2_user_field_mapping	Table	issuerid	BIGINT	19			null	The oauth issuer.
auth_oauth2_linked_login	Table	issuerid	BIGINT	19			null	
badge_endorsement	Table	issuename	VARCHAR	255				

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
badge	Table	issuename	VARCHAR	255				
badge_issued	Table	issuernotified	BIGINT	19	√		null	
badge_manual_award	Table	issuerrrole	BIGINT	19			null	
badge_endorsement	Table	issuerurl	VARCHAR	255				
badge	Table	issuerurl	VARCHAR	255				
chat_messages	Table	issystem	BIT	1			0	
chat_messages_current	Table	issystem	BIT	1			0	
feedback_value	Table	item	BIGINT	19			0	
feedback_valuetmp	Table	item	BIGINT	19			0	
enrol_paypal	Table	item_name	VARCHAR	255				
question_dataset_definitions	Table	itemcount	BIGINT	19			0	
repository_onedrive_access	Table	itemid	VARCHAR	255				The item id in OneDrive.
grade_grades	Table	itemid	BIGINT	19			null	The item this grade belongs to
grading_instances	Table	itemid	BIGINT	19	√		null	This identifies the graded item with the grabable area
customfield_category	Table	itemid	BIGINT	19			0	
favourite	Table	itemid	BIGINT	19			null	The identifier of the item which is k favourited.
comments	Table	itemid	BIGINT	19			null	
tag_instance	Table	itemid	BIGINT	19			null	
rating	Table	itemid	BIGINT	19			null	
backup_controllers	Table	itemid	BIGINT	19			null	id of the module/section/activity b backup
grade_import_values	Table	itemid	BIGINT	19	√		null	if set, this points to existing grade_ id
files	Table	itemid	BIGINT	19			null	Optional - some plugin specific iter (eg. forum post, blog entry or assignment submission, user id fo files)
grade_grades_history	Table	itemid	BIGINT	19			null	The item this grade belongs to
search_simpledb_index	Table	itemid	BIGINT	19			null	
message_conversations	Table	itemid	BIGINT	19	√		null	
groups_members	Table	itemid	BIGINT	19			0	If the 'component' field is set, this o

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								be used to define the instance of the component that created the entry. Otherwise should be left as default
role_assignments	Table	itemid	BIGINT	19			0	Id of enrolment/auth instance responsible for this role assignment
grade_items	Table	iteminfo	LONGTEXT	2147483647	✓		null	Info and notes about this item XXX
grade_items_history	Table	iteminfo	LONGTEXT	2147483647	✓		null	Info and notes about this item XXX
grade_items	Table	iteminstance	BIGINT	19	✓		null	id of the item module
grade_items_history	Table	iteminstance	BIGINT	19	✓		null	id of the item module
grade_items	Table	itemmodule	VARCHAR	30	✓		null	'forum', 'quiz', 'csv', etc
grade_items_history	Table	itemmodule	VARCHAR	30	✓		null	'forum', 'quiz', 'csv', etc
grade_import_newitem	Table	itemname	VARCHAR	255				new grade item name
grade_items	Table	itemname	VARCHAR	255	✓		null	The name of this item (pushed in b module)
grade_items_history	Table	itemname	VARCHAR	255	✓		null	The name of this item (pushed in b module)
forum_grades	Table	itemnumber	BIGINT	19			null	The grade itemnumber
grade_items	Table	itemnumber	BIGINT	19	✓		null	Can be used to distinguish multiple grades for an activity
grade_items_history	Table	itemnumber	BIGINT	19	✓		null	Can be used to distinguish multiple grades for an activity
question_dataset_items	Table	itemnumber	BIGINT	19			0	
grade_items_history	Table	itemtype	VARCHAR	30				'mod', 'blocks', 'import', 'calculated'
grade_items	Table	itemtype	VARCHAR	30				'mod', 'blocks', 'import', 'calculated'
message_conversations	Table	itemtype	VARCHAR	100	✓		null	
tag_instance	Table	itemtype	VARCHAR	100				
favourite	Table	itemtype	VARCHAR	100				The type of the item which is being favoured. Usually a table name, b doesn't have to be. E.g. 'messages' 'message_conversations'.
tag_area	Table	itemtype	VARCHAR	100				
h5p	Table	jsoncontent	LONGTEXT	2147483647			null	The content in json format
data	Table	jstemplate	LONGTEXT	2147483647	✓		null	
lesson_answers	Table	jumpto	BIGINT	19			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
chat	Table	keepdays	BIGINT	19		0		
grade_categories_history	Table	keephigh	BIGINT	19		0		Keep only the X highest items
grade_categories	Table	keephigh	BIGINT	19		0		Keep only the X highest items
imscp	Table	keepold	BIGINT	19		-1		incremented when after each file changes, solves browser caching i
quiz_statistics	Table	kurtosis	DECIMAL	15	√	null		
qtype_ddimageortext_drops	Table	label	LONGTEXT	2147483647		null		Alt label for drop box
block_zoola_reports	Table	label	VARCHAR	255				Report label
qtype_ddmarker_drag	Table	label	LONGTEXT	2147483647		null		Alt text label for drag-able image.
feedback_item	Table	label	VARCHAR	255				
qtype_ddimageortext_drag	Table	label	LONGTEXT	2147483647		null		Alt text label for drag-able image.
user	Table	lang	VARCHAR	30		en		
chat_users	Table	lang	VARCHAR	30				
tool_policy_acceptances	Table	lang	VARCHAR	30				Code of the language the user had the policy document was displayed
course	Table	lang	VARCHAR	30				
tool_customlang	Table	lang	VARCHAR	20				The code of the language this string belongs to. Like en, cs or es
enrol_lti_tools	Table	lang	VARCHAR	30		en		
badge	Table	language	VARCHAR	255	√	null		
mnet_host	Table	last_connect_time	BIGINT	19		0		
mnet_host	Table	last_log_id	BIGINT	19		0		
user	Table	lastaccess	BIGINT	19		0		
local_id_lastactivity	Table	lastaccess	BIGINT	19		null		When the activity has occurred
external_tokens	Table	lastaccess	BIGINT	19	√	null		last access timestamp
enrol_lti_users	Table	lastaccess	BIGINT	19	√	null		The time the user last accessed
enrol_lti_lti2_consumer	Table	lastaccess	BIGINT	19	√	null		
lti_access_tokens	Table	lastaccess	BIGINT	19	√	null		last access timestamp
scorm	Table	lastattemptlock	BIT	1		0		
quiz_statistics	Table	lastattemptsavg	DECIMAL	15	√	null		
quiz_statistics	Table	lastattemptscount	BIGINT	19		null		
modules	Table	lastcron	BIGINT	19		0		

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
block	Table	lastcron	BIGINT	19		0		
backup_courses	Table	lastendtime	BIGINT	19		0		
enrol_lti_users	Table	lastgrade	DECIMAL	10	√	null		The last grade that was sent
user	Table	lastip	VARCHAR	45				
sessions	Table	lastip	VARCHAR	45	√	null		
user	Table	lastlogin	BIGINT	19		0		
chat_users	Table	lastmessageping	BIGINT	19		0		
post	Table	lastmodified	BIGINT	19		0		
local_activityvisibility	Table	lastmodifieddate	BIGINT	19		null		
user	Table	lastname	VARCHAR	100				
user	Table	lastnamephonetic	VARCHAR	255	√	null		Last name phonetic
tool_monitor_subscriptions	Table	lastnotificationsent	BIGINT	19		0		Timestamp of the time when a notification was last sent for this subscription.
chat_users	Table	lastping	BIGINT	19		0		
forum_read	Table	lastread	BIGINT	19		0		
task_scheduled	Table	lastruntime	BIGINT	19	√	null		
block_zoola_reports_eventcfg	Table	lastruntime	BIGINT	19	√	null		
block_zoola_reports_schreps	Table	lastruntime	BIGINT	19	√	null		
backup_courses	Table	laststarttime	BIGINT	19		0		
backup_courses	Table	laststatus	VARCHAR	1		5		
files_reference	Table	lastsync	BIGINT	19	√	null		Last time the proxy file was synced repository
event_subscriptions	Table	lastupdated	BIGINT	19	√	null		
workshop_submissions	Table	late	TINYINT	3		0		Has this submission been submitted after the deadline or during the assessment phase?
lesson_grades	Table	late	SMALLINT	5		0		
assign_submission	Table	latest	TINYINT	3		0		Greatly simplifies queries wanting know information about only the latest attempt.
workshop	Table	latesubmissions	TINYINT	3	√	0		Allow submitting the work after the deadline

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
scorm_scoes	Table	launch	LONGTEXT	2147483647			null	
scorm	Table	launch	BIGINT	19			0	
lti	Table	launchcontainer	TINYINT	3			1	Launch external tool in a pop-up
lti_submission	Table	launchid	BIGINT	19			null	
tool_dataprivacy_purpose	Table	lawfulbases	LONGTEXT	2147483647			null	Comma-separated IDs matching records in tool_dataprivacy_lawfull
tool_dataprivacy_purposerole	Table	lawfulbases	LONGTEXT	2147483647	✓		null	
lesson_pages	Table	layout	SMALLINT	5			1	
qtype_multichoice_options	Table	layout	SMALLINT	5			0	Not used. Was intended for a vertical horizontal layout option. See MDL-18445.
quiz_attempts	Table	layout	LONGTEXT	2147483647			null	
workshopform_rubric_config	Table	layout	VARCHAR	30	✓		list	How should the rubric be displayed reviewers
local_id_module	Table	ldcourseid	BIGINT	19			null	Foreign key to the local_id_course
local_id_course_day	Table	ldcourseid	BIGINT	19			null	Foreign key to the local_id_course
local_id_module_day	Table	ldmoduleid	BIGINT	19			null	Foreign key to the local_id_module
page	Table	legacyfiles	SMALLINT	5			0	
course	Table	legacyfiles	SMALLINT	5			0	course files are not necessary any 0 no legacy files, 1 legacy files disa 2 legacy files enabled
resource	Table	legacyfiles	SMALLINT	5			0	
resource	Table	legacyfileslast	BIGINT	19	✓		null	
page	Table	legacyfileslast	BIGINT	19	✓		null	
questionnaire_question	Table	length	BIGINT	19			0	
question	Table	length	BIGINT	19			1	
lesson_pages	Table	lessonid	BIGINT	19			0	
lesson_timer	Table	lessonid	BIGINT	19			0	
lesson_answers	Table	lessonid	BIGINT	19			0	
lesson_grades	Table	lessonid	BIGINT	19			0	
lesson_branch	Table	lessonid	BIGINT	19			0	
lesson_overrides	Table	lessonid	BIGINT	19			0	Foreign key references lesson.id
lesson_attempts	Table	lessonid	BIGINT	19			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
scorm_aicc_session	Table	lessonstatus	VARCHAR	255	√		null	
lesson_timer	Table	lessonstime	BIGINT	19			0	
grade_letters	Table	letter	VARCHAR	255				The display value of the letter. Can be any character or string of characters (OK, A, 10% etc..)
gradingform_rubric_fillings	Table	levelid	BIGINT	19	√		null	If a particular level was selected during the assessment, its ID is stored here
h5p_contents_libraries	Table	libraryid	BIGINT	19			null	The identifier of a H5P library this content uses
h5p_libraries_cachedassets	Table	libraryid	BIGINT	19			null	
h5p_library_dependencies	Table	libraryid	BIGINT	19			null	The id of a H5P library.
files	Table	license	VARCHAR	255	√		null	license of the file to guide reuse
choice	Table	limitanswers	TINYINT	3			0	
tool_monitor_events	Table	link	VARCHAR	254				Link to the event location
quizaccess_seb_quizsettings	Table	linkquitseb	LONGTEXT	2147483647	√		null	Link to exit SEB.
data	Table	listtemplate	LONGTEXT	2147483647	√		null	
data	Table	listtemplatefooter	LONGTEXT	2147483647	√		null	
data	Table	listtemplateheader	LONGTEXT	2147483647	√		null	
tool_customlang	Table	local	LONGTEXT	2147483647	√		null	Local customization of the string, if not customized
event	Table	location	LONGTEXT	2147483647	√		null	Event Location
forum	Table	lockdiscussionafter	BIGINT	19			0	
context_temp	Table	locked	TINYINT	3			0	Whether this context and its children are locked
grade_items	Table	locked	BIGINT	19			0	1 is locked, > 1 is a date to lock until (prevents update)
assign_user_flags	Table	locked	BIGINT	19			0	Student cannot make any changes to their submission if this flag is set.
grade_grades	Table	locked	BIGINT	19			0	not locked 0, locked from date
grade_items_history	Table	locked	BIGINT	19			0	1 is locked, > 1 is a date to lock until (prevents update)
grade_grades_history	Table	locked	BIGINT	19			0	not locked 0, locked from date
context	Table	locked	TINYINT	3			0	Whether this context and its children are locked

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
user_info_field	Table	locked	TINYINT	3		0		Field locked
wiki_locks	Table	lockedat	BIGINT	19		0		timestamp
grade_grades	Table	locktime	BIGINT	19		0		automatic locking of final grade, 0 means none, date otherwise
grade_items_history	Table	locktime	BIGINT	19		0		lock all final grades after this date
grade_items	Table	locktime	BIGINT	19		0		lock all final grades after this date
grade_grades_history	Table	locktime	BIGINT	19		0		automatic locking of final grade, 0 means none, date otherwise
grade_grades_history	Table	loggeduser	BIGINT	19	✓	null		the userid of the person who last modified this outcome
grade_items_history	Table	loggeduser	BIGINT	19	✓	null		the userid of the person who last modified this outcome
grade_categories_history	Table	loggeduser	BIGINT	19	✓	null		the userid of the person who last modified this outcome
scale_history	Table	loggeduser	BIGINT	19	✓	null		the userid of the person who last modified this outcome
grade_outcomes_history	Table	loggeduser	BIGINT	19	✓	null		the userid of the person who last modified this outcome
oauth2_issuer	Table	loginparams	LONGTEXT	2147483647		null		Additional parameters sent for a login attempt.
oauth2_issuer	Table	loginparamsoffline	LONGTEXT	2147483647		null		Additional parameters sent for a login attempt to generate a refresh token
oauth2_issuer	Table	loginscopes	LONGTEXT	2147483647		null		The scopes requested for a normal login attempt.
oauth2_issuer	Table	loginscopesoffline	LONGTEXT	2147483647		null		The scopes requested for a login attempt to generate a refresh token
backup_logs	Table	loglevel	SMALLINT	5		null		level of the log (debug...error)
grade_letters	Table	lowerboundary	DECIMAL	10		null		The lower boundary of the letter. Its upper boundary is the lower boundary of the next highest letter, unless there is none above, in which case it's grade 0 for that grade_item.
enrol_lti_lti2_context	Table	lticontextkey	VARCHAR	255				
lti_submission	Table	ltiid	BIGINT	19		null		ID of the LTI tool instance
ltiservice_gradebookservices	Table	ltilinkid	BIGINT	19	✓	null		ID of the LTI element related with the

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								lineitem.
enrol_lti_lti2_resource_link	Table	ltiresourcelinkkey	VARCHAR	255				
enrol_lti_lti2_user_result	Table	ltireresultsourcedid	VARCHAR	1024				
enrol_lti_lti2_user_result	Table	ltiuserkey	VARCHAR	255				
lti_types	Table	ltiversion	VARCHAR	10				
enrol_lti_lti2_consumer	Table	ltiversion	VARCHAR	10	√		null	
h5p_libraries	Table	machinename	VARCHAR	255				The library machine name
forum_digests	Table	maildigest	BIT	1			-1	
user	Table	maildigest	BIT	1			0	
enrol_lti_tools	Table	maildisplay	TINYINT	3			2	
user	Table	maildisplay	TINYINT	3			2	
assign_user_flags	Table	mailed	SMALLINT	5			0	Has the student been sent a notification about this grade update?
assignment_submissions	Table	mailed	BIT	1			0	
forum_posts	Table	mailed	TINYINT	3			0	
user	Table	mailformat	BIT	1			1	
forum_posts	Table	mailnow	BIGINT	19			0	
glossary	Table	mainglossary	TINYINT	3			0	
h5p	Table	mainlibraryid	BIGINT	19			null	The library we first instantiate for this node
h5p_libraries	Table	majorversion	SMALLINT	5			null	
data	Table	manageapproved	SMALLINT	5			1	
scorm_scoes	Table	manifest	VARCHAR	255				
course	Table	marker	BIGINT	19			0	
assign	Table	markingallocation	TINYINT	3			0	If enabled, marking allocation feature will be used in this assignment
assign	Table	markingworkflow	TINYINT	3			0	If enabled, marking workflow feature will be used in this assignment.
tool_customlang	Table	master	LONGTEXT	2147483647	√		null	Master translation of the string as distributed in the official lang pack if not translated
scorm	Table	masteryoverride	BIT	1			1	
lesson	Table	maxanswers	SMALLINT	5			4	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
choice_options	Table	maxanswers	BIGINT	19	√	0		
forum	Table	maxattachments	BIGINT	19		1		Number of attachments allowed per post
scorm	Table	maxattempt	BIGINT	19		1		
lesson_overrides	Table	maxattempts	SMALLINT	5	√	null		
lesson	Table	maxattempts	SMALLINT	5		5		
assign	Table	maxattempts	MEDIUMINT	7		-1		What is the maximum number of student attempts allowed for this assignment? -1 means unlimited.
workshop	Table	maxbytes	BIGINT	19	√	100000		Maximum size of the one attached
forum	Table	maxbytes	BIGINT	19		0		
assignment	Table	maxbytes	BIGINT	19		100000		
course	Table	maxbytes	BIGINT	19		0		
enrol_lti_tools	Table	maxenrolled	BIGINT	19		0		
data	Table	maxentries	INT	10		0		
question_attempts	Table	maxfraction	DECIMAL	12		1.0000000		Some questions can give fractions greater than 1. This indicates the greatest fraction that can be awarded
scorm	Table	maxgrade	DOUBLE	22		0		
quiz_feedback	Table	maxgrade	DECIMAL	10		0.00000		The upper limit of this grade band. Exclusive.
question_statistics	Table	maxmark	DECIMAL	12	√	null		
quiz_slots	Table	maxmark	DECIMAL	12		0.0000000		How many marks this question contributes to quiz.sumgrades.
question_attempts	Table	maxmark	DECIMAL	12		null		The grade this question is marked of in this attempt.
lesson	Table	maxpages	SMALLINT	5		0		
h5pactivity_attempts_results	Table	maxscore	BIGINT	19		0		
questionnaire_feedback	Table	maxscore	DECIMAL	10	√	101.00000		
gradingform_guide_criteria	Table	maxscore	DECIMAL	10		null		maximum grade that can be assigned using this criterion
h5pactivity_attempts	Table	maxscore	BIGINT	19	√	0		
scorm	Table	md5hash	VARCHAR	32				MD5 Hash of package file

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
cache_filters	Table	md5key	VARCHAR	32				
scorm_seq_rulecond	Table	measurethreshold	FLOAT	11			0.0000	
lesson	Table	mediaclose	SMALLINT	5			0	
lesson	Table	mediafile	VARCHAR	255				Local file path or full external URL
lesson	Table	mediaheight	BIGINT	19			100	
quiz_statistics	Table	median	DECIMAL	15	✓		null	
lesson	Table	mediawidth	BIGINT	19			650	
enrol_lti_users	Table	membershipsid	LONGTEXT	2147483647	✓		null	
enrol_lti_users	Table	membershipsurl	LONGTEXT	2147483647	✓		null	
enrol_lti_tools	Table	membersync	BIT	1			0	
enrol_lti_tools	Table	membersyncmode	BIT	1			0	
enrol_paypal	Table	memo	VARCHAR	255				
chat_messages	Table	message	LONGTEXT	2147483647			null	
backup_logs	Table	message	LONGTEXT	2147483647			null	text logged
badge	Table	message	LONGTEXT	2147483647			null	
forum_posts	Table	message	LONGTEXT	2147483647			null	
chat_messages_current	Table	message	LONGTEXT	2147483647			null	
forum_posts	Table	messageformat	TINYINT	3			0	
message_popup	Table	messageid	BIGINT	19			null	
messageinbound_messagelist	Table	messageid	LONGTEXT	2147483647			null	
message_email_messages	Table	messageid	BIGINT	19			null	
message_user_actions	Table	messageid	BIGINT	19			null	
badge	Table	messagesubject	LONGTEXT	2147483647			null	
forum_posts	Table	messagetrust	TINYINT	3			0	
course_completion_aggr_methd	Table	method	BIT	1			0	1 = all, 2 = any, 3 = fraction, 4 = unit
grading_definitions	Table	method	VARCHAR	100				The name of the plugin providing the grading form
badge_criteria	Table	method	BIT	1			1	1 = all, 2 = any
external_functions	Table	methodname	VARCHAR	100				
user	Table	middlename	VARCHAR	255	✓		null	Middle name
resource_old	Table	migrated	BIGINT	19			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
files	Table	mimetype	VARCHAR	100	√		null	type of file - jpeg image, open document, spreadsheet
question_attempts	Table	minfraction	DECIMAL	12			null	Some questions can award negative marks. This indicates the most negative mark that can be awarded, on the fraction scale where the maximum positive mark is 1.
quiz_feedback	Table	mingrade	DECIMAL	10			0.00000	The lower limit of this grade band. Inclusive.
scorm_seq_rolluprule	Table	minimumcount	BIGINT	19			0	
scorm_seq_rolluprule	Table	minimumpercent	FLOAT	11			0.0000	
scorm_seq_objective	Table	minnormalizedmeasure	FLOAT	11			0.0000	
h5p_libraries	Table	minorversion	SMALLINT	5			null	
lesson	Table	minquestions	SMALLINT	5			0	
questionnaire_feedback	Table	minscore	DECIMAL	10	√		0.00000	
task_scheduled	Table	minute	VARCHAR	25				
mnet_sso_access_control	Table	mnet_host_id	BIGINT	19			0	id of mnet host
user	Table	mnethostid	BIGINT	19			0	
mnet_session	Table	mnethostid	BIGINT	19			0	Unique remote host ID
lesson	Table	modattempts	SMALLINT	5			0	
user_devices	Table	model	VARCHAR	32				the device model, Nexus 4 or iPad
analytics_used_analysables	Table	modelid	BIGINT	19			null	
analytics_models_log	Table	modelid	BIGINT	19			null	
analytics_used_files	Table	modelid	BIGINT	19			0	
analytics_predict_samples	Table	modelid	BIGINT	19			null	
analytics_train_samples	Table	modelid	BIGINT	19			null	
analytics_predictions	Table	modelid	BIGINT	19			null	
tool_customlang	Table	modified	SMALLINT	5	√		0	Has the string been modified via the translator?
forum_posts	Table	modified	BIGINT	19			0	
search_simplifiedb_index	Table	modified	BIGINT	19			null	
question	Table	modifiedby	BIGINT	19	√		null	userid of person who last edited the question

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
user_enrolments	Table	modifierid	BIGINT	19			0	
role_assignments	Table	modifierid	BIGINT	19			0	
role_capabilities	Table	modifierid	BIGINT	19			0	
block_recent_activity	Table	modname	VARCHAR	20	✓		null	module type name (for delete action)
course_completion_criteria	Table	module	VARCHAR	100	✓		null	Type of module (if using module completion criteria type)
post	Table	module	VARCHAR	20				
mnet_log	Table	module	VARCHAR	20				
log	Table	module	VARCHAR	20				
course_modules	Table	module	BIGINT	19			0	
tool_recyclebin_course	Table	module	BIGINT	19			null	
course_completion_defaults	Table	module	BIGINT	19			null	
log_display	Table	module	VARCHAR	20				
post	Table	moduleid	BIGINT	19			0	
course_completion_criteria	Table	moduleinstance	BIGINT	19	✓		null	Module instance id (if using module completion criteria type)
event	Table	modulename	VARCHAR	20				
block_zoola_module_name	Table	moduletype	VARCHAR	20				Module type (lesson, quiz, ...)
task_scheduled	Table	month	VARCHAR	25				
user	Table	moodlenetprofile	VARCHAR	255	✓		null	Moodle.net profile information
user	Table	msn	VARCHAR	50				
log_display	Table	mtable	VARCHAR	30				
grade_items_history	Table	multifactor	DECIMAL	10			1.00000	Multiply all grades by this
grade_items	Table	multifactor	DECIMAL	10			1.00000	Multiply all grades by this
survey_questions	Table	multi	VARCHAR	100				
feedback	Table	multiple_submit	BIT	1			1	
tag_area	Table	multiplecontexts	BIT	1			0	Whether the tag area allows tag instances to be created in multiple contexts.
question_numerical_units	Table	multiplier	DECIMAL	38			1.00000000000000000000	The multiplier for this unit. For example, if the first unit is (1.0, 'cm'), another might be (0.1, 'mm') or (100.0, 'm').
quizaccess_seb_quizsettings	Table	muteonstartup	BIT	1	✓		null	Bool whether browser starts muted

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
cohort	Table	name	VARCHAR	254				Short human readable name for the cohort, does not have to be unique
book	Table	name	VARCHAR	255				
customfield_field	Table	name	VARCHAR	400				
lti	Table	name	VARCHAR	255				name field for moodle instances
config_log	Table	name	VARCHAR	100				
resource	Table	name	VARCHAR	255				
mnet_host	Table	name	VARCHAR	80				
course_format_options	Table	name	VARCHAR	100				Name of the format option
glossary_formats	Table	name	VARCHAR	50				
message_processors	Table	name	VARCHAR	166				Name of the message processor
feedback	Table	name	VARCHAR	255				
block_zoola_reports_schreps	Table	name	VARCHAR	100				Schedule name
my_pages	Table	name	VARCHAR	200				The page name (freeform text)
tool_customlang_components	Table	name	VARCHAR	255				The normalized name of the plugin
scorm_scoes_data	Table	name	VARCHAR	255				
imscp	Table	name	VARCHAR	255				
glossary_categories	Table	name	VARCHAR	255				
scorm	Table	name	VARCHAR	255				
user_devices	Table	name	VARCHAR	32				the device name, occam or iPhone
filter_config	Table	name	VARCHAR	255				The config variable name.
role	Table	name	VARCHAR	255				Empty names are automatically localised
label	Table	name	VARCHAR	255				
tag_coll	Table	name	VARCHAR	255	√		null	
data	Table	name	VARCHAR	255				
contentbank_content	Table	name	VARCHAR	255				
wiki	Table	name	VARCHAR	255			Wiki	name field for moodle instances
feedback_item	Table	name	VARCHAR	255				
grade_settings	Table	name	VARCHAR	255				
forum	Table	name	VARCHAR	255				
mnet_application	Table	name	VARCHAR	50				

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
scale_history	Table	name	VARCHAR	255				
lti_types	Table	name	VARCHAR	255			basiclti Activity	Activity name
question	Table	name	VARCHAR	255				
questionnaire_survey	Table	name	VARCHAR	255				
question_dataset_definitions	Table	name	VARCHAR	255				
groups	Table	name	VARCHAR	254				Short human readable unique name for the group.
tool_dataprivacy_category	Table	name	VARCHAR	100				
tool_dataprivacy_purpose	Table	name	VARCHAR	100				
groupings	Table	name	VARCHAR	255				Short human readable unique name for group.
forum_discussions	Table	name	VARCHAR	255				
data_fields	Table	name	VARCHAR	255				
quiz_reports	Table	name	VARCHAR	255	√		null	name of the report, same as the directory name
competency_userevidence	Table	name	VARCHAR	100				
event_subscriptions	Table	name	VARCHAR	255				
oauth2_endpoint	Table	name	VARCHAR	255				The service name.
scale	Table	name	VARCHAR	255				
workshop	Table	name	VARCHAR	255				Name of the activity
quiz	Table	name	VARCHAR	255				Quiz name.
tool_recyclebin_course	Table	name	VARCHAR	255	√		null	
tool_usertours_tours	Table	name	VARCHAR	255				Name of the user tour
glossary	Table	name	VARCHAR	255				
url	Table	name	VARCHAR	255				
customfield_category	Table	name	VARCHAR	400				
feedback_template	Table	name	VARCHAR	255				
block_zoola_module_name	Table	name	VARCHAR	1333				Module name
portfolio_instance	Table	name	VARCHAR	255				name of plugin instance
question_categories	Table	name	VARCHAR	255				
h5pactivity	Table	name	VARCHAR	255				The name of the activity module instance

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
modules	Table	name	VARCHAR	20				
event	Table	name	LONGTEXT	2147483647			null	
blog_external	Table	name	VARCHAR	255				
course_categories	Table	name	VARCHAR	255				
competency_plan	Table	name	VARCHAR	100				
config	Table	name	VARCHAR	255				
external_services	Table	name	VARCHAR	200				
role_names	Table	name	VARCHAR	255				
repository_instances	Table	name	VARCHAR	255				
enrol_lti_lti2_consumer	Table	name	VARCHAR	50				
lesson	Table	name	VARCHAR	255				
message_conversations	Table	name	VARCHAR	255	√		null	
survey	Table	name	VARCHAR	255				
config_plugins	Table	name	VARCHAR	100				
choice	Table	name	VARCHAR	255				
question_attempt_step_data	Table	name	VARCHAR	32				The name of this bit of data.
badge	Table	name	VARCHAR	255				
oauth2_issuer	Table	name	VARCHAR	255				The name of this identity issuer
portfolio_instance_config	Table	name	VARCHAR	255				config field
mnet_service	Table	name	VARCHAR	40				
portfolio_instance_user	Table	name	VARCHAR	255				name of config item
questionnaire	Table	name	VARCHAR	255				Name for questionnaire.
analytics_models	Table	name	VARCHAR	1333	√		null	Explicit name of the model, the loc target name is used when left emp
assign_plugin_config	Table	name	VARCHAR	28				
capabilities	Table	name	VARCHAR	255				
tag	Table	name	VARCHAR	255				
external_functions	Table	name	VARCHAR	200				
tool_policy_versions	Table	name	VARCHAR	1333				Name of the policy document
lti_tool_proxies	Table	name	VARCHAR	255			Tool Provider	Tool Provider name
cache_flags	Table	name	VARCHAR	255				

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
course_sections	Table	name	VARCHAR	255	√		null	
page	Table	name	VARCHAR	255				
repository_instance_config	Table	name	VARCHAR	255				
assign	Table	name	VARCHAR	255				The name of the instance of the assignment. Displayed at the top of each page.
resource_old	Table	name	VARCHAR	255				
message_providers	Table	name	VARCHAR	100				The full name of the message provider in standard form
chat	Table	name	VARCHAR	255				
user_info_category	Table	name	VARCHAR	255				Category name
user_preferences	Table	name	VARCHAR	255				
lti_types_config	Table	name	VARCHAR	100				Basic LTI param
enrol	Table	name	VARCHAR	255	√		null	Optional instance name
folder	Table	name	VARCHAR	255				
block	Table	name	VARCHAR	40				
grading_definitions	Table	name	VARCHAR	255				The title of the form that helps users identify it
questionnaire_question	Table	name	VARCHAR	30	√		null	
badge_criteria_param	Table	name	VARCHAR	255				
quizaccess_seb_template	Table	name	VARCHAR	255				Name of the template
tool_monitor_rules	Table	name	VARCHAR	254				Name of the rule
user_info_field	Table	name	LONGTEXT	2147483647			null	field name
assignment	Table	name	VARCHAR	255				
workshop	Table	nattachments	SMALLINT	5	√		1	Maximum number of submission attachments
scorm	Table	nav	BIT	1			1	
questionnaire	Table	navigate	TINYINT	3			0	Questionnaire can have page branches
quiz	Table	navmethod	VARCHAR	16			free	Any constraints on how the user is allowed to navigate around the quiz. Currently recognised values are 'free' and 'seq'.
scorm	Table	navpositionleft	BIGINT	19	√		-100	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
scorm	Table	navpositiontop	BIGINT	19	√		-100	
book	Table	navstyle	SMALLINT	5			1	
grade_items_history	Table	needsupdate	BIGINT	19			0	If this flag is set, then the whole co will be recalculated
grade_items	Table	needsupdate	BIGINT	19			0	If this flag is set, then the whole co will be recalculated
question_statistics	Table	negcovar	TINYINT	3			0	
assignment_upgrade	Table	newcmid	BIGINT	19			0	
quiz_overview_regrades	Table	newfraction	DECIMAL	12	√		null	The new fraction for this question_attempt after regrading.
grade_import_values	Table	newgradeitem	BIGINT	19	√		null	if set, points to the id of grade_import_newitem
resource_old	Table	newid	BIGINT	19	√		null	
assignment_upgrade	Table	newinstance	BIGINT	19			0	
resource_old	Table	newmodule	VARCHAR	50	√		null	
course	Table	newsitems	MEDIUMINT	7			1	
badge	Table	nextcron	BIGINT	19	√		null	
lesson	Table	nextpagedefault	SMALLINT	5			0	
lesson_branch	Table	nextpageid	BIGINT	19			0	
lesson_pages	Table	nextpageid	BIGINT	19			0	
task_adhoc	Table	nextruntime	BIGINT	19			null	
block_zoola_reports_schreps	Table	nextruntime	BIGINT	19			null	
task_scheduled	Table	nextruntime	BIGINT	19	√		null	
backup_courses	Table	nextstarttime	BIGINT	19			0	
qtype_ddmarker_drops	Table	no	BIGINT	19			0	drop number
qtype_ddimageortext_drops	Table	no	BIGINT	19			0	drop number
qtype_ddimageortext_drag	Table	no	BIGINT	19			0	drag no
qtype_ddmarker_drag	Table	no	BIGINT	19			0	drag no
workshopform_numerrors_map	Table	nonegative	BIGINT	19			null	Number of negative responses giv the reviewer
qtype_ddmarker_drag	Table	noofdrags	BIGINT	19			1	No of drag items, ignored if drag is infinite.
assign	Table	nosubmissions	TINYINT	3			0	This field is a cache for

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								is_any_submission_plugin_enabled which allows Moodle pages to distinguish offline assignment type without loading the assignment class
tool_policy_acceptances	Table	note	LONGTEXT	2147483647	√		null	Plain text note describing how the actual consent has been obtained policy has been accepted on other user's behalf.
competency_evidence	Table	note	LONGTEXT	2147483647	√		null	A non-localised text to attach to the evidence.
survey_analysis	Table	notes	LONGTEXT	2147483647			null	
message_read	Table	notification	BIT	1	√		0	
data	Table	notification	BIGINT	19			0	Notify people when things change
message	Table	notification	BIT	1	√		0	
badge	Table	notification	BIT	1			1	Message when badge is awarded
message_popup_notifications	Table	notificationid	BIGINT	19			null	
questionnaire	Table	notifications	BIT	1			0	Send submission notifications.
enrol	Table	notifyall	BIT	1	√		0	Custom - Notify both participant and person responsible for enrolments
book	Table	numbering	SMALLINT	5			0	
assignfeedback_file	Table	numfiles	BIGINT	19			0	The number of files uploaded by a grader.
assignsubmission_file	Table	numfiles	BIGINT	19			0	The number of files the student submitted.
assignment_submissions	Table	numfiles	BIGINT	19			0	
badge_external_backpack	Table	oauth2_issuerid	BIGINT	19	√		null	OAuth 2 Issuer
logstore_standard_log	Table	objectid	BIGINT	19	√		null	
scorm_seq_objective	Table	objectiveid	VARCHAR	255				
scorm_seq_mapinfo	Table	objectiveid	BIGINT	19			0	
logstore_standard_log	Table	objecttable	VARCHAR	50	√		null	
block_zoola_reports_schreps	Table	occurrences	BIGINT	19	√		null	Number of schedule occurrences that should take place before the schedule is disabled
mnet_service	Table	offer	BIT	1			0	Do we even offer this service?

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
assignment_upgrade	Table	oldcmid	BIGINT	19			0	
quiz_overview_regrades	Table	oldfraction	DECIMAL	12	√		null	The previous fraction for this question_attempt.
grade_categories_history	Table	oldid	BIGINT	19			null	
grade_outcomes_history	Table	oldid	BIGINT	19			null	
grade_grades_history	Table	oldid	BIGINT	19			null	
scale_history	Table	oldid	BIGINT	19			null	
resource_old	Table	oldid	BIGINT	19			null	
grade_items_history	Table	oldid	BIGINT	19			null	
assignment_upgrade	Table	oldinstance	BIGINT	19			0	
config_log	Table	oldvalue	LONGTEXT	2147483647	√		null	
lesson	Table	ongoing	SMALLINT	5			0	
assignsubmission_onlinetext	Table	onlineformat	SMALLINT	5			0	The format for this online text submission.
assignsubmission_onlinetext	Table	onlinetext	LONGTEXT	2147483647	√		null	The text for this online text submission.
questionnaire	Table	opendate	BIGINT	19			0	Timestamp to open access
backup_controllers	Table	operation	VARCHAR	20			backup	Type of operation (backup/restore)
scorm_seq_rolluprulecond	Table	operator	VARCHAR	5			noOp	
scorm_seq_rulecond	Table	operator	VARCHAR	5			noOp	
enrol_paypal	Table	option_name1	VARCHAR	255				
enrol_paypal	Table	option_name2	VARCHAR	255				
enrol_paypal	Table	option_selection1_x	VARCHAR	255				
enrol_paypal	Table	option_selection2_x	VARCHAR	255				
tool_policy_versions	Table	optional	SMALLINT	5			0	0 - the policy must be accepted to the site, 1 - accepting the policy is optional
choice_answers	Table	optionid	BIGINT	19			0	
grading_definitions	Table	options	LONGTEXT	2147483647	√		null	General field to be used by plugins as a general storage place for their own settings
scorm	Table	options	VARCHAR	255				
feedback_item	Table	options	VARCHAR	255				
survey_questions	Table	options	LONGTEXT	2147483647	√		null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
question_dataset_definitions	Table	options	VARCHAR	255				
question_hints	Table	options	VARCHAR	255	✓		null	A space for any other question-type specific options.
resource_old	Table	options	VARCHAR	255				
favourite	Table	ordering	BIGINT	19	✓		null	Optional ordering of the favourite within its context area. For example, this allows things like sorting favourite message conversations.
tag_instance	Table	ordering	BIGINT	19	✓		null	Maintains the order of the tag instance of an item
scorm_scoes	Table	organization	VARCHAR	255				
logstore_standard_log	Table	origin	VARCHAR	10	✓		null	cli, cron, ws, etc.
tool_customlang	Table	original	LONGTEXT	2147483647			null	English original of the string
lti_submission	Table	originalgrade	DECIMAL	10			null	
competency_plan	Table	origtemplateid	BIGINT	19	✓		null	The template ID this plan was based on originally
logstore_standard_log	Table	other	LONGTEXT	2147483647	✓		null	
grade_outcomes_courses	Table	outcomeid	BIGINT	19			null	id of the outcome
grade_items_history	Table	outcomeid	BIGINT	19	✓		null	If this grade is related to an outcome, which one is it?
grade_items	Table	outcomeid	BIGINT	19	✓		null	If this grade is related to an outcome, which one is it?
tool_customlang	Table	outdated	SMALLINT	5	✓		0	Either the English original or the machine translation changed and the customization may be outdated
task_log	Table	output	LONGTEXT	2147483647			null	
workshop	Table	overallfeedbackfiles	SMALLINT	5	✓		0	Number of allowed attachments to the overall feedback.
workshop	Table	overallfeedbackfiletypes	VARCHAR	255	✓		null	comma separated list of file extensions
workshop	Table	overallfeedbackmaxbytes	BIGINT	19	✓		100000	Maximum size of one file attached to the overall feedback.
workshop	Table	overallfeedbackmode	SMALLINT	5	✓		1	Mode of the overall feedback support
quiz	Table	overduehandling	VARCHAR	16			autoabandon	The method used to handle overdue attempts. 'autosubmit', 'graceperiod', 'autoabandon'.

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
grade_grades_history	Table	overridden	BIGINT	19		0		indicates grade overridden from gradebook, 0 means none, date me overridden
grade_grades	Table	overridden	BIGINT	19		0		indicates grade overridden from gradebook, 0 means none, date me overridden
course_modules_completion	Table	overrideby	BIGINT	19	✓	null		Tracks whether this completion sta has been set manually to override previous state.
lock_db	Table	owner	VARCHAR	36	✓	null		uuid indicating the owner of the loc
search_simpledb_index	Table	owneruserid	BIGINT	19	✓	null		
quiz_slots	Table	page	BIGINT	19		null		The page number that this question appears on. If the question in slot n appears on page p, then the question in slot n+1 must appear on page p or p+1. Well, except that when a quiz is being created, there may be empty pages which would cause the page number to jump here.
feedback	Table	page_after_submit	LONGTEXT	2147483647		null		
feedback	Table	page_after_submitformat	TINYINT	3		0		
editor_atto_autosave	Table	pagehash	VARCHAR	64				The HTML DOM id of the page that loaded the form.
wiki_versions	Table	pageid	BIGINT	19		0		Page id
wiki_locks	Table	pageid	BIGINT	19		0		Locked page
lesson_branch	Table	pageid	BIGINT	19		0		
lesson_attempts	Table	pageid	BIGINT	19		0		
wiki_synonyms	Table	pageid	BIGINT	19		0		Original page
lesson_answers	Table	pageid	BIGINT	19		0		
editor_atto_autosave	Table	pageinstance	VARCHAR	64				The browser tab instance that last saved the draft text. This is to prevent multiple tabs from the same user saving different text alternately.
assignfeedback_editpdf_annot	Table	pageno	BIGINT	19		0		The page in the PDF that this annotation appears on
assignfeedback_editpdf_rot	Table	pageno	BIGINT	19		0		Page number

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
assignfeedback_editpdf_cmnt	Table	pageno	BIGINT	19			0	The page in the PDF that this comment appears on
book_chapters	Table	pagenum	BIGINT	19			0	
wiki_synonyms	Table	pagesynonym	VARCHAR	255			Pagesynonym	Page name synonym
block_positions	Table	pagetype	VARCHAR	64				With contextid and subpage, defines the page we are setting the position for
block_instances	Table	pagetypepattern	VARCHAR	64				The types of page this block appears on. Either an exact page type like mod-quiz-view, or a pattern like mod-quiz-course-view-*. Note that course-view will match course-view.
wiki_pages	Table	pageviews	BIGINT	19			0	Number of page views
user_info_field	Table	param1	LONGTEXT	2147483647	✓		null	General parameter field
data_fields	Table	param1	LONGTEXT	2147483647	✓		null	
data_fields	Table	param10	LONGTEXT	2147483647	✓		null	
data_fields	Table	param2	LONGTEXT	2147483647	✓		null	
user_info_field	Table	param2	LONGTEXT	2147483647	✓		null	General parameter field
data_fields	Table	param3	LONGTEXT	2147483647	✓		null	
user_info_field	Table	param3	LONGTEXT	2147483647	✓		null	General parameter field
data_fields	Table	param4	LONGTEXT	2147483647	✓		null	
user_info_field	Table	param4	LONGTEXT	2147483647	✓		null	General parameter field
data_fields	Table	param5	LONGTEXT	2147483647	✓		null	
user_info_field	Table	param5	LONGTEXT	2147483647	✓		null	General parameter field
data_fields	Table	param6	LONGTEXT	2147483647	✓		null	
data_fields	Table	param7	LONGTEXT	2147483647	✓		null	
data_fields	Table	param8	LONGTEXT	2147483647	✓		null	
data_fields	Table	param9	LONGTEXT	2147483647	✓		null	
lti_types	Table	parameter	LONGTEXT	2147483647	✓		null	Launch parameters, one per line (note LTI 1 tools)
url	Table	parameters	LONGTEXT	2147483647	✓		null	
grade_categories	Table	parent	BIGINT	19	✓		null	Categories can be hierarchical
question_categories	Table	parent	BIGINT	19			0	
question	Table	parent	BIGINT	19			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
forum_posts	Table	parent	BIGINT	19		0		
course_categories	Table	parent	BIGINT	19		0		
grade_categories_history	Table	parent	BIGINT	19	✓	null		Categories can be hierarchical
scorm_scoes	Table	parent	VARCHAR	255				
enrol_paypal	Table	parent_txn_id	VARCHAR	255				
block_instances	Table	parentcontextid	BIGINT	19		null		The context within which this block appears. Foreign key, references context.id.
competency	Table	parentid	BIGINT	19		0		The parent competency.
search_index_requests	Table	partialarea	VARCHAR	255				If processing of this context partial completed, set to the area that needs processing next. Blank indicates not processed yet.
qtype_ddimageortext	Table	partiallycorrectfeedback	LONGTEXT	2147483647		null		Feedback shown for any partially correct response.
qtype_randomsamatch_options	Table	partiallycorrectfeedback	LONGTEXT	2147483647		null		Feedback shown for any partially correct response.
qtype_multichoice_options	Table	partiallycorrectfeedback	LONGTEXT	2147483647		null		Feedback shown for any partially correct response.
qtype_match_options	Table	partiallycorrectfeedback	LONGTEXT	2147483647		null		Feedback shown for any partially correct response.
question_calculated_options	Table	partiallycorrectfeedback	LONGTEXT	2147483647	✓	null		Feedback shown for any partially correct response.
qtype_ddmarker	Table	partiallycorrectfeedback	LONGTEXT	2147483647		null		Feedback shown for any partially correct response.
question_gapselect	Table	partiallycorrectfeedback	LONGTEXT	2147483647		null		Feedback shown for any partially correct response.
question_ddwtos	Table	partiallycorrectfeedback	LONGTEXT	2147483647		null		Feedback shown for any partially correct response.
question_gapselect	Table	partiallycorrectfeedbackformat	TINYINT	3		0		
qtype_multichoice_options	Table	partiallycorrectfeedbackformat	TINYINT	3		0		
qtype_ddmarker	Table	partiallycorrectfeedbackformat	TINYINT	3		0		
qtype_match_options	Table	partiallycorrectfeedbackformat	TINYINT	3		0		
qtype_randomsamatch_options	Table	partiallycorrectfeedbackformat	TINYINT	3		0		
question_ddwtos	Table	partiallycorrectfeedbackformat	TINYINT	3		0		

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
qtype_ddimageortext	Table	partiallycorrectfeedbackformat	TINYINT	3		0		
question_calculated_options	Table	partiallycorrectfeedbackformat	TINYINT	3		0		
search_index_requests	Table	partialtime	BIGINT	19		null		If processing partially completed, store the timestamp within the next area where processing should start. 0 indicates not processed yet.
lesson	Table	password	VARCHAR	32				
badge_backpack	Table	password	VARCHAR	50	✓	null		
quiz_overrides	Table	password	VARCHAR	255	✓	null		Quiz password. Can be null, in which case the quiz default is used.
repository_instances	Table	password	VARCHAR	255	✓	null		
quiz	Table	password	VARCHAR	255				A password that the student must enter before starting or continuing a quiz attempt.
user	Table	password	VARCHAR	255				
lesson_overrides	Table	password	VARCHAR	32	✓	null		Lesson password. Can be null, in which case the lesson default is used.
enrol	Table	password	VARCHAR	50	✓	null		Custom - enrolment or access password
lti	Table	password	VARCHAR	255	✓	null		
badge_external_backpack	Table	password	VARCHAR	255	✓	null		Password to login into external backpack and issue badges.
course_request	Table	password	VARCHAR	50				
h5p_libraries	Table	patchversion	SMALLINT	5		null		
course_categories	Table	path	VARCHAR	255				
grade_categories_history	Table	path	VARCHAR	255	✓	null		shows the path as /1/2/3 (like course_categories)
context_temp	Table	path	VARCHAR	255				
grade_categories	Table	path	VARCHAR	255	✓	null		shows the path as /1/2/3 (like course_categories)
competency	Table	path	VARCHAR	255				Used to speed up queries that use entire branch of the tree. Looks like /5/34/54.
assignfeedback_editpdf_annot	Table	path	LONGTEXT	2147483647	✓	null		SVG path describing the freehand drawing
context	Table	path	VARCHAR	255	✓	null		

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
tool_usertours_tours	Table	pathmatch	VARCHAR	255	√		null	
h5p	Table	pathnamehash	VARCHAR	40				Defines the complete unique hash of the file path where the H5P content is added.
assignfeedback_editpdf_rot	Table	pathnamehash	LONGTEXT	2147483647			null	File path hash of the rotated page
files	Table	pathnamehash	VARCHAR	40				complete file path sha1 hash - unique for each file
enrol_paypal	Table	payment_status	VARCHAR	255				
enrol_paypal	Table	payment_type	VARCHAR	30				
workshop_grades	Table	peercomment	LONGTEXT	2147483647	√		null	Reviewer's comment to the grade value
workshop_grades	Table	peercommentformat	SMALLINT	5	√		0	The format of peercomment field
question	Table	penalty	DECIMAL	12			0.3333333	
enrol_paypal	Table	pending_reason	VARCHAR	255				
role_capabilities	Table	permission	BIGINT	19			0	
repository_onedrive_access	Table	permissionid	VARCHAR	255				The permission id in OneDrive.
workshop	Table	phase	SMALLINT	5	√		0	The current phase of workshop (0 = available, 1 = submission, 2 = assessment, 3 = closed)
workshop	Table	phaseswitchassessment	TINYINT	3			0	Automatically switch to the assessment phase after the submissions deadline
user	Table	phone1	VARCHAR	20				
user	Table	phone2	VARCHAR	20				
groups	Table	picture	BIGINT	19			0	
user	Table	picture	BIGINT	19			0	0 means no image uploaded, positive values are revisions that prevent caching problems, negative values are reserved for future use
forum_discussions	Table	pinned	BIT	1			0	
competency_usercompplan	Table	planid	BIGINT	19			null	Plan associated to the user.
competency_plancomp	Table	planid	BIGINT	19			null	
user_devices	Table	platform	VARCHAR	32				the device platform, Android or iOS
config_plugins	Table	plugin	VARCHAR	100			core	
upgrade_log	Table	plugin	VARCHAR	100	√		null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
tool_monitor_rules	Table	plugin	VARCHAR	254				Frankenstlye name of the plguin
config_log	Table	plugin	VARCHAR	100	√		null	
portfolio_instance	Table	plugin	VARCHAR	50				fk to plugin
assign_plugin_config	Table	plugin	VARCHAR	28				
mnet_remote_rpc	Table	pluginname	VARCHAR	20				
mnet_rpc	Table	pluginname	VARCHAR	20				
mnet_rpc	Table	plugintype	VARCHAR	20				
mnet_remote_rpc	Table	plugintype	VARCHAR	20				
grade_items_history	Table	plusfactor	DECIMAL	10			0.00000	Add this to all grades
grade_items	Table	plusfactor	DECIMAL	10			0.00000	Add this to all grades
user	Table	policyagreed	BIT	1			0	
tool_policy_versions	Table	policyid	BIGINT	19			null	ID of the policy document we are version of.
tool_policy_acceptances	Table	policyversionid	BIGINT	19			null	ID of the policy document version
event_subscriptions	Table	pollinterval	BIGINT	19			0	Frequency of checks for new/chan events
resource_old	Table	popup	LONGTEXT	2147483647			null	
scorm	Table	popup	BIT	1			0	
glossary_formats	Table	popupformatname	VARCHAR	50				
portfolio_log	Table	portfolio	BIGINT	19			null	fk to portfolio_instance
mnet_host	Table	portno	MEDIUMINT	7			0	
feedback_item	Table	position	SMALLINT	5			0	
questionnaire_question	Table	position	BIGINT	19			0	
question_statistics	Table	positions	LONGTEXT	2147483647	√		null	positions in which this item appear Only used for random questions.
forum_queue	Table	postid	BIGINT	19			0	
forum_read	Table	postid	BIGINT	19			0	
lesson	Table	practice	SMALLINT	5			0	
questionnaire_question	Table	precise	BIGINT	19			0	
analytics_predictions	Table	prediction	DECIMAL	10			null	
analytics_prediction_actions	Table	predictionid	BIGINT	19			null	
analytics_predictions	Table	predictionscore	DECIMAL	10			null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
analytics_models	Table	predictionsprocessor	VARCHAR	255	✓		null	
forum_discussion_subs	Table	preference	BIGINT	19			1	
quiz	Table	preferredbehaviour	VARCHAR	32				The behaviour to ask questions to
question_usages	Table	preferredbehaviour	VARCHAR	32				The archetypal behaviour that should be used for question attempts in this usage.
block_rss_client	Table	preferredtitle	VARCHAR	64				
h5p_libraries	Table	preloadedcss	LONGTEXT	2147483647	✓		null	Comma separated list of stylesheet load.
h5p_libraries	Table	preloadedjs	LONGTEXT	2147483647	✓		null	Comma separated list of scripts to load.
feedback_item	Table	presentation	LONGTEXT	2147483647			null	
assignment	Table	preventlate	TINYINT	3			0	
assign	Table	prevents submissionnotingroup	TINYINT	3			0	If enabled a user will be unable to make a submission unless they are a member of a group.
quiz_attempts	Table	preview	SMALLINT	5			0	
lesson_pages	Table	prevpageid	BIGINT	19			0	
scorm_seq_objective	Table	primaryobj	BIT	1			0	
enrol_lti_lti2_resource_link	Table	primaryresourcelinkid	BIGINT	19	✓		null	
event	Table	priority	BIGINT	19	✓		null	The event's display priority. For multiple events with the same module name, instance and eventtype (e.g. for group overrides), the one with the higher priority will be displayed.
my_pages	Table	private	BIT	1			1	Whether or not the page is private (dashboard) or public (profile)
forum_posts	Table	privatereplyto	BIGINT	19			0	
external_tokens	Table	privatetoken	VARCHAR	64	✓		null	private token, generated at the same time that the token, must be stored safely by the ws client, to be transferred only via https
competency_usercompplan	Table	proficiency	TINYINT	3	✓		null	Indicate if the competency is proficient or not.
competency_usercompcourse	Table	proficiency	TINYINT	3	✓		null	Indicate if the competency is proficient or not.

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
competency_usercomp	Table	proficiency	TINYINT	3	✓		null	Indicate if the competency is proficiency or not.
mnet_rpc	Table	profile	LONGTEXT	2147483647			null	Method signature
enrol_lti_lti2_consumer	Table	profile	LONGTEXT	2147483647	✓		null	
backup_controllers	Table	progress	DECIMAL	15			0.0000000000000000	The backup or restore progress as a floating point number
local_id_import_logs_status	Table	progress	DECIMAL	10			0.00	Percentage of work done (0 - 100)
questionnaire	Table	progressbar	BIT	1			0	Display a progress bar at top of questionnaire.
lesson	Table	progressbar	SMALLINT	5			0	
enrol_lti_lti2_consumer	Table	protected	BIT	1			null	
tool_dataprivacy_purpose	Table	protected	BIT	1	✓		null	
tool_dataprivacy_purposerole	Table	protected	BIT	1	✓		null	
mnet_host	Table	public_key	LONGTEXT	2147483647			null	
mnet_host	Table	public_key_expires	BIGINT	19			0	
choice	Table	publish	TINYINT	3			0	
mnet_host2service	Table	publish	BIT	1			0	
feedback	Table	publish_stats	BIT	1			0	
workshop_submissions	Table	published	TINYINT	3	✓		0	Shall the submission be available to other users when the workshop is closed?
post	Table	publishstate	VARCHAR	20			draft	
backup_controllers	Table	purpose	SMALLINT	5			null	purpose (target) of the backup (get import, hub...)
tool_dataprivacy_ctxinstance	Table	purposeid	BIGINT	19	✓		null	
tool_dataprivacy_ctxlevel	Table	purposeid	BIGINT	19	✓		null	
tool_dataprivacy_purposerole	Table	purposeid	BIGINT	19			null	
user_devices	Table	pushid	VARCHAR	255				the device PUSH token/key/identification registration id
competency_coursecompsetting	Table	pushratingstouserplans	TINYINT	3	✓		null	Does this course push ratings to user plans?
lesson_pages	Table	qoption	SMALLINT	5			0	
lesson_pages	Table	qtype	SMALLINT	5			0	
questionnaire	Table	qtype	BIGINT	19			0	Questionnaire type code.

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
question	Table	qtype	VARCHAR	20				
log_queries	Table	qtype	MEDIUMINT	7			null	query type constant
question_numerical	Table	question	BIGINT	19			0	Redundant, because of the answer Foreign key references question.id
question_truefalse	Table	question	BIGINT	19			0	Foreign key references question.id
question_numerical_units	Table	question	BIGINT	19			0	Foreign key references question.id
question_calculated	Table	question	BIGINT	19			0	
question_calculated_options	Table	question	BIGINT	19			0	
question_datasets	Table	question	BIGINT	19			0	
survey_answers	Table	question	BIGINT	19			0	
question_numerical_options	Table	question	BIGINT	19			0	
question_multianswer	Table	question	BIGINT	19			0	
question_answers	Table	question	BIGINT	19			0	
questionnaire_response_other	Table	question_id	BIGINT	19			0	
questionnaire_response_text	Table	question_id	BIGINT	19			0	
questionnaire_resp_multiple	Table	question_id	BIGINT	19			0	
questionnaire_response_rank	Table	question_id	BIGINT	19			0	
questionnaire_response_bool	Table	question_id	BIGINT	19			0	
questionnaire_response_date	Table	question_id	BIGINT	19			0	
questionnaire_resp_single	Table	question_id	BIGINT	19			0	
questionnaire_quest_choice	Table	question_id	BIGINT	19			0	
question_attempt_steps	Table	questionattemptid	BIGINT	19			null	Foreign key, references question_attempt.id
quiz_slots	Table	questioncategoryid	BIGINT	19	√		null	The question category that the ran question will be picked from. Will b if and only if the question is not a random question.
quiz	Table	questiondecimalpoints	SMALLINT	5			-1	Number of decimal points to use w displaying question grades. (-1 me use decimalpoints.)
qtype_ddmarker	Table	questionid	BIGINT	19			0	
questionnaire_dependency	Table	questionid	BIGINT	19			0	ID of question with dependency.
qtype_essay_options	Table	questionid	BIGINT	19			null	Foreign key linking to the question

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
qtype_ddimageortext_drag	Table	questionid	BIGINT	19		0		
question_response_analysis	Table	questionid	BIGINT	19		null		
qtype_match_options	Table	questionid	BIGINT	19		0		Foreign key link to question.id.
question_statistics	Table	questionid	BIGINT	19		null		
question_attempts	Table	questionid	BIGINT	19		null		The id of the question being attempted. Foreign key references question.id.
qtype_shortanswer_options	Table	questionid	BIGINT	19		0		Foreign key references question.id.
quiz_slots	Table	questionid	BIGINT	19		0		Foreign key references question.id.
qtype_ddimageortext	Table	questionid	BIGINT	19		0		
question_gapselect	Table	questionid	BIGINT	19		0		
qtype_ddimageortext_drops	Table	questionid	BIGINT	19		0		
qtype_ddmarker_drag	Table	questionid	BIGINT	19		0		
qtype_ddmarker_drops	Table	questionid	BIGINT	19		0		
question_ddwtos	Table	questionid	BIGINT	19		0		
qtype_multichoice_options	Table	questionid	BIGINT	19		0		Foreign key references question.id.
qtype_match_subquestions	Table	questionid	BIGINT	19		0		Foreign key link to question.id.
qtype_randomsamatch_options	Table	questionid	BIGINT	19		0		Foreign key references question.id.
question_hints	Table	questionid	BIGINT	19		null		
questionnaire_response	Table	questionnaireid	BIGINT	19		0		
survey	Table	questions	VARCHAR	255				
quiz	Table	questionsperpage	BIGINT	19		0		How often to insert a page break when editing the quiz, or when shuffling question order.
question_attempts	Table	questionsummary	LONGTEXT	2147483647	✓	null		If this question uses randomisation, should set this field to summarise a random version of the student's actual response. This is a human-readable text summary of the student's response, which might, for example, be used in a report.
question	Table	questiontext	LONGTEXT	2147483647		null		
qtype_match_subquestions	Table	questiontext	LONGTEXT	2147483647		null		
question	Table	questiontextformat	TINYINT	3		0		

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
qtype_match_subquestions	Table	questiontextformat	TINYINT	3		0		
quiz_overview_regrades	Table	questionusageid	BIGINT	19		null		Foreign key references question_usages.id, or equivalently quiz_attempt.uniqueid.
question_attempts	Table	questionusageid	BIGINT	19		null		Foreign key, references question_usages.id
portfolio_tempdata	Table	queued	BIT	1		0		Value 1 means the entry should be processed in cron.
events_queue_handlers	Table	queuedeventid	BIGINT	19		null		foreign key id corresponding to the the event_queues table
quizaccess_seb_quizsettings	Table	quitpassword	LONGTEXT	2147483647	√	null		Quit password to exit SEB.
quiz_attempts	Table	quiz	BIGINT	19		0		Foreign key reference to the quiz that was attempted.
quiz_overrides	Table	quiz	BIGINT	19		0		Foreign key references quiz.id
quiz_grades	Table	quiz	BIGINT	19		0		Foreign key references quiz.id.
quizaccess_seb_quizsettings	Table	quizid	BIGINT	19		null		Foreign key to quiz id.
quiz_feedback	Table	quizid	BIGINT	19		0		Foreign key references quiz.id.
quiz_sections	Table	quizid	BIGINT	19		null		Foreign key references quiz.id.
quiz_slots	Table	quizid	BIGINT	19		0		Foreign key references quiz.id.
feedback_completed	Table	random_response	BIGINT	19		0		
feedback_completedtmp	Table	random_response	BIGINT	19		0		
question_statistics	Table	randomguessscore	DECIMAL	12	√	null		An estimate of the score a student would get by guessing randomly.
analytics_predictions	Table	rangeindex	MEDIUMINT	7		null		
analytics_predict_samples	Table	rangeindex	BIGINT	19		null		
questionnaire_response_rank	Table	rankvalue	BIGINT	19		0		
grading_instances	Table	raterid	BIGINT	19		null		The ID of the user who did the assessment
rating	Table	rating	BIGINT	19		null		
post	Table	rating	BIGINT	19		0		
rating	Table	ratingarea	VARCHAR	50				
grade_grades_history	Table	rawgrade	DECIMAL	10	√	null		If the grade is a float value (or has converted to one)

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
grade_grades	Table	rawgrade	DECIMAL	10	√		null	If the grade is a float value (or has been converted to one)
grading_instances	Table	rawgrade	DECIMAL	10	√		null	The raw normalized grade 0.000000 to 100.000000 as a result of the most recent assessment
grade_grades_history	Table	rawgrademax	DECIMAL	10			100.000000	The maximum allowable grade when this was created
grade_grades	Table	rawgrademax	DECIMAL	10			100.000000	The maximum allowable grade when this was created
grade_grades	Table	rawgrademin	DECIMAL	10			0.000000	The minimum allowable grade when this was created
grade_grades_history	Table	rawgrademin	DECIMAL	10			0.000000	The minimum allowable grade when this was created
tag	Table	rawname	VARCHAR	255				The raw, unnormalised name for the tag as entered by users
grade_grades	Table	rawscaleid	BIGINT	19	√		null	If this grade is based on a scale, what one was it?
grade_grades_history	Table	rawscaleid	BIGINT	19	√		null	If this grade is based on a scale, what one was it?
h5pactivity_attempts	Table	rawscore	BIGINT	19	√		0	
h5pactivity_attempts_results	Table	rawscore	BIGINT	19			0	
cache_filters	Table	rawtext	LONGTEXT	2147483647			null	
assignfeedback_editpdf_cmnt	Table	rawtext	LONGTEXT	2147483647	√		null	Raw text of the comment
assignfeedback_editpdf_quick	Table	rawtext	LONGTEXT	2147483647			null	
question_response_count	Table	rcount	BIGINT	19			null	
scorm_seq_mapinfo	Table	readnormalizedmeasure	BIT	1			1	
repository_instances	Table	readonly	BIT	1			0	
wiki_pages	Table	readonly	BIT	1			0	Read only flag
scorm_seq_mapinfo	Table	readsatisfiedstatus	BIT	1			1	
course_completions	Table	reaggregate	BIGINT	19			0	
questionnaire_survey	Table	realm	VARCHAR	64				
logstore_standard_log	Table	realuserid	BIGINT	19	√		null	real user id when logged-in-as
course_request	Table	reason	LONGTEXT	2147483647			null	
enrol_paypal	Table	reason_code	VARCHAR	30				

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
enrol_paypal	Table	receiver_email	VARCHAR	255				
enrol_paypal	Table	receiver_id	VARCHAR	255				
badge_manual_award	Table	recipientid	BIGINT	19			null	
data_content	Table	recordid	BIGINT	19			0	
files_reference	Table	reference	LONGTEXT	2147483647	✓		null	Identification of the external file. Repository plugins are interpreting to locate the external file.
scorm	Table	reference	VARCHAR	255				
resource_old	Table	reference	VARCHAR	255				
files	Table	referencefileid	BIGINT	19	✓		null	Use to indicate file is a proxy for repository file
files_reference	Table	referencehash	VARCHAR	40				Internal implementation detail, contains SHA1 hash of the reference field. Can be indexed and used for comparison. Not meant to be used by a non-core code.
scorm_seq_rulecond	Table	refrencedobjective	VARCHAR	255				
badge_backpack_oauth2	Table	refreshtoken	LONGTEXT	2147483647			null	
oauth2_system_account	Table	refreshtoken	LONGTEXT	2147483647			null	The refresh token used to request access tokens.
quizaccess_seb_quizsettings	Table	regexallowed	LONGTEXT	2147483647	✓		null	Regex of allowed URLs
quizaccess_seb_quizsettings	Table	regexblocked	LONGTEXT	2147483647	✓		null	Regex of blocked URLs
block_positions	Table	region	VARCHAR	16				Which block region on this page the block should appear in.
quiz_overview_regrades	Table	regraded	SMALLINT	5			null	set to 0 if element has just been regraded. Set to 1 if element has been marked as needing regrading.
lti_tool_proxies	Table	regurl	LONGTEXT	2147483647	✓		null	
badge_related	Table	relatedbadgeid	BIGINT	19	✓		null	
competency_relatedcomp	Table	relatedcompetencyid	BIGINT	19			null	
logstore_standard_log	Table	relateduserid	BIGINT	19	✓		null	
course	Table	relativedatesmode	BIT	1			0	Whether to let this course display course- or activity-related dates relative to the user's enrolment date in this course.

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
gradingform_guide_fillings	Table	remark	LONGTEXT	2147483647	√		null	Side note feedback regarding this particular criterion
gradingform_rubric_fillings	Table	remark	LONGTEXT	2147483647	√		null	Side note feedback regarding this particular criterion
gradingform_guide_fillings	Table	remarkformat	TINYINT	3	√		null	The format of the remark field
gradingform_rubric_fillings	Table	remarkformat	TINYINT	3	√		null	The format of the remark field
mnetSERVICE_enrol_enrolments	Table	remotecourseid	BIGINT	19			null	ID of the course at the remote server Note that this may and may not be cached in our mnetSERVICE_enrol_courses table, depends of whether the course is opened for remote enrolments or not student is the enrolled there via other plugin
mnetSERVICE_enrol_courses	Table	remoteid	BIGINT	19			null	ID of course on its home server
mnet_log	Table	remoteid	BIGINT	19			0	
block_zoola_reports_schreps	Table	repeated	TINYINT	3			0	0 - one time run, 1 - daily, 2 - weekly, 3 - monthly
event	Table	repeatid	BIGINT	19			0	
block_zoola_reports_eventcfg	Table	reporturi	VARCHAR	1333	√		null	Zoola report URI
block_zoola_reports_schreps	Table	reporturi	VARCHAR	250				Report URI
files_reference	Table	repositoryid	BIGINT	19			null	
course	Table	requested	BIT	1			0	
tool_dataprivacy_request	Table	requestedby	BIGINT	19			0	The user ID of the one making the request
message_contact_requests	Table	requesteduserid	BIGINT	19			null	
course_request	Table	requester	BIGINT	19			0	
assign	Table	requireallteammemberssubmit	TINYINT	3			0	If enabled, a submission will not be accepted until all team members have submitted it.
oauth2_issuer	Table	requireconfirmation	TINYINT	3			1	
feedback_item	Table	required	BIT	1			0	
user_info_field	Table	required	TINYINT	3			0	Field required
questionnaire_question	Table	required	VARCHAR	1			n	
data_fields	Table	required	BIT	1			0	Required fields must have a value

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								inserted by a user
block_instances	Table	requiredbytheme	SMALLINT	5			0	If 1, this block was created because it was required by the theme and did not yet exist.
external_services	Table	requiredcapability	VARCHAR	150	✓		null	
data	Table	requiredentries	INT	10			0	
data	Table	requiredentrystoview	INT	10			0	
h5p_library_dependencies	Table	requiredlibraryid	BIGINT	19			null	The dependent library to load
quiz_slots	Table	requireprevious	SMALLINT	5			0	Set to 1 when current question requires previous one to be answered first.
quizaccess_seb_quizsettings	Table	requiresafeexambrowser	BIT	1			null	Bool whether to require SEB.
assign	Table	requiresubmissionstatement	TINYINT	3			0	Forces the student to accept a submission statement when submitting an assignment
ltiservice_gradebookservices	Table	resourceid	VARCHAR	512	✓		null	Resource id for the line item
lock_db	Table	resourcekey	VARCHAR	255				String identifying the resource to be locked. Should use frankenstyle for
lti	Table	resourcekey	VARCHAR	255	✓		null	
enrol_lti_lti2_share_key	Table	resourceid	BIGINT	19			null	
enrol_lti_lti2_user_result	Table	resourceid	BIGINT	19			null	
questionnaire	Table	resp_eligible	VARCHAR	8			all	Eligible respondents.
questionnaire	Table	resp_view	TINYINT	3			0	Questionnaire viewed?
questionnaire	Table	respondenttype	VARCHAR	9			fullname	Eligible respondents
lesson_answers	Table	response	LONGTEXT	2147483647	✓		null	
questionnaire_response_text	Table	response	LONGTEXT	2147483647	✓		null	
question_response_analysis	Table	response	LONGTEXT	2147483647	✓		null	
h5pactivity_attempts_results	Table	response	LONGTEXT	2147483647			null	User response data in xAPI format
questionnaire_response_other	Table	response	LONGTEXT	2147483647	✓		null	
questionnaire_response_date	Table	response	LONGTEXT	2147483647	✓		null	
questionnaire_response_text	Table	response_id	BIGINT	19			0	
questionnaire_resp_single	Table	response_id	BIGINT	19			0	
questionnaire_response_bool	Table	response_id	BIGINT	19			0	
questionnaire_response_rank	Table	response_id	BIGINT	19			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
questionnaire_response_date	Table	response_id	BIGINT	19		0		
questionnaire_resp_multiple	Table	response_id	BIGINT	19		0		
questionnaire_response_other	Table	response_id	BIGINT	19		0		
questionnaire_question_type	Table	response_table	VARCHAR	32	✓	null		
qtype_essay_options	Table	responsefieldlines	SMALLINT	5		15		Approximate height, in lines, of the box the students should be given for their response.
lesson_answers	Table	responseformat	TINYINT	3		0		
qtype_essay_options	Table	responseformat	VARCHAR	16		editor		The type of input area students should be given for their response.
qtype_essay_options	Table	responserequired	TINYINT	3		1		Nonzero if an online text response is optional
question_attempts	Table	responsesummary	LONGTEXT	2147483647	✓	null		This is a textual summary of the student's response (basically what you would expect to in the Quiz response report).
qtype_essay_options	Table	responsetemplate	LONGTEXT	2147483647	✓	null		The template to pre-populate student response field during attempt.
qtype_essay_options	Table	responsetemplateformat	SMALLINT	5		0		The text format for responsetemplate
external_services	Table	restrictedusers	BIT	1		null		
assignment	Table	resubmit	TINYINT	3		0		
task_log	Table	result	TINYINT	3		null		Whether the task was successful or not. 0 = pass; 1 = fail.
questionnaire_question	Table	result_id	BIGINT	19	✓	null		
workshopallocation_scheduled	Table	resultlog	LONGTEXT	2147483647	✓	null		The log of the most recent execution
workshopallocation_scheduled	Table	resultmessage	VARCHAR	1333	✓	null		Optional short message describing the resulting status
workshopallocation_scheduled	Table	resultstatus	BIGINT	19	✓	null		The resulting status of the most recent execution
questionnaire	Table	resume	TINYINT	3		0		Questionnaire can be saved and resumed.
lesson	Table	retake	SMALLINT	5		1		
lesson_overrides	Table	retake	SMALLINT	5	✓	null		
tool_dataprivacy_purpose	Table	retentionperiod	VARCHAR	255				

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
tool_dataprivacy_purposerole	Table	retentionperiod	VARCHAR	255				
lesson_branch	Table	retry	BIGINT	19		0		
lesson_attempts	Table	retry	SMALLINT	5		0		
block_zoola_reports_schreps	Table	retry	BIGINT	19		0		How many times scheduling failed
block_zoola_reports_schedule	Table	retry	BIGINT	19	√	null		How many times scheduling failed
portfolio_log	Table	returnurl	VARCHAR	255				the original "returnurl" of the export takes us to the moodle page we st from
assign	Table	revealidentities	TINYINT	3		0		Show identities for a blind marking assignment
lesson	Table	review	SMALLINT	5		0		
lesson_overrides	Table	review	SMALLINT	5	√	null		
quiz	Table	reviewattempt	MEDIUMINT	7		0		Whether users are allowed to review their quiz attempts at various times. This is a bit field, decoded by the mod_quiz_display_options class. It formed by ORing together the cons defined there.
quiz	Table	reviewcorrectness	MEDIUMINT	7		0		Whether users are allowed to review their quiz attempts at various times. bit field, like reviewattempt.
competency_usercomp	Table	reviewerid	BIGINT	19	√	null		User that reviewed the competency
competency_plan	Table	reviewerid	BIGINT	19	√	null		
workshop_assessments	Table	reviewerid	BIGINT	19		null		The id of the reviewer who makes t assessment
quiz	Table	reviewgeneralfeedback	MEDIUMINT	7		0		Whether users are allowed to review their quiz attempts at various times. bit field, like reviewattempt.
quiz	Table	reviewmarks	MEDIUMINT	7		0		Whether users are allowed to review their quiz attempts at various times. bit field, like reviewattempt.
h5pactivity	Table	reviewmode	SMALLINT	5	√	1		
quiz	Table	reviewoverallfeedback	MEDIUMINT	7		0		Whether users are allowed to review their quiz attempts at various times. bit field, like reviewattempt.
quiz	Table	reviewrightanswer	MEDIUMINT	7		0		Whether users are allowed to review

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
quiz	Table	reviewspecificfeedback	MEDIUMINT	7		0		their quiz attempts at various time bit field, like reviewattempt.
resource	Table	revision	BIGINT	19		0		Whether users are allowed to review their quiz attempts at various time bit field, like reviewattempt.
folder	Table	revision	BIGINT	19		0		incremented when after each file changes, solves browser caching issues
tool_policy_versions	Table	revision	VARCHAR	1333				incremented when after each file changes, solves browser caching issues
imscp	Table	revision	BIGINT	19		0		Human readable version of the policy document
book	Table	revision	BIGINT	19		0		incremented when after each file changes, solves browser caching issues
page	Table	revision	BIGINT	19		0		incremented when after each file changes, solves browser caching issues
scorm	Table	revision	BIGINT	19		0		revision number
question_attempts	Table	rightanswer	LONGTEXT	2147483647	√	null		This is a human-readable textual summary of the right answer to this question. Might be used, for example, in the quiz preview, to help people who are testing the question. Or might be used in reports.
capabilities	Table	riskbitmask	BIGINT	19		0		
course_completion_criteria	Table	role	BIGINT	19	√	null		
role_names	Table	roleid	BIGINT	19		0		
mnetSERVICE_enrol_courses	Table	roleid	BIGINT	19		null		The ID of the role at the remote server that our users will get when we enrol them there
role_assignments	Table	roleid	BIGINT	19		0		
tool_cohortroles	Table	roleid	BIGINT	19		null		The role to assign
role_context_levels	Table	roleid	BIGINT	19		null		
stats_user_weekly	Table	roleid	BIGINT	19		0		
role_allow_override	Table	roleid	BIGINT	19		0		
enrol_flatfile	Table	roleid	BIGINT	19		null		

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
stats_weekly	Table	roleid	BIGINT	19			0	id of role for the aggregates
role_allow_switch	Table	roleid	BIGINT	19			null	The role the user has.
tool_dataprivacy_purposerole	Table	roleid	BIGINT	19			null	
stats_daily	Table	roleid	BIGINT	19			0	id of role for the aggregates
stats_user_daily	Table	roleid	BIGINT	19			0	
enrol	Table	roleid	BIGINT	19	√		0	Custom - the default role given to participants who self-enrol
role_allow_view	Table	roleid	BIGINT	19			null	The role the user has.
role_allow_assign	Table	roleid	BIGINT	19			0	
stats_monthly	Table	roleid	BIGINT	19			0	id of role for the aggregates
stats_user_monthly	Table	roleid	BIGINT	19			0	
role_capabilities	Table	roleid	BIGINT	19			0	
enrol_lti_tools	Table	roleinstructor	BIGINT	19			null	
enrol_lti_tools	Table	rolelearner	BIGINT	19			null	
mnetSERVICE_enrol_enrolments	Table	rolename	VARCHAR	255				
mnetSERVICE_enrol_courses	Table	rolename	VARCHAR	255				The name of the role at the remote server that our users will get when enrol them there
local_Id_course_day	Table	roles	VARCHAR	50	√		null	Users role in course
scorm_seq_rolluprulecond	Table	rollupruleid	BIGINT	19			0	
mnet_service2rpc	Table	rpcid	BIGINT	19			0	Unique Function ID
mnet_remote_service2rpc	Table	rpcid	BIGINT	19			0	Unique Function ID
data	Table	rssarticles	SMALLINT	5			0	
glossary	Table	rssarticles	TINYINT	3			0	
forum	Table	rssarticles	TINYINT	3			0	
data	Table	rsstemplate	LONGTEXT	2147483647	√		null	
data	Table	rsstitletemplate	LONGTEXT	2147483647	√		null	
forum	Table	rsstype	TINYINT	3			0	
glossary	Table	rsstype	TINYINT	3			0	
scorm_seq_rulecond	Table	ruleconditionsid	BIGINT	19			0	
competency	Table	ruleconfig	LONGTEXT	2147483647	√		null	
tool_monitor_subscriptions	Table	ruleid	BIGINT	19			null	Rule id

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
competency	Table	ruleoutcome	TINYINT	3			0	
competency_coursecomp	Table	ruleoutcome	TINYINT	3			null	The rule that applies to the competency when the course is completed.
competency_modulecomp	Table	ruleoutcome	TINYINT	3			null	The outcome when an activity is completed.
competency	Table	ruletype	VARCHAR	100	✓		null	
scorm_seq_ruleconds	Table	ruletype	TINYINT	3			0	
profiling	Table	runcomment	VARCHAR	255				Brief comment for this run
profiling	Table	runid	VARCHAR	32				the unique id for this run (as generated by xhprof)
h5p_libraries	Table	runnable	BIT	1			null	Can this library be started by the module? i.e. not a dependency.
profiling	Table	runreference	TINYINT	3			0	Is this run a reference one
question_statistics	Table	s	BIGINT	19			0	
analytics_predictions	Table	sampleid	BIGINT	19			null	
analytics_indicator_calc	Table	sampleid	BIGINT	19			null	
analytics_train_samples	Table	sampleids	LONGTEXT	2147483647			null	
analytics_predict_samples	Table	sampleids	LONGTEXT	2147483647			null	
analytics_indicator_calc	Table	sampleorigin	VARCHAR	255				
scorm_seq_objective	Table	satisfiedbymeasure	BIT	1			1	
scale	Table	scale	LONGTEXT	2147483647			null	
scale_history	Table	scale	LONGTEXT	2147483647			null	
forum	Table	scale	BIGINT	19			0	
data	Table	scale	BIGINT	19			0	
glossary	Table	scale	BIGINT	19			0	
competency_framework	Table	scaleconfiguration	LONGTEXT	2147483647			null	Scale information.
competency	Table	scaleconfiguration	LONGTEXT	2147483647	✓		null	
h5pactivity_attempts	Table	scaled	DECIMAL	10			0.00000	Number 0..1 that reflects the performance of the learner
grade_items_history	Table	scaleid	BIGINT	19	✓		null	If this grade is based on a scale, what one is it?
competency_framework	Table	scaleid	BIGINT	19	✓		null	Scale used to define competency.
grade_outcomes_history	Table	scaleid	BIGINT	19	✓		null	The recommended scale for this

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								outcome.
rating	Table	scaleid	BIGINT	19			null	
grade_items	Table	scaleid	BIGINT	19	√		null	If this grade is based on a scale, w one is it?
grade_outcomes	Table	scaleid	BIGINT	19	√		null	The recommended scale for this outcome.
competency	Table	scaleid	BIGINT	19	√		null	
chat	Table	schedule	SMALLINT	5			0	
events_handlers	Table	schedule	VARCHAR	255	√		null	'cron' or 'instant'.
block_zoola_reports_schreps	Table	scheduleend	BIGINT	19			0	When the schedule ends: 0 - Never After a specified number or runs, 2 Until a specified date
block_zoola_schedule_rcp	Table	schrepsid	BIGINT	19	√		null	schedule id
scorm_seq_rolluprule	Table	scoid	BIGINT	19			0	
scorm_scoes_data	Table	scoid	BIGINT	19			0	
scorm_seq_rolluprulecond	Table	scoid	BIGINT	19			0	
scorm_seq_mapinfo	Table	scoid	BIGINT	19			0	
scorm_seq_rulecond	Table	scoid	BIGINT	19			0	
scorm_seq_objective	Table	scoid	BIGINT	19			0	
scorm_aicc_session	Table	scoid	BIGINT	19	√		0	id from scorm_scoes table
scorm_scoes_track	Table	scoid	BIGINT	19			0	
scorm_seq_ruleconds	Table	scoid	BIGINT	19			0	
lti_access_tokens	Table	scope	LONGTEXT	2147483647			null	Scope values as JSON array
oauth2_access_token	Table	scope	LONGTEXT	2147483647			null	
badge_backpack_oauth2	Table	scope	LONGTEXT	2147483647	√		null	
oauth2_issuer	Table	scopessupported	LONGTEXT	2147483647	√		null	The list of scopes this service supp
lesson_answers	Table	score	BIGINT	19			0	
gradingform_guide_fillings	Table	score	DECIMAL	10			null	The score assigned
analytics_models_log	Table	score	DECIMAL	10			0.00000	
course_modules	Table	score	SMALLINT	5			0	
gradingform_rubric_levels	Table	score	DECIMAL	10			null	The score for this level
questionnaire_fb_sections	Table	scorecalculation	LONGTEXT	2147483647	√		null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
scorm_scoes	Table	scorm	BIGINT	19		0		
scorm_aicc_session	Table	scormid	BIGINT	19		0		id from scorm table
scorm_scoes_track	Table	scormid	BIGINT	19		0		
scorm_aicc_session	Table	scormmode	VARCHAR	50	✓	null		
scorm_aicc_session	Table	scormstatus	VARCHAR	255	✓	null		
scorm_scoes	Table	scormtype	VARCHAR	5				
scorm	Table	scormtype	VARCHAR	50		local		local, external or repository
user_private_key	Table	script	VARCHAR	128				plugin, module - unique identifier
question_statistics	Table	sd	DECIMAL	15	✓	null		
modules	Table	search	VARCHAR	255				
tag_coll	Table	searchable	TINYINT	3		1		Whether the tag collection is searchable
search_index_requests	Table	searcharea	VARCHAR	255				Set (e.g. 'forum-post') if a specific area is to be reindexed. Blank indicates all areas.
registration_hubs	Table	secret	VARCHAR	255	✓	null		the unique site identifier for this hub
user	Table	secret	VARCHAR	15				
lti_tool_proxies	Table	secret	VARCHAR	255	✓	null		
enrol_lti_lti2_consumer	Table	secret	VARCHAR	1024				
enrol_lti_tools	Table	secret	LONGTEXT	2147483647	✓	null		
tool_recyclebin_course	Table	section	BIGINT	19		null		
questionnaire_fb_sections	Table	section	TINYINT	3	✓	null		
course_sections	Table	section	BIGINT	19		0		
course_modules	Table	section	BIGINT	19		0		
questionnaire_fb_sections	Table	sectionheading	LONGTEXT	2147483647	✓	null		
questionnaire_fb_sections	Table	sectionheadingformat	TINYINT	3	✓	1		
questionnaire_feedback	Table	sectionid	BIGINT	19		0		
course_format_options	Table	sectionid	BIGINT	19		0		Null if this is a course option, otherwise id of the section this option is for
questionnaire_fb_sections	Table	sectionlabel	VARCHAR	50	✓	null		
wiki_locks	Table	sectionname	VARCHAR	255	✓	null		locked page section
lti	Table	secureicon	LONGTEXT	2147483647	✓	null		
lti_types	Table	secureicon	LONGTEXT	2147483647	✓	null		Secure URL to icon file

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
lti	Table	securetoolurl	LONGTEXT	2147483647	✓		null	
h5p_libraries	Table	semantics	LONGTEXT	2147483647	✓		null	The semantics definition in json fo
assign	Table	sendlatenotifications	TINYINT	3			0	Allows separate enabling of notifications for late assignment submissions.
assign	Table	sendnotifications	TINYINT	3			0	Allows the disabling of email notifications in the assign module.
assign	Table	sendstudentnotifications	TINYINT	3			1	Default for send student notification checkbox when grading.
block_zoola_reports_eventcfg	Table	sendtomanager	BIT	1			0	Add related user manager's email to recipient list
block_zoola_reports_eventcfg	Table	sendtoteacher	BIT	1			0	Add course teachers email to recipient list
block_zoola_reports_eventcfg	Table	sendtouser	BIT	1			0	Add related user's email to recipient list
tool_dataprivacy_purpose	Table	sensitivedatareasons	LONGTEXT	2147483647	✓		null	Comma-separated IDs matching records in tool_dataprivacy_sensiti
tool_dataprivacy_purposerole	Table	sensitivedatareasons	LONGTEXT	2147483647	✓		null	
course_sections	Table	sequence	LONGTEXT	2147483647	✓		null	
question_multianswer	Table	sequence	LONGTEXT	2147483647			null	
event	Table	sequence	BIGINT	19			1	
question_attempt_steps	Table	sequencenumber	BIGINT	19			null	Numbers the steps in a question attempt sequentially.
mnet_service2rpc	Table	serviceid	BIGINT	19			0	Unique service ID
mnet_remote_service2rpc	Table	serviceid	BIGINT	19			0	Unique service ID
mnet_host2service	Table	serviceid	BIGINT	19			0	
lti_tool_proxies	Table	serviceoffered	LONGTEXT	2147483647			null	List of services offered, one per line
external_functions	Table	services	VARCHAR	1333	✓		null	all the services (by shortname) which this function must be included
lti	Table	servicesalt	VARCHAR	40	✓		null	
enrol_lti_users	Table	serviceurl	LONGTEXT	2147483647	✓		null	
sessions	Table	sessdata	LONGTEXT	2147483647	✓		null	session content
mnet_session	Table	session_id	VARCHAR	40				The PHP Session ID
scorm_aicc_session	Table	sessiontime	VARCHAR	255	✓		null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
enrol_lti_lti2_resource_link	Table	settings	LONGTEXT	2147483647	✓		null	
lti_tool_settings	Table	settings	LONGTEXT	2147483647			null	Setting values as JSON
enrol_lti_lti2_context	Table	settings	LONGTEXT	2147483647	✓		null	
workshopallocation_scheduled	Table	settings	LONGTEXT	2147483647	✓		null	The pre-defined settings for the underlying random allocation to run with
enrol_lti_lti2_consumer	Table	settings	LONGTEXT	2147483647	✓		null	
scorm	Table	sha1hash	VARCHAR	40	✓		null	package content or ext path hash
qtype_ddmarker_drops	Table	shape	VARCHAR	255	✓		null	circle, rectangle, polygon
enrol_lti_lti2_resource_link	Table	shareapproved	BIT	1	✓		null	
block_rss_client	Table	shared	TINYINT	3			0	
enrol_lti_lti2_share_key	Table	sharekey	VARCHAR	32				
customfield_data	Table	shortcharvalue	VARCHAR	255	✓		null	
grade_outcomes	Table	shortname	VARCHAR	255				The short name or code for this outcome statement
grade_outcomes_history	Table	shortname	VARCHAR	255				The short name or code for this outcome statement
role	Table	shortname	VARCHAR	100				
customfield_field	Table	shortname	VARCHAR	100				
competency	Table	shortname	VARCHAR	100	✓		null	Shortname of a competency
gradingform_guide_criteria	Table	shortname	VARCHAR	255				shortname of this criterion
competency_template	Table	shortname	VARCHAR	100	✓		null	Short name for the learning plan template.
mnetservice_enrol_courses	Table	shortname	VARCHAR	100				
competency_framework	Table	shortname	VARCHAR	100	✓		null	Short name for the competency framework.
course_request	Table	shortname	VARCHAR	100				
tool_recyclebin_category	Table	shortname	VARCHAR	255				
license	Table	shortname	VARCHAR	255	✓		null	
course	Table	shortname	VARCHAR	255				
external_services	Table	shortname	VARCHAR	255	✓		null	a unique shortname
user_info_field	Table	shortname	VARCHAR	255			shortname	short name for each field
survey_questions	Table	shorttext	VARCHAR	30				

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
glossary	Table	showall	TINYINT	3		1		
glossary	Table	showalphabet	TINYINT	3		1		
quiz	Table	showblocks	SMALLINT	5		0		Whether blocks should be shown on attempt.php and review.php pages
course_modules	Table	showdescription	BIT	1		0		Some module types support a 'description' which shows within the module pages. This option controls whether it also displays on the course main page. 0 = does not display (default), 1 = displays
lti	Table	showdescriptionlaunch	BIT	1		0		
folder	Table	showdownloadfolder	BIT	1		1		1 = show download folder button
folder	Table	showexpanded	BIT	1		1		1 = expanded, 0 = collapsed for subfolders
course	Table	showgrades	TINYINT	3		1		
glossary_formats	Table	showgroup	TINYINT	3		1		
block_instances	Table	showinsubcontexts	SMALLINT	5		null		If 1, this block appears on all match pages in subcontexts of parentcontextid, as well in pages belonging to parentcontextid.
quizaccess_seb_quizsettings	Table	showkeyboardlayout	BIT	1	√	null		Bool to show keyboard layout.
qtype_ddmarker	Table	showmisplaced	SMALLINT	5		0		
qtype_ddmarker	Table	shownumcorrect	TINYINT	3		0		
question_calculated_options	Table	shownumcorrect	TINYINT	3		0		If true, then when the user gets a multiple-response question partially correct, tell them how many choices they got correct alongside the feedback
question_gapselect	Table	shownumcorrect	TINYINT	3		0		
qtype_ddimageortext	Table	shownumcorrect	TINYINT	3		0		
qtype_multichoice_options	Table	shownumcorrect	TINYINT	3		0		If true, then when the user gets a multiple-response question partially correct, tell them how many choices they got correct alongside the feedback
qtype_randomsamatch_options	Table	shownumcorrect	TINYINT	3		0		If true, then when the user gets the question partially correct, tell them how many choices they got correct

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
qtype_match_options	Table	shownumcorrect	TINYINT	3			0	alongside the feedback. If true, then when the user gets the question partially correct, tell them how many choices they got correct alongside the feedback.
question_ddwtos	Table	shownumcorrect	TINYINT	3			0	
question_hints	Table	shownumcorrect	BIT	1	√		null	Whether the feedback should include a message about how many things the student got right. This is only applicable to certain question types (for example matching or multiple choice multiple response).
oauth2_issuer	Table	showonloginpage	TINYINT	3			1	
choice	Table	showpreview	TINYINT	3			0	
quizaccess_seb_quizsettings	Table	showreloadbutton	BIT	1	√		null	Bool to show reload button.
course	Table	showreports	SMALLINT	5			0	
choice	Table	showresults	TINYINT	3			0	
quizaccess_seb_quizsettings	Table	showsebdownloadlink	BIT	1	√		null	Bool whether SEB download link should appear
quizaccess_seb_quizsettings	Table	showsebtaskbar	BIT	1	√		null	Bool to show SEB task bar
glossary	Table	showspecial	TINYINT	3			1	
tag_area	Table	showstandard	BIT	1			0	
qtype_multichoice_options	Table	showstandardinstruction	TINYINT	3			1	Whether standard instruction ('Select one:' or 'Select one or more:') is displayed
glossary_formats	Table	showtabs	VARCHAR	100	√		null	
quizaccess_seb_quizsettings	Table	showtime	BIT	1	√		null	Bool to show the clock.
lti	Table	showtitlelaunch	BIT	1			0	
choice	Table	showunanswered	TINYINT	3			0	
question_numerical_options	Table	showunits	SMALLINT	5			0	How units are handled: 3) Not used at all, 0) Optional, or 1) must be right or penalty applied.
quiz	Table	showuserpicture	SMALLINT	5			0	Option to show the user's picture during the attempt and on the review page
quizaccess_seb_quizsettings	Table	showwificontrol	BIT	1	√		null	Bool to allow user to control network

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
qtype_match_options	Table	shuffleanswers	SMALLINT	5		1		
quiz	Table	shuffleanswers	SMALLINT	5		0		Whether the parts of the question should be shuffled, in those question types that support it.
question_ddwtos	Table	shuffleanswers	SMALLINT	5		1		
question_calculated_options	Table	shuffleanswers	SMALLINT	5		0		Whether the choices can be randomly shuffled.
qtype_ddmarker	Table	shuffleanswers	SMALLINT	5		1		
qtype_ddimageortext	Table	shuffleanswers	SMALLINT	5		1		
qtype_multichoice_options	Table	shuffleanswers	SMALLINT	5		1		Whether the choices can be randomly shuffled.
question_gapselect	Table	shuffleanswers	SMALLINT	5		1		
quiz_sections	Table	shufflequestions	SMALLINT	5		0		Whether the question order within section should be shuffled for each attempt.
tool_monitor_history	Table	sid	BIGINT	19		null		Subscription id
questionnaire	Table	sid	BIGINT	19		0		The id entry in the questionnaire_s field.
sessions	Table	sid	VARCHAR	128				Session id
chat_users	Table	sid	VARCHAR	32				
external_tokens	Table	sid	VARCHAR	128	✓	null		link to browser or emulated session
user_info_field	Table	signup	TINYINT	3		0		display field on signup page
question_calculated_options	Table	single	SMALLINT	5		0		If 0 it multiple response (checkboxes) Otherwise it is radio buttons.
qtype_multichoice_options	Table	single	SMALLINT	5		0		If 0 it multiple response (checkboxes) Otherwise it is radio buttons.
data	Table	singletemplate	LONGTEXT	2147483647	✓	null		
feedback	Table	site_after_submit	VARCHAR	255				
badge_external_identifier	Table	sitebackpackid	BIGINT	19		null		ID of a site backpack
quiz_statistics	Table	skewness	DECIMAL	15	✓	null		
block_rss_client	Table	skiptime	BIGINT	19		0		How many seconds skip this feed (increases every time it fails, resets when it succeeds)
block_rss_client	Table	skipuntil	BIGINT	19		0		Do not query this RSS feed again u

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								this time
scorm	Table	skipview	BIT	1		1		
user	Table	skype	VARCHAR	50				
lesson	Table	slideshow	SMALLINT	5		0		
question_statistics	Table	slot	BIGINT	19	√	null		The position in the quiz where this question appears
quiz_overview_regrades	Table	slot	BIGINT	19		null		Foreign key, references question_attempts.slot
question_attempts	Table	slot	BIGINT	19		null		Used to number the questions in o attempt sequentially.
quiz_slots	Table	slot	BIGINT	19		null		Where this question comes in order the list of questions in this quiz. Lik question_attempts.slot.
quiz_slot_tags	Table	slotid	BIGINT	19	√	null		The quiz slot that this tag belong to
message	Table	smallmessage	LONGTEXT	2147483647	√	null		Smal version of message (eg sms)
messages	Table	smallmessage	LONGTEXT	2147483647	√	null		
notifications	Table	smallmessage	LONGTEXT	2147483647	√	null		
message_read	Table	smallmessage	LONGTEXT	2147483647	√	null		Smal version of message (eg sms)
workshopform_comments	Table	sort	BIGINT	19	√	0		Defines the dimension order within assessment form
workshopform_rubric	Table	sort	BIGINT	19	√	0		Defines the dimension order within assessment form
workshopform_numerrors	Table	sort	BIGINT	19	√	0		Defines the dimension order within assessment form
workshopform_accumulative	Table	sort	BIGINT	19	√	0		Defines the dimension order within assessment form
glossary_formats	Table	sortkey	VARCHAR	50				
course	Table	sortorder	BIGINT	19		0		
question_categories	Table	sortorder	BIGINT	19		999		
course_categories	Table	sortorder	BIGINT	19		0		
quizaccess_seb_template	Table	sortorder	BIGINT	19		null		
customfield_field	Table	sortorder	BIGINT	19	√	null		
grade_items	Table	sortorder	BIGINT	19		0		Sorting order of the columns

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
tool_usertours_steps	Table	sortorder	BIGINT	19		0		
glossary_formats	Table	sortorder	VARCHAR	50				
license	Table	sortorder	MEDIUMINT	7		0		
oauth2_issuer	Table	sortorder	BIGINT	19		null		The defined sort order.
tool_usertours_tours	Table	sortorder	BIGINT	19		0		
files	Table	sortorder	BIGINT	19		0		order of files
competency_modulecomp	Table	sortorder	BIGINT	19		null		The field used to naturally sort this
scorm_scoes	Table	sortorder	BIGINT	19		0		order of scoes
tool_policy	Table	sortorder	MEDIUMINT	7		999		Defines the order in which policies should be presented to users
my_pages	Table	sortorder	MEDIUMINT	7		0		The order of the pages for a user
role_assignments	Table	sortorder	BIGINT	19		0		
enrol	Table	sortorder	BIGINT	19		0		order of enrol plugins in each course
gradingform_guide_criteria	Table	sortorder	BIGINT	19		null		Defines the order of the criterion in the guide
role	Table	sortorder	BIGINT	19		0		
competency	Table	sortorder	BIGINT	19		null		Relative sort order within the branch
user_info_field	Table	sortorder	BIGINT	19		0		order within the category
competency_usercompplan	Table	sortorder	BIGINT	19	✓	null		Relative sort order
assign_overrides	Table	sortorder	BIGINT	19	✓	null		Rank for sorting overrides.
competency_plancomp	Table	sortorder	BIGINT	19	✓	null		Relative sort order
competency_coursecomp	Table	sortorder	BIGINT	19		null		The display order for this link.
gradingform_guide_comments	Table	sortorder	BIGINT	19		null		Defines the order of the comments
mnetservice_enrol_courses	Table	sortorder	BIGINT	19		0		
customfield_category	Table	sortorder	BIGINT	19	✓	null		
badge_external_backpack	Table	sortorder	BIGINT	19		0		
grade_items_history	Table	sortorder	BIGINT	19		0		Sorting order of the columns
filter_active	Table	sortorder	BIGINT	19		0		Only relevant if contextid points to a system context. In other cases this should contain 0. The order in which filters should be applied.
user_info_category	Table	sortorder	BIGINT	19		0		Display order

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
tag_coll	Table	sortorder	MEDIUMINT	7			0	
repository	Table	sortorder	BIGINT	19			0	
gradingform_rubric_criteria	Table	sortorder	BIGINT	19			null	Defines the order of the criterion in rubric
competency_templatecomp	Table	sortorder	BIGINT	19	✓		null	Relative sort order
grade_categories_history	Table	source	VARCHAR	255	✓		null	What caused the modification? module/import/...
grade_items_history	Table	source	VARCHAR	255	✓		null	What caused the modification? module/import/...
license	Table	source	VARCHAR	255	✓		null	
scale_history	Table	source	VARCHAR	255	✓		null	What caused the modification? module/import/...
grade_grades_history	Table	source	VARCHAR	255	✓		null	What caused the modification? module/import/...
grade_outcomes_history	Table	source	VARCHAR	255	✓		null	What caused the modification? module/import/...
files	Table	source	LONGTEXT	2147483647	✓		null	contains the reference if the file is imported from external sites
file_conversion	Table	sourcefileid	BIGINT	19			null	
glossary_entries	Table	sourceglossaryid	BIGINT	19			0	
enrol_lti_users	Table	sourceid	LONGTEXT	2147483647	✓		null	
log_queries	Table	sqlparams	LONGTEXT	2147483647	✓		null	query parameters
log_queries	Table	sqltext	LONGTEXT	2147483647			null	query sql
mnet_host	Table	sslverification	BIT	1			0	
mnet_application	Table	sso_jump_url	VARCHAR	255				
mnet_application	Table	sso_land_url	VARCHAR	255				
events_queue	Table	stackdump	LONGTEXT	2147483647	✓		null	serialized debug_backtrace showing where the event was fired from
question	Table	stamp	VARCHAR	255				
question_categories	Table	stamp	VARCHAR	255				
quiz_statistics	Table	standarddeviation	DECIMAL	15	✓		null	
quiz_statistics	Table	standarderror	DECIMAL	15	✓		null	
mnetSERVICE_enrol_courses	Table	startdate	BIGINT	19			null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
course	Table	startdate	BIGINT	19		0		
lesson_timer	Table	starttime	BIGINT	19		0		
analytics_indicator_calc	Table	starttime	BIGINT	19		null		
block_zoola_reports_schreps	Table	starttime	BIGINT	19		null		Time when the report should run for first time. 0 means run immediately
stats_weekly	Table	stat1	BIGINT	19		0		stat1. usually used for reads
stats_daily	Table	stat1	BIGINT	19		0		stat1. usually used for reads
stats_monthly	Table	stat1	BIGINT	19		0		stat1. usually used for reads
stats_weekly	Table	stat2	BIGINT	19		0		stat2. usually used for writes.
stats_daily	Table	stat2	BIGINT	19		0		stat2. usually used for writes.
stats_monthly	Table	stat2	BIGINT	19		0		stat2. usually used for writes.
lti_submission	Table	state	TINYINT	3		null		
quiz_attempts	Table	state	VARCHAR	16		inprogress		The current state of the attempts. 'inprogress', 'overdue', 'finished' or 'abandoned'.
lti_tool_proxies	Table	state	TINYINT	3		1		Configured = 1, Pending = 2, Accepted = 3, Rejected = 4, Cancelled = 5
sessions	Table	state	BIGINT	19		0		0 means normal session
lti_types	Table	state	TINYINT	3		2		Active = 1, Pending = 2, Rejected = 3
question_attempt_steps	Table	state	VARCHAR	13				One of the constants defined by the question_state class, giving the state of the question at the end of this step
mnet_rpc	Table	static	BIT	1	√	null		
stats_user_daily	Table	statsreads	BIGINT	19		0		
stats_user_monthly	Table	statsreads	BIGINT	19		0		
stats_user_weekly	Table	statsreads	BIGINT	19		0		
stats_user_daily	Table	statswrites	BIGINT	19		0		
stats_user_weekly	Table	statswrites	BIGINT	19		0		
stats_user_monthly	Table	statswrites	BIGINT	19		0		
stats_daily	Table	statttype	VARCHAR	20		activity		type of stat
stats_weekly	Table	statttype	VARCHAR	20		activity		type of stat
stats_user_monthly	Table	statttype	VARCHAR	30				
stats_user_weekly	Table	statttype	VARCHAR	30				

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
stats_user_daily	Table	stattype	VARCHAR	30				
stats_monthly	Table	stattype	VARCHAR	20			activity	type of stat
competency_plan	Table	status	BIT	1			null	
block_zoola_reports_schreps	Table	status	VARCHAR	100			enabled	'enabled' or reason why the schedu disabled.
grading_instances	Table	status	BIGINT	19			0	The status of the assessment. By default the instance is under-assessment state
badge	Table	status	BIT	1			0	Badge status: 0 = inactive, 1 = active+locked, 3 = inactive+locked, archived
backup_controllers	Table	status	SMALLINT	5			null	current status of the backup (configured, ui, running...)
competency_usercomp	Table	status	TINYINT	3			0	Competency status.
user_enrolments	Table	status	BIGINT	19			0	0..9 are system constants, 0 means active participation, see ENROL_PARTICIPATION_* constants, plugins may define own status greater than 10
questionnaire_survey	Table	status	BIGINT	19			0	
assign_submission	Table	status	VARCHAR	10	√		null	The status of this assignment submission. The current statuses are DRAFT and SUBMITTED.
events_queue_handlers	Table	status	BIGINT	19	√		null	number of failed attempts to process this handler
tool_dataprivacy_ctxexpired	Table	status	TINYINT	3			0	
enrol	Table	status	BIGINT	19			0	0..9 are system constants, 0 means active enrolment, see ENROL_STATUS_* constants, plugins may define own status greater than 10
events_handlers	Table	status	BIGINT	19			0	number of failed attempts to process this handler
tool_policy_acceptances	Table	status	BIT	1	√		null	Acceptance status: 1 - accepted, 0 - not accepted
course_published	Table	status	BIT	1	√		0	is the publication published or not
files	Table	status	BIGINT	19			0	number greater than 0 means

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								something is wrong with this file (v missing, etc.)
local_id_import_logs_status	Table	status	VARCHAR	20			notscheduled	Current status of the import log tas ('notscheduled', 'scheduled', 'inprog 'finished')
file_conversion	Table	status	BIGINT	19	✓		0	
tool_dataprivacy_request	Table	status	TINYINT	3			0	The current status of the data requ
grading_definitions	Table	status	BIGINT	19			0	Status of the form definition, by de in the under-construction state
file_conversion	Table	statusmessage	LONGTEXT	2147483647	✓		null	
workshop_grades	Table	strategy	VARCHAR	30				
workshop	Table	strategy	VARCHAR	30				The type of the current grading str used in this workshop
tool_customlang	Table	stringid	VARCHAR	255				The identifier of the string
imscp	Table	structure	LONGTEXT	2147483647	✓		null	
chat	Table	studentlogs	SMALLINT	5			0	
qtype_randomsamatch_options	Table	subcats	TINYINT	3			1	Whether to include or not the subcategories.
book_chapters	Table	subchapter	BIGINT	19			0	
h5pactivity_attempts_results	Table	subcontent	VARCHAR	128	✓		null	
messages	Table	subject	LONGTEXT	2147483647	✓		null	
forum_posts	Table	subject	VARCHAR	255				
block_zoola_reports_eventcfg	Table	subject	VARCHAR	1333				Email subject
message	Table	subject	LONGTEXT	2147483647	✓		null	The message subject
message_read	Table	subject	LONGTEXT	2147483647	✓		null	The message subject
notifications	Table	subject	LONGTEXT	2147483647	✓		null	The message subject
block_zoola_reports_schreps	Table	subject	VARCHAR	100				Email subject
post	Table	subject	VARCHAR	128				
assignsubmission_file	Table	submission	BIGINT	19			0	
assignsubmission_onlinetext	Table	submission	BIGINT	19			0	
assignfeedback_editpdf_queue	Table	submissionattempt	BIGINT	19			null	
assignment_submissions	Table	submissioncomment	LONGTEXT	2147483647			null	
assign	Table	submissiondrafts	TINYINT	3			0	If true, assignment submissions w

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								considered drafts until the student clicks on the submit assignment button
workshop	Table	submissionend	BIGINT	19	√		0	0 = will be closed manually, greater than 0 the timestamp of the end of the submission phase
workshopallocation_scheduled	Table	submissionend	BIGINT	19			null	What was the workshop's submissionend when this record was created or modified
workshop	Table	submissionfiletypes	VARCHAR	255	√		null	comma separated list of file extensions
assignfeedback_editpdf_queue	Table	submissionid	BIGINT	19			null	
workshop_assessments	Table	submissionid	BIGINT	19			null	The id of the assessed submission
workshop	Table	submissionstart	BIGINT	19	√		0	0 = will be started manually, greater than 0 the timestamp of the start of the submission phase
workshop	Table	submissiontypefile	BIT	1			1	Can students attach files for their submissions? 0 for no, 1 for optional for required.
workshop	Table	submissiontypetext	BIT	1			1	Can students enter text for their submissions? 0 for no, 1 for optional for required.
questionnaire_response	Table	submitted	BIGINT	19			0	
quiz	Table	subnet	VARCHAR	255				Used to restrict the IP addresses from which this quiz can be attempted. The format is as required by the address_in_subnet function.
block_positions	Table	subpage	VARCHAR	16				With contextid and pagetype, defines the page we are setting the position for
block_instances	Table	subpagepattern	VARCHAR	16	√		null	Further restrictions on where this block appears. In some places, e.g. during a quiz or lesson attempt, different pages have different subpage ids. If this field is not null, the block only appears on that particular subpage.
question_response_analysis	Table	subqid	VARCHAR	100				
question_statistics	Table	subquestion	SMALLINT	5			null	
question_statistics	Table	subquestions	LONGTEXT	2147483647	√		null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
mnet_host2service	Table	subscribe	BIT	1			0	
event	Table	subscriptionid	BIGINT	19	✓		null	The event_subscription id this event is associated with.
questionnaire_survey	Table	subtitle	LONGTEXT	2147483647	✓		null	
assign_plugin_config	Table	subtype	VARCHAR	28				
wiki_links	Table	subwikiid	BIGINT	19			0	Subwiki instance
wiki_pages	Table	subwikiid	BIGINT	19			0	Subwiki instance of this page
wiki_synonyms	Table	subwikiid	BIGINT	19			0	Subwiki instance
h5pactivity_attempts_results	Table	success	BIT	1	✓		null	Store the xAPI tracking success result
h5pactivity_attempts	Table	success	BIT	1	✓		null	Store the xAPI tracking success result
quiz_attempts	Table	sumgrades	DECIMAL	10	✓		null	Total marks for this attempt.
quiz	Table	sumgrades	DECIMAL	10			0.00000	The total of all the question instance marks. maxmarks.
course_request	Table	summary	LONGTEXT	2147483647			null	
course	Table	summary	LONGTEXT	2147483647	✓		null	
post	Table	summary	LONGTEXT	2147483647	✓		null	
course_sections	Table	summary	LONGTEXT	2147483647	✓		null	
mnetservice_enrol_courses	Table	summary	LONGTEXT	2147483647			null	
tool_policy_versions	Table	summary	LONGTEXT	2147483647			null	Policy text summary
tool_policy_versions	Table	summaryformat	SMALLINT	5			null	Format of the summary field
mnetservice_enrol_courses	Table	summaryformat	SMALLINT	5	✓		0	Format of the summary field
course_sections	Table	summaryformat	TINYINT	3			0	
post	Table	summaryformat	TINYINT	3			0	
course	Table	summaryformat	TINYINT	3			0	
course_request	Table	summaryformat	TINYINT	3			0	
survey_analysis	Table	survey	BIGINT	19			0	
survey_answers	Table	survey	BIGINT	19			0	
questionnaire_fb_sections	Table	surveyid	BIGINT	19			0	
questionnaire_question	Table	surveyid	BIGINT	19			0	
questionnaire_dependency	Table	surveyid	BIGINT	19			null	ID of survey question contained in.
user	Table	suspended	BIT	1			0	suspended flag prevents users to login
question_calculated_options	Table	synchronize	TINYINT	3			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
tool_dataprivacy_request	Table	systemapproved	SMALLINT	5			0	
ltiservice_gradebookservices	Table	tag	VARCHAR	255	✓		null	Tag type specified for the line item
tag	Table	tagcollid	BIGINT	19			null	
tag_area	Table	tagcollid	BIGINT	19			null	
tag_correlation	Table	tagid	BIGINT	19			null	
tag_instance	Table	tagid	BIGINT	19			null	
quiz_slot_tags	Table	tagid	BIGINT	19	✓		null	
quiz_slot_tags	Table	tagname	VARCHAR	255	✓		null	The tag name is to be stored as we won't lose data if the tag is removed from Moodle (A tag with the same name might be added in future).
analytics_models	Table	target	VARCHAR	255				
analytics_models_log	Table	target	VARCHAR	255				
logstore_standard_log	Table	target	VARCHAR	100				
badge_alignment	Table	targetcode	VARCHAR	255	✓		null	
badge_alignment	Table	targetdescription	LONGTEXT	2147483647	✓		null	
file_conversion	Table	targetformat	VARCHAR	100				
badge_alignment	Table	targetframework	VARCHAR	255	✓		null	
badge_alignment	Table	targetname	VARCHAR	255				
scorm_seq_mapinfo	Table	targetobjectiveid	BIGINT	19			0	
tool_usertours_steps	Table	targettype	TINYINT	3			null	Type of the target (e.g. block, CSS selector, etc.)
badge_alignment	Table	targeturl	VARCHAR	255				
tool_usertours_steps	Table	targetvalue	LONGTEXT	2147483647			null	The value for the specified target type
upgrade_log	Table	targetversion	VARCHAR	100	✓		null	version of plugin or core specified in version.php at the time of upgrade or logging
enrol_paypal	Table	tax	VARCHAR	255				
competency_framework	Table	taxonomies	VARCHAR	255				Sequence of terms to use for each competency level.
assignment_submissions	Table	teacher	BIGINT	19			0	
glossary_entries	Table	teacherentry	TINYINT	3			0	
assign	Table	teamsubmission	TINYINT	3			0	Do students submit in teams?

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
assign	Table	teamsubmissiongroupingid	BIGINT	19		0		A grouping id to get groups for team submissions
portfolio_log	Table	tempdataid	BIGINT	19		0		old id from portfolio_tempdata. This is so that we can gracefully catch a race condition between an external system requesting a file and causing the tempdata to be deleted, before the system gets the "your transfer is requested" page
feedback_item	Table	template	BIGINT	19		0		
survey	Table	template	BIGINT	19		0		
tool_monitor_rules	Table	template	LONGTEXT	2147483647		null		Message template
tool_monitor_rules	Table	templateformat	BIT	1		null		Template format
competency_templatecohort	Table	templateid	BIGINT	19		null		
competency_plan	Table	templateid	BIGINT	19	✓	null		
quizaccess_seb_quizsettings	Table	templateid	BIGINT	19		null		Foreign key to quizaccess_seb_template.id.
competency_templatecomp	Table	templateid	BIGINT	19		null		The template this competency is linked to.
choice_options	Table	text	LONGTEXT	2147483647	✓	null		
survey_questions	Table	text	VARCHAR	255				
questionnaire_survey	Table	thank_body	LONGTEXT	2147483647	✓	null		
questionnaire_survey	Table	thank_head	VARCHAR	255	✓	null		
questionnaire_survey	Table	thanks_page	VARCHAR	255	✓	null		
cohort	Table	theme	VARCHAR	50	✓	null		
course	Table	theme	VARCHAR	50				
user	Table	theme	VARCHAR	50				
mnet_host	Table	theme	VARCHAR	100	✓	null		
questionnaire_survey	Table	theme	VARCHAR	64	✓	null		
course_categories	Table	theme	VARCHAR	50	✓	null		Theme for the category
block_zoola_reports_schreps	Table	thiscourse	TINYINT	3		0		if 1 reports will be filtered course in which block is placed in
analytics_used_files	Table	time	BIGINT	19		0		
survey_answers	Table	time	BIGINT	19		0		

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
portfolio_log	Table	time	BIGINT	19			null	time of transfer (in the case of a quiz transfer this is the time the actual transfer ran, not when the user started)
mnet_log	Table	time	BIGINT	19			0	
log	Table	time	BIGINT	19			0	
block_recentlyaccesseditems	Table	timeaccess	BIGINT	19			null	Time the user accessed the last time item
user_lastaccess	Table	timeaccess	BIGINT	19			0	
cohort_members	Table	timeadded	BIGINT	19			0	
groupings_groups	Table	timeadded	BIGINT	19			0	
groups_members	Table	timeadded	BIGINT	19			0	
workshopallocation_scheduled	Table	timeallocated	BIGINT	19	√		null	When was the last scheduled allocation executed
analytics_used_analysables	Table	timeanalysed	BIGINT	19			null	
assignment	Table	timeavailable	BIGINT	19			0	
data	Table	timeavailablefrom	BIGINT	19			0	
data	Table	timeavailableto	BIGINT	19			0	
course_published	Table	timechecked	BIGINT	19	√		null	the last time the status has been checked
quiz_attempts	Table	timecheckstate	BIGINT	19	√		0	Next time quiz cron should check attempt for state changes. NULL means never check.
scorm	Table	timeclose	BIGINT	19			0	
quiz_overrides	Table	timeclose	BIGINT	19	√		null	Time by which students must have completed their attempt. Can be null in which case the quiz default is used
choice	Table	timeclose	BIGINT	19			0	
quiz	Table	timeclose	BIGINT	19			0	The time when this quiz closes. (0 is no restriction.)
feedback	Table	timeclose	BIGINT	19			0	
course_completions	Table	timecompleted	BIGINT	19	√		null	
course_completion_crit_compl	Table	timecompleted	BIGINT	19	√		null	
grading_definitions	Table	timecopied	BIGINT	19	√		0	The timestamp of when this form was most recently copied into another

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
tool_recyclebin_course	Table	timecreated	BIGINT	19		0		
message_conversations	Table	timecreated	BIGINT	19			null	
block_recent_activity	Table	timecreated	BIGINT	19			null	
quiz	Table	timecreated	BIGINT	19		0		The time when the quiz was added to the course.
competency_userevidence	Table	timecreated	BIGINT	19			null	
h5pactivity_attempts_results	Table	timecreated	BIGINT	19			null	
wiki_versions	Table	timecreated	BIGINT	19		0		Page edition timestamp
oauth2_user_field_mapping	Table	timecreated	BIGINT	19			null	The time this record was created.
logstore_standard_log	Table	timecreated	BIGINT	19			null	
message_user_actions	Table	timecreated	BIGINT	19			null	
analytics_prediction_actions	Table	timecreated	BIGINT	19			null	
wiki_pages	Table	timecreated	BIGINT	19		0		Wiki page creation timestamp
user	Table	timecreated	BIGINT	19		0		
message_users_blocked	Table	timecreated	BIGINT	19	√		null	
message_conversation_actions	Table	timecreated	BIGINT	19			null	
competency_modulecomp	Table	timecreated	BIGINT	19			null	The time this record was created.
grade_categories	Table	timecreated	BIGINT	19			null	
external_tokens	Table	timecreated	BIGINT	19			null	created timestamp
messages	Table	timecreated	BIGINT	19			null	
tool_monitor_events	Table	timecreated	BIGINT	19			null	Time created
message_conversation_members	Table	timecreated	BIGINT	19			null	
competency_plancomp	Table	timecreated	BIGINT	19			null	
oauth2_access_token	Table	timecreated	BIGINT	19			null	Time this record was created.
analytics_predictions	Table	timecreated	BIGINT	19		0		
lti	Table	timecreated	BIGINT	19		0		
book_chapters	Table	timecreated	BIGINT	19		0		
tool_dataprivacy_purposerole	Table	timecreated	BIGINT	19			null	
messageinbound_messagelist	Table	timecreated	BIGINT	19			null	
tool_dataprivacy_request	Table	timecreated	BIGINT	19		0		The time this data request was created.
tool_dataprivacy_category	Table	timecreated	BIGINT	19			null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
external_services	Table	timecreated	BIGINT	19			null	
lesson_answers	Table	timecreated	BIGINT	19			0	
tool_policy_versions	Table	timecreated	BIGINT	19			null	Timestamp of when the policy version was created.
files	Table	timecreated	BIGINT	19			null	
competency_template	Table	timecreated	BIGINT	19			null	The time this learning plan template was created.
user_devices	Table	timecreated	BIGINT	19			null	
repository_onedrive_access	Table	timecreated	BIGINT	19			null	
competency_usercomp	Table	timecreated	BIGINT	19			null	
profiling	Table	timecreated	BIGINT	19			null	unix timestap of the creation of this
competency_relatedcomp	Table	timecreated	BIGINT	19			null	
glossary_entries	Table	timecreated	BIGINT	19			0	
tool_dataprivacy_purpose	Table	timecreated	BIGINT	19			null	
block_instances	Table	timecreated	BIGINT	19			null	Time at which this block instance was originally created
enrol	Table	timecreated	BIGINT	19			0	
h5p	Table	timecreated	BIGINT	19			0	
workshop_assessments	Table	timecreated	BIGINT	19	√		0	If 0 then the assessment was allocated but the reviewer has not assessed greater than 0 then the timestamp when the reviewer assessed for the time
tool_monitor_rules	Table	timecreated	BIGINT	19			null	Time stamp of when this rule was created
quizaccess_seb_template	Table	timecreated	BIGINT	19			0	
customfield_field	Table	timecreated	BIGINT	19			null	
analytics_indicator_calc	Table	timecreated	BIGINT	19			null	
data_records	Table	timecreated	BIGINT	19			0	
analytics_models	Table	timecreated	BIGINT	19	√		null	
course	Table	timecreated	BIGINT	19			0	
lti_types	Table	timecreated	BIGINT	19			null	
external_services_users	Table	timecreated	BIGINT	19	√		null	created timestamp

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
user_private_key	Table	timecreated	BIGINT	19	√		null	created timestamp
comments	Table	timecreated	BIGINT	19			null	
favourite	Table	timecreated	BIGINT	19			null	Creation time
analytics_train_samples	Table	timecreated	BIGINT	19			0	
events_queue	Table	timecreated	BIGINT	19			null	time stamp of the first time this was added
tool_cohortroles	Table	timecreated	BIGINT	19			null	The time this record was created
tool_dataprivacy_ctxlevel	Table	timecreated	BIGINT	19			null	
lti_tool_proxies	Table	timecreated	BIGINT	19			null	Date/time at which the record was created
grade_grades	Table	timecreated	BIGINT	19	√		null	the time this grade was first created
tool_monitor_subscriptions	Table	timecreated	BIGINT	19			null	Timestamp of when this subscription was created
notifications	Table	timecreated	BIGINT	19			null	
groups	Table	timecreated	BIGINT	19			0	
h5pactivity	Table	timecreated	BIGINT	19			null	Timestamp of when the instance was added to the course.
cohort	Table	timecreated	BIGINT	19			null	
competency_usercompcourse	Table	timecreated	BIGINT	19			null	
competency_userevidencecomp	Table	timecreated	BIGINT	19			null	
groupings	Table	timecreated	BIGINT	19			0	
enrol_lti_users	Table	timecreated	BIGINT	19	√		null	The time the user was created
competency_evidence	Table	timecreated	BIGINT	19			null	
user_enrolments	Table	timecreated	BIGINT	19			0	
analytics_models_log	Table	timecreated	BIGINT	19			null	
competency_templatecohort	Table	timecreated	BIGINT	19			null	
lesson_pages	Table	timecreated	BIGINT	19			0	
competency_plan	Table	timecreated	BIGINT	19			null	
glossary	Table	timecreated	BIGINT	19			0	
survey	Table	timecreated	BIGINT	19			0	
repository_instances	Table	timecreated	BIGINT	19	√		null	
contentbank_content	Table	timecreated	BIGINT	19			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
question	Table	timecreated	BIGINT	19		0		time question was created
file_conversion	Table	timecreated	BIGINT	19		null		
competency_usercompplan	Table	timecreated	BIGINT	19		null		
badge_backpack_oauth2	Table	timecreated	BIGINT	19		0		
sessions	Table	timecreated	BIGINT	19		null		
assign_grades	Table	timecreated	BIGINT	19		0		The time the assignment submission was first modified by a grader.
wiki	Table	timecreated	BIGINT	19		0		
lti_access_tokens	Table	timecreated	BIGINT	19		null		created timestamp
lti_tool_settings	Table	timecreated	BIGINT	19		null		Date/time at which the record was created
backup_logs	Table	timecreated	BIGINT	19		null		timestamp this log entry was created
scorm_aicc_session	Table	timecreated	BIGINT	19		0		time this session was created
message_contacts	Table	timecreated	BIGINT	19	✓	null		
grade_items	Table	timecreated	BIGINT	19	✓	null		The first time this grade_item was created
message	Table	timecreated	BIGINT	19		0		
grading_definitions	Table	timecreated	BIGINT	19		null		The timestamp of when the form definition was created initially
tool_recyclebin_category	Table	timecreated	BIGINT	19		null		
assign_submission	Table	timecreated	BIGINT	19		0		The time of the first student submission to this assignment.
forum_grades	Table	timecreated	BIGINT	19		null		
customfield_data	Table	timecreated	BIGINT	19		null		
assignment_upgrade	Table	timecreated	BIGINT	19		0		
message_contact_requests	Table	timecreated	BIGINT	19		null		
rating	Table	timecreated	BIGINT	19		null		
quizaccess_seb_quizsettings	Table	timecreated	BIGINT	19		0		
competency	Table	timecreated	BIGINT	19		null		The time this competency was created.
competency_framework	Table	timecreated	BIGINT	19		null		The time this competency framework was created.
competency_templatecomp	Table	timecreated	BIGINT	19		null		The time this link was created.
tool_policy_acceptances	Table	timecreated	BIGINT	19		null		Timestamp of when the acceptance was created.

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								record was created
enrol_lti_tools	Table	timecreated	BIGINT	19			null	
auth_oauth2_linked_login	Table	timecreated	BIGINT	19			null	
grade_outcomes	Table	timecreated	BIGINT	19	√		null	the time this outcome was first cre
oauth2_system_account	Table	timecreated	BIGINT	19			null	Time this record was created.
messageinbound_datakeys	Table	timecreated	BIGINT	19			null	The time that the data key was cre
user_password_history	Table	timecreated	BIGINT	19			null	
book	Table	timecreated	BIGINT	19			0	
competency_coursecomp	Table	timecreated	BIGINT	19			null	The time this link was created.
competency_coursecompsetting	Table	timecreated	BIGINT	19			null	The time this setting was created.
oauth2_issuer	Table	timecreated	BIGINT	19			null	Time this record was created.
question_attempt_steps	Table	timecreated	BIGINT	19			null	Time-stamp of the action that lead this state being created.
h5pactivity_attempts	Table	timecreated	BIGINT	19			null	
tag_instance	Table	timecreated	BIGINT	19			0	
message_read	Table	timecreated	BIGINT	19			0	
oauth2_endpoint	Table	timecreated	BIGINT	19			null	The time this record was created.
tool_dataprivacy_ctxexpired	Table	timecreated	BIGINT	19			null	
badge	Table	timecreated	BIGINT	19			0	
customfield_category	Table	timecreated	BIGINT	19			null	
analytics_predict_samples	Table	timecreated	BIGINT	19			0	
assignment_submissions	Table	timecreated	BIGINT	19			0	
workshop_submissions	Table	timecreated	BIGINT	19			null	Timestamp when the work was submitted for the first time
backup_controllers	Table	timecreated	BIGINT	19			null	time the controller was created
tool_dataprivacy_ctxinstance	Table	timecreated	BIGINT	19			null	
tool_customlang	Table	timecustomized	BIGINT	19	√		null	The timestamp of when the value o local translation was recently mod null if not customized yet
assignment	Table	timedue	BIGINT	19			0	
event	Table	timeduration	BIGINT	19			0	
stats_user_daily	Table	timeend	BIGINT	19			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
stats_user_monthly	Table	timeend	BIGINT	19			0	
course_completion_criteria	Table	timeend	BIGINT	19	✓		null	Timestamp of the date for course completion (if using date criteria type)
stats_user_weekly	Table	timeend	BIGINT	19			0	
task_log	Table	timeend	DECIMAL	20			null	The end time of the task
stats_daily	Table	timeend	BIGINT	19			0	
stats_monthly	Table	timeend	BIGINT	19			0	
forum_discussions	Table	timeend	BIGINT	19			0	
stats_weekly	Table	timeend	BIGINT	19			0	
enrol_flatfile	Table	timeend	BIGINT	19			0	
analytics_predictions	Table	timeend	BIGINT	19	✓		null	
user_enrolments	Table	timeend	BIGINT	19			2147483647	
course_completions	Table	timeenrolled	BIGINT	19			0	
blog_external	Table	timefetched	BIGINT	19			0	
quiz_attempts	Table	timefinish	BIGINT	19			0	Time when the attempt was submitted. 0 if the attempt has not been submitted yet.
local_ld_import_logs_status	Table	timefinished	BIGINT	19	✓		null	When the import logs task finished
workshop_aggregations	Table	timegraded	BIGINT	19	✓		null	The timestamp of when the participant's gradinggrade was recently aggregated
workshop_submissions	Table	timegraded	BIGINT	19	✓		null	The timestamp when grade or gradeover was recently modified
quiz	Table	timelimit	BIGINT	19			0	The time limit for quiz attempts, in seconds.
quiz_overrides	Table	timelimit	BIGINT	19	✓		null	Time limit in seconds. Can be null, which case the quiz default is used
lesson	Table	timelimit	BIGINT	19			0	
lesson_overrides	Table	timelimit	BIGINT	19	✓		null	Time limit in seconds. Can be null, which case the lesson default is used
forum_discussions	Table	timelocked	BIGINT	19			0	
log_queries	Table	timelogged	BIGINT	19			null	timestamp when log info stored in database
assignment_submissions	Table	timemarked	BIGINT	19			0	
assignment	Table	timemodified	BIGINT	19			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
local_id_import_logs_status	Table	timemodified	BIGINT	19	√		null	Time of last status update. Used to predict remaining time left.
choice	Table	timemodified	BIGINT	19			0	
scorm	Table	timemodified	BIGINT	19			0	
choice_options	Table	timemodified	BIGINT	19			0	
grade_grades	Table	timemodified	BIGINT	19	√		null	the time this grade was last modified
quiz_overview_regrades	Table	timemodified	BIGINT	19			null	Timestamp of when this row was last modified.
data	Table	timemodified	BIGINT	19			0	The time the settings for this database module instance were last modified
survey	Table	timemodified	BIGINT	19			0	
blog_external	Table	timemodified	BIGINT	19	√		null	
question_statistics	Table	timemodified	BIGINT	19			null	
wiki_pages	Table	timemodified	BIGINT	19			0	page edition timestamp
h5pactivity	Table	timemodified	BIGINT	19			null	Timestamp of when the instance was last modified.
repository_onedrive_access	Table	timemodified	BIGINT	19			null	
file_conversion	Table	timemodified	BIGINT	19			null	
feedback_completed	Table	timemodified	BIGINT	19			0	
competency_evidence	Table	timemodified	BIGINT	19			null	
lesson	Table	timemodified	BIGINT	19			0	
tool_policy_versions	Table	timemodified	BIGINT	19			null	Timestamp of when the policy version was last modified.
cache_filters	Table	timemodified	BIGINT	19			0	
scale	Table	timemodified	BIGINT	19			0	
favourite	Table	timemodified	BIGINT	19			null	Last modification time
tag_instance	Table	timemodified	BIGINT	19			0	timemodified
workshop_submissions	Table	timemodified	BIGINT	19			null	Timestamp when the submission has been updated
backup_controllers	Table	timemodified	BIGINT	19			null	last time the controller was modified
groupings	Table	timemodified	BIGINT	19			0	
lesson_pages	Table	timemodified	BIGINT	19			0	
tool_dataprivacy_purpose	Table	timemodified	BIGINT	19			null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
oauth2_user_field_mapping	Table	timemodified	BIGINT	19			null	The time this record was modified
forum	Table	timemodified	BIGINT	19			0	
forum_queue	Table	timemodified	BIGINT	19			0	The modified time of the original p
auth_oauth2_linked_login	Table	timemodified	BIGINT	19			null	
folder	Table	timemodified	BIGINT	19			0	
assignment_submissions	Table	timemodified	BIGINT	19			0	
chat	Table	timemodified	BIGINT	19			0	
resource_old	Table	timemodified	BIGINT	19			0	
assign_submission	Table	timemodified	BIGINT	19			0	The last time this assignment submission was modified by a stu
grade_grades_history	Table	timemodified	BIGINT	19	√		null	The last time this grade_item was modified
quiz	Table	timemodified	BIGINT	19			0	Last modified time.
enrol	Table	timemodified	BIGINT	19			0	
competency_usercompplan	Table	timemodified	BIGINT	19	√		null	
feedback_completedtmp	Table	timemodified	BIGINT	19			0	
competency_template	Table	timemodified	BIGINT	19			null	The time this learning plan template was last modified.
tool_dataprivacy_category	Table	timemodified	BIGINT	19			null	
question	Table	timemodified	BIGINT	19			0	time that question was last modified
badge	Table	timemodified	BIGINT	19			0	
competency_templatecomp	Table	timemodified	BIGINT	19			null	The time this link was modified.
forum_grades	Table	timemodified	BIGINT	19			null	
oauth2_access_token	Table	timemodified	BIGINT	19			null	Time this record was modified.
customfield_data	Table	timemodified	BIGINT	19			null	
competency_plan	Table	timemodified	BIGINT	19			0	
lti	Table	timemodified	BIGINT	19			0	
quiz_grades	Table	timemodified	BIGINT	19			0	The last time this grade changed.
competency_usercompcourse	Table	timemodified	BIGINT	19	√		null	
course_categories	Table	timemodified	BIGINT	19			0	
config_log	Table	timemodified	BIGINT	19			null	
scorm_aicc_session	Table	timemodified	BIGINT	19			0	time this session was last used

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
quizaccess_seb_quizsettings	Table	timemodified	BIGINT	19		0		
upgrade_log	Table	timemodified	BIGINT	19		null		
block_instances	Table	timemodified	BIGINT	19		null		Time at which block instance was modified.
tool_dataprivacy_request	Table	timemodified	BIGINT	19		0		The last time this data request was updated
competency_modulecomp	Table	timemodified	BIGINT	19		null		The time this record was last modified
tool_customlang	Table	timemodified	BIGINT	19		null		The timestamp of when the original master was recently modified
quiz_statistics	Table	timemodified	BIGINT	19		null		
quizaccess_seb_template	Table	timemodified	BIGINT	19		0		
choice_answers	Table	timemodified	BIGINT	19		0		
course_modules_completion	Table	timemodified	BIGINT	19		null		Time at which the completion state changed.
imscp	Table	timemodified	BIGINT	19		0		
h5p	Table	timemodified	BIGINT	19		0		
workshop	Table	timemodified	BIGINT	19		null		The timestamp when the module was modified
cache_flags	Table	timemodified	BIGINT	19		0		
url	Table	timemodified	BIGINT	19		0		
customfield_category	Table	timemodified	BIGINT	19		null		
analytics_models	Table	timemodified	BIGINT	19		null		
role_capabilities	Table	timemodified	BIGINT	19		0		
oauth2_endpoint	Table	timemodified	BIGINT	19		null		The time this record was modified.
competency_coursecomp	Table	timemodified	BIGINT	19		null		The time this link was modified.
customfield_field	Table	timemodified	BIGINT	19		null		
role_assignments	Table	timemodified	BIGINT	19		0		
oauth2_system_account	Table	timemodified	BIGINT	19		null		Time this record was modified.
book_chapters	Table	timemodified	BIGINT	19		0		
glossary	Table	timemodified	BIGINT	19		0		
book	Table	timemodified	BIGINT	19		0		
message_conversations	Table	timemodified	BIGINT	19	√	null		

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
feedback	Table	timemodified	BIGINT	19			0	
h5pactivity_attempts	Table	timemodified	BIGINT	19			null	
grade_items	Table	timemodified	BIGINT	19	✓		null	The last time this grade_item was modified
scale_history	Table	timemodified	BIGINT	19	✓		null	The last time this grade_item was modified
external_services	Table	timemodified	BIGINT	19	✓		null	
tag	Table	timemodified	BIGINT	19	✓		null	
competency_userevidence	Table	timemodified	BIGINT	19			null	
tool_dataprivacy_purposerole	Table	timemodified	BIGINT	19			null	
editor_atto_autosave	Table	timemodified	BIGINT	19			0	Store the last modified time for the save text.
course_sections	Table	timemodified	BIGINT	19			0	Time at which the course section was last changed.
lti_types	Table	timemodified	BIGINT	19			null	
tool_monitor_rules	Table	timemodified	BIGINT	19			null	Timestamp when this rule was last modified
user_devices	Table	timemodified	BIGINT	19			null	
grade_categories_history	Table	timemodified	BIGINT	19	✓		null	The last time this grade_item was modified
wiki	Table	timemodified	BIGINT	19			0	
competency_templatecohort	Table	timemodified	BIGINT	19			null	
grading_definitions	Table	timemodified	BIGINT	19			null	The time stamp of when the form definition was modified recently
tool_cohortroles	Table	timemodified	BIGINT	19			null	The time this record was modified.
data_records	Table	timemodified	BIGINT	19			0	
repository_instances	Table	timemodified	BIGINT	19	✓		null	
competency_coursecompsetting	Table	timemodified	BIGINT	19			null	The time this setting was last modified
rating	Table	timemodified	BIGINT	19			null	
sessions	Table	timemodified	BIGINT	19			null	
contentbank_content	Table	timemodified	BIGINT	19	✓		0	
tool_policy_acceptances	Table	timemodified	BIGINT	19			null	Timestamp of when the acceptance record was last modified

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
course	Table	timemodified	BIGINT	19		0		
tool_dataprivacy_ctxlevel	Table	timemodified	BIGINT	19		null		
user	Table	timemodified	BIGINT	19		0		
lti_tool_settings	Table	timemodified	BIGINT	19		null		Date/time at which the record was modified
grade_items_history	Table	timemodified	BIGINT	19	√	null		The last time this grade_item was modified
question_response_analysis	Table	timemodified	BIGINT	19		null		
analytics_predict_samples	Table	timemodified	BIGINT	19		0		
enrol_lti_tools	Table	timemodified	BIGINT	19		null		
badge_backpack_oauth2	Table	timemodified	BIGINT	19		0		
grade_outcomes	Table	timemodified	BIGINT	19	√	null		the time this outcome was last updated
assign	Table	timemodified	BIGINT	19		0		The time the settings for this assignment module instance were last modified
event	Table	timemodified	BIGINT	19		0		
page	Table	timemodified	BIGINT	19		0		
tool_dataprivacy_ctxinstance	Table	timemodified	BIGINT	19		null		
user_enrolments	Table	timemodified	BIGINT	19		0		
tool_dataprivacy_ctxexpired	Table	timemodified	BIGINT	19		null		
scorm_scoes_track	Table	timemodified	BIGINT	19		0		
question_attempts	Table	timemodified	BIGINT	19		null		The time this record was last changed
lti_tool_proxies	Table	timemodified	BIGINT	19		null		Date/time at which the record was modified
glossary_entries	Table	timemodified	BIGINT	19		0		
grading_instances	Table	timemodified	BIGINT	19		null		The timestamp of when the assessment was most recently modified
resource	Table	timemodified	BIGINT	19		0		
enrol_flatfile	Table	timemodified	BIGINT	19		0		
competency_plancomp	Table	timemodified	BIGINT	19	√	null		
grade_categories	Table	timemodified	BIGINT	19		null		
quiz_attempts	Table	timemodified	BIGINT	19		0		Last modified time.
competency	Table	timemodified	BIGINT	19		null		The time this competency was last modified.

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
lesson_answers	Table	timemodified	BIGINT	19			0	
workshop_assessments	Table	timemodified	BIGINT	19	√		0	If 0 then the assessment was allocated but the reviewer has not assessed yet. If greater than 0 then the timestamp is the time when the reviewer assessed for the first time
grade_outcomes_history	Table	timemodified	BIGINT	19	√		null	The last time this grade_item was modified
assign_grades	Table	timemodified	BIGINT	19			0	The most recent modification time of the assignment submission by a given user
competency_userevidencecomp	Table	timemodified	BIGINT	19			null	
oauth2_issuer	Table	timemodified	BIGINT	19			null	Time this record was modified.
competency_usercomp	Table	timemodified	BIGINT	19	√		null	
questionnaire	Table	timemodified	BIGINT	19			0	The timestamp record last modified
competency_framework	Table	timemodified	BIGINT	19			null	The time this competency framework was last modified.
events_queue_handlers	Table	timemodified	BIGINT	19			null	time stamp of the last attempt to remove this from the queue
files	Table	timemodified	BIGINT	19			null	
forum_discussions	Table	timemodified	BIGINT	19			0	
label	Table	timemodified	BIGINT	19			0	
cohort	Table	timemodified	BIGINT	19			null	
groups	Table	timemodified	BIGINT	19			0	
registration_hubs	Table	timemodified	BIGINT	19			0	
competency_relatedcomp	Table	timemodified	BIGINT	19	√		null	
quiz_attempts	Table	timemodifiedoffline	BIGINT	19			0	Last modified time via web service
lesson_timer	Table	timemodifiedoffline	BIGINT	19			0	Last modified time via web service (mobile app).
quiz	Table	timeopen	BIGINT	19			0	The time when this quiz opens. (0 means no restriction.)
choice	Table	timeopen	BIGINT	19			0	
quiz_overrides	Table	timeopen	BIGINT	19	√		null	Time at which students may start attempting this quiz. Can be null, in which case the quiz default is used

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
feedback	Table	timeopen	BIGINT	19		0		
scorm	Table	timeopen	BIGINT	19		0		
course_published	Table	timepublished	BIGINT	19		null		The time when the publication occurred
message_read	Table	timeread	BIGINT	19		0		
notifications	Table	timeread	BIGINT	19	√	null		
wiki_pages	Table	timerendered	BIGINT	19		0		Last render timestamp
search_index_requests	Table	timerequested	BIGINT	19		null		Time at which this index update was requested.
user_password_resets	Table	timerequested	BIGINT	19		null		The time that the user first requested this password reset
user_password_resets	Table	timererequested	BIGINT	19		0		The time the user re-requested the password reset.
lesson_branch	Table	timeseen	BIGINT	19		0		
lesson_attempts	Table	timeseen	BIGINT	19		0		
tool_monitor_history	Table	timesent	BIGINT	19		null		Timestamp of when the message was sent.
event	Table	timesort	BIGINT	19	√	null		
analytics_predict_samples	Table	timesplitting	VARCHAR	255				
analytics_models_log	Table	timesplitting	VARCHAR	255	√	null		
analytics_train_samples	Table	timesplitting	VARCHAR	255				
analytics_models	Table	timesplitting	VARCHAR	255	√	null		
chat_messages	Table	timestamp	BIGINT	19		0		
chat_messages_current	Table	timestamp	BIGINT	19		0		
task_log	Table	timestart	DECIMAL	20		null		The start time of the task
analytics_predictions	Table	timestart	BIGINT	19	√	null		
event	Table	timestart	BIGINT	19		0		
forum_discussions	Table	timestart	BIGINT	19		0		
quiz_attempts	Table	timestart	BIGINT	19		0		Time when the attempt was started
enrol_flatfile	Table	timestart	BIGINT	19		0		
user_enrolments	Table	timestart	BIGINT	19		0		
course_completions	Table	timestarted	BIGINT	19		0		
local_id_import_logs_status	Table	timestarted	BIGINT	19	√	null		When the import logs task started

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
enrol_paypal	Table	timeupdated	BIGINT	19		0		
message_read	Table	timeuserfromdeleted	BIGINT	19		0		
message	Table	timeuserfromdeleted	BIGINT	19		0		
message	Table	timeusertodeleted	BIGINT	19		0		
message_read	Table	timeusertodeleted	BIGINT	19		0		
data	Table	timeviewfrom	BIGINT	19		0		
data	Table	timeviewto	BIGINT	19		0		
tool_monitor_rules	Table	timewindow	MEDIUMINT	7		null		Time window in seconds
enrol_lti_tools	Table	timezone	VARCHAR	100		99		
user	Table	timezone	VARCHAR	100		99		
scorm_scoes	Table	title	VARCHAR	255				
block_rss_client	Table	title	LONGTEXT	2147483647		null		
book_chapters	Table	title	VARCHAR	255				
h5p_libraries	Table	title	VARCHAR	255				The human readable name of this
lesson_pages	Table	title	VARCHAR	255				
tool_usertours_steps	Table	title	LONGTEXT	2147483647	✓	null		Title of the step
search_simplifiedb_index	Table	title	LONGTEXT	2147483647	✓	null		
workshop_submissions	Table	title	VARCHAR	255				The submission title
wiki_pages	Table	title	VARCHAR	255		title		Page name
questionnaire_survey	Table	title	VARCHAR	255				
tag_instance	Table	tiuserid	BIGINT	19		0		
feedback_value	Table	tmp_completed	BIGINT	19		0		
feedback_valuetmp	Table	tmp_completed	BIGINT	19		0		
resource	Table	tobemigrated	SMALLINT	5		0		
user_password_resets	Table	token	VARCHAR	32				secret set and emailed to user
mnet_session	Table	token	VARCHAR	40				Unique SHA1 Token
lti_access_tokens	Table	token	VARCHAR	128				security token, aka private access
registration_hubs	Table	token	VARCHAR	255				the token to communicate with the by web service
oauth2_access_token	Table	token	LONGTEXT	2147483647		null		access token
badge_backpack_oauth2	Table	token	LONGTEXT	2147483647		null		

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
portfolio_mahara_queue	Table	token	VARCHAR	50				the token mahara sent us to use for transfer.
external_tokens	Table	token	VARCHAR	128				security token, aka private access
external_tokens	Table	tokentype	SMALLINT	5			null	type of token: 0=permanent, no session 1=linked to current browser session sid; 2=permanent, with emulated session
question_calculated	Table	tolerance	VARCHAR	20			0.0	
question_numerical	Table	tolerance	VARCHAR	255			0.0	Allowed error when matching a response to this answer. I don't know why this is stored as a string.
question_calculated	Table	tolerancetype	BIGINT	19			1	
wiki_links	Table	tomissingpage	VARCHAR	255	✓		null	link to a nonexistent page
lti_types	Table	tooldomain	VARCHAR	255				
enrol_lti_tool_consumer_map	Table	toolid	BIGINT	19			null	The tool ID.
enrol_lti_users	Table	toolid	BIGINT	19			null	
lti_tool_proxies	Table	toolproxy	LONGTEXT	2147483647	✓		null	JSON string representing tool proxy returned by tool provider
enrol_lti_lti2_tool_proxy	Table	toolproxy	LONGTEXT	2147483647			null	
enrol_lti_lti2_consumer	Table	toolproxy	LONGTEXT	2147483647	✓		null	
lti_types	Table	toolproxyid	BIGINT	19	✓		null	Primary key of related tool proxy (not for LTI 1 tools)
lti_tool_settings	Table	toolproxyid	BIGINT	19			null	Primary key of related tool proxy
ltiservice_gradebookservices	Table	toolproxyid	BIGINT	19	✓		null	ID of the Tool Proxy instance.
enrol_lti_lti2_tool_proxy	Table	toolproxykey	VARCHAR	32				
lti	Table	toolurl	LONGTEXT	2147483647			null	Remote tool url
wiki_links	Table	topageid	BIGINT	19			0	Page id that receives a link
profiling	Table	totalcalls	BIGINT	19			null	Total number of calls performed by tool run
profiling	Table	totalcputime	BIGINT	19			null	time (in microseconds) spent by tool CPU in this run
local_id_course	Table	totaldedication	BIGINT	19			null	Total time that user spent within the course, in seconds
local_id_module	Table	totaldedication	BIGINT	19			0	Total time spent on this module, in seconds

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								seconds
profiling	Table	totalexecutiontime	BIGINT	19			null	time (in microseconds) spent by the
profiling	Table	totalmemory	BIGINT	19			null	Total memory used by the run
forum_posts	Table	totalscore	SMALLINT	5			0	
tool_usertours_steps	Table	tourid	BIGINT	19			null	
user	Table	trackforums	BIT	1			0	
forum	Table	trackingtype	TINYINT	3			1	
analytics_models	Table	trained	BIT	1			0	
portfolio_mahara_queue	Table	transferid	BIGINT	19			null	fk to portfolio_tempdata.id
mnet_host	Table	transport	TINYINT	3			0	
question_truefalse	Table	trueanswer	BIGINT	19			0	Foreign key references question_answers.id. The 'True' ch
user	Table	trustbitmask	BIGINT	19			0	
question_response_count	Table	try	BIGINT	19			null	
enrol_paypal	Table	txn_id	VARCHAR	255				
feedback_item	Table	typ	VARCHAR	255				
badge	Table	type	BIT	1			1	1 = site, 2 = course
assignfeedback_editpdf_annot	Table	type	VARCHAR	10	√		line	line, oval, rect, etc.
tool_dataprivacy_request	Table	type	BIGINT	19			0	Data request type
enrol_lti_lti2_context	Table	type	VARCHAR	100	√		null	
badge_external_identifier	Table	type	VARCHAR	16				
questionnaire_question_type	Table	type	VARCHAR	32				
survey_questions	Table	type	SMALLINT	5			0	
question_dataset_definitions	Table	type	BIGINT	19			0	
forum	Table	type	VARCHAR	20			general	
task_log	Table	type	SMALLINT	5			null	The type of task. Scheduled task = Adhoc task = 1.
event	Table	type	SMALLINT	5			0	
resource_old	Table	type	VARCHAR	30				
tool_policy_versions	Table	type	SMALLINT	5			0	Type of the policy: 0 - Site policy, 1 Privacy policy, 2 - Third party policy Other

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
data_fields	Table	type	VARCHAR	255				
customfield_field	Table	type	VARCHAR	100				
upgrade_log	Table	type	BIGINT	19			null	type: 0==info, 1==notice, 2==error
backup_controllers	Table	type	VARCHAR	10				Type of the backup (activity/section course)
block_zoola_reports	Table	type	VARCHAR	20				Resource type: reportUnit or reportOptions
message_conversations	Table	type	BIGINT	19			1	
repository	Table	type	VARCHAR	255				
search_simplifiedb_index	Table	type	BIT	1			null	
questionnaire_question	Table	type_id	BIGINT	19			0	
questionnaire_question_type	Table	typeid	BIGINT	19			0	The code for the type.
lti	Table	typeid	BIGINT	19	✓		null	Basic LTI type
repository_instances	Table	typeid	BIGINT	19			null	
lti_tool_settings	Table	typeid	BIGINT	19	✓		null	
lti_types_config	Table	typeid	BIGINT	19			null	Basic LTI type id
lti_access_tokens	Table	typeid	BIGINT	19			null	Basic LTI type id
ltiservice_gradebookservices	Table	typeid	BIGINT	19	✓		null	ID of the LTI Type if not Proxy.
course_completion_crit_compl	Table	unenroled	BIGINT	19	✓		null	Timestamp when the user was unenroled
tool_dataprivacy_ctxexpired	Table	unexpiredroles	LONGTEXT	2147483647	✓		null	Roles which have explicitly not expired yet.
post	Table	uniquehash	VARCHAR	255				
badge_issued	Table	uniquehash	LONGTEXT	2147483647			null	
quiz_attempts	Table	uniqueid	BIGINT	19			0	Foreign key reference to the question_usage that holds the details of the the question_attempts that make up this quiz attempt.
question_numerical_units	Table	unit	VARCHAR	50				The unit. For example 'm' or 'kg'.
question_numerical_options	Table	unitgradingtype	SMALLINT	5			0	0 no penalty, 1 fraction response grade, 2 fraction total grade
question_numerical_options	Table	unitpenalty	DECIMAL	12			0.1000000	Penalty for getting the unit wrong, they are being graded.

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
question_numerical_options	Table	unitsleft	SMALLINT	5		0		display the unit at left as in \$1.00
local_activityvisibility_que	Table	updateat	BIGINT	19		null		The timestamp after which the update should take place
enrol_lti_lti2_context	Table	updated	BIGINT	19		null		
enrol_lti_lti2_consumer	Table	updated	BIGINT	19		null		
enrol_lti_lti2_resource_link	Table	updated	BIGINT	19		null		
enrol_lti_lti2_tool_proxy	Table	updated	BIGINT	19		null		
enrol_lti_lti2_user_result	Table	updated	BIGINT	19		null		
scorm	Table	updatefreq	BIT	1		0		Define when the package must be automatically update
external_services	Table	uploadfiles	BIT	1		0		1 if the service allow people to upload files to webservice/upload.php - 0 otherwise
block_zoola_reports	Table	uri	VARCHAR	1333				Report URI
profiling	Table	url	VARCHAR	255				the url this profiling record is about (without wwwroot nor query parameters)
log	Table	url	VARCHAR	100				
mnet_log	Table	url	VARCHAR	100				
oauth2_endpoint	Table	url	LONGTEXT	2147483647		null		The url to the endpoint
competency_evidence	Table	url	VARCHAR	255	√	null		
user	Table	url	VARCHAR	255				
event_subscriptions	Table	url	VARCHAR	255				
competency_userevidence	Table	url	LONGTEXT	2147483647		null		
blog_external	Table	url	LONGTEXT	2147483647		null		
block_rss_client	Table	url	VARCHAR	255				
qtype_shortanswer_options	Table	usecase	TINYINT	3		0		Whether answers are matched case sensitively.
glossary_entries	Table	usedynalink	TINYINT	3		1		
glossary	Table	usedynalink	TINYINT	3		1		
glossary_categories	Table	usedynalink	TINYINT	3		1		
workshop	Table	useexamples	TINYINT	3	√	0		optional feature: students practise evaluating on example submission from teacher
lesson	Table	usemaxgrade	SMALLINT	5		0		

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
lesson	Table	usepassword	SMALLINT	5			0	
workshop	Table	usepeerassessment	TINYINT	3	√		0	optional feature: students perform assessment of others' work
mnet_session	Table	useragent	VARCHAR	40				SHA1 hash of User Agent
lesson_attempts	Table	useranswer	LONGTEXT	2147483647	√		null	
competency_evidence	Table	usercompetencyid	BIGINT	19			null	
quizaccess_seb_quizsettings	Table	userconfirmquit	BIT	1	√		null	Bool whether confirm quit popup s appear.
contentbank_content	Table	usercreated	BIGINT	19			null	The original author of the content
badge	Table	usercreated	BIGINT	19			null	
grading_definitions	Table	usercreated	BIGINT	19			null	The ID of the user who created this definition and is considered as its owner for access control purposes
message_airnotifier_devices	Table	userdeviceid	BIGINT	19			null	The user device id in the user_device table
competency_userevidencecomp	Table	userevidenceid	BIGINT	19			null	
user_password_resets	Table	userid	BIGINT	19			null	id of the user account which requested to be reset
enrol_paypal	Table	userid	BIGINT	19			0	
stats_user_weekly	Table	userid	BIGINT	19			0	
competency_plan	Table	userid	BIGINT	19			null	
wiki_subwikis	Table	userid	BIGINT	19			0	Owner of that subwiki
lti_submission	Table	userid	BIGINT	19			null	
repository_instances	Table	userid	BIGINT	19			0	
sessions	Table	userid	BIGINT	19			null	
grade_import_values	Table	userid	BIGINT	19			null	
question_attempt_steps	Table	userid	BIGINT	19	√		null	The user whose action lead to this question being created.
data_records	Table	userid	BIGINT	19			0	
cohort_members	Table	userid	BIGINT	19			0	
files	Table	userid	BIGINT	19	√		null	Optional - general userid field - may not be used depending on plugin
wiki_versions	Table	userid	BIGINT	19			0	Edition autor

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
assign_submission	Table	userid	BIGINT	19		0		
scale_history	Table	userid	BIGINT	19		0		
lesson_overrides	Table	userid	BIGINT	19	√	null		Foreign key references user.id. Can null if this is a per-group override.
editor_atto_autosave	Table	userid	BIGINT	19		null		The id of the user that loaded the f
block_zoola_reports_user	Table	userid	BIGINT	19		null		User ID
forum_queue	Table	userid	BIGINT	19		0		
glossary_entries	Table	userid	BIGINT	19		0		
chat_messages	Table	userid	BIGINT	19		0		
lesson_attempts	Table	userid	BIGINT	19		0		
forum_grades	Table	userid	BIGINT	19		null		The user who was graded
analytics_prediction_actions	Table	userid	BIGINT	19		null		
local_id_lastactivity	Table	userid	BIGINT	19		null		Foreign key to the user table
grade_grades	Table	userid	BIGINT	19		null		The user who this grade is for
survey_analysis	Table	userid	BIGINT	19		0		
tool_monitor_subscriptions	Table	userid	BIGINT	19		null		User id of the subscriber
course_completion_crit_compl	Table	userid	BIGINT	19		0		
message_contact_requests	Table	userid	BIGINT	19		null		
workshop_aggregations	Table	userid	BIGINT	19		null		The id of the user which aggregate grades are calculated for
block_zoola_notifications	Table	userid	BIGINT	19		null		Id of user that should see Zoola notifications.
assign_grades	Table	userid	BIGINT	19		0		
competency_usercompplan	Table	userid	BIGINT	19		null		User associated to the competenc
assign_user_mapping	Table	userid	BIGINT	19		0		
tool_policy_acceptances	Table	userid	BIGINT	19		null		ID of the user this acceptance is relevant to
upgrade_log	Table	userid	BIGINT	19		null		
message_user_actions	Table	userid	BIGINT	19		null		
events_queue	Table	userid	BIGINT	19	√	null		\$USER->id when the event was fire
enrol_lti_users	Table	userid	BIGINT	19		null		
competency_userevidence	Table	userid	BIGINT	19		null		

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
choice_answers	Table	userid	BIGINT	19		0		
lesson_grades	Table	userid	BIGINT	19		0		
portfolio_log	Table	userid	BIGINT	19		null		user who exported content
comments	Table	userid	BIGINT	19		null		
search_simplifiedb_index	Table	userid	BIGINT	19	√	null		
course_modules_completion	Table	userid	BIGINT	19		null		ID of user who has (or hasn't) completed the activity.
badge_criteria_met	Table	userid	BIGINT	19		null		
mnet_session	Table	userid	BIGINT	19		0		Unique user ID
tag	Table	userid	BIGINT	19		null		
user_info_data	Table	userid	BIGINT	19		0		id from the user table
messageinbound_messagelist	Table	userid	BIGINT	19		null		
block_rss_client	Table	userid	BIGINT	19		0		
forum_digests	Table	userid	BIGINT	19		null		
event	Table	userid	BIGINT	19		0		
feedback_completedtmp	Table	userid	BIGINT	19		0		
lesson_timer	Table	userid	BIGINT	19		0		
chat_messages_current	Table	userid	BIGINT	19		0		
external_tokens	Table	userid	BIGINT	19		null		owner of the token
scale	Table	userid	BIGINT	19		0		
task_log	Table	userid	BIGINT	19		null		The userid that the task was configured to run as (Adhoc tasks only)
groups_members	Table	userid	BIGINT	19		0		
scorm_aicc_session	Table	userid	BIGINT	19		0		id from user table
stats_user_monthly	Table	userid	BIGINT	19		0		
forum_read	Table	userid	BIGINT	19		0		
message_users_blocked	Table	userid	BIGINT	19		null		
block_zoola_reports_schreps	Table	userid	BIGINT	19		null		User that scheduled the report
backup_controllers	Table	userid	BIGINT	19		null		user that owns/performs the backup
blog_external	Table	userid	BIGINT	19		null		
post	Table	userid	BIGINT	19		0		
questionnaire_response	Table	userid	BIGINT	19	√	null		

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
local_id_course	Table	userid	BIGINT	19			null	Foreign key to the user
wiki_pages	Table	userid	BIGINT	19			0	Edition author
survey_answers	Table	userid	BIGINT	19			0	
badge_issued	Table	userid	BIGINT	19			0	
assignfeedback_editpdf_quick	Table	userid	BIGINT	19			0	
user_devices	Table	userid	BIGINT	19			0	
block_recent_activity	Table	userid	BIGINT	19			null	User performing the action
quiz_grades	Table	userid	BIGINT	19			0	Foreign key references user.id.
mnetSERVICE_enrol_enrolments	Table	userid	BIGINT	19			null	ID of our local user on this server
block_recentlyaccesseditems	Table	userid	BIGINT	19			null	User id that accessed the item
assignment_submissions	Table	userid	BIGINT	19			0	
message_contacts	Table	userid	BIGINT	19			null	
assign_user_flags	Table	userid	BIGINT	19			0	The id of the user these flags apply to
feedback_completed	Table	userid	BIGINT	19			0	
forum_discussions	Table	userid	BIGINT	19			0	
external_services_users	Table	userid	BIGINT	19			null	
favourite	Table	userid	BIGINT	19			null	The id of the user to whom the favourite belongs
stats_user_daily	Table	userid	BIGINT	19			0	
lesson_branch	Table	userid	BIGINT	19			0	
my_pages	Table	userid	BIGINT	19	√		0	The user who owns this page or 0 for system defaults
enrol_flatfile	Table	userid	BIGINT	19			null	
role_assignments	Table	userid	BIGINT	19			0	
logstore_standard_log	Table	userid	BIGINT	19			null	
user_private_key	Table	userid	BIGINT	19			null	owner
tool_dataprivacy_request	Table	userid	BIGINT	19			0	The user ID the request is being made for
portfolio_instance_user	Table	userid	BIGINT	19			null	fk to user table
task_adhoc	Table	userid	BIGINT	19	√		null	
competency_usercomp	Table	userid	BIGINT	19			null	User associated to the competency
mnet_log	Table	userid	BIGINT	19			0	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
user_lastaccess	Table	userid	BIGINT	19		0		
h5pactivity_attempts	Table	userid	BIGINT	19		null		Attempt user ID
message_conversation_actions	Table	userid	BIGINT	19		null		
forum_track_prefs	Table	userid	BIGINT	19		0		
quiz_attempts	Table	userid	BIGINT	19		0		Foreign key reference to the user who attempt this is.
portfolio_tempdata	Table	userid	BIGINT	19		null		psuedo fk to user. this is stored in a serialised data structure in the data field, but added here for ease of lookups.
message_conversation_members	Table	userid	BIGINT	19		null		
auth_oauth2_linked_login	Table	userid	BIGINT	19		null		The user account this oauth login is linked to.
quiz_overrides	Table	userid	BIGINT	19	√	null		Foreign key references user.id. Can be null if this is a per-group override.
badge_backpack	Table	userid	BIGINT	19		0		
user_enrolments	Table	userid	BIGINT	19		null		
chat_users	Table	userid	BIGINT	19		0		
user_preferences	Table	userid	BIGINT	19		0		
event_subscriptions	Table	userid	BIGINT	19		0		
assign_overrides	Table	userid	BIGINT	19	√	null		Foreign key references user.id. Can be null if this is a per-group override.
rating	Table	userid	BIGINT	19		null		
forum_subscriptions	Table	userid	BIGINT	19		0		
wiki_locks	Table	userid	BIGINT	19		0		Locking user
grade_grades_history	Table	userid	BIGINT	19		null		The user who this grade is for
forum_discussion_subs	Table	userid	BIGINT	19		null		
badge_backpack_oauth2	Table	userid	BIGINT	19		null		
user_password_history	Table	userid	BIGINT	19		null		
tool_monitor_history	Table	userid	BIGINT	19		null		User to whom this notification was sent
log	Table	userid	BIGINT	19		0		
forum_posts	Table	userid	BIGINT	19		0		
scorm_scoes_track	Table	userid	BIGINT	19		0		

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
tool_cohortroles	Table	userid	BIGINT	19			null	The user to sync
config_log	Table	userid	BIGINT	19			null	
course_completions	Table	userid	BIGINT	19			0	
block_zoola_schedule_rcp	Table	userid	BIGINT	19			null	user that receives report
tool_monitor_rules	Table	userid	BIGINT	19			null	Id of user who created the rule
local_activityvisibility_que	Table	userid	BIGINT	19			null	
block_zoola_reports_schedule	Table	userid	BIGINT	19			null	User ID
competency_usercompcourse	Table	userid	BIGINT	19			null	User associated to the competency
local_activityvisibility	Table	userid	BIGINT	19			null	
messages	Table	useridfrom	BIGINT	19			null	
notifications	Table	useridfrom	BIGINT	19			null	
message	Table	useridfrom	BIGINT	19			0	
message_read	Table	useridfrom	BIGINT	19			0	
message_email_messages	Table	useridto	BIGINT	19			null	
notifications	Table	useridto	BIGINT	19			null	
message	Table	useridto	BIGINT	19			0	
message_read	Table	useridto	BIGINT	19			0	
badge	Table	usermodified	BIGINT	19			null	
grade_grades	Table	usermodified	BIGINT	19	√		null	the userid of the person who last modified this grade
grade_grades_history	Table	usermodified	BIGINT	19	√		null	the userid of the person who last modified this grade
auth_oauth2_linked_login	Table	usermodified	BIGINT	19			null	
tool_policy_acceptances	Table	usermodified	BIGINT	19			null	ID of the user who last modified the acceptance record
competency_userevidence	Table	usermodified	BIGINT	19			null	
oauth2_access_token	Table	usermodified	BIGINT	19			null	The user who modified this record.
oauth2_issuer	Table	usermodified	BIGINT	19			null	The user who modified this record
competency	Table	usermodified	BIGINT	19	√		null	The user who last modified this competency
competency_coursecompsetting	Table	usermodified	BIGINT	19	√		null	The user who last modified this setting
competency_usercompcourse	Table	usermodified	BIGINT	19			null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
quizaccess_seb_template	Table	usermodified	BIGINT	19			0	
tool_dataprivacy_purposerole	Table	usermodified	BIGINT	19			null	
quizaccess_seb_quizsettings	Table	usermodified	BIGINT	19			0	
contentbank_content	Table	usermodified	BIGINT	19	√		null	
tool_dataprivacy_ctxlevel	Table	usermodified	BIGINT	19			null	
tool_dataprivacy_ctxexpired	Table	usermodified	BIGINT	19			null	
competency_relatedcomp	Table	usermodified	BIGINT	19			null	
tool_dataprivacy_purpose	Table	usermodified	BIGINT	19			null	
post	Table	usermodified	BIGINT	19	√		null	
competency_userevidencecomp	Table	usermodified	BIGINT	19			null	
competency_usercompplan	Table	usermodified	BIGINT	19			null	
competency_evidence	Table	usermodified	BIGINT	19			null	
file_conversion	Table	usermodified	BIGINT	19			null	
competency_plan	Table	usermodified	BIGINT	19			null	
tool_policy_versions	Table	usermodified	BIGINT	19			null	ID of the user who last edited this plan document version.
competency_template	Table	usermodified	BIGINT	19	√		null	The user who last modified this learning plan template
analytics_models_log	Table	usermodified	BIGINT	19			null	
oauth2_system_account	Table	usermodified	BIGINT	19			null	The user who modified this record.
forum_discussions	Table	usermodified	BIGINT	19			0	
oauth2_user_field_mapping	Table	usermodified	BIGINT	19			null	The user who modified this record.
tool_dataprivacy_category	Table	usermodified	BIGINT	19			null	
repository_onedrive_access	Table	usermodified	BIGINT	19			null	
competency_usercomp	Table	usermodified	BIGINT	19			null	
tool_dataprivacy_ctxinstance	Table	usermodified	BIGINT	19			null	
competency_plancomp	Table	usermodified	BIGINT	19			null	
competency_modulecomp	Table	usermodified	BIGINT	19			null	The user who last modified this file
badge_backpack_oauth2	Table	usermodified	BIGINT	19			0	
competency_framework	Table	usermodified	BIGINT	19	√		null	The user who last modified this framework
tool_dataprivacy_request	Table	usermodified	BIGINT	19			0	The user who created/modified this

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								request object
tool_cohortroles	Table	usermodified	BIGINT	19	√		null	Who last modified this record?
competency_templatecomp	Table	usermodified	BIGINT	19			null	The user who modified this link.
grading_definitions	Table	usermodified	BIGINT	19			null	The ID of the user who did the most recent modification
analytics_models	Table	usermodified	BIGINT	19			null	
competency_coursecomp	Table	usermodified	BIGINT	19			null	The user who modified this link.
oauth2_endpoint	Table	usermodified	BIGINT	19			null	The user who modified this record.
grade_outcomes	Table	usermodified	BIGINT	19	√		null	the userid of the person who last modified this outcome
competency_templatecohort	Table	usermodified	BIGINT	19			null	
oauth2_system_account	Table	username	LONGTEXT	2147483647			null	The username that was connected to system account to this issue.
mnet_sso_access_control	Table	username	VARCHAR	100				Username
auth_oauth2_linked_login	Table	username	VARCHAR	255				The external username to map to the moodle account
repository_instances	Table	username	VARCHAR	255	√		null	
user	Table	username	VARCHAR	100				
mnet_session	Table	username	VARCHAR	100				Unique username
workshop	Table	useselfassessment	TINYINT	3	√		0	optional feature: students perform self assessment of their own work
event	Table	uuid	VARCHAR	255				
user_devices	Table	uuid	VARCHAR	255				The device vendor UUID
messageinbound_handlers	Table	validateaddress	BIT	1			1	Whether to validate the sender address against the user record.
external_tokens	Table	validuntil	BIGINT	19	√		null	timestamp - valid until data
lti_access_tokens	Table	validuntil	BIGINT	19			null	timestamp - valid until data
user_private_key	Table	validuntil	BIGINT	19	√		null	timestamp - valid until data
external_services_users	Table	validuntil	BIGINT	19	√		null	timestamp - valid until data
analytics_indicator_calc	Table	value	DECIMAL	10	√		null	The calculated value, it can be null
customfield_data	Table	value	LONGTEXT	2147483647			null	
feedback_value	Table	value	LONGTEXT	2147483647			null	
config	Table	value	LONGTEXT	2147483647			null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
assign_plugin_config	Table	value	LONGTEXT	2147483647	✓		null	The value of the config setting. Stored as text but can be interpreted by the plugin however it likes.
config_plugins	Table	value	LONGTEXT	2147483647			null	
course_completion_aggr_methd	Table	value	DECIMAL	10	✓		null	NULL = all/any, 0..1 for method 'fraction' > 0 for method 'unit'
config_log	Table	value	LONGTEXT	2147483647	✓		null	
filter_config	Table	value	LONGTEXT	2147483647	✓		null	The corresponding config variable value
feedback_valuetmp	Table	value	LONGTEXT	2147483647			null	
scorm_scoes_track	Table	value	LONGTEXT	2147483647			null	
scorm_scoes_data	Table	value	LONGTEXT	2147483647			null	
grade_settings	Table	value	LONGTEXT	2147483647	✓		null	
questionnaire_quest_choice	Table	value	LONGTEXT	2147483647	✓		null	
repository_instance_config	Table	value	LONGTEXT	2147483647	✓		null	
course_format_options	Table	value	LONGTEXT	2147483647	✓		null	Value of the format option
user_preferences	Table	value	VARCHAR	1333				
enrol_lti_lti2_nonce	Table	value	VARCHAR	64				
portfolio_instance_config	Table	value	LONGTEXT	2147483647	✓		null	config value
question_attempt_step_data	Table	value	LONGTEXT	2147483647	✓		null	The corresponding value
cache_flags	Table	value	LONGTEXT	2147483647			null	
lti_types_config	Table	value	LONGTEXT	2147483647			null	Param value
portfolio_instance_user	Table	value	LONGTEXT	2147483647	✓		null	value of config item
question_dataset_items	Table	value	VARCHAR	255				
badge_criteria_param	Table	value	VARCHAR	255	✓		null	
user_private_key	Table	value	VARCHAR	128				private access key value
customfield_data	Table	valueformat	BIGINT	19			null	
assignment	Table	var1	BIGINT	19	✓		0	
assignment	Table	var2	BIGINT	19	✓		0	
assignment	Table	var3	BIGINT	19	✓		0	
assignment	Table	var4	BIGINT	19	✓		0	
assignment	Table	var5	BIGINT	19	✓		0	
question_response_analysis	Table	variant	BIGINT	19	✓		null	

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
question_statistics	Table	variant	BIGINT	19	✓		null	
question_attempts	Table	variant	BIGINT	19			1	The variant of the question being u
lti_tool_proxies	Table	vendorcode	VARCHAR	255	✓		null	
upgrade_log	Table	version	VARCHAR	100	✓		null	plugin or main version if known
tool_customlang_components	Table	version	VARCHAR	255	✓		null	The checked out version of the plu null if the version is unknown
license	Table	version	BIGINT	19			0	
user_devices	Table	version	VARCHAR	32				The device version, 6.1.2, 4.2.2 etc
analytics_models	Table	version	BIGINT	19			null	
scorm	Table	version	VARCHAR	9				
analytics_models_log	Table	version	BIGINT	19			null	
chat_users	Table	version	VARCHAR	16				
wiki_versions	Table	version	MEDIUMINT	7			0	Wiki page version
badge	Table	version	VARCHAR	255	✓		null	
question	Table	version	VARCHAR	255				
cache_filters	Table	version	BIGINT	19			0	
course_modules_completion	Table	viewed	BIT	1	✓		null	Tracks whether or not this activity been viewed. NULL = we are not tracking viewed for this activity 0 = viewed 1 = viewed
block_positions	Table	visible	SMALLINT	5			null	Whether this block instance is visib this page.
badge_issued	Table	visible	BIT	1			0	
competency_template	Table	visible	TINYINT	3			1	Used to show/hide this learning pl template.
course_modules	Table	visible	BIT	1			1	
repository	Table	visible	BIT	1	✓		1	
course_sections	Table	visible	BIT	1			1	
portfolio_instance	Table	visible	BIT	1			1	whether this instance is visible or n
block	Table	visible	BIT	1			1	
course_categories	Table	visible	BIT	1			1	
course	Table	visible	BIT	1			1	
competency_framework	Table	visible	TINYINT	3			1	Used to show/hide this competenc

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
								framework.
user_info_field	Table	visible	SMALLINT	5		0		Visibility: private, public, hidden
modules	Table	visible	BIT	1		1		
cohort	Table	visible	BIT	1		1		Visibility to teachers
event	Table	visible	SMALLINT	5		1		
local_activityvisibility	Table	visible	BIT	1		null		
glossary_formats	Table	visible	TINYINT	3		1		
course_modules	Table	visibleold	BIT	1		1		
course_categories	Table	visibleold	BIT	1		1		the state of visible field when hiding parent category, this helps us to re-hidden states when un hiding the p-category later
course	Table	visibleold	BIT	1		1		the state of visible field when hiding parent category, this helps us to re-hidden states when un hiding the p-category later
course_modules	Table	visibleoncoursepage	BIT	1		1		If stealth visibility is allowed for the course, this controls whether active visible on course page
forum	Table	warnafter	BIGINT	19		0		
workshop_assessments	Table	weight	BIGINT	19		1		The weight of the assessment for purposes of aggregation
workshopform_accumulative	Table	weight	MEDIUMINT	7	✓	1		The weigh of the dimension
workshopform_numerrors	Table	weight	MEDIUMINT	7	✓	1		Weight of this dimension
h5p_contents_libraries	Table	weight	BIGINT	19		null		Determines the order in which the preloaded libraries will be loaded
block_positions	Table	weight	BIGINT	19		null		Used to order the blocks within a block region.
grade_items	Table	weightoverride	BIT	1		0		
grade_items_history	Table	weightoverride	BIT	1		0		
scorm	Table	whatgrade	BIGINT	19		0		
quiz_statistics	Table	whichattempts	SMALLINT	5		null		bool used to indicate whether these stats are for all attempts or just for first.
question_response_analysis	Table	whichtries	VARCHAR	255				

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
lesson	Table	width	BIGINT	19			640	
assignfeedback_editpdf_quick	Table	width	BIGINT	19			120	
assignfeedback_editpdf_cmnt	Table	width	BIGINT	19	✓		120	width, in pixels, of the comment box
scorm	Table	width	BIGINT	19			100	
wiki_subwikis	Table	wikiid	BIGINT	19			0	Wiki activity
wiki	Table	wikimode	VARCHAR	20			collaborative	Wiki mode (individual, collaborative)
forum_posts	Table	wordcount	BIGINT	19	✓		null	
assign_user_flags	Table	workflowstate	VARCHAR	20	✓		null	The current workflow state of the g
workshopform_comments	Table	workshopid	BIGINT	19			null	Workshop ID
workshopform_rubric_config	Table	workshopid	BIGINT	19			null	The id of workshop this configuration applies for
workshop_submissions	Table	workshopid	BIGINT	19			null	the id of the workshop instance
workshopform_numerrors_map	Table	workshopid	BIGINT	19			null	The id of the workshop
workshop_aggregations	Table	workshopid	BIGINT	19			null	the id of the workshop instance
workshopeval_best_settings	Table	workshopid	BIGINT	19			null	
workshopallocation_scheduled	Table	workshopid	BIGINT	19			null	workshop id we are part of
workshopform_rubric	Table	workshopid	BIGINT	19			null	Workshop ID
workshopform_numerrors	Table	workshopid	BIGINT	19			null	Workshop ID
workshopform_accumulative	Table	workshopid	BIGINT	19			null	Workshop ID
scorm_seq_mapinfo	Table	writenormalizedmeasure	BIT	1			0	
scorm_seq_mapinfo	Table	writesatisfiedstatus	BIT	1			0	
mnet_host	Table	wwwroot	VARCHAR	255				
assignfeedback_editpdf_annot	Table	x	BIGINT	19	✓		0	x-position of the start of the annotation (in pixels - image resolution is set to 100 pixels per inch)
assignfeedback_editpdf_cmnt	Table	x	BIGINT	19	✓		0	x-position of the top-left corner of the comment (in pixels - image resolution is set to 100 pixels per inch)
qtype_ddimageortext_drops	Table	xleft	BIGINT	19			0	
mnet_application	Table	xmlrpc_server_url	VARCHAR	255				
mnet_rpc	Table	xmlrpcpath	VARCHAR	80				
mnet_remote_rpc	Table	xmlrpcpath	VARCHAR	80				

Table	Type	Column	Type	Size	Nulls	Auto	Default	Comments
assignfeedback_editpdf_annot	Table	y	BIGINT	19	√	0		y-position of the start of the annotation (in pixels - image resolution is set to 100 pixels per inch)
assignfeedback_editpdf_cmnt	Table	y	BIGINT	19	√	0		y-position of the top-left corner of the comment (in pixels - image resolution is set to 100 pixels per inch)
user	Table	yahoo	VARCHAR	50				
qtype_ddimageortext_drops	Table	ytop	BIGINT	19		0		