

SDK Integration Documentation For Android

I. Necessary documents for sdk integration.

In order to integrate SDK, SDK will provide several documentation following:

1. AppInfo (Dev/Prod): Product configuration information.
2. Google service file (xml/json): Google config file in Firebase.
3. Key up store: This file is used for build aar file to up Store.
4. build.gradle file: Required libraries need implementation and necessary configuration for the app.
5. Facebook configuration key (value in xml file): Use for config facebook (config in manifest).
6. Example SDK: Overview example app uses SDK.
7. Icon Notification : ic_stat_ic_notification.zip

Note: If you do not receive those files or have any question about it, please let us know, contact with VTVLive Team.

When the dev environment test is done, we will provide the keys for the production environment.

II. SDK integration steps:

To integrate SDK, we recommend the following installation instructions.

1. Add SDK aar file into libs folder.
2. Config appInfo in your activity.
3. Add google-service.xml to res libs.
4. Store facebook_app_id and facebook_client_token in resources and add them in your manifest.
5. Implementation library and configure application according to build.gradle file (use android.useAndroidX = true in file gradle.properties).
6. Extract file ic_stat_ic_notification.zip and add it to the app's res folder

Note: See Example SDK to understand clearly.

III. SDK functional.

1. All config needed in your activity.
First, Config appInfo like this:

```

private VGameSDK vGameSDK;

@Override
protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    vGameSDK = VGameSDK.getInstance();
    vGameSDK.setEnableProdEnv(false); //Config enviroment: false is dev, true is production
    AppInfo appInfo = new AppInfo();
    appInfo.version = "1.0";
    appInfo.clientId = "643621c719624254";
    appInfo.clientSecret = "PG1DvJMrBFmnsZPA29bRSOTxYsw4YvLJ4HnQuGhR42q+jZY0HL3z3sRn0QSQX0H88"; // Key for your application, will change depend on enviroment.
    appInfo.platformOS = "Android";
    appInfo.locale = "v1";
    appInfo.afDevKey = "5fAkkzYpBRvYfM9NkAMexUF"; // Key for tracking appsflyer.
    appInfo.appleClientId = "vn.vplay.id-dev"; // Login apple.
    appInfo.siteKey = "6iFerFk1AAAAAC1JLEILZw7QTy7oq8Y5_6FLU3Ph"; // Key used for recaptcha v2 android (Register/ForgotPass)
    appInfo.scope = "openid api_profile_get api_profile_update email phone passport api_security_update offline_access ciba_approval"; // Permission for user.
    appInfo.googleWebClientId = "297394939222-5o55vqhpjh0riu07fie17am2ac58i5bd.apps.googleusercontent.com"; // Google VTV side key.
    appInfo.packageId = "vn.vplay.sdk.t000a"; // Application package name.
    appInfo.achievedLevels = new String[]{"100", "165", "240", "300"};
    appInfo.achievedVips = new String[]{"4", "6", "8", "10"};
    vGameSDK.init(this, appInfo); // Initialize The SDK.
    vGameSDK.setVGameListener(MainActivity.this); // Listener CallBack from SDK.
}

```

Note: clientId, clientSecret, appleClientId, siteKey will change depending on the environment you setup. The rest will not change.

Next, implements VGameListener:

```

public class MainActivity extends AppCompatActivity implements VGameListener{
    @Override
    public void onLoginSuccessful(UserInfo userInfo, String accessToken, String refreshToken, String idToken) {
        // when login successfully.
    }
    @Override
    public void onLogoutSuccessful(UserInfo userInfo) {
        // when logout successfully. userinfo will be null.
    }
    @Override
    public void onPayProductSuccess(String orderId, String productId) {
        // when purchase store item successfully.
    }
    @Override
    public void onPayProductError(Error error) {
        // when purchase store item failed.
    }
    @Override
    public void onVGameBackPressed() {
        // when VgameSdk back to your activity.
    }
}

```

Finally, to handle your screen orientation, need config like this:

```

@Override
protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);

    if (getResources().getConfiguration().orientation == Configuration.ORIENTATION_LANDSCAPE) {
        Constant.IS_PORTRAIT_FLOATING = false;
    } else if (getResources().getConfiguration().orientation == Configuration.ORIENTATION_PORTRAIT) {
        Constant.IS_PORTRAIT_FLOATING = true;
    }
}

```

```

@Override
public void onConfigurationChanged(@NotNull Configuration newConfig) {
    super.onConfigurationChanged(newConfig);

    // Checks the orientation of the screen
    if (newConfig.orientation == Configuration.ORIENTATION_LANDSCAPE) {
        Constant.IS_PORTRAIT_FLOATING = false;
        VGameSDK.getInstance().resetFloatingButton();
    } else if (newConfig.orientation == Configuration.ORIENTATION_PORTRAIT){
        Constant.IS_PORTRAIT_FLOATING = true;
        VGameSDK.getInstance().resetFloatingButton();
    }
}
}

```

Doc:

https://docs.google.com/document/d/1OrFR_02W4FQa7zAQ1fdH3Wbz_mIIYFJLcccN4OaUwsCE/edit?usp=sharing

2. Login.

Remember it always be called after config appinfo and before game start. Inside, we will show login dialog if the user firstly enters the game, user logout or SDK refresh fails when the user long time comes back.

Call this function to show login dialog:

```
VGameSDK.getInstance().login();
```

When login successfully, user information is returned in the OnloginSuccessful function of VgameListener above.

3. Logout.

when app side want to the user is logged, just call this function:

```
VGameSDK.getInstance().logout();
```

4. Google play in app reviews.

If you want user rate your app on store in app, just call function:

```
VGameSDK.getInstance().reviewGooglePlay();
```

5. List products.

To get list product items in store, just call function like this:

```
VGameSDK.getInstance().listProducts(new VGameProductListener() {
    @Override
    public void onProducts(List<ProductInfoNew> products) {
        // when you get items from store successfully
    }
    @Override
    public void onError(Error error) {
        // when you get items from store fail.
    }
})
```

Call this function after logging in, and make sure the onProducts function returns products before the user wants to pay. like this:

```
no usages
@Override
public void onLoginSuccessful(UserInfo userInfo, String accessToken, String refreshToken, String idToken) {

    VGameSDK.getInstance().listProducts(new VGameProductListener() {
        no usages
        @Override
        public void onProducts(List<ProductInfoNew> products) {
            //Make sure this function has been called before calling VGameSDK.getInstance().payProduct()
        }
        @Override
        public void onError(Error error) { Logger.d( Tag: "TAG", error.getMessage()); }
    });
}
```

6. Purchase item.


If you want to buy an item, please call this function:

`VGameSDK.getInstance().payProduct(productIdItems, characterId,serverId);`


Note: please pass right those parameters. ProductIdItems can be obtained from ProductInfoNew above. And must be called the listProduce function above.

7. Dashboard.

We provide a floating button that will show in your app. when clicking this button, the user profile will show up. Button will be like this:



Profile will be like this:



When you want to show or hide this button, just call function:

```
VGameSDK.getInstance().showOrHideFloatingButton();
```

8. Mapping User.

You should call the function when the user creates a character and enters the game.

you just call this function:

```
VGameSDK.getInstance().mappingUser(characterName, characterId,  
characterLevel, serverName, serverId);
```

Note: please pass right those parameters. If params have no value please pass "" as default value.

9. Level up.

You use this function to Log when the user gets level up.

```
VGameSDK.getInstance().levelUpUser(characterName, characterId,  
characterLevel, serverName, serverId, vipAchievementOfCharacter);
```

Note: please pass right those parameters. If params have no value please pass "" as default value.

10. Verifyphonenumber.

You use this function to check whether the user's phone is verified or not.

```
VGameSDK.getInstance().verifyPhone(new VGameVerification() {  
    @Override  
    public void onVerifiedPhone(boolean isVerified) {  
        // isVerified : true if phone number is verified, false if phone number is not verified.  
    }  
});
```

11. Tracking event in appsflyer.

```
/**  
 * Tracking when user go to start game  
 */  
public void logStartGameScreen();  
  
/**  
 * Tracking when user enter game screen after choosing character  
 */  
public void logEnterGamePlay();  
  
/**  
 * Tracking when user start tutorial  
 */  
public void logStartTutorial();  
  
/**  
 * Tracking when user finally completed tutorial  
 */  
public void logCompleteTutorial();  
  
/**  
 * Tracking when user start loading resource  
 */  
public void logStartedResource();  
  
/**  
 * Tracking when user finish loading resource  
 */  
public void logFinishedResource();  
  
/**  
 * Tracking when new extraction start downloading  
 */  
public void logStartedExtraction();  
/**  
 * Tracking when new extraction finish downloading  
 */  
public void logFinishedExtraction();  
/**  
 * Tracking when user create new character  
 */  
public void logStartedCharacterCreation();  
/**  
 * Tracking when user finish creating new character  
 */  
public void logFinishedCharacterCreation();
```


12. Hidecloseiconinlogindialog.

We supported the function hide close icon in login dialog.

```
VGameSDK.getInstance().isHideCloseShow(isHideClose);
```

Note: Default is shown, if you want to hide please pass false.

13. Setlocationfloatingbutton.


We supported the function to set location floating buttons that will show up on your screen.

```
VGameSDK.getInstance().setLocationFloatingButton(index).
```


Note: Default is 100.

IV. Flow Chart.

1. Flow game.



2. Loginorstartgame.



3. Payment flow.

