

[illegible]

CU InterRAI Check-Up (CU) Assessment Form (Singapore Version) [CODE FOR LAST 3 DAYS, UNLESS OTHERWISE SPECIFIED]	
SECTION C: Mood and Psychosocial Well-Being	
1. INDICATORS OF POSSIBLE DEPRESSED, ANXIOUS, OR SAD MOOD <i>Code for indicators observed in last 3 days, irrespective of the assumed cause (Note : Whenever possible, ask person)</i> 0 Not present 1 Present but not exhibited in last 3 days 2 Exhibited on 1 - 2 of last 3 days 3 Exhibited daily in last 3 days a. Made negative statements -- e.g., "Nothing matters"; "Would rather be dead"; "What's the use"; "Regret having lived so long"; "Let me die" ☐ b. Persistent anger with self or others -- e.g., easily annoyed, anger at care received ☐ c. Expressions, including non-verbal, of what appear to be unrealistic fears -- e.g., fear of being abandoned, being left alone, being with others; intense fear of specific objects or situations ☐ d. Repetitive health complaints -- e.g., persistently seeks medical attention, incessant concern with body functions ☐ e. Repetitive anxious complaints/concerns (non-health-related) -- e.g., persistently seeks attention/reassurance regarding schedules, meals, laundry, clothing, relationships ☐ f. Sad, pained, or worried facial expressions -- e.g., furrowed brow, constant frowning ☐ g. Crying, tearfulness ☐ h. Withdrawal from activities of interest -- e.g., long-standing activities, being with family/friends ☐ 2. SELF-REPORTED MOOD 0 Not in the last 3 days 1 Not in last 3 days, but often feels that way 2 In 1 - 2 of last 3 days 3 Daily in the last 3 days 8 Person could not (would not) respond Ask: "In the last 3 days, how often have you felt..." a. Little interest or pleasure in things you normally enjoy? ☐ b. Anxious, restless, or uneasy? ☐ c. Sad, depressed, or hopeless? ☐	3. SOCIAL RELATIONSHIPS/SUPPORTS <i>[Note: Whenever possible, ask person]</i> a. Participation in social activities of long-standing interest ☐ 0 Never 3 4 - 7 days ago 1 More than 30 days ago 4 In last 3 days 2 8 - 30 days ago b. Degree of loneliness -- When possible ask person ☐ 0 Not lonely 1 Only in certain situations or triggered by specific events (e.g., anniversary of spouse's death) 2 Occasionally (less than weekly) 3 Frequently (weekly but less than daily) 4 Daily 8 Person could not (would not) respond - can use information from others when person cannot respond c. Has a close friend in the community ☐ 0 No 1 Yes 8 Person could not (would not) respond - can use information from others when person cannot respond d. Hours of informal care and monitoring during the last 3 days ☐ <i>For instrumental and personal activities of daily living in the LAST 3 DAYS indicate the total number of hours of help received from all family, friends and neighbours</i> e. Family or close friends report feeling overwhelmed by person's illness ☐ 0 No 1 Yes f. Change in social activities in last 90 days (or since last assessment if less than 90 days ago) ☐ <i>Decline in level of participation in social, religious, occupational, or other preferred activities</i> <i>IF THERE WAS A DECLINE, person distressed by this fact</i> 0 No decline 1 Decline, not distressed 2 Decline, distressed 4. SELF-INJURIOUS IDEATION OR ATTEMPT ☐ <i>Considered performing a self-injurious act</i> 0 Never 3 8 - 30 days ago 1 More than 1 year ago 4 4 to 7 days ago 2 31 days to 1 year ago 5 in last 3 days
SECTION D: Functional Status	
0 Independent -- No help, setup, or supervision 1 Setup help only 2 Supervision -- Oversight/cuing 3 Limited assistance -- Help on some occasions 4 Extensive assistance -- Help throughout the task, but performs 50% or more of task on own 5 Maximal assistance -- Help throughout task, but performs less than 50% of task on own 6 Total dependence -- Full performance by others during entire period 8 Activity did not occur -- During entire period [DO NOT USE THIS CODE IN SCORING CAPACITY] 1. IADL CAPACITY <i>Code for CAPACITY based on presumed ability to carry out activity as independently as possible. This will require "speculation" by the assessor.</i> a. Meal preparation -- How meals are prepared (e.g., planning meals, assembling ingredients, cooking, setting out food and utensils) ☐ b. Ordinary housework -- How ordinary work around the house is performed (e.g., doing dishes, dusting, making bed, tidying up, laundry) ☐ c. Managing finances -- How bills are paid, checkbook is balanced, household expenses are budgeted, credit card account is monitored ☐ d. Managing medications -- How medications are managed (e.g., remembering to take medicines, opening bottles, taking correct drug dosages, giving injections, applying ointments) ☐ e. Phone use -- How telephone calls are made or received (with assistive devices such as large numbers on telephone, amplification as needed) ☐ f. Stairs -- How full flight of stairs is managed (12-14 steps) ☐ g. Shopping -- How shopping is performed for food and household items (e.g., selecting items, paying money) EXCLUDE TRANSPORTATION ☐ h. Transportation -- How travels by public transportation (navigating system, paying fare) or driving self (including getting out of house, into and out of vehicles) ☐	2. IADL SELF PERFORMANCE <i>Code for PERFORMANCE in routine activities around the home or in the community during the LAST 3 DAYS. For persons currently in an acute care hospital, for PERFORMANCE code 8 - Activity did not occur.</i> a. Meal preparation -- How meals are prepared (e.g., planning meals, assembling ingredients, cooking, setting out food and utensils) ☐ b. Shopping -- How shopping is performed for food and household items (e.g., selecting items, paying money) EXCLUDE TRANSPORTATION ☐ 3. ADL SELF-PERFORMANCE <i>Consider all episodes over 3-day period.</i> <i>If all episodes are performed at the same level, score ADL at that level.</i> <i>If any episodes at level 6, and others less dependent, score ADL as a 5.</i> <i>Otherwise, focus on the three most dependent episodes for all episodes if performed fewer than 3 times]. If most dependent episode is 1, score ADL as 1. If not, score ADL as least dependent of those episodes in range 2-5.</i> 0 Independent -- No physical assistance, setup, or supervision in any episode 1 Independent, setup help only -- Article or device provided or placed within reach, no physical assistance or supervision in any episode 2 Supervision -- Oversight/cuing 3 Limited assistance -- Guided manoeuvring of limbs, physical guidance without taking weight 4 Extensive assistance -- Weight-bearing support (including lifting limbs) by 1 helper where person still performs 50% or more of subtasks 5 Maximal assistance -- Weight-bearing support (including lifting limbs) by 2+ helpers - OR - Weight-bearing support for more than 50% of subtasks 6 Total dependence -- Full performance by others during all episodes 8 Activity did not occur during entire period a. Bathing -- How takes a full-body bath/shower. Includes how transfers in and out of tub or shower AND how each part of body is bathed: arms, upper and lower legs, chest, abdomen, perineal area EXCLUDE WASHING OF BACK AND HAIR ☐

CU InterRAI Check-Up (CU) Assessment Form (Singapore Version) [CODE FOR LAST 3 DAYS, UNLESS OTHERWISE SPECIFIED]		  	
b. Personal hygiene -- How manages personal hygiene, including combing hair, brushing teeth, shaving, applying make-up, washing and drying face and hands - EXCLUDE BATHS AND SHOWERS c. Dressing upper body -- How dresses and undresses (street clothes, underwear) above the waist, including prostheses, orthotics, fasteners, jumpers, etc d. Dressing lower body -- How dresses and undresses (street clothes, underwear) from waist down, including prostheses, orthotics, belts, pants, skirts, shoes, fasteners, etc e. Walking -- How walks between locations on same floor indoors f. Locomotion -- How moves between locations on same floor (walking or wheeling). If in wheelchair, self sufficiency once in chair g. Locomotion outside home -- Note: if on wheelchair, self-sufficiency once in chair h. Transfer toilet -- How moves on and off toilet or commode i. Toilet use -- How uses the toilet room (or commode, bedpan, urinal) cleanses self after toilet use or incontinent episode(s), changes pad, manages ostomy, or catheter, adjusts clothes EXCLUDE TRANSFER ON AND OFF TOILET j. Bed mobility -- How moves to and from lying position, turns from side to side, and positions body while in bed k. Eating -- How eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)		4. FUNCTIONAL ACTIVITIES a. Primary mode of locomotion 0 Walking, no assistive device 1 Walking, uses assistive device e.g., cane, walker, crutch, pushing wheelchair 2 Wheelchair, scooter 3 Bed-bound b. Total hours of exercise or physical activity in LAST 3 DAYS - e.g., walking, doing housework, engaged in formal exercise regimen 0 None 1 Less than 1 hour 2 1 - 2 hours 3 3 - 4 hours 4 More than 4 hours c. In the LAST 3 DAYS, number of days went out of the house or building in which he/she resides (no matter how short the period) 0 No days out 1 Did not go out in last 3 days, but usually goes out over a 3-day period 2 1 - 2 days 3 3 days d. Change in ADL status as compared to 90 days ago, or since last assessment if less than 90 days ago 0 Improved 1 No change 2 Declined 8 Uncertain e. Drove car (vehicle) in LAST 90 DAYS 0 No 1 Yes	
SECTION E. Health Conditions			
1. BLADDER CONTINENCE 0 Continent -- Complete control; DOES NOT USE any type of catheter or other urinary collection device 1 Managed with any catheter or ostomy -- Managed with device over last 3 days 2 Infrequently incontinent -- Not incontinent over last 3 days, but does have incontinent episodes 3 Occasionally incontinent -- Less than daily 4 Frequently incontinent -- Daily, but some control present 5 Incontinent -- No control present 8 Did not occur -- No urine output from bladder in last 3 days 2. BOWEL CONTINENCE 0 Continent -- Complete control; DOES NOT USE any type of ostomy device 1 Managed with ostomy -- Control with ostomy device over last 3 days 2 Infrequently incontinent -- Not incontinent over last 3 days, but does have incontinent episodes 3 Occasionally incontinent -- Less than daily 4 Frequently incontinent -- Daily, but some control present 5 Incontinent -- No control present 8 Did not occur -- No bowel movement in the last 3 days 3. FALLS <i>Code for falls over specified time periods</i> 0 No falls 1 One fall 2 Two or more falls a. Last 30 days b. 31 - 90 days ago c. 91 - 180 days ago 4. PROBLEM FREQUENCY FOR BELOW CONDITIONS <i>Code for presence in last 3 days</i> 0 Not present 1 Present but not exhibited in last 3 days 2 Exhibited on 1 of last 3 days 3 Exhibited on 2 of last 3 days 4 Exhibited daily in last 3 days Balance a. Dizziness b. Unsteady gait Cardiac c. Chest pain Psychiatric d. Abnormal thought process - e.g., loosening of associations, blocking, flight of ideas, tangentiality, circumstantiality		e. Delusions -- Fixed false beliefs f. Hallucinations -- False sensory perceptions Neurological g. Aphasia GI Status h. Constipation - No bowel movement or difficult passage of hard stool i. Diarrhoea j. Vomiting Sleep Problems k. Difficulty falling asleep or staying asleep, waking up too early, restlessness, non-restful sleep Other l. Fever m. GI or GU bleeding n. Dehydration o. Peripheral oedema 5. DYSPNOEA (Shortness of breath) 0 Absence of symptom 1 Absent at rest, but present when performed moderate activities 2 Absent at rest, but present when performed normal day-to-day activities 3 Present at rest 6. FATIGUE <i>Inability to complete normal daily activities--e.g., ADLs, IADLs</i> 0 None 1 Minimal -- Diminished energy but completes normal day-to-day activities 2 Moderate -- Due to diminished energy, UNABLE TO FINISH normal day-to-day activities 3 Severe -- Due to diminished energy, UNABLE TO START SOME normal day-to-day activities 4 Unable to commence any normal day-to-day activities -- Due to diminished energy 7. PAIN SYMPTOMS <i>[Note: Always ask the person about pain frequency, intensity, and control of pain. Observe person and ask others who are in contact with the person]</i> a. Frequency with which person complains or shows evidence of pain (including grimacing, teeth clenching, moaning, withdrawal when touched, or other non-verbal signs suggesting pain) 0 No pain 1 Present but not exhibited in last 3 days 2 Exhibited on 1 - 2 of last 3 days 3 Exhibited daily in last 3 days	

CU InterRAI Check-Up (CU) Assessment Form (Singapore Version) [CODE FOR LAST 3 DAYS, UNLESS OTHERWISE SPECIFIED]		  	
b. Intensity of highest level of pain present 0 No pain 3 Severe 1 Mild 4 Times when pain is horrible 2 Moderate or excruciating		9. SELF-REPORTED HEALTH Ask: "In general, how would you rate your health?" 0 Excellent 3 Poor 1 Good 8 Could not (would not) respond 2 Fair	
8. INSTABILITY OF CONDITIONS 0 No 1 Yes a. Conditions/diseases make cognitive, ADL, mood or behaviour patterns unstable (fluctuating, precarious or deteriorating) b. Experiencing an acute episode, or a flare-up of a recurrent or chronic problem c. End-stage disease, 6 or fewer months to live i. 0 - 3 months to live ii. 3 - 6 months to live		10. TOBACCO 0 No 2 Yes 1 Not in the last 3 days, but is usually a daily smoker 11. ALCOHOL -- Highest number of drinks in any "single sitting" in LAST 14 DAYS 0 No 2 2 - 4 1 1 3 5 or more	
SECTION F: Disease Diagnoses			
Disease code 0 Not present 2 Present, treated or monitored 1 Present, not treated or monitored 1. DISEASE DIAGNOSES Neurological a. Stroke/CVA Cardiac or Pulmonary b. Coronary heart disease c. Chronic obstructive pulmonary disease d. Congestive heart failure Other e. Cancer f. Diabetes mellitus		Disease code 0 Not present 1 Present, not treated or monitored 2 Present, treated or monitored 2. ADDITIONAL DISEASE DIAGNOSES a. Hypertension b. Hyperlipidemia Disease code 0 Not present 1 Primary diagnosis/diagnoses for current stay 2 Diagnosis present, receiving active treatment 3 Diagnosis present, monitored but no active treatment 3. DISEASE DIAGNOSES Neurological a. Alzheimer's Disease b. Multiple sclerosis c. Other dementia, or dementia of unknown origin	
SECTION G: Nutritional Issues			
1. NUTRITIONAL ISSUES 0 No 1 Yes a. Weight loss of 5% or more in LAST 30 DAYS, or 10% or more in LAST 180 DAYS (Without trying) b. In at least 2 of last 3 days, ate one or fewer meals a day c. In last 3 days, noticeable decrease in the amount of food person normally eats or fluids usually consumes d. Fluid intake less than 1,000ml per day (less than four 250ml cups/day) e. Fluid output exceeds input		2. MODE OF NUTRITIONAL INTAKE 0 Normal -- Swallows all types of foods 1 Modified independent -- e.g., liquid is sipped, takes limited solid food, need for modification may be unknown 2 Requires diet modification to swallow solid food -- e.g., mechanical diet (e.g., puree, minced, etc.) or only able to ingest specific foods 3 Requires modification to swallow liquids -- e.g., thickened liquids 4 Can swallow only pureed solids AND thickened liquids 5 Combined oral and parenteral or tube feeding 6 Nasogastric tube feeding only 7 Abdominal feeding tube -- e.g., PEG tube 8 Parenteral feeding only -- e.g., Includes all types of parenteral feedings, such as total parenteral nutrition (TPN) 9 Activities did not occur -- During entire period	
SECTION H: Procedures and Treatments			
1. HOSPITAL USE, EMERGENCY ROOM USE, PHYSICIAN VISIT <i>Code for number of times during the LAST 90 DAYS (or since last assessment if LESS THAN 90 DAYS)</i> a. Inpatient acute hospital with overnight stay b. Emergency room visit (not counting overnight stay) c. Physician visit (or authorized assistant or practitioner)		2. PREVENTION -- review if answer is no 0 No 1 Yes a. Influenza vaccine in LAST YEAR b. Pneumovax vaccine in LAST 5 YEARS or after age 65 3. WOUND CARE 0 Not ordered AND did not occur 2 1 - 2 of last 3 days 1 Ordered, not implemented 3 Daily in last 3 days	
SECTION I: Finances and Stressors			
1. FINANCES <i>Because of limited funds, during the last 30 days made trade-offs among purchasing any of the following: adequate food, shelter, clothing; prescribed medications, sufficient home heat or cooling; necessary health care</i> 0 No 1 Yes		2. MAJOR LIFE STRESSORS IN LAST 90 DAYS -- e.g., episode of severe personal illness; death or severe illness of close family member/ friend; loss of home; major loss of income/assets; victim of a crime such as robbery or assault; loss of driving licence/car 0 No 1 Yes	
SECTION J. Intake and Initial History		SECTION K. Overall Status	
1. RESIDENTIAL HISTORY OVER LAST 5 YEARS <i>Code if person lived in this setting during 5 YEARS prior to date case opened</i> 0 No 1 Yes a. Long-term care facility -- e.g., nursing home/chronic sick unit		1. OVERALL SELF-SUFFICIENCY HAS CHANGED SIGNIFICANTLY AS COMPARED TO STATUS OF 90 DAYS AGO (OR SINCE LAST ASSESSMENT IF LESS THAN 90 DAYS) 0 Improved 1 No change 2 Deteriorated	
Notes/ Remarks			

CU InterRAI Check-Up (CU) Assessment Form (Singapore Version) [CODE FOR LAST 3 DAYS, UNLESS OTHERWISE SPECIFIED]	
SECTION L. Behaviour 1. BEHAVIOUR SYMPTOMS <i>Code for indicators observed, irrespective of the assumed cause</i> 0 Not present 1 Present but not exhibited in last 3 days 2 Exhibited on 1 -- 2 of last 3 days 3 Exhibited daily in last 3 days a. Wandering -- Moved with no rational purpose, seemingly oblivious to needs or safety b. Verbal abuse -- e.g., others were threatened, screamed at, cursed at c. Physical abuse -- e.g., others were hit, shoved, scratched, sexually abused d. Socially inappropriate or disruptive behaviour -- e.g., made disruptive sounds or noises, screamed out, smeared or threw food or faeces, hoarded, rummaged through other's belongings e. Inappropriate public sexual behaviour or public disrobing f. Resists care -- e.g., taking medications/injections, ADL assistance, eating	SECTION M. Medications 1. TOTAL NUMBER OF MEDICATIONS <i>(Note: 9 or more is usually a marker for follow-up)</i> <i>Record the number of different medications (prescription and over-the-counter), including eyedrops, taken regularly or on an occasional basis in the last 3 days. (Note: Also include medications taken on maintenance basis.)</i> <i>Code number (enter 15 if 15 or higher)</i> 2. ADHERENCE WITH PRESCRIBED MEDICATIONS 0 Always adherent 1 Adherent 80% of the time or more 2 Adherent less than 80% of the time, including failure to purchase prescribed medications 8 No medications prescribed
SECTION N. Skin Condition 1. MOST SEVERE PRESSURE ULCER 0 No pressure ulcer 1 Any area of persistent skin redness 2 Partial loss of skin layers 3 Deep craters in the skin 4 Breaks in skin exposing muscle or bone 5 Not codable, e.g., necrotic eschar predominant 2. OTHER SKIN CONDITIONS OR CHANGES IN SKIN CONDITION -- <i>e.g., bruises, rashes, itching, mottling, herpes zoster, intertrigo, eczema</i> 0 No 1 Yes 3. PRESENCE OF SKIN ULCER OTHER THAN PRESSURE ULCER --- <i>e.g., venous ulcer, arterial ulcer, mixed venous-arterial ulcer, diabetic foot ulcer</i> 0 No 1 Yes	SECTION O. Environment Assessment 1. HOME ENVIRONMENT <i>Code for any of following that make home environment hazardous or uninhabitable (if temporarily in institution, base assessment on home visit)</i> 0 No 1 Yes a. Disrepair of the home -- e.g., hazardous clutter; inadequate or no lighting in living room, sleeping room, kitchen, toilet, corridors; holes in floor; leaking pipes b. Squalid condition -- e.g., extremely dirty, infestation by rats or bugs c. Inadequate heating or cooling d. Lack of personal safety -- e.g., fear of violence, safety problem in going to mailbox or visiting neighbours, heavy traffic in street e. Limited access to home or rooms in home -- e.g., difficulty entering or leaving home, unable to climb stairs, difficulty manoeuvring within rooms, no railings although needed
SECTION P. Caregiver Information 1. TWO KEY INFORMAL HELPERS a. Relationship to person 1 Child or child-in-law 6 Other relative 2 Spouse 7 Friend 3 Partner/significant other 8 Neighbour 4 Parent/guardian 9 No informal helper 5 Sibling b. Lives with person 0 No 2 Yes, more than 6 months 1 Yes, 6 months or less 8 No informal helper 2. Caregiver's availability (Non-interRAI item) 0 Whole day 2 Night Only 1 Morning only 3 No Caregiver 3. DOES PERSON/FAMILY HAVE A DOMESTIC HELPER TO PROVIDE CARE? [Non-interRAI item] 0 No 1 Yes 8 Domestic helper not required	SECTION Q. Indicators of Possible Abuse 1. INDICATORS OF POSSIBLE ABUSE <i>[Note: Whenever possible, ask person]</i> 0 Never 3 4 - 7 days ago 1 More than 30 days ago 4 In last 3 days 2 8 - 30 days ago 8 Unable to determine a. Threatened by family member b. Conflict or anger with family or friends c. Fearful of a family member or close acquaintance d. Neglected, abused, or mistreated e. Hygiene - unusually poor hygiene, unkempt, disheveled (Possible abuse) f. Physically restrained - Limbs restrained, used bed rails, restrained to chair when sitting (Possible abuse)
SECTION R. Distressed Social Life 1. INFORMAL HELPER STATUS 0 No 1 Yes a. Informal helper(s) is (are) unable to continue in caring activities <i>- e.g., decline in health of helper makes it difficult to continue</i> b. Primary informal helper expresses feelings of distressed, anger, or depression	SECTION S. Responsibility and Directives 0 No 1 Yes 1. Does the person have an appointed donee/deputy? 2. Has the person participated in an Advance Care Planning discussion? Specify date: _____ 3. Has the person prepared a Preferred Care Plan? Specify date: _____
Notes/ Remarks	
SECTION T: Assessment Information SIGNATURE OF PERSON COORDINATING/COMPLETING THE ASSESSMENT 1a. Signature (sign on above line) 1b. Name of assessor 2. Date assessment signed as complete Day Month Year	