

**Addendum to the Combined 2021-2023
National Survey on Drug Use and Health Public Use Data File**

Introduction

The 2021-2023 public use file (PUF) codebook provides documentation for the combined 2021-2023 National Survey on Drug Use and Health (NSDUH) public use data file. The combined data file contains 2,639 variables and 173,808 records. Variables are included when they are available across two or more of the individual-year PUFs. This addendum provides information specific to the combined data file. Detailed information specific to each of the survey years is available in the documentation (codebook) associated with the individual PUF and can be accessed at <https://www.samhsa.gov/data/data-we-collect/nsduh-national-survey-drug-use-and-health/datafiles>.

Organization of the Combined Data File

The combined data file is created by combining records from each individual PUF for 2021 through 2023. Because the identifier for each record on the individual PUF, QUESTID2, may be repeated across years, a new variable, YEAR, was added to the combined data file. The combination of YEAR and QUESTID2 will result in unique observations. The variable YEAR may also be used to subset the data to specific study years for analysis purposes.

As long as a variable was available on 2 or more years of the individual PUFs, it was included on the combined data file. Since the 2020 NSDUH,¹ web-based data collection has been incorporated alongside in-person data collection. The multimode data collection procedures yielded differences in response and nonresponse patterns, leading to changes in various aspects of data processing, such as weighting. Because of these methodological differences, NSDUH estimates from 2021 onward are not comparable or combinable with estimates from 2020 or prior years. For details, see Chapter 6 in the *2021 National Survey on Drug Use and Health (NSDUH): Methodological Summary and Definitions*.² As a result, the 2021-2023 NSDUH PUFs are not concatenated with earlier years, and it is strongly recommended that researchers do not combine the files themselves, because doing so will not produce valid estimates.

Along with the individual PUF codebooks for 2021 through 2023, analysts are encouraged to refer to the questionnaire for each of the survey years. The questionnaires provide detailed information about how respondents were routed through the questions in the interviews and also list recent changes to the instrument. The 2021-2023 questionnaires, as well as other resource materials and earlier years' documentation, can be found at <https://www.samhsa.gov/data/data-we-collect/nsduh-national-survey-drug-use-and-health/datafiles>. To find a specific year's questionnaire (e.g., 2022), use the "Select Data Set"

¹ On March 16, 2020, SAMHSA suspended in-person data collection for the 2020 NSDUH due to the coronavirus disease 2019 (COVID-19) pandemic. In July 2020, a small-scale effort assessed the feasibility of safely resuming in-person data collection. To reduce the impact on data collection, web-based interviewing became the primary mode of NSDUH data collection in Quarter 4 of 2020 (i.e., October to December), with in-person data collection resuming where local COVID-19 metrics allowed.

² Center for Behavioral Health Statistics and Quality. (2022). *2021 National Survey on Drug Use and Health (NSDUH): Methodological summary and definitions*. <https://www.samhsa.gov/data/report/2021-methodological-summary-and-definitions>

drop-down menu on the web page to choose a particular year (e.g., NSDUH 2022). Then click on “Questionnaire Specs (PDF)” to access the specific year’s questionnaire.

Because of changes in how variables may have been created or recoded across years, the number of levels or level contents may vary from year to year for some variables, such as WRKLASTYR2 (WHAT YEAR LAST WORKED) or marijuana use variables MJEVER (EVER USED MARIJUANA/CANNABIS) and MJREC (TIME SINCE LAST USED MARIJUANA/CANNABIS). Caution should be taken, therefore, when combining years with such data, and further collapsing may be needed to make the levels comparable. Additional details on these variables are provided later in this addendum.

Weights and Design Variables for the Combined Data File

The weight to use for analysis depends on the number of pooled years to be included in that analysis. When analyzing any single year of data, or when comparing single years of data with each other, the variable ANALWT2_C1 should be used. This variable is the same as the variable ANALWT2_C that is found on the individual-year PUFs. However, with a combined data file, analysts have the option of pooling data from 2 or more years. The additional weight variables ANALWT2_C2 and ANALWT2_C3 were created to allow for such pooled data analysis. These additional weight variables were created by adjusting the single-year weights by the number of years of data used so that the estimated numbers of individuals reported is representative of the national population. For example, ANALWT2_C2, which can be used for producing estimates of annual averages using any combination of 2 years of data (e.g., pooled 2021-2022 data, pooled 2022-2023 data, or even 2021 and 2023 combined data), was obtained by dividing the single-year weight ANALWT2_C1 by 2. Similarly, ANALWT2_C3 was obtained by dividing ANALWT2_C1 by 3 and can be used for producing estimates of annual averages using all 3 years of NSDUH data (i.e., combined data from 2021 to 2023). Using any of the adjusted weights described above on the combined data will produce the desired percentages. However, in order to get the correct totals (counts), it will be necessary to use the weight appropriate for the number of years in the analysis.

Selecting which weights to use depends on the years of data being analyzed. This can be contingent on the analysis variables because some of the analytic variables are not available or not comparable for all 3 years. (For details, see the combined 2021-2023 comparability spreadsheet.) For example, NICVAPEVER (EVER VAPED NICOTINE) is only available in 2022 and 2023, and, therefore, when analyzing it, ANALWT2_C2 should be used. Examples of SUDAAN®, Stata®, and SAS® code focusing on how to use the weights appear in exhibits toward the end of this addendum.

For variance estimation, the sample design variables VESTR_C (variance estimation [pseudo] stratum) and VEREP (variance estimation [pseudo] replicate within stratum) are appropriate for all analyses. Note that there are 50 pseudo strata per year for the 2021-2023 PUF data, resulting in 50 degrees of freedom for variance estimation. When combining any pair of years of data (e.g., 2021 and 2022, 2022 and 2023), the degrees of freedom remain the same as if the pair of years was a single year (e.g., 50 for national estimates) because these years are part of the same sample design. For details about degrees of freedom, see Chapter 6 in the

As with the individual-year PUFs, users of the combined data file should first sort the combined data by the sample design variables VESTR_C and VEREP, then specify them in a statistical software package, such as SUDAAN,⁴ to estimate variances and standard errors.

Users of the NSDUH PUFs are cautioned against analyzing and interpreting near zero or low prevalence outcomes and estimates based on small sample sizes. PUF users are encouraged to implement suppression criteria, such as the NSDUH suppression rules, to suppress estimates considered to have low precision. For more details, see Section 3.2.2 in the 2023 Methodological Summary and Definitions.⁵ However, PUF users can use their own discretion to formulate appropriate suppression rules.

Variables with Differences in Levels in the Combined Data File

This section describes the variables that have levels that are not necessarily comparable across the combined data file, and users are requested to review the individual-year PUF codebooks⁶ to understand the differences in levels.

WRKLASTYR2: WHAT YEAR LAST WORKED. This variable was bottom coded for the PUFs, in which the first category was set to (SURVEY YEAR - 39). All values of the year last worked that were lower than the first category were grouped into the first category, as shown in Table 1. Therefore, values set as the first category for any of the years on the combined data file may have different meanings across years (e.g., in survey year 2021, a value of 1984 represents only 1984, but in survey year 2023, a value of 1984 represents 1984 and all previous years). Caution is advised when using this variable across the combined years.

Table 1. Coding of the First Category for the “What Year Last Worked” Variable

NSDUH Survey Year	First Category Coded As
2021	1982 = 1982 or earlier
2022	1983 = 1983 or earlier
2023	1984 = 1984 or earlier

Marijuana Use Variables MJEVER and MJREC. In 2021, these two variables were created from questions about marijuana vaping in the emerging issues section of the questionnaire, as well as from questions in the marijuana section. In 2022 and 2023, they were

³ Center for Behavioral Health Statistics and Quality. (2024). *2022 National Survey on Drug Use and Health (NSDUH) methodological resource book, Section 13: Statistical inference report*. <https://www.samhsa.gov/data/report/nsduh-2022-statistical-inference-report>

⁴ RTI International. (2018). *SUDAAN®*, Release 11.0.3 [computer software].

⁵ Center for Behavioral Health Statistics and Quality. (2024). *2023 National Survey on Drug Use and Health (NSDUH): Methodological summary and definitions*. <https://www.samhsa.gov/data/report/2023-methodological-summary-and-definitions>

⁶ The PUF codebooks can be found at <https://www.samhsa.gov/data/data-we-collect/nsduh-national-survey-drug-use-and-health/datafiles>. To find a specific year’s codebook (e.g., 2022), use the “Select Data Set” drop-down menu on the web page to choose a particular year (e.g., NSDUH 2022). Then click on “Codebook (PDF)” to access the specific year’s codebook.

created from the questions in the marijuana section only. In addition, the question wording changed in 2022 to ask about use of marijuana and hashish instead of marijuana and cannabis products. [Tables 2](#) and [3](#) provide label and level descriptions for these two variables for 2021 through 2023.

Table 2. Descriptions of the Variable Labels/Levels for MRJEVER

Label/Level	Ever Used Marijuana/Hashish (2021 NSDUH)	Ever Used Marijuana/Cannabis (2022-2023 NSDUHs)
1	Yes	Yes
2	No	No
3	Yes LOGICALLY ASSIGNED	--
85	BAD DATA Logically assigned	BAD DATA Logically assigned
94	DON'T KNOW	DON'T KNOW
97	REFUSED	REFUSED
98	BLANK (NO ANSWER)	BLANK (NO ANSWER)
99	LEGITIMATE SKIP	LEGITIMATE SKIP

-- = not available.

Table 3. Descriptions of the Variable Labels/Levels for MRJREC

Label/Level	Time Since Last Used Marijuana/Hashish (2021 NSDUH)	Time Since Last Used Marijuana/Cannabis (2022-2023 NSDUHs)
1	Within the past 30 days	Within the past 30 days
2	More than 30 days ago but within the past 12 months	More than 30 days ago but within the past 12 months
3	More than 12 months ago	More than 12 months ago
8	Used at some point in the past 12 months LOGICALLY ASSIGNED	Used at some point in the past 12 months LOGICALLY ASSIGNED
9	Used at some point in the lifetime LOGICALLY ASSIGNED	Used at some point in the lifetime LOGICALLY ASSIGNED
11	Used in the past 30 days LOGICALLY ASSIGNED	Used in the past 30 days LOGICALLY ASSIGNED
12	Used > 30 days ago but within past 12 months LOGICALLY ASSIGNED	--
13	More than 12 months ago LOGICALLY ASSIGNED	--
85	BAD DATA Logically assigned	BAD DATA Logically assigned
91	NEVER USED MARIJUANA	NEVER USED MARIJUANA
97	REFUSED	REFUSED
98	BLANK (NO ANSWER)	BLANK (NO ANSWER)
99	LEGITIMATE SKIP	LEGITIMATE SKIP

-- = not available.

Examples of SUDAAN, Stata, and SAS Code

This section provides examples of SUDAAN, Stata, and SAS code for generating estimates (i.e., means along with standard errors) from the combined data file (see [Exhibits 1](#) to [4](#)). Additionally, [Tables 4](#) and [5](#) show numbers in thousands and percentages for tobacco product use and use of prescription psychotherapeutics. PUF users can ensure that PUF data are downloaded correctly, or that code is implemented correctly, by replicating estimates in these tables.

Exhibit 1. Using SUDAAN DESCRIPT Procedure to Produce Mean Estimate and Standard Error of Past Month Alcohol Use (ALCMON), by Sex (IRSEX), Using Combined 2021-2023 Public Use File Data

```
PROC SORT DATA=DATANAME; /*SAS code to sort output dataset by Nesting Variables*/
BY VESTR_C VEREP;
RUN;

PROC DESCRIPT DATA=DATANAME DDF=50 DESIGN=WR FILETYPE=SAS DEFT4;

/*Note: the DDF remain the same using data combined across 2021-2023. */
NEST VESTR_C VEREP;
WEIGHT ANALWT2_C3; /*Use ANALWT2_C3 because 3 years of NSDUH data are being used.*/
VAR ALCMON; /*Past month alcohol analysis variable*/
SUBGROUP IRSEX; /*Sex variable, where male=1 & female=2*/
LEVELS 2;
TABLES IRSEX; /*by sex*/
PRINT WSUM NSUM MEAN SEMEAN TOTAL SETOTAL / REPLACE STYLE=NCHS;
OUTPUT WSUM MEAN SEMEAN TOTAL SETOTAL NSUM DEFFMEAN /REPLACE
      NSUMFMT=F8.0 WSUMFMT=F12.0 MEANFMT=F15.10 SEMEANFMT=F15.10 DEFFMEANFMT=F15.10
      TOTALEFMT=F12.0 SETOTALEFMT=F12.0 FILENAME="OUT.SUDFILE";
TITLE "ESTIMATES OF PAST MONTH ALCOHOL BY SEX";
RUN;
/*Note: The following CLASS statement could be used in place of SUBGROUP and LEVELS statements
in the above example:
CLASS IRSEX; */
```

Exhibit 2. Using SUDAAN DESCRIPT Procedure to Produce Mean Estimate and Standard Error of Breast Cancer (CABREAST) among Women, by Race (NEWRACE2), Using Combined 2022-2023 Public Use File Data

```
DATA DATANAME;
SET DATANAME;
YR=YEAR+0; /*YEAR is a character variable, created variable YR is numerical*/
IF YR>=2022; /*get 2022-2023 combined data*/

/*Breast Cancer: recode variable CABREAST to combine the yes and logically assigned yes
as YES, and all other levels as NO*/
if CABREAST in (1,3) then CABREAST_r=1;
else CABREAST_r=0;
RUN;

PROC SORT DATA=DATANAME; /*SAS code to sort output dataset by Nesting Variables*/
BY VESTR_C VEREP;
RUN;

PROC DESCRIPT DATA=DATANAME DDF=50 DESIGN=WR FILETYPE=SAS DEFT4;

/*Note: the DDF remain the same using data combined across 2021-2023.*/
NEST VESTR_C VEREP;
WEIGHT ANALWT2_C2; /*Use ANALWT2_C2 because 2 years of NSDUH data are being used.*/
VAR CABREAST_r;
SUBGROUP NEWRACE2; /*Race categories*/
LEVELS 7;
SUBPOPN IRSEX=2;
TABLES NEWRACE2; /*by race category*/
PRINT WSUM NSUM MEAN SEMEAN TOTAL SETOTAL / REPLACE STYLE=NCHS;
OUTPUT WSUM MEAN SEMEAN TOTAL SETOTAL NSUM DEFFMEAN /REPLACE
      NSUMFMT=F8.0 WSUMFMT=F12.0 MEANFMT=F15.10 SEMEANFMT=F15.10 DEFFMEANFMT=F15.10
      TOTALEFMT=F12.0 SETOTALEFMT=F12.0 FILENAME="OUT.SUDFILE";
TITLE " ESTIMATES OF BREAST CANCER AMONG WOMEN BY RACE";
RUN;
/*Note: The following CLASS statement could be used in place of SUBGROUP and LEVELS statements
in the above example:
CLASS NEWRACE2; */
```

Exhibit 3. Using Stata Commands svy: mean and svy: total to Produce Mean Estimate and Standard Error of Past Month Alcohol Use (ALCMON), by Sex (IRSEX), Using Combined 2021-2023 Public Use File Data

```
use using ".\\dataname.dta", clear

/*Ensure all variables are lower case*/
rename *, lower

/* ID Nesting variables (VESTR_C and VEREP) and weight variable (ANALWT2_C3 - person
analysis weight for 3 years of combined NSDUH data) are used. The DOF remain the same
using data combined across 2021-2023. */

svyset verep [pw=analwt2_c3], strata(vestr_c) dof(50)

gen double total_out=.
gen settotal=.
gen mean_out=.
gen semean=.
gen nsum=.
gen double wsum=.
gen deffmean=.

/*Estimated means of past month alcohol use by sex*/

/*Sex variable, where male=1 & female=2*/
svy: mean alcmon, over(irsex)
matrix M=e(b) /*Store mean estimates in matrix M*/
matrix S=e(V) /*Store variances in matrix S*/
matrix N=e(_N) /*Store sample size in matrix N*/
matrix W=e(_N_subp) /*Store weighted sample size in matrix W*/

estat effects, deff srssubpop/*Obtain design effect*/
matrix D=e(deff) /*Store design effect in matrix D*/

/*Extract values stored in the M, S, N, W, and D matrices defined above to the
mean_out, semean, nsum, wsum, and deffmean variables. The loop ensures that the
appropriate values are extracted for each value of sex.*/
forvalues j=1/2 { /* number of sex categories*/
    replace mean_out=(M[1,`j']) if irsex==`j'
    replace semean=(sqrt(S[1,`j'])) if irsex==`j'
    replace nsum=(N[1,`j']) if irsex==`j'
    replace wsum=(W[1,`j']) if irsex==`j'
    replace deffmean=(D[1,`j']) if irsex==`j'
}
```


Exhibit 3. Using Stata Commands svy: mean and svy: total to Produce Mean Estimate and Standard Error of Past Month Alcohol Use (ALCMON), by Sex (IRSEX), Using Combined 2021-2023 Public Use File Data (continued)

```
/*Estimated Totals*/
svy: total alcmn, over(irsex)

matrix M=e(b) /*Store total estimates in matrix M*/
matrix S=e(V) /*Store variances in matrix S*/

/*Extract values stored in the M and S matrices defined above to the total_out and
setotal variables. The loop ensures that the appropriate values are extracted for value
of sex.*/

forvalues j=1/2 { /* number of sex categories*/
replace total_out=(M[1,`j']) if irsex==`j'
replace setotal=(sqrt(S[`j',`j'])) if irsex==`j'
}

keep wsum mean_out semean total_out setotal nsum deffmean irsex

duplicates drop irsex, force /*keep one record per subpopulation
of interest*/

/*Format wsum, mean_out, semean, total_out, setotal, nsum, and deffmean variables to
control appearance in output.*/

format wsum %-12.0fc
format mean_out %-15.10f
format semean %-15.10f
format total_out %-12.0fc
format setotal %-12.0fc
format nsum %-8.0fc
format deffmean %-15.10f

/*Estimates of past month alcohol by year and sex*/
list irsex wsum nsum mean_out semean total_out setotal
```

Exhibit 4. Using SAS SURVEYMEANS Procedure to Produce Mean Estimate and Standard Error of Past Month Alcohol Use (ALCMON), by Sex (IRSEX), Using Combined 2021-2023 Public Use File Data

```
PROC SURVEYMEANS DATA=DATANAME SUMWGT NOBS MEAN SUM;
STRATA VESTR_C; /*Nesting variable - strata*/
CLUSTER VEREP; /*Nesting variable - PSU*/
WEIGHT ANALWT2_C3; /*Use ANALWT2_C3 since we are using 3 years of NSDUH data.*/
VAR ALCMON; /*Past month alcohol analysis variable*/
DOMAIN IRSEX; /*Sex variable, where male=1 & female=2*/
ODS OUTPUT DOMAIN=OUT.SASFILE;
RUN;
```

Table 4a. Tobacco Product Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Demographic Characteristics, Numbers in Thousands, Combined 2021-2023 Public Use File Data

Demographic Characteristic	Lifetime		Past Year		Past Month	
	Estimate	SE	Estimate	SE	Estimate	SE
TOTAL	161,254	864	65,326	638	52,483	577
SEX						
Male	88,674	520	39,903	492	31,865	477
Female	72,580	627	25,423	351	20,618	292
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	138,058	720	56,154	560	45,743	515
AIAN	978	73	529	41	456	38
Asian	5,448	234	1,744	106	1,315	87
Black or African American	16,052	359	8,575	230	7,179	195
NHOPI	683	96	416	71	309	57
White	111,484	577	43,220	541	35,085	489
Two or More Races	3,414	135	1,669	94	1,400	86
Hispanic or Latino	23,196	346	9,173	268	6,740	241

* Low precision.

AIAN = American Indian or Alaska Native; NHOPI = Native Hawaiian or Other Pacific Islander; PUF = public use file; SE = standard error associated with PUF estimate.

NOTE: The combined NSDUH PUFs are available for download at <https://www.samhsa.gov/data/data-we-collect/nsduh-national-survey-drug-use-and-health/datafiles>.

NOTE: Weight variable ANALWT2_C3 is used to produce these estimates based on combined 2021-2023 (3 years) data.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., snuff, dip, chewing tobacco, snus), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use but includes past month pipe tobacco use.

NOTE: Precision-based suppression rules have been applied to this table. Users are encouraged to apply appropriate suppression rules as needed.

NOTE: Some of the SEs of the estimated numbers were computed using an alternative method of computation. For details, refer to Section 15 of the *2023 National Survey on Drug Use and Health Public Use File Codebook* at <https://www.samhsa.gov/data/data-we-collect/nsduh-national-survey-drug-use-and-health/datafiles>. The alternative SE estimation method does not affect the SEs for the corresponding estimated percentages.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021-2023.

Table 4b. Tobacco Product Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Demographic Characteristics, Percentages and Standard Errors, Combined 2021-2023 Public Use File Data

Demographic Characteristic	Lifetime		Past Year		Past Month	
	Estimate	SE	Estimate	SE	Estimate	SE
TOTAL	57.2	0.31	23.2	0.23	18.6	0.20
SEX						
Male	64.3	0.38	28.9	0.36	23.1	0.35
Female	50.4	0.44	17.7	0.24	14.3	0.20
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	59.8	0.31	24.3	0.24	19.8	0.22
AIAN	63.4	2.78	34.3	1.84	29.5	1.78
Asian	32.1	1.00	10.3	0.57	7.8	0.51
Black or African American	46.6	0.63	24.9	0.51	20.8	0.44
NHOPI	56.3	4.36	34.3	4.28	25.4	3.73
White	65.3	0.34	25.3	0.32	20.5	0.29
Two or More Races	58.7	1.18	28.7	1.30	24.1	1.27
Hispanic or Latino	45.5	0.68	18.0	0.53	13.2	0.47

* Low precision.

AIAN = American Indian or Alaska Native; NHOPI = Native Hawaiian or Other Pacific Islander; PUF = public use file; SE = standard error associated with PUF estimate.

NOTE: The combined NSDUH PUFs are available for download at <https://www.samhsa.gov/data/data-we-collect/nsduh-national-survey-drug-use-and-health/datafiles>.

NOTE: Weight variable ANALWT2_C3 is used to produce these estimates based on combined 2021-2023 (3 years) data.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., snuff, dip, chewing tobacco, snus), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use but includes past month pipe tobacco use.

NOTE: Precision-based suppression rules have been applied to this table. Users are encouraged to apply appropriate suppression rules as needed.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021-2023.

Table 5a. Any Use of Prescription Psychotherapeutics in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics, Numbers in Thousands and Standard Errors, Combined 2022-2023 Public Use File Data

Demographic Characteristic	Aged 12-17		Aged 18-25		Aged 26+	
	Estimate	SE	Estimate	SE	Estimate	SE
TOTAL	5,217	125	10,235	177	86,228	806
SEX						
Male	2,623	90	4,640	134	38,183	516
Female	2,594	87	5,595	112	48,045	566
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	3,878	132	8,080	217	74,684	1,158
AIAN	48	7	46	8	472	50
Asian	144	20	412	40	3,119	243
Black or African American	686	39	1,188	54	9,810	364
NHOPI	12	5	26	9	337	79
White	2,797	108	6,047	188	59,087	1,024
Two or More Races	191	19	361	33	1,858	115
Hispanic or Latino	1,339	98	2,155	92	11,544	429
EDUCATION LEVEL						
< High School	da	da	1,037	60	7,332	272
High School Graduate	da	da	3,197	114	22,100	615
Some College/Associate's Degree	da	da	4,347	136	27,953	672
College Graduate	da	da	1,655	82	28,844	522
EMPLOYMENT STATUS						
Full Time	da	da	4,166	142	37,941	689
Part Time	da	da	2,598	96	9,246	299
Unemployed	da	da	985	54	3,103	162
Other ¹	da	da	2,486	83	35,938	867

* Low precision.

AIAN = American Indian or Alaska Native; NHOPI = Native Hawaiian or Other Pacific Islander; da = does not apply; PUF = public use file; SE = standard error associated with PUF estimate.

NOTE: The combined NSDUH PUFs are available for download at <https://www.samhsa.gov/data/data-we-collect/nsduh-national-survey-drug-use-and-health/datafiles>.

NOTE: Weight variable ANALWT2_C2 is used to produce these estimates based on combined 2022 and 2023 (2 years) data.

NOTE: Any use of psychotherapeutics refers to use of prescription psychotherapeutic medication (pain relievers, tranquilizers, stimulants, or sedatives) for any reason. This could include use of prescriptions of one's own as directed by a doctor or misuse of these medication. Misuse of prescription psychotherapeutics is defined as use "in any way a doctor did not direct you to use." Prescription psychotherapeutics do not include over-the-counter drugs.

NOTE: Precision-based suppression rules have been applied to this table. Users are encouraged to apply appropriate suppression rules as needed.

NOTE: Some of the SEs of the estimated numbers were computed using an alternative method of computation. For details, refer to Section 15 of the 2023 *National Survey on Drug Use and Health Public Use File Codebook* at <https://www.samhsa.gov/data/data-we-collect/nsduh-national-survey-drug-use-and-health/datafiles>. The alternative SE estimation method does not affect the SEs for the corresponding estimated percentages.

¹ The other employment category includes students, people keeping house or caring for children full time, retired or disabled people, or other people not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2022 and 2023.

Table 5b. Any Use of Prescription Psychotherapeutics in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics, Percentages and Standard Errors, Combined 2022-2023 Public Use File Data

Demographic Characteristic	Aged 12-17		Aged 18-25		Aged 26+	
	Estimate	SE	Estimate	SE	Estimate	SE
TOTAL	20.2	0.49	29.7	0.51	38.8	0.36
SEX						
Male	19.9	0.68	26.9	0.78	35.4	0.48
Female	20.6	0.69	32.7	0.65	41.9	0.49
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	20.3	0.49	30.9	0.54	40.2	0.40
AIAN	22.3	3.11	26.7	4.12	45.8	3.33
Asian	9.4	1.07	18.3	1.62	23.1	1.56
Black or African American	19.3	1.06	25.8	0.93	37.1	0.99
NHOPI	16.1	6.11	22.0	6.61	33.9	5.70
White	21.8	0.59	33.7	0.65	42.2	0.39
Two or More Races	21.5	1.98	34.6	2.15	46.2	2.00
Hispanic or Latino	19.9	1.12	26.1	0.84	31.6	0.84
EDUCATION LEVEL						
< High School	da	da	29.0	1.44	35.3	1.24
High School Graduate	da	da	27.6	0.77	38.2	0.77
Some College/Associate's Degree	da	da	32.1	0.78	43.8	0.69
College Graduate	da	da	28.9	1.26	36.0	0.48
EMPLOYMENT STATUS	da	da				
Full Time	da	da	29.8	0.76	35.9	0.42
Part Time	da	da	30.4	1.09	39.1	0.88
Unemployed	da	da	29.9	1.24	38.7	1.52
Other ¹	da	da	28.9	0.80	42.2	0.66

* Low precision.

AIAN = American Indian or Alaska Native; NHOPI = Native Hawaiian or Other Pacific Islander; da = does not apply; PUF = public use file; SE = standard error associated with PUF estimate.

NOTE: The combined NSDUH PUFs are available for download at <https://www.samhsa.gov/data/data-we-collect/nsduh-national-survey-drug-use-and-health/datafiles>.

NOTE: Weight variable ANALWT2_C2 is used to produce these estimates based on combined 2022 and 2023 (2 years) data.

NOTE: Any use of psychotherapeutics refers to use of prescription psychotherapeutic medication (pain relievers, tranquilizers, stimulants, or sedatives) for any reason. This could include use of prescriptions of one's own as directed by a doctor or misuse of these medication. Misuse of prescription psychotherapeutics is defined as use "in any way a doctor did not direct you to use." Prescription psychotherapeutics do not include over-the-counter drugs.

NOTE: Precision-based suppression rules have been applied to this table. Users are encouraged to apply appropriate suppression rules as needed.

¹ The other employment category includes students, people keeping house or caring for children full time, retired or disabled people, or other people not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2022 and 2023.

TABLE OF CONTENTS

TABLE OF CONTENTS

IDENTIFICATION.....	3
SAMPLE WEIGHTING AND ESTIMATION VARS	4
GEOGRAPHIC	5
COUNTY	5
SEGMENT	6
BLOCK	7
DEMOGRAPHICS	8
DEMOGRAPHICS	8
IMPUTED DEMOGRAPHICS	12
RECODED DEMOGRAPHICS	13
EDUCATION	15
RECODED EDUCATION	19
EMPLOYMENT	20
IMPUTED EMPLOYMENT	26
HOUSEHOLD COMPOSITION (ROSTER)	27
PROXY INFORMATION	29
HEALTH INSURANCE	30
IMPUTED HEALTH INSURANCE	35
RECODED HEALTH INSURANCE	36
INCOME	37
IMPUTED INCOME	38
RECODED INCOME	40
SPECIAL TOPICS	41
RECODED SPECIAL TOPICS	48
SUBSTANCE USE	49
NICOTINE	49
NICOTINE DEPENDENCE	60
IMPUTED NICOTINE DEPENDENCE	66
ALCOHOL	67
CONSUMPTION OF ALCOHOL	72
RECODED CONSUMPTION OF ALCOHOL	81
MARIJUANA	85
MARKET INFORMATION FOR MARIJUANA	93
BLUNTS	99
COCAINE	103
CRACK	106
HEROIN	109
HALLUCINOGENS	112
INHALANTS	130
METHAMPHETAMINE	140
PAIN RELIEVERS SCREENER	143
PAIN RELIEVERS	144
TRANQUILIZERS SCREENER	153
TRANQUILIZERS	154
STIMULANTS SCREENER	161
STIMULANTS	162
SEDATIVES SCREENER	170
SEDATIVES	171
IMPUTED SUBSTANCE USE	177
RECENCY OF DRUG USE	177
PAST YEAR FREQUENCY OF USE	190
PAST MONTH FREQUENCY OF USE	193
AGE/DATE OF FIRST DRUG USE	198
RECODED DRUG USE	207
OTHER SUBSTANCE TOPICS	252
SPECIAL DRUGS	252
IMPUTED SPECIAL DRUGS	269
RECODED SPECIAL DRUGS	270
SUBSTANCE USE DISORDER	272
IMPUTED SUBSTANCE USE DISORDER	352
RECODED SUBSTANCE USE DISORDER	360
PRIOR SUBSTANCE USE	364
ALCOHOL AND DRUG TREATMENT	381
IMPUTED ALCOHOL AND DRUG TREATMENT	390
RECODED ALCOHOL AND DRUG TREATMENT	394
RISK/AVAILABILITY	400
RECODED RISK/AVAILABILITY	405

TABLE OF CONTENTS

SOCIAL ENVIRONMENT	407
YOUTH EXPERIENCES	409
RECODED YOUTH EXPERIENCES	424
MENTAL HEALTH	430
ADULT MENTAL HEALTH	430
IMPUTED ADULT MENTAL HEALTH	439
RECODED ADULT MENTAL HEALTH	446
ADULT DEPRESSION	451
IMPUTED ADULT DEPRESSION	469
RECODED ADULT DEPRESSION	470
ADOLESCENT DEPRESSION	472
RECODED ADOLESCENT DEPRESSION	488
MENTAL HEALTH SERVICES UTILIZATION	493
IMPUTED MENTAL HEALTH SERVICES UTILIZATION	498
RECODED MENTAL HEALTH SERVICES UTILIZATION	502
OTHER TOPICS	506
HEALTH	506
RECODED HEALTH	520
EMERGING ISSUES	521
IMPUTED EMERGING ISSUES	524
RECODED EMERGING ISSUES	526
COVID-19	529
RECODED COVID-19	533
INTERVIEW INFORMATION	535
INDEX	536

IDENTIFICATION

IDENTIFICATION

The following variable, QUESTID2, is a unique record identifier within a particular study year. The IDs may be repeated in other study years, so analysts should always consider the study year when using the QUESTID2.

[QUESTID2](#) Len : 7 RESPONDENT IDENTIFICATION

[YEAR](#) Len : 4 YEAR IN WHICH DATA WAS COLLECTED

The following variable, FILEDATE, represents the date the SAS data file was created.

[FILEDATE](#) Len : 10 CREATION DATE OF THE DATA FILE

SAMPLE WEIGHTING AND ESTIMATION VARS

SAMPLE WEIGHTING AND ESTIMATION VARS

<u>ANALWT2_C1</u>	Len : 8	ANALYSIS WEIGHTS FOR ONE YEAR DATA ANALYSIS
<u>ANALWT2_C2</u>	Len : 8	ANALYSIS WEIGHTS FOR TWO YEAR DATA ANALYSIS
<u>ANALWT2_C3</u>	Len : 8	ANALYSIS WEIGHTS FOR THREE YEAR DATA ANALYSIS
<u>VESTR_C</u>	Len : 5	VARIANCE STRATUM
<u>VEREP</u>	Len : 2	VARIANCE PRIMARY SAMPLING UNIT

COUNTY

GEOGRAPHIC

COUNTY

The variable PDEN10 is based on 2010 Census data and the December 2009 Core Based Statistical Area classifications provided by the Office of Management and Budget (OMB).

PDEN10

Len : 1 POPULATION DENSITY 2010 - THREE LEVELS

	Freq	Pct
1 = Segment in a CBSA with 1 million or more persons.....	74655	42.95
2 = Segm. in a CBSA with fewer than 1 million persons	89372	51.42
3 = Segment not in a CBSA	9781	5.63

NOTE: COUTYP4 is recoded based on the 2013 Rural/Urban Continuum Codes.

COUTYP4

Len : 1 COUNTY METRO/NONMETRO STATUS (2013 3-LEVEL)

	Freq	Pct
1 = Large Metro	78689	45.27
2 = Small Metro	67201	38.66
3 = Nonmetro.....	27918	16.06

SEGMENT

SEGMENT

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas – areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

Some NSDUH segments can cross more than one AIA. In order to assign a single AIA to a segment, a 'majority' AIA variable was created by summing the total number of dwelling units within each of the AIAs within the segment and then assigning the AIA with the most dwelling units to that segment. The resulting 'majority' AIAs were summarized to form MAIIN102. MAIIN102 is based on 2010 census data.

MAIIN102

Len : 1 MAJORITY AMER INDIAN AREA INDICATOR FOR SEGMENT

	Freq	Pct
1 = Segment in an American Indian area	2652	1.53
2 = Segment not in an American Indian area	171156	98.47

BLOCK

BLOCK

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas – areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

The variable AIIND102 is based on 2010 census data and is defined by mapping the census block in which a respondent resides to the 2010 census file.

AIIND102

Len : 1 AMER INDIAN AREA INDICATOR

	Freq	Pct
1 = Census block in an American Indian area	2666	1.53
2 = Census block not in an American Indian area	171142	98.47

People are different in their sexual attraction to other people. Which statement best describes your feelings?

SEXATTRACT

Len : 2 SEXUAL ATTRACTION

	Freq	Pct
-9 = Data not collected for this year.....	56705	32.63
1 = I am only attracted to opposite sex.....	70910	40.80
2 = I am mostly attracted to opposite sex	8744	5.03
3 = I am equally attracted to males and females.....	5144	2.96
4 = I am mostly attracted to same sex	1467	0.84
5 = I am only attracted to same sex	2147	1.24
6 = I am not sure	2117	1.22
85 = BAD DATA Logically assigned.....	45	0.03
94 = DON'T KNOW	205	0.12
97 = REFUSED	608	0.35
98 = BLANK (NO ANSWER)	3004	1.73
99 = LEGITIMATE SKIP.....	22712	13.07

Which one of the following do you consider yourself to be?

SEXIDENT

Len : 2 SEXUAL IDENTITY

	Freq	Pct
-9 = Data not collected for this year.....	56705	32.63
1 = Heterosexual, that is, straight.....	79102	45.51
2 = Lesbian or Gay.....	2740	1.58
3 = Bisexual	8224	4.73
85 = BAD DATA Logically assigned.....	45	0.03
94 = DON'T KNOW	488	0.28
97 = REFUSED	782	0.45
98 = BLANK (NO ANSWER)	3010	1.73
99 = LEGITIMATE SKIP.....	22712	13.07

DEMOGRAPHICS

DEMOGRAPHICS

DEMOGRAPHICS

NOTE: After a respondent has entered his/her birthdate in the first part of the questionnaire, he/she has multiple opportunities to change his/her age in response to consistency checks throughout the questionnaire. It is therefore possible for the age recorded by the respondent at the beginning of the questionnaire to be different than the age at the end of the questionnaire. The final age variable is determined using these two constituent age variables, in addition to the age calculated from the raw birthdate and the final edited interview date, the age entered in the questionnaire roster (if it exists), and the pre-interview screener age.

AGE3

Len : 2 RECODE - FINAL EDITED AGE

	Freq	Pct
1 = Respondent is 12 or 13 years old	11229	6.46
2 = Respondent is 14 or 15 years old	11930	6.86
3 = Respondent is 16 or 17 years old	11125	6.40
4 = Respondent is between 18 and 20 years old.....	14614	8.41
5 = Respondent is between 21 and 23 years old.....	16148	9.29
6 = Respondent is 24 or 25 years old	11111	6.39
7 = Respondent is between 26 and 29 years old.....	11952	6.88
8 = Respondent is between 30 and 34 years old.....	16452	9.47
9 = Respondent is between 35 and 49 years old.....	37504	21.58
10 = Respondent is between 50 and 64 years old.....	16054	9.24
11 = Respondent is 65 years old or older	15689	9.03

Have you ever been in the United States Armed Forces?

SERVICE

Len : 2 EVER BEEN IN THE US ARMED FORCES

	Freq	Pct
1 = Yes.....	7523	4.33
2 = No.....	137344	79.02
85 = BAD DATA Logically assigned.....	62	0.04
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	2	0.00
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER)	2	0.00
99 = LEGITIMATE SKIP.....	28866	16.61

Are you currently on active duty in the United States Armed Forces, are you in a Reserve component, or are you now separated or retired from the military?

MILSTAT

Len : 2 CURRENT MILITARY STATUS

	Freq	Pct
2 = In a reserves component.....	516	0.30
3 = Now separated/retired from reserves/active duty	6983	4.02
85 = BAD DATA Logically assigned	62	0.04
94 = DON'T KNOW	13	0.01
97 = REFUSED	21	0.01
98 = BLANK (NO ANSWER)	2	0.00
99 = LEGITIMATE SKIP.....	166211	95.63

Have you ever served on active duty in the United States Armed Forces or Reserve components? Active duty does not include training for the Reserves or National Guard, but does include activation, for example, for a national emergency or military conflict.

ACTDEVER

Len : 2 EVER ON ACTIVE DUTY IN US MILITARY/RESERV

	Freq	Pct
1 = Yes.....	5855	3.37
2 = No.....	1665	0.96
85 = BAD DATA Logically assigned	62	0.04
94 = DON'T KNOW	5	0.00
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER)	2	0.00
99 = LEGITIMATE SKIP.....	166211	95.63

DEMOGRAPHICS

When did you serve on active duty in the United States Armed Forces or Reserve components? Just give me the number or numbers from the card.

ACTD2001

Len : 2 SEPTEMBER 2001 OR LATER

	Freq	Pct
1 = Yes.....	2453	1.41
2 = No (not entered).....	3383	1.95
85 = BAD DATA Logically assigned.....	62	0.04
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	12	0.01
98 = BLANK (NO ANSWER).....	21	0.01
99 = LEGITIMATE SKIP.....	167876	96.59

ACTD9001

Len : 2 AUG 1990 TO AUG 2001 (INCLUDING PERSIAN GULF WAR)

	Freq	Pct
1 = Yes.....	1419	0.82
2 = No (not entered).....	4417	2.54
85 = BAD DATA Logically assigned.....	65	0.04
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	12	0.01
98 = BLANK (NO ANSWER).....	18	0.01
99 = LEGITIMATE SKIP.....	167876	96.59

ACTD7590

Len : 2 MAY 1975 TO JULY 1990

	Freq	Pct
1 = Yes.....	1323	0.76
2 = No (not entered).....	4512	2.60
85 = BAD DATA Logically assigned.....	64	0.04
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	12	0.01
98 = BLANK (NO ANSWER).....	20	0.01
99 = LEGITIMATE SKIP.....	167876	96.59

ACTDVIET

Len : 2 VIETNAM ERA (MARCH 1961 TO APRIL 1975)

	Freq	Pct
1 = Yes.....	1746	1.00
2 = No (not entered).....	4088	2.35
85 = BAD DATA Logically assigned.....	65	0.04
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	12	0.01
98 = BLANK (NO ANSWER).....	20	0.01
99 = LEGITIMATE SKIP.....	167876	96.59

ACTDPRIV

Len : 2 ANY TIME BEFORE VIETNAM ERA (MARCH 1961)

	Freq	Pct
1 = Yes.....	331	0.19
2 = No (not entered).....	5499	3.16
85 = BAD DATA Logically assigned.....	77	0.04
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	12	0.01
98 = BLANK (NO ANSWER).....	12	0.01
99 = LEGITIMATE SKIP.....	167876	96.59

Did you ever serve on active duty in the United States Armed Forces or Reserve components in a military combat zone or an area where you drew imminent danger pay or hostile fire pay?

COMBATPY

Len : 2 EVER IN COMBAT ZONE ON ACTIVE DUTY

	Freq	Pct
1 = YES.....	2395	1.38
2 = NO.....	3444	1.98
85 = BAD DATA Logically assigned.....	62	0.04
94 = DON'T KNOW.....	11	0.01
97 = REFUSED.....	13	0.01
98 = BLANK (NO ANSWER).....	7	0.00
99 = LEGITIMATE SKIP.....	167876	96.59

DEMOGRAPHICS

How many times have you been married?

[NOMARR2](#)

Len : 2 NUMBER OF TIMES MARRIED

	Freq	Pct
1 = One time	60604	34.87
2 = Two or more times.....	15234	8.76
94 = DON'T KNOW.....	39	0.02
97 = REFUSED	172	0.10
98 = BLANK (NO ANSWER)	2	0.00
99 = LEGITIMATE SKIP.....	97757	56.24

This question is about your overall health. Would you say your health in general is excellent, very good, good, fair, or poor?

[HEALTH](#)

Len : 2 OVERALL HEALTH

	Freq	Pct
1 = Excellent.....	37467	21.56
2 = Very good.....	64892	37.34
3 = Good.....	52014	29.93
4 = Fair	16775	9.65
5 = Poor	2596	1.49
94 = DON'T KNOW.....	41	0.02
97 = REFUSED	23	0.01

How many times in the past 12 months have you moved? Please include moves from one residence to another within the same city/town as well as those from one city/town to another.

[MOVSINPYR2](#)

Len : 3 # TIMES MOVED PAST 12 MONTHS- RECODED

	Freq	Pct
0 = 0 times	126499	72.78
1 = One time	26267	15.11
2 = Two times	10590	6.09
3 = Three or more times.....	3821	2.20
985 = BAD DATA Logically assigned	189	0.11
994 = DON'T KNOW	1415	0.81
997 = REFUSED	925	0.53
998 = BLANK (NO ANSWER).....	4102	2.36

How well do you speak English?

[SPEAKENGL](#)

Len : 2 HOW WELL SPEAK ENGLISH

	Freq	Pct
1 = Very well	151493	87.16
2 = Well	12639	7.27
3 = Not well	3470	2.00
4 = Not at all	1344	0.77
85 = BAD DATA Logically assigned.....	191	0.11
94 = DON'T KNOW	204	0.12
97 = REFUSED	300	0.17
98 = BLANK (NO ANSWER)	4167	2.40

Do you have difficulty seeing, even when wearing glasses or contact lenses?

[LVLDIFSEE2](#)

Len : 2 LEVEL OF DIFFICULTY SEEING EVEN WITH GLASSES

	Freq	Pct
1 = No Difficulty.....	124882	71.85
2 = Some difficulty	38400	22.09
3 = A lot of difficulty or cannot do at all.....	5247	3.02
85 = BAD DATA Logically assigned.....	191	0.11
94 = DON'T KNOW	478	0.28
97 = REFUSED	434	0.25
98 = BLANK (NO ANSWER)	4176	2.40

DEMOGRAPHICS

Do you have difficulty hearing, even when using hearing aids?

<u>LVLDFHEAR2</u>	Len : 2	LEVEL OF DIFFICULTY HEARING EVEN WITH HEARING AIDS		
			Freq	Pct
		1 = No Difficulty.....	146097	84.06
		2 = Some difficulty	19405	11.16
		3 = A lot of difficulty or cannot do at all.....	2756	1.59
		85 = BAD DATA Logically assigned	191	0.11
		94 = DON'T KNOW	682	0.39
		97 = REFUSED	491	0.28
		98 = BLANK (NO ANSWER)	4186	2.41

Do you have difficulty walking or climbing steps?

<u>LVLDFWALK2</u>	Len : 2	LEVEL OF DIFFICULTY WALKING OR CLIMBING STEPS		
			Freq	Pct
		1 = No Difficulty.....	147305	84.75
		2 = Some difficulty	17205	9.90
		3 = A lot of difficulty or cannot do at all.....	4209	2.42
		85 = BAD DATA Logically assigned	191	0.11
		94 = DON'T KNOW	315	0.18
		97 = REFUSED	389	0.22
		98 = BLANK (NO ANSWER)	4194	2.41

Do you have difficulty remembering or concentrating?

<u>LVLDFMEM2</u>	Len : 2	LEVEL OF DIFFICULTY REMEMBERING OR CONCENTRATING		
			Freq	Pct
		1 = No Difficulty.....	106021	61.00
		2 = Some difficulty	50641	29.14
		3 = A lot of difficulty or cannot do at all.....	12016	6.91
		85 = BAD DATA Logically assigned	191	0.11
		94 = DON'T KNOW	324	0.19
		97 = REFUSED	418	0.24
		98 = BLANK (NO ANSWER)	4197	2.41

Do you have difficulty with self-care, such as washing all over or dressing?

<u>LVLDFCARE2</u>	Len : 2	LEVEL OF DIFFICULTY WITH SELF-CARE		
			Freq	Pct
		1 = No Difficulty.....	152929	87.99
		2 = Some difficulty	12637	7.27
		3 = A lot of difficulty or cannot do at all.....	3077	1.77
		85 = BAD DATA Logically assigned	191	0.11
		94 = DON'T KNOW	356	0.20
		97 = REFUSED	412	0.24
		98 = BLANK (NO ANSWER)	4206	2.42

Using your usual language, do you have difficulty communicating, for example understanding or being understood?

<u>LVLDFCOMM2</u>	Len : 2	LEVEL OF DIFFICULTY COMMUNICATING USING YOUR USUAL LANGUAGE		
			Freq	Pct
		1 = No Difficulty.....	146356	84.21
		2 = Some difficulty	18864	10.85
		3 = A lot of difficulty or cannot do at all.....	3356	1.93
		85 = BAD DATA Logically assigned	191	0.11
		94 = DON'T KNOW	420	0.24
		97 = REFUSED	404	0.23
		98 = BLANK (NO ANSWER)	4217	2.43

IMPUTED DEMOGRAPHICS

IMPUTED DEMOGRAPHICS

Missing values to QD01 were not permitted. Thus, no imputation was required for IRSEX. This variable has the prefix 'IR', which stands for 'Imputation Revised', only for the sake of consistency with data from surveys prior to 2002 in which missing data could exist.

Beginning in 2023 there were several changes to the questionnaire that impacted IRSEX. First, QD01 asked respondents to report their sex assigned at birth on their original birth certificate. Previously, respondents were asked if they were male or female. Later, they were asked to confirm in CONFGI their response to sex assigned at birth. Respondents who indicated that their original response was incorrect were asked in GICC02 to again report their sex assigned at birth. If a response to GICC02 was given, it replaced the response to QD01. Finally, beginning in 2023, these questions were self-administered for all respondents. Previously, QD01 was interviewer-administered for in-person interviews.

<u>IRSEX</u>	Len : 1 SEX AT BIRTH - IMPUTATION REVISED		
		Freq	Pct
	1 = Male.....	79583	45.79
	2 = Female.....	94225	54.21

NOTE: The variable IRMARIT reflects the move of the marital status questions from self-administration in 2015 back to interviewer administration in 2016. This variable is considered to be comparable with corresponding variables in 2002 to 2014 (when this question also was interviewer-administered) but is not considered to be comparable with the marital status variable IRMARITSTAT in 2015. Analytic goals should be considered prior to pooling or comparing marital status data from 2015 with data from other years.

<u>IRMARIT</u>	Len : 2 IMPUTATION REVISED MARITAL STATUS		
		Freq	Pct
	1 = Married.....	57615	33.15
	2 = Widowed.....	4139	2.38
	3 = Divorced or Separated.....	14218	8.18
	4 = Never Been Married.....	80771	46.47
	99 = LEGITIMATE SKIP Respondent is <= 14 years old.....	17065	9.82

<u>IIMARIT</u>	Len : 1 IMPUTATION INDICATOR MARITAL STATUS		
		Freq	Pct
	1 = Marital status from questionnaire.....	156598	90.10
	3 = Marital status statistically imputed.....	145	0.08
	9 = LEGITIMATE SKIP Respondent is <= 14 years old.....	17065	9.82

<u>IREDUHIGHST2</u>	Len : 2 EDUCATION - RECODED IMPUTATION REVISED		
		Freq	Pct
	1 = Fifth grade or less grade completed.....	2683	1.54
	2 = Sixth grade completed.....	5694	3.28
	3 = Seventh grade completed.....	6033	3.47
	4 = Eighth grade completed.....	7172	4.13
	5 = Ninth grade completed.....	7769	4.47
	6 = Tenth grade completed.....	7589	4.37
	7 = Eleventh or Twelfth grade completed, no diploma.....	11214	6.45
	8 = High school diploma/GED.....	35647	20.51
	9 = Some college credit, but no degree.....	28843	16.59
	10 = Associate's degree (for example, AA, AS).....	12461	7.17
	11 = College graduate or higher.....	48703	28.02

<u>IIEDUHIGHST2</u>	Len : 1 EDUCATION INDICATOR - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Education from questionnaire.....	173570	99.86
	3 = Education statistically imputed.....	238	0.14

RECODED DEMOGRAPHICS

RECODED DEMOGRAPHICS

<u>CATAGE</u>	Len : 1 RC-AGE CATEGORY		
		Freq	Pct
	1 = 12-17 Years Old.....	34284	19.73
	2 = 18-25 Years Old.....	41873	24.09
	3 = 26-34 Years Old.....	28404	16.34
	4 = 35 or Older.....	69247	39.84

<u>CATAG2</u>	Len : 1 RC-AGE CATEGORY RECODE (3 LEVELS)		
		Freq	Pct
	1 = 12-17 Years Old.....	34284	19.73
	2 = 18-25 Years Old.....	41873	24.09
	3 = 26 or Older.....	97651	56.18

<u>CATAG3</u>	Len : 1 RC-AGE CATEGORY RECODE (5 LEVELS)		
		Freq	Pct
	1 = 12-17 Years Old.....	34284	19.73
	2 = 18-25 Years Old.....	41873	24.09
	3 = 26-34 Years Old.....	28404	16.34
	4 = 35-49 Years Old.....	37504	21.58
	5 = 50 or Older.....	31743	18.26

<u>CATAG6</u>	Len : 1 RC-AGE CATEGORY RECODE (6 LEVELS)		
		Freq	Pct
	1 = 12-17 Years Old.....	34284	19.73
	2 = 18-25 Years Old.....	41873	24.09
	3 = 26-34 Years Old.....	28404	16.34
	4 = 35-49 Years Old.....	37504	21.58
	5 = 50-64 Years Old.....	16054	9.24
	6 = 65 or Older.....	15689	9.03

<u>CATAG7</u>	Len : 1 RC-AGE CATEGORY RECODE (7 LEVELS)		
		Freq	Pct
	1 = 12-13 Years Old.....	11229	6.46
	2 = 14-15 Years Old.....	11930	6.86
	3 = 16-17 Years Old.....	11125	6.40
	4 = 18-20 Years Old.....	14614	8.41
	5 = 21-25 Years Old.....	27259	15.68
	6 = 26-34 Years Old.....	28404	16.34
	7 = 35 or Older.....	69247	39.84

<u>PREGAGE2</u>	Len : 1 RC-PREGNANCY AGE CATEGORY RECODE		
		Freq	Pct
	1 = 15-17 Years Old.....	17220	9.91
	2 = 18-25 Years Old.....	41873	24.09
	3 = 26-44 Years Old.....	54948	31.61
	4 = Otherwise (12-14, 45 or Older).....	59767	34.39

<u>DRVINAGE</u>	Len : 1 RC-DUI AGE CATEGORY RECODE		
		Freq	Pct
	1 = 16-25 Years Old.....	52998	30.49
	2 = 26 or Older.....	97651	56.18
	3 = Otherwise (12-15 Years Old).....	23159	13.32

<u>DRVINDETAG</u>	Len : 1 RC-DUI DETAILED AGE CATEGORY RECODE		
		Freq	Pct
	1 = 16-20 Years Old.....	25739	14.81
	2 = 21-25 Years Old.....	27259	15.68
	3 = 26 or Older.....	97651	56.18
	4 = Otherwise (12-15 Years Old).....	23159	13.32

RECODED DEMOGRAPHICS

Beginning in 2023 there were several changes to the questionnaire that impacted the source variable, IRSEX. See the note above IRSEX for more detail.

SEXAGE

Len : 1 RC-COMBINED SEX BY AGE CATEGORY INDICATOR

	Freq	Pct
1 = Males Aged 12-17 (IRSEX=1 and CATAGE=1).....	17657	10.16
2 = Females Aged 12-17 (IRSEX=2 and CATAGE=1).....	16627	9.57
3 = Males Aged 18-25 (IRSEX=1 and CATAGE=2).....	19426	11.18
4 = Females Aged 18-25 (IRSEX=2 and CATAGE=2).....	22447	12.91
5 = Otherwise.....	97651	56.18

Because the reordering of the response options in alphabetical order in the 2022 NSDUH placed “American Indian or Alaska Native” as the first option, the unweighted number of non-Hispanic American Indian or Alaska Native respondents increased from prior years. Additionally, in 2023, the race and ethnicity questions in the in-person questionnaire became self-administered instead of being administered by an interviewer, which again seems to have increased the size of the unweighted “American Indian or Alaska Native” sample. Despite the weighted population size for non-Hispanic American Indian or Alaska Native people being consistent between years, caution is advised in comparing outcomes for this group over time due to the change in the unweighted number of respondents.

NEWRA2

Len : 1 RC-RACE/HISPANICITY RECODE (7 LEVELS)

	Freq	Pct
1 = NonHisp White.....	100027	57.55
2 = NonHisp Black/Afr Am.....	20621	11.86
3 = NonHisp Native Am/AK Native.....	2651	1.53
4 = NonHisp Native HI/Other Pac Isl.....	770	0.44
5 = NonHisp Asian.....	9058	5.21
6 = NonHisp more than one race.....	7752	4.46
7 = Hispanic.....	32929	18.95

SEXRA2

Len : 1 RC-COMBINED SEX BY RACE INDICATOR

	Freq	Pct
1 = Male, White, Not Hisp (IRSEX=1 and NEWRA2=1).....	45727	26.31
2 = Female, White, Not Hisp (IRSEX=2 and NEWRA2=1).....	54300	31.24
3 = Male, Black, Not Hisp (IRSEX=1 and NEWRA2=2).....	9165	5.27
4 = Female, Black, Not Hisp (IRSEX=2 and NEWRA2=2).....	11456	6.59
5 = Male, Hispanic (IRSEX=1 and NEWRA2=7).....	15108	8.69
6 = Female, Hispanic (IRSEX=2 and NEWRA2=7).....	17821	10.25
7 = Male or Female, Other Races (Otherwise).....	20231	11.64

EDUHIGH2

Len : 1 RC-EDUCATION CATEGORIES

	Freq	Pct
1 = Less high school (IREDUHIGHST2=1-7 & AGE3=4-11).....	14261	8.21
2 = High school grad (IREDUHIGHST2=8 & AGE3=4-11).....	35328	20.33
3 = Some coll/Assoc Dg (IREDUHIGHST2=9-10 & AGE3=4-11).....	41244	23.73
4 = College graduate (IREDUHIGHST2=11 & AGE3=4-11).....	48691	28.01
5 = 12 to 17 year olds (AGE3=1-3).....	34284	19.73

HEALTH2

Len : 1 RC-OVERALL HEALTH RECODE

	Freq	Pct
. = Unknown (Otherwise).....	64	0.04
1 = Excellent (HEALTH=1).....	37467	21.56
2 = Very Good (HEALTH=2).....	64892	37.34
3 = Good (HEALTH=3).....	52014	29.93
4 = Fair/Poor (HEALTH=4,5).....	19371	11.15

EDUCATION

EDUCATION

NOTE: EDUSCHLGO takes into account information from follow-up probes if respondents originally reported that they were not enrolled in school. Based on these probes, respondents were coded as yes (i.e., enrolled) if they were on break from school and intended to return to school once their break was over. EDUSCHLGO was assigned a code of 11 if the respondent reported currently being enrolled but there was uncertainty about the respondent's school enrollment status.

The next questions are about school. By 'school', we mean elementary school, junior high or middle school, high school, or a college or university. Please include home schooling as well. Do you go to school?

If you are on a holiday or break from school, such as spring break or summer vacation, but plan to return when the break is over, please answer yes.

EDUSCHLGO

Len : 2 NOW GOING TO SCHOOL

	Freq	Pct
1 = Yes.....	52144	30.00
2 = No.....	115042	66.19
11 = Yes (EDUSKPMON = 30).....	117	0.07
85 = BAD DATA Logically assigned	197	0.11
94 = DON'T KNOW	988	0.57
97 = REFUSED	1045	0.60
98 = BLANK (NO ANSWER)	4275	2.46

What grade or year of school are you now attending?

What grade or year of school will you be attending when your vacation is over?

EDUSCHGRD2

Len : 2 WHAT GRADE IN NOW/WILL BE IN

	Freq	Pct
1 = 5th Grade or lower.....	138	0.08
2 = 6th Grade	1560	0.90
3 = 7th Grade	4616	2.66
4 = 8th Grade	5186	2.98
5 = 9th Grade	5499	3.16
6 = 10th Grade	5297	3.05
7 = 11th Grade	5046	2.90
8 = 12th Grade	4742	2.73
9 = College or university/1st year	4679	2.69
10 = College or university/2nd Year, 3rd year	6448	3.71
11 = College or university/4th Year, 5th or higher year	6737	3.88
98 = BLANK (NO ANSWER)	8818	5.07
99 = LEGITIMATE SKIP.....	115042	66.19

Are you a full-time student or a part-time student?

Will you be a full-time student or a part-time student?

EDUFULPAR

Len : 2 FULL OR PART TIME

	Freq	Pct
1 = FULL-TIME.....	42974	24.72
2 = PART-TIME.....	7330	4.22
85 = BAD DATA Logically assigned.....	21	0.01
94 = DON'T KNOW	1057	0.61
97 = REFUSED	853	0.49
98 = BLANK (NO ANSWER)	6531	3.76
99 = LEGITIMATE SKIP.....	115042	66.19

During the past 30 days, that is, from [DATEFILL] up to and including today, how many whole days of school did you miss because you were sick or injured? Please do not include days you missed because you stayed home with a sick child or other family member.

EDUSCKMON

Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SICK

	Freq	Pct
RANGE = 1 - 30	14038	8.08
0 = None	21992	12.65
85 = BAD DATA Logically assigned.....	21	0.01
90 = SCHOOL NOT IN SESSION	5476	3.15
94 = DON'T KNOW	1312	0.75
97 = REFUSED	148	0.09
98 = BLANK (NO ANSWER)	8449	4.86
99 = LEGITIMATE SKIP.....	122372	70.41

EDUCATION

What is your best estimate of the number of whole days of school you missed because you were sick or injured during the past 30 days?

EDUSCKEST

Len : 2 BEST ESTIMATE # DAYS MISSED BECAUSE SICK OR INURED

	Freq	Pct
1 = 0 days.....	291	0.17
2 = 1 day.....	96	0.06
3 = 2 days.....	132	0.08
4 = 3 to 5 days.....	205	0.12
5 = 6 or more days.....	169	0.10
6 = School was not in session during the past 30 days.....	94	0.05
94 = DON'T KNOW.....	412	0.24
97 = REFUSED.....	61	0.04
98 = BLANK (NO ANSWER).....	8470	4.87
99 = LEGITIMATE SKIP.....	163878	94.29

NOTE: EDUSCKCOM is a recoded variable that incorporates data from EDUSCKMON (if respondents reported a valid number of days that they missed school in QD20 or they reported that school was not in session) or EDUSCKEST (if respondents were asked question QD20DKRE because they answered QD20 as "don't know" or "refused"). If respondents reported in QD20DKRE that they missed school on "3 to 5 days" or on "6 or more days," then EDUSCKCOM was assigned the value at the midpoint in the range (i.e., 4 days or 18 days, respectively).

EDUSCKCOM

Len : 2 RC - HOW MANY DAYS MISSED SCHOOL FROM SICK (COMBINED)

	Freq	Pct
RANGE = 0 - 30.....	36923	21.24
90 = SCHOOL NOT IN SESSION.....	5570	3.20
94 = DON'T KNOW.....	412	0.24
97 = REFUSED.....	61	0.04
98 = BLANK (NO ANSWER).....	8470	4.87
99 = LEGITIMATE SKIP.....	122372	70.41

During the past 30 days, that is since [DATEFILL], how many whole days did you miss because you skipped or "cut" or just didn't want to be there? Please do not include days you missed because you stayed home with a sick child or other family member.

EDUSKPMON

Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SKIPPING

	Freq	Pct
RANGE = 1 - 30.....	8453	4.86
0 = None.....	27972	16.09
85 = BAD DATA Logically assigned.....	21	0.01
94 = DON'T KNOW.....	804	0.46
97 = REFUSED.....	165	0.09
98 = BLANK (NO ANSWER).....	8451	4.86
99 = LEGITIMATE SKIP.....	127942	73.61

What is your best estimate of the number of whole days of school you missed because you skipped or 'cut' or just didn't want to be there during the past 30 days?

EDUSKPEST

Len : 2 BEST ESTIMATE # DAYS MISSED BECAUSE SKIPPED OR CUT

	Freq	Pct
1 = 0 days.....	282	0.16
2 = 1 day.....	59	0.03
3 = 2 days.....	57	0.03
4 = 3 to 5 days.....	59	0.03
5 = 6 or more days.....	79	0.05
94 = DON'T KNOW.....	343	0.20
97 = REFUSED.....	89	0.05
98 = BLANK (NO ANSWER).....	8473	4.87
99 = LEGITIMATE SKIP.....	164367	94.57

EDUCATION

NOTE: EDUSKPCOM is a recoded variable that incorporates data from EDUSKPMON (if respondents reported a valid number of days that they missed school in QD21) or EDUSKPEST (if respondents were asked question QD21DKRE because they answered QD21 as "don't know" or "refused"). If respondents reported in QD21DKRE that they missed school on "3 to 5 days" or on "6 or more days," then EDUSKPCOM was assigned the value at the midpoint in the range (i.e., 4 days or 18 days, respectively).

<u>EDUSKPCOM</u>	Len : 2	RC - HOW MANY DAYS MISSED SCHOOL FROM SKIPPING (COMBINED)		
			Freq	Pct
		RANGE = 0 - 30	36961	21.27
		94 = DON'T KNOW	343	0.20
		97 = REFUSED	89	0.05
		98 = BLANK (NO ANSWER)	8473	4.87
		99 = LEGITIMATE SKIP	127942	73.61

For this question, please consider only the family members listed below, whether or not they live with you.

- Your spouse
- Your unmarried partner
- Your mother
- Your father
- Your son or sons
- Your daughter or daughters
- Your brother or brothers
- Your sister or sisters

Please include only these family members, whether they are biological, step or adoptive. Are any of these family members currently serving in the United States military? Press F2 to see and hear a definition of "military."

<u>MILTFAMILY</u>	Len : 2	ANY IMMEDIATE FAMILY CURRENTLY IN US MILITARY		
			Freq	Pct
		1 = Yes	14105	8.12
		2 = No	152751	87.88
		85 = BAD DATA Logically assigned	333	0.19
		94 = DON'T KNOW	1279	0.74
		97 = REFUSED	986	0.57
		98 = BLANK (NO ANSWER)	4354	2.51

<u>MILTSPPAR</u>	Len : 2	SPOUSE OR PARTNER IN MILITARY		
			Freq	Pct
		1 = Yes	3227	1.86
		2 = No	8041	4.63
		85 = BAD DATA Logically assigned	165	0.09
		94 = DON'T KNOW	1678	0.97
		97 = REFUSED	971	0.56
		98 = BLANK (NO ANSWER)	6975	4.01
		99 = LEGITIMATE SKIP	152751	87.88

<u>MILTPARNT</u>	Len : 2	FATHER OR MOTHER IN MILITARY		
			Freq	Pct
		1 = Yes	2555	1.47
		2 = No	8692	5.00
		85 = BAD DATA Logically assigned	263	0.15
		94 = DON'T KNOW	1678	0.97
		97 = REFUSED	971	0.56
		98 = BLANK (NO ANSWER)	6898	3.97
		99 = LEGITIMATE SKIP	152751	87.88

<u>MILTCHLDR</u>	Len : 2	SON OR DAUGHTER IN MILITARY		
			Freq	Pct
		1 = Yes	1673	0.96
		2 = No	9531	5.48
		85 = BAD DATA Logically assigned	292	0.17
		94 = DON'T KNOW	1678	0.97
		97 = REFUSED	971	0.56
		98 = BLANK (NO ANSWER)	6912	3.98
		99 = LEGITIMATE SKIP	152751	87.88

EDUCATION

[MILTSIBLN](#)

Len : 2 SISTER OR BROTHER IN MILITARY

	Freq	Pct
1 = Yes.....	4774	2.75
2 = No	6494	3.74
85 = BAD DATA Logically assigned.....	142	0.08
94 = DON'T KNOW	1678	0.97
97 = REFUSED	971	0.56
98 = BLANK (NO ANSWER)	6998	4.03
99 = LEGITIMATE SKIP.....	152751	87.88

RECODED EDUCATION

RECODED EDUCATION

<u>ENRLCOLLFT2</u>	Len : 1 RC-COLLEGE ENROLLMENT-FULL TIME		
		Freq	Pct
	1 = Full Time College Student Aged 18-22	7862	4.52
	2 = Other Persons Aged 18-22	16318	9.39
	3 = Unknwn Enrollment or not College Aged.....	149628	86.09

<u>ENRLCOLLST2</u>	Len : 1 RC-COLLEGE ENROLLMENT		
		Freq	Pct
	1 = Full Time College Student Aged 18-22	7862	4.52
	2 = Part Time College Student Aged 18-22	1847	1.06
	3 = Not Enrolled Aged 18-22.....	11922	6.86
	4 = Other Persons Aged 18-22	2549	1.47
	5 = Unknwn Enrollment or not College Aged.....	149628	86.09

EMPLOYMENT

EMPLOYMENT

WRKSTATWK2

Len : 2 WORK SITUATION IN PAST WEEK - RECODE

	Freq	Pct
1 = Worked at full-time job, past week	62334	35.86
2 = Worked at part time job, past week	20398	11.74
3 = Has job or volunteer worker, did not work past wk	9002	5.18
4 = Unemployed/on layoff, looking for work	7725	4.44
5 = Disabled	5177	2.98
6 = Keeping house full-time	6563	3.78
7 = In school/training	9628	5.54
8 = Retired	12938	7.44
9 = Does not have a job, some other reason	17063	9.82
98 = BLANK (NO ANSWER)	5915	3.40
99 = LEGITIMATE SKIP	17065	9.82

The next questions are about working. Did you work at a job or business at any time last week? By last week, I mean the week beginning on Sunday, [STARTDATE] and ending on Saturday, [ENDDATE].

WRKDPSTWK

Len : 2 WORK AT JOB LAST WEEK

	Freq	Pct
1 = Yes	82935	47.72
2 = No	67883	39.06
4 = No LOGICALLY ASSIGNED	171	0.10
85 = BAD DATA Logically assigned	147	0.08
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	418	0.24
97 = REFUSED	820	0.47
98 = BLANK (NO ANSWER)	4369	2.51
99 = LEGITIMATE SKIP	17064	9.82

Even though you did not work at any time last week, did you have a job or business?

WRKHADJOB

Len : 2 DID YOU HAVE A JOB OR BUSINESS

	Freq	Pct
1 = Yes	9130	5.25
2 = No	58523	33.67
4 = No LOGICALLY ASSIGNED	171	0.10
85 = BAD DATA Logically assigned	123	0.07
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	106	0.06
97 = REFUSED	933	0.54
98 = BLANK (NO ANSWER)	4822	2.77
99 = LEGITIMATE SKIP	99999	57.53

How many hours did you work last week at all jobs or businesses?

WRKDHRSWK2

Len : 3 HOW MANY HOURS WORKED LAST WEEK

	Freq	Pct
RANGE = 1 - 60	80257	46.18
61 = 61 or more	2120	1.22
985 = BAD DATA Logically assigned	20	0.01
994 = DON'T KNOW	417	0.24
997 = REFUSED	950	0.55
998 = BLANK (NO ANSWER)	4925	2.83
999 = LEGITIMATE SKIP	85119	48.97

Do you usually work 35 hours or more per week at all jobs or businesses?

WRK35WKUS

Len : 2 USUALLY WORK 35 OR MORE HRS PER WEEK

	Freq	Pct
1 = Yes	67047	38.58
2 = No	24775	14.25
85 = BAD DATA Logically assigned	20	0.01
94 = DON'T KNOW	140	0.08
97 = REFUSED	1020	0.59
98 = BLANK (NO ANSWER)	5047	2.90
99 = LEGITIMATE SKIP	75759	43.59

EMPLOYMENT

Which one of these reasons best describes why you did not work last week?

WRKRSNNOT

Len : 3 REASON FOR NOT WORKING AT JOB - PAST WK

	Freq	Pct
1 = On vacation/sick/furlough/strike/maternity or family leave	2854	1.64
2 = On layoff and not looking for work	247	0.14
3 = On layoff and looking for work	330	0.19
4 = Waiting to report to a new job	480	0.28
5 = Self-employed and did not have business last week.....	1184	0.68
6 = Going to school/training	1098	0.63
7 = Some other reason.....	2786	1.60
994 = DON'T KNOW	84	0.05
997 = REFUSED	995	0.57
998 = BLANK (NO ANSWER).....	4993	2.87
999 = LEGITIMATE SKIP.....	158757	91.34

Which one of these reasons best describes why you did not have a job or business last week?

WRKRSNJOB

Len : 3 REASON FOR NOT HAVING A JOB - PAST WK

	Freq	Pct
1 = Looking for work.....	10292	5.92
2 = On layoff and not looking for work	1716	0.99
3 = Keeping house or caring for children full time.....	6572	3.78
4 = Going to school/training	9628	5.54
5 = Retired.....	12943	7.45
6 = Disabled for work	5182	2.98
7 = Didn't want a job.....	3536	2.03
8 = Some other reason.....	8118	4.67
985 = BAD DATA Logically assigned	123	0.07
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
994 = DON'T KNOW	329	0.19
997 = REFUSED	1230	0.71
998 = BLANK (NO ANSWER).....	5009	2.88
999 = LEGITIMATE SKIP.....	109129	62.79

During the past 30 days, did you make specific efforts to find work? Include any contacts you made with anyone about a job, sending out resumes or applications, placing or answering ads. Do not include only reading job ads.

WRKEFFORT

Len : 2 PAST 30 DAYS, MAKE EFFORT TO FIND WORK

	Freq	Pct
1 = Yes.....	7402	4.26
2 = No.....	2857	1.64
94 = DON'T KNOW	18	0.01
97 = REFUSED	1242	0.71
98 = BLANK (NO ANSWER)	5464	3.14
99 = LEGITIMATE SKIP.....	156825	90.23

Now, think about the past 12 months, from [DATEFILL] through today. Did you work at a job or business at any time during the past 12 months?

WRKDPSTYR

Len : 2 PAST 12 MOS, WORKED AT ANY JOB

	Freq	Pct
1 = Yes.....	14901	8.57
2 = No.....	43920	25.27
85 = BAD DATA Logically assigned.....	125	0.07
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW	457	0.26
97 = REFUSED	851	0.49
98 = BLANK (NO ANSWER)	4424	2.55
99 = LEGITIMATE SKIP.....	109129	62.79

EMPLOYMENT

Have you been self-employed at any time during the past 12 months?

<u>WRKSELFEM</u>	Len : 2 PAST 12 MOS, SELF EMPLOYED		
		Freq	Pct
	1 = Yes.....	15840	9.11
	2 = No.....	89622	51.56
	5 = Yes LOGICALLY ASSIGNED (from skip pattern)	1184	0.68
	85 = BAD DATA Logically assigned.....	20	0.01
	94 = DON'T KNOW.....	194	0.11
	97 = REFUSED.....	959	0.55
	98 = BLANK (NO ANSWER)	5004	2.88
	99 = LEGITIMATE SKIP.....	60985	35.09

How many different employers, including yourself, have you had in the past 12 months?

<u>WRKNUMJOB2</u>	Len : 2 PAST 12 MOS, HOW MANY EMPLOYERS		
		Freq	Pct
	1 = One	73385	42.22
	2 = Two.....	23007	13.24
	3 = Three.....	5954	3.43
	4 = Four or more.....	3252	1.87
	85 = BAD DATA Logically assigned.....	20	0.01
	94 = DON'T KNOW.....	920	0.53
	97 = REFUSED.....	1272	0.73
	98 = BLANK (NO ANSWER)	5013	2.88
	99 = LEGITIMATE SKIP.....	60985	35.09

During the past 12 months, was there ever a time when you did not have at least one job or business?

<u>WRKNJBPYR</u>	Len : 2 PAST 12 MOS, TIME WITH NO JOB		
		Freq	Pct
	1 = Yes.....	17222	9.91
	2 = No.....	74543	42.89
	85 = BAD DATA Logically assigned.....	20	0.01
	94 = DON'T KNOW.....	150	0.09
	97 = REFUSED.....	1063	0.61
	98 = BLANK (NO ANSWER)	5010	2.88
	99 = LEGITIMATE SKIP.....	75800	43.61

In how many weeks during the past 12 months did you not have at least one job or business?

<u>WRKNJBWKS</u>	Len : 2 HOW MANY WKS W/O JOB IN PAST 12 MOS		
		Freq	Pct
	RANGE = 1 - 52.....	16182	9.31
	85 = BAD DATA Logically assigned.....	121	0.07
	94 = DON'T KNOW.....	830	0.48
	97 = REFUSED.....	1168	0.67
	98 = BLANK (NO ANSWER)	5164	2.97
	99 = LEGITIMATE SKIP.....	150343	86.50

In what year did you last work at a job or business?

<u>WRKLASTYR2</u>	Len : 4 WHAT YEAR LAST WORKED		
		Freq	Pct
	RANGE = 1982 - 2023	42233	24.30
	9985 = BAD DATA Logically assigned.....	208	0.12
	9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	9991 = NEVER WORKED AT A JOB OR BUSINESS.....	14048	8.08
	9994 = DON'T KNOW.....	1502	0.86
	9997 = REFUSED.....	833	0.48
	9998 = BLANK (NO ANSWER).....	5854	3.37
	9999 = LEGITIMATE SKIP.....	109129	62.79

EMPLOYMENT

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?

WRKSICKMO

Len : 2 # DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	24495	14.09
0 = None	66351	38.17
85 = BAD DATA Logically assigned	183	0.11
94 = DON'T KNOW	750	0.43
97 = REFUSED	1186	0.68
98 = BLANK (NO ANSWER)	5084	2.93
99 = LEGITIMATE SKIP	75759	43.59

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there? Please do not include days you missed because of a planned vacation or days that you stayed home with a sick child or other family member.

WRKSKIPMO

Len : 2 # DAYS SKIPPED WORK PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	12884	7.41
0 = None	78050	44.91
85 = BAD DATA Logically assigned	79	0.05
94 = DON'T KNOW	684	0.39
97 = REFUSED	1250	0.72
98 = BLANK (NO ANSWER)	5102	2.94
99 = LEGITIMATE SKIP	75759	43.59

At your workplace, is there a written policy about employee use of alcohol or drugs?

WRKDRGPOL

Len : 2 WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE

	Freq	Pct
1 = Yes	68313	39.30
2 = No	20832	11.99
85 = BAD DATA Logically assigned	20	0.01
94 = DON'T KNOW	2654	1.53
97 = REFUSED	1125	0.65
98 = BLANK (NO ANSWER)	5105	2.94
99 = LEGITIMATE SKIP	75759	43.59

Does this policy cover only alcohol, only drugs, or both alcohol and drugs?

WRKDRGALB

Len : 2 DID POLICY COVER ALCOHOL, DRUGS, OR BOTH

	Freq	Pct
1 = Only alcohol	651	0.37
2 = Only drugs	3577	2.06
3 = Both alcohol and drugs	63298	36.42
85 = BAD DATA Logically assigned	20	0.01
94 = DON'T KNOW	746	0.43
97 = REFUSED	1157	0.67
98 = BLANK (NO ANSWER)	7768	4.47
99 = LEGITIMATE SKIP	96591	55.57

At your workplace, have you ever been given any educational information regarding the use of alcohol or drugs?

WRKDRGEDU

Len : 2 AT WORK, GIVEN EDUCATION ON DRUGS/ALC

	Freq	Pct
1 = Yes	31254	17.98
2 = No	59392	34.17
85 = BAD DATA Logically assigned	20	0.01
94 = DON'T KNOW	1112	0.64
97 = REFUSED	1153	0.66
98 = BLANK (NO ANSWER)	5118	2.94
99 = LEGITIMATE SKIP	75759	43.59

EMPLOYMENT

Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?

WRKDRGHL

Len : 2 ANY ASSISTANCE PROGRAM OFFERED THROUGH WRK

	Freq	Pct
1 = Yes.....	45389	26.11
2 = No.....	41719	24.00
85 = BAD DATA Logically assigned.....	20	0.01
94 = DON'T KNOW.....	4606	2.65
97 = REFUSED.....	1174	0.68
98 = BLANK (NO ANSWER).....	5141	2.96
99 = LEGITIMATE SKIP.....	75759	43.59

Does your workplace ever test its employees for alcohol use?

WRKTSTALC

Len : 2 WORKPLACE TESTS FOR ALCOHOL USAGE

	Freq	Pct
1 = Yes.....	19340	11.13
2 = No.....	69628	40.06
85 = BAD DATA Logically assigned.....	20	0.01
94 = DON'T KNOW.....	2773	1.60
97 = REFUSED.....	1142	0.66
98 = BLANK (NO ANSWER).....	5146	2.96
99 = LEGITIMATE SKIP.....	75759	43.59

Does your workplace ever test its employees for drug use?

WRKTSTDRG

Len : 2 WORKPLACE TESTS FOR DRUG USAGE

	Freq	Pct
1 = Yes.....	35938	20.68
2 = No.....	53371	30.71
85 = BAD DATA Logically assigned.....	20	0.01
94 = DON'T KNOW.....	2434	1.40
97 = REFUSED.....	1136	0.65
98 = BLANK (NO ANSWER).....	5150	2.96
99 = LEGITIMATE SKIP.....	75759	43.59

Does your workplace test its employees for drug or alcohol use as part of the hiring process?

WRKTSTHIR

Len : 2 TEST FOR DRUG/ALC AS HIRING PROCESS

	Freq	Pct
1 = Yes.....	30811	17.73
2 = No.....	5354	3.08
85 = BAD DATA Logically assigned.....	20	0.01
94 = DON'T KNOW.....	175	0.10
97 = REFUSED.....	1128	0.65
98 = BLANK (NO ANSWER).....	7669	4.41
99 = LEGITIMATE SKIP.....	128651	74.02

Does your workplace test its employees for drug or alcohol use on a random basis?

WRKTSTRDM

Len : 2 TEST ON RANDOM BASIS

	Freq	Pct
1 = Yes.....	19667	11.32
2 = No.....	15928	9.16
85 = BAD DATA Logically assigned.....	20	0.01
94 = DON'T KNOW.....	737	0.42
97 = REFUSED.....	1134	0.65
98 = BLANK (NO ANSWER).....	7671	4.41
99 = LEGITIMATE SKIP.....	128651	74.02

EMPLOYMENT

According to the policy at your workplace, what happens to an employee the first time he or she tests positive for illicit drugs?

WRKTST1ST

Len : 2 WHAT HAPPENS FIRST TIME CAUGHT

	Freq	Pct
1 = Handled on indiv basis/policy does not spec what	13476	7.75
2 = Employee is fired.....	11991	6.90
3 = Employee is referred for treatment or counseling	5914	3.40
4 = Nothing happens.....	249	0.14
5 = Something else happens.....	1577	0.91
85 = BAD DATA Logically assigned.....	20	0.01
94 = DON'T KNOW	3028	1.74
97 = REFUSED	1218	0.70
98 = BLANK (NO ANSWER)	7684	4.42
99 = LEGITIMATE SKIP.....	128651	74.02

Would you be more or less likely to want to work for an employer that tests its employees for drug use as part of the hiring process?

WRKOKPREH

Len : 2 WOULD YOU WORK FOR EMP DOES DRUG TEST PRE-HIRE

	Freq	Pct
1 = More likely	21996	12.66
2 = Less likely.....	13510	7.77
3 = Would it make no difference to you.....	55614	32.00
85 = BAD DATA Logically assigned.....	20	0.01
94 = DON'T KNOW	581	0.33
97 = REFUSED	1153	0.66
98 = BLANK (NO ANSWER)	5175	2.98
99 = LEGITIMATE SKIP.....	75759	43.59

Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis?

WRKOKRAND

Len : 2 WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY

	Freq	Pct
1 = More likely	18094	10.41
2 = Less likely.....	20239	11.64
3 = Would make no difference.....	52780	30.37
85 = BAD DATA Logically assigned.....	20	0.01
94 = DON'T KNOW	562	0.32
97 = REFUSED	1159	0.67
98 = BLANK (NO ANSWER)	5195	2.99
99 = LEGITIMATE SKIP.....	75759	43.59

IMPUTED EMPLOYMENT

IMPUTED EMPLOYMENT

The following variable, IRWRKSTAT, replaces EMPSTATY that was created from 2001 to 2014. In 2015 employment questions moved from being interviewer-administered to being self-administered through ACASI. The name changes for employment variables reflect the break in comparability.

<u>IRWRKSTAT</u>	Len : 2	EMPLOYMENT STATUS - IMPUTATION REVISED		
			Freq	Pct
		1 = Employed full time	69560	40.02
		2 = Employed part time.....	25462	14.65
		3 = Unemployed	10122	5.82
		4 = Other (incl. not in labor force)	51599	29.69
		99 = 12-14 year olds	17065	9.82

<u>IIWRKSTAT</u>	Len : 1	EMPLOYMENT STATUS - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Employment status from questionnaire.....	150587	86.64
		3 = Employment statistically imputed.....	6156	3.54
		9 = 12-14 years old	17065	9.82

<u>II2WRKSTAT</u>	Len : 1	EMPLOYMENT STATUS - DETAILED IMPUTATION INDICATOR		
			Freq	Pct
		1 = Employment status from questionnaire.....	150587	86.64
		3 = Emp. statistically imputed (unrestricted).....	5915	3.40
		4 = Emp. stat. imp. (restr. to full-time or part-time).....	241	0.14
		9 = 12-14 years old	17065	9.82

IRWRKSTAT18 is a recode of IRWRKSTAT and AGE3. Respondents aged 12-17 are assigned a skip code, regardless of their answers to the employment status questions.

<u>IRWRKSTAT18</u>	Len : 2	EMPLOYMENT STATUS 18+ - IMPUTATION REVISED		
			Freq	Pct
		1 = Employed full time	68681	39.52
		2 = Employed part time.....	20752	11.94
		3 = Unemployed	8172	4.70
		4 = Other (incl. not in labor force)	41919	24.12
		99 = 12-17 year olds	34284	19.73

<u>IIWRKSTAT18</u>	Len : 1	EMPLOYMENT STATUS 18+ - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Employment status from questionnaire.....	133757	76.96
		3 = Employment statistically imputed.....	5767	3.32
		9 = 12-17 years old	34284	19.73

<u>II2WRKST18</u>	Len : 1	EMPLOYMENT STATUS 18+ - DETAILED IMPUTATION INDICATOR		
			Freq	Pct
		1 = Employment status from questionnaire.....	133757	76.96
		3 = Emp. statistically imputed (unrestricted).....	5580	3.21
		4 = Emp. stat. imp. (restr. to full-time or part-time).....	187	0.11
		9 = 12-17 years old	34284	19.73

HOUSEHOLD COMPOSITION (ROSTER)

HOUSEHOLD COMPOSITION (ROSTER)

NOTE: Starting from 2003, the following variable, EDFAM18, replaced the variable IRFAM18 (the imputation-revised indicator for having family members in the household aged 18 or older). Prior to 2003, the edited proxy variables were created using IRFAM18. However in 2003, the procedures for creating the edited proxy variables changed due to changes in the proxy questions in the questionnaire. The new procedures required an edited form of this indicator.

<u>EDFAM18</u>	Len : 2 RC-EDITED INDICATOR: FAMILY IN HH 18 OR OLDER		
		Freq	Pct
	0 = R has other family members >=18	138408	79.63
	1 = R does not have other family members >=18.....	30094	17.31
	98 = UNKNOWN	5306	3.05

<u>IMOTHER</u>	Len : 1 RC-MOTHER IN HH		
		Freq	Pct
	1 = R is 12-17, mother in hh	31150	17.92
	2 = R is 12-17, no mother in hh.....	2936	1.69
	3 = R is 12-17, don't know whether mother is in hh.....	198	0.11
	4 = R is 18 or older	139524	80.27

<u>IFATHER</u>	Len : 1 RC-FATHER IN HH		
		Freq	Pct
	1 = R is 12-17, father in hh	24468	14.08
	2 = R is 12-17, no father in hh	9575	5.51
	3 = R is 12-17, don't know whether father is in hh.....	241	0.14
	4 = R is 18 or older	139524	80.27

<u>NRCH17_2</u>	Len : 1 RECODED # R's CHILDREN < 18 IN HOUSEHOLD		
		Freq	Pct
	RANGE = 0 - 2	159045	91.51
	. = Missing	6062	3.49
	3 = 3 or more.....	8701	5.01

<u>IRHHSIZ2</u>	Len : 1 RECODE - IMPUTATION-REVISED # PERSONS IN HH		
		Freq	Pct
	1 = One person in household.....	18692	10.75
	2 = Two people in household.....	43515	25.04
	3 = Three people in household.....	36278	20.87
	4 = Four people in household.....	38104	21.92
	5 = Five people in household	20992	12.08
	6 = 6 or more people in household.....	16227	9.34

<u>IIHHSIZ2</u>	Len : 1 IRHHSIZ2-IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	168499	96.95
	3 = Statistically imputed data.....	5309	3.05

<u>IRK117_2</u>	Len : 1 RECODE - IMPUTATION-REVISED # KIDS AGED<18 IN HH		
		Freq	Pct
	1 = No children under 18	85545	49.22
	2 = One child under 18.....	34526	19.86
	3 = Two children under 18.....	31127	17.91
	4 = Three or more children under 18.....	22610	13.01

<u>IIK117_2</u>	Len : 1 IRK117_2-IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	167796	96.54
	2 = Logically assigned data.....	374	0.22
	3 = Statistically imputed data.....	5638	3.24

HOUSEHOLD COMPOSITION (ROSTER)

[IRHH65_2](#)

Len : 1 REC - IMPUTATION-REVISED # OF PER IN HH AGED>=65

	Freq	Pct
1 = No people 65 or older in household	144709	83.26
2 = One person 65 or older in household	17872	10.28
3 = Two or more people 65 or older in household.....	11227	6.46

[IRHH65_2](#)

Len : 1 IRHH65_2-IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	167819	96.55
2 = Logically assigned data.....	592	0.34
3 = Statistically imputed data.....	5397	3.11

PROXY INFORMATION

PROXY INFORMATION

PRXRETRY was created starting in 2014 and indicates whether respondents younger than 18 selected another proxy if their previously selected proxy was unavailable.

PRXRETRY

Len : 2 SELECTED PROXY UNAVAILABLE, OTHER PROXY AVAILABLE?

	Freq	Pct
2 = No.....	3340	1.92
94 = DON'T KNOW.....	408	0.23
97 = REFUSED.....	172	0.10
98 = BLANK (NO ANSWER).....	7940	4.57
99 = LEGITIMATE SKIP.....	161948	93.18

PRXYDATA

Len : 2 IS PROXY ANSWERING INSURANCE/INCOME QS

	Freq	Pct
1 = Yes.....	43313	24.92
2 = No.....	249	0.14
94 = DON'T KNOW.....	421	0.24
97 = REFUSED.....	179	0.10
98 = BLANK (NO ANSWER).....	6897	3.97
99 = LEGITIMATE SKIP (Respondent answering).....	122749	70.62

HEALTH INSURANCE

HEALTH INSURANCE

The next questions are about [SAMPLE MEMBER POSS] health insurance coverage and the kinds and amounts of income that [SAMPLE MEMBER] and other people in your family receive. This information will help in planning health care services and finding ways to lower costs of care.

NOTE: Respondents under the age of 65 who reported that they were covered by Medicare were asked to confirm their answer.

Several government programs provide medical care or help pay medical bills.

Medicare is a health insurance program for people aged 65 and older and for certain people with disabilities. Is [SAMPLE MEMBER A] covered by Medicare?

MEDICARE

Len : 2 COVERED BY MEDICARE

	Freq	Pct
1 = Yes.....	18978	10.92
2 = No.....	148027	85.17
85 = BAD DATA Logically assigned	10	0.01
94 = DON'T KNOW	796	0.46
97 = REFUSED	205	0.12
98 = BLANK (NO ANSWER)	5792	3.33

NOTE: The variable CAIDCHIP was created from responses to the first question shown below for respondents who were aged 20 or older. For respondents who were aged 12 to 19, CAIDCHIP was created from responses to the two questions shown below. Respondents aged 65 or older who reported that they were covered by Medicaid were asked to confirm their answer.

Medicaid is a public assistance program that pays for medical care for people with low income and people with disabilities. The Medicaid program in [STATE FILL] is also called [MEDIFILL]. Medicaid may also be called Medical Assistance.

Is [SAMPLE MEMBER A] covered by Medicaid?

Is [SAMPLE MEMBER A] currently covered by [CHIPFILL]?

CAIDCHIP

Len : 2 COVERED BY MEDICAID/CHIP

	Freq	Pct
1 = Yes.....	43745	25.17
2 = No.....	122651	70.57
85 = BAD DATA Logically assigned	273	0.16
94 = DON'T KNOW	1112	0.64
97 = REFUSED	203	0.12
98 = BLANK (NO ANSWER)	5824	3.35

There are certain programs that cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.

Is [SAMPLE MEMBER A] currently covered by TRICARE, or CHAMPUS, CHAMPVA, the VA, or military health care?

CHAMPUS

Len : 2 COV BY TRICARE, CHAMPUS, CHAMPVA, VA, MILITARY

	Freq	Pct
1 = Yes.....	6973	4.01
2 = No.....	160303	92.23
85 = BAD DATA Logically assigned	10	0.01
94 = DON'T KNOW	509	0.29
97 = REFUSED	170	0.10
98 = BLANK (NO ANSWER)	5843	3.36

HEALTH INSURANCE

Private health insurance can be obtained through work, such as through an employer, union, or professional association, by paying premiums directly to a health insurance company, or by purchasing a plan through the Health Insurance Marketplace. It includes coverage by a health maintenance organization or HMO, fee for service plans, and single service plans.

Is [SAMPLE MEMBER A] currently covered by private health insurance?

PRVHLTIN	Len : 2 COVERED BY PRIVATE INSURANCE		
		Freq	Pct
	1 = Yes.....	98337	56.58
	2 = No.....	68248	39.27
	85 = BAD DATA Logically assigned.....	11	0.01
	94 = DON'T KNOW.....	1105	0.64
	97 = REFUSED.....	250	0.14
	98 = BLANK (NO ANSWER).....	5857	3.37

Was [SAMPLE MEMBER POSS] private health insurance obtained through work, such as through an employer, union, or professional association? It can be through any family member's employment, not just [SAMPLE MEMBER POSS] employment.

GRPHLTIN	Len : 2 PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION		
		Freq	Pct
	1 = Yes.....	86359	49.69
	2 = No.....	11739	6.75
	85 = BAD DATA Logically assigned.....	5	0.00
	94 = DON'T KNOW.....	213	0.12
	97 = REFUSED.....	272	0.16
	98 = BLANK (NO ANSWER).....	6972	4.01
	99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	68248	39.27

Does [SAMPLE MEMBER POSS] private health insurance include coverage for treatment for any of the following conditions?

Alcohol abuse or alcoholism?

HLTINALC	Len : 2 PRIVATE INSURANCE COVERS TRMT FOR ALCOHOL ABUSE/ALCOHOLISM		
		Freq	Pct
	1 = Yes.....	56396	32.45
	2 = No.....	18213	10.48
	85 = BAD DATA Logically assigned.....	5	0.00
	94 = DON'T KNOW.....	23661	13.61
	97 = REFUSED.....	299	0.17
	98 = BLANK (NO ANSWER).....	6986	4.02
	99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	68248	39.27

Drug abuse?

HLTINDRG	Len : 2 PRIVATE INSURANCE COVERS TRMT FOR DRUG ABUSE		
		Freq	Pct
	1 = Yes.....	56279	32.38
	2 = No.....	18611	10.71
	85 = BAD DATA Logically assigned.....	5	0.00
	94 = DON'T KNOW.....	23376	13.45
	97 = REFUSED.....	302	0.17
	98 = BLANK (NO ANSWER).....	6987	4.02
	99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	68248	39.27

Mental or emotional problems?

HLTINMNT	Len : 2 PRIVATE INSURANCE COVERS TRMT FOR MENTAL/EMOTIONAL PROBLEMS		
		Freq	Pct
	1 = Yes.....	74784	43.03
	2 = No.....	12225	7.03
	85 = BAD DATA Logically assigned.....	5	0.00
	94 = DON'T KNOW.....	11268	6.48
	97 = REFUSED.....	291	0.17
	98 = BLANK (NO ANSWER).....	6987	4.02
	99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	68248	39.27

HEALTH INSURANCE

Is [SAMPLE MEMBER A] currently covered by any kind of health insurance, that is, any policy or program that provides or pays for medical care?

HLTINNOS

Len : 2 COVERED BY HEALTH INSUR (NOT OTHERWISE SPECIFIED)

	Freq	Pct
1 = Yes.....	4096	2.36
2 = No.....	14654	8.43
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	84	0.05
97 = REFUSED.....	20	0.01
98 = BLANK (NO ANSWER).....	5798	3.34
99 = LEGITIMATE SKIP.....	149155	85.82

During the past 12 months, that is from [DATE FILL] through today, was there any time when [SAMPLE MEMBER] did not have any kind of health insurance or coverage?

HLCNOTYR

Len : 2 ANYTIME DID NOT HAVE HEALTH INS/COVER PAST 12 MOS

	Freq	Pct
1 = Yes.....	7487	4.31
2 = No.....	143798	82.73
85 = BAD DATA Logically assigned.....	45	0.03
94 = DON'T KNOW.....	283	0.16
97 = REFUSED.....	351	0.20
98 = BLANK (NO ANSWER).....	7191	4.14
99 = LEGITIMATE SKIP.....	14653	8.43

During the past 12 months, that is from [DATE FILL] through today, about how many months [were you/was SAMPLE MEMBER] without any kind of health insurance or coverage?

HLCNOTMO

Len : 2 PAST 12 MOS, HOW MANY MOS W/O COVERAGE

	Freq	Pct
RANGE = 1 - 12.....	7429	4.27
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW.....	42	0.02
97 = REFUSED.....	365	0.21
98 = BLANK (NO ANSWER).....	7518	4.33
99 = LEGITIMATE SKIP.....	158451	91.16

About how long has it been since (SAMPLE MEMBER) last had any kind of health coverage?

HLCLAST

Len : 2 TIME SINCE LAST HAD HEALTH CARE COVERAGE

	Freq	Pct
1 = Within the past 6 months.....	2981	1.72
2 = More than 6 months ago, but within the past year.....	1465	0.84
3 = More than 1 year ago, but within the past 3 years.....	2758	1.59
4 = More than 3 years ago.....	3629	2.09
5 = Never had coverage.....	3433	1.98
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	263	0.15
97 = REFUSED.....	426	0.25
98 = BLANK (NO ANSWER).....	7179	4.13
99 = LEGITIMATE SKIP.....	151673	87.26

HEALTH INSURANCE

Which of the reasons on this card is the main reason why [SAMPLE MEMBER] stopped being covered by health insurance?

HLLOSRSN

Len : 2 MAIN REASON STOPPED COVERED BY HEALTH INSURANCE

	Freq	Pct
1 = Pers in family w/health ins lost job/chng employer.....	1830	1.05
2 = Lost Medicaid/Med Assist b/c new job/incr income	866	0.50
3 = Lost Medicaid/Med Assist some other reason.....	749	0.43
4 = Cost is too high/can't afford premiums	2642	1.52
5 = Became ineligible because of age or leaving school	1030	0.59
6 = Employer does not offer coverage, or not eligible	733	0.42
7 = Got divorced or separated from person w/insurance	140	0.08
8 = Death of spouse or parent	64	0.04
9 = Insurance company refused coverage	92	0.05
10 = Don't need it.....	787	0.45
11 = Received Medicaid/med insur only while pregnant	248	0.14
12 = Some other reason.....	1605	0.92
85 = BAD DATA Logically assigned	27	0.02
94 = DON'T KNOW	254	0.15
97 = REFUSED	446	0.26
98 = BLANK (NO ANSWER)	7189	4.14
99 = LEGITIMATE SKIP.....	155106	89.24

Which of the reasons on this card describe why [SAMPLE MEMBER] never had health insurance coverage?

HLNVCOST

Len : 2 NEVER HAD HEALTH INSURANCE BECAUSE COST TOO HIGH

	Freq	Pct
1 = Response entered	1249	0.72
6 = Response not entered	2154	1.24
94 = DON'T KNOW	20	0.01
97 = REFUSED	320	0.18
98 = BLANK (NO ANSWER)	7421	4.27
99 = LEGITIMATE SKIP.....	162644	93.58

HLNVOFFR

Len : 2 NEVER HAD HEALTH INSURANCE BECAUSE EMPLOYER DOESN'T OFFER

	Freq	Pct
1 = Response entered	385	0.22
6 = Response not entered	3018	1.74
94 = DON'T KNOW	20	0.01
97 = REFUSED	320	0.18
98 = BLANK (NO ANSWER)	7421	4.27
99 = LEGITIMATE SKIP.....	162644	93.58

HLNVREF

Len : 2 NEVER HAD HEALTH INSURANCE BC INS COMPANY REFUSED COVERAGE

	Freq	Pct
1 = Response entered	68	0.04
6 = Response not entered	3335	1.92
94 = DON'T KNOW	20	0.01
97 = REFUSED	320	0.18
98 = BLANK (NO ANSWER)	7421	4.27
99 = LEGITIMATE SKIP.....	162644	93.58

HLNVNEED

Len : 2 NEVER HAD HEALTH INSURANCE BECAUSE DON'T NEED IT

	Freq	Pct
1 = Response entered	802	0.46
6 = Response not entered	2601	1.50
94 = DON'T KNOW	20	0.01
97 = REFUSED	320	0.18
98 = BLANK (NO ANSWER)	7421	4.27
99 = LEGITIMATE SKIP.....	162644	93.58

HEALTH INSURANCE

[HLNVSOR](#)

Len : 2 NEVER HAD HEALTH INSURANCE BECAUSE OF SOME OTHER REASON

	Freq	Pct
1 = Response entered	1146	0.66
6 = Response not entered	2257	1.30
94 = DON'T KNOW	20	0.01
97 = REFUSED	320	0.18
98 = BLANK (NO ANSWER)	7421	4.27
99 = LEGITIMATE SKIP	162644	93.58

IMPUTED HEALTH INSURANCE

IMPUTED HEALTH INSURANCE

<u>IRMEDICR</u>	Len : 1 MEDICARE - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes, respondent does have Medicare	19716	11.34
	2 = No, respondent does not have Medicare	154092	88.66

<u>IIMEDICR</u>	Len : 1 MEDICARE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	167005	96.09
	3 = Statistically imputed data.....	6803	3.91

<u>IRMCDCHP</u>	Len : 1 MEDICAID/CHIP - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes, respondent does have Medicaid/CHIP	45548	26.21
	2 = No, respondent does not have Medicaid/CHIP	128260	73.79

<u>IIMCDCHP</u>	Len : 1 MEDICAID/CHIP - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	166396	95.74
	3 = Statistically imputed data.....	7412	4.26

<u>IRCHMPUS</u>	Len : 1 CHAMPUS - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes, R has Tricare, Champus, VA, Military health.....	7257	4.18
	2 = No, R doesn't have Tricare, Chmps, VA, Military health.....	166551	95.82

<u>IICHMPUS</u>	Len : 1 CHAMPUS - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	167276	96.24
	3 = Statistically imputed data.....	6532	3.76

<u>IRPRVHLT</u>	Len : 1 PRIVATE HEALTH INSURANCE - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes, R does have private health insurance	102461	58.95
	2 = No, R does not have private health insurance	71347	41.05

<u>IIPRVHLT</u>	Len : 1 PRIVATE HEALTH INSURANCE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	166585	95.84
	3 = Statistically imputed data.....	7223	4.16

A respondent is eligible for the other health insurance question if they satisfied the following conditions.

- (1) Not covered by Medicare (IRMEDICR=2)
- (2) Not covered by Medicaid/CHIP (IRMCDCHP=2)
- (3) Not covered by Tricare, Champus, ChampVA, VA, or Military (IRCHMPUS=2)
- (4) Not covered by private insurance (IRPRVHLT=2)

Otherwise, they are not eligible and IROTHHLT=99.

<u>IROTHHLT</u>	Len : 2 OTHER HEALTH INSURANCE - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes, R is covered by other health insurance.....	4412	2.54
	2 = No, R is not covered by other health insurance	15854	9.12
	99 = LEGITIMATE SKIP.....	153542	88.34

<u>IIOTHHLT</u>	Len : 1 OTHER HEALTH INSURANCE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	18748	10.79
	3 = Statistically imputed data.....	7483	4.31
	9 = LEGITIMATE SKIP.....	147577	84.91

RECODED HEALTH INSURANCE

RECODED HEALTH INSURANCE

NOTE: The variable HLCALLFG is a created "flag" variable that indicates when a respondent (or proxy) reported that the respondent was covered by all of the following: Medicare, Medicaid, the Children's Health Insurance Program (if aged 12 to 19), military health care, and private health insurance. The variable HLCALL99 also is a created "flag" variable that indicates when respondents were reported to be covered by Medicare, Medicaid, military health care, and private health insurance. This HLCALL99 variable is comparable to HLCALLFG in 1999, when these four types of health insurance were the only types of current coverage that were asked about in the interview.

<u>HLCALLFG</u>	Len : 2	FLAG IF EVERY FORM OF HEALTH INS REPORTED		
			Freq	Pct
		1 = Answered yes to all current health insurance Qs.....	85	0.05
		98 = BLANK (NO ANSWER)	173723	99.95

<u>HLCALL99</u>	Len : 2	YES TO MEDICARE/MEDICAID/CHAMPUS/PRVHLTIN		
			Freq	Pct
		1 = Yes.....	86	0.05
		98 = BLANK (NO ANSWER)	173722	99.95

NOTE: The following variable, ANYHLTI2, was created from the source variables MEDICARE, CAIDCHIP, CHAMPUS, PRVHLTIN, and HLTINOS.

<u>ANYHLTI2</u>	Len : 2	COVERED BY ANY HEALTH INSURANCE - RECODE		
			Freq	Pct
		1 = Yes.....	151673	87.26
		2 = No	14653	8.43
		94 = DON'T KNOW	1288	0.74
		97 = REFUSED	311	0.18
		98 = OTHER MISSING.....	5883	3.38

For IRINSUR4, a respondent is classified as having any health insurance (IRINSUR4=1) if they satisfied ANY of the following conditions.

- (1) Covered by Medicare (IRMEDICR=1)
- (2) Covered by Medicaid/CHIP (IRMCDCHP=1)
- (3) Covered by Tricare, Champus, ChampVA, VA, or Military (IRCHMPUS=1)
- (4) Covered by private insurance (IRPRVHLT=1)
- (5) Covered by other health insurance (IROTHHLT=1)

A respondent is classified as NOT having any health insurance (IRINSUR4=2) if they meet EVERY one of the following conditions

- (1) Not covered by Medicare (IRMEDICR=2)
- (2) Not covered by Medicaid/CHIP (IRMCDCHP=2)
- (3) Not covered by Tricare, Champus, ChampVA, VA, or Military (IRCHMPUS=2)
- (4) Not covered by private insurance (IRPRVHLT=2)
- (5) Not covered by other health insurance (IROTHHLT=2)

<u>IRINSUR4</u>	Len : 1	RC-OVERALL HEALTH INSURANCE - IMPUTATION REVISED		
			Freq	Pct
		1 = Yes, respondent is covered by health insurance.....	157954	90.88
		2 = No, respondent is not covered by health insurance	15854	9.12

<u>IIINSUR4</u>	Len : 1	RC-OVERALL HEALTH INSURANCE - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	166325	95.69
		3 = Statistically imputed data.....	7483	4.31

<u>OTHINS</u>	Len : 1	RC-HEALTH INSURANCE OTHER THAN PRIVATE, MEDICAID/CHIP		
			Freq	Pct
		1 = Have Oth Hlth Insur (IRMEDICR=1 or IRCHMPUS=1 or IROTHHLT=1).....	29523	16.99
		2 = Does not have Other Health Insurance (Otherwise).....	144285	83.01

INCOME

INCOME

Do you or anyone at this address have a working cell phone?

CELLWRKNG

Len : 2 WORKING CELL PHONE

	Freq	Pct
1 = Yes.....	162713	93.62
2 = No.....	4374	2.52
85 = BAD DATA Logically assigned.....	11	0.01
94 = DON'T KNOW.....	86	0.05
97 = REFUSED	315	0.18
98 = BLANK (NO ANSWER)	6309	3.63

Is there at least one telephone at this address that is not a cell phone?

CELLNOTCL

Len : 2 NOT A CELL PHONE

	Freq	Pct
1 = Yes.....	34676	19.95
2 = No.....	132459	76.21
85 = BAD DATA Logically assigned.....	11	0.01
94 = DON'T KNOW.....	120	0.07
97 = REFUSED	224	0.13
98 = BLANK (NO ANSWER)	6318	3.64

IMPUTED INCOME

IMPUTED INCOME

<u>IRFAMSOC</u>	Len : 1 FAM RECEIVE SS OR RR PAYMENTS - IMPUTATION REVISED		
	1 = Yes.....	Freq 31050	Pct 17.86
	2 = No.....	142758	82.14
<u>IIFAMSOC</u>	Len : 1 FAM RECEIVE SS OR RR PAYMENTS - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 166147	Pct 95.59
	3 = Statistically imputed data.....	7661	4.41
<u>IRFAMSSI</u>	Len : 1 FAM RECEIVE SSI - IMPUTATION REVISED		
	1 = Yes.....	Freq 11874	Pct 6.83
	2 = No.....	161934	93.17
<u>IIFAMSSI</u>	Len : 1 FAM RECEIVE SSI - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 166041	Pct 95.53
	3 = Statistically imputed data.....	7767	4.47
<u>IRFSTAMP</u>	Len : 1 RESP/OTH FAM MEM REC FOOD STAMPS - IMPUTATION REVISED		
	1 = Yes.....	Freq 32549	Pct 18.73
	2 = No.....	141259	81.27
<u>IIFSTAMP</u>	Len : 1 RESP/OTH FAM MEM REC FOOD STAMPS - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 166618	Pct 95.86
	3 = Statistically imputed data.....	7190	4.14
<u>IRFAMPMT</u>	Len : 1 FAM RECEIVE PUBLIC ASSIST - IMPUTATION REVISED		
	1 = Yes.....	Freq 3685	Pct 2.12
	2 = No.....	170123	97.88
<u>IIFAMPMT</u>	Len : 1 FAM RECEIVE PUBLIC ASSIST - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 166062	Pct 95.54
	3 = Statistically imputed data.....	7746	4.46
<u>IRFAMSVC</u>	Len : 1 FAM REC WELFARE/JOB PL/CHILDCARE - IMPUTATION REVISED		
	1 = Yes.....	Freq 4521	Pct 2.60
	2 = No.....	169287	97.40
<u>IIFAMSVC</u>	Len : 1 FAM REC WELFARE/JOB PL/CHILDCARE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 166634	Pct 95.87
	3 = Statistically imputed data.....	7174	4.13
<u>IRWELMOS</u>	Len : 2 NO OF MONTHS ON WELFARE - IMPUTATION REVISED		
	RANGE = 1 - 12.....	Freq 7226	Pct 4.16
	99 = LEGITIMATE SKIP.....	166582	95.84
<u>IIWELMOS</u>	Len : 1 NO OF MONTHS ON WELFARE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 6757	Pct 3.89
	3 = Statistically imputed data.....	8200	4.72
	9 = LEGITIMATE SKIP.....	158851	91.39

IMPUTED INCOME

[IRPINC3](#)

Len : 2 RECODE - RESP TOT INCOME - IMPUTATION REVISED

	Freq	Pct
1 = Less than \$10,000 (Including Loss).....	66618	38.33
2 = \$10,000 - \$19,999	24070	13.85
3 = \$20,000 - \$29,999	16503	9.49
4 = \$30,000 - \$39,999	14157	8.15
5 = \$40,000 - \$49,999	11720	6.74
6 = \$50,000 - \$74,999	17255	9.93
7 = \$75,000 or more.....	23485	13.51

[IRFAMIN3](#)

Len : 1 RECODE - TOT FAM INCOME - IMPUTATION REVISED

	Freq	Pct
1 = Less than \$10,000 (Including Loss).....	12621	7.26
2 = \$10,000 - \$19,999	16406	9.44
3 = \$20,000 - \$29,999	15119	8.70
4 = \$30,000 - \$39,999	15298	8.80
5 = \$40,000 - \$49,999	16290	9.37
6 = \$50,000 - \$74,999	25411	14.62
7 = \$75,000 or more.....	72663	41.81

[IIPINC3](#)

Len : 1 RECODE - RESP TOT INCOME - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	162139	93.29
3 = Statistically imputed data.....	11669	6.71

[IIFAMIN3](#)

Len : 1 RECODE - TOT FAM INCOME - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	154214	88.73
3 = Statistically imputed data.....	19594	11.27

RECODED INCOME

RECODED INCOME

NOTE: The variables in this section are recoded variables that were created from one or more of the edited or imputed variables from the two preceding sections.

The following variable, GOVTPROG, was created by examination of these government assistance program variables: Supplemental Security Income (IRFAMSSI), food stamps (IRFSTAMP), cash assistance (IRFAMPMT), and non-cash assistance (IRFAMSVS).

<u>GOVTPROG</u>	Len : 1 RC-PARTICIPATED IN ONE OR MORE GOVT ASSIST PROGRAMS		
		Freq	Pct
	1 = Yes (Any source variable=1)	39250	22.58
	2 = No (All source variables=2).....	134558	77.42

<u>INCOME</u>	Len : 1 RC-TOTAL FAMILY INCOME RECODE		
		Freq	Pct
	1 = Less than \$20,000	29027	16.70
	2 = \$20,000 - \$49,999	46707	26.87
	3 = \$50,000 - \$74,999	25411	14.62
	4 = \$75,000 or More	72663	41.81

The following variable, POVERTY3, indicates a person's family income relative to poverty thresholds. The U.S. Census Bureau assigns a poverty threshold for each combination of family size and number of children in the household. To be at 100% of the poverty threshold is equivalent to having a family income that is the same as the poverty threshold. A poverty level less than 100% indicates having a family income less than the poverty threshold and therefore defined by the Federal government as living in poverty. A poverty level greater than 100% indicates having a family income greater than the poverty threshold. The previously created variable POVERTY2, was created using the recoded version of family income that had a top-coded level of \$100,000 or more. Starting in 2015, the finer income questions were revised to expand the top level to include the responses \$100,000 - \$149,999 and \$150,000 or more. The variable POVERTY3 account for these additional income levels through the use of the finer family income variable. Despite these changes, POVERTY3 is considered comparable with POVERTY2.

POVERTY3 was created for each individual based on their poverty threshold (determined by their age, family size, the number of children in the household, and total family income). Since NSDUH only collects categorical values of family income, for each level of income, the midpoint of each range was assigned as the effective family income. The highest level of income, \$150,000 or more, was assigned a value of \$180,000. Prior to the questionnaire change in 2015 that expanded the top level of income categories, the highest level of income was \$100,000 or more and the assigned family income was \$120,000. Family income was divided by the poverty threshold and multiplied by 100 to show family income as a percentage of the federal poverty threshold. Respondents aged 18 to 22 currently living in a college dormitory (GQTYPE2='C') were set to system missing and do not have a valid value for this variable.

<u>POVERTY3</u>	Len : 1 RC-POVERTY LEVEL (% OF US CENSUS POVERTY THRESHOLD)		
		Freq	Pct
	. = Persons Aged 18-22 in a College Dorm (See comment above).....	79	0.05
	1 = Living in Poverty (See comment above).....	32234	18.55
	2 = Income Up to 2X Fed Pov Thresh (See comment above)	34583	19.90
	3 = Income More Than 2X Fed Pov Thresh (See comment above).....	106912	61.51

SPECIAL TOPICS

SPECIAL TOPICS

This note applies to variables in this section marked by a¹.

The next questions are about encounters with the police or the court system.

Not counting minor traffic violations, have you ever been arrested and booked for breaking the law?

Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.

<u>BOOKED</u> ¹	Len : 2	EVER ARRESTED AND BOOKED FOR BREAKING THE LAW		
			Freq	Pct
		1 = Yes.....	18326	10.54
		2 = No.....	152513	87.75
		3 = Yes LOGICALLY ASSIGNED.....	635	0.37
		85 = BAD DATA Logically assigned.....	18	0.01
		94 = DON'T KNOW.....	166	0.10
		97 = REFUSED.....	290	0.17
		98 = BLANK (NO ANSWER).....	1860	1.07

Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law?

<u>NOBOOKY2</u> ¹	Len : 3	# TIMES ARRESTED AND BOOKED PAST 12 MONTHS		
			Freq	Pct
		0 = None.....	15826	9.11
		1 = One time.....	1719	0.99
		2 = Two times.....	410	0.24
		3 = Three or more times.....	242	0.14
		985 = BAD DATA Logically assigned.....	23	0.01
		994 = DON'T KNOW.....	60	0.03
		997 = REFUSED.....	351	0.20
		998 = BLANK (NO ANSWER).....	2664	1.53
		999 = LEGITIMATE SKIP (BOOKED=2).....	152513	87.75

The next questions are about offenses that are against the law. As you read each question, please answer whether you were arrested and booked for that offense during the past 12 months.

In the past 12 months, were you arrested and booked for motor vehicle theft?

<u>BKMVTHFT</u> ¹	Len : 2	ARRSTD & BOOKED FOR MOT VEH THEFT PAST 12 MONTHS		
			Freq	Pct
		1 = Yes.....	128	0.07
		2 = No.....	2340	1.35
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		85 = BAD DATA Logically assigned.....	36	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	682	0.39
		97 = REFUSED.....	298	0.17
		98 = BLANK (NO ANSWER).....	2665	1.53
		99 = LEGITIMATE SKIP.....	167657	96.46

In the past 12 months, were you arrested and booked for larceny or theft? Do not include motor vehicle theft.

<u>BKLARCNY</u> ¹	Len : 2	ARRSTD & BOOKED FOR LARCENY/THEFT PAST 12 MONTHS		
			Freq	Pct
		1 = Yes.....	238	0.14
		2 = No.....	2202	1.27
		3 = Yes LOGICALLY ASSIGNED.....	28	0.02
		85 = BAD DATA Logically assigned.....	36	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	682	0.39
		94 = DON'T KNOW.....	3	0.00
		97 = REFUSED.....	297	0.17
		98 = BLANK (NO ANSWER).....	2665	1.53
		99 = LEGITIMATE SKIP.....	167657	96.46

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for burglary or breaking and entering?

<u>BKBURGL</u> ¹	Len : 2	ARRSTD & BOOKED FOR BURGLARY/B & E PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	116	0.07
		2 = No.....	2351	1.35
		3 = Yes LOGICALLY ASSIGNED.....	3	0.00
		85 = BAD DATA Logically assigned.....	36	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	682	0.39
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	296	0.17
		98 = BLANK (NO ANSWER).....	2665	1.53
		99 = LEGITIMATE SKIP.....	167657	96.46

NOTE: BKSRIOL was created from answers to the following questions:

In the past 12 months, were you arrested and booked for aggravated assault?

In the past 12 months, were you arrested and booked for forcible rape?

In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?

<u>BKSRIOL</u> ¹	Len : 2	ARRSTD & BOOKED SERIOUS VIOL OFFENSE PST 12 MOS		
			Freq	Pct
		1 = Yes.....	262	0.15
		2 = No.....	2199	1.27
		3 = Yes LOGICALLY ASSIGNED.....	7	0.00
		85 = BAD DATA Logically assigned.....	36	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	682	0.39
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	298	0.17
		98 = BLANK (NO ANSWER).....	2666	1.53
		99 = LEGITIMATE SKIP.....	167657	96.46

In the past 12 months, were you arrested and booked for other assault, such as simple assault or battery?

<u>BKSMASLT</u> ¹	Len : 2	ARRSTD & BOOKED FOR OTHER ASSAULT PAST 12 MONTHS		
			Freq	Pct
		1 = Yes.....	433	0.25
		2 = No.....	1974	1.14
		3 = Yes LOGICALLY ASSIGNED.....	62	0.04
		85 = BAD DATA Logically assigned.....	36	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	682	0.39
		94 = DON'T KNOW.....	3	0.00
		97 = REFUSED.....	296	0.17
		98 = BLANK (NO ANSWER).....	2665	1.53
		99 = LEGITIMATE SKIP.....	167657	96.46

In the past 12 months, were you arrested and booked for robbery?

<u>BKROB</u> ¹	Len : 2	ARRSTD & BOOKED FOR ROBBERY PAST 12 MONTHS		
			Freq	Pct
		1 = Yes.....	79	0.05
		2 = No.....	2390	1.38
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		85 = BAD DATA Logically assigned.....	36	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	682	0.39
		97 = REFUSED.....	296	0.17
		98 = BLANK (NO ANSWER).....	2666	1.53
		99 = LEGITIMATE SKIP.....	167657	96.46

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for arson?

BKARSON ¹	Len : 2	ARRSTD & BOOKED FOR ARSON PAST 12 MONTHS		
			Freq	Pct
		1 = Yes.....	24	0.01
		2 = No.....	2449	1.41
		85 = BAD DATA Logically assigned.....	36	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	682	0.39
		97 = REFUSED.....	294	0.17
		98 = BLANK (NO ANSWER).....	2666	1.53
		99 = LEGITIMATE SKIP.....	167657	96.46

In the past 12 months, were you arrested and booked for driving under the influence of alcohol or drugs?

BKDRVINF ¹	Len : 2	ARRSTD & BOOKED FOR DUI PAST 12 MONTHS		
			Freq	Pct
		1 = Yes.....	444	0.26
		2 = No.....	2013	1.16
		3 = Yes LOGICALLY ASSIGNED.....	14	0.01
		85 = BAD DATA Logically assigned.....	36	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	682	0.39
		97 = REFUSED.....	296	0.17
		98 = BLANK (NO ANSWER).....	2666	1.53
		99 = LEGITIMATE SKIP.....	167657	96.46

In the past 12 months, were you arrested and booked for drunkenness or other liquor law violations?

BKDRUNK ¹	Len : 2	ARRSTD & BOOKED FOR DRUNKENNESS PAST 12 MONTHS		
			Freq	Pct
		1 = Yes.....	226	0.13
		2 = No.....	2233	1.28
		3 = Yes LOGICALLY ASSIGNED.....	10	0.01
		85 = BAD DATA Logically assigned.....	36	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	682	0.39
		97 = REFUSED.....	298	0.17
		98 = BLANK (NO ANSWER).....	2666	1.53
		99 = LEGITIMATE SKIP.....	167657	96.46

In the past 12 months, were you arrested and booked for possession of tobacco?

BKPOSTOB ¹	Len : 2	ARRSTD & BOOKED FOR POSSES OF TOB PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	18	0.01
		2 = No.....	237	0.14
		85 = BAD DATA Logically assigned.....	7	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	29	0.02
		97 = REFUSED.....	40	0.02
		98 = BLANK (NO ANSWER).....	329	0.19
		99 = LEGITIMATE SKIP.....	173148	99.62

In the past 12 months, were you arrested and booked for possession, manufacture, or sale of drugs?

BKDRUG ¹	Len : 2	ARRSTD & BOOKED FOR POSSES/SALE DRUGS PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	354	0.20
		2 = No.....	2086	1.20
		3 = Yes LOGICALLY ASSIGNED.....	28	0.02
		85 = BAD DATA Logically assigned.....	36	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	682	0.39
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	298	0.17
		98 = BLANK (NO ANSWER).....	2666	1.53
		99 = LEGITIMATE SKIP.....	167657	96.46

SPECIAL TOPICS

NOTE: BKSEXNR was created from answers to the following questions:

In the past 12 months, were you arrested and booked for prostitution or commercialized sex?

In the past 12 months, were you arrested and booked for any other sexual offense, not including rape or prostitution?

<u>BKSEXNR</u> ¹	Len : 2	ARRSTD & BOOKED SEX OFFENSE EXCL RAPE PST 12 MOS		
			Freq	Pct
		1 = Yes.....	56	0.03
		2 = No.....	2413	1.39
		85 = BAD DATA Logically assigned.....	36	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	682	0.39
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	297	0.17
		98 = BLANK (NO ANSWER).....	2666	1.53
		99 = LEGITIMATE SKIP.....	167657	96.46

In the past 12 months, were you arrested and booked for fraud, possessing stolen goods, or vandalism?

<u>BKFRAUD</u> ¹	Len : 2	ARRSTD & BOOKED FOR FRAUD/STOL GOODS PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	99	0.06
		2 = No.....	2341	1.35
		3 = Yes LOGICALLY ASSIGNED.....	30	0.02
		85 = BAD DATA Logically assigned.....	36	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	682	0.39
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	295	0.17
		98 = BLANK (NO ANSWER).....	2666	1.53
		99 = LEGITIMATE SKIP.....	167657	96.46

NOTE: For the variable BKOTH, a code of 3 indicates that respondents did not originally answer "yes" to any of the questions about specific offenses for which they were arrested/booked in the past 12 months, including the question about "some other offense." However, these respondents subsequently specified a valid response for an offense in the past 12 months. A code of 5 in BKOTH indicates that respondents reported being arrested/booked at least once in the past 12 months but did not indicate at least one offense for which they were arrested in that period.

In the past 12 months, were you arrested and booked for some other offense besides these that have been named? Please do not include minor traffic violations.

<u>BKOTH</u> ¹	Len : 2	ARRSTD & BOOKED FOR SOME OTHER OFF PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	534	0.31
		2 = No.....	1518	0.87
		3 = Yes LOGICALLY ASSIGNED.....	243	0.14
		5 = Offense unknown.....	176	0.10
		85 = BAD DATA Logically assigned.....	35	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	682	0.39
		97 = REFUSED.....	297	0.17
		98 = BLANK (NO ANSWER).....	2666	1.53
		99 = LEGITIMATE SKIP.....	167657	96.46

SPECIAL TOPICS

[BKOTHOF2](#)¹

Len : 2 OTHER OFFENSE PAST 12 MONTHS - SPECIFY

	Freq	Pct
1 = Motor vehicle theft	2	0.00
2 = Larceny or theft	32	0.02
3 = Burglary or breaking and entering	4	0.00
4 = Serious violent offense.....	9	0.01
5 = Other assault, such as simple assault or battery.....	75	0.04
6 = Robbery	4	0.00
10 = Driving under the influence of alcohol or drugs.....	16	0.01
11 = Drunkenness or other liquor law violation	12	0.01
12 = Possession of tobacco	1	0.00
13 = Possession, manufacture, or sale of drugs	30	0.02
16 = Fraud, possessing stolen goods, vandalism	32	0.02
17 = Some other offense	35	0.02
18 = Weapons law violations	50	0.03
20 = Viol of court order/probation/parole, perjury	126	0.07
21 = Disorderly conduct.....	40	0.02
23 = All oth offns: crimes agnst persons/prprty/society	25	0.01
24 = Traffic violations	83	0.05
26 = Curfew/loitering/vagrancy violations.....	3	0.00
27 = Trespass of real property.....	21	0.01
28 = Runaway	3	0.00
29 = Family offenses, nonviolent.....	19	0.01
31 = Intimidation	12	0.01
36 = Possession of drug paraphernalia	8	0.00
38 = Evading/hindering/obstructing police	40	0.02
39 = False report/statement/alarm	3	0.00
45 = Child endangermnt/neglect/abandonmnt; abuse unspcfd	4	0.00
47 = Harassment; intimidation not specified.....	9	0.01
53 = Hit and run/leaving the scene of an accident.....	4	0.00
85 = BAD DATA Logically assigned.....	231	0.13
94 = DON'T KNOW	18	0.01
97 = REFUSED	329	0.19
98 = BLANK (NO ANSWER)	2671	1.54
99 = LEGITIMATE SKIP.....	169857	97.73

Were you on probation at any time during the past 12 months?

[PROBATON](#)¹

Len : 2 ON PROBATION AT ANY TIME PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	2287	1.32
2 = No.....	169186	97.34
85 = BAD DATA Logically assigned.....	24	0.01
94 = DON'T KNOW	266	0.15
97 = REFUSED	174	0.10
98 = BLANK (NO ANSWER)	1871	1.08

Were you on parole, supervised release, or other conditional release from prison at any time during the past 12 months?

[PAROLREL](#)¹

Len : 2 ON PAROLE/SUPRV RELEASE PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	966	0.56
2 = No.....	170611	98.16
85 = BAD DATA Logically assigned.....	32	0.02
94 = DON'T KNOW	157	0.09
97 = REFUSED	161	0.09
98 = BLANK (NO ANSWER)	1881	1.08

SPECIAL TOPICS

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol?

[DRVINALCO](#)

Len : 2 DROVE UNDER INFLUENCE OF ALCOHOL PST 12 MOS

	Freq	Pct
1 = Yes.....	9095	5.23
2 = No.....	91738	52.78
85 = BAD DATA Logically assigned.....	10	0.01
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	20884	12.02
94 = DON'T KNOW.....	52	0.03
97 = REFUSED.....	98	0.06
98 = BLANK (NO ANSWER).....	1948	1.12

During the past 12 months, have you driven a vehicle while you were under the influence of marijuana?

[DRVINMARJ](#)

Len : 2 DROVE UNDER INFLUENCE OF MARIJUANA PST 12 MOS

	Freq	Pct
1 = Yes.....	8539	4.91
2 = No.....	31354	18.04
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED MARIJUANA.....	96578	55.57
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	35906	20.66
94 = DON'T KNOW.....	22	0.01
97 = REFUSED.....	60	0.03
98 = BLANK (NO ANSWER).....	1342	0.77

During the past 12 months, have you driven a vehicle while you were under the influence of [COKEFILL]?

[DRVINCOCN](#)

Len : 2 DROVE UNDER INFLU OF COCAINE PST 12 MOS

	Freq	Pct
1 = Yes.....	608	0.35
2 = No.....	2635	1.52
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED COCAINE.....	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS.....	16496	9.49
94 = DON'T KNOW.....	6	0.00
97 = REFUSED.....	6	0.00
98 = BLANK (NO ANSWER).....	332	0.19

During the past 12 months, have you driven a vehicle while you were under the influence of heroin?

[DRVINHERN](#)

Len : 2 DROVE UNDER INFLUENCE OF HEROIN PAST 12 MOS

	Freq	Pct
1 = Yes.....	193	0.11
2 = No.....	380	0.22
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED HEROIN.....	170296	97.98
93 = DID NOT USE HEROIN IN THE PAST 12 MONTHS.....	2717	1.56
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	4	0.00
98 = BLANK (NO ANSWER).....	213	0.12

During the past 12 months, have you driven a vehicle while you were under the influence of [LSFILL]?

[DRVINHALL](#)

Len : 2 DROVE UNDER INFLU OF HALLUCINOGENS PAST 12 MOS

	Freq	Pct
1 = Yes.....	381	0.22
2 = No.....	5906	3.40
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED HALLUCINOGENS.....	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS.....	20537	11.82
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	6	0.00
98 = BLANK (NO ANSWER).....	999	0.57

SPECIAL TOPICS

During the past 12 months, have you driven a vehicle while you were under the influence of any inhalant?

[DRVININHL](#)

Len : 2 DROVE UNDER INFLUENCE OF INHALANTS PAST 12 MOS

	Freq	Pct
1 = Yes.....	54	0.03
2 = No.....	1974	1.14
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS.....	14129	8.13
94 = DON'T KNOW.....	4	0.00
97 = REFUSED.....	4	0.00
98 = BLANK (NO ANSWER).....	825	0.47

During the past 12 months, have you driven a vehicle while you were under the influence of methamphetamine?

[DRVINMETH](#)

Len : 2 DROVE UNDER INFLU OF METHAMPHETAMINE PAST 12 MOS

	Freq	Pct
1 = Yes.....	599	0.34
2 = No.....	837	0.48
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED METHAMPHETAMINE.....	165766	95.37
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS.....	6261	3.60
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	336	0.19

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol only?

[DRVINALON](#)

Len : 2 DROVE UNDER INFLUENCE OF ONLY ALCOHOL PST 12 MOS

	Freq	Pct
1 = Yes.....	2804	1.61
2 = No.....	330	0.19
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	20884	12.02
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	1321	0.76
99 = LEGITIMATE SKIP.....	98481	56.66

What is the maximum legal penalty in [STATE FILL FROM FIPE4] for first offense possession of an ounce or less of marijuana for your own use?

[MXMJPNLT¹](#)

Len : 2 MAX PENALTY FOR 1ST MJ POSS < OUNCE IN YOUR STATE

	Freq	Pct
1 = A fine.....	46827	26.94
2 = Probation.....	17384	10.00
3 = Community service.....	8439	4.86
4 = Possible prison sentence.....	28988	16.68
5 = Mandatory prison sentence.....	5107	2.94
6 = No penalty.....	36438	20.96
85 = BAD DATA Logically assigned.....	329	0.19
94 = DON'T KNOW.....	27563	15.86
97 = REFUSED.....	788	0.45
98 = BLANK (NO ANSWER).....	1945	1.12

RECODED SPECIAL TOPICS

RECODED SPECIAL TOPICS

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Codebook section in the main introduction of the codebook.

<u>DRVINALCO2</u>	Len : 1	RC-DROVE UNDER INFLUENCE OF ALCOHOL IN PAST YEAR		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (DRVINALCO=2,91,93,99)	2108	1.21
	1	= Yes (DRVINALCO=1).....	162605	93.55
			9095	5.23

<u>DRVINMARJ2</u>	Len : 1	RC-DROVE UNDER INFLUENCE OF MARIJUANA IN PAST YEAR		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (DRVINMARJ=2,91,93,99).....	1431	0.82
	1	= Yes (DRVINMARJ=1).....	163838	94.26
			8539	4.91

The following variable, DRVINDRG, was created by examination of this driving under the influence list of selected drugs: marijuana (DRVINMARJ), cocaine or crack (DRVINCOCN), heroin (DRVINHERN), hallucinogens (DRVINHALL), inhalants (DRVININHL), and methamphetamine (DRVINMETH).

<u>DRVINDRG</u>	Len : 1	RC-DROVE UNDER INFLUENCE OF SELECTED ILL DRUGS IN PAST YR		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (All source variables=2,91,93,99).....	3142	1.81
	1	= Yes (Any source variable=1)	161538	92.94
			9128	5.25

The following variable, DRVINDROTMJ, was created by examination of this driving under the influence list of selected drugs: cocaine or crack (DRVINCOCN), heroin (DRVINHERN), hallucinogens (DRVINHALL), inhalants (DRVININHL), and methamphetamine (DRVINMETH).

<u>DRVINDROTMJ</u>	Len : 1	RC-DROVE UNDER INFLUENCE OF SELECTED ILL DRG OTH MRJ IN PY		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (All source variables=2,91,93,99).....	2136	1.23
	1	= Yes (Any source variable=1)	170201	97.92
			1471	0.85

<u>DRVINALDRG</u>	Len : 1	RC-DROVE UNDER INFLUENCE OF ALC OR SELECTED ILL DRG IN PY		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (DRVINDRG=0 and DRVINALCO2=0).....	4452	2.56
	1	= Yes (DRVINDRG=1 or DRVINALCO2=1).....	154268	88.76
			15088	8.68

<u>PAROL</u>	Len : 1	RC-PAROLE/SUPERVISED RELEASE STATUS IN THE PAST YEAR		
	.	= Unknown Parole/Supervised Rel Status (Otherwise).....	Freq	Pct
	1	= On Parole/Supervised Release (PAROLREL=1)	2231	1.28
	2	= Not on Parole/Supervised Release (PAROLREL=2)	966	0.56
			170611	98.16

<u>PROB</u>	Len : 1	RC-PROBATION STATUS IN THE PAST YEAR		
	.	= Unknown Probation Status (Otherwise).....	Freq	Pct
	1	= On Probation (PROBATON=1).....	2335	1.34
	2	= Not on Probation (PROBATON=2).....	2287	1.32
			169186	97.34

NICOTINE

SUBSTANCE USE

NICOTINE

These questions are about cigarette smoking.

Have you ever smoked part or all of a cigarette?

CIGEVER	Len : 1	EVER SMOKED A CIGARETTE		
		1 = Yes.....	Freq	Pct
		2 = No.....	74166	42.67
			99642	57.33

How old were you the first time you smoked part or all of a cigarette?

CIGTRY	Len : 3	AGE WHEN FIRST SMOKED A CIGARETTE		
		RANGE = 1 - 74	Freq	Pct
		985 = BAD DATA Logically assigned	73562	42.32
		991 = NEVER USED CIGARETTES.....	264	0.15
		994 = DON'T KNOW	99642	57.33
		997 = REFUSED	266	0.15
			74	0.04

Did you first smoke part or all of a cigarette in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigarette in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigarette?

CIGYFU	Len : 4	YEAR OF FIRST CIGARETTE USE - RECODE		
		RANGE = 2019 - 2023	Freq	Pct
		9985 = BAD DATA Logically assigned	2209	1.27
		9989 = LEGITIMATE SKIP Logically assigned	268	0.15
		9991 = NEVER USED CIGARETTES.....	204	0.12
		9994 = DON'T KNOW	99642	57.33
		9997 = REFUSED	274	0.16
		9998 = BLANK (NO ANSWER).....	76	0.04
		9999 = LEGITIMATE SKIP.....	181	0.10
			70954	40.82

NICOTINE

In what month in [CURRENT YEAR] did you first smoke part or all of a cigarette?

In what month in [YEAR FROM CG04a or CG04b] did you first smoke part or all of a cigarette?

CIGMFU

Len : 2 MONTH OF FIRST CIGARETTE USE - RECODE

	Freq	Pct
1 = January.....	182	0.10
2 = February.....	130	0.07
3 = March.....	162	0.09
4 = April.....	155	0.09
5 = May.....	149	0.09
6 = June.....	221	0.13
7 = July.....	223	0.13
8 = August.....	192	0.11
9 = September.....	172	0.10
10 = October.....	215	0.12
11 = November.....	169	0.10
12 = December.....	132	0.08
85 = BAD DATA Logically assigned.....	267	0.15
89 = LEGITIMATE SKIP Logically assigned.....	204	0.12
91 = NEVER USED CIGARETTES.....	99642	57.33
94 = DON'T KNOW.....	370	0.21
97 = REFUSED.....	86	0.05
98 = BLANK (NO ANSWER).....	183	0.11
99 = LEGITIMATE SKIP.....	70954	40.82

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, that is, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigarette? How long has it been since you last smoked part or all of a cigarette?

CIGREC

Len : 2 TIME SINCE LAST SMOKED CIGARETTES

	Freq	Pct
1 = Within the past 30 days.....	21486	12.36
2 = More than 30 days ago but within the past 12 mos.....	6705	3.86
3 = More than 12 months ago but within the past 3 yrs.....	7634	4.39
4 = More than 3 years ago.....	37866	21.79
8 = Used at some point in the past 12 mos LOG ASSN.....	10	0.01
9 = Used at some point in the lifetime LOG ASSN.....	18	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	4	0.00
14 = Used more than 12 months ago LOG ASSN.....	218	0.13
19 = Used more than 30 days ago LOG ASSN.....	97	0.06
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN.....	118	0.07
39 = Used within the past 3 years LOGICALLY ASSIGNED.....	10	0.01
91 = NEVER USED CIGARETTES.....	99642	57.33

During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigarette?

CIG30USE

Len : 2 HOW MANY DAYS SMOKED CIG IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	21369	12.29
91 = NEVER USED CIGARETTES.....	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	52638	30.29
94 = DON'T KNOW.....	92	0.05
97 = REFUSED.....	25	0.01
98 = BLANK (NO ANSWER).....	42	0.02

NICOTINE

What is your best estimate of the number of days you smoked part or all of a cigarette during the past 30 days?

CG30EST

Len : 2 BEST EST. # DAYS SMOKED CIG PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	12	0.01
2 = 3 to 5 days.....	19	0.01
3 = 6 to 9 days.....	14	0.01
4 = 10 to 19 days.....	14	0.01
5 = 20 to 29 days.....	5	0.00
6 = All 30 days.....	34	0.02
91 = NEVER USED CIGARETTES.....	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	52638	30.29
94 = DON'T KNOW	9	0.01
97 = REFUSED	10	0.01
98 = BLANK (NO ANSWER)	42	0.02
99 = LEGITIMATE SKIP.....	21369	12.29

On the [CG07 days / CIGDKRE] you smoked cigarettes during the past 30 days, how many cigarettes did you smoke per day, on average?

CIG30AV

Len : 2 AVG # CIGS SMOKED PER DAY/ON DAY SMOKED

	Freq	Pct
1 = Less than one cigarette per day	2532	1.46
2 = 1 cigarette per day.....	2703	1.56
3 = 2 to 5 cigarettes per day	5696	3.28
4 = 6 to 15 cigarettes per day (about 1/2 pack).....	5726	3.29
5 = 16 to 25 cigarettes per day (about 1 pack).....	3643	2.10
6 = 26 to 35 cigarettes per day (about 1 1/2 packs).....	791	0.46
7 = More than 35 cigs per day (abt 2 packs or more).....	353	0.20
91 = NEVER USED CIGARETTES.....	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	52638	30.29
94 = DON'T KNOW	13	0.01
97 = REFUSED	20	0.01
98 = BLANK (NO ANSWER)	51	0.03

Note: Beginning in 2022, edited variables CIGMENTH30 and CIGROLL30 replace variables CIG30MEN and CIG30ROL due to questionnaire changes and associated changes in skip logic in 2022.

Were the cigarettes you smoked most often during the past 30 days menthol?

CIGMENTH30

Len : 2 MENTHOL CIGARETTES SMOKED MOST OFTEN IN PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	5943	3.42
2 = No.....	8070	4.64
91 = NEVER USED CIGARETTES.....	66481	38.25
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	35179	20.24
94 = DON'T KNOW	61	0.04
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER)	33	0.02

During the past 30 days, that is since [DATEFILL], have you smoked part or all of a roll-your-own tobacco cigarette?

CIGROLL30

Len : 2 SMOKED A ROLL-YOUR-OWN CIGARETTE IN THE PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	2461	1.42
2 = No.....	11601	6.67
91 = NEVER USED CIGARETTES.....	66481	38.25
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	35179	20.24
94 = DON'T KNOW	18	0.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	33	0.02

NICOTINE

Has there ever been a period in your life when you smoked cigarettes every day for at least 30 days?

CIGDLYMO

Len : 2 EVER SMOKED CIG EVERY DAY FOR 30 DAYS

	Freq	Pct
1 = Yes.....	25906	14.90
2 = No.....	36770	21.16
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	11456	6.59
91 = NEVER USED CIGARETTES.....	99642	57.33
94 = DON'T KNOW.....	23	0.01
97 = REFUSED	11	0.01

How old were you when you first started smoking cigarettes every day?

CIGAGE

Len : 3 AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY

	Freq	Pct
RANGE = 1 - 71.....	37185	21.39
985 = BAD DATA Logically assigned.....	19	0.01
991 = NEVER USED CIGARETTES.....	99642	57.33
994 = DON'T KNOW	134	0.08
997 = REFUSED	35	0.02
998 = BLANK (NO ANSWER).....	23	0.01
999 = LEGITIMATE SKIP (NEVER USED CIGS EVERYDAY)	36770	21.16

Did you first start smoking cigarettes every day in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first start smoking cigarettes every day in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first start smoking cigarettes every day?

CIGDLYFU

Len : 4 YEAR OF FIRST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
RANGE = 2019 - 2023	521	0.30
9985 = BAD DATA Logically assigned.....	32	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	63	0.04
9991 = NEVER USED CIGARETTES.....	99642	57.33
9994 = DON'T KNOW	134	0.08
9997 = REFUSED	35	0.02
9998 = BLANK (NO ANSWER).....	38	0.02
9999 = LEGITIMATE SKIP.....	73343	42.20

In what month in [CURRENT YEAR] did you first start smoking cigarettes every day?

In what month in [YEAR FROM CG16y1 or CG16y2] did you first start smoking cigarettes every day?

CIGDLMFU

Len : 2 MONTH OF FIRST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
1 = January.....	79	0.05
2 = February.....	37	0.02
3 = March.....	52	0.03
4 = April	39	0.02
5 = May.....	53	0.03
6 = June.....	42	0.02
7 = July	37	0.02
8 = August	41	0.02
9 = September.....	37	0.02
10 = October.....	39	0.02
11 = November	22	0.01
12 = December.....	28	0.02
85 = BAD DATA Logically assigned.....	32	0.02
89 = LEGITIMATE SKIP Logically assigned.....	63	0.04
91 = NEVER USED CIGARETTES.....	99642	57.33
94 = DON'T KNOW	147	0.08
97 = REFUSED	37	0.02
98 = BLANK (NO ANSWER)	38	0.02
99 = LEGITIMATE SKIP.....	73343	42.20

NICOTINE

Have you smoked at least 100 cigarettes in your entire life?

[CIG100LF](#)

Len : 2 HAVE YOU SMOKED 100 CIGS IN YOUR LIFE

	Freq	Pct
1 = Yes.....	31731	18.26
2 = No.....	32622	18.77
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	9670	5.56
91 = NEVER USED CIGARETTES.....	99642	57.33
94 = DON'T KNOW.....	123	0.07
97 = REFUSED.....	19	0.01

The next questions are about vaping nicotine with e-cigarettes or other vaping devices. These devices might also be called vapes, vape pens, or mods. When answering, please include any device that heats a liquid containing nicotine into a vapor.

Have you ever, even once, vaped nicotine with an e-cigarette or other vaping device?

[NICVAPEVER](#)

Len : 2 EVER VAPED NICOTINE WITH E-CIGARETTE OR OTHER VAPING DEVICE

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	34786	20.01
2 = No.....	80951	46.57
94 = DON'T KNOW.....	20	0.01
97 = REFUSED.....	17	0.01

How old were you the first time you vaped nicotine with an e-cigarette or other vaping device?

[NICVAPAGE](#)

Len : 3 AGE WHEN FIRST VAPED NICOTINE WITH E-CIG OR VAPING DEVICE

	Freq	Pct
RANGE = 1 - 80.....	33977	19.55
-9 = Data not collected for this year.....	58034	33.39
985 = BAD DATA Logically assigned.....	582	0.33
991 = NEVER VAPED NICOTINE.....	80951	46.57
994 = DON'T KNOW.....	170	0.10
997 = REFUSED.....	57	0.03
998 = BLANK (NO ANSWER).....	37	0.02

Did you first vape nicotine with an e-cigarette or other vaping device in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first vape nicotine with an e-cigarette or other vaping device in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

[NICVAPYFU](#)

Len : 4 YEAR FIRST VAPED NICOTINE W/ E-CIG OR VAPE DEVICE - RECODE

	Freq	Pct
RANGE = 2020 - 2023.....	4896	2.82
-9 = Data not collected for this year.....	58034	33.39
9985 = BAD DATA Logically assigned.....	1187	0.68
9989 = LEGITIMATE SKIP Logically assn.....	484	0.28
9991 = NEVER VAPED NICOTINE.....	80951	46.57
9994 = DON'T KNOW.....	190	0.11
9997 = REFUSED.....	64	0.04
9998 = BLANK (NO ANSWER).....	391	0.22
9999 = LEGITIMATE SKIP.....	27611	15.89

NICOTINE

In what month in [CURRENT YEAR] did you first vape nicotine with an e-cigarette or other vaping device?

In what month in [YEAR FROM VPFTYRa or VPFTYRb] did you first vape nicotine with an e-cigarette or other vaping device?

NICVAPMFU

Len : 2 MONTH FIRST VAPED NICOTINE W/ E-CIG OR VAPE DEVICE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = January.....	456	0.26
2 = February.....	317	0.18
3 = March.....	396	0.23
4 = April.....	360	0.21
5 = May.....	349	0.20
6 = June.....	449	0.26
7 = July.....	386	0.22
8 = August.....	425	0.24
9 = September.....	425	0.24
10 = October.....	393	0.23
11 = November.....	359	0.21
12 = December.....	274	0.16
85 = BAD DATA Logically assigned.....	1182	0.68
89 = LEGITIMATE SKIP Logically assn.....	484	0.28
91 = NEVER VAPED NICOTINE.....	80951	46.57
94 = DON'T KNOW.....	484	0.28
97 = REFUSED.....	77	0.04
98 = BLANK (NO ANSWER).....	396	0.23
99 = LEGITIMATE SKIP.....	27611	15.89

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, that is, from [DATEFILL] up to and including today. During the past 30 days, have you vaped nicotine with an e-cigarette or other vaping device?

How long has it been since you last vaped nicotine with an e-cigarette or other vaping device?

NICVAPREC

Len : 2 TIME SINCE LAST VAPED NICOTINE WITH E-CIG OR VAPING DEVICE

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 30 days.....	13943	8.02
2 = More than 30 days ago but within the past 12 mos.....	6134	3.53
3 = More than 12 months ago but within the past 3 yrs.....	5643	3.25
4 = More than 3 years ago.....	7641	4.40
9 = Used at some point in the lifetime LOG ASSN.....	22	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	46	0.03
14 = Used more than 12 months ago LOG ASSN.....	389	0.22
19 = Used more than 30 days ago LOG ASSN.....	199	0.11
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN.....	759	0.44
39 = Used within the past 3 years LOGICALLY ASSIGNED.....	10	0.01
91 = NEVER VAPED NICOTINE.....	80951	46.57
98 = BLANK (NO ANSWER).....	37	0.02

During the past 30 days, that is since [DATEFILL], on how many days did you vape nicotine with an e-cigarette or other vaping device?

NICVAP30N

Len : 2 # DAYS VAPED NICOTINE W/ E-CIG OR VAP DEVICE IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	13801	7.94
-9 = Data not collected for this year.....	58034	33.39
91 = NEVER VAPED NICOTINE.....	80951	46.57
93 = DID NOT VAPE NICOTINE IN THE PAST 30 DAYS.....	20765	11.95
94 = DON'T KNOW.....	123	0.07
97 = REFUSED.....	19	0.01
98 = BLANK (NO ANSWER).....	115	0.07

NICOTINE

The next questions are about your use of smokeless tobacco such as snuff, dip, chewing tobacco, or snus.

Have you ever, even once, used smokeless tobacco?

[SMKLSSEVR](#)

Len : 2 EVER USED SMOKELESS TOBACCO

	Freq	Pct
1 = Yes.....	20739	11.93
2 = No.....	152992	88.02
94 = DON'T KNOW.....	73	0.04
97 = REFUSED	4	0.00

How old were you the first time you used smokeless tobacco?

[SMKLSSTRY](#)

Len : 3 AGE WHEN FIRST USED SMOKELESS TOBACCO

	Freq	Pct
RANGE = 1 - 77.....	20461	11.77
985 = BAD DATA Logically assigned.....	120	0.07
991 = NEVER USED SMOKELESS TOBACCO.....	152992	88.02
994 = DON'T KNOW	132	0.08
997 = REFUSED	30	0.02
998 = BLANK (NO ANSWER).....	73	0.04

Did you first use smokeless tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use smokeless tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use smokeless tobacco?

[SMKLSSYFU](#)

Len : 4 YEAR OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023	927	0.53
9985 = BAD DATA Logically assigned.....	112	0.06
9989 = LEGITIMATE SKIP Logically assigned.....	78	0.04
9991 = NEVER USED SMOKELESS TOBACCO.....	152992	88.02
9994 = DON'T KNOW	134	0.08
9997 = REFUSED	30	0.02
9998 = BLANK (NO ANSWER).....	153	0.09
9999 = LEGITIMATE SKIP.....	19382	11.15

In what month in [CURRENT YEAR] did you first use smokeless tobacco?

In what month in [YEAR FROM CG26a or CG26b] did you first use smokeless tobacco?

[SMKLSSMFU](#)

Len : 2 MONTH OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
1 = January.....	78	0.04
2 = February.....	63	0.04
3 = March.....	81	0.05
4 = April	67	0.04
5 = May.....	64	0.04
6 = June.....	107	0.06
7 = July	86	0.05
8 = August	90	0.05
9 = September.....	81	0.05
10 = October.....	63	0.04
11 = November	59	0.03
12 = December.....	53	0.03
85 = BAD DATA Logically assigned.....	110	0.06
89 = LEGITIMATE SKIP Logically assigned.....	78	0.04
91 = NEVER USED "smokeless" tobacco	152992	88.02
94 = DON'T KNOW	166	0.10
97 = REFUSED	33	0.02
98 = BLANK (NO ANSWER)	155	0.09
99 = LEGITIMATE SKIP.....	19382	11.15

NICOTINE

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days -- that is, from [DATEFILL] up to and including today. During the past 30 days, have you used smokeless tobacco, even once?

How long has it been since you last used smokeless tobacco?

[SMKLSSREC](#)

Len : 2 TIME SINCE LAST USED SMOKELESS TOBACCO

	Freq	Pct
1 = Within the past 30 days.....	3934	2.26
2 = More than 30 days ago but within the past 12 mos	1683	0.97
3 = More than 12 months ago but within the past 3 yrs.....	2264	1.30
4 = More than 3 years ago.....	12657	7.28
8 = Used at some point in the past 12 mos LOG ASSN.....	1	0.00
9 = Used at some point in the lifetime LOG ASSN.....	13	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	3	0.00
14 = Used more than 12 months ago LOG ASSN.....	94	0.05
19 = Used more than 30 days ago LOG ASSN	48	0.03
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	41	0.02
39 = Used within the past 3 years LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED SMOKELESS TOBACCO.....	152992	88.02
97 = REFUSED	4	0.00
98 = BLANK (NO ANSWER)	73	0.04

During the past 30 days, that is since [DATEFILL], on how many days did you use smokeless tobacco?

[SMKLSS30N](#)

Len : 2 HOW MANY DAYS USED SMOKELESS TOBACCO PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	3902	2.25
91 = NEVER USED SMOKELESS TOBACCO.....	152992	88.02
93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS	16787	9.66
94 = DON'T KNOW	26	0.01
97 = REFUSED	10	0.01
98 = BLANK (NO ANSWER)	91	0.05

What is your best estimate of the number of days you used smokeless tobacco during the past 30 days?

[SMKLSS30E](#)

Len : 2 BEST EST. HOW MANY DAYS USED SMKLSS TOB PST 30 DYS

	Freq	Pct
1 = 1 or 2 days	12	0.01
2 = 3 to 5 days.....	2	0.00
3 = 6 to 9 days.....	2	0.00
4 = 10 to 19 days.....	3	0.00
5 = 20 to 29 days.....	2	0.00
6 = All 30 days.....	6	0.00
91 = NEVER USED SMOKELESS TOBACCO.....	152992	88.02
93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS	16787	9.66
94 = DON'T KNOW	4	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	91	0.05
99 = LEGITIMATE SKIP.....	3902	2.25

The next questions are about smoking cigars made only of tobacco, such as cigarillos, big cigars, and little cigars that look like cigarettes.

Have you ever, even once, smoked part or all of a cigar or cigarillo?

[CIGAREVR](#)

Len : 2 EVER SMOKED PART OR ALL OF CIGAR

	Freq	Pct
1 = Yes.....	44326	25.50
2 = No.....	129438	74.47
94 = DON'T KNOW	41	0.02
97 = REFUSED	3	0.00

NICOTINE

How old were you the first time you smoked part or all of a cigar or cigarillo?

CIGARTRY

Len : 3 AGE WHEN FIRST SMOKED CIGAR

	Freq	Pct
RANGE = 1 - 75	43728	25.16
985 = BAD DATA Logically assigned	243	0.14
991 = NEVER USED CIGARS	129438	74.47
994 = DON'T KNOW	325	0.19
997 = REFUSED	33	0.02
998 = BLANK (NO ANSWER).....	41	0.02

Did you first smoke part or all of a cigar or cigarillo in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigar or cigarillo in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar or cigarillo?

CIGARYFU

Len : 4 YEAR OF FIRST CIGAR USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023	2253	1.30
9985 = BAD DATA Logically assigned	280	0.16
9989 = LEGITIMATE SKIP Logically assigned	166	0.10
9991 = NEVER USED CIGARS	129438	74.47
9994 = DON'T KNOW	332	0.19
9997 = REFUSED	33	0.02
9998 = BLANK (NO ANSWER).....	183	0.11
9999 = LEGITIMATE SKIP	41123	23.66

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar or cigarillo?

In what month in [YEAR FROM CG35a or CG35b] did you first smoke part or all of a cigar or cigarillo?

CIGARMFU

Len : 2 MONTH OF FIRST CIGAR USE - RECODE

	Freq	Pct
1 = January.....	174	0.10
2 = February.....	132	0.08
3 = March.....	171	0.10
4 = April	140	0.08
5 = May.....	208	0.12
6 = June.....	267	0.15
7 = July	259	0.15
8 = August	203	0.12
9 = September	162	0.09
10 = October	164	0.09
11 = November	145	0.08
12 = December.....	141	0.08
85 = BAD DATA Logically assigned	276	0.16
89 = LEGITIMATE SKIP Logically assigned	166	0.10
91 = NEVER USED CIGARS	129438	74.47
94 = DON'T KNOW	415	0.24
97 = REFUSED	37	0.02
98 = BLANK (NO ANSWER)	187	0.11
99 = LEGITIMATE SKIP	41123	23.66

NICOTINE

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigar or cigarillo?

How long has it been since you last smoked part or all of a cigar or cigarillo?

CIGARREC

Len : 2 TIME SINCE LAST SMOKED CIGAR

	Freq	Pct
1 = Within the past 30 days.....	6312	3.63
2 = More than 30 days ago but within the past 12 mos	5896	3.39
3 = More than 12 months ago but within the past 3 yrs.....	6993	4.02
4 = More than 3 years ago.....	24720	14.22
8 = Used at some point in the past 12 mos LOG ASSN.....	7	0.00
9 = Used at some point in the lifetime LOG ASSN.....	21	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	3	0.00
14 = Used more than 12 months ago LOG ASSN.....	173	0.10
19 = Used more than 30 days ago LOG ASSN	76	0.04
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	124	0.07
39 = Used within the past 3 years LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED CIGARS	129438	74.47
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	41	0.02

During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigar or cigarillo?

CGR30USE

Len : 2 HOW MANY DAYS SMOKED CIGAR IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	6263	3.60
91 = NEVER USED CIGARS	129438	74.47
93 = DID NOT USE CIGARS IN THE PAST 30 DAYS	37982	21.85
94 = DON'T KNOW	39	0.02
97 = REFUSED	13	0.01
98 = BLANK (NO ANSWER)	73	0.04

What is your best estimate of the number of days you smoked part or all of a cigar or cigarillo during the past 30 days?

CI30EST

Len : 2 BEST EST. # DAYS SMOKED CIGAR PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	11	0.01
2 = 3 to 5 days.....	8	0.00
3 = 6 to 9 days.....	7	0.00
4 = 10 to 19 days.....	7	0.00
5 = 20 to 29 days.....	3	0.00
6 = All 30 days.....	3	0.00
91 = NEVER USED CIGARS	129438	74.47
93 = DID NOT USE CIGARS IN THE PAST 30 DAYS	37982	21.85
94 = DON'T KNOW	6	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER)	73	0.04
99 = LEGITIMATE SKIP.....	6263	3.60

These last questions on tobacco products are about using a pipe to smoke tobacco.

Have you ever, even onced, smoked tobacco in a pipe?

PIPEVER

Len : 2 EVER SMOKED PIPE TOBACCO

	Freq	Pct
1 = Yes.....	12789	7.36
2 = No	160991	92.63
94 = DON'T KNOW	26	0.01
97 = REFUSED	2	0.00

NICOTINE

During the past 30 days, that is since [DATEFILL], have you smoked tobacco in a pipe, even once?

[PIPE30DY](#)

Len : 2 HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS

	Freq	Pct
1 = Yes.....	1141	0.66
2 = No.....	11641	6.70
91 = NEVER USED PIPE TOBACCO.....	160991	92.63
94 = DON'T KNOW.....	5	0.00
97 = REFUSED	4	0.00
98 = BLANK (NO ANSWER)	26	0.01

NICOTINE DEPENDENCE

NICOTINE DEPENDENCE

This note applies to variables in this section marked by a¹.

Think about your use of cigarettes during the past 30 days as you answer these next questions.

Please think about how true each statement is of you.

After not smoking for a while, you need to smoke in order to feel less restless and irritable.

CIGIRTLB¹

Len : 2 NEED TO SMOKE TO FEEL LESS IRRITABLE

	Freq	Pct
1 = Not at all true	5832	3.36
2 = Somewhat true	4865	2.80
3 = Moderately true	3958	2.28
4 = Very true	3909	2.25
5 = Extremely true	2573	1.48
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED CIGARETTES	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52638	30.29
94 = DON'T KNOW	52	0.03
97 = REFUSED	42	0.02
98 = BLANK (NO ANSWER)	290	0.17

When you don't smoke for a few hours, you start to crave cigarettes.

CIGCRAVE¹

Len : 2 START TO CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS

	Freq	Pct
1 = Not at all true	6262	3.60
2 = Somewhat true	4561	2.62
3 = Moderately true	3186	1.83
4 = Very true	4166	2.40
5 = Extremely true	2987	1.72
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED CIGARETTES	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52638	30.29
94 = DON'T KNOW	29	0.02
97 = REFUSED	36	0.02
98 = BLANK (NO ANSWER)	294	0.17

You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control.

CIGCRAGP¹

Len : 2 CRAVING OF CIGS LIKE STRONG FORCE CAN'T CONTROL

	Freq	Pct
1 = Not at all true	8883	5.11
2 = Somewhat true	4206	2.42
3 = Moderately true	3096	1.78
4 = Very true	2942	1.69
5 = Extremely true	2021	1.16
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED CIGARETTES	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52638	30.29
94 = DON'T KNOW	34	0.02
97 = REFUSED	39	0.02
98 = BLANK (NO ANSWER)	300	0.17

NICOTINE DEPENDENCE

You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time.

CIGINCTL¹

Len : 2 FEEL A SENSE OF CONTROL OVER YOUR SMOKING

	Freq	Pct
1 = Not at all true	5918	3.40
2 = Somewhat true	5570	3.20
3 = Moderately true	3537	2.04
4 = Very true	2915	1.68
5 = Extremely true	3180	1.83
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED CIGARETTES	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52638	30.29
94 = DON'T KNOW	47	0.03
97 = REFUSED	46	0.03
98 = BLANK (NO ANSWER)	307	0.18

You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them.

CIGAVOID¹

Len : 2 TEND TO AVOID PLACES THAT DON'T ALLOW SMOKING

	Freq	Pct
1 = Not at all true	14072	8.10
2 = Somewhat true	3034	1.75
3 = Moderately true	2020	1.16
4 = Very true	1188	0.68
5 = Extremely true	799	0.46
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED CIGARETTES	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52638	30.29
94 = DON'T KNOW	53	0.03
97 = REFUSED	44	0.03
98 = BLANK (NO ANSWER)	310	0.18

Do you have any friends who do not smoke cigarettes?

CIGFNSMK¹

Len : 2 HAVE FRIENDS WHO DO NOT SMOKE CIGARETTES

	Freq	Pct
1 = Yes	19430	11.18
2 = No	1726	0.99
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED CIGARETTES	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52638	30.29
94 = DON'T KNOW	24	0.01
97 = REFUSED	29	0.02
98 = BLANK (NO ANSWER)	311	0.18

Think about your use of cigarettes during the past 30 days as you answer these next questions.

There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke.

CIGFNLKE¹

Len : 2 CHOOSE NOT TO BE AROUND FRIENDS WHO DON'T SMOKE

	Freq	Pct
1 = Not at all true	15100	8.69
2 = Somewhat true	2091	1.20
3 = Moderately true	1137	0.65
4 = Very true	656	0.38
5 = Extremely true	393	0.23
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED CIGARETTES	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52638	30.29
94 = DON'T KNOW	22	0.01
97 = REFUSED	53	0.03
98 = BLANK (NO ANSWER)	343	0.20
99 = LEGITIMATE SKIP	1726	0.99

NICOTINE DEPENDENCE

Think about your use of cigarettes during the past 30 days as you answer these next questions.

Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke.

CIGPLANE¹

Len : 2 RATHER NOT TRAVEL BY AIRPLANE B/C NO SMOKING

	Freq	Pct
1 = Not at all true	16829	9.68
2 = Somewhat true	1834	1.06
3 = Moderately true.....	1002	0.58
4 = Very true.....	740	0.43
5 = Extremely true	690	0.40
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED CIGARETTES.....	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	52638	30.29
94 = DON'T KNOW	53	0.03
97 = REFUSED	50	0.03
98 = BLANK (NO ANSWER)	322	0.19

You sometimes worry that you will run out of cigarettes.

CIGRNOUT¹

Len : 2 SOMETIMES WORRY THAT YOU WILL RUN OUT OF CIGS

	Freq	Pct
1 = Not at all true	11379	6.55
2 = Somewhat true	4528	2.61
3 = Moderately true.....	2136	1.23
4 = Very true.....	1821	1.05
5 = Extremely true	1265	0.73
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED CIGARETTES.....	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	52638	30.29
94 = DON'T KNOW	25	0.01
97 = REFUSED	42	0.02
98 = BLANK (NO ANSWER)	324	0.19

You smoke cigarettes fairly regularly throughout the day.

CIGREGDY¹

Len : 2 SMOKE CIGS FAIRLY REGULARLY THROUGHOUT THE DAY

	Freq	Pct
1 = Not at all true	7293	4.20
2 = Somewhat true	3779	2.17
3 = Moderately true.....	2769	1.59
4 = Very true.....	3955	2.28
5 = Extremely true	3334	1.92
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED CIGARETTES.....	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	52638	30.29
94 = DON'T KNOW	23	0.01
97 = REFUSED	41	0.02
98 = BLANK (NO ANSWER)	326	0.19

You smoke about the same amount on weekends as on weekdays.

CIGREGWK¹

Len : 2 SMOKE SAME AMOUNT ON WEEKENDS AS ON WEEKDAYS

	Freq	Pct
1 = Not at all true	6309	3.63
2 = Somewhat true	3609	2.08
3 = Moderately true.....	2955	1.70
4 = Very true.....	4731	2.72
5 = Extremely true	3496	2.01
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED CIGARETTES.....	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	52638	30.29
94 = DON'T KNOW	44	0.03
97 = REFUSED	48	0.03
98 = BLANK (NO ANSWER)	328	0.19

NICOTINE DEPENDENCE

You smoke just about the same number of cigarettes from day to day.

[CIGREGNM¹](#)

Len : 2 SMOKE SAME NUMBER OF CIGS FROM DAY TO DAY

	Freq	Pct
1 = Not at all true	5881	3.38
2 = Somewhat true	3633	2.09
3 = Moderately true	3057	1.76
4 = Very true	5018	2.89
5 = Extremely true	3509	2.02
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED CIGARETTES	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52638	30.29
94 = DON'T KNOW	44	0.03
97 = REFUSED	45	0.03
98 = BLANK (NO ANSWER)	333	0.19

It's hard to say how many cigarettes you smoke per day because the number often changes.

[CIGNMCHG¹](#)

Len : 2 NUMBER OF CIGS SMOKE PER DAY OFTEN CHANGES

	Freq	Pct
1 = Not at all true	8340	4.80
2 = Somewhat true	5154	2.97
3 = Moderately true	2879	1.66
4 = Very true	2781	1.60
5 = Extremely true	1934	1.11
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED CIGARETTES	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52638	30.29
94 = DON'T KNOW	49	0.03
97 = REFUSED	46	0.03
98 = BLANK (NO ANSWER)	337	0.19

It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later.

[CIGSVLHR¹](#)

Len : 2 HAVE MANY CIGS IN HR, THEN NO CIGS TIL HRS LATER

	Freq	Pct
1 = Not at all true	10977	6.32
2 = Somewhat true	4132	2.38
3 = Moderately true	2799	1.61
4 = Very true	2007	1.15
5 = Extremely true	1164	0.67
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED CIGARETTES	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52638	30.29
94 = DON'T KNOW	52	0.03
97 = REFUSED	49	0.03
98 = BLANK (NO ANSWER)	340	0.20

The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example.

[CIGINFLU¹](#)

Len : 2 # OF CIGS SMOKE PER DAY INFLUENCED BY OTHER THINGS

	Freq	Pct
1 = Not at all true	4585	2.64
2 = Somewhat true	4498	2.59
3 = Moderately true	4110	2.36
4 = Very true	4484	2.58
5 = Extremely true	3403	1.96
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED CIGARETTES	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52638	30.29
94 = DON'T KNOW	38	0.02
97 = REFUSED	54	0.03
98 = BLANK (NO ANSWER)	348	0.20

NICOTINE DEPENDENCE

Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others.

[CIGNOINF](#)¹

Len : 2 SMOKING NOT AFFECTED BY OTHER THINGS

	Freq	Pct
1 = Not at all true	7295	4.20
2 = Somewhat true	5318	3.06
3 = Moderately true	3906	2.25
4 = Very true	2829	1.63
5 = Extremely true	1692	0.97
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED CIGARETTES	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52638	30.29
94 = DON'T KNOW	63	0.04
97 = REFUSED	58	0.03
98 = BLANK (NO ANSWER)	359	0.21

Since you started smoking, the amount you smoke has increased.

[CIGINCRS](#)¹

Len : 2 AMOUNT OF SMOKING HAS INCR. SINCE STARTED SMOKING

	Freq	Pct
1 = Not at all true	8046	4.63
2 = Somewhat true	4292	2.47
3 = Moderately true	3050	1.75
4 = Very true	3205	1.84
5 = Extremely true	2471	1.42
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED CIGARETTES	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52638	30.29
94 = DON'T KNOW	42	0.02
97 = REFUSED	52	0.03
98 = BLANK (NO ANSWER)	362	0.21

Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied.

[CIGSATIS](#)¹

Len : 2 NEED TO SMOKE A LOT MORE TO BE SATISFIED

	Freq	Pct
1 = Not at all true	11138	6.41
2 = Somewhat true	3903	2.25
3 = Moderately true	2688	1.55
4 = Very true	1876	1.08
5 = Extremely true	1446	0.83
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED CIGARETTES	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52638	30.29
94 = DON'T KNOW	49	0.03
97 = REFUSED	49	0.03
98 = BLANK (NO ANSWER)	371	0.21

Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything.

[CIGLOTMR](#)¹

Len : 2 SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING

	Freq	Pct
1 = Not at all true	11398	6.56
2 = Somewhat true	4120	2.37
3 = Moderately true	2613	1.50
4 = Very true	1670	0.96
5 = Extremely true	1215	0.70
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED CIGARETTES	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52638	30.29
94 = DON'T KNOW	72	0.04
97 = REFUSED	55	0.03
98 = BLANK (NO ANSWER)	377	0.22

NICOTINE DEPENDENCE

How soon after you wake up do you have your first cigarette?

On the days that you smoke, how soon after you wake up do you have your first cigarette?

CIGWAKE¹

Len : 2 HOW SOON AFTER WAKING DO YOU HAVE YOUR FIRST CIG

	Freq	Pct
1 = Within the first 5 minutes after you wake up	4233	2.44
2 = Between 6 and 30 minutes after you wake up	5690	3.27
3 = Between 31 and 60 minutes after you wake up	3399	1.96
4 = More than 60 minutes after you wake up	7328	4.22
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED CIGARETTES	99642	57.33
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52638	30.29
94 = DON'T KNOW	257	0.15
97 = REFUSED	220	0.13
98 = BLANK (NO ANSWER)	393	0.23

NOTE: The following dependence variables were defined based on the dependence criteria according to the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND) for respondents who smoked cigarettes in the past month (i.e., CIGMON=1). The NDSS criteria for dependence was based on 17 questions pertaining to five aspects of dependence. Based on the NDSS, a respondent was defined as having nicotine dependence, NDSSDEPND=1, if the sum of the valid responses (based on actual reporting) was greater than or equal to 46.75. The FTND measure is defined by assessing how soon after waking a respondent had their first cigarette (CIGWAKE). Based on the FTND scale, a respondent was defined as having nicotine dependence, FTNDDEPND=1, if the first cigarette was smoked within 30 minutes of waking up on the days they smoked (CIGWAKE=1 or 2) and the respondent smoked cigarettes in the past month (CIGMON=1). Based on the NDSS and the FTND, a respondent who smoked cigarettes in the past month was defined as having nicotine dependence, PMNICDEP=1, if they met either the NDSS or the FTND criteria for dependence. Specific details are provided in the Nicotine Dependence and Substance Use Disorder appendix.

NDSSDEPND¹

Len : 1 NICOTINE DEPENDENCE BASED ON NDSS SCORE

	Freq	Pct
. = Unknown (Otherwise)	470	0.27
0 = No	12982	7.47
1 = Yes	8051	4.63
9 = DID NOT USE CIGARETTES IN THE PAST MONTH	152305	87.63

FTNDDEPND¹

Len : 1 NICOTINE DEPENDENCE BASED ON FTND SCALE

	Freq	Pct
. = Unknown (Otherwise)	853	0.49
0 = No	10727	6.17
1 = Yes	9923	5.71
9 = DID NOT USE CIGARETTES IN THE PAST MONTH	152305	87.63

PMNICDEP¹

Len : 1 NICOTINE DEPENDENCE IN PAST MONTH

	Freq	Pct
. = Unknown (Otherwise)	856	0.49
0 = No	8761	5.04
1 = Yes	11886	6.84
9 = DID NOT USE CIGARETTES IN THE PAST MONTH	152305	87.63

IMPUTED NICOTINE DEPENDENCE

IMPUTED NICOTINE DEPENDENCE

NOTE: The following variable, IRPMNICDEP, is the imputation-revised version of the nicotine dependence variable (PMNICDEP) derived from the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND). Based on the NDSS and the FTND, a respondent who smoked cigarettes in the past month was defined as having nicotine dependence if they met either the NDSS or the FTND criteria for dependence. Specific details are provide in the Nicotine Dependence and Substance Use Disorder appendix.

<u>IRPMNICDEP</u>	Len : 1	NICOTINE DEPENDENCE IN PAST MONTH - IMPUTATION REVISED		
			Freq	Pct
	0 = No.....		161461	92.90
	1 = Yes.....		12347	7.10

<u>IIPMNICDEP</u>	Len : 1	NICOTINE DEPENDENCE IN PAST MONTH - IMPUTATION INDICATOR		
			Freq	Pct
	1 = Questionnaire data		172494	99.24
	2 = Logically assigned data.....		433	0.25
	3 = Statistically imputed data.....		881	0.51

ALCOHOL

ALCOHOL

These questions are about drinks of alcoholic beverages. Throughout these questions, by a "drink" we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.

Have you ever, even once, had a drink of any type of alcoholic beverage? Please do not include times when you only had a sip or two from a drink.

ALCEVER

Len : 2 EVER HAD DRINK OF ALCOHOLIC BEVERAGE

	Freq	Pct
1 = Yes.....	123763	71.21
2 = No.....	49983	28.76
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW.....	43	0.02
97 = REFUSED.....	17	0.01

Think about the first time you had a drink of an alcoholic beverage. How old were you the first time you had a drink of an alcoholic beverage?
Please do not include any time when you only had a sip or two from a drink.

ALCTRY

Len : 3 AGE WHEN FIRST DRANK ALCOHOLIC BEVERAGE

	Freq	Pct
RANGE = 1 - 89.....	122578	70.52
985 = BAD DATA Logically assigned.....	230	0.13
991 = NEVER USED ALCOHOL.....	49983	28.76
994 = DON'T KNOW.....	766	0.44
997 = REFUSED.....	208	0.12
998 = BLANK (NO ANSWER).....	43	0.02

Did you first have a drink of an alcoholic beverage in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have a drink of an alcoholic beverage in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have a drink of an alcoholic beverage?

ALCYFU

Len : 4 YEAR OF FIRST ALCOHOL USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	7754	4.46
9985 = BAD DATA Logically assigned.....	574	0.33
9989 = LEGITIMATE SKIP Logically assigned.....	364	0.21
9991 = NEVER USED ALCOHOL.....	49983	28.76
9994 = DON'T KNOW.....	802	0.46
9997 = REFUSED.....	216	0.12
9998 = BLANK (NO ANSWER).....	63	0.04
9999 = LEGITIMATE SKIP.....	114052	65.62

ALCOHOL

In what month in [CURRENT YEAR] did you first have a drink of an alcoholic beverage?

In what month in [YEAR FROM AL02a or AL02b] did you first have a drink of an alcoholic beverage?

ALCMFU

Len : 2 MONTH OF FIRST ALCOHOL USE - RECODE

	Freq	Pct
1 = January.....	668	0.38
2 = February.....	411	0.24
3 = March.....	527	0.30
4 = April.....	466	0.27
5 = May.....	596	0.34
6 = June.....	868	0.50
7 = July.....	899	0.52
8 = August.....	567	0.33
9 = September.....	509	0.29
10 = October.....	625	0.36
11 = November.....	524	0.30
12 = December.....	761	0.44
85 = BAD DATA Logically assigned.....	574	0.33
89 = LEGITIMATE SKIP Logically assigned.....	364	0.21
91 = NEVER USED ALCOHOL.....	49983	28.76
94 = DON'T KNOW.....	1121	0.64
97 = REFUSED.....	230	0.13
98 = BLANK (NO ANSWER).....	63	0.04
99 = LEGITIMATE SKIP.....	114052	65.62

How long has it been since you last drank an alcoholic beverage?

ALCREC

Len : 2 TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE

	Freq	Pct
1 = Within the past 30 days.....	76751	44.16
2 = More than 30 days ago but within the past 12 mos.....	24524	14.11
3 = More than 12 months ago.....	20884	12.02
8 = Used at some point in the past 12 mos LOG ASSN.....	1039	0.60
9 = Used at some point in the lifetime LOG ASSN.....	539	0.31
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	26	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL.....	49983	28.76
97 = REFUSED.....	17	0.01
98 = BLANK (NO ANSWER).....	43	0.02

ALCYRTOT

Len : 3 TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365.....	101493	58.39
985 = BAD DATA Logically assigned.....	281	0.16
991 = NEVER USED ALCOHOL.....	49983	28.76
993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	20884	12.02
994 = DON'T KNOW.....	459	0.26
997 = REFUSED.....	126	0.07
998 = BLANK (NO ANSWER).....	582	0.33

ALTOTFG

Len : 2 TRIMMING INDICATOR FOR ALCYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing).....	17	0.01
2 = Trimmed relative to the 30-day freq.....	983	0.57
3 = Trimmed relative to estimated 30-day freq.....	1	0.00
98 = BLANK (NO ANSWER).....	172807	99.42

ALFQFLG

Len : 2 TRIMMED ALCYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use.....	1519	0.87
98 = BLANK (NO ANSWER).....	172289	99.13

ALCOHOL

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.

What would be the easiest way for you to tell us how many days you drank alcoholic beverages?

ALBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL

	Freq	Pct
1 = Prefer to answer in days per week.....	35504	20.43
2 = Prefer to answer in days per month.....	35863	20.63
3 = Prefer to answer in days per year.....	29452	16.95
11 = Prefer to ans in days per wk LOG ASSN.....	109	0.06
12 = Prefer to ans in days per mo LOG ASSN.....	169	0.10
13 = Prefer to ans in days per yr LOG ASSN.....	735	0.42
85 = BAD DATA Logically assigned.....	274	0.16
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	20884	12.02
94 = DON'T KNOW.....	183	0.11
97 = REFUSED.....	70	0.04
98 = BLANK (NO ANSWER).....	582	0.33

On how many days in the past 12 months did you drink an alcoholic beverage?

ALDAYPYR

Len : 3 NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 366.....	30112	17.32
985 = BAD DATA Logically assigned.....	119	0.07
989 = LEGITIMATE SKIP Logically assigned.....	288	0.17
991 = NEVER USED ALCOHOL.....	49983	28.76
993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	20884	12.02
994 = DON'T KNOW.....	260	0.15
997 = REFUSED.....	63	0.04
998 = BLANK (NO ANSWER).....	742	0.43
999 = LEGITIMATE SKIP.....	71357	41.06

On average, how many days did you drink an alcoholic beverage each month during the past 12 months?

ALDAYPMO

Len : 2 # DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31.....	35938	20.68
85 = BAD DATA Logically assigned.....	68	0.04
89 = LEGITIMATE SKIP Logically assigned.....	111	0.06
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	20884	12.02
94 = DON'T KNOW.....	327	0.19
97 = REFUSED.....	88	0.05
98 = BLANK (NO ANSWER).....	795	0.46
99 = LEGITIMATE SKIP.....	65614	37.75

On average, how many days did you drink an alcoholic beverage each week during the past 12 months?

ALDAYPWK

Len : 2 # DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7.....	35443	20.39
85 = BAD DATA Logically assigned.....	95	0.05
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	20884	12.02
94 = DON'T KNOW.....	457	0.26
97 = REFUSED.....	126	0.07
98 = BLANK (NO ANSWER).....	770	0.44
99 = LEGITIMATE SKIP.....	66050	38.00

ALCOHOL

Think specifically about the past 30 days, from [DATEFILL], up to and including today. During the past 30 days, on how many days did you drink one or more drinks of an alcoholic beverage?

ALCDAYS

Len : 2 # DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	75903	43.67
85 = BAD DATA Logically assigned	1352	0.78
91 = NEVER USED ALCOHOL	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	45408	26.13
94 = DON'T KNOW	298	0.17
97 = REFUSED	94	0.05
98 = BLANK (NO ANSWER)	770	0.44

What is your best estimate of the number of days you drank alcohol during the past 30 days?

AL30EST

Len : 2 BEST ESTIMATE # DAYS HAD ONE OR MORE DRINKS

	Freq	Pct
1 = 1 or 2 days	108	0.06
2 = 3 to 5 days	75	0.04
3 = 6 to 9 days	54	0.03
4 = 10 to 19 days	49	0.03
5 = 20 to 29 days	24	0.01
6 = All 30 days	7	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED ALCOHOL	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	45408	26.13
94 = DON'T KNOW	38	0.02
97 = REFUSED	40	0.02
98 = BLANK (NO ANSWER)	2135	1.23
99 = LEGITIMATE SKIP	75885	43.66

ALDYSFG

Len : 2 REVISION INDICATOR FOR ALCDAYS

	Freq	Pct
1 = Edited for consistency with ALCYRTOT or ALCBNG30D	42	0.02
98 = BLANK (NO ANSWER)	173766	99.98

NOTE: Beginning in 2015, level 975 was updated to "AT LEAST 4 or 5 Logically assigned" to reflect the change in the threshold for binge alcohol use among female respondents from 5 or more drinks on an occasion prior to 2015 to 4 or more drinks on an occasion in 2015. See the note below for ALCBNG30D.

On the [ALC30DAY/ALCESTFL] days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

ALCUS30D

Len : 3 USUAL # OF DRINKS PER DAY PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 90	72610	41.78
975 = AT LEAST 4 OR 5 Logically assigned	3123	1.80
985 = BAD DATA Logically assigned	683	0.39
991 = NEVER USED ALCOHOL	49983	28.76
993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	45408	26.13
994 = DON'T KNOW	269	0.15
997 = REFUSED	90	0.05
998 = BLANK (NO ANSWER)	1642	0.94

ALCOHOL

NOTE: Beginning in 2015, female respondents were asked ALCBNG30D to report the number of days that they had 4 or more drinks on the same occasion in the past 30 days. As in prior years, male respondents in 2015 were asked for ALCBNG30D to report the number of days that they had 5 or more drinks on the same occasion in the past 30 days.

During the past 30 days, that is since [DATEFILL], on how many days did you have [4 or more]/[5 or more] drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.

ALCBNG30D

Len : 2 # DAYS HAD FOUR/FIVE OR MORE DRINKS PAST 30 DYS

	Freq	Pct
RANGE = 0 - 30	75471	43.42
80 = NO OCCAS OF 4+ or 5+ DRINKS PST 30 DAYS Log assn.....	78	0.04
85 = BAD DATA Logically assigned	684	0.39
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	45408	26.13
94 = DON'T KNOW	419	0.24
97 = REFUSED	123	0.07
98 = BLANK (NO ANSWER)	1642	0.94

CONSUMPTION OF ALCOHOL

CONSUMPTION OF ALCOHOL

This note applies to variables in this section marked by a¹.

Next we return to the topic of alcohol. Remember that by a "drink", we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.

Earlier, the computer recorded that you drank at least one alcoholic beverage within the past 30 days, that is, since [DATEFILL].

Please think about the last time you drank any alcoholic beverage. How many drinks did you have that time?

CADRLAST¹

Len : 3 # OF DRINKS THE LAST TIME DRANK IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 90.....	73949	42.55
985 = BAD DATA Logically assigned.....	27	0.02
991 = NEVER USED ALCOHOL.....	49983	28.76
993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	45408	26.13
994 = DON'T KNOW.....	381	0.22
997 = REFUSED.....	287	0.17
998 = BLANK (NO ANSWER).....	3773	2.17

This last time you drank, were you alone or were you with one or more other people?

CADRPEOP¹

Len : 2 ALONE OR W/ MORE THAN ONE PERSON LAST TIME DRANK

	Freq	Pct
1 = I was alone the last time I drank.....	718	0.41
2 = I was with one other person the last time I drank.....	1291	0.74
3 = I was with >one other person the last time I drank.....	4429	2.55
85 = BAD DATA Logically assigned.....	14	0.01
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	45408	26.13
94 = DON'T KNOW.....	34	0.02
97 = REFUSED.....	42	0.02
98 = BLANK (NO ANSWER).....	825	0.47
99 = LEGITIMATE SKIP.....	71062	40.89

Where did you drink alcoholic beverages this last time you drank?

CADRCAR¹

Len : 2 I DRANK IN A CAR OR OTHER VEHICLE

	Freq	Pct
1 = Response entered.....	267	0.15
3 = Response entered LOGICALLY ASSIGNED.....	3	0.00
6 = Response not entered.....	6121	3.52
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	45408	26.13
94 = DON'T KNOW.....	49	0.03
97 = REFUSED.....	71	0.04
98 = BLANK (NO ANSWER).....	836	0.48
99 = LEGITIMATE SKIP.....	71064	40.89

CADRHOME¹

Len : 2 I DRANK AT MY HOME

	Freq	Pct
1 = Response entered.....	2908	1.67
3 = Response entered LOGICALLY ASSIGNED.....	12	0.01
6 = Response not entered.....	3471	2.00
85 = BAD DATA Logically assigned.....	8	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	45408	26.13
94 = DON'T KNOW.....	49	0.03
97 = REFUSED.....	71	0.04
98 = BLANK (NO ANSWER).....	834	0.48
99 = LEGITIMATE SKIP.....	71063	40.89

CONSUMPTION OF ALCOHOL

[CADROTHM](#)¹

Len : 2 I DRANK AT SOMEONE ELSE'S HOME

	Freq	Pct
1 = Response entered	2675	1.54
3 = Response entered LOGICALLY ASSIGNED	45	0.03
6 = Response not entered	3671	2.11
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	45408	26.13
94 = DON'T KNOW	49	0.03
97 = REFUSED	71	0.04
98 = BLANK (NO ANSWER)	842	0.48
99 = LEGITIMATE SKIP	71063	40.89

[CADRPUBL](#)¹

Len : 2 I DRANK AT A PARK, ON A BEACH OR IN A PARKING LOT

	Freq	Pct
1 = Response entered	347	0.20
3 = Response entered LOGICALLY ASSIGNED	14	0.01
6 = Response not entered	6030	3.47
91 = NEVER USED ALCOHOL	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	45408	26.13
94 = DON'T KNOW	49	0.03
97 = REFUSED	71	0.04
98 = BLANK (NO ANSWER)	842	0.48
99 = LEGITIMATE SKIP	71064	40.89

[CADRBAR](#)¹

Len : 2 I DRANK IN A RESTAURANT, BAR OR CLUB

	Freq	Pct
1 = Response entered	488	0.28
3 = Response entered LOGICALLY ASSIGNED	15	0.01
6 = Response not entered	5888	3.39
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	45408	26.13
94 = DON'T KNOW	49	0.03
97 = REFUSED	71	0.04
98 = BLANK (NO ANSWER)	842	0.48
99 = LEGITIMATE SKIP	71063	40.89

[CADREVNT](#)¹

Len : 2 I DRANK AT A CONCERT OR SPORTS GAME

	Freq	Pct
1 = Response entered	115	0.07
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	6275	3.61
91 = NEVER USED ALCOHOL	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	45408	26.13
94 = DON'T KNOW	49	0.03
97 = REFUSED	71	0.04
98 = BLANK (NO ANSWER)	842	0.48
99 = LEGITIMATE SKIP	71064	40.89

[CADRSCHL](#)¹

Len : 2 I DRANK AT SCHOOL

	Freq	Pct
1 = Response entered	50	0.03
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	6339	3.65
91 = NEVER USED ALCOHOL	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	45408	26.13
94 = DON'T KNOW	49	0.03
97 = REFUSED	71	0.04
98 = BLANK (NO ANSWER)	842	0.48
99 = LEGITIMATE SKIP	71064	40.89

CONSUMPTION OF ALCOHOL

[CADROTH](#)¹

Len : 2 I DRANK AT SOME OTHER PLACE

	Freq	Pct
1 = Response entered	527	0.30
6 = Response not entered	5864	3.37
91 = NEVER USED ALCOHOL	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	45408	26.13
94 = DON'T KNOW	49	0.03
97 = REFUSED	71	0.04
98 = BLANK (NO ANSWER)	842	0.48
99 = LEGITIMATE SKIP	71064	40.89

[CADROTS2](#)¹

Len : 2 OTHER PLACE YOU LAST DRANK ALCOHOL

	Freq	Pct
1 = I drank in a car or other vehicle	3	0.00
2 = I drank at my home	15	0.01
3 = I drank at someone else's home	52	0.03
4 = I drank at a park, on a beach, or in a parking lot	16	0.01
5 = I drank in a restaurant, bar or club	18	0.01
6 = I drank at a concert or sports game	1	0.00
7 = I drank at school	3	0.00
8 = I drank at some other place	26	0.01
9 = At respondent's place of work/business	10	0.01
11 = In a boat, ship, water vessel	4	0.00
14 = At a cabin, cottage, vacation home/vacation condo	10	0.01
15 = Hotel/motel/resort/BB; restaurnt/bar/club not spec	39	0.02
16 = On a farm/ranch/or in barn; R's home unspec	4	0.00
17 = At a house/apt/garage; no other information	15	0.01
18 = At a swimming pool	4	0.00
20 = River/lake/waterfront/harbor; park/beach unspfd	9	0.01
22 = Camping/hunting/fishing; no other information	32	0.02
23 = Street/road/alley/neighborhood	11	0.01
24 = Outside; park, beach, parkng lot, water unspcfd	41	0.02
26 = Place of entertainment; club/sports/concert unspec	7	0.00
33 = Inside a building; home/school/business unspcfd	3	0.00
35 = At a party/wedding/celebration/event; no othr info	102	0.06
36 = With friends/family, hanging out; location unspfd	3	0.00
70 = City/State/Country/vacation, location unspecified	29	0.02
85 = BAD DATA Logically assigned	35	0.02
91 = NEVER USED ALCOHOL	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	45408	26.13
94 = DON'T KNOW	14	0.01
97 = REFUSED	90	0.05
98 = BLANK (NO ANSWER)	893	0.51
99 = LEGITIMATE SKIP	76928	44.26

Did you pay for the last alcoholic beverage that you drank?

[CABUYFRE](#)¹

Len : 2 PAY FOR THE LAST ALCOHOLIC BEVERAGE THAT U DRANK

	Freq	Pct
1 = Yes	1679	0.97
2 = No	4748	2.73
85 = BAD DATA Logically assigned	14	0.01
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED ALCOHOL	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	45408	26.13
94 = DON'T KNOW	33	0.02
97 = REFUSED	51	0.03
98 = BLANK (NO ANSWER)	828	0.48
99 = LEGITIMATE SKIP	71062	40.89

CONSUMPTION OF ALCOHOL

Did you buy this last alcoholic beverage yourself, or did you give money to someone else to buy it for you?

CAGVMONY¹

Len : 2 DID YOU/SOMEONE ELSE BUY LAST ALCOHOLIC BEVERAGE

	Freq	Pct
1 = I bought it myself.....	700	0.40
2 = I gave money to someone else who bought it for me	956	0.55
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	45408	26.13
94 = DON'T KNOW	4	0.00
97 = REFUSED	26	0.01
98 = BLANK (NO ANSWER)	913	0.53
99 = LEGITIMATE SKIP.....	75811	43.62

People often buy alcoholic beverages at stores, restaurants, bars, clubs, or events. Sometimes they buy alcohol from other people. Which of these statements describes the way you bought the last alcoholic beverage that you drank?

CABUYWHO¹

Len : 2 STATEMENT BEST DESCRIBES PURCHASE OF LAST ALCOHOL

	Freq	Pct
1 = I bought it at a store/restaurant/bar/club/event	593	0.34
2 = I bought it from another person.....	105	0.06
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	45408	26.13
94 = DON'T KNOW	1	0.00
97 = REFUSED	10	0.01
98 = BLANK (NO ANSWER)	934	0.54
99 = LEGITIMATE SKIP.....	76767	44.17

At which of these places did you buy the last alcoholic beverage that you drank?

CABPLACE¹

Len : 2 WHERE YOU BOUGHT LAST ALCOHOLIC BEVERAGE

	Freq	Pct
1 = I bought it at a liquor/convenience/grocery store	415	0.24
2 = I bought it at a restaurant, bar or club	165	0.09
3 = I bought it at a concert, sports or other event	11	0.01
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	45408	26.13
97 = REFUSED	11	0.01
98 = BLANK (NO ANSWER)	936	0.54
99 = LEGITIMATE SKIP.....	76872	44.23

Did you buy this last alcoholic beverage from someone who was under age 21, or were they 21 or older?

CABUNDAG¹

Len : 2 BUY LAST ALCOHOLIC BEVERAGE FR SOMEONE <21 OR 21+

	Freq	Pct
1 = Under age 21.....	30	0.02
2 = Age 21 or older.....	75	0.04
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	45408	26.13
97 = REFUSED	9	0.01
98 = BLANK (NO ANSWER)	942	0.54
99 = LEGITIMATE SKIP.....	77361	44.51

CONSUMPTION OF ALCOHOL

Who bought the alcoholic beverage for you?

[CAGVWHO](#)¹

Len : 2 WHO BOUGHT THE ALCOHOLIC BEVERAGE FOR YOU

	Freq	Pct
1 = My parent or guardian.....	70	0.04
2 = Another family member who is 21 or older	111	0.06
3 = Someone not related to me who is 21 or older	595	0.34
4 = Someone under age 21	144	0.08
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	45408	26.13
94 = DON'T KNOW	7	0.00
97 = REFUSED	38	0.02
98 = BLANK (NO ANSWER)	940	0.54
99 = LEGITIMATE SKIP.....	76512	44.02

How did you get the last alcoholic beverage that you drank?

[CAFREWHO](#)¹

Len : 2 HOW DID U GET THE LAST ALCOHOLIC BEVERAGE U DRANK

	Freq	Pct
1 = My parent or guardian.....	802	0.46
2 = Another family member who is 21 or older	753	0.43
3 = Someone not related to me who is 21 or older	1286	0.74
4 = Someone under age 21	688	0.40
5 = I took it from home	454	0.26
6 = I took it from someone else's home.....	122	0.07
7 = I got it some other way	453	0.26
11 = My parent or guardian LOGICALLY ASSIGNED.....	2	0.00
12 = Another family member who is 21 or older LOG ASSN	1	0.00
13 = Non-relative who is 21 or older LOGICALLY ASSIGNED.....	6	0.00
14 = Someone under age 21 LOGICALLY ASSIGNED	3	0.00
15 = I took it from home LOGICALLY ASSIGNED	9	0.01
16 = I took it from someone else's home LOGICALLY ASSN	6	0.00
85 = BAD DATA Logically assigned	8	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	45408	26.13
94 = DON'T KNOW	40	0.02
97 = REFUSED	132	0.08
98 = BLANK (NO ANSWER)	909	0.52
99 = LEGITIMATE SKIP.....	72742	41.85

CONSUMPTION OF ALCOHOL

CAFRESP2¹

Len : 2 OTHER WAY YOU GOT THE LAST ALCOHOLIC BEVERAGE

	Freq	Pct
1 = My parent or guardian gave it to me	2	0.00
2 = Another family member 21 y-o or older gave to me	1	0.00
3 = Someone not related & 21 y-o or older gave to me	6	0.00
4 = Someone under age 21 gave it to me	3	0.00
5 = I took it from home	9	0.01
6 = I took it from someone else's home	6	0.00
7 = I got it some other way	46	0.03
8 = I bought/ordered it in another country	5	0.00
9 = I bought/ordered it; not asked for ID	8	0.00
12 = I bought/ordered it; how unspecified	10	0.01
13 = Got/bought it in a store/liquor store; how unspcfd	12	0.01
14 = Got frm bartender/at bar/restaurant; age/how unspec	8	0.00
16 = Got it at party/celebration; no other info	30	0.02
19 = I took/got/stole it; location unspcfd or unclear	25	0.01
21 = Given by/got from relative; age unspecified	9	0.01
22 = Given by/got fr friend/acquaint; age/how unspc	116	0.07
24 = Given by/got from person; age/relationship unspec	26	0.01
25 = Got as gift/for free; no other info	3	0.00
26 = Friend/acquaint of friend bought it; age unspec	5	0.00
30 = Just there/already there; no other information	3	0.00
31 = Just got it/had it; no other information	15	0.01
32 = From a house/home; no other information	8	0.00
33 = Found it; person's home unspecified	5	0.00
85 = BAD DATA Logically assigned	50	0.03
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	45408	26.13
94 = DON'T KNOW	30	0.02
97 = REFUSED	169	0.10
98 = BLANK (NO ANSWER)	959	0.55
99 = LEGITIMATE SKIP	76847	44.21

Think again about this last time you drank any alcoholic beverages, when you had [CA01 FILL] [drink/drinks]. Did you also use [DRUGFILL] while you were drinking or within a couple of hours of drinking?

CADRKDRUG¹

Len : 2 ALSO USE [DRUGFILL] WHILE YOU WERE DRINKING

	Freq	Pct
1 = Yes	9972	5.74
2 = No	9480	5.45
85 = BAD DATA Logically assigned	22	0.01
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	75334	43.34
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	76732	44.15
94 = DON'T KNOW	52	0.03
97 = REFUSED	96	0.06
98 = BLANK (NO ANSWER)	2120	1.22

What other drug or drugs did you use while you were drinking or within a couple of hours of drinking?

CADRKMARJ¹

Len : 2 MARIJUANA OR CANNABIS

	Freq	Pct
1 = Response entered	1246	0.72
5 = Response entered LOG ASSN (from skip pattern)	8410	4.84
6 = Response not entered	134	0.08
85 = BAD DATA Logically assigned	4	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	75334	43.34
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	76732	44.15
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1457	0.84
99 = LEGITIMATE SKIP	10487	6.03

CONSUMPTION OF ALCOHOL

CADRKOCN¹

Len : 2 COCAINE OR 'CRACK'

	Freq	Pct
1 = Response entered	217	0.12
5 = Response entered LOG ASSN (from skip pattern).....	63	0.04
6 = Response not entered	275	0.16
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	75334	43.34
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	76732	44.15
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	168	0.10
99 = LEGITIMATE SKIP	21016	12.09

CADRKHERN¹

Len : 2 HEROIN

	Freq	Pct
1 = Response entered	45	0.03
5 = Response entered LOG ASSN (from skip pattern).....	4	0.00
6 = Response not entered	32	0.02
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	75334	43.34
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	76732	44.15
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	54	0.03
99 = LEGITIMATE SKIP	21604	12.43

CADRKHALL¹

Len : 2 HALLUCINOGENS

	Freq	Pct
1 = Response entered	112	0.06
5 = Response entered LOG ASSN (from skip pattern).....	15	0.01
6 = Response not entered	687	0.40
89 = LEGITIMATE SKIP Logically assigned	3	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	75334	43.34
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	76732	44.15
98 = BLANK (NO ANSWER)	319	0.18
99 = LEGITIMATE SKIP	20606	11.86

CADRKINHL¹

Len : 2 INHALANTS

	Freq	Pct
1 = Response entered	37	0.02
5 = Response entered LOG ASSN (from skip pattern).....	10	0.01
6 = Response not entered	164	0.09
89 = LEGITIMATE SKIP Logically assigned	3	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	75334	43.34
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	76732	44.15
98 = BLANK (NO ANSWER)	176	0.10
99 = LEGITIMATE SKIP	21352	12.28

CADRK METH¹

Len : 2 METHAMPHETAMINE

	Freq	Pct
1 = Response entered	171	0.10
5 = Response entered LOG ASSN (from skip pattern).....	48	0.03
6 = Response not entered	85	0.05
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	75334	43.34
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	76732	44.15
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	117	0.07
99 = LEGITIMATE SKIP	21318	12.27

CONSUMPTION OF ALCOHOL

NOTE: Female respondents were asked for CABINGEVR, CABINGAGE, CABINGYFU, and CABINGMFU to report about consumption of 4 or more drinks on the same occasion. Male respondents were asked for the same variables listed above to report about consumption of 5 or more drinks on the same occasion. Variables pertaining to consumption of 5 or more drinks or 4 or more drinks on the same occasion have been edited with respect to ALCUS30D and ALCBNG30D.

CABINGFLG takes into account the editing of the variables ALCUS30D and ALCBNG30D in the Alcohol questionnaire section.

CABINGFLG¹

Len : 2 ANY REPORT OF 4+ OR 5+ DRINKS FROM ALCOHOL MODULE

	Freq	Pct
0 = No report of 4+/5+ drinks or not applicable.....	136282	78.41
1 = Binge alcohol use on 1+ days (ALCBNG30D=1-30).....	36603	21.06
11 = Report of 4+/5+ drinks in ALCUS30D	240	0.14
85 = BAD DATA Logically assigned.....	683	0.39

Earlier the computer recorded that you have had at least one drink of an alcoholic beverage in your lifetime. Have you ever had [4 or more]/[5 or more] drinks on the same occasion? By 'occasion,' we mean at the same time or within a couple of hours of each other.

CABINGEVR¹

Len : 2 EVER HAD 4/5 OR MORE DRINKS ON THE SAME OCCASION

	Freq	Pct
1 = Yes.....	37299	21.46
2 = No.....	46156	26.56
3 = Yes LOGICALLY ASSIGNED.....	47	0.03
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	37685	21.68
85 = BAD DATA Logically assigned	11	0.01
91 = NEVER USED ALCOHOL.....	49983	28.76
94 = DON'T KNOW	203	0.12
97 = REFUSED	273	0.16
98 = BLANK (NO ANSWER)	2151	1.24

Earlier the computer recorded that you had [4 or more]/[5 or more] drinks on the same occasion in the past 30 days. How old were you the first time you had [4 or more]/[5 or more] drinks on the same occasion?

How old were you the first time you had [4 or more]/[5 or more] drinks on the same occasion?

CABINGAGE¹

Len : 3 AGE 1ST TIME HAD 4 OR 5 OR MORE DRINKS SAME OCCASION

	Freq	Pct
RANGE = 1 - 86.....	70732	40.70
985 = BAD DATA Logically assigned	1459	0.84
991 = NEVER USED ALCOHOL.....	49983	28.76
994 = DON'T KNOW	1383	0.80
997 = REFUSED	272	0.16
998 = BLANK (NO ANSWER).....	3823	2.20
999 = LEGITIMATE SKIP.....	46156	26.56

Did you first have [4 or more]/[5 or more] drinks on the same occasion in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have [4 or more]/[5 or more] drinks on the same occasion in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have [4 or more]/[5 or more] drinks on the same occasion?

CABINGYFU¹

Len : 4 YEAR OF FIRST 4 OR 5 + DRINKS ON SAME OCCASION - RECODE

	Freq	Pct
RANGE = 2019 - 2023	7685	4.42
9985 = BAD DATA Logically assigned	161	0.09
9989 = LEGITIMATE SKIP Logically assigned	231	0.13
9991 = NEVER USED ALCOHOL.....	49983	28.76
9994 = DON'T KNOW	1406	0.81
9997 = REFUSED	275	0.16
9998 = BLANK (NO ANSWER).....	5271	3.03
9999 = LEGITIMATE SKIP.....	108796	62.60

CONSUMPTION OF ALCOHOL

In what month in [CURRENT YEAR] did you first have [4 or more]/[5 or more] drinks on the same occasion?

In what month in [YEAR FROM CA11a or CA11b] did you first have [4 or more]/[5 or more] drinks on the same occasion?

<u>CABINGMFU</u> ¹	Len : 2	MONTH OF 4 OR 5+ DRINKS ON SAME OCCASION - RECODE	Freq	Pct
1 = January.....			791	0.46
2 = February.....			490	0.28
3 = March.....			589	0.34
4 = April.....			488	0.28
5 = May.....			580	0.33
6 = June.....			734	0.42
7 = July.....			885	0.51
8 = August.....			577	0.33
9 = September.....			534	0.31
10 = October.....			602	0.35
11 = November.....			436	0.25
12 = December.....			613	0.35
85 = BAD DATA Logically assigned.....			244	0.14
89 = LEGITIMATE SKIP Logically assigned.....			231	0.13
91 = NEVER USED ALCOHOL.....			49983	28.76
94 = DON'T KNOW.....			1637	0.94
97 = REFUSED.....			292	0.17
98 = BLANK (NO ANSWER).....			5306	3.05
99 = LEGITIMATE SKIP.....			108796	62.60

NOTE: EIBINGAGE is an "editing indicator" for the variable CABINGAGE. The default value of EIBINGAGE is 1, when no editing has been done to CABINGAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGAGE has values of 2 when values in CABINGAGE have logically been replaced with other values as part of the data editing procedures.

<u>EIBINGAGE</u> ¹	Len : 1	EDITING INDICATOR FOR CABINGAGE	Freq	Pct
1 = Questionnaire data (or bad data/legitimate skip).....			173721	99.95
2 = Logically assigned data.....			87	0.05

NOTE: EIBINGYFU is an "editing indicator" for the variable CABINGYFU. The default value of EIBINGYFU is 1, when no editing has been done to CABINGYFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGYFU has values of 2 when values in CABINGYFU have logically been replaced with other values as part of the data editing procedures.

<u>EIBINGYFU</u> ¹	Len : 1	EDITING INDICATOR FOR CABINGYFU	Freq	Pct
1 = Questionnaire data (or bad data/legitimate skip).....			173728	99.95
2 = Logically assigned data.....			80	0.05

NOTE: EIBINGMFU is an "editing indicator" for the variable CABINGMFU. The default value of EIBINGMFU is 1, when no editing has been done to CABINGMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGMFU has values of 2 when values in CABINGMFU have logically been replaced with other values as part of the data editing procedures.

<u>EIBINGMFU</u> ¹	Len : 1	EDITING INDICATOR FOR CABINGMFU	Freq	Pct
1 = Questionnaire data (or bad data/legitimate skip).....			173773	99.98
2 = Logically assigned data.....			35	0.02

RECODED CONSUMPTION OF ALCOHOL

RECODED CONSUMPTION OF ALCOHOL

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Codebook section in the main introduction of the codebook.

The following variable defines the social context of a respondent's last alcohol use, including whether they drank alone or if they were with one or more persons.

<u>UADPEOP</u>	Len : 1	RC-SOCIAL CONTEXT OF MOST RECENT ALCOHOL USE		
			Freq	Pct
	.	= Unknown (Otherwise).....	915	0.53
	1	= Drank Alone (CADRPEOP=1).....	718	0.41
	2	= Drank with One Other Person (CADRPEOP=2).....	1291	0.74
	3	= Drank with More Than One Person (CADRPEOP=3).....	4429	2.55
	4	= No Past Mon Alc/Aged 21+ (CADRPEOP=89,91,93,99).....	166455	95.77

NOTE: The following eight variables define the locations where respondents had their most recent alcohol use.

<u>UADCAR</u>	Len : 1	RC-MOST RECENT ALCOHOL USE IN A CAR		
			Freq	Pct
	.	= Unknown/No PM Use/Aged 21+ (Otherwise).....	167417	96.32
	1	= Yes (CADRCAR=1,3).....	270	0.16
	2	= No (CADRCAR=6).....	6121	3.52

<u>UADHOME</u>	Len : 1	RC-MOST RECENT ALCOHOL USE AT HOME		
			Freq	Pct
	.	= Unknown/No PM Use/Aged 21+ (Otherwise).....	167417	96.32
	1	= Yes (CADRHOME=1,3).....	2920	1.68
	2	= No (CADRHOME=6).....	3471	2.00

<u>UADOTHM</u>	Len : 1	RC-MOST RECENT ALCOHOL USE AT SOMEONE ELSE'S HOME		
			Freq	Pct
	.	= Unknown/No PM Use/Aged 21+ (Otherwise).....	167417	96.32
	1	= Yes (CADROTHM=1,3).....	2720	1.56
	2	= No (CADROTHM=6).....	3671	2.11

<u>UADPUBL</u>	Len : 1	RC-MOST RECENT ALCOHOL USE AT A PARK, BEACH, OR LOT		
			Freq	Pct
	.	= Unknown/No PM Use/Aged 21+ (Otherwise).....	167417	96.32
	1	= Yes (CADRPUBL=1,3).....	361	0.21
	2	= No (CADRPUBL=6).....	6030	3.47

<u>UADBAR</u>	Len : 1	RC-MOST RECENT ALCOHOL USE AT RESTAURANT, BAR, OR CLUB		
			Freq	Pct
	.	= Unknown/No PM Use/Aged 21+ (Otherwise).....	167417	96.32
	1	= Yes (CADRBAR=1,3).....	503	0.29
	2	= No (CADRBAR=6).....	5888	3.39

<u>UADEVNT</u>	Len : 1	RC-MOST RECENT ALCOHOL USE AT CONCERT OR SPORTS GAME		
			Freq	Pct
	.	= Unknown/No PM Use/Aged 21+ (Otherwise).....	167417	96.32
	1	= Yes (CADREVNT=1,3).....	116	0.07
	2	= No (CADREVNT=6).....	6275	3.61

<u>UADSCHL</u>	Len : 1	RC-MOST RECENT ALCOHOL USE AT SCHOOL		
			Freq	Pct
	.	= Unknown/No PM Use/Aged 21+ (Otherwise).....	167417	96.32
	1	= Yes (CADRSCHL=1,3).....	52	0.03
	2	= No (CADRSCHL=6).....	6339	3.65

RECODED CONSUMPTION OF ALCOHOL

The following variable, UADROTH, was assigned a negative response if a respondent indicated not receiving their most recent alcohol from some other place (CADROTH=6) or indicated receiving their most recent alcohol from one of the other specific locations asked about (CADROTH=1 & CADROTS2=1-7). A missing was assigned if a respondent indicated that they received their most recent alcohol from some other place (CADROTH=1) and their response to the other-specify follow-up question was invalid or unknown (CADROTS2=70, 85, 94, 97, 98) or if they were not alcohol users, or did not indicate any location for their most recent alcohol use (CADROTH=91, 93, 94, 97, 98, 99).

<u>UADROTH</u>	Len : 1 RC-MOST RECENT ALCOHOL USE AT SOME OTHER PLACE		
		Freq	Pct
.	= Unknown/No PM Use/Aged 21+ (See comment above).....	167516	96.38
1	= Yes (CADROTH=1 and CADROTS2=8-41).....	320	0.18
2	= No (See comment above).....	5972	3.44

<u>UADOTSP2</u>	Len : 1 RC-OTHER LOCATIONS OF MOST RECENT ALCOHOL USE		
		Freq	Pct
.	= Unknown (CADROTS2=70,85,94,97,98).....	1061	0.61
1	= Party, Wedding, or Celebration (CADROTS2=35).....	102	0.06
2	= Outside; Location Not Specified (CADROTS2=24).....	41	0.02
3	= Hotel, Motel, or Resort (CADROTS2=15).....	39	0.02
4	= Camping, Hunting, or Fishing (CADROTS2=22).....	32	0.02
5	= Cabin, Cottage, Vacation Home, Etc. (CADROTS2=14).....	10	0.01
7	= Other Location, Nonuser, or Aged 21+ (Otherwise).....	172523	99.26

<u>UADPAID</u>	Len : 1 RC-UNDERAGE DRINKER PAID FOR MOST RECENT ALCOHOL		
		Freq	Pct
.	= Unknown (Otherwise).....	926	0.53
1	= Yes (CABUYFRE=1).....	1679	0.97
2	= No (CABUYFRE=2).....	4748	2.73
3	= No Past Mon Alc/Aged 21+ (CABUYFRE=89,91,93,99).....	166455	95.77

A respondent was assigned a value of UADMONEY=3 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but did not pay for their most recent alcohol (CAGVMONEY=89, 91, 93, 99).

<u>UADMONEY</u>	Len : 1 RC-UNDERAGE DRINKER PURCHASED MOST RECENT ALCOHOL		
		Freq	Pct
.	= Unknown (Otherwise).....	949	0.55
1	= Bought Myself (CAGVMONEY=1).....	700	0.40
2	= Gave Money to Someone Else to Buy (CAGVMONEY=2).....	956	0.55
3	= No Pst Mon Alc/Aged 21+/No Pay (See comment above).....	171203	98.50

A respondent was assigned a value of UADBWHO=3 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABUYWHO=89, 91, 93, 99).

<u>UADBWHO</u>	Len : 1 RC-HOW UNDERAGE DRINKER PURCHASED MOST RECNT ALCOHOL		
		Freq	Pct
.	= Unknown (Otherwise).....	951	0.55
1	= Bought at a Store/Restaurant/Etc. (CABUYWHO=1).....	593	0.34
2	= Bought From Another Person (CABUYWHO=2).....	105	0.06
3	= No PM Alc/Aged 21+/No Pay, Buy (See comment above).....	172159	99.05

A respondent was assigned a value of UADPLACE=4 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but bought from another person, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABPLACE=89, 91, 93, 99).

<u>UADPLACE</u>	Len : 1 RC-WHERE UNDERAGE DRINKER PURCHSD MOST RECNT ALCOHOL		
		Freq	Pct
.	= Unknown (Otherwise).....	953	0.55
1	= Bought at Liquor/Grocery Store (CABPLACE=1).....	415	0.24
2	= Bought at a Restaurant/Bar/Club (CABPLACE=2).....	165	0.09
3	= Bought at a Concert/Sports/Event (CABPLACE=3).....	11	0.01
4	= No PM Alc/21+/Prsn/No Pay, Buy (See comment above).....	172264	99.11

RECODED CONSUMPTION OF ALCOHOL

A respondent was assigned a value of UADBUND=3 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 and bought it at a store, restaurant, bar, club, or event, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABUNDAG=89, 91, 93, 99).

UADBUND

Len : 1 RC-AGE PERSON WHO PURCHASED ALC FOR UNDERAGE DRINKER

	Freq	Pct
. = Unknown (Otherwise).....	951	0.55
1 = Under Age 21 (CABUNDAG=1).....	30	0.02
2 = Aged 21 or Older (CABUNDAG=2)	75	0.04
3 = No PM Alc/21+/Plce/No Pay, Buy (See comment above).....	172752	99.39

A respondent was assigned a value of UADCAG=5 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 but bought it themselves (CAGVWHO=89, 91, 93, 99).

UADCAG

Len : 1 RC-WHO PURCHASED UNDERAGE DRINKER MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise).....	985	0.57
1 = Parent or Guardian (CAGVWHO=1).....	70	0.04
2 = Another Family Member Aged 21 or Older (CAGVWHO=2).....	111	0.06
3 = Someone Not Related Aged 21 or Older (CAGVWHO=3).....	595	0.34
4 = Someone Under the Age of 21 (CAGVWHO=4).....	144	0.08
5 = No PM Alc/21+/No Pay/Buy Self (See comment above).....	171903	98.90

The following variable, UADFWHO, was assigned missing if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other-specify follow-up question was unknown (CAFRESP2=70, 85, 94, 97, 98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=85, 94, 97, 98). A respondent was assigned a value of UADFWHO=8 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but paid for it themselves (CAFREWHO=89,91,93,99).

UADFWHO

Len : 1 RC-WHO GAVE UNDERAGE DRINKER MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (See comment above).....	1208	0.70
1 = Parent or Guardian (CAFREWHO=1,11).....	804	0.46
2 = Another Family Member, 21 or Older (CAFREWHO=2,12).....	754	0.43
3 = Someone Not Related, 21 or Older (CAFREWHO=3,13).....	1292	0.74
4 = Someone Under the Age of 21 (CAFREWHO=4,14).....	691	0.40
5 = Took From My Home (CAFREWHO=5,15)	463	0.27
6 = Took From Someone Else's Home (CAFREWHO=6,16).....	128	0.07
7 = Some Other Way (CAFREWHO=7 & CAFRESP2=7-43)	334	0.19
8 = No PM Alc/Aged 21+/Pay (See comment above).....	168134	96.74

The following variable, UADFRD, was assigned a negative response if a respondent indicated receiving their most recent alcohol not from a friend (CAFREWHO=1-6, 11-16) or from some other person besides a friend (CAFREWHO=7 & CAFRESP2=7, 8-21, 23-42). A missing was assigned if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other-specify follow-up question was unknown (CAFRESP2=70, 85, 94, 97, 98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=85, 94, 97, 98). A respondent was assigned a value of UADFRD=3 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but paid for it themselves (CAFREWHO=89,91,93,99).

UADFRD

Len : 1 RC-MOST RECENT ALCOHOL FROM FRIEND, UNSPEC AGE/METHOD

	Freq	Pct
. = Unknown (See comment above).....	1208	0.70
1 = Got From a Friend (CAFREWHO=7 & CAFRESP2=22,43).....	116	0.07
2 = Not From a Friend (See comment above).....	4350	2.50
3 = No PM Alc/Aged 21+/Pay (See comment above).....	168134	96.74

NOTE: The following six variables define specific drugs used at the same time or within a couple hours of the respondent's last alcohol use.

CADRKMARJ2

Len : 1 RC-USED MARIJUANA WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise).....	1464	0.84
0 = No (CADRKMARJ=6,81,83,89,91,93,99).....	162688	93.60
1 = Yes (CADRKMARJ=1,5).....	9656	5.56

RECODED CONSUMPTION OF ALCOHOL

CADRKCOCN2	Len : 1 RC-USED COCAINE WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise).....	169	0.10
0	= No (CADRKCOCN=6,81,83,89,91,93,99)	173359	99.74
1	= Yes (CADRKCOCN=1,5).....	280	0.16
CADRKHERN2	Len : 1 RC-USED HEROIN WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise).....	56	0.03
0	= No (CADRKHERN=6,81,83,89,91,93,99)	173703	99.94
1	= Yes (CADRKHERN=1,5).....	49	0.03
CADRKHALL2	Len : 1 RC-USED HALLUCINOGENS WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise).....	319	0.18
0	= No (CADRKHALL=6,81,83,89,91,93,99)	173362	99.74
1	= Yes (CADRKHALL=1,5).....	127	0.07
CADRKINHL2	Len : 1 RC-USED INHALANTS WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise).....	176	0.10
0	= No (CADRKINHL=6,81,83,89,91,93,99)	173585	99.87
1	= Yes (CADRKINHL=1,5).....	47	0.03
CADRKMETH2	Len : 1 RC-USED METHAMPHETAMINE WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise).....	119	0.07
0	= No (CADRKMETH=6,81,83,89,91,93,99)	173470	99.81
1	= Yes (CADRKMETH=1,5).....	219	0.13

MARIJUANA

MARIJUANA

The next questions are about CBD or hemp products made from hemp plants. CBD and hemp products have no or small amounts of THC and are not intended to cause a "high." They come in many forms including oils, lotions, edibles, and isolate. People sometimes use them to relieve pain, to reduce anxiety, or to help them sleep.

Have you ever, even once, used any CBD or hemp products?

CBDHMPVR

Len : 2 EVER USED CBD OR HEMP PRODUCTS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	37276	21.45
2 = No.....	77699	44.70
94 = DON'T KNOW.....	748	0.43
97 = REFUSED.....	51	0.03

How long has it been since you last used any form of CBD or hemp product?

CBDHMPREC

Len : 2 TIME SINCE LAST USED CBD OR HEMP PRODUCT

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 30 days.....	12231	7.04
2 = More than 30 days ago but within the past 12 mos.....	10400	5.98
3 = More than 12 months ago but within the past 3 yrs.....	9366	5.39
4 = More than 3 years ago.....	5164	2.97
9 = Used at some point in the lifetime LOG ASSN.....	115	0.07
91 = NEVER USED CBD OR HEMP PRODUCT.....	77699	44.70
98 = BLANK (NO ANSWER).....	799	0.46

The next questions are about marijuana and cannabis products, sometimes called pot, weed, hashish, or concentrates. Some of the ways these products can be used are smoking (such as in joints, pipes, bongs, blunts, or hookahs), vaping (using vape pens, dab pens, tabletop vaporizers, or portable vaporizers), dabbing, eating or drinking, or applying as a lotion.

Please exclude your use of CBD or hemp products when answering these questions.

Have you ever, even once, used marijuana or any cannabis product?

MJEVER

Len : 2 EVER USED MARIJUANA/CANNABIS

	Freq	Pct
1 = Yes.....	76930	44.26
2 = No.....	96578	55.57
3 = Yes LOGICALLY ASSIGNED.....	159	0.09
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	86	0.05
97 = REFUSED.....	54	0.03

How old were you the first time you used marijuana or any cannabis product?

MJAGE

Len : 3 AGE WHEN FIRST USED MARIJUANA/CANNABIS

	Freq	Pct
RANGE = 1 - 85.....	76462	43.99
985 = BAD DATA Logically assigned.....	153	0.09
991 = NEVER USED MARIJUANA.....	96578	55.57
994 = DON'T KNOW.....	240	0.14
997 = REFUSED.....	130	0.07
998 = BLANK (NO ANSWER).....	245	0.14

MARIJUANA

Did you first use marijuana or any cannabis product in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use marijuana or any cannabis product in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use marijuana or any cannabis product?

[MJYFU](#)

Len : 4 YEAR OF FIRST MARIJUANA/CANNABIS USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023	5100	2.93
9985 = BAD DATA Logically assigned	405	0.23
9989 = LEGITIMATE SKIP Logically assigned	372	0.21
9991 = NEVER USED MARIJUANA	96578	55.57
9994 = DON'T KNOW	257	0.15
9997 = REFUSED	133	0.08
9998 = BLANK (NO ANSWER)	250	0.14
9999 = LEGITIMATE SKIP	70713	40.68

In what month in [CURRENT YEAR] did you first use marijuana or any cannabis product?

In what month in [YEAR FROM MJ03a or MJ03b] did you first use marijuana or any cannabis product?

[MJMFU](#)

Len : 2 MONTH OF FIRST MARIJUANA/CANNABIS USE - RECODE

	Freq	Pct
1 = January	408	0.23
2 = February	367	0.21
3 = March	413	0.24
4 = April	393	0.23
5 = May	381	0.22
6 = June	514	0.30
7 = July	499	0.29
8 = August	413	0.24
9 = September	365	0.21
10 = October	379	0.22
11 = November	336	0.19
12 = December	356	0.20
85 = BAD DATA Logically assigned	404	0.23
89 = LEGITIMATE SKIP Logically assigned	372	0.21
91 = NEVER USED MARIJUANA	96578	55.57
94 = DON'T KNOW	509	0.29
97 = REFUSED	157	0.09
98 = BLANK (NO ANSWER)	251	0.14
99 = LEGITIMATE SKIP	70713	40.68

How long has it been since you last used marijuana or any cannabis product?

[MJREC](#)

Len : 2 TIME SINCE LAST USED MARIJUANA/CANNABIS

	Freq	Pct
1 = Within the past 30 days	27495	15.82
2 = More than 30 days ago but within the past 12 mos	12647	7.28
3 = More than 12 months ago	35836	20.62
8 = Used at some point in the past 12 mos LOG ASSN	391	0.22
9 = Used at some point in the lifetime LOG ASSN	345	0.20
11 = Used in the past 30 days LOGICALLY ASSIGNED	144	0.08
12 = Used >30 days ago but within pst 12 mos LOG ASSN	161	0.09
13 = More than 12 months ago LOGICALLY ASSIGNED	70	0.04
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED MARIJUANA	96578	55.57
97 = REFUSED	54	0.03
98 = BLANK (NO ANSWER)	86	0.05

MARIJUANA

MJYRTOT

Len : 3 TOTAL # OF DAYS USED MARIJUANA/CANNABIS IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	39907	22.96
985 = BAD DATA Logically assigned	391	0.22
991 = NEVER USED MARIJUANA	96578	55.57
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	35906	20.66
994 = DON'T KNOW	249	0.14
997 = REFUSED	121	0.07
998 = BLANK (NO ANSWER).....	656	0.38

MRTOTFG

Len : 2 TRIMMING INDICATOR FOR MJYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing).....	44	0.03
2 = Trimmed relative to the 30-day freq	1325	0.76
3 = Trimmed relative to estimated 30-day freq	3	0.00
98 = BLANK (NO ANSWER)	172436	99.21

MJQFLG

Len : 2 TRIMMED MJYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	1121	0.64
98 = BLANK (NO ANSWER)	172687	99.36

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used marijuana or any cannabis product during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

MRBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED MARIJUANA/CANNABIS

	Freq	Pct
1 = Prefer to answer in days per week.....	16859	9.70
2 = Prefer to answer in days per month.....	9216	5.30
3 = Prefer to answer in days per year.....	13740	7.91
11 = Prefer to ans in days per wk LOG ASSN.....	61	0.04
12 = Prefer to ans in days per mo LOG ASSN.....	62	0.04
13 = Prefer to ans in days per yr LOG ASSN	186	0.11
85 = BAD DATA Logically assigned	389	0.22
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	35906	20.66
94 = DON'T KNOW	73	0.04
97 = REFUSED	82	0.05
98 = BLANK (NO ANSWER)	656	0.38

On how many days in the past 12 months did you use marijuana or any cannabis product?

MRDAYPYR

Len : 3 # DAYS USED MARIJUANA/CANNABIS PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 366	13898	8.00
985 = BAD DATA Logically assigned	64	0.04
989 = LEGITIMATE SKIP Logically assigned.....	148	0.09
991 = NEVER USED MARIJUANA	96578	55.57
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	35906	20.66
994 = DON'T KNOW	101	0.06
997 = REFUSED	82	0.05
998 = BLANK (NO ANSWER).....	981	0.56
999 = LEGITIMATE SKIP.....	26050	14.99

MARIJUANA

On average, how many days did you use marijuana or any cannabis product each month during the past 12 months?

MRDAYPMO

Len : 2 # DAYS PER MO USED MARIJUANA/CANNABIS PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31	9223	5.31
85 = BAD DATA Logically assigned	108	0.06
89 = LEGITIMATE SKIP Logically assigned	62	0.04
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	35906	20.66
94 = DON'T KNOW	141	0.08
97 = REFUSED	90	0.05
98 = BLANK (NO ANSWER)	944	0.54
99 = LEGITIMATE SKIP	30756	17.70

On average, how many days did you use marijuana or any cannabis product each week during the past 12 months?

MRDAYPWK

Len : 2 # DAYS PER WEEK USED MARIJUANA/CANNABIS PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7	16786	9.66
85 = BAD DATA Logically assigned	220	0.13
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	35906	20.66
94 = DON'T KNOW	244	0.14
97 = REFUSED	120	0.07
98 = BLANK (NO ANSWER)	833	0.48
99 = LEGITIMATE SKIP	23121	13.30

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use marijuana or any cannabis product?

MJDAY30A

Len : 2 # DAYS USED MARIJUANA/CANNABIS PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	27278	15.69
85 = BAD DATA Logically assigned	56	0.03
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	48714	28.03
94 = DON'T KNOW	154	0.09
97 = REFUSED	117	0.07
98 = BLANK (NO ANSWER)	911	0.52

What is your best estimate of the number of days you used marijuana or any cannabis product during the past 30 days?

MR30EST

Len : 2 BEST EST. # DAYS USED MARIJUANA/CANNABIS PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	36	0.02
2 = 3 to 5 days	36	0.02
3 = 6 to 9 days	18	0.01
4 = 10 to 19 days	48	0.03
5 = 20 to 29 days	17	0.01
6 = All 30 days	24	0.01
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	48714	28.03
94 = DON'T KNOW	19	0.01
97 = REFUSED	76	0.04
98 = BLANK (NO ANSWER)	969	0.56
99 = LEGITIMATE SKIP	27273	15.69

MARIJUANA

During the past 12 months, that is, since [DATEFILL], in which of the following ways did you use marijuana or any cannabis product?

To select more than one way from the list, press the space bar between each number you type. When you have finished, press [ENTER]

MJYRSMOKE

Len : 2 MRJ USE - SMOKING - PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	22132	12.73
2 = No (not entered).....	5894	3.39
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER).....	49	0.03
5 = Yes LOGICALLY ASSIGNED (from MJMONSMOKE).....	228	0.13
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	22950	13.20
94 = DON'T KNOW	22	0.01
97 = REFUSED	40	0.02
98 = BLANK (NO ANSWER)	368	0.21

MJYRVAPE

Len : 2 MRJ USE - VAPING - PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	11820	6.80
2 = No (not entered).....	16046	9.23
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER).....	18	0.01
5 = Yes LOGICALLY ASSIGNED (from MJMONVAPE)	411	0.24
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	22950	13.20
94 = DON'T KNOW	25	0.01
97 = REFUSED	45	0.03
98 = BLANK (NO ANSWER)	368	0.21

MJYRDAB

Len : 2 MRJ USE - DABBING WAXES, SHATTER, OR CONC - PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	5816	3.35
2 = No (not entered).....	22250	12.80
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER).....	8	0.00
5 = Yes LOGICALLY ASSIGNED (from MJMONDAB)	220	0.13
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	22950	13.20
94 = DON'T KNOW	26	0.01
97 = REFUSED	45	0.03
98 = BLANK (NO ANSWER)	368	0.21

MJYREAT

Len : 2 MRJ USE - EATING OR DRINKING - PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	13662	7.86
2 = No (not entered).....	14153	8.14
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER).....	133	0.08
5 = Yes LOGICALLY ASSIGNED (from MJMONEAT).....	346	0.20
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	22950	13.20
94 = DON'T KNOW	26	0.01
97 = REFUSED	45	0.03
98 = BLANK (NO ANSWER)	368	0.21

MJYRMOUTH

Len : 2 MRJ USE - DROPS/STRIPS/LOZENGES/SPRAYS IN MOUTH - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	1584	0.91
2 = No (not entered).....	26621	15.32
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER).....	6	0.00
5 = Yes LOGICALLY ASSIGNED (from MJMONMOUTH)	82	0.05
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	22950	13.20
94 = DON'T KNOW	26	0.01
97 = REFUSED	46	0.03
98 = BLANK (NO ANSWER)	368	0.21

MARIJUANA

[MJYRSKIN](#)

Len : 2 MRJ USE - LOTION/CREAM/PATCH TO SKIN - PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	2331	1.34
2 = No (not entered).....	25875	14.89
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER).....	8	0.00
5 = Yes LOGICALLY ASSIGNED (from MJMONSKIN).....	80	0.05
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	22950	13.20
94 = DON'T KNOW.....	26	0.01
97 = REFUSED.....	45	0.03
98 = BLANK (NO ANSWER).....	368	0.21

[MJYRPILL](#)

Len : 2 MRJ USE - PILLS - PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	767	0.44
2 = No (not entered).....	27490	15.82
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER).....	1	0.00
5 = Yes LOGICALLY ASSIGNED (from MJMONPILL).....	35	0.02
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	22950	13.20
94 = DON'T KNOW.....	26	0.01
97 = REFUSED.....	46	0.03
98 = BLANK (NO ANSWER).....	368	0.21

[MJYROTHER](#)

Len : 2 MRJ USE - SOME OTHER WAY - PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	574	0.33
2 = No (not entered).....	27661	15.91
5 = Yes LOGICALLY ASSIGNED.....	58	0.03
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	22950	13.20
94 = DON'T KNOW.....	26	0.01
97 = REFUSED.....	46	0.03
98 = BLANK (NO ANSWER).....	368	0.21

During the past 30 days, that is, since [DATEFILL], in which of the following ways did you use marijuana or any cannabis product?

To select more than one way from the list, press the space bar between each number you type. When you have finished, press [ENTER]

[MJMONSMOKE](#)

Len : 2 MRJ USE - SMOKING - PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	15124	8.70
2 = No (not entered).....	4095	2.36
3 = Yes LOGICALLY ASSIGNED.....	14	0.01
4 = No (not entered) LOGICALLY ASSIGNED.....	19	0.01
5 = Yes LOGICALLY ASSIGNED (from MJYRSMOKE).....	25	0.01
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS.....	31757	18.27
94 = DON'T KNOW.....	16	0.01
97 = REFUSED.....	32	0.02
98 = BLANK (NO ANSWER).....	601	0.35

MARIJUANA

MJMONVAPE

Len : 2 MRJ USE - VAPING - PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	7866	4.53
2 = No (not entered).....	11350	6.53
3 = Yes LOGICALLY ASSIGNED.....	6	0.00
4 = No (not entered) LOGICALLY ASSIGNED.....	28	0.02
5 = Yes LOGICALLY ASSIGNED (from MJYRVAPE).....	33	0.02
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS.....	31757	18.27
94 = DON'T KNOW.....	14	0.01
97 = REFUSED.....	28	0.02
98 = BLANK (NO ANSWER).....	601	0.35

MJMONDAB

Len : 2 MRJ USE - DABBING WAXES, SHATTER, OR CONC - PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	3728	2.14
2 = No (not entered).....	15499	8.92
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
4 = No (not entered) LOGICALLY ASSIGNED.....	47	0.03
5 = Yes LOGICALLY ASSIGNED (from MJYRDAB).....	15	0.01
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS.....	31757	18.27
94 = DON'T KNOW.....	10	0.01
97 = REFUSED.....	26	0.01
98 = BLANK (NO ANSWER).....	599	0.34

MJMONEAT

Len : 2 MRJ USE - EATING OR DRINKING - PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	7267	4.18
2 = No (not entered).....	11918	6.86
3 = Yes LOGICALLY ASSIGNED.....	34	0.02
4 = No (not entered) LOGICALLY ASSIGNED.....	35	0.02
5 = Yes LOGICALLY ASSIGNED (from MJYREAT).....	32	0.02
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS.....	31757	18.27
94 = DON'T KNOW.....	13	0.01
97 = REFUSED.....	27	0.02
98 = BLANK (NO ANSWER).....	600	0.35

MJMONMOUTH

Len : 2 MRJ USE - DROPS/STRIPS/LOZENGES/SPRAYS IN MOUTH - PST 30 DAY

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	791	0.46
2 = No (not entered).....	18441	10.61
3 = Yes LOGICALLY ASSIGNED.....	5	0.00
4 = No (not entered) LOGICALLY ASSIGNED.....	51	0.03
5 = Yes LOGICALLY ASSIGNED (from MJYRMOUTH).....	7	0.00
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS.....	31757	18.27
94 = DON'T KNOW.....	9	0.01
97 = REFUSED.....	23	0.01
98 = BLANK (NO ANSWER).....	599	0.34

MJMNSKIN

Len : 2 MRJ USE - LOTION/CREAM/PATCH TO SKIN - PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	1179	0.68
2 = No (not entered).....	18052	10.39
3 = Yes LOGICALLY ASSIGNED.....	4	0.00
4 = No (not entered) LOGICALLY ASSIGNED.....	49	0.03
5 = Yes LOGICALLY ASSIGNED (from MJYRSKIN).....	10	0.01
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS.....	31757	18.27
94 = DON'T KNOW.....	9	0.01
97 = REFUSED.....	22	0.01
98 = BLANK (NO ANSWER).....	601	0.35

MARIJUANA

MJMONPILL

Len : 2 MRJ USE - PILLS - PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	382	0.22
2 = No (not entered).....	18855	10.85
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
4 = No (not entered) LOGICALLY ASSIGNED.....	50	0.03
5 = Yes LOGICALLY ASSIGNED (from MJYRPILL).....	4	0.00
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS.....	31757	18.27
94 = DON'T KNOW.....	9	0.01
97 = REFUSED.....	24	0.01
98 = BLANK (NO ANSWER).....	599	0.34

NOTE: Beginning in 2022, edited variables MJANYMEDYR and MJALLMEDYR replace variables MEDMJYR and MEDMJALL. Questions MJMM01 and MJMM02 were moved from the blunts section of the questionnaire to the marijuana section. This change may have affected how respondents answered these questions.

NOTE: Past year marijuana users could answer MJANYMEDYR and MJALLMEDYR as "yes," regardless of whether they were living in a State in which marijuana was approved for medical use.

Earlier, you reported using marijuana or any cannabis product in the past year. Was any of your marijuana or cannabis product use in the past 12 months recommended by a doctor or other health care professional?

MJANYMEDYR

Len : 2 ANY MARIJUANA USE IN PAST 12 MONTHS RECOMMENDED BY DR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	4410	2.54
2 = No.....	23853	13.72
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW.....	29	0.02
97 = REFUSED.....	73	0.04
98 = BLANK (NO ANSWER).....	368	0.21

Was all of your marijuana or cannabis use in the past 12 months recommended by a doctor or other health care professional?

MJALLMEDYR

Len : 2 ALL MARIJUANA USE IN PAST 12 MONTHS RECOMMENDED BY DR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	2678	1.54
2 = No.....	1723	0.99
85 = BAD DATA Logically Assigned.....	1	0.00
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	22950	13.20
94 = DON'T KNOW.....	4	0.00
97 = REFUSED.....	77	0.04
98 = BLANK (NO ANSWER).....	397	0.23
99 = LEGITIMATE SKIP.....	23853	13.72

NOTE: MEDMJPA2 indicates whether respondents were living in a State in which a law allowing use of marijuana for medical reasons had been passed at the time of the interview. The entire sample was classified into one of the following two categories: MEDMJPA2 was coded as 1 if the respondent was in a State where a law or initiative allowing the use of marijuana for medical reasons had been passed on or before the interview date; MEDMJPA2 was coded as 2 if (a) the respondent was in a State in which a law or initiative allowing the use of marijuana for medical reasons had not been passed at any time during the survey year; or (b) the respondent was in a State where a law or initiative allowing the use of marijuana for medical reasons had been passed during the survey year but after the interview date.

MEDMJPA2

Len : 1 STATE MEDICAL MJ LAW PASSED AT TIME OF INTERVIEW

	Freq	Pct
1 = In State where medical MJ law passed before intvw.....	131948	75.92
2 = Not In State where med MJ law existed at time of intvw.....	41860	24.08

MARKET INFORMATION FOR MARIJUANA

MARKET INFORMATION FOR MARIJUANA

NOTE: The Market Information for Marijuana section underwent extensive questionnaire changes for the 2022 survey. Therefore, all variables in this section were given new variable names beginning in 2022.

Now we return to the topic of marijuana and cannabis products.
Please do not include CBD or hemp products when answering these questions.

During the past 12 months, how did you get marijuana or cannabis products?

<u>MKMBGHTYR</u>	Len : 2 PAID FOR OR BOUGHT MARIJUANA - PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	17341	9.98
	2 = No.....	10020	5.76
	3 = Yes LOGICALLY ASSIGNED.....	72	0.04
	85 = BAD DATA Logically Assigned.....	6	0.00
	91 = NEVER USED MARIJUANA.....	64091	36.87
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
	94 = DON'T KNOW.....	68	0.04
	97 = REFUSED.....	153	0.09
	98 = BLANK (NO ANSWER).....	1073	0.62

<u>MKMTRADEYR</u>	Len : 2 TRADED SOMETHING FOR MARIJUANA - PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	1523	0.88
	2 = No.....	25888	14.89
	3 = Yes LOGICALLY ASSIGNED.....	22	0.01
	85 = BAD DATA Logically Assigned.....	6	0.00
	91 = NEVER USED MARIJUANA.....	64091	36.87
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
	94 = DON'T KNOW.....	68	0.04
	97 = REFUSED.....	151	0.09
	98 = BLANK (NO ANSWER).....	1075	0.62

<u>MKMFREYR</u>	Len : 2 GOT FOR FREE OR SHARED SOMEONE ELSE'S MARIJUANA - PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	15644	9.00
	2 = No.....	11730	6.75
	3 = Yes LOGICALLY ASSIGNED.....	72	0.04
	85 = BAD DATA Logically Assigned.....	6	0.00
	91 = NEVER USED MARIJUANA.....	64091	36.87
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
	94 = DON'T KNOW.....	62	0.04
	97 = REFUSED.....	144	0.08
	98 = BLANK (NO ANSWER).....	1075	0.62

<u>MKMGREWYR</u>	Len : 2 GREW OWN MARIJUANA - PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	1140	0.66
	2 = No.....	26275	15.12
	3 = Yes LOGICALLY ASSIGNED.....	8	0.00
	85 = BAD DATA Logically Assigned.....	6	0.00
	91 = NEVER USED MARIJUANA.....	64091	36.87
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
	94 = DON'T KNOW.....	68	0.04
	97 = REFUSED.....	161	0.09
	98 = BLANK (NO ANSWER).....	1075	0.62

MARKET INFORMATION FOR MARIJUANA

NOTE: MKMOTHWAYYR was coded as 5 (Source unknown) if respondents used marijuana in the past 12 months, but they did not report at least one way in which they got marijuana in that period.

MKMOTHWAYYR Len : 2 GOT MARIJUANA IN SOME OTHER WAY - PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	1636	0.94
2 = No.....	22076	12.70
5 = Source unknown.....	3847	2.21
85 = BAD DATA Logically Assigned.....	6	0.00
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW.....	21	0.01
97 = REFUSED.....	72	0.04
98 = BLANK (NO ANSWER).....	1075	0.62

How long has it been since you last paid for or bought marijuana or cannabis products?

MKMBGHTREC Len : 2 TIME SINCE LAST PAID FOR OR BOUGHT MARIJUANA

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 30 days.....	9379	5.40
2 = More than 30 days ago but within the past 12 months.....	7871	4.53
85 = BAD DATA Logically Assigned.....	5	0.00
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW.....	53	0.03
97 = REFUSED.....	36	0.02
98 = BLANK (NO ANSWER).....	1369	0.79
99 = LEGITIMATE SKIP.....	10020	5.76

During the past 30 days, that is, since [DATEFILL], on how many days did you pay for or buy marijuana or cannabis products?

MKMBGHT30N2 Len : 2 # OF DAYS PAID FOR OR BOUGHT MARIJUANA - PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 5.....	7531	4.33
-9 = Data not collected for this year.....	58034	33.39
6 = 6 or more.....	1737	1.00
85 = BAD DATA Logically Assigned.....	5	0.00
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW.....	86	0.05
97 = REFUSED.....	25	0.01
98 = BLANK (NO ANSWER).....	1458	0.84
99 = LEGITIMATE SKIP.....	17891	10.29

MKMAMTPDCOM2 Len : 2 AMT PAID FOR LAST MRJ BOUGHT - CAT - PST 12 MOS (COMBINED)

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Less than \$25.00.....	3017	1.74
2 = \$25.00 to \$49.99.....	4803	2.76
3 = \$50.00 to \$99.99.....	4736	2.72
4 = \$100.00 to \$149.99.....	2355	1.35
5 = \$150.00 to \$199.99.....	724	0.42
6 = \$200 to \$299.99.....	972	0.56
7 = \$300 to \$399.99.....	282	0.16
8 = \$400 to \$499.99.....	114	0.07
9 = \$500 or more.....	201	0.12
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW.....	36	0.02
97 = REFUSED.....	36	0.02
98 = BLANK (NO ANSWER).....	1437	0.83
99 = LEGITIMATE SKIP.....	10020	5.76

MARKET INFORMATION FOR MARIJUANA

The last time you bought marijuana or cannabis products, did you buy it from either a store or dispensary?

[MKMBGHTDISP](#)

Len : 2 BGHT LAST MARIJUANA FROM STORE OR DISPENSARY - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	10936	6.29
2 = No.....	6322	3.64
85 = BAD DATA Logically Assigned.....	5	0.00
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW	32	0.02
97 = REFUSED	45	0.03
98 = BLANK (NO ANSWER)	1373	0.79
99 = LEGITIMATE SKIP.....	10020	5.76

The last time you paid for or bought marijuana or cannabis products, how well did you know the person you got it from?

[MKMBGHTKNW](#)

Len : 2 HOW WELL KNOW PERSON BOUGHT LAST MRJ FROM - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Very well	4263	2.45
2 = Somewhat well	1456	0.84
3 = Not at all well	617	0.35
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW	23	0.01
97 = REFUSED	39	0.02
98 = BLANK (NO ANSWER)	1379	0.79
99 = LEGITIMATE SKIP.....	20956	12.06

The last time you paid for or bought marijuana, what forms of marijuana or cannabis products did you buy?

[MKMBGHTJNT](#)

Len : 2 LAST BOUGHT MRJ IN PRE-ROLLED JOINTS - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	4372	2.52
2 = No.....	12913	7.43
85 = BAD DATA Logically Assigned.....	5	0.00
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW	18	0.01
97 = REFUSED	28	0.02
98 = BLANK (NO ANSWER)	1377	0.79
99 = LEGITIMATE SKIP.....	10020	5.76

[MKMBGHTLOO](#)

Len : 2 LAST BOUGHT MRJ IN LOOSE FORM - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	10220	5.88
2 = No.....	7066	4.07
85 = BAD DATA Logically Assigned.....	5	0.00
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW	20	0.01
97 = REFUSED	25	0.01
98 = BLANK (NO ANSWER)	1377	0.79
99 = LEGITIMATE SKIP.....	10020	5.76

MARKET INFORMATION FOR MARIJUANA

MKMBGHTVAPE Len : 2 LAST BOUGHT MRJ IN VAPING CATRIDGE/OIL/PEN - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	5924	3.41
2 = No.....	11366	6.54
85 = BAD DATA Logically Assigned.....	5	0.00
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW.....	15	0.01
97 = REFUSED	26	0.01
98 = BLANK (NO ANSWER)	1377	0.79
99 = LEGITIMATE SKIP.....	10020	5.76

MKMBGHTDAB Len : 2 LAST BOUGHT MRJ IN WAXES/SHATTER/CONCENTRATE - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	2256	1.30
2 = No.....	15029	8.65
85 = BAD DATA Logically Assigned.....	5	0.00
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW.....	17	0.01
97 = REFUSED	29	0.02
98 = BLANK (NO ANSWER)	1377	0.79
99 = LEGITIMATE SKIP.....	10020	5.76

MKMBGHTEDBLE Len : 2 LAST BOUGHT MRJ IN EDIBLES FOR EAT OR DRINK - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	7280	4.19
2 = No.....	10006	5.76
85 = BAD DATA Logically Assigned.....	5	0.00
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW.....	13	0.01
97 = REFUSED	32	0.02
98 = BLANK (NO ANSWER)	1377	0.79
99 = LEGITIMATE SKIP.....	10020	5.76

MKMBGHTDRPS Len : 2 LAST BOUGHT MRJ IN DROP/STRIP/LOZENGE/SPRAY - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	635	0.37
2 = No.....	16648	9.58
85 = BAD DATA Logically Assigned.....	5	0.00
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW.....	18	0.01
97 = REFUSED	30	0.02
98 = BLANK (NO ANSWER)	1377	0.79
99 = LEGITIMATE SKIP.....	10020	5.76

MARKET INFORMATION FOR MARIJUANA

MKMBGHTLTN

Len : 2 LAST BOUGHT MRJ IN LOTION/CREAM/PATCH - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	845	0.49
2 = No.....	16436	9.46
85 = BAD DATA Logically Assigned.....	5	0.00
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW.....	18	0.01
97 = REFUSED	32	0.02
98 = BLANK (NO ANSWER)	1377	0.79
99 = LEGITIMATE SKIP.....	10020	5.76

MKMBGHTPILL

Len : 2 LAST BOUGHT MRJ IN PILLS - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	356	0.20
2 = No.....	16926	9.74
85 = BAD DATA Logically Assigned.....	5	0.00
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW.....	18	0.01
97 = REFUSED	31	0.02
98 = BLANK (NO ANSWER)	1377	0.79
99 = LEGITIMATE SKIP.....	10020	5.76

NOTE: MKMBGHTOTH was coded as 5 (Form bought unknown) if respondents reported buying marijuana or cannabis products in the past 12 months, but they did not report at least one form of marijuana or cannabis product bought in that period.

MKMBGHTOTH

Len : 2 LAST BOUGHT MRJ IN OTHER FORM - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	272	0.16
2 = No.....	16771	9.65
5 = Form bought unknown.....	257	0.15
85 = BAD DATA Logically Assigned.....	5	0.00
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW.....	12	0.01
97 = REFUSED	19	0.01
98 = BLANK (NO ANSWER)	1377	0.79
99 = LEGITIMATE SKIP.....	10020	5.76

MKMLOOGMCOM2

Len : 2 EST AMT OF LOOSE MRJ BGHT LAST TIME IN GRAMS-CAT (COMBINED)

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = At least 1 but less than 3 grams.....	1453	0.84
2 = At least 3 but less than 5 grams.....	1503	0.86
3 = At least 5 but less than 7 grams.....	355	0.20
4 = At least 7 but less than 10 grams.....	735	0.42
5 = At least 10 but less than 15 grams.....	482	0.28
6 = 15 grams or more.....	356	0.20
91 = NEVER USED MARIJUANA	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW.....	24	0.01
97 = REFUSED	11	0.01
98 = BLANK (NO ANSWER)	1656	0.95
99 = LEGITIMATE SKIP.....	22158	12.75

MARKET INFORMATION FOR MARIJUANA

The last time you bought marijuana in loose form, how many ounces did you buy?

[MKMLOOOUNCE](#) Len : 2 AMT OF LOOSE MARIJUANA BOUGHT LAST TIME IN OUNCES - CAT

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = At least 1/8 but less than 1/4 of an ounce (an "eighth").....	1651	0.95
2 = At least 1/4 but less than 1/3 of an ounce (a "quarter").....	920	0.53
3 = At least 1/3 but less than 1/2 of an ounce.....	190	0.11
4 = At least 1/2 but less than 1 ounce ("half-an-ounce").....	785	0.45
5 = At least 1 but less than 2 ounces.....	1050	0.60
6 = At least 2 but less than 3 ounces.....	193	0.11
7 = 3 ounces or more.....	137	0.08
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW.....	30	0.02
97 = REFUSED.....	13	0.01
98 = BLANK (NO ANSWER).....	1655	0.95
99 = LEGITIMATE SKIP.....	22109	12.72

During the past 12 months, did you sell any marijuana or cannabis products?

[MKMSELLMRJ](#) Len : 2 SOLD MARIJUANA IN THE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	834	0.48
2 = No.....	26635	15.32
85 = BAD DATA Logically Assigned.....	6	0.00
91 = NEVER USED MARIJUANA.....	64091	36.87
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	22950	13.20
94 = DON'T KNOW.....	61	0.04
97 = REFUSED.....	108	0.06
98 = BLANK (NO ANSWER).....	1089	0.63

BLUNTS

BLUNTS

This note applies to variables in this section marked by a¹.

NOTE: When respondents previously reported never using marijuana but reported lifetime use of cigars with marijuana in them (i.e., "blunts"), a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTEVER was assigned a code of 11 when respondents reported using blunts but they did not report use in the past 30 days, and they previously had reported never using marijuana.

Sometimes people take some tobacco out of a cigar and replace it with marijuana. This is sometimes called a "blunt".

Have you ever smoked part or all of a cigar with marijuana in it?

<u>BLNTEVER</u> ¹	Len : 2	EVER SMOKED CIGAR WITH MARIJUANA IN IT	Freq	Pct
1 = Yes.....			38884	22.37
2 = No.....			132276	76.10
4 = No LOGICALLY ASSIGNED			66	0.04
11 = Yes (see note)			1139	0.66
85 = BAD DATA Logically assigned			12	0.01
94 = DON'T KNOW			204	0.12
97 = REFUSED			154	0.09
98 = BLANK (NO ANSWER)			1073	0.62

How old were you the first time you smoked part or all of a cigar with marijuana in it?

<u>BLNTAGE</u> ¹	Len : 3	AGE WHEN FIRST SMOKED CIGAR WITH MJ IN IT	Freq	Pct
RANGE = 1 - 78			39618	22.79
981 = NEVER USED BLUNTS Logically assigned.....			66	0.04
985 = BAD DATA Logically assigned			38	0.02
991 = NEVER USED BLUNTS			132276	76.10
994 = DON'T KNOW			271	0.16
997 = REFUSED			258	0.15
998 = BLANK (NO ANSWER).....			1281	0.74

Did you first smoke part or all of a cigar with marijuana in it in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigar with marijuana in it in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar with marijuana in it?

<u>BLNTYFU</u> ¹	Len : 4	YEAR OF FIRST USE OF CIGAR WITH MJ IN IT - RECODE	Freq	Pct
RANGE = 2019 - 2023			3117	1.79
9981 = NEVER USED BLUNTS Logically assigned.....			66	0.04
9985 = BAD DATA Logically assigned			60	0.03
9989 = LEGITIMATE SKIP Logically assigned			171	0.10
9991 = NEVER USED BLUNTS			132276	76.10
9994 = DON'T KNOW			284	0.16
9997 = REFUSED			261	0.15
9998 = BLANK (NO ANSWER).....			1322	0.76
9999 = LEGITIMATE SKIP.....			36251	20.86

BLUNTS

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar with marijuana in it?

In what month in [YEAR FROM BL08a or BL08b] did you first smoke part or all of a cigar with marijuana in it?

[BLNTMFU¹](#)

Len : 2 MONTH OF FIRST USE OF CIGAR W/MJ IN IT - RECODE

	Freq	Pct
1 = January.....	250	0.14
2 = February.....	204	0.12
3 = March.....	231	0.13
4 = April.....	214	0.12
5 = May.....	228	0.13
6 = June.....	346	0.20
7 = July.....	327	0.19
8 = August.....	246	0.14
9 = September.....	215	0.12
10 = October.....	281	0.16
11 = November.....	211	0.12
12 = December.....	180	0.10
81 = NEVER USED BLUNTS Logically assigned.....	66	0.04
85 = BAD DATA Logically assigned.....	60	0.03
89 = LEGITIMATE SKIP Logically assigned.....	171	0.10
91 = NEVER USED BLUNTS.....	132276	76.10
94 = DON'T KNOW.....	450	0.26
97 = REFUSED.....	263	0.15
98 = BLANK (NO ANSWER).....	1338	0.77
99 = LEGITIMATE SKIP.....	36251	20.86

NOTE: When respondents previously reported using marijuana but reported less recent use of marijuana than they reported for blunts, a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTREC was assigned a code of 12 when respondents reported last using marijuana more than 12 months ago but reported using blunts more than 30 days ago but within the past 12 months.

How long has it been since you last smoked part or all of a cigar with marijuana in it?

[BLNTREC¹](#)

Len : 2 TIME SINCE LAST SMOKED CIGAR WITH MJ IN IT

	Freq	Pct
1 = Within the past 30 days.....	8558	4.92
2 = More than 30 days ago but within the past 12 mos.....	7077	4.07
3 = More than 12 months ago.....	23749	13.66
9 = Used at some point in lifetime LOG ASSN.....	216	0.12
12 = More than 30 dys ago but in pst 12 mos (see note).....	252	0.14
19 = More than 30 days ago LOGICALLY ASSIGNED.....	164	0.09
81 = NEVER USED BLUNTS Logically assigned.....	66	0.04
85 = BAD DATA Logically assigned.....	12	0.01
91 = NEVER USED BLUNTS.....	132276	76.10
97 = REFUSED.....	154	0.09
98 = BLANK (NO ANSWER).....	1284	0.74

NOTE: BLRECFL2 has nonblank values when data on initiation of use from BLNTAGE, BLNTYFU, or BLNTMFU indicate more recent use of blunts than was reported in BLNTREC.

[BLRECFL2¹](#)

Len : 2 INCONSISTENCY BETW BLNTREC AND INCIDENCE DATA

	Freq	Pct
1 = Incidence data suggest more recent use.....	257	0.15
98 = BLANK (NO ANSWER).....	173551	99.85

On how many of the past 30 days, that is, since [DATEFILL], did you smoke part or all of a cigar with marijuana in it?

[BLNT30DY¹](#)

Len : 2 # DAYS USED CIGAR WITH MJ IN IT PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	8470	4.87
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED BLUNTS.....	132342	76.14
93 = DID NOT USE BLUNTS IN THE PAST 30 DAYS.....	31242	17.98
94 = DON'T KNOW.....	50	0.03
97 = REFUSED.....	169	0.10
98 = BLANK (NO ANSWER).....	1530	0.88

BLUNTS

The answer to the last question and an earlier question disagree. Which is correct?

[BLNT30C1](#)¹

Len : 2 BL02/MJ01 DISAGREE, WHICH IS CORRECT

	Freq	Pct
1 = I have never used marijuana or any cannabis product.....	66	0.04
2 = I smoked cigar w/mj in it during the past 30 days.....	101	0.06
85 = BAD DATA Logically assigned.....	7	0.00
89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	877	0.50
99 = LEGITIMATE SKIP.....	172750	99.39

The answer to the last question and an earlier question disagree. Which answer is correct?

[BLNT30C2](#)¹

Len : 2 BL02 AND MJ RECENCY DISAGREE, WHICH IS CORRECT

	Freq	Pct
1 = I last used marijuana or any cannabis product [MJREC FILL]	176	0.10
2 = I smoked cigar w/mj in it during the past 30 days.....	169	0.10
89 = LEGITIMATE SKIP Logically assigned.....	12	0.01
98 = BLANK (NO ANSWER)	1349	0.78
99 = LEGITIMATE SKIP.....	172102	99.02

Why did you report earlier that you had never used marijuana or any cannabis product?

[RSNOMR1](#)¹

Len : 2 WHY REPORT EARLIER THAT NEVER USED MJ/CANNABIS

	Freq	Pct
1 = I didn't consider a "blunt" to be mj or any cannabis product	18	0.01
2 = I made mistake answering earlier question about mj.....	69	0.04
3 = Some other reason.....	14	0.01
89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	884	0.51
99 = LEGITIMATE SKIP.....	172816	99.43

Why did you report earlier that you did not use marijuana or any cannabis product during the past 30 days?

[RSNMRJMO](#)¹

Len : 2 WHY REPRT EARLIER NOT USE MJ/CANNABIS PAST 30 DAYS

	Freq	Pct
1 = I didn't consider a "blunt" to be mj or any cannabis product	38	0.02
2 = I made mistake answering earlier question about mj.....	111	0.06
3 = Some other reason.....	18	0.01
89 = LEGITIMATE SKIP Logically assigned.....	8	0.00
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1349	0.78
99 = LEGITIMATE SKIP.....	172282	99.12

BLUNTS

NOTE: The variable BLNTNOMJ was assigned a code of 5 if respondents were not asked this question because they reported in the TOBACCO module that they smoked cigars in the past 30 days but reported in the BLUNTS module that they did not smoke cigars with marijuana in them in the past 30 days. It could be logically inferred that all of the cigars that these respondents smoked in the past 30 days did not have marijuana in them. BLNTNOMJ was assigned codes of 14 or 24 if respondents were not asked this question and they reported in the BLUNTS module that they smoked a cigar with marijuana in it in the past 30 days. A code of 14 was assigned if respondents reported in the TOBACCO module that they had smoked cigars but not in the past 30 days. A code of 24 was assigned if respondents reported in the TOBACCO module that they had never smoked part or all of a cigar.

Earlier, you reported that you had smoked part or all of a cigar during the past 30 days. During the past 30 days, did you smoke any cigars that did not have marijuana in them?

<u>BLNTNOMJ</u> ¹	Len : 2	SMOKE CIGARS WITH NO MARIJUANA PAST 30 DAYS		
			Freq	Pct
1 = Yes.....			787	0.45
2 = No.....			1401	0.81
5 = Yes LOGICALLY ASSIGNED (from skip pattern)			4041	2.32
14 = USED BLUNTS PST 30 DY/DIDNT USE CIGARS PST 30 DY			2621	1.51
24 = USED BLUNTS PST 30 DY/NEVER USED CIGARS			3726	2.14
85 = BAD DATA Logically assigned			3	0.00
91 = NEVER USED CIGARS/BLUNTS			110111	63.35
93 = DID NOT USE CIGARS/BLUNTS IN THE PAST 30 DAYS			49262	28.34
94 = DON'T KNOW			1	0.00
97 = REFUSED			1	0.00
98 = BLANK (NO ANSWER)			1854	1.07

COCAINE

COCAINE

These questions are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste.

Have you ever, even once, used any form of cocaine?

COCEVER

Len : 2 EVER USED COCAINE

	Freq	Pct
1 = Yes.....	20016	11.52
2 = No.....	153725	88.45
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	44	0.03
97 = REFUSED.....	22	0.01

How old were you the first time you used cocaine, in any form?

COCAFE

Len : 3 AGE WHEN FIRST USED COCAINE

	Freq	Pct
RANGE = 1 - 70.....	19905	11.45
985 = BAD DATA Logically assigned.....	15	0.01
991 = NEVER USED COCAINE.....	153725	88.45
994 = DON'T KNOW.....	78	0.04
997 = REFUSED.....	41	0.02
998 = BLANK (NO ANSWER).....	44	0.03

Did you first use cocaine in any form in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use cocaine in any form in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use cocaine in any form?

COCYFU

Len : 4 YEAR OF FIRST COCAINE USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	758	0.44
9985 = BAD DATA Logically assigned.....	72	0.04
9989 = LEGITIMATE SKIP Logically assigned.....	97	0.06
9991 = NEVER USED COCAINE.....	153725	88.45
9994 = DON'T KNOW.....	88	0.05
9997 = REFUSED.....	43	0.02
9998 = BLANK (NO ANSWER).....	47	0.03
9999 = LEGITIMATE SKIP.....	18978	10.92

In what month in [CURRENT YEAR] did you first use cocaine in any form?

In what month in [YEAR FROM CC03a or CC03b] did you first use cocaine?

COCMFU

Len : 2 MONTH OF FIRST COCAINE USE - RECODE

	Freq	Pct
1 = January.....	52	0.03
2 = February.....	57	0.03
3 = March.....	66	0.04
4 = April.....	62	0.04
5 = May.....	46	0.03
6 = June.....	76	0.04
7 = July.....	70	0.04
8 = August.....	68	0.04
9 = September.....	51	0.03
10 = October.....	81	0.05
11 = November.....	47	0.03
12 = December.....	59	0.03
85 = BAD DATA Logically assigned.....	72	0.04
89 = LEGITIMATE SKIP Logically assigned.....	97	0.06
91 = NEVER USED COCAINE.....	153725	88.45
94 = DON'T KNOW.....	108	0.06
97 = REFUSED.....	46	0.03
98 = BLANK (NO ANSWER).....	47	0.03
99 = LEGITIMATE SKIP.....	18978	10.92

COCAINE

How long has it been since you last used cocaine?

COCREC

Len : 2 TIME SINCE LAST USED COCAINE

	Freq	Pct
1 = Within the past 30 days.....	1122	0.65
2 = More than 30 days ago but within the past 12 mos	2088	1.20
3 = More than 12 months ago	16601	9.55
8 = Used at some point in the past 12 mos LOG ASSN.....	58	0.03
9 = Used at some point in the lifetime LOG ASSN.....	80	0.05
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	37	0.02
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	30	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED COCAINE	153725	88.45
97 = REFUSED	22	0.01
98 = BLANK (NO ANSWER)	44	0.03

COCYRTOT

Len : 3 TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	3255	1.87
985 = BAD DATA Logically assigned	11	0.01
991 = NEVER USED COCAINE	153725	88.45
993 = DID NOT USE COCAINE IN THE PAST 12 MOS	16601	9.55
994 = DON'T KNOW	16	0.01
997 = REFUSED	30	0.02
998 = BLANK (NO ANSWER).....	170	0.10

CCTOTFG

Len : 2 TRIMMING INDICATOR FOR COCYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing).....	2	0.00
2 = Trimmed relative to the 30-day freq	10	0.01
98 = BLANK (NO ANSWER)	173796	99.99

CCFQFLG

Len : 2 TRIMMED COCYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	76	0.04
98 = BLANK (NO ANSWER)	173732	99.96

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used cocaine during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

CCBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED COCAINE

	Freq	Pct
1 = Prefer to answer in days per week.....	429	0.25
2 = Prefer to answer in days per month.....	608	0.35
3 = Prefer to answer in days per year	2107	1.21
11 = Prefer to ans in days per wk LOG ASSN	1	0.00
12 = Prefer to ans in days per mo LOG ASSN.....	2	0.00
13 = Prefer to ans in days per yr LOG ASSN	9	0.01
21 = Prefer to ans in days per wk (CRBSTWAY=1,11).....	54	0.03
22 = Prefer to ans in days per mo (CRBSTWAY=2,12)	34	0.02
23 = Prefer to ans in days per yr (CRBSTWAY=3,13).....	31	0.02
85 = BAD DATA Logically assigned	11	0.01
91 = NEVER USED COCAINE	153725	88.45
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	16601	9.55
94 = DON'T KNOW	3	0.00
97 = REFUSED	23	0.01
98 = BLANK (NO ANSWER)	170	0.10

COCAINE

On how many days in the past 12 months did you use cocaine?

CCDAYPYR

Len : 3 # DAYS USED COCAINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	2144	1.23
985 = BAD DATA Logically assigned	2	0.00
989 = LEGITIMATE SKIP Logically assigned	25	0.01
991 = NEVER USED COCAINE	153725	88.45
993 = DID NOT USE COCAINE IN THE PAST 12 MOS	16601	9.55
994 = DON'T KNOW	6	0.00
997 = REFUSED	23	0.01
998 = BLANK (NO ANSWER)	179	0.10
999 = LEGITIMATE SKIP	1103	0.63

On average, how many days did you use cocaine each month during the past 12 months?

CCDAYPMO

Len : 2 # DAYS PER MONTH USED COCAINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 31	640	0.37
85 = BAD DATA Logically assigned	5	0.00
89 = LEGITIMATE SKIP Logically assigned	22	0.01
91 = NEVER USED COCAINE	153725	88.45
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	16601	9.55
94 = DON'T KNOW	8	0.00
97 = REFUSED	24	0.01
98 = BLANK (NO ANSWER)	177	0.10
99 = LEGITIMATE SKIP	2606	1.50

On average, how many days did you use cocaine each week during the past 12 months?

CCDAYPWK

Len : 2 # DAYS PER WEEK USED COCAINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	471	0.27
85 = BAD DATA Logically assigned	4	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED COCAINE	153725	88.45
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	16601	9.55
94 = DON'T KNOW	15	0.01
97 = REFUSED	30	0.02
98 = BLANK (NO ANSWER)	178	0.10
99 = LEGITIMATE SKIP	2779	1.60

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use cocaine?

CCOCUS30A

Len : 2 # DAYS USED COCAINE PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	1117	0.64
85 = BAD DATA Logically assigned	41	0.02
91 = NEVER USED COCAINE	153725	88.45
93 = DID NOT USE COCAINE IN THE PAST 30 DAYS	18719	10.77
94 = DON'T KNOW	5	0.00
97 = REFUSED	25	0.01
98 = BLANK (NO ANSWER)	176	0.10

What is your best estimate of the number of days you used cocaine during the past 30 days?

CC30EST

Len : 2 BEST ESTIMATE # DAYS USED COCAINE PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	2	0.00
4 = 10 to 19 days	1	0.00
91 = NEVER USED COCAINE	153725	88.45
93 = DID NOT USE COCAINE IN THE PAST 30 DAYS	18719	10.77
94 = DON'T KNOW	2	0.00
97 = REFUSED	25	0.01
98 = BLANK (NO ANSWER)	217	0.12
99 = LEGITIMATE SKIP	1117	0.64

CRACK

CRACK

The next questions are about 'crack', that is cocaine in rock or chunk form, and not the other forms of cocaine.

Have you ever, even once, used 'crack'?

CRKEVER

Len : 2 EVER USED CRACK

	Freq	Pct
1 = Yes.....	4658	2.68
2 = No.....	15335	8.82
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED COCAINE (COCEVER=2).....	153725	88.45
94 = DON'T KNOW.....	19	0.01
97 = REFUSED.....	24	0.01
98 = BLANK (NO ANSWER).....	44	0.03

How old were you the first time you used 'crack'?

CRKAGE

Len : 3 AGE WHEN FIRST USED CRACK

	Freq	Pct
RANGE = 1 - 70.....	4624	2.66
985 = BAD DATA Logically assigned.....	6	0.00
991 = NEVER USED CRACK.....	169060	97.27
994 = DON'T KNOW.....	27	0.02
997 = REFUSED.....	28	0.02
998 = BLANK (NO ANSWER).....	63	0.04

Did you first use 'crack' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'crack' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'crack'?

CRKYFU

Len : 4 YEAR OF FIRST CRACK USE - RECODE

	Freq	Pct
RANGE = 2020 - 2023.....	79	0.05
9985 = BAD DATA Logically assigned.....	17	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	5	0.00
9991 = NEVER USED CRACK.....	169060	97.27
9994 = DON'T KNOW.....	27	0.02
9997 = REFUSED.....	28	0.02
9998 = BLANK (NO ANSWER).....	67	0.04
9999 = LEGITIMATE SKIP.....	4525	2.60

In what month in [CURRENT YEAR] did you first use 'crack'?

In what month in [YEAR FROM CK03a or CK03b] did you first use 'crack'?

CRKMFU

Len : 2 MONTH OF FIRST CRACK USE - RECODE

	Freq	Pct
1 = January.....	5	0.00
2 = February.....	6	0.00
3 = March.....	7	0.00
4 = April.....	2	0.00
5 = May.....	10	0.01
6 = June.....	15	0.01
7 = July.....	5	0.00
8 = August.....	11	0.01
9 = September.....	3	0.00
10 = October.....	4	0.00
11 = November.....	4	0.00
12 = December.....	4	0.00
85 = BAD DATA Logically assigned.....	17	0.01
89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
91 = NEVER USED CRACK.....	169060	97.27
94 = DON'T KNOW.....	30	0.02
97 = REFUSED.....	28	0.02
98 = BLANK (NO ANSWER).....	67	0.04
99 = LEGITIMATE SKIP.....	4525	2.60

CRACK

How long has it been since you last used 'crack'?

CRAKREC	Len : 2	TIME SINCE LAST USED CRACK		
			Freq	Pct
		1 = Within the past 30 days.....	243	0.14
		2 = More than 30 days ago but within the past 12 mos	243	0.14
		3 = More than 12 months ago	4146	2.39
		8 = Used at some point in the past 12 mos LOG ASSN.....	11	0.01
		9 = Used at some point in the lifetime LOG ASSN.....	15	0.01
		85 = BAD DATA Logically assigned.....	3	0.00
		91 = NEVER USED CRACK.....	169060	97.27
		97 = REFUSED	24	0.01
		98 = BLANK (NO ANSWER)	63	0.04

CRKYRTOT	Len : 3	TOTAL # DAYS USED CRACK IN PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 365	486	0.28
		985 = BAD DATA Logically assigned	7	0.00
		991 = NEVER USED CRACK	169060	97.27
		993 = DID NOT USE CRACK IN THE PAST 12 MOS	4146	2.39
		994 = DON'T KNOW	2	0.00
		997 = REFUSED	27	0.02
		998 = BLANK (NO ANSWER).....	80	0.05

CRTOTFG	Len : 2	TRIMMING INDICATOR FOR CRKYRTOT		
			Freq	Pct
		2 = Trimmed relative to the 30-day freq	11	0.01
		98 = BLANK (NO ANSWER)	173797	99.99

CRFQFLG	Len : 2	TRIMMED CRKYRTOT IF R USED < 12 MOS		
			Freq	Pct
		1 = Trimmed to be consistent with mo/yr of 1st use	15	0.01
		98 = BLANK (NO ANSWER)	173793	99.99

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used 'crack' during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

CRBSTWAY	Len : 2	EASIEST WAY TO TELL US # DAYS USED CRACK		
			Freq	Pct
		1 = Prefer to answer in days per week.....	156	0.09
		2 = Prefer to answer in days per month.....	132	0.08
		3 = Prefer to answer in days per year	199	0.11
		11 = Prefer to ans in days per wk LOG ASSN	1	0.00
		85 = BAD DATA Logically assigned.....	7	0.00
		91 = NEVER USED CRACK.....	169060	97.27
		93 = DID NOT USE CRACK IN THE PAST 12 MOS	4146	2.39
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	25	0.01
		98 = BLANK (NO ANSWER)	80	0.05

On how many days in the past 12 months did you use 'crack'?

CRDAYPYR	Len : 3	# DAYS USED CRACK PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 365	199	0.11
		989 = LEGITIMATE SKIP Logically assigned	1	0.00
		991 = NEVER USED CRACK	169060	97.27
		993 = DID NOT USE CRACK IN THE PAST 12 MOS	4146	2.39
		994 = DON'T KNOW	2	0.00
		997 = REFUSED	25	0.01
		998 = BLANK (NO ANSWER).....	87	0.05
		999 = LEGITIMATE SKIP.....	288	0.17

CRACK

On average, how many days did you use 'crack' each month during the past 12 months?

[CRDAYPMO](#)

Len : 2 # DAYS PER MONTH USED CRACK PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30	130	0.07
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED CRACK	169060	97.27
93 = DID NOT USE CRACK IN THE PAST 12 MOS	4146	2.39
94 = DON'T KNOW	3	0.00
97 = REFUSED	26	0.01
98 = BLANK (NO ANSWER)	87	0.05
99 = LEGITIMATE SKIP	355	0.20

On average, how many days did you use 'crack' each week during the past 12 months?

[CRDAYPWK](#)

Len : 2 # DAYS PER WEEK USED CRACK PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	157	0.09
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED CRACK	169060	97.27
93 = DID NOT USE CRACK IN THE PAST 12 MOS	4146	2.39
94 = DON'T KNOW	2	0.00
97 = REFUSED	27	0.02
98 = BLANK (NO ANSWER)	80	0.05
99 = LEGITIMATE SKIP	329	0.19

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use 'crack'?

[CRKUS30A](#)

Len : 2 # DAYS USED CRACK PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	241	0.14
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED CRACK	169060	97.27
93 = DID NOT USE CRACK IN THE PAST 30 DAYS	4389	2.53
94 = DON'T KNOW	1	0.00
97 = REFUSED	25	0.01
98 = BLANK (NO ANSWER)	86	0.05

What is your best estimate of the number of days you used 'crack' during the past 30 days?

[CR30EST](#)

Len : 2 BEST ESTIMATE # DAYS USED CRACK PAST 30 DAYS

	Freq	Pct
91 = NEVER USED CRACK	169060	97.27
93 = DID NOT USE CRACK IN THE PAST 30 DAYS	4389	2.53
94 = DON'T KNOW	1	0.00
97 = REFUSED	25	0.01
98 = BLANK (NO ANSWER)	92	0.05
99 = LEGITIMATE SKIP	241	0.14

HEROIN

HEROIN

These next questions are about heroin.

Have you ever, even once, used heroin?

HEREVER

Len : 2 EVER USED HEROIN

	Freq	Pct
1 = Yes.....	3373	1.94
2 = No.....	170303	97.98
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	123	0.07
97 = REFUSED.....	8	0.00

How old were you the first time you used heroin?

HERAGE

Len : 3 AGE WHEN FIRST USED HEROIN

	Freq	Pct
RANGE = 1 - 69.....	3338	1.92
985 = BAD DATA Logically assigned.....	10	0.01
991 = NEVER USED HEROIN.....	170303	97.98
994 = DON'T KNOW.....	15	0.01
997 = REFUSED.....	19	0.01
998 = BLANK (NO ANSWER).....	123	0.07

Did you first use heroin in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use heroin in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use heroin?

HERYFU

Len : 4 YEAR OF FIRST HEROIN USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	89	0.05
9985 = BAD DATA Logically assigned.....	16	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	16	0.01
9991 = NEVER USED HEROIN.....	170303	97.98
9994 = DON'T KNOW.....	15	0.01
9997 = REFUSED.....	19	0.01
9998 = BLANK (NO ANSWER).....	127	0.07
9999 = LEGITIMATE SKIP.....	3223	1.85

In what month in [CURRENT YEAR] did you first use heroin?

In what month in [YEAR FROM HE03a or HE03b] did you first use heroin?

HERMFU

Len : 2 MONTH OF FIRST HEROIN USE - RECODE

	Freq	Pct
1 = January.....	11	0.01
2 = February.....	8	0.00
3 = March.....	9	0.01
4 = April.....	7	0.00
5 = May.....	3	0.00
6 = June.....	6	0.00
7 = July.....	10	0.01
8 = August.....	8	0.00
9 = September.....	6	0.00
10 = October.....	5	0.00
11 = November.....	7	0.00
12 = December.....	4	0.00
85 = BAD DATA Logically assigned.....	16	0.01
89 = LEGITIMATE SKIP Logically assigned.....	16	0.01
91 = NEVER USED HEROIN.....	170303	97.98
94 = DON'T KNOW.....	19	0.01
97 = REFUSED.....	20	0.01
98 = BLANK (NO ANSWER).....	127	0.07
99 = LEGITIMATE SKIP.....	3223	1.85

HEROIN

How long has it been since you last used heroin?

HERREC

Len : 2 TIME SINCE LAST USED HEROIN

	Freq	Pct
1 = Within the past 30 days.....	305	0.18
2 = More than 30 days ago but within the past 12 mos	215	0.12
3 = More than 12 months ago	2812	1.62
8 = Used at some point in the past 12 mos LOG ASSN.....	25	0.01
9 = Used at some point in the lifetime LOG ASSN.....	16	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	170303	97.98
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER)	123	0.07

HERYRTOT

Len : 3 TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	518	0.30
985 = BAD DATA Logically assigned	26	0.01
991 = NEVER USED HEROIN.....	170303	97.98
993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2812	1.62
994 = DON'T KNOW	1	0.00
997 = REFUSED	9	0.01
998 = BLANK (NO ANSWER).....	139	0.08

HRTOTFG

Len : 2 TRIMMING INDICATOR FOR HERYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing).....	1	0.00
2 = Trimmed relative to the 30-day freq	18	0.01
98 = BLANK (NO ANSWER)	173789	99.99

HRFQFLG

Len : 2 TRIMMED HERYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	13	0.01
98 = BLANK (NO ANSWER)	173795	99.99

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used heroin during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

HRBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED HEROIN

	Freq	Pct
1 = Prefer to answer in days per week.....	199	0.11
2 = Prefer to answer in days per month.....	112	0.06
3 = Prefer to answer in days per year	206	0.12
12 = Prefer to ans in days per mo LOG ASSN.....	1	0.00
13 = Prefer to ans in days per yr LOG ASSN	1	0.00
85 = BAD DATA Logically assigned.....	26	0.01
91 = NEVER USED HEROIN.....	170303	97.98
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	2812	1.62
97 = REFUSED	9	0.01
98 = BLANK (NO ANSWER)	139	0.08

On how many days in the past 12 months did you use heroin?

HRDAYPYR

Len : 3 # DAYS USED HEROIN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	207	0.12
985 = BAD DATA Logically assigned	3	0.00
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED HEROIN.....	170303	97.98
993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2812	1.62
997 = REFUSED	9	0.01
998 = BLANK (NO ANSWER).....	162	0.09
999 = LEGITIMATE SKIP.....	311	0.18

HEROIN

On average, how many days did you use heroin each month during the past 12 months?

HRDAYPMO

Len : 2 # DAYS PER MONTH USED HEROIN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30	113	0.07
85 = BAD DATA Logically assigned	9	0.01
91 = NEVER USED HEROIN	170303	97.98
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	2812	1.62
97 = REFUSED	9	0.01
98 = BLANK (NO ANSWER)	156	0.09
99 = LEGITIMATE SKIP	406	0.23

On average, how many days did you use heroin each week during the past 12 months?

HRDAYPWK

Len : 2 # DAYS PER WEEK USED HEROIN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	198	0.11
85 = BAD DATA Logically assigned	14	0.01
91 = NEVER USED HEROIN	170303	97.98
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	2812	1.62
94 = DON'T KNOW	1	0.00
97 = REFUSED	9	0.01
98 = BLANK (NO ANSWER)	151	0.09
99 = LEGITIMATE SKIP	320	0.18

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use heroin?

HER30USE

Len : 2 # DAYS USED HEROIN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	302	0.17
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED HEROIN	170303	97.98
93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	3027	1.74
94 = DON'T KNOW	2	0.00
97 = REFUSED	9	0.01
98 = BLANK (NO ANSWER)	163	0.09

What is your best estimate of the number of days you used heroin during the past 30 days?

HR30EST

Len : 2 BEST EST. # DAYS USED HEROIN PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	1	0.00
2 = 3 to 5 days	1	0.00
91 = NEVER USED HEROIN	170303	97.98
93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	3027	1.74
97 = REFUSED	9	0.01
98 = BLANK (NO ANSWER)	165	0.09
99 = LEGITIMATE SKIP	302	0.17

HALLUCINOGENS

HALLUCINOGENS

The next questions are about substances called hallucinogens. These drugs often cause people to see or experience things that are not real.

A list of some common hallucinogens is shown below. These and many other substances that people use as hallucinogens are often known by street names, and we can't list them all. Please take a moment to look at the substances listed below so you know what kind of drugs the next questions are about.

LSD, also called 'acid'
 PCP, also called 'angel dust' or phencyclidine
 Peyote
 Mescaline
 Psilocybin
 'Ecstasy' or 'Molly', also called MDMA
 Ketamine, also called 'Special K' or 'Super K'
 DMT, also called dimethyltryptamine
 AMT, also called alpha-methyltryptamine
 Foxy, also called 5-MeO-DIPT
 Salvia divinorum

Have you ever, even once, used LSD, also called 'acid'?

LSD	Len : 2	EVER USED LSD ("ACID")		
			Freq	Pct
		1 = Yes.....	16025	9.22
		2 = No.....	11679	6.72
		3 = Yes LOGICALLY ASSIGNED.....	7	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS	145973	83.99
		94 = DON'T KNOW	108	0.06
		97 = REFUSED	15	0.01

Have you ever, even once, used PCP, also called 'angel dust' or phencyclidine?

PCP	Len : 2	EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
			Freq	Pct
		1 = Yes.....	2389	1.37
		2 = No.....	25331	14.57
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS	145973	83.99
		94 = DON'T KNOW	102	0.06
		97 = REFUSED	11	0.01

Have you ever, even once, used peyote?

PEYOTE	Len : 2	EVER USED PEYOTE		
			Freq	Pct
		1 = Yes.....	2073	1.19
		2 = No.....	25574	14.71
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS	145973	83.99
		94 = DON'T KNOW	169	0.10
		97 = REFUSED	17	0.01

Have you ever, even once, used mescaline?

MESC	Len : 2	EVER USED Mescaline		
			Freq	Pct
		1 = Yes.....	2619	1.51
		2 = No.....	25009	14.39
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS	145973	83.99
		94 = DON'T KNOW	191	0.11
		97 = REFUSED	15	0.01

HALLUCINOGENS

Have you ever, even once, used psilocybin, found in mushrooms?

PSILCY

Len : 2 EVER USED PSILOCYBIN (MUSHROOMS)

	Freq	Pct
1 = Yes.....	17950	10.33
2 = No.....	9511	5.47
3 = Yes LOGICALLY ASSIGNED.....	140	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	145973	83.99
94 = DON'T KNOW.....	208	0.12
97 = REFUSED	25	0.01

Have you ever, even once, used 'Ecstasy' or 'Molly,' also known as MDMA?

ECSTMOLLY

Len : 2 EVER USED 'ECSTASY' OR 'MOLLY' (MDMA)

	Freq	Pct
1 = Yes.....	13698	7.88
2 = No.....	13990	8.05
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	145973	83.99
94 = DON'T KNOW.....	130	0.07
97 = REFUSED	13	0.01

Have you ever, even once, used Ketamine, also called 'Special K' or 'Super K'?

KETMINESK

Len : 2 EVER USED KETAMINE

	Freq	Pct
1 = Yes.....	3072	1.77
2 = No.....	24565	14.13
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED KETAMINE	145973	83.99
94 = DON'T KNOW.....	176	0.10
97 = REFUSED	19	0.01

Have you ever, even once, used any of the following:

DMT, also called dimethyltryptamine,
AMT, also called alpha-methyltryptamine, or
Foxy, also called 5-MeO-DIPT?

DMTAMTFXY

Len : 2 EVER USED DMT, AMT, FOXY

	Freq	Pct
1 = Yes.....	2589	1.49
2 = No.....	25007	14.39
3 = Yes LOGICALLY ASSIGNED.....	7	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED DMT, AMT, FOXY.....	145973	83.99
94 = DON'T KNOW.....	212	0.12
97 = REFUSED	19	0.01

Have you ever, even once, used Salvia divinorum?

SALVIADIV

Len : 2 EVER USED SALVIA DIVINORUM

	Freq	Pct
1 = Yes.....	3281	1.89
2 = No.....	24288	13.97
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED SALVIA DIVINORUM	145973	83.99
94 = DON'T KNOW.....	248	0.14
97 = REFUSED	15	0.01

HALLUCINOGENS

NOTE: HALLUCOTH was assigned a code of 5 (see documentation below) when either of the following occurred: (a) the only hallucinogens that were used in the respondent's lifetime were LSD, PCP, Ecstasy, ketamine, DMT/AMT/Foxy, or Salvia divinorum but the respondent reported more recent use of any hallucinogen than was reported for these six hallucinogens; or (b) the only hallucinogens that were used in the respondent's lifetime were LSD, PCP, Ecstasy but the respondent reported earlier initiation of any hallucinogen than was reported for these three hallucinogens.

Have you ever, even once used any other hallucinogens besides the ones that have been listed?

[HALLUCOTH](#)

Len : 2 EVER USED OTHER HALLUCINOGEN

	Freq	Pct
1 = Yes.....	1772	1.02
2 = No.....	25685	14.78
5 = Yes (specific hallucinogen unknown) LOG ASSN.....	127	0.07
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	145973	83.99
94 = DON'T KNOW	224	0.13
97 = REFUSED	26	0.01

HALLUCINOGENS

HALLUCOT1

Len : 4 OTHER HALLUCINOGEN - SPECIFY 1

	Freq	Pct
116 = Methaqualone, Sopor, Quaalude	4	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	2	0.00
145 = Red devil(s).....	2	0.00
157 = Barbiturates.....	1	0.00
171 = NyQuil <OTC>	1	0.00
174 = Ambien	5	0.00
187 = Belladonna plant/flower/root, deadly nightshade.....	1	0.00
209 = Xanax.....	4	0.00
301 = Dexedrine	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	20	0.01
339 = Amphetamines, otherwise unspecified.....	2	0.00
348 = Crystal	1	0.00
351 = Cathinone, cat, khat, Q'at.....	2	0.00
355 = Crystal meth, crystal methamphetamine	6	0.00
415 = Codeine pills.....	3	0.00
417 = Morphine	5	0.00
420 = OTHER Pain Reliever, NOT OTHERWISE SPECIFIED.....	1	0.00
423 = Percocet	3	0.00
501 = Gasoline or lighter fluids.....	8	0.00
503 = Other aerosol sprays.....	5	0.00
504 = Shoeshine liquid, glue, or toluene	7	0.00
506 = Amyl nitrite,"poppers,"locker room odorizer,"rush".....	5	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	2	0.00
508 = Nitrous oxide, "whippits," dentist gas	35	0.02
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	7	0.00
520 = Old paint, paint	2	0.00
539 = Scotch-Gard.....	1	0.00
592 = Computer air duster, computer cleaner, dust-off.....	12	0.01
599 = Potpourri	2	0.00
601 = LSD ("acid").....	142	0.08
602 = Peyote	4	0.00
603 = Mescaline.....	7	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms	184	0.11
605 = PCP ("angel dust," phencyclidine).....	5	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	16	0.01
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	231	0.13
609 = Jimson weed	10	0.01
610 = Crystal T	1	0.00
612 = Happy stick, sherm, sherman, shermstick	2	0.00
614 = MDA, Methylenedioxy amphetamine	13	0.01
616 = DET, Dimethyltryptamine, DMT.....	23	0.01
617 = Morning glory seeds, morning glory tendrils, ricea.....	15	0.01
618 = Acid paper, blotter (acid)	3	0.00
622 = Microdot(s), green microdot, purple microdot	6	0.00
624 = Orange sunshine, sunshine, yellow sunshine.....	2	0.00
625 = Window, window pane, 4-way pane, 4-way	3	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	8	0.00
636 = DOM, STP	1	0.00
637 = Purple haze	2	0.00
639 = Nutmeg, Mace.....	9	0.01
648 = Designer drugs.....	3	0.00
650 = Datura stramonium, daytura, thorn apple.....	10	0.01
658 = Special K, Ketamine	3	0.00
660 = Bufotenin, toad, toad licking.....	6	0.00
673 = Orange	1	0.00
679 = Hell bells.....	2	0.00
681 = Lovely.....	1	0.00
683 = Yage.....	1	0.00
695 = Angel's trumpet, floripondio	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	102	0.06
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	1	0.00
703 = Opium, otherwise unspecified.....	8	0.00
709 = Poppy.....	1	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol	5	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	11	0.01
804 = Hashish	8	0.00
806 = Crack, rock.....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
809 = Pills.....	1	0.00
813 = Cigarettes, tobacco (type unspecified)	1	0.00
818 = Nicotine	2	0.00
829 = Robitussin DM <OTC>	11	0.01
843 = Cold medicine, cold tablets <OTC>.....	2	0.00

HALLUCINOGENS

847 = GHB, NSC, gamma hydroxybutyrate.....	9	0.01
852 = Formaldehyde, wak, whack (embalming fluid).....	3	0.00
857 = Wicki stick.....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	33	0.02
885 = Drixoral <OTC>.....	1	0.00
900 = Not a drug.....	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	21	0.01
1501 = Zolpidem.....	1	0.00
2509 = Cyclobenzaprine.....	1	0.00
2512 = Hydroxyzine.....	1	0.00
3051 = Betel nut, beetlenut.....	2	0.00
3052 = Speed, otherwise unspecified.....	4	0.00
3116 = 4-MCC, 4-methylmethcathinone, MCAT, Mephedrone.....	1	0.00
3119 = MDPV, Methylenedioxypropylvalerone.....	1	0.00
3132 = 4-FA, 4-Fluoroamphetamine.....	1	0.00
3145 = Jorway PM.....	1	0.00
4046 = Oxycodone.....	1	0.00
5053 = Electrical parts cleaner, electronics cleaner.....	1	0.00
5167 = Cinnamon.....	1	0.00
6005 = Sassafras, sassafras tea.....	20	0.01
6008 = 8-Ball.....	1	0.00
6012 = Cloud 9, cloud 13.....	1	0.00
6022 = Tequila worm, agave worm.....	1	0.00
6029 = DXM.....	62	0.04
6030 = Root.....	1	0.00
6043 = Diviner's sage, Salvia divinorum.....	6	0.00
6044 = Gel caps, gel tabs.....	3	0.00
6048 = Dex.....	2	0.00
6056 = Wet.....	2	0.00
6061 = 5-MeO-DMT.....	3	0.00
6062 = Madderwort, wormwood.....	3	0.00
6064 = Marigold buttons.....	1	0.00
6071 = Sinicuichi, sun opener.....	1	0.00
6074 = LSA.....	38	0.02
6077 = San Pedro.....	8	0.00
6079 = Sugar cubes.....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	16	0.01
6087 = Ibogaine.....	2	0.00
6088 = Brugmansia.....	1	0.00
6091 = Ergot, rye mold.....	1	0.00
6100 = 2C-T-7, T7, blue mystic.....	2	0.00
6102 = Absinthe.....	6	0.00
6103 = Ayahuasca, Yahe.....	80	0.05
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	2	0.00
6114 = Molly, not otherwise specified.....	1	0.00
6118 = Adrenochrome.....	2	0.00
6121 = Cactus; specifically not peyote or unspecified.....	2	0.00
6122 = MMDA.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	42	0.02
6127 = Skittles.....	1	0.00
6132 = Amanita mushrooms, fly agaric, muscimol.....	2	0.00
6134 = Anadenanthera colubrina, cohoba, vilca.....	1	0.00
6138 = 2C-E, 2,5-Dimethoxy-4-ethyl-phenethylamine.....	37	0.02
6141 = DPT, Dipropyltryptamine, N,N-Dipropyltryptamine.....	4	0.00
6143 = 2C-X.....	1	0.00
6146 = 5-MeO, otherwise unspecified.....	1	0.00
6170 = Moonflower/pod, otherwise unspecified.....	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	15	0.01
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	4	0.00
6179 = 4-HO-HiPT, 4-Hydroxy-MiPT, 4-HO-MiPT.....	1	0.00
6181 = 4-HO-MET, 4-Hydroxy-N-methyl-N-ethyltryptamine.....	6	0.00
6182 = 2C-P, 4-Propyl-2,5-dimethoxyphenethylamine.....	6	0.00
6184 = Orange peels.....	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	30	0.02
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine.....	4	0.00
6187 = Mugwort.....	2	0.00
6188 = 25B-NBOMe, NBOMe-2C-B.....	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb.....	4	0.00
6192 = 5-MeO-MiPT.....	1	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidine.....	1	0.00
6197 = 2C-C, 4-chloro-2,5-dimethoxyphenethylamine.....	1	0.00
6203 = NBOMe; otherwise unspecified.....	11	0.01
6206 = Blue Egyptian lotus, blue lotus.....	4	0.00
6208 = 3-MeO-PCP, 3-Methoxyphencyclidine.....	2	0.00
6209 = 1P-LSD.....	4	0.00

HALLUCINOGENS

6213 = Synthetic LSD/acid; otherwise unspecified.....	1	0.00
6219 = Hallucinogenic honey; type unspecified	1	0.00
6220 = ETH-LAD	2	0.00
6225 = DCK, Deschloroketamine	1	0.00
6228 = Synthetic hallucinogen; otherwise unspecified	1	0.00
6229 = LSD analogue; otherwise unspecified.....	3	0.00
6232 = 2-FDCK, 2-Fluorodeschloroketamine, Fluoroketamine	2	0.00
6237 = Datura inoxia	1	0.00
6238 = Curcumin, turmeric	1	0.00
6244 = Synthetic molly; otherwise unspecified.....	1	0.00
6246 = 5-Bromo-DMT, 5-Bromo-N, N-dimethyltryptamine	1	0.00
6247 = Sunflower seeds	1	0.00
6248 = b-Carboline Monoamine Oxidase	1	0.00
8007 = Gabapentin, Neurontin	1	0.00
8011 = Herb, flower, plant; type unspecified	3	0.00
8012 = Coriciden <OTC>	8	0.00
8058 = Cough medicine/syrup, type unspecified	4	0.00
8085 = Anti-psychotics/schizophrenic, type unspcfd	1	0.00
8100 = Kava Kava <OTC>	2	0.00
8110 = Over-the-counter drug/pills, type unspecified.....	1	0.00
8168 = Fluoride.....	1	0.00
8192 = Delsym, Dextromethorphan polistirex <OTC>	2	0.00
8202 = Intal, Nasalcrom.....	1	0.00
8214 = Robo, robo tripping.....	2	0.00
8237 = Kratom.....	5	0.00
8240 = Lamictal, Lamotrigine.....	1	0.00
8280 = Mucinex-DM <OTC>	1	0.00
8282 = Saline solution, salt, sodium chloride <OTC>	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	34	0.02
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8301 = Bath salts/synthetic cathinone; otherwise unspcfd	5	0.00
8309 = Mucinex <OTC>.....	1	0.00
8315 = Synthetic cannabis/cannabinoid, otherwise unspcfd	3	0.00
8351 = 6-APB, Benzo Fury.....	1	0.00
8368 = alpha-PVP, alpha-Pyrrolidinopentiophenone	1	0.00
8379 = Dabs/dabbing/dab pen.....	1	0.00
8381 = Vapor/vaping/vape juice; contents/route unspcfd.....	1	0.00
8389 = CBD/hemp oil/edibles/vape (not marijuana) <OTC>	3	0.00
8394 = Magnesium chloride <OTC>	1	0.00
8446 = Edibles, not otherwise specified.....	2	0.00
8447 = Aricept, donepezil.....	1	0.00
8448 = Phenethylamine analogue; otherwise unspecified	1	0.00
8456 = Dokha (tobacco and herbs/spices mixture).....	1	0.00
8469 = Coleus leaves/plant	1	0.00
8545 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	7	0.00
8546 = Scopolamine	1	0.00
8553 = Bupropion, Wellbutrin, Zyban	2	0.00
9985 = BAD DATA Logically assigned	53	0.03
9991 = NEVER USED HALLUCINOGENS	145973	83.99
9997 = REFUSED	62	0.04
9998 = BLANK (NO ANSWER).....	353	0.20
9999 = LEGITIMATE SKIP.....	25685	14.78

HALLUCINOGENS

HALLUCOT2

Len : 4 OTHER HALLUCINOGEN - SPECIFY 2

	Freq	Pct
187 = Belladonna plant/flower/root, deadly nightshade.....	1	0.00
209 = Xanax.....	2	0.00
223 = Methocarbamol.....	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	1	0.00
304 = Benzedrine.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	3	0.00
339 = Amphetamines, otherwise unspecified.....	1	0.00
348 = Crystal.....	1	0.00
374 = Christmas tree(s).....	1	0.00
423 = Percocet.....	2	0.00
465 = Fentanyl.....	1	0.00
501 = Gasoline or lighter fluids.....	2	0.00
504 = Shoeshine liquid, glue, or toluene.....	3	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	1	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	6	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	2	0.00
592 = Computer air duster, computer cleaner, dust-off.....	1	0.00
601 = LSD ("acid").....	20	0.01
603 = Mescaline.....	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	15	0.01
605 = PCP ("angel dust," phencyclidine).....	2	0.00
606 = "Ecstasy" (MDMA), X-TC, "X".....	2	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	49	0.03
609 = Jimson weed.....	1	0.00
614 = MDA, Methylenedioxy amphetamine.....	4	0.00
616 = DET, Dimethyltryptamine, DMT.....	1	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	7	0.00
618 = Acid paper, blotter (acid).....	2	0.00
622 = Microdot(s), green microdot, purple microdot.....	2	0.00
625 = Window, window pane, 4-way pane, 4-way.....	1	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds.....	1	0.00
636 = DOM, STP.....	1	0.00
637 = Purple haze.....	1	0.00
639 = Nutmeg, Mace.....	3	0.00
650 = Datura stramonium, daytura, thorn apple.....	4	0.00
658 = Special K, Ketamine.....	1	0.00
660 = Bufotenin, toad, toad licking.....	3	0.00
678 = Banana peels.....	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	23	0.01
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	1	0.00
703 = Opium, otherwise unspecified.....	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	2	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	2	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
809 = Pills.....	1	0.00
829 = Robitussin DM <OTC>.....	5	0.00
852 = Formaldehyde, wak, whack (embalming fluid).....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	4	0.00
900 = Not a drug.....	2	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	10	0.01
3017 = Dayquil <OTC>.....	1	0.00
3023 = Adderall.....	1	0.00
3051 = Betel nut, beetlenut.....	1	0.00
3052 = Speed, otherwise unspecified.....	1	0.00
3142 = Amphetamine analogue; otherwise unspecified.....	1	0.00
4044 = Hydrocodone.....	1	0.00
5021 = Octane booster.....	1	0.00
5053 = Electrical parts cleaner, electronics cleaner.....	1	0.00
6005 = Sassafras, sassafras tea.....	1	0.00
6029 = DXM.....	19	0.01
6031 = Strychnine.....	2	0.00
6043 = Diviner's sage, Salvia divinorum.....	1	0.00
6044 = Gel caps, gel tabs.....	1	0.00
6056 = Wet.....	1	0.00
6061 = 5-MeO-DMT.....	4	0.00
6074 = LSA.....	12	0.01
6077 = San Pedro.....	3	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	2	0.00
6088 = Brugmansia.....	1	0.00
6100 = 2C-T-7, T7, blue mystic.....	1	0.00
6103 = Ayahuasca, Yahe.....	6	0.00
6114 = Molly, not otherwise specified.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	17	0.01

HALLUCINOGENS

6127 = Skittles	1	0.00
6132 = Amanita mushrooms, fly agaric, muscimol.....	4	0.00
6137 = Harmaline	2	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	18	0.01
6141 = DPT, Dipropyltryptamine, N,N-Dipropyltryptamine	1	0.00
6143 = 2C-X	1	0.00
6167 = 4-HO-DMT, Psilocin	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC.....	3	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	3	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	3	0.00
6179 = 4-HO-HiPT, 4-Hydroxy-MiPT, 4-HO-MiPT	2	0.00
6182 = 2C-P, 4-Propyl-2,5-dimethoxyphenethylamine.....	2	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	21	0.01
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	4	0.00
6187 = Mugwort	1	0.00
6188 = 25B-NBOMe, NBOMe-2C-B	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	1	0.00
6202 = 4-Acetoxy-MET, 4-AcO-MET, Metacetin	1	0.00
6203 = NBOMe; otherwise unspecified	5	0.00
6204 = Hallucinogen from toothpaste	1	0.00
6206 = Blue Egyptian lotus, blue lotus	1	0.00
6208 = 3-MeO-PCP, 3-Methoxyphencyclidine.....	1	0.00
6209 = 1P-LSD	1	0.00
6213 = Synthetic LSD/acid; otherwise unspecified.....	2	0.00
6220 = ETH-LAD.....	1	0.00
6225 = DCK, Deschloroketamine	1	0.00
6239 = 25E-NBOMe.....	1	0.00
6240 = 4-MeO-PCP, 4-Methoxyphencyclidine.....	1	0.00
6246 = 5-Bromo-DMT, 5-Bromo-N, N-dimethyltryptamine	1	0.00
8007 = Gabapentin, Neurontin.....	1	0.00
8011 = Herb, flower, plant; type unspecified	2	0.00
8012 = Coriciden <OTC>	2	0.00
8058 = Cough medicine/syrup, type unspecified	4	0.00
8085 = Anti-psychotics/schizophrenic, type unspcfd.....	1	0.00
8100 = Kava Kava <OTC>	1	0.00
8137 = 5-HTP, 5-hydroxytryptophan <OTC>.....	1	0.00
8237 = Kratom.....	3	0.00
8276 = Bitter grass, Calea zacatechichi, Dream herb.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	5	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8301 = Bath salts/synthetic cathinone; otherwise unspcfd	1	0.00
8315 = Synthetic cannabis/cannabinoid, otherwise unspcfd	1	0.00
8368 = alpha-PVP, alpha-Pyrrolidinopentiophenone	2	0.00
8381 = Vapor/vaping/vape juice; contents/route unspcfd.....	1	0.00
8389 = CBD/hemp oil/edibles/vape (not marijuana) <OTC>.....	2	0.00
8427 = Energy drink; product unspecified	1	0.00
8430 = Batrachotoxin; source unspecified	1	0.00
8545 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	1	0.00
9985 = BAD DATA Logically assigned	36	0.02
9991 = NEVER USED HALLUCINOGENS	145973	83.99
9997 = REFUSED	31	0.02
9998 = BLANK (NO ANSWER).....	1679	0.97
9999 = LEGITIMATE SKIP.....	25685	14.78

HALLUCINOGENS

HALLUCOT3

Len : 4 OTHER HALLUCINOGEN - SPECIFY 3

	Freq	Pct
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
501 = Gasoline or lighter fluids.....	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	3	0.00
520 = Old paint, paint	2	0.00
601 = LSD ("acid")	2	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	4	0.00
605 = PCP ("angel dust," phencyclidine).....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	19	0.01
614 = MDA, Methylenedioxy amphetamine	4	0.00
616 = DET, Dimethyltryptamine, DMT.....	1	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	2	0.00
618 = Acid paper, blotter (acid)	1	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	1	0.00
639 = Nutmeg, Mace.....	2	0.00
658 = Special K, Ketamine	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	11	0.01
829 = Robitussin DM <OTC>	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	1	0.00
3501 = Amphetamine/dextroamphetamine salts	1	0.00
4046 = Oxycodone.....	2	0.00
6071 = Sinicuichi, sun opener.....	1	0.00
6074 = LSA	8	0.00
6077 = San Pedro.....	1	0.00
6102 = Absinthe.....	1	0.00
6103 = Ayahuasca, Yahe	1	0.00
6112 = 2C-T-2	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	7	0.00
6130 = 5-MeO-DiPT, foxy methoxy	1	0.00
6132 = Amanita mushrooms, fly agaric, muscimol.....	1	0.00
6134 = Anadenanthera colubrina, cohoba, vilca	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	10	0.01
6143 = 2C-X	1	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC	2	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	2	0.00
6179 = 4-HO-HiPT, 4-Hydroxy-MiPT, 4-HO-MiPT	1	0.00
6182 = 2C-P, 4-Propyl-2,5-dimethoxyphenethylamine.....	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-Cl, Cimbi-5.....	2	0.00
6188 = 25B-NBOMe, NBOMe-2C-B	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	3	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidine	1	0.00
6196 = Changa.....	1	0.00
6200 = AL-LAD, 6-allyl-6-nor-LSD.....	1	0.00
6203 = NBOMe; otherwise unspecified	1	0.00
6206 = Blue Egyptian lotus, blue lotus	1	0.00
6209 = 1P-LSD	2	0.00
6213 = Synthetic LSD/acid; otherwise unspecified.....	1	0.00
6217 = 25D-NBOMe	1	0.00
6222 = Jekem, Jenkem.....	1	0.00
6225 = DCK, Deschloroketamine	3	0.00
6229 = LSD analogue; otherwise unspecified.....	2	0.00
6242 = Chia sprouts	1	0.00
8127 = Damiana <OTC>	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	3	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8301 = Bath salts/synthetic cathinone; otherwise unspcfd	3	0.00
8315 = Synthetic cannabis/cannabinoid, otherwise unspcfd	1	0.00
8368 = alpha-PVP, alpha-Pyrrolidinopentiophenone	1	0.00
8546 = Scopolamine	1	0.00
9985 = BAD DATA Logically assigned	13	0.01
9991 = NEVER USED HALLUCINOGENS	145973	83.99
9997 = REFUSED	27	0.02
9998 = BLANK (NO ANSWER).....	1972	1.13
9999 = LEGITIMATE SKIP.....	25685	14.78

HALLUCINOGENS

HALLUCOT4

Len : 4 OTHER HALLUCINOGEN - SPECIFY 4

	Freq	Pct
504 = Shoeshine liquid, glue, or toluene	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	1	0.00
601 = LSD ("acid")	1	0.00
605 = PCP ("angel dust," phencyclidine)	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	10	0.01
614 = MDA, Methylenedioxy amphetamine	1	0.00
616 = DET, Dimethyltryptamine, DMT	1	0.00
624 = Orange sunshine, sunshine, yellow sunshine	1	0.00
639 = Nutmeg, Mace	1	0.00
648 = Designer drugs	1	0.00
660 = Bufotenin, toad, toad licking	1	0.00
702 = Heroin	1	0.00
829 = Robitussin DM <OTC>	1	0.00
3127 = 4-FMA, 4-Fluoromethamphetamine	1	0.00
4502 = Norco	1	0.00
6029 = DXM	1	0.00
6061 = 5-MeO-DMT	1	0.00
6074 = LSA	3	0.00
6077 = San Pedro	1	0.00
6100 = 2C-T-7, T7, blue mystic	2	0.00
6103 = Ayahuasca, Yahe	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	4	0.00
6130 = 5-MeO-DIPT, foxy methoxy	1	0.00
6135 = 5-MeO-AMT	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	2	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC	2	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	3	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
6188 = 25B-NBOMe, NBOMe-2C-B	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	1	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidide	1	0.00
6203 = NBOMe; otherwise unspecified	1	0.00
6217 = 25D-NBOMe	1	0.00
6243 = Sex-enhancement hallucinogen; otherwise unspecified	1	0.00
8058 = Cough medicine/syrup, type unspecified	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	1	0.00
8368 = alpha-PVP, alpha-Pyrrolidinopentiophenone	1	0.00
9985 = BAD DATA Logically assigned	9	0.01
9991 = NEVER USED HALLUCINOGENS	145973	83.99
9997 = REFUSED	27	0.02
9998 = BLANK (NO ANSWER)	2058	1.18
9999 = LEGITIMATE SKIP	25685	14.78

HALLUCINOGENS

HALLUCOTS

Len : 4 OTHER HALLUCINOGEN - SPECIFY 5

	Freq	Pct
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
511 = Markers, felt-tip pens, ink pens.....	1	0.00
601 = LSD ("acid")	1	0.00
605 = PCP ("angel dust," phencyclidine)	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	6	0.00
648 = Designer drugs	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	1	0.00
806 = Crack, rock.....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	1	0.00
6005 = Sassafras, sassafras tea.....	2	0.00
6029 = DXM.....	1	0.00
6061 = 5-MeO-DMT.....	1	0.00
6074 = LSA	2	0.00
6103 = Ayahuasca, Yahe	1	0.00
6137 = Harmaline	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	1	0.00
6140 = MiPT, N-methyl-N-isopropyltryptamine	1	0.00
6188 = 25B-NBOMe, NBOMe-2C-B	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	2	0.00
6192 = 5-MeO-MiPT	1	0.00
6203 = NBOMe; otherwise unspecified.....	1	0.00
6209 = 1P-LSD	1	0.00
9985 = BAD DATA Logically assigned	5	0.00
9991 = NEVER USED HALLUCINOGENS	145973	83.99
9997 = REFUSED	27	0.02
9998 = BLANK (NO ANSWER).....	2087	1.20
9999 = LEGITIMATE SKIP.....	25685	14.78

HALLUCEVR

Len : 2 EVER USED HALLUCINOGENS

	Freq	Pct
1 = Yes.....	27239	15.67
91 = NEVER USED HALLUCINOGENS	145973	83.99
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	591	0.34

How old were you the first time you used [LSFILL]?

HALLUCAGE

Len : 3 AGE WHEN FIRST USED HALLUCINOGENS

	Freq	Pct
RANGE = 1 - 80.....	26893	15.47
985 = BAD DATA Logically assigned	54	0.03
991 = NEVER USED HALLUCINOGENS	145973	83.99
994 = DON'T KNOW	195	0.11
997 = REFUSED	103	0.06
998 = BLANK (NO ANSWER).....	590	0.34

Did you first use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use [LSFILL]?

HALLUCYFU

Len : 4 YEAR OF FIRST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023	2125	1.22
9985 = BAD DATA Logically assigned	153	0.09
9989 = LEGITIMATE SKIP Logically assigned	361	0.21
9991 = NEVER USED HALLUCINOGENS	145973	83.99
9994 = DON'T KNOW	207	0.12
9997 = REFUSED	108	0.06
9998 = BLANK (NO ANSWER).....	596	0.34
9999 = LEGITIMATE SKIP.....	24285	13.97

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use [LSFILL]?

In what month in [YEAR FROM LS03a or LS03b] did you first use [LSFILL]?

HALLUCMFU

Len : 2 MONTH OF FIRST HALLUCINOGEN USE - RECODE

	Freq	Pct
1 = January.....	164	0.09
2 = February.....	125	0.07
3 = March.....	203	0.12
4 = April.....	149	0.09
5 = May.....	155	0.09
6 = June.....	202	0.12
7 = July.....	252	0.14
8 = August.....	179	0.10
9 = September.....	138	0.08
10 = October.....	158	0.09
11 = November.....	152	0.09
12 = December.....	157	0.09
85 = BAD DATA Logically assigned.....	153	0.09
89 = LEGITIMATE SKIP Logically assigned.....	361	0.21
91 = NEVER USED HALLUCINOGENS.....	145973	83.99
94 = DON'T KNOW.....	288	0.17
97 = REFUSED.....	118	0.07
98 = BLANK (NO ANSWER).....	596	0.34
99 = LEGITIMATE SKIP.....	24285	13.97

How long has it been since you last used [LSFILL]?

HALLUCREC

Len : 2 TIME SINCE LAST USED HALLUCINOGENS

	Freq	Pct
1 = Within the past 30 days.....	1706	0.98
2 = More than 30 days ago but within the past 12 mos.....	4470	2.57
3 = More than 12 months ago.....	20532	11.81
8 = Used at some point in the past 12 mos LOG ASSN.....	137	0.08
9 = Used at some point in lifetime LOG ASSN.....	283	0.16
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	61	0.04
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	45	0.03
13 = More than 12 months ago LOGICALLY ASSIGNED.....	5	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS.....	145973	83.99
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	590	0.34

HALLUCYFQ

Len : 3 TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365.....	6241	3.59
985 = BAD DATA Logically assigned.....	41	0.02
991 = NEVER USED HALLUCINOGENS.....	145973	83.99
993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
994 = DON'T KNOW.....	26	0.01
997 = REFUSED.....	14	0.01
998 = BLANK (NO ANSWER).....	976	0.56

HALTOTFG

Len : 2 TRIMMING INDICATOR FOR HALLUCYFQ

	Freq	Pct
2 = Trimmed relative to the 30-day freq.....	7	0.00
98 = BLANK (NO ANSWER).....	173801	100.0

HALFQFLG

Len : 2 TRIMMED HALLUCYFQ IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use.....	202	0.12
98 = BLANK (NO ANSWER).....	173606	99.88

HALLUCINOGENS

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used [LSFILL] during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

HALLEASWY

Len : 2 EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN

	Freq	Pct
1 = Prefer to answer in days per week.....	430	0.25
2 = Prefer to answer in days per month.....	830	0.48
3 = Prefer to answer in days per year.....	4974	2.86
11 = Prefer to ans in days per wk LOG ASSN.....	3	0.00
12 = Prefer to ans in days per mo LOG ASSN.....	5	0.00
13 = Prefer to ans in days per yr LOG ASSN.....	24	0.01
85 = BAD DATA Logically assigned.....	41	0.02
91 = NEVER USED HALLUCINOGENS.....	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
94 = DON'T KNOW.....	8	0.00
97 = REFUSED.....	7	0.00
98 = BLANK (NO ANSWER).....	976	0.56

On how many days in the past 12 months did you use [LSFILL]?

HALLDYSYR

Len : 3 # DAYS USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365.....	4997	2.88
985 = BAD DATA Logically assigned.....	33	0.02
989 = LEGITIMATE SKIP Logically assigned.....	9	0.01
991 = NEVER USED HALLUCINOGENS.....	145973	83.99
993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
994 = DON'T KNOW.....	15	0.01
997 = REFUSED.....	8	0.00
998 = BLANK (NO ANSWER).....	977	0.56
999 = LEGITIMATE SKIP.....	1259	0.72

On average, how many days did you use [LSFILL] each month during the past 12 months?

HALLDYPMO

Len : 2 # DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30.....	832	0.48
85 = BAD DATA Logically assigned.....	8	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED HALLUCINOGENS.....	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
94 = DON'T KNOW.....	18	0.01
97 = REFUSED.....	8	0.00
98 = BLANK (NO ANSWER).....	1009	0.58
99 = LEGITIMATE SKIP.....	5420	3.12

On average, how many days did you use [LSFILL] each week during the past 12 months?

HALLDYPWK

Len : 2 # DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7.....	419	0.24
85 = BAD DATA Logically assigned.....	11	0.01
91 = NEVER USED HALLUCINOGENS.....	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
94 = DON'T KNOW.....	26	0.01
97 = REFUSED.....	14	0.01
98 = BLANK (NO ANSWER).....	1006	0.58
99 = LEGITIMATE SKIP.....	5822	3.35

HALLUCINOGENS

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?

[HALLUC30N](#)

Len : 2 # DAYS USED HALLUCINOGEN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	1693	0.97
85 = BAD DATA Logically assigned	82	0.05
91 = NEVER USED HALLUCINOGENS	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	25052	14.41
94 = DON'T KNOW	6	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1000	0.58

What is your best estimate of the number of days you used [LSFILL] during the past 30 days?

[HALLUC30E](#)

Len : 2 BEST EST. # DAYS USED HALLUCINOGENS PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	2	0.00
2 = 3 to 5 days	1	0.00
3 = 6 to 9 days	1	0.00
6 = All 30 days	1	0.00
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED HALLUCINOGENS	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	25052	14.41
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1077	0.62
99 = LEGITIMATE SKIP	1693	0.97

Now think only about LSD. How old were you the first time you used LSD?

[LSDAGE](#)

Len : 3 AGE WHEN FIRST USED LSD

	Freq	Pct
RANGE = 1 - 59	15796	9.09
985 = BAD DATA Logically assigned	24	0.01
991 = NEVER USED LSD	157652	90.70
994 = DON'T KNOW	131	0.08
997 = REFUSED	70	0.04
998 = BLANK (NO ANSWER)	135	0.08

Did you first use LSD in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use LSD in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use LSD?

[LSDYFU](#)

Len : 4 YEAR OF FIRST LSD USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023	914	0.53
9985 = BAD DATA Logically assigned	52	0.03
9989 = LEGITIMATE SKIP Logically assigned	37	0.02
9991 = NEVER USED LSD	157652	90.70
9994 = DON'T KNOW	136	0.08
9997 = REFUSED	72	0.04
9998 = BLANK (NO ANSWER)	147	0.08
9999 = LEGITIMATE SKIP	14798	8.51

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use LSD?

In what month in [YEAR FROM LS06 or LS07] did you first use LSD?

LSDMFU

Len : 2 MONTH OF FIRST LSD USE - RECODE

	Freq	Pct
1 = January.....	82	0.05
2 = February.....	60	0.03
3 = March.....	85	0.05
4 = April.....	76	0.04
5 = May.....	65	0.04
6 = June.....	83	0.05
7 = July.....	96	0.06
8 = August.....	75	0.04
9 = September.....	54	0.03
10 = October.....	66	0.04
11 = November.....	68	0.04
12 = December.....	56	0.03
85 = BAD DATA Logically assigned.....	55	0.03
89 = LEGITIMATE SKIP Logically assigned.....	37	0.02
91 = NEVER USED LSD.....	157652	90.70
94 = DON'T KNOW.....	172	0.10
97 = REFUSED.....	79	0.05
98 = BLANK (NO ANSWER).....	149	0.09
99 = LEGITIMATE SKIP.....	14798	8.51

How long has it been since you last used LSD?

LSDREC

Len : 2 TIME SINCE LAST USED LSD

	Freq	Pct
1 = Within the past 30 days.....	358	0.21
2 = More than 30 days ago but within the past 12 mos.....	1500	0.86
3 = More than 12 months ago.....	14007	8.06
8 = Used at some point in the past 12 mos LOG ASSN.....	31	0.02
9 = Used at some point in the lifetime LOG ASSN.....	134	0.08
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED LSD.....	157652	90.70
97 = REFUSED.....	15	0.01
98 = BLANK (NO ANSWER).....	108	0.06

Now think only about PCP. How old were you the first time you used PCP?

PCPAGE

Len : 3 AGE WHEN FIRST USED PCP

	Freq	Pct
RANGE = 1 - 64.....	2322	1.34
985 = BAD DATA Logically assigned.....	3	0.00
991 = NEVER USED PCP.....	171304	98.56
994 = DON'T KNOW.....	48	0.03
997 = REFUSED.....	26	0.01
998 = BLANK (NO ANSWER).....	105	0.06

Did you first use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use PCP in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use PCP?

PCPYFU

Len : 4 YEAR OF FIRST PCP USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	41	0.02
9985 = BAD DATA Logically assigned.....	5	0.00
9989 = LEGITIMATE SKIP Logically assigned.....	9	0.01
9991 = NEVER USED PCP.....	171304	98.56
9994 = DON'T KNOW.....	47	0.03
9997 = REFUSED.....	26	0.01
9998 = BLANK (NO ANSWER).....	108	0.06
9999 = LEGITIMATE SKIP.....	2268	1.30

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use PCP?

In what month in [YEAR FROM LS12 or LS13] did you first use PCP?

[PCPMFU](#)

Len : 2 MONTH OF FIRST PCP USE - RECODE

	Freq	Pct
1 = January.....	6	0.00
2 = February.....	4	0.00
3 = March.....	4	0.00
4 = April.....	1	0.00
5 = May.....	3	0.00
6 = June.....	2	0.00
7 = July.....	3	0.00
8 = August.....	1	0.00
9 = September.....	4	0.00
11 = November.....	3	0.00
12 = December.....	4	0.00
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned.....	9	0.01
91 = NEVER USED PCP.....	171304	98.56
94 = DON'T KNOW.....	52	0.03
97 = REFUSED.....	26	0.01
98 = BLANK (NO ANSWER).....	108	0.06
99 = LEGITIMATE SKIP.....	2268	1.30

How long has it been since you last used PCP?

[PCPREC](#)

Len : 2 TIME SINCE LAST USED PCP

	Freq	Pct
1 = Within the past 30 days.....	30	0.02
2 = More than 30 days ago but within the past 12 mos.....	50	0.03
3 = More than 12 months ago.....	2277	1.31
8 = Used at some point in the past 12 mos LOG ASSN.....	7	0.00
9 = Used at some point in the lifetime LOG ASSN.....	26	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PCP.....	171304	98.56
97 = REFUSED.....	11	0.01
98 = BLANK (NO ANSWER).....	102	0.06

Now think only about 'Ecstasy' or 'Molly.' How old were you the first time you used 'Ecstasy' or 'Molly,' also known as MDMA?

[ECSTMOAGE](#)

Len : 3 AGE WHEN FIRST USED ECSTASY OR MOLLY

	Freq	Pct
RANGE = 1 - 71.....	13587	7.82
985 = BAD DATA Logically assigned.....	23	0.01
991 = NEVER USED ECSTASY OR MOLLY.....	159963	92.03
994 = DON'T KNOW.....	59	0.03
997 = REFUSED.....	34	0.02
998 = BLANK (NO ANSWER).....	142	0.08

Did you first use 'Ecstasy' or 'Molly' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'Ecstasy' or 'Molly' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'Ecstasy' or 'Molly'?

[ECSTMOYFU](#)

Len : 4 YEAR OF FIRST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	705	0.41
9985 = BAD DATA Logically assigned.....	54	0.03
9989 = LEGITIMATE SKIP Logically assigned.....	37	0.02
9991 = NEVER USED ECSTASY OR MOLLY.....	159963	92.03
9994 = DON'T KNOW.....	63	0.04
9997 = REFUSED.....	36	0.02
9998 = BLANK (NO ANSWER).....	163	0.09
9999 = LEGITIMATE SKIP.....	12787	7.36

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use 'Ecstasy' or 'Molly'?

In what month in [YEAR FROM LS18 or LS19] did you first use 'Ecstasy' or 'Molly'?

ECSTMOMFU

Len : 2 MONTH OF FIRST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
1 = January.....	59	0.03
2 = February.....	47	0.03
3 = March.....	65	0.04
4 = April.....	57	0.03
5 = May.....	41	0.02
6 = June.....	57	0.03
7 = July.....	69	0.04
8 = August.....	58	0.03
9 = September.....	50	0.03
10 = October.....	59	0.03
11 = November.....	55	0.03
12 = December.....	48	0.03
85 = BAD DATA Logically assigned.....	58	0.03
89 = LEGITIMATE SKIP Logically assigned.....	37	0.02
91 = NEVER USED ECSTASY OR MOLLY.....	159963	92.03
94 = DON'T KNOW.....	91	0.05
97 = REFUSED.....	44	0.03
98 = BLANK (NO ANSWER).....	163	0.09
99 = LEGITIMATE SKIP.....	12787	7.36

How long has it been since you last used 'Ecstasy' or 'Molly,' also known as MDMA?

ECSTMOREC

Len : 2 TIME SINCE LAST USED ECSTASY OR MOLLY

	Freq	Pct
1 = Within the past 30 days.....	351	0.20
2 = More than 30 days ago but within the past 12 mos.....	1217	0.70
3 = More than 12 months ago.....	12019	6.92
8 = Used at some point in the past 12 mos LOG ASSN.....	18	0.01
9 = Used at some point in the lifetime LOG ASSN.....	95	0.05
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ECSTASY OR MOLLY.....	159963	92.03
97 = REFUSED.....	13	0.01
98 = BLANK (NO ANSWER).....	130	0.07

How long has it been since you last used Ketamine?

KETMINREC

Len : 2 TIME SINCE LAST USED KETAMINE

	Freq	Pct
1 = Within the past 30 days.....	159	0.09
2 = More than 30 days ago but within the past 12 mos.....	393	0.23
3 = More than 12 months ago.....	2488	1.43
8 = Used at some point in the past 12 mos LOG ASSN.....	6	0.00
9 = Used at some point in the lifetime LOG ASSN.....	22	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	6	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED KETAMINE.....	170538	98.12
97 = REFUSED.....	19	0.01
98 = BLANK (NO ANSWER).....	176	0.10

HALLUCINOGENS

How long has it been since you last used DMT, AMT or Foxy?

DAMTFXREC

Len : 2 TIME SINCE LAST USED DMT/AMT/FOXY

	Freq	Pct
1 = Within the past 30 days.....	85	0.05
2 = More than 30 days ago but within the past 12 mos	318	0.18
3 = More than 12 months ago	2161	1.24
8 = Used at some point in the past 12 mos LOG ASSN.....	3	0.00
9 = Used at some point in the lifetime LOG ASSN.....	25	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	3	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED DMT/AMT/FOXY	170980	98.37
97 = REFUSED	19	0.01
98 = BLANK (NO ANSWER)	212	0.12

How long has it been since you last used Salvia divinorum?

SALVIAREC

Len : 2 TIME SINCE LAST USED SALVIA DIVINORUM

	Freq	Pct
1 = Within the past 30 days.....	19	0.01
2 = More than 30 days ago but within the past 12 mos	64	0.04
3 = More than 12 months ago	3173	1.83
8 = Used at some point in the past 12 mos LOG ASSN.....	4	0.00
9 = Used at some point in the lifetime LOG ASSN.....	16	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	7	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED SALVIA DIVINORUM	170261	97.96
97 = REFUSED	15	0.01
98 = BLANK (NO ANSWER)	248	0.14

INHALANTS

INHALANTS

These next questions are about liquids, sprays, and gases that people sniff or inhale to get high or to make them feel good.

We are not interested in times when you inhaled a substance accidentally — such as when painting, cleaning an oven, or filling a car with gasoline. The questions use the word ‘inhalant’ to include all the things listed below, as well as any other substances that people sniff or inhale for kicks or to get high. Take a moment to look at the substances listed below so you know what kinds of liquids, sprays, and gases these questions are about.

Amyl nitrite, 'poppers,' locker room odorizers, or 'rush'
 Correction fluid, degreaser, or cleaning fluid
 Gasoline or lighter fluid
 Glue, shoe polish, or toluene
 Halothane, ether, or other anesthetics
 Lacquer thinner, or other paint solvents
 Lighter gases, such as butane or propane
 Nitrous oxide or 'whippits'
 Felt-tip pens, felt-tip markers, or magic markers
 Spray paints
 Computer keyboard cleaner, also known as air duster
 Other aerosol sprays

Have you ever, even once, inhaled amyl nitrite, 'poppers,' locker room odorizers, or 'rush' for kicks or to get high?

AMYLNIT

Len : 2 EVER INHALED AMYL NITRITE, 'POPPERS,' RUSH, ETC.

	Freq	Pct
1 = Yes.....	3920	2.26
2 = No.....	12924	7.44
3 = Yes LOGICALLY ASSIGNED.....	4	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
94 = DON'T KNOW.....	128	0.07
97 = REFUSED.....	15	0.01

Have you ever, even once, inhaled correction fluid, degreaser, or cleaning fluid for kicks or to get high?

CLEFLU

Len : 2 EVER INHALED CORRECTION FLUID, DEGREASER, ETC.

	Freq	Pct
1 = Yes.....	1038	0.60
2 = No.....	15829	9.11
3 = Yes LOGICALLY ASSIGNED.....	6	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
94 = DON'T KNOW.....	100	0.06
97 = REFUSED.....	18	0.01

Have you ever, even once, inhaled gasoline or lighter fluid for kicks or to get high?

GAS

Len : 2 EVER INHALED GASOLINE OR LIGHTER FLUID

	Freq	Pct
1 = Yes.....	2163	1.24
2 = No.....	14730	8.47
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
94 = DON'T KNOW.....	72	0.04
97 = REFUSED.....	24	0.01

Have you ever, even once, inhaled glue, shoe polish, or toluene for kicks or to get high?

GLUE

Len : 2 EVER INHALED GLUE, SHOE POLISH, OR TOLUENE

	Freq	Pct
1 = Yes.....	2038	1.17
2 = No.....	14844	8.54
3 = Yes LOGICALLY ASSIGNED.....	8	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
94 = DON'T KNOW.....	80	0.05
97 = REFUSED.....	21	0.01

INHALANTS

Have you ever, even once, inhaled halothane, ether, or other anesthetics for kicks or to get high?

ETHER

Len : 2 EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC

	Freq	Pct
1 = Yes.....	487	0.28
2 = No.....	16415	9.44
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
94 = DON'T KNOW.....	71	0.04
97 = REFUSED.....	16	0.01

Have you ever, even once, inhaled lacquer thinner or other paint solvents for kicks or to get high?

SOLVENT

Len : 2 EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS

	Freq	Pct
1 = Yes.....	876	0.50
2 = No.....	16045	9.23
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
94 = DON'T KNOW.....	56	0.03
97 = REFUSED.....	13	0.01

Have you ever, even once, inhaled lighter gases, such as butane or propane for kicks or to get high?

LGAS

Len : 2 EVER INHALED LIGHTER GASES (BUTANE, PROPANE)

	Freq	Pct
1 = Yes.....	643	0.37
2 = No.....	16299	9.38
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
94 = DON'T KNOW.....	37	0.02
97 = REFUSED.....	11	0.01

Have you ever, even once, inhaled nitrous oxide or 'whippits' for kicks or to get high?

NITOXID

Len : 2 EVER INHALED NITROUS OXIDE OR 'WHIPPITS'

	Freq	Pct
1 = Yes.....	7338	4.22
2 = No.....	9583	5.51
3 = Yes LOGICALLY ASSIGNED.....	8	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
94 = DON'T KNOW.....	49	0.03
97 = REFUSED.....	13	0.01

Have you ever, even once, inhaled felt-tip pens, felt-tip markers, or magic markers for kicks or to get high?

FELTMARKR

Len : 2 EVER INHALED FELT-TIP PENS/MARKERS

	Freq	Pct
1 = Yes.....	5921	3.41
2 = No.....	10874	6.26
3 = Yes LOGICALLY ASSIGNED.....	14	0.01
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
94 = DON'T KNOW.....	149	0.09
97 = REFUSED.....	33	0.02

INHALANTS

Have you ever, even once, inhaled spray paints for kicks or to get high?

SPPAINT

Len : 2 EVER INHALED SPRAY PAINTS

	Freq	Pct
1 = Yes.....	1443	0.83
2 = No.....	15493	8.91
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
94 = DON'T KNOW.....	43	0.02
97 = REFUSED.....	12	0.01

Have you ever, even once, inhaled computer keyboard cleaner, also known as air duster, for kicks or to get high?

AIRDUSTER

Len : 2 EVER INHALED COMPUTER KEYBOARD CLEANER/AIR DUSTER

	Freq	Pct
1 = Yes.....	2116	1.22
2 = No.....	14819	8.53
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
94 = DON'T KNOW.....	46	0.03
97 = REFUSED.....	9	0.01

Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?

OTHAEROS

Len : 2 EVER INHALED OTHER AEROSOL SPRAYS

	Freq	Pct
1 = Yes.....	896	0.52
2 = No.....	16008	9.21
3 = Yes LOGICALLY ASSIGNED.....	13	0.01
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
94 = DON'T KNOW.....	64	0.04
97 = REFUSED.....	10	0.01

Have you ever, even once used any other inhalants for kicks or to get high besides the ones that have been listed?

INHALOTH

Len : 2 EVER USED OTHER INHALANTS

	Freq	Pct
1 = Yes.....	617	0.35
2 = No.....	16265	9.36
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
94 = DON'T KNOW.....	91	0.05
97 = REFUSED.....	18	0.01

INHALANTS

INHALOT1

Len : 4 OTHER INHALANT - SPECIFY 1

	Freq	Pct
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
327 = Black beauties, black beauty.....	1	0.00
339 = Amphetamines, otherwise unspecified.....	1	0.00
348 = Crystal.....	1	0.00
377 = Albuterol.....	11	0.01
501 = Gasoline or lighter fluids.....	13	0.01
503 = Other aerosol sprays.....	43	0.02
504 = Shoeshine liquid, glue, or toluene.....	11	0.01
505 = Lacquer thinner or other paint solvents.....	2	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush".....	17	0.01
507 = Halothane, ether, or other anesthetics; chloroform.....	4	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	17	0.01
509 = Correction fluids, degreasers, cleaning fluids.....	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	65	0.04
511 = Markers, felt-tip pens, ink pens.....	26	0.01
512 = Incense.....	2	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	38	0.02
518 = Acetone, nail polish remover.....	16	0.01
519 = Helium.....	54	0.03
520 = Old paint, paint.....	4	0.00
521 = Propane.....	1	0.00
523 = Matches.....	2	0.00
524 = White-Out.....	7	0.00
526 = Nail polish.....	9	0.01
528 = Whipped-cream can.....	30	0.02
529 = Moth balls.....	2	0.00
531 = Candy, powdered candy, sugar.....	7	0.00
534 = Deodorant.....	2	0.00
537 = Air horn, canned air horn, condensed horn.....	2	0.00
539 = Scotch-Gard.....	8	0.00
540 = PAM.....	4	0.00
542 = Brasso, lens cleaner, spirits of ammonia.....	9	0.01
543 = Liquid oxygen, oxygen.....	4	0.00
546 = Leather or suede protector, aerosol unspecified.....	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	16	0.01
551 = Oven cleaner.....	1	0.00
553 = Pixie sticks.....	1	0.00
560 = Diswashing detergent, laundry detergent, soap.....	1	0.00
573 = Furniture polish.....	1	0.00
586 = Carbon from empty soft drink bottle.....	1	0.00
592 = Computer air duster, computer cleaner, dust-off.....	8	0.00
594 = Starting fluid.....	1	0.00
599 = Potpourri.....	2	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	8	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	5	0.00
813 = Cigarettes, tobacco (type unspecified).....	1	0.00
818 = Nicotine.....	2	0.00
900 = Not a drug.....	2	0.00
5001 = Bleach.....	1	0.00
5004 = Ink print, paper.....	1	0.00
5021 = Octane booster.....	3	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank.....	3	0.00
5028 = Carburetor cleaner, engine cleaner.....	1	0.00
5030 = Polyurethane (spray, liquid, compound).....	1	0.00
5034 = Hippie crack.....	1	0.00
5035 = Brake cleaner.....	1	0.00
5042 = Fuels other than gasoline.....	1	0.00
5043 = Carbona.....	1	0.00
5045 = Cleaner, not otherwise specified.....	3	0.00
5049 = Hand sanitizer/cleaner, contents unspecified.....	16	0.01
5053 = Electrical parts cleaner, electronics cleaner.....	2	0.00
5055 = PVC.....	1	0.00
5069 = Febreze.....	3	0.00
5077 = Resistol.....	1	0.00
5078 = Axe body spray.....	3	0.00
5097 = Lysol, aerosol unspecified.....	1	0.00
5098 = Axe/Axe deodorant, aerosol unspecified.....	1	0.00
5104 = Shoe cleaner, otherwise unspecified.....	2	0.00
5115 = Polish, contents unspecified.....	1	0.00
5116 = Vinegar.....	1	0.00
5149 = Sanitizer; type unspecified.....	2	0.00

INHALANTS

5151 = Dichloromethane.....	1	0.00
5152 = Sawdust.....	1	0.00
5153 = Breaking Styrofoam (to release gas)	1	0.00
5154 = Latex/latex glove.....	1	0.00
5157 = Spam in a plastic bag	1	0.00
5158 = Alcohol dye.....	1	0.00
5159 = Gas/fuel cleaner/treatment	1	0.00
5161 = Smoke from burning wood	1	0.00
5162 = Mold cleaner; contents unspecified.....	1	0.00
5165 = Citric acid	1	0.00
5166 = Frosties	1	0.00
5172 = Shampoo	2	0.00
5177 = Pepper spray.....	1	0.00
5180 = Xenon, xenon gas.....	1	0.00
6052 = Acrylic resin.....	1	0.00
6222 = Jekem, Jenkem.....	1	0.00
8011 = Herb, flower, plant; type unspecified	1	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator	9	0.01
8056 = Vicks VapoRub/inhaler <OTC>	5	0.00
8379 = Dabs/dabbing/dab pen.....	2	0.00
8381 = Vapor/vaping/vape juice; contents/route unspecifd.....	5	0.00
8446 = Edibles, not otherwise specified.....	1	0.00
8543 = Nitroglycerine	1	0.00
9985 = BAD DATA Logically assigned	32	0.02
9991 = NEVER USED INHALANTS	156812	90.22
9997 = REFUSED	42	0.02
9998 = BLANK (NO ANSWER).....	96	0.06
9999 = LEGITIMATE SKIP.....	16265	9.36

INHALANTS

INHALOT2

Len : 4 OTHER INHALANT - SPECIFY 2

	Freq	Pct
377 = Albuterol.....	1	0.00
501 = Gasoline or lighter fluids.....	2	0.00
503 = Other aerosol sprays.....	7	0.00
504 = Shoeshine liquid, glue, or toluene.....	3	0.00
505 = Lacquer thinner or other paint solvents.....	1	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush".....	1	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	4	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	10	0.01
511 = Markers, felt-tip pens, ink pens.....	2	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	7	0.00
518 = Acetone, nail polish remover.....	5	0.00
519 = Helium.....	4	0.00
520 = Old paint, paint.....	1	0.00
521 = Propane.....	1	0.00
526 = Nail polish.....	3	0.00
528 = Whipped-cream can.....	3	0.00
531 = Candy, powdered candy, sugar.....	1	0.00
534 = Deodorant.....	2	0.00
539 = Scotch-Gard.....	1	0.00
542 = Brasso, lens cleaner, spirits of ammonia.....	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	5	0.00
560 = Diswashing detergent, laundry detergent, soap.....	1	0.00
573 = Furniture polish.....	1	0.00
594 = Starting fluid.....	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	1	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	1	0.00
5042 = Fuels other than gasoline.....	1	0.00
5043 = Carbona.....	1	0.00
5044 = Powdered cleansers (e.g. Ajax, Comet, Boraxo).....	1	0.00
5049 = Hand sanitizer/cleaner, contents unspecified.....	4	0.00
5053 = Electrical parts cleaner, electronics cleaner.....	1	0.00
5076 = Water/stain repellent, type unspecified.....	1	0.00
5155 = Levmetamfetamine <OTC>.....	1	0.00
5160 = Smoke from burning paper.....	1	0.00
5168 = Cigarettes coated with salt.....	1	0.00
5176 = Fabuloso cleaner.....	1	0.00
5180 = Xenon, xenon gas.....	1	0.00
6222 = Jekem, Jenkem.....	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator.....	1	0.00
8056 = Vicks VapoRub/inhaler <OTC>.....	1	0.00
8111 = Silver chloride.....	1	0.00
8373 = Electronic cigarette.....	1	0.00
8381 = Vapor/vaping/vape juice; contents/route unspecifd.....	1	0.00
9985 = BAD DATA Logically assigned.....	17	0.01
9991 = NEVER USED INHALANTS.....	156812	90.22
9997 = REFUSED.....	19	0.01
9998 = BLANK (NO ANSWER).....	604	0.35
9999 = LEGITIMATE SKIP.....	16265	9.36

INHALANTS

INHALOT3

Len : 4 OTHER INHALANT - SPECIFY 3

	Freq	Pct
501 = Gasoline or lighter fluids.....	1	0.00
504 = Shoeshine liquid, glue, or toluene	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	7	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	2	0.00
518 = Acetone, nail polish remover	2	0.00
528 = Whipped-cream can.....	1	0.00
539 = Scotch-Gard.....	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	2	0.00
592 = Computer air duster, computer cleaner, dust-off.....	1	0.00
5001 = Bleach.....	1	0.00
5049 = Hand sanitizer/cleaner, contents unspecified.....	2	0.00
5097 = Lysol, aerosol unspecified.....	1	0.00
5156 = Liquid air	1	0.00
8394 = Magnesium chloride <OTC>	1	0.00
9985 = BAD DATA Logically assigned	5	0.00
9991 = NEVER USED INHALANTS	156812	90.22
9997 = REFUSED	19	0.01
9998 = BLANK (NO ANSWER).....	682	0.39
9999 = LEGITIMATE SKIP.....	16265	9.36

INHALOT4

Len : 4 OTHER INHALANT - SPECIFY 4

	Freq	Pct
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	1	0.00
511 = Markers, felt-tip pens, ink pens.....	1	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	1	0.00
518 = Acetone, nail polish remover	1	0.00
519 = Helium.....	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	1	0.00
5044 = Powdered cleansers (e.g. Ajax, Comet, Boraxo).....	1	0.00
6222 = Jekem, Jenkem.....	1	0.00
9985 = BAD DATA Logically assigned	4	0.00
9991 = NEVER USED INHALANTS	156812	90.22
9997 = REFUSED	18	0.01
9998 = BLANK (NO ANSWER).....	700	0.40
9999 = LEGITIMATE SKIP.....	16265	9.36

INHALOT5

Len : 4 OTHER INHALANT - SPECIFY 5

	Freq	Pct
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
518 = Acetone, nail polish remover	1	0.00
9985 = BAD DATA Logically assigned	3	0.00
9991 = NEVER USED INHALANTS	156812	90.22
9997 = REFUSED	18	0.01
9998 = BLANK (NO ANSWER).....	708	0.41
9999 = LEGITIMATE SKIP.....	16265	9.36

NOTE: INHALEVER was coded as 1 if the questions corresponding to any of the following variables were answered as yes: AMYLNIT, CLEFLU, GAS, GLUE, ETHER, SOLVENT, LGAS, NITOXID, FELTMARKR, SPPAINT, AIRDUSTER, OTHAEROS, or INHALOTH. INHALEVER was coded as 91 if all of the above variables were coded as 91. Respondents who refused to answer all of the questions regarding specific inhalant use were asked in question INREF whether they ever used any type of inhalants for kicks or to get high. INHALEVER also was coded as 1 if respondents answered yes to INREF and 91 if respondents answered no to INREF.

INHALEVER

Len : 2 EVER USED INHALANTS

	Freq	Pct
1 = Yes.....	16554	9.52
91 = NEVER USED INHALANTS	156812	90.22
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	440	0.25

INHALANTS

How old were you the first time you used any inhalant for kicks or to get high?

INHALAGE

Len : 3 AGE WHEN FIRST USED INHALANTS

	Freq	Pct
RANGE = 1 - 70	15526	8.93
985 = BAD DATA Logically assigned	73	0.04
991 = NEVER USED INHALANTS	156812	90.22
994 = DON'T KNOW	720	0.41
997 = REFUSED	242	0.14
998 = BLANK (NO ANSWER).....	435	0.25

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

INHALYFU

Len : 4 YEAR OF FIRST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023	911	0.52
9985 = BAD DATA Logically assigned	134	0.08
9989 = LEGITIMATE SKIP Logically assigned	83	0.05
9991 = NEVER USED INHALANTS	156812	90.22
9994 = DON'T KNOW	727	0.42
9997 = REFUSED	244	0.14
9998 = BLANK (NO ANSWER).....	457	0.26
9999 = LEGITIMATE SKIP	14440	8.31

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

In what month in [YEAR FROM IN03a or IN03b] did you first use an inhalant of any kind for kicks or to get high?

INHALMFU

Len : 2 MONTH OF FIRST INHALANT USE - RECODE

	Freq	Pct
1 = January.....	62	0.04
2 = February.....	80	0.05
3 = March.....	89	0.05
4 = April	76	0.04
5 = May.....	53	0.03
6 = June.....	77	0.04
7 = July	79	0.05
8 = August	58	0.03
9 = September	65	0.04
10 = October	78	0.04
11 = November	58	0.03
12 = December.....	53	0.03
85 = BAD DATA Logically assigned	134	0.08
89 = LEGITIMATE SKIP Logically assigned	83	0.05
91 = NEVER USED INHALANTS	156812	90.22
94 = DON'T KNOW	806	0.46
97 = REFUSED	248	0.14
98 = BLANK (NO ANSWER)	457	0.26
99 = LEGITIMATE SKIP	14440	8.31

How long has it been since you last used any inhalant for kicks or to get high?

INHALREC

Len : 2 TIME SINCE LAST USED INHALANTS

	Freq	Pct
1 = Within the past 30 days.....	711	0.41
2 = More than 30 days ago but within the past 12 mos	1309	0.75
3 = More than 12 months ago	14129	8.13
8 = Used at some point in the past 12 mos LOG ASSN	40	0.02
9 = Used at some point in lifetime LOG ASSN	365	0.21
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED INHALANTS	156812	90.22
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	435	0.25

INHALANTS

INHLYFQ

Len : 3 TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	1992	1.15
985 = BAD DATA Logically assigned	25	0.01
991 = NEVER USED INHALANTS	156812	90.22
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	14129	8.13
994 = DON'T KNOW	39	0.02
997 = REFUSED	11	0.01
998 = BLANK (NO ANSWER).....	800	0.46

INHTOTFG

Len : 2 TRIMMING INDICATOR FOR INHLYFQ

	Freq	Pct
2 = Trimmed relative to the 30-day freq	6	0.00
98 = BLANK (NO ANSWER)	173802	100.0

INHFOFLG

Len : 2 TRIMMED INHLYFQ IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	121	0.07
98 = BLANK (NO ANSWER)	173687	99.93

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.

What would be the easiest way for you to tell us how many days you've done this?

INHEASWY

Len : 2 EASIEST WAY TO TELL US # DAYS USED INHALANTS

	Freq	Pct
1 = Prefer to answer in days per week.....	286	0.16
2 = Prefer to answer in days per month.....	451	0.26
3 = Prefer to answer in days per year.....	1233	0.71
11 = Prefer to ans in days per wk LOG ASSN.....	9	0.01
12 = Prefer to ans in days per mo LOG ASSN.....	9	0.01
13 = Prefer to ans in days per yr LOG ASSN.....	31	0.02
85 = BAD DATA Logically assigned.....	21	0.01
91 = NEVER USED INHALANTS	156812	90.22
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	14129	8.13
94 = DON'T KNOW.....	21	0.01
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	800	0.46

On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?

INHDSYR

Len : 3 # DAYS USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	1259	0.72
985 = BAD DATA Logically assigned	10	0.01
989 = LEGITIMATE SKIP Logically assigned	17	0.01
991 = NEVER USED INHALANTS	156812	90.22
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	14129	8.13
994 = DON'T KNOW	26	0.01
997 = REFUSED	6	0.00
998 = BLANK (NO ANSWER).....	811	0.47
999 = LEGITIMATE SKIP.....	738	0.42

On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?

INHDPMO

Len : 2 # DAYS PER MONTH USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30.....	449	0.26
85 = BAD DATA Logically assigned.....	7	0.00
89 = LEGITIMATE SKIP Logically assigned.....	9	0.01
91 = NEVER USED INHALANTS	156812	90.22
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	14129	8.13
94 = DON'T KNOW	32	0.02
97 = REFUSED	10	0.01
98 = BLANK (NO ANSWER)	815	0.47
99 = LEGITIMATE SKIP.....	1545	0.89

INHALANTS

On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?

INHDYPWK

Len : 2 # DAYS PER WEEK USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	287	0.17
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED INHALANTS	156812	90.22
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	14129	8.13
94 = DON'T KNOW	39	0.02
97 = REFUSED	11	0.01
98 = BLANK (NO ANSWER)	817	0.47
99 = LEGITIMATE SKIP	1708	0.98

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?

INHAL30N

Len : 2 # DAYS USED INHALANT PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	692	0.40
85 = BAD DATA Logically assigned	37	0.02
91 = NEVER USED INHALANTS	156812	90.22
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	15438	8.88
94 = DON'T KNOW	16	0.01
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	808	0.46

What is your best estimate of the number of days you used any inhalant for kicks or to get high during the past 30 days?

INHAL30ES

Len : 2 BEST ESTIMATE # DAYS USED INHALANTS PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	5	0.00
2 = 3 to 5 days	6	0.00
3 = 6 to 9 days	2	0.00
4 = 10 to 19 days	1	0.00
5 = 20 to 29 days	2	0.00
91 = NEVER USED INHALANTS	156812	90.22
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	15438	8.88
94 = DON'T KNOW	4	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	845	0.49
99 = LEGITIMATE SKIP	691	0.40

METHAMPHETAMINE

METHAMPHETAMINE

Methamphetamine, also known as crank, ice, crystal meth, speed, glass, and many other names, is a stimulant that usually comes in crystal or powder forms. It can be smoked, “snorted,” swallowed or injected.

Have you ever, even once, used methamphetamine?

METHAMEVR

Len : 2 EVER USED METHAMPHETAMINE

	Freq	Pct
1 = Yes.....	7846	4.51
2 = No.....	165771	95.38
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	181	0.10
97 = REFUSED.....	9	0.01

How old were you the first time you used methamphetamine?

METHAMAGE

Len : 3 AGE 1ST USED METHAMPHETAMINE

	Freq	Pct
RANGE = 1 - 70.....	7788	4.48
985 = BAD DATA Logically assigned.....	13	0.01
991 = NEVER USED METHAMPHETAMINE.....	165771	95.38
994 = DON'T KNOW.....	42	0.02
997 = REFUSED.....	13	0.01
998 = BLANK (NO ANSWER).....	181	0.10

Did you first use methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use methamphetamine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use methamphetamine?

METHAMYFU

Len : 4 YEAR 1ST USED METHAMPHETAMINE

	Freq	Pct
RANGE = 2019 - 2023.....	199	0.11
9985 = BAD DATA Logically assigned.....	27	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	27	0.02
9991 = NEVER USED METHAMPHETAMINE.....	165771	95.38
9994 = DON'T KNOW.....	46	0.03
9997 = REFUSED.....	13	0.01
9998 = BLANK (NO ANSWER).....	183	0.11
9999 = LEGITIMATE SKIP.....	7542	4.34

In what month in [CURRENT YEAR] did you first use methamphetamine?

In what month in [YEAR FROM ME03a or ME03b] did you first use methamphetamine?

METHAMMFU

Len : 2 MONTH 1ST USED METHAMPHETAMINE

	Freq	Pct
1 = January.....	20	0.01
2 = February.....	20	0.01
3 = March.....	14	0.01
4 = April.....	13	0.01
5 = May.....	14	0.01
6 = June.....	15	0.01
7 = July.....	19	0.01
8 = August.....	16	0.01
9 = September.....	12	0.01
10 = October.....	18	0.01
11 = November.....	18	0.01
12 = December.....	12	0.01
85 = BAD DATA Logically assigned.....	26	0.01
89 = LEGITIMATE SKIP Logically assigned.....	27	0.02
91 = NEVER USED METHAMPHETAMINE.....	165771	95.38
94 = DON'T KNOW.....	53	0.03
97 = REFUSED.....	14	0.01
98 = BLANK (NO ANSWER).....	184	0.11
99 = LEGITIMATE SKIP.....	7542	4.34

METHAMPHETAMINE

How long has it been since you last used methamphetamine?

<u>METHAMREC</u>	Len : 2	TIME SINCE LAST USED METHAMPHETAMINE		
			Freq	Pct
		1 = Within the past 30 days.....	859	0.49
		2 = More than 30 days ago but within the past 12 mos	589	0.34
		3 = More than 12 months ago	6332	3.64
		8 = Used at some point in the past 12 mos LOG ASSN.....	33	0.02
		9 = Used at some point in lifetime LOG ASSN	30	0.02
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	3	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED METHAMPHETAMINE	165771	95.38
		97 = REFUSED	9	0.01
		98 = BLANK (NO ANSWER)	181	0.10

<u>METHAMYFQ</u>	Len : 3	TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 365	1441	0.83
		985 = BAD DATA Logically assigned	32	0.02
		991 = NEVER USED METHAMPHETAMINE	165771	95.38
		993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6332	3.64
		994 = DON'T KNOW	5	0.00
		997 = REFUSED	14	0.01
		998 = BLANK (NO ANSWER).....	213	0.12

<u>METOTFG</u>	Len : 2	TRIMMING INDICATOR FOR METHAMYFQ		
			Freq	Pct
		2 = Trimmed relative to the 30-day freq	42	0.02
		98 = BLANK (NO ANSWER)	173766	99.98

<u>MEFQFLG</u>	Len : 2	TRIMMED METHAMYFQ IF R USED < 12 MOS		
			Freq	Pct
		1 = Trimmed to be consistent with mo/yr of 1st use	41	0.02
		98 = BLANK (NO ANSWER)	173767	99.98

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used methamphetamine during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

<u>METHEASWY</u>	Len : 2	EASIEST WAY TO TELL # DAYS USED METHAMPHETAMINE		
			Freq	Pct
		1 = Prefer to answer in days per week.....	567	0.33
		2 = Prefer to answer in days per month.....	378	0.22
		3 = Prefer to answer in days per year	495	0.28
		11 = Prefer to ans in days per wk LOG ASSN	3	0.00
		12 = Prefer to ans in days per mo LOG ASSN	2	0.00
		13 = Prefer to ans in days per yr LOG ASSN	3	0.00
		85 = BAD DATA Logically assigned.....	32	0.02
		91 = NEVER USED METHAMPHETAMINE	165771	95.38
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6332	3.64
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	11	0.01
		98 = BLANK (NO ANSWER)	212	0.12

On how many days in the past 12 months did you use methamphetamine?

<u>METHDYSYR</u>	Len : 3	# DAYS USED METHAMPHETAMINE PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 365	494	0.28
		985 = BAD DATA Logically assigned	7	0.00
		989 = LEGITIMATE SKIP Logically assigned.....	12	0.01
		991 = NEVER USED METHAMPHETAMINE	165771	95.38
		993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6332	3.64
		994 = DON'T KNOW	3	0.00
		997 = REFUSED	13	0.01
		998 = BLANK (NO ANSWER).....	238	0.14
		999 = LEGITIMATE SKIP.....	938	0.54

METHAMPHETAMINE

On average, how many days did you use methamphetamine each month during the past 12 months?

METHDYPMO

Len : 2 # DAYS PER MO USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30	379	0.22
85 = BAD DATA Logically assigned	12	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.00
91 = NEVER USED METHAMPHETAMINE	165771	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6332	3.64
94 = DON'T KNOW	4	0.00
97 = REFUSED	13	0.01
98 = BLANK (NO ANSWER)	233	0.13
99 = LEGITIMATE SKIP	1061	0.61

On average, how many days did you use methamphetamine each week during the past 12 months?

METHDYPWK

Len : 2 # DAYS PER WK USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	568	0.33
85 = BAD DATA Logically assigned	13	0.01
91 = NEVER USED METHAMPHETAMINE	165771	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6332	3.64
94 = DON'T KNOW	5	0.00
97 = REFUSED	14	0.01
98 = BLANK (NO ANSWER)	232	0.13
99 = LEGITIMATE SKIP	873	0.50

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use methamphetamine?

METHAM30N

Len : 2 # DAYS USED METHAMPHETAMINE PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	851	0.49
85 = BAD DATA Logically assigned	9	0.01
91 = NEVER USED METHAMPHETAMINE	165771	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	6921	3.98
94 = DON'T KNOW	3	0.00
97 = REFUSED	12	0.01
98 = BLANK (NO ANSWER)	241	0.14

What is your best estimate of the number of days you used methamphetamine during the past 30 days?

METHAM30E

Len : 2 BEST ESTIMATE # DAYS USED METH PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	1	0.00
2 = 3 to 5 days.....	2	0.00
3 = 6 to 9 days.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	165771	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	6921	3.98
97 = REFUSED	11	0.01
98 = BLANK (NO ANSWER)	250	0.14
99 = LEGITIMATE SKIP	851	0.49

PAIN RELIEVERS SCREENER

PAIN RELIEVERS SCREENER

Please look at the names and pictures of the pain relievers shown below.

In the **past 12 months**, which, if any, of these pain relievers have you used?

<u>OXCNANYR</u>	Len : 2 ANY OXYCONTIN USE PAST 12 MOS		
		Freq	Pct
	1 = Yes.....	3995	2.30
	2 = No (not entered).....	3770	2.17
	81 = NEVER USED PAIN RLVRs Logically assigned	427	0.25
	85 = BAD DATA Logically assigned	26	0.01
	91 = NEVER USED PAIN RELIEVERS	88980	51.19
	93 = DID NOT USE IN THE PAST 12 MONTHS.....	45297	26.06
	94 = DON'T KNOW.....	451	0.26
	95 = I have not used any of these Pain Relievers in the past 12 months.....	30658	17.64
	97 = REFUSED	93	0.05
	98 = BLANK (NO ANSWER)	111	0.06

Have you **ever**, even once, used **any prescription pain reliever**?

Remember, do **not** report your use of "over-the-counter" pain relievers such as aspirin, Tylenol, Advil, or Aleve.

<u>PNRANYLIF</u>	Len : 2 ANY PAIN RELIEVER USE IN LIFETIME		
		Freq	Pct
	1 = Yes.....	44705	25.72
	2 = No.....	89407	51.44
	5 = Yes LOGICALLY ASSIGNED (from skip pattern)	38239	22.00
	94 = DON'T KNOW.....	1205	0.69
	97 = REFUSED	58	0.03
	98 = BLANK (NO ANSWER)	194	0.11

NOTE: PNRANYREC was created from responses of any use in the past 12 months for specific pain relievers and from PNRANYLIF for any lifetime use of pain relievers.

<u>PNRANYREC</u>	Len : 2 RC - MOST RECENT ANY PAIN RELIEVER USE (RECODE)		
		Freq	Pct
	1 = Within the past 12 months	38239	22.00
	2 = More than 12 months ago	44373	25.53
	9 = Used at some point in the lifetime LOG ASSN.....	332	0.19
	83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	924	0.53
	91 = NEVER USED PAIN RELIEVERS	89407	51.44
	98 = BLANK (NO ANSWER)	533	0.31

The following variable for any past year use of Fentanyl Products, FENTANYR, was assigned a positive response if a respondent indicated any past year use of Duragesic, Fentora, or generic fentanyl, or past year misuse of other pain relievers that contain fentanyl.

<u>FENTANYR</u>	Len : 1 RC-FENTANYL PRODUCTS - ANY PAST YEAR USE		
		Freq	Pct
	. = Missing.....	389	0.22
	0 = No.....	171901	98.90
	1 = Yes (See comment above)	1518	0.87

PAIN RELIEVERS

PAIN RELIEVERS

The next question asks about using prescription pain relievers in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription pain reliever in any way a doctor did not direct you to use it?

PNRNMLIF

Len : 2 EVER USED PAIN RELIEVER NOT DIRECTED BY DR

	Freq	Pct
1 = Yes.....	9078	5.22
2 = No.....	67973	39.11
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	5176	2.98
85 = BAD DATA Logically assigned.....	28	0.02
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	89407	51.44
94 = DON'T KNOW.....	85	0.05
97 = REFUSED	33	0.02
98 = BLANK (NO ANSWER)	2028	1.17

In the past 12 months, did you use OxyContin in any way a doctor did not direct you to use it?

OXCNNMYR

Len : 2 USED OXYCONTIN NOT DIRECTED BY DR PAST 12 MOS

	Freq	Pct
1 = Yes.....	624	0.36
2 = No.....	775	0.45
81 = NEVER MISUSED PAIN RLVRs Logically assigned	9	0.01
85 = BAD DATA Logically assigned.....	23	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157371	90.54
93 = DID NOT USE IN THE PAST 12 MONTHS.....	14637	8.42
94 = DON'T KNOW.....	3	0.00
97 = REFUSED	9	0.01
98 = BLANK (NO ANSWER)	357	0.21

Please think about the first time you ever used OxyContin in a way a doctor did not direct you to use it.

How old were you when you first used OxyContin in a way a doctor did not direct you to use it?

OXCNNMAGE

Len : 3 AGE 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
RANGE = 1 - 80	608	0.35
981 = NEVER USED PAIN RLVRs Logically assigned	9	0.01
985 = BAD DATA Logically assigned.....	5	0.00
991 = NEVER USED/MISUSED PAIN RELIEVERS.....	157371	90.54
993 = DID NOT USE IN THE PAST 12 MONTHS.....	15412	8.87
994 = DON'T KNOW	10	0.01
997 = REFUSED	6	0.00
998 = BLANK (NO ANSWER).....	387	0.22

Did you first use OxyContin in a way a doctor did not direct you to use it in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use OxyContin in a way a doctor did not direct you to use it in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

OXCNNMYFU

Len : 4 YEAR 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
RANGE = 2019 - 2023	141	0.08
9981 = NEVER USED PAIN RLVRs Logically assigned	9	0.01
9985 = BAD DATA Logically assigned	2	0.00
9989 = LEGITIMATE SKIP Logically assigned	4	0.00
9991 = NEVER USED/MISUSED PAIN RELIEVERS.....	157371	90.54
9993 = DID NOT USE IN THE PAST 12 MONTHS.....	15412	8.87
9998 = BLANK (NO ANSWER).....	408	0.23
9999 = LEGITIMATE SKIP.....	461	0.27

PAIN RELIEVERS

Earlier, you reported that you first used OxyContin in a way a doctor did not direct you to use it when you were [FILL] years old. Based on your date of birth, you turned [FILL] in [FILL].

In what month in [FILL] did you first use OxyContin in a way a doctor did not direct you to use it?

<u>OXCNNMMFU</u>	Len : 2	MONTH 1ST USED OXYCONTIN NOT DIRECTED BY DR		
			Freq	Pct
		1 = January.....	7	0.00
		2 = February.....	17	0.01
		3 = March.....	15	0.01
		4 = April.....	14	0.01
		5 = May.....	6	0.00
		6 = June.....	12	0.01
		7 = July.....	6	0.00
		8 = August.....	9	0.01
		9 = September.....	12	0.01
		10 = October.....	8	0.00
		11 = November.....	14	0.01
		12 = December.....	10	0.01
		81 = NEVER USED PAIN RLVRs Logically assigned.....	9	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157371	90.54
		93 = DID NOT USE IN THE PAST 12 MONTHS.....	15412	8.87
		94 = DON'T KNOW.....	11	0.01
		98 = BLANK (NO ANSWER).....	408	0.23
		99 = LEGITIMATE SKIP.....	461	0.27

NOTE: The variable PNRNMREC is a recoded variable that was created from PNRNMLIF, the 12-month misuse variables of specific pain relievers, and PNRLVNM30DY.

<u>PNRNMREC</u>	Len : 2	RC - MOST RECENT PAIN RELIEVER MISUSE (RECODE)		
			Freq	Pct
		1 = Within the past 30 days.....	1406	0.81
		2 = More than 30 days ago but within the past 12 mos.....	3731	2.15
		3 = More than 12 months ago.....	8958	5.15
		8 = Misused at some point in past 12 mos LOG ASSN.....	38	0.02
		9 = Misused at some point in lifetime LOG ASSN.....	120	0.07
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
		83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn.....	1414	0.81
		91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
		98 = BLANK (NO ANSWER).....	760	0.44

NOTE: PNRNMINIT is "reverse coded" from the answers in PRL03. PRL03=1 (yes) was recoded to 2 in PNRNMINIT because this answer means that the respondent misused pain relievers before the past 12 months (and therefore is not a past year initiate for misuse of pain relievers). PRL03=2 (no) was recoded to 1 in PNRNMINIT because this answer means that the respondent did not misuse pain relievers before the past 12 months (and therefore is a past year initiate for misuse of pain relievers).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription pain reliever in a way a doctor did not direct you to use it?

<u>PNRNMINIT</u>	Len : 2	PAST YEAR INITIATE FOR ANY PAIN RELIEVER MISUSE		
			Freq	Pct
		1 = Past year initiate.....	995	0.57
		2 = Not a past year initiate.....	302	0.17
		4 = Not past yr initiate LOG ASSN (from skip pattern).....	3845	2.21
		83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN).....	1414	0.81
		91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	8958	5.15
		94 = DON'T KNOW.....	25	0.01
		97 = REFUSED.....	9	0.01
		98 = BLANK (NO ANSWER).....	880	0.51

PAIN RELIEVERS

NOTE: The variables PNRNIMAGE, PNRNMYFU, and PNRNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of pain relievers in the 12 months prior to being interviewed (PNRNMINIT=1).

<u>PNRNIMAGE</u>	Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR PNRLV INITIATES		
		Freq	Pct
	RANGE = 11 - 85	733	0.42
	983 = NOT A PAST YEAR INITIATE Log assn.....	1414	0.81
	991 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
	993 = NOT A PAST YEAR INITIATE.....	13105	7.54
	998 = BLANK (NO ANSWER).....	1176	0.68

<u>PNRNMYFU</u>	Len : 4 RC - YR 1ST MISUSED FOR PAST YR PAIN RLVR INITIATES		
		Freq	Pct
	RANGE = 2020 - 2023	728	0.42
	9983 = NOT A PAST YEAR INITIATE Logically assigned.....	1414	0.81
	9991 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
	9993 = NOT A PAST YEAR INITIATE.....	13105	7.54
	9998 = BLANK (NO ANSWER).....	1181	0.68

<u>PNRNMMFU</u>	Len : 2 RC - MO 1ST MISUSED FOR PAST YR PAIN RLVR INITIATES		
		Freq	Pct
	1 = January.....	60	0.03
	2 = February.....	61	0.04
	3 = March.....	55	0.03
	4 = April.....	72	0.04
	5 = May.....	54	0.03
	6 = June.....	56	0.03
	7 = July.....	49	0.03
	8 = August.....	61	0.04
	9 = September.....	58	0.03
	10 = October.....	64	0.04
	11 = November.....	65	0.04
	12 = December.....	44	0.03
	83 = NOT A PAST YEAR INITIATE Logically assigned.....	1414	0.81
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
	93 = NOT A PAST YEAR INITIATE.....	13105	7.54
	98 = BLANK (NO ANSWER).....	1210	0.70

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL]?

<u>PNRNM30D</u>	Len : 2 USED PAIN RLVR NOT DIRECTED BY DR PAST 30 DAYS		
		Freq	Pct
	1 = Yes.....	1306	0.75
	2 = No.....	3732	2.15
	5 = Yes LOGICALLY ASSIGNED (from PR30ANYINIT=1)	100	0.06
	83 = DID NOT MISUSE PAIN RELIEVERS PST 30 DYS Log assn.....	351	0.20
	85 = BAD DATA Logically assigned.....	22	0.01
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	10021	5.77
	94 = DON'T KNOW.....	15	0.01
	97 = REFUSED.....	9	0.01
	98 = BLANK (NO ANSWER).....	872	0.50

During the past 30 days, on how many days did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL]?

<u>PNRNM30FQ</u>	Len : 2 # DAYS USED PAIN RLVR NOT DIRECTD BY DR PST 30 DYS		
		Freq	Pct
	RANGE = 1 - 30	1383	0.80
	83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn.....	88	0.05
	85 = BAD DATA Logically assigned.....	10	0.01
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	14015	8.06
	94 = DON'T KNOW.....	21	0.01
	97 = REFUSED.....	2	0.00
	98 = BLANK (NO ANSWER).....	909	0.52

PAIN RELIEVERS

What is your best estimate of the number of days you used [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL] during the past 30 days?

[PNRNM30ES](#)

Len : 2 EST # DAYS USED PAIN RLVR NOT DIRECTED PST 30 DYS

	Freq	Pct
1 = 1 or 2 days	6	0.00
2 = 3 to 5 days.....	4	0.00
3 = 6 to 9 days.....	1	0.00
4 = 10 to 19 days.....	1	0.00
5 = 20 to 29 days.....	1	0.00
6 = All 30 days.....	1	0.00
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	4	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	14099	8.11
94 = DON'T KNOW	7	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	919	0.53
99 = LEGITIMATE SKIP.....	1383	0.80

NOTE: Responses of "yes" in PNRNM30AL were assigned a code of 11 when respondents reported that they misused pain relievers with alcohol in the past 30 days but there was some question from the edited alcohol data about whether they used alcohol in the past 30 days. Analysts are encouraged to check the value of the final imputed alcohol recency IRALCRC when PNRNM30AL=11 to determine whether IRALCRC was assigned a value to indicate that the most recent use of alcohol was within the past 30 days or was more than 30 days ago but within the past 12 months.

During the past 30 days, did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

[PNRNM30AL](#)

Len : 2 USED PAIN RLVR NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
1 = Yes.....	364	0.21
2 = No	419	0.24
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	30	0.02
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	14073	8.10
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	938	0.54
99 = LEGITIMATE SKIP.....	600	0.35

Which of these statements describe your use of [PRNAMEFILL] at **any** time in the past 12 months?

To select more than one statement, press the space bar between the numbers. When you have finished, press [ENTER].

[PNRWYNORX](#)

Len : 2 USED PAIN RLVR W/O OWN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	2863	1.65
2 = No (not entered).....	1887	1.09
83 = DID NOT MISUSE PAIN RELIEVERS IN PST 30 days Log assn	239	0.14
85 = BAD DATA Logically assigned	14	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10133	5.83
94 = DON'T KNOW	286	0.16
97 = REFUSED	121	0.07
98 = BLANK (NO ANSWER)	885	0.51

[PNRWYGAMT](#)

Len : 2 USED PAIN RLVR IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
1 = Yes.....	947	0.54
2 = No (not entered).....	3804	2.19
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	80	0.05
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10292	5.92
94 = DON'T KNOW	286	0.16
97 = REFUSED	121	0.07
98 = BLANK (NO ANSWER)	893	0.51

PAIN RELIEVERS

[PNRWYOFTN](#)

Len : 2 USED PAIN RLVR MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	780	0.45
2 = No (not entered).....	3971	2.28
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS logically assigned.....	76	0.04
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10296	5.92
94 = DON'T KNOW.....	286	0.16
97 = REFUSED	121	0.07
98 = BLANK (NO ANSWER)	897	0.52

[PNRWYLNGR](#)

Len : 2 USED PAIN RLVR LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	678	0.39
2 = No (not entered).....	4073	2.34
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	86	0.05
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10286	5.92
94 = DON'T KNOW.....	286	0.16
97 = REFUSED	121	0.07
98 = BLANK (NO ANSWER)	898	0.52

[PNRWYOTWY](#)

Len : 2 USED PAIN RLVR OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
1 = Yes.....	1228	0.71
2 = No (not entered).....	3523	2.03
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	121	0.07
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10251	5.90
94 = DON'T KNOW.....	286	0.16
97 = REFUSED	121	0.07
98 = BLANK (NO ANSWER)	894	0.51

PAIN RELIEVERS

Now think about the last time you used a prescription pain reliever in any way a doctor did not direct you to use it.

Which of these pain relievers did you use the last time? If you used more than one pain reliever the last time, please choose one pain reliever as your best answer.

[PNRNMLAS1](#)

Len : 2 LAST PAIN RLVR USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
1 = Vicodin	295	0.17
2 = Lortab	114	0.07
3 = Norco	187	0.11
4 = Zohydro ER	9	0.01
5 = Hydrocodone (generic)	866	0.50
6 = OxyContin	187	0.11
7 = Percocet	480	0.28
8 = Percodan	13	0.01
9 = Roxicodone	49	0.03
10 = Oxycodone (generic)	395	0.23
11 = Ultram	15	0.01
12 = Ultram ER	3	0.00
13 = Ultracet	7	0.00
14 = Tramadol (generic)	437	0.25
15 = Extended-release tramadol (generic)	23	0.01
16 = Tylenol with codeine 3 or 4 (NOT over-the-counter Tylenol)	856	0.49
17 = Codeine pills (generic)	63	0.04
18 = Avinza	1	0.00
19 = Kadian	1	0.00
20 = MS Contin	3	0.00
21 = Morphine (generic)	43	0.02
22 = Extended-release morphine (generic)	22	0.01
23 = Duragesic	1	0.00
24 = Fentora	5	0.00
25 = Fentanyl (generic)	176	0.10
26 = Suboxone	149	0.09
27 = Buprenorphine (generic)	44	0.03
28 = Buprenorphine plus naloxone (generic)	23	0.01
29 = Opana	4	0.00
30 = Opana ER	1	0.00
31 = Oxymorphone (generic)	8	0.00
32 = Extended-release oxymorphone (generic)	2	0.00
33 = Demerol	4	0.00
34 = Dilaudid or hydromorphone	27	0.02
35 = Exalgo or extended-release hydromorphone	3	0.00
36 = Methadone	62	0.04
37 = Some other pain reliever	513	0.30
83 = DID NOT MISUSE IN THE PST 12 MOS Logically assigned	359	0.21
85 = BAD DATA Logically assigned	39	0.02
91 = NEVER USED/MISUSED PAIN RELIEVERS	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10013	5.76
94 = DON'T KNOW	34	0.02
97 = REFUSED	16	0.01
98 = BLANK (NO ANSWER)	876	0.50

Now think about the last time you used [PRLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [PRLASTFILL2] the last time?

[PNRRSPAIN](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO RLV PAIN

	Freq	Pct
1 = Yes	3510	2.02
2 = No (not entered)	1427	0.82
3 = Yes LOGICALLY ASSIGNED	71	0.04
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	319	0.18
85 = BAD DATA Logically assigned	15	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10053	5.78
94 = DON'T KNOW	94	0.05
97 = REFUSED	50	0.03
98 = BLANK (NO ANSWER)	889	0.51

PAIN RELIEVERS

[PNRRSRELX](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO RELAX

	Freq	Pct
1 = Yes.....	1326	0.76
2 = No (not entered).....	3681	2.12
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	72	0.04
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10300	5.93
94 = DON'T KNOW.....	94	0.05
97 = REFUSED	50	0.03
98 = BLANK (NO ANSWER)	897	0.52

[PNRRSEXPT](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
1 = Yes.....	345	0.20
2 = No (not entered).....	4661	2.68
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	30	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10342	5.95
94 = DON'T KNOW.....	94	0.05
97 = REFUSED	50	0.03
98 = BLANK (NO ANSWER)	902	0.52

[PNRRSHIGH](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO GET HIGH

	Freq	Pct
1 = Yes.....	1076	0.62
2 = No (not entered).....	3929	2.26
3 = Yes LOGICALLY ASSIGNED.....	4	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	33	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10339	5.95
94 = DON'T KNOW.....	94	0.05
97 = REFUSED	50	0.03
98 = BLANK (NO ANSWER)	902	0.52

[PNRRSSLEP](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) FOR SLEEP

	Freq	Pct
1 = Yes.....	929	0.53
2 = No (not entered).....	4078	2.35
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	60	0.03
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10312	5.93
94 = DON'T KNOW.....	94	0.05
97 = REFUSED	50	0.03
98 = BLANK (NO ANSWER)	903	0.52

[PNRRSEMOT](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
1 = Yes.....	737	0.42
2 = No (not entered).....	4267	2.46
3 = Yes LOGICALLY ASSIGNED.....	4	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	35	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10337	5.95
94 = DON'T KNOW.....	94	0.05
97 = REFUSED	50	0.03
98 = BLANK (NO ANSWER)	903	0.52

PAIN RELIEVERS

[PNRRSDGFX](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
1 = Yes.....	179	0.10
2 = No (not entered).....	4828	2.78
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	28	0.02
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10344	5.95
94 = DON'T KNOW	94	0.05
97 = REFUSED	50	0.03
98 = BLANK (NO ANSWER)	903	0.52

[PNRRSHOOK](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
1 = Yes.....	252	0.14
2 = No (not entered).....	4756	2.74
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	28	0.02
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10344	5.95
94 = DON'T KNOW	94	0.05
97 = REFUSED	50	0.03
98 = BLANK (NO ANSWER)	903	0.52

[PNRRSSOR](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) OTHER REASON

	Freq	Pct
1 = Yes.....	329	0.19
2 = No (not entered).....	4680	2.69
83 = DID NOT MISUSE PAIN RELEIVERS IN PAST 12 mos Log assn.....	61	0.04
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10311	5.93
94 = DON'T KNOW	94	0.05
97 = REFUSED	50	0.03
98 = BLANK (NO ANSWER)	901	0.52

Please type in the other reason you used [PRLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

[PNRRSOTRS2](#)

Len : 3 REASON USED LAST PAIN RLVR (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain.....	92	0.05
2 = To relax or relieve tension	5	0.00
3 = To experiment or to see what it's/they're like	3	0.00
4 = To feel good or get high.....	7	0.00
5 = To help with my sleep.....	1	0.00
6 = To help me with my feelings or emotions.....	7	0.00
7 = To increase/decrease effects of some other drug.....	2	0.00
8 = Because I am "hooked" or I have to have it/them	2	0.00
13 = I used it/them for some other reason	32	0.02
14 = For cold/flu/fever/sick/illness; pain not specified.....	21	0.01
16 = Suicide attempt/suicidal thoughts	11	0.01
18 = Peer pressure/friends/feel cool.....	3	0.00
24 = Took them by mistake/didn't know what it was	3	0.00
25 = To make sex more pleasurable.....	3	0.00
26 = To replace another/other drug(s)/alcohol I am addicted to	34	0.02
34 = Symptom relief, otherwise unspecified.....	3	0.00
35 = Just because/available/no reason;otherwise unspcfd.....	6	0.00
51 = Discontinued use bf course;didn't trust/like/need.....	3	0.00
71 = They are prescribed to me; misuse not indicated.....	13	0.01
80 = Took a drug laced wi/another drug; intent unspfd.....	3	0.00
983 = DID NOT USE PAIN REL IN THE PAST 12 MOS Logically assigned.....	36	0.02
985 = BAD DATA (logically assigned).....	42	0.02
991 = NEVER USED PAIN RELIEVERS	157380	90.55
993 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	10336	5.95
994 = DON'T KNOW	21	0.01
997 = REFUSED	14	0.01
998 = BLANK (no answer).....	1045	0.60
999 = LEGITIMATE SKIP.....	4680	2.69

PAIN RELIEVERS

Which was the main reason you used [PRLASTFILL2] the last time?

[PNRRSMAIN](#)

Len : 2 MAIN REASON USED LAST PAIN RLVR (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain.....	754	0.43
2 = To relax or relieve tension	212	0.12
3 = To experiment or to see what it was/they were like	60	0.03
4 = To feel good or get high.....	297	0.17
5 = To help with my sleep.....	104	0.06
6 = To help me with my feelings or emotions.....	148	0.09
7 = To increase or decrease the effect(s) of some other drug	20	0.01
8 = Because I am 'hooked' or I have to have it/them	113	0.07
9 = The other reason I reported	27	0.02
11 = To relieve physical pain LOGICALLY ASSIGNED	10	0.01
12 = To relax or relieve tension LOGICALLY ASSIGNED	1	0.00
14 = To feel good or get high LOGICALLY ASSIGNED	1	0.00
16 = To help with feelings/emotions LOGICALLY ASSIGNED	1	0.00
18 = Because 'hooked'/have to have it LOG ASSN.....	1	0.00
83 = DID NOT MISUSE PAIN RELIEVERS IN PAST 12 mos Log assn.....	55	0.03
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	157380	90.55
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10317	5.94
94 = DON'T KNOW	3	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1044	0.60
99 = LEGITIMATE SKIP.....	3253	1.87

NOTE: PNRNORXFG is set to 1 when respondents reported that the only way they misused pain relievers in the past year was without a prescription. These respondents also reported that the last pain reliever they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

[PNRNORXFG](#)

Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST PNR

	Freq	Pct
1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	342	0.20
98 = BLANK (NO ANSWER)	173466	99.80

The following variable for past year misuse of Fentanyl Products, FENTNMYR, was assigned a positive response if a respondent indicated past year misuse of Duragesic, Fentora, generic fentanyl, or other pain relievers that contain fentanyl.

[FENTNMYR](#)

Len : 1 RC-FENTANYL PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Missing	69	0.04
0 = No	173446	99.79
1 = Yes (See comment above)	293	0.17

TRANQUILIZERS SCREENER

TRANQUILIZERS SCREENER

Have you **ever**, even once, used **any prescription tranquilizer**?

TRQANYLIF

Len : 2 ANY TRANQUILIZER USE IN LIFETIME

	Freq	Pct
1 = Yes.....	12610	7.26
2 = No.....	142871	82.20
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	17008	9.79
94 = DON'T KNOW.....	871	0.50
97 = REFUSED	60	0.03
98 = BLANK (NO ANSWER)	388	0.22

NOTE: TRQANYREC was created from responses of any use in the past 12 months for specific tranquilizers and from TRQANYLIF for any lifetime use of tranquilizers.

TRQANYREC

Len : 2 RC - MOST RECENT ANY TRANQUILIZER USE (RECODE)

	Freq	Pct
1 = Within the past 12 months	17008	9.79
2 = More than 12 months ago	12546	7.22
9 = Used at some point in the lifetime LOG ASSN.....	64	0.04
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	646	0.37
91 = NEVER USED TRANQUILIZERS.....	142871	82.20
98 = BLANK (NO ANSWER)	673	0.39

The following variable for any past year use of Any Benzodiazepines Tranquilizers, TRBZOANYR, was assigned a positive response if a respondent indicated any past year use of Benzodiazepine Tranquilizers or past year misuse of Benzodiazepine Tranquilizers that were specified as other Tranquilizers.

TRBZOANYR

Len : 1 RC - BENZODIAZEPINES TRANQUILIZERS - ANY PAST YEAR USE

	Freq	Pct
. = Missing.....	579	0.33
0 = No.....	160462	92.32
1 = Yes.....	12767	7.35

TRANQUILIZERS

TRANQUILIZERS

The next question asks about using prescription tranquilizers in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription tranquilizer in any way a doctor did not direct you to use it?

TRQNMLIF

Len : 2 EVER USED TRANQUILIZER NOT DIRECTED BY DR

	Freq	Pct
1 = Yes.....	3498	2.01
2 = No.....	23202	13.35
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	2780	1.60
85 = BAD DATA Logically assigned.....	68	0.04
91 = NEVER USED/MISUSED TRANQUILIZERS	142871	82.20
94 = DON'T KNOW.....	37	0.02
97 = REFUSED	14	0.01
98 = BLANK (NO ANSWER)	1338	0.77

NOTE: The variable TRQNMREC is a recoded variable that was created from TRQNMLIF, the 12-month misuse variables of specific tranquilizers, and TRANQNM30DY.

TRQNMREC

Len : 2 RC - MOST RECENT TRANQUILIZER MISUSE (RECODE)

	Freq	Pct
1 = Within the past 30 days.....	775	0.45
2 = More than 30 days ago but within the past 12 mos	1986	1.14
3 = More than 12 months ago	3483	2.00
8 = Misused at some point in past 12 mos LOG ASSN.....	19	0.01
9 = Misused at some point in lifetime LOG ASSN	15	0.01
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	697	0.40
91 = NEVER USED/MISUSED TRANQUILIZERS	166073	95.55
98 = BLANK (NO ANSWER)	760	0.44

NOTE: TRQNMINIT is "reverse coded" from the answers in TRL03. TRL03=1 (yes) was recoded to 2 in TRQNMINIT because this answer means that the respondent misused tranquilizers before the past 12 months (and therefore is not a past year initiate for misuse of tranquilizers). TRL03=2 (no) was recoded to 1 in TRQNMINIT because this answer means that the respondent did not misuse tranquilizers before the past 12 months (and therefore is a past year initiate for misuse of tranquilizers).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription tranquilizer in a way a doctor did not direct you to use it?

TRQNMINIT

Len : 2 PAST YEAR INITIATE FOR ANY TRANQUILIZER MISUSE

	Freq	Pct
1 = Past year initiate.....	519	0.30
2 = Not a past year initiate	116	0.07
4 = Not past yr initiate LOG ASSN (from skip pattern).....	2136	1.23
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	697	0.40
91 = NEVER USED/MISUSED TRANQUILIZERS	166073	95.55
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3483	2.00
94 = DON'T KNOW	7	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	776	0.45

NOTE: The variables TRQNMAGE, TRQNMIFU, and TRQNMIFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of tranquilizers in the 12 months prior to being interviewed (TRQNMINIT=1).

TRQNMAGE

Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR TRANQ INITIATES

	Freq	Pct
RANGE = 13 - 84	483	0.28
983 = NOT A PAST YEAR INITIATE Log assn.....	697	0.40
991 = NEVER USED/MISUSED TRANQUILIZERS	166073	95.55
993 = NOT A PAST YEAR INITIATE	5735	3.30
998 = BLANK (NO ANSWER).....	820	0.47

TRANQUILIZERS

[TRQNMUFU](#)

Len : 4 RC - YR 1ST MISUSED FOR PAST YR TRANQ INITIATES

	Freq	Pct
RANGE = 2020 - 2023	481	0.28
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	697	0.40
9991 = NEVER USED/MISUSED TRANQUILIZERS	166073	95.55
9993 = NOT A PAST YEAR INITIATE	5735	3.30
9998 = BLANK (NO ANSWER).....	822	0.47

[TRQNMMFU](#)

Len : 2 RC - MO 1ST MISUSED FOR PAST YR TRANQ INITIATES

	Freq	Pct
1 = January.....	42	0.02
2 = February.....	37	0.02
3 = March.....	45	0.03
4 = April	34	0.02
5 = May.....	35	0.02
6 = June.....	51	0.03
7 = July	38	0.02
8 = August	36	0.02
9 = September.....	33	0.02
10 = October.....	41	0.02
11 = November	35	0.02
12 = December.....	40	0.02
83 = NOT A PAST YEAR INITIATE Logically assigned	697	0.40
91 = NEVER USED/MISUSED TRANQUILIZERS	166073	95.55
93 = NOT A PAST YEAR INITIATE	5735	3.30
98 = BLANK (NO ANSWER)	836	0.48

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL]?

[TRQNM30D](#)

Len : 2 USED TRANQ NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
1 = Yes.....	727	0.42
2 = No	1986	1.14
5 = Yes LOGICALLY ASSIGNED.....	48	0.03
83 = DID NOT MISUSE TRAN IN THE PST 30 DAYS LOG ASSN.....	4	0.00
85 = BAD DATA Logically assigned.....	15	0.01
91 = NEVER USED/MISUSED TRANQUILIZERS	166073	95.55
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....	4176	2.40
94 = DON'T KNOW.....	10	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	767	0.44

During the past 30 days, on how many days did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL]?

[TRQNM30FQ](#)

Len : 2 # DAYS USED TRANQ NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30.....	767	0.44
85 = BAD DATA Logically assigned.....	11	0.01
91 = NEVER USED/MISUSED TRANQUILIZERS	166073	95.55
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....	6166	3.55
94 = DON'T KNOW.....	6	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	783	0.45

What is your best estimate of the number of days you used [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL] during the past 30 days?

[TRQNM30ES](#)

Len : 2 EST # DAYS USED TRANQ NOT DIRECTED PST 30 DYS

	Freq	Pct
1 = 1 or 2 days	3	0.00
2 = 3 to 5 days.....	2	0.00
4 = 10 to 19 days.....	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	166073	95.55
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....	6166	3.55
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	794	0.46
99 = LEGITIMATE SKIP.....	767	0.44

TRANQUILIZERS

NOTE: Responses of "yes" in TRQNM30AL were assigned a code of 11 when respondents reported that they misused tranquilizers with alcohol in the past 30 days but there was some question from the edited alcohol data about whether they used alcohol in the past 30 days. Analysts are encouraged to check the value of the final imputed alcohol recency IRALCRC when TRQNM30AL=11 to determine whether IRALCRC was assigned a value to indicate that the most recent use of alcohol was within the past 30 days or was more than 30 days ago but within the past 12 months.

During the past 30 days, did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

<u>TRQNM30AL</u>	Len : 2	USED TRANQ NOT DIRECTED BY DR W/ALC PST 30 DYS		
			Freq	Pct
	1 = Yes.....		216	0.12
	2 = No.....		302	0.17
	85 = BAD DATA Logically assigned.....		6	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS.....		166073	95.55
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....		6166	3.55
	98 = BLANK (NO ANSWER)		795	0.46
	99 = LEGITIMATE SKIP.....		250	0.14

Which of these statements describe your use of [TRNAMEFILL] at any time in the past 12 months?

<u>TRQWYNORX</u>	Len : 2	USED TRANQ W/O OWN RX PAST 12 MONTHS		
			Freq	Pct
	1 = Yes.....		1890	1.09
	2 = No (not entered).....		755	0.43
	83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....		3	0.00
	85 = BAD DATA Logically assigned.....		11	0.01
	91 = NEVER USED/MISUSED TRANQUILIZERS.....		166073	95.55
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....		4177	2.40
	94 = DON'T KNOW.....		86	0.05
	97 = REFUSED		42	0.02
	98 = BLANK (NO ANSWER)		771	0.44

<u>TRQWYGAMT</u>	Len : 2	USED TRANQ IN GREATER AMTS THAN RX PST 12 MOS		
			Freq	Pct
	1 = Yes.....		451	0.26
	2 = No (not entered).....		2194	1.26
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....		2	0.00
	85 = BAD DATA Logically assigned.....		5	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS.....		166073	95.55
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....		4178	2.40
	94 = DON'T KNOW.....		86	0.05
	97 = REFUSED		42	0.02
	98 = BLANK (NO ANSWER)		777	0.45

<u>TRQWYOFTN</u>	Len : 2	USED TRANQ MORE OFTEN THAN RX PAST 12 MONTHS		
			Freq	Pct
	1 = Yes.....		313	0.18
	2 = No (not entered).....		2332	1.34
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....		1	0.00
	85 = BAD DATA Logically assigned.....		1	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS.....		166073	95.55
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....		4179	2.40
	94 = DON'T KNOW.....		86	0.05
	97 = REFUSED		42	0.02
	98 = BLANK (NO ANSWER)		781	0.45

<u>TRQWYLNGR</u>	Len : 2	USED TRANQ LONGER THAN RX PAST 12 MONTHS		
			Freq	Pct
	1 = Yes.....		177	0.10
	2 = No (not entered).....		2468	1.42
	83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....		2	0.00
	85 = BAD DATA Logically assigned.....		1	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS.....		166073	95.55
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....		4178	2.40
	94 = DON'T KNOW.....		86	0.05
	97 = REFUSED		42	0.02
	98 = BLANK (NO ANSWER)		781	0.45

TRANQUILIZERS

[TRQWYOTWY](#)

Len : 2 USED TRANQ OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
1 = Yes.....	517	0.30
2 = No (not entered).....	2128	1.22
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	1	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	166073	95.55
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	4179	2.40
94 = DON'T KNOW.....	86	0.05
97 = REFUSED.....	42	0.02
98 = BLANK (NO ANSWER).....	780	0.45

Now think about the last time you used a prescription tranquilizer in any way a doctor did not direct you to use it.

Which of these tranquilizers did you use the last time? If you used more than one tranquilizer the last time, please choose one tranquilizer as your best answer.

[TRQNMLAS1](#)

Len : 2 LAST TRANQ USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
1 = Xanax.....	1314	0.76
2 = Xanax XR.....	33	0.02
3 = Alprazolam (generic).....	303	0.17
4 = Extended-release alprazolam (generic).....	11	0.01
5 = Ativan.....	69	0.04
6 = Klonopin.....	122	0.07
7 = Lorazepam (generic).....	177	0.10
8 = Clonazepam (generic).....	214	0.12
9 = Valium.....	114	0.07
10 = Diazepam (generic).....	75	0.04
11 = Cyclobenzaprine (generic), also known as Flexeril.....	222	0.13
12 = Soma.....	40	0.02
13 = Some other tranquilizer.....	73	0.04
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	4	0.00
85 = BAD DATA Logically assigned.....	16	0.01
91 = NEVER USED/MISUSED TRANQUILIZERS.....	166073	95.55
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	4176	2.40
94 = DON'T KNOW.....	4	0.00
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	763	0.44

Now think about the last time you used [TRLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [TRLASTFILL2] the last time?

[TRQRSRELX](#)

Len : 2 USED LAST TRANQ (NOT DIRECTED) TO RELAX

	Freq	Pct
1 = Yes.....	1712	0.98
2 = No (not entered).....	1011	0.58
3 = Yes LOGICALLY ASSIGNED.....	19	0.01
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	3	0.00
85 = BAD DATA Logically assigned.....	11	0.01
91 = NEVER USED/MISUSED TRANQUILIZERS.....	166073	95.55
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	4177	2.40
94 = DON'T KNOW.....	15	0.01
97 = REFUSED.....	14	0.01
98 = BLANK (NO ANSWER).....	773	0.44

[TRQRSEXP1](#)

Len : 2 USED LAST TRANQ (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
1 = Yes.....	297	0.17
2 = No (not entered).....	2444	1.41
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	166073	95.55
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	4179	2.40
94 = DON'T KNOW.....	15	0.01
97 = REFUSED.....	14	0.01
98 = BLANK (NO ANSWER).....	779	0.45

TRANQUILIZERS

TRQRSHIGH

Len : 2 USED LAST TRANQ (NOT DIRECTED) TO GET HIGH

	Freq	Pct
1 = Yes.....	605	0.35
2 = No (not entered).....	2134	1.23
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	166073	95.55
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	4179	2.40
94 = DON'T KNOW.....	15	0.01
97 = REFUSED.....	14	0.01
98 = BLANK (NO ANSWER).....	782	0.45

TRQRSSLEP

Len : 2 USED LAST TRANQ (NOT DIRECTED) FOR SLEEP

	Freq	Pct
1 = Yes.....	1036	0.60
2 = No (not entered).....	1704	0.98
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	166073	95.55
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	4178	2.40
94 = DON'T KNOW.....	15	0.01
97 = REFUSED.....	14	0.01
98 = BLANK (NO ANSWER).....	783	0.45

TRQRSEMOT

Len : 2 USED LAST TRANQ (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
1 = Yes.....	1001	0.58
2 = No (not entered).....	1739	1.00
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	166073	95.55
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	4178	2.40
94 = DON'T KNOW.....	15	0.01
97 = REFUSED.....	14	0.01
98 = BLANK (NO ANSWER).....	783	0.45

TRQRSDGFX

Len : 2 USED LAST TRANQ (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
1 = Yes.....	180	0.10
2 = No (not entered).....	2560	1.47
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	166073	95.55
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	4179	2.40
94 = DON'T KNOW.....	15	0.01
97 = REFUSED.....	14	0.01
98 = BLANK (NO ANSWER).....	783	0.45

TRQRSHOOK

Len : 2 USED LAST TRANQ (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
1 = Yes.....	62	0.04
2 = No (not entered).....	2679	1.54
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	166073	95.55
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	4179	2.40
94 = DON'T KNOW.....	15	0.01
97 = REFUSED.....	14	0.01
98 = BLANK (NO ANSWER).....	783	0.45

TRANQUILIZERS

TRQRSSOR

Len : 2 USED LAST TRANQ (NOT DIRECTED) OTHER REASON

	Freq	Pct
1 = Yes.....	194	0.11
2 = No (not entered).....	2548	1.47
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	166073	95.55
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	4178	2.40
94 = DON'T KNOW.....	15	0.01
97 = REFUSED.....	14	0.01
98 = BLANK (NO ANSWER).....	783	0.45

Please type in the other reason you used [TRLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

TRQRSOTRS2

Len : 3 REASON USED LAST TRANQ (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain.....	67	0.04
2 = To relax or relieve tension.....	41	0.02
3 = To experiment or to see what it's/they're like.....	1	0.00
4 = To feel good or get high.....	5	0.00
5 = To help with my sleep.....	2	0.00
6 = To help me with my feelings or emotions.....	6	0.00
7 = To increase/decrease effects of some other drug.....	2	0.00
8 = Because I am "hooked" or I have to have it/them.....	2	0.00
13 = I used it/them for some other reason.....	30	0.02
16 = Suicide attempt/suicidal thoughts.....	4	0.00
20 = To try out for medical condition.....	3	0.00
22 = To prevent/treat anxiety/panic attacks.....	10	0.01
983 = DID NOT USE TRANQ IN THE PAST 12 MOS Logically assigned.....	1	0.00
985 = BAD DATA (logically assigned).....	13	0.01
991 = NEVER USED TRANQUILIZERS.....	166073	95.55
993 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	4179	2.40
994 = DON'T KNOW.....	4	0.00
997 = REFUSED.....	4	0.00
998 = BLANK (no answer).....	813	0.47
999 = LEGITIMATE SKIP.....	2548	1.47

Which was the main reason you used [TRLASTFILL2] the last time?

TRQRSMAIN

Len : 2 MAIN REASON USED LAST TRANQ (NOT DIRECTED)

	Freq	Pct
1 = To relax or relieve tension.....	457	0.26
2 = To experiment or to see what it was/they were like.....	37	0.02
3 = To feel good or get high.....	152	0.09
4 = To help with my sleep.....	221	0.13
5 = To help me with my feelings or emotions.....	331	0.19
6 = To increase or decrease the effect(s) of some other drug.....	31	0.02
7 = Because I am 'hooked' or I have to have it/them.....	13	0.01
8 = The other reason I reported.....	23	0.01
11 = To relax or relieve tension LOGICALLY ASSIGNED.....	14	0.01
14 = To help with my sleep LOGICALLY ASSIGNED.....	1	0.00
15 = To help with feelings/emotions LOGICALLY ASSIGNED.....	3	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	166073	95.55
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	4179	2.40
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	812	0.47
99 = LEGITIMATE SKIP.....	1457	0.84

NOTE: TRQNORXFG is set to 1 when respondents reported that the only way they misused tranquilizers in the past year was without a prescription. These respondents also reported that the last tranquilizer they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

TRQNORXFG

Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST TRANQ

	Freq	Pct
1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	51	0.03
98 = BLANK (NO ANSWER).....	173757	99.97

TRANQUILIZERS

The following variable for any past year misuse of Any Benzodiazepines Tranquilizers, TRBZNMYS, was assigned a positive response if a respondent indicated any past year misuse of Benzodiazepine Tranquilizers or past year misuse of Benzodiazepine Tranquilizers that were specified as other Tranquilizers.

[TRBZNMYS](#)

Len : 1 RC - BENZODIAZEPINES TRANQUILIZERS - PAST YEAR MISUSE

	Freq	Pct
. = Missing	594	0.34
0 = No	170726	98.23
1 = Yes	2488	1.43

STIMULANTS SCREENER

STIMULANTS SCREENER

Have you **ever**, even once, used **any prescription stimulant**?

Remember, do not include "over-the-counter" stimulants such as Dexatrim, No-Doz, Hydroxycut, or 5-Hour Energy.

STMANYLIF

Len : 2 ANY STIMULANT USE IN LIFETIME

	Freq	Pct
1 = Yes.....	9060	5.21
2 = No.....	149934	86.26
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	13745	7.91
94 = DON'T KNOW.....	523	0.30
97 = REFUSED	52	0.03
98 = BLANK (NO ANSWER)	494	0.28

NOTE: STMANYREC was created from responses of any use in the past 12 months for specific stimulants and from STMANYLIF for any lifetime use of stimulants.

STMANYREC

Len : 2 RC - MOST RECENT ANY STIMULANT USE (RECODE)

	Freq	Pct
1 = Within the past 12 months	13745	7.91
2 = More than 12 months ago	9017	5.19
9 = Used at some point in the lifetime LOG ASSN.....	43	0.02
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	333	0.19
91 = NEVER USED STIMULANTS.....	149934	86.26
98 = BLANK (NO ANSWER)	736	0.42

STIMULANTS

STIMULANTS

The next question asks about using prescription stimulants in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription stimulant in any way a doctor did not direct you to use it?

STMNMLIF

Len : 2 EVER USED STIMULANT NOT DIRECTED BY DR

	Freq	Pct
1 = Yes.....	4573	2.63
2 = No.....	14831	8.53
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	3271	1.88
85 = BAD DATA Logically assigned.....	27	0.02
91 = NEVER USED/MISUSED STIMULANTS	149934	86.26
94 = DON'T KNOW	47	0.03
97 = REFUSED	15	0.01
98 = BLANK (NO ANSWER)	1110	0.64

NOTE: The variable STMNMREC is a recoded variable that was created from STMNMLIF, the 12-month misuse variables of specific stimulants, and STMNM30DY.

STMNMREC

Len : 2 RC - MOST RECENT STIMULANT MISUSE (RECODE)

	Freq	Pct
1 = Within the past 30 days.....	966	0.56
2 = More than 30 days ago but within the past 12 mos	2294	1.32
3 = More than 12 months ago	4562	2.62
8 = Misused at some point in past 12 mos LOG ASSN.....	11	0.01
9 = Misused at some point in lifetime LOG ASSN	11	0.01
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	377	0.22
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
98 = BLANK (NO ANSWER)	822	0.47

NOTE: STMNMINIT is "reverse coded" from the answers in STL03. STL03=1 (yes) was recoded to 2 in STMNMINIT because this answer means that the respondent misused stimulants before the past 12 months (and therefore is not a past year initiate for misuse of stimulants). STL03=2 (no) was recoded to 1 in STMNMINIT because this answer means that the respondent did not misuse stimulants before the past 12 months (and therefore is a past year initiate for misuse of stimulants).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription stimulant in a way a doctor did not direct you to use it?

STMNMINIT

Len : 2 PAST YEAR INITIATE FOR ANY STIMULANT MISUSE

	Freq	Pct
1 = Past year initiate.....	689	0.40
2 = Not a past year initiate	150	0.09
4 = Not past yr initiate LOG ASSN (from skip pattern).....	2424	1.39
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	377	0.22
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS.....	4562	2.62
94 = DON'T KNOW	6	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	833	0.48

NOTE: The variables STMNIMAGE, STMNMYFU, and STMNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of stimulants in the 12 months prior to being interviewed (STMNMINIT=1).

STMNIMAGE

Len : 3 RC - AGE 1ST MISUSED FOR PAST YR STIM INITIATES

	Freq	Pct
RANGE = 11 - 73	647	0.37
983 = NOT A PAST YEAR INITIATE Log assn.....	377	0.22
991 = NEVER USED/MISUSED STIMULANTS	164765	94.80
993 = NOT A PAST YEAR INITIATE.....	7136	4.11
998 = BLANK (NO ANSWER).....	883	0.51

STIMULANTS

[STMNMYFU](#)

Len : 4 RC - YR 1ST MISUSED FOR PAST YR STIM INITIATES

	Freq	Pct
RANGE = 2020 - 2023	645	0.37
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	377	0.22
9991 = NEVER USED/MISUSED STIMULANTS	164765	94.80
9993 = NOT A PAST YEAR INITIATE	7136	4.11
9998 = BLANK (NO ANSWER).....	885	0.51

[STMNMMFU](#)

Len : 2 RC - MONTH 1ST MISUSED FOR PAST YR STIM INITIATES

	Freq	Pct
1 = January.....	52	0.03
2 = February.....	31	0.02
3 = March.....	50	0.03
4 = April	60	0.03
5 = May.....	52	0.03
6 = June.....	47	0.03
7 = July	49	0.03
8 = August	54	0.03
9 = September.....	54	0.03
10 = October.....	56	0.03
11 = November	60	0.03
12 = December.....	48	0.03
83 = NOT A PAST YEAR INITIATE Logically assigned	377	0.22
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = NOT A PAST YEAR INITIATE	7136	4.11
98 = BLANK (NO ANSWER)	917	0.53

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL]?

[STMNM30D](#)

Len : 2 USED STIMULANT NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
1 = Yes.....	903	0.52
2 = No	2294	1.32
5 = Yes LOGICALLY ASSIGNED.....	63	0.04
83 = DID NOT MISUSE STIM IN THE PST 30 DAYS LOG ASSN	11	0.01
85 = BAD DATA Logically assigned.....	13	0.01
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	4928	2.84
94 = DON'T KNOW.....	5	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	821	0.47

During the past 30 days, on how many days did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL]?

[STMNM30FQ](#)

Len : 2 # DAYS USED STIMULANT NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30	956	0.55
83 = DID NOT MISUSE STIM IN THE PST 30 DAYS LOG ASSN	3	0.00
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	7230	4.16
94 = DON'T KNOW	7	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	837	0.48

STIMULANTS

What is your best estimate of the number of days you used [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL] during the past 30 days?

STMNM30ES

Len : 2 EST # DAYS USED STIMULANT NOT DIRECTED PST 30 DYS

	Freq	Pct
1 = 1 or 2 days	1	0.00
2 = 3 to 5 days.....	1	0.00
3 = 6 to 9 days.....	2	0.00
4 = 10 to 19 days.....	2	0.00
5 = 20 to 29 days.....	1	0.00
6 = All 30 days.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	7233	4.16
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	845	0.49
99 = LEGITIMATE SKIP.....	956	0.55

During the past 30 days, did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

STMNM30AL

Len : 2 USED STIMULANT NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
1 = Yes.....	378	0.22
2 = No.....	382	0.22
83 = DID NOT MISUSE PAST 30 DAYS Logically assigned.....	2	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	7231	4.16
98 = BLANK (NO ANSWER)	852	0.49
99 = LEGITIMATE SKIP.....	196	0.11

Which of these statements describe your use of [STNAMEFILL] at **any** time in the past 12 months?

To select more than one statement, press the space bar between the numbers. When you have finished, press [ENTER].

STMWYNORX

Len : 2 USED STIMULANT W/O OWN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	2414	1.39
2 = No (not entered).....	759	0.44
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	6	0.00
85 = BAD DATA Logically assigned.....	9	0.01
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4933	2.84
94 = DON'T KNOW	61	0.04
97 = REFUSED	35	0.02
98 = BLANK (NO ANSWER)	826	0.48

STMWYGAMT

Len : 2 USED STIMULANT IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
1 = Yes.....	506	0.29
2 = No (not entered).....	2667	1.53
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	5	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4934	2.84
94 = DON'T KNOW	61	0.04
97 = REFUSED	35	0.02
98 = BLANK (NO ANSWER)	831	0.48

STIMULANTS

[STMWYOFTN](#)

Len : 2 USED STIMULANT MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	303	0.17
2 = No (not entered).....	2870	1.65
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4936	2.84
94 = DON'T KNOW.....	61	0.04
97 = REFUSED	35	0.02
98 = BLANK (NO ANSWER)	835	0.48

[STMWYLNGR](#)

Len : 2 USED STIMULANT LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	143	0.08
2 = No (not entered).....	3030	1.74
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	3	0.00
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4936	2.84
94 = DON'T KNOW.....	61	0.04
97 = REFUSED	35	0.02
98 = BLANK (NO ANSWER)	835	0.48

[STMWYOTWY](#)

Len : 2 USED STIMULANT OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
1 = Yes.....	593	0.34
2 = No (not entered).....	2580	1.48
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	7	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4932	2.84
94 = DON'T KNOW.....	61	0.04
97 = REFUSED	35	0.02
98 = BLANK (NO ANSWER)	833	0.48

At any time in the past 12 months, did you ever use a needle to inject [STNAMEFILL] ?

[STMNDLYR](#)

Len : 2 USED STIMULANT WITH A NEEDLE PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	40	0.02
2 = No.....	3224	1.85
83 = DID NOT MISUSE STIM IN THE PST 12M LOG ASSN	11	0.01
85 = BAD DATA Logically assigned.....	15	0.01
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4928	2.84
94 = DON'T KNOW.....	4	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	820	0.47

[STMNDLREC](#)

Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT STIMULANT

	Freq	Pct
1 = Within the past 30 days.....	10	0.01
2 = More than 30 days ago but within the past 12 months	12	0.01
12 = More than 30 dys ago but in pst 12 mo (STMNMREC=2)	18	0.01
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4939	2.84
98 = BLANK (NO ANSWER)	832	0.48
99 = LEGITIMATE SKIP.....	3224	1.85

STIMULANTS

Now think about the last time you used a prescription stimulant in any way a doctor did not direct you to use it.

Which of these stimulants did you use the last time? If you used more than one stimulant the last time, please choose one stimulant as your best answer.

STMNMLAS1

Len : 2 LAST STIMULANT USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
1 = Adderall	1878	1.08
2 = Adderall XR.....	480	0.28
3 = Dexedrine	9	0.01
4 = Dextroamphetamine (generic).....	59	0.03
5 = Mixed amphetamine-dextroamphetamine pills (generic).....	86	0.05
6 = Extend-rel amphet-dextroamp oth than Adderall XR (generic).....	40	0.02
7 = Ritalin	122	0.07
8 = Ritalin LA.....	7	0.00
9 = Concerta.....	53	0.03
10 = Daytrana	3	0.00
11 = Metadate CD.....	3	0.00
12 = Metadate ER	3	0.00
13 = Methylphenidate (generic)	47	0.03
14 = Extended-release methylphenidate (generic).....	9	0.01
15 = Focalin	15	0.01
16 = Focalin XR.....	15	0.01
17 = Dexmethylphenidate (generic).....	9	0.01
18 = Extended-release dexmethylphenidate (generic).....	5	0.00
19 = Benzphetamine	6	0.00
20 = Didrex	3	0.00
21 = Diethylpropion.....	4	0.00
22 = Phendimetrazine	2	0.00
23 = Phentermine.....	52	0.03
24 = Provigil	30	0.02
25 = Tenuate	2	0.00
26 = Vyvanse	248	0.14
27 = Some other stimulant	66	0.04
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	11	0.01
85 = BAD DATA Logically assigned	15	0.01
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4928	2.84
94 = DON'T KNOW	5	0.00
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER)	820	0.47

Now think about the last time you used [STLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [STLASTFILL2] the last time?

STMRSWGHT

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO LOSE WEIGHT

	Freq	Pct
1 = Yes.....	288	0.17
2 = No (not entered).....	2948	1.70
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	3	0.00
85 = BAD DATA Logically assigned	9	0.01
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4936	2.84
94 = DON'T KNOW	23	0.01
97 = REFUSED	10	0.01
98 = BLANK (NO ANSWER)	826	0.48

STMRSCONC

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO CONCENTRATE

	Freq	Pct
1 = Yes.....	1842	1.06
2 = No (not entered).....	1389	0.80
3 = Yes LOGICALLY ASSIGNED.....	5	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	3	0.00
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4936	2.84
94 = DON'T KNOW	23	0.01
97 = REFUSED	10	0.01
98 = BLANK (NO ANSWER)	831	0.48

STIMULANTS

[STMRSALRT](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO BE ALERT

	Freq	Pct
1 = Yes.....	1583	0.91
2 = No (not entered).....	1650	0.95
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN.....	8	0.00
91 = NEVER USED/MISUSED STIMULANTS.....	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4931	2.84
94 = DON'T KNOW.....	23	0.01
97 = REFUSED.....	10	0.01
98 = BLANK (NO ANSWER).....	835	0.48

[STMRSSTDY](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO STUDY

	Freq	Pct
1 = Yes.....	891	0.51
2 = No (not entered).....	2344	1.35
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN.....	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS.....	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4937	2.84
94 = DON'T KNOW.....	23	0.01
97 = REFUSED.....	10	0.01
98 = BLANK (NO ANSWER).....	834	0.48

[STMRSExPT](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
1 = Yes.....	409	0.24
2 = No (not entered).....	2823	1.62
3 = Yes LOGICALLY ASSIGNED.....	4	0.00
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS.....	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4938	2.84
94 = DON'T KNOW.....	23	0.01
97 = REFUSED.....	10	0.01
98 = BLANK (NO ANSWER).....	835	0.48

[STMRSHIGH](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO GET HIGH

	Freq	Pct
1 = Yes.....	651	0.37
2 = No (not entered).....	2580	1.48
3 = Yes LOGICALLY ASSIGNED.....	5	0.00
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN.....	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS.....	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4937	2.84
94 = DON'T KNOW.....	23	0.01
97 = REFUSED.....	10	0.01
98 = BLANK (NO ANSWER).....	834	0.48

[STMRSDFGX](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
1 = Yes.....	130	0.07
2 = No (not entered).....	3105	1.79
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED STIMULANTS.....	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4937	2.84
94 = DON'T KNOW.....	23	0.01
97 = REFUSED.....	10	0.01
98 = BLANK (NO ANSWER).....	835	0.48

STIMULANTS

[STMRSHOOK](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
1 = Yes.....	46	0.03
2 = No (not entered).....	3190	1.84
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4938	2.84
94 = DON'T KNOW	23	0.01
97 = REFUSED	10	0.01
98 = BLANK (NO ANSWER)	835	0.48

[STMRSSOR](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) OTHER REASON

	Freq	Pct
1 = Yes.....	194	0.11
2 = No (not entered).....	3042	1.75
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	4	0.00
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4935	2.84
94 = DON'T KNOW	23	0.01
97 = REFUSED	10	0.01
98 = BLANK (NO ANSWER)	835	0.48

Please type in the other reason you used [STLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

[STMRSOTRS2](#)

Len : 3 REASON USED LAST STIMULANT (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain.....	14	0.01
2 = To relax or relieve tension	9	0.01
3 = To experiment or to see what it's/they're like	4	0.00
4 = To feel good or get high.....	6	0.00
6 = To help me with my feelings or emotions.....	15	0.01
7 = To increase/decrease effects of some other drug.....	1	0.00
10 = To help me concentrate.....	8	0.00
11 = To help me be alert or stay awake.....	3	0.00
12 = To help me study	2	0.00
13 = I used it/them for some other reason	58	0.03
14 = For cold/flu/fever/sick/illness; pain not specified.....	3	0.00
15 = To get work/chores done, not studying	15	0.01
19 = To increase my energy level	4	0.00
20 = To try out for medical condition	13	0.01
25 = To make sex more pleasurable.....	3	0.00
34 = Symptom relief, otherwise unspecified.....	3	0.00
38 = To replace another/other drug(s); otherwise unspd	9	0.01
983 = DID NOT USE STIM IN THE PAST 12 MOS Logically assigned.....	3	0.00
985 = BAD DATA (logically assigned).....	13	0.01
991 = NEVER USED STIMULANTS.....	164765	94.80
993 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	4936	2.84
994 = DON'T KNOW	5	0.00
997 = REFUSED	5	0.00
998 = BLANK (no answer).....	869	0.50
999 = LEGITIMATE SKIP.....	3042	1.75

STIMULANTS

Which was the main reason you used [STLASTFILL2] the last time?

[STMRSMAIN](#)

Len : 2 MAIN REASON USED LAST STIMULANT (NOT DIRECTED)

	Freq	Pct
1 = To help me lose weight.....	49	0.03
2 = To help me concentrate.....	558	0.32
3 = To help me be alert or stay awake.....	400	0.23
4 = To help me study	337	0.19
5 = To experiment or to see what it was/they were like	69	0.04
6 = To feel good or get high.....	184	0.11
7 = To increase or decrease the effect(s) of some other drug	20	0.01
8 = Because I am 'hooked' or I have to have it/them	9	0.01
9 = The other reason I reported	30	0.02
12 = To help me concentrate LOGICALLY ASSIGNED	1	0.00
13 = To help me be alert or stay awake LOGICALLY ASSIGNED	1	0.00
16 = To feel good or get high LOGICALLY ASSIGNED	2	0.00
17 = To increase/ decrease the effect(s) of other drug LOG ASSN.....	1	0.00
83 = DID NOT USE STIM IN THE PAST 12 MOS Logically assigned.....	2	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	164765	94.80
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	4937	2.84
94 = DON'T KNOW	3	0.00
98 = BLANK (NO ANSWER)	869	0.50
99 = LEGITIMATE SKIP.....	1569	0.90

NOTE: STMNORXFG is set to 1 when respondents reported that the only way they misused stimulants in the past year was without a prescription. These respondents also reported that the last stimulant they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

[STMNORXFG](#)

Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST STIM

	Freq	Pct
1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	48	0.03
98 = BLANK (NO ANSWER)	173760	99.97

SEDATIVES SCREENER

SEDATIVES SCREENER

Have you **ever**, even once, used **any prescription sedative**?

Remember, do not include "over-the-counter" sedatives such as Sominex, Unisom, Nytol, or Benadryl.

SEDANYLIF

Len : 2 ANY SEDATIVE USE IN LIFETIME

	Freq	Pct
1 = Yes.....	9271	5.33
2 = No.....	155889	89.69
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	7245	4.17
94 = DON'T KNOW.....	715	0.41
97 = REFUSED	64	0.04
98 = BLANK (NO ANSWER)	624	0.36

NOTE: SEDANYREC was created from responses of any use in the past 12 months for specific sedatives and from SEDANYLIF for any lifetime use of sedatives.

SEDANYREC

Len : 2 RC - MOST RECENT ANY SEDATIVE USE (RECODE)

	Freq	Pct
1 = Within the past 12 months	7245	4.17
2 = More than 12 months ago	9226	5.31
9 = Used at some point in the lifetime LOG ASSN.....	45	0.03
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	485	0.28
91 = NEVER USED SEDATIVES	155889	89.69
98 = BLANK (NO ANSWER)	918	0.53

The following variable for any past year use of Any Benzodiazepines Sedatives, SVBZOANYR, was assigned a positive response if a respondent indicated any past year use of Benzodiazepine Sedatives or past year misuse of Benzodiazepine Sedatives that were specified as other Sedatives.

SVBZOANYR

Len : 1 RC - BENZODIAZEPINES SEDATIVES - ANY PAST YEAR USE

	Freq	Pct
. = Missing	803	0.46
0 = No.....	172136	99.04
1 = Yes.....	869	0.50

SEDATIVES

SEDATIVES

The next question asks about using prescription sedatives in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription sedative in any way a doctor did not direct you to use it?

SEDNMLIF

Len : 2 EVER USED SEDATIVE NOT DIRECTED BY DR

	Freq	Pct
1 = Yes.....	2631	1.51
2 = No.....	13201	7.60
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	559	0.32
85 = BAD DATA Logically assigned.....	42	0.02
91 = NEVER USED/MISUSED SEDATIVES	155889	89.69
94 = DON'T KNOW.....	19	0.01
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER)	1459	0.84

NOTE: The variable SEDNMREC is a recoded variable that was created from SEDNMLIF, the 12-month misuse variables of specific sedatives, and SEDTVNM30DY.

SEDNMREC

Len : 2 RC - MOST RECENT SEDATIVE MISUSE (RECODE)

	Freq	Pct
1 = Within the past 30 days.....	153	0.09
2 = More than 30 days ago but within the past 12 mos	404	0.23
3 = More than 12 months ago	2616	1.51
8 = Misused at some point in past 12 mos LOG ASSN.....	2	0.00
9 = Misused at some point in lifetime LOG ASSN	15	0.01
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	558	0.32
91 = NEVER USED/MISUSED SEDATIVES	169090	97.29
98 = BLANK (NO ANSWER)	970	0.56

NOTE: SEDNMINIT is "reverse coded" from the answers in SVL03. SVL03=1 (yes) was recoded to 2 in SEDNMINIT because this answer means that the respondent misused sedatives before the past 12 months (and therefore is not a past year initiate for misuse of sedatives). SVL03=2 (no) was recoded to 1 in SEDNMINIT because this answer means that the respondent did not misuse sedatives before the past 12 months (and therefore is a past year initiate for misuse of sedatives).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription sedative in a way a doctor did not direct you to use it?

SEDNMINIT

Len : 2 PAST YEAR INITIATE FOR ANY SEDATIVE MISUSE

	Freq	Pct
1 = Past year initiate.....	135	0.08
2 = Not a past year initiate	44	0.03
4 = Not past yr initiate LOG ASSN (from skip pattern).....	379	0.22
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	558	0.32
91 = NEVER USED/MISUSED SEDATIVES	169090	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MOS	2616	1.51
94 = DON'T KNOW.....	1	0.00
98 = BLANK (NO ANSWER)	985	0.57

NOTE: The variables SEDNMAGE, SEDNMYFU, and SEDNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of sedatives in the 12 months prior to being interviewed (SEDNMINIT=1).

SEDNMAGE

Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR SED INITIATES

	Freq	Pct
RANGE = 11 - 82	119	0.07
983 = NOT A PAST YEAR INITIATE Log assn.....	558	0.32
991 = NEVER USED/MISUSED SEDATIVES	169090	97.29
993 = NOT A PAST YEAR INITIATE.....	3039	1.75
998 = BLANK (NO ANSWER).....	1002	0.58

SEDATIVES

[SEDNMYFU](#)

Len : 4 RC - YR 1ST MISUSED FOR PAST YR SED INITIATES

	Freq	Pct
RANGE = 2020 - 2023	117	0.07
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	558	0.32
9991 = NEVER USED/MISUSED SEDATIVES	169090	97.29
9993 = NOT A PAST YEAR INITIATE	3039	1.75
9998 = BLANK (NO ANSWER).....	1004	0.58

[SEDNMMFU](#)

Len : 2 RC - MO 1ST MISUSED FOR PAST YR SED INITIATES

	Freq	Pct
1 = January.....	7	0.00
2 = February.....	10	0.01
3 = March.....	14	0.01
4 = April	11	0.01
5 = May.....	8	0.00
6 = June.....	15	0.01
7 = July	10	0.01
8 = August	13	0.01
9 = September.....	8	0.00
10 = October.....	7	0.00
11 = November	8	0.00
12 = December.....	4	0.00
83 = NOT A PAST YEAR INITIATE Logically assigned	558	0.32
91 = NEVER USED/MISUSED SEDATIVES	169090	97.29
93 = NOT A PAST YEAR INITIATE	3039	1.75
98 = BLANK (NO ANSWER)	1006	0.58

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL]?

[SEDNM30D](#)

Len : 2 USED SEDATIVE NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
1 = Yes.....	144	0.08
2 = No	404	0.23
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	9	0.01
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	51	0.03
85 = BAD DATA Logically assigned.....	11	0.01
91 = NEVER USED/MISUSED SEDATIVES	169090	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	3123	1.80
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	975	0.56

During the past 30 days, on how many days did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL]?

[SEDNM30FQ](#)

Len : 2 # DAYS USED SEDATIVE NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30	149	0.09
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	15	0.01
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED/MISUSED SEDATIVES	169090	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	3563	2.05
94 = DON'T KNOW.....	3	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	979	0.56

What is your best estimate of the number of days you used [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL] during the past 30 days?

[SEDNM30ES](#)

Len : 2 EST # DAYS USED SEDATIVE NOT DIRECTED PST 30 DYS

	Freq	Pct
1 = 1 or 2 days	1	0.00
2 = 3 to 5 days.....	2	0.00
91 = NEVER USED/MISUSED SEDATIVES	169090	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	3578	2.06
94 = DON'T KNOW.....	1	0.00
98 = BLANK (NO ANSWER)	987	0.57
99 = LEGITIMATE SKIP.....	149	0.09

SEDATIVES

During the past 30 days, did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

SEDNM30AL	Len : 2	USED SEDATIVE NOT DIRECTED BY DR W/ALC PST 30 DYS		
			Freq	Pct
		1 = Yes.....	39	0.02
		2 = No.....	61	0.04
		83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN.....	8	0.00
		85 = BAD DATA Logically assigned.....	5	0.00
		91 = NEVER USED/MISUSED SEDATIVES.....	169090	97.29
		93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS.....	3570	2.05
		98 = BLANK (NO ANSWER).....	982	0.56
		99 = LEGITIMATE SKIP.....	53	0.03

Which of these statements describe your use of [SVNAMEFILL] at any time in the past 12 months?

SEDWYNORX	Len : 2	USED SEDATIVE W/O OWN RX PAST 12 MONTHS		
			Freq	Pct
		1 = Yes.....	309	0.18
		2 = No (not entered).....	213	0.12
		83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	34	0.02
		85 = BAD DATA Logically assigned.....	6	0.00
		91 = NEVER USED/MISUSED SEDATIVES.....	169090	97.29
		93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3140	1.81
		94 = DON'T KNOW.....	27	0.02
		97 = REFUSED.....	9	0.01
		98 = BLANK (NO ANSWER).....	980	0.56

SEDWYGAMT	Len : 2	USED SEDATIVE IN GREATER AMTS THAN RX PST 12 MOS		
			Freq	Pct
		1 = Yes.....	159	0.09
		2 = No (not entered).....	363	0.21
		83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	14	0.01
		85 = BAD DATA Logically assigned.....	6	0.00
		91 = NEVER USED/MISUSED SEDATIVES.....	169090	97.29
		93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3160	1.82
		94 = DON'T KNOW.....	27	0.02
		97 = REFUSED.....	9	0.01
		98 = BLANK (NO ANSWER).....	980	0.56

SEDWYOFTN	Len : 2	USED SEDATIVE MORE OFTEN THAN RX PAST 12 MONTHS		
			Freq	Pct
		1 = Yes.....	58	0.03
		2 = No (not entered).....	464	0.27
		83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	12	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED/MISUSED SEDATIVES.....	169090	97.29
		93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3162	1.82
		94 = DON'T KNOW.....	27	0.02
		97 = REFUSED.....	9	0.01
		98 = BLANK (NO ANSWER).....	984	0.57

SEDWYLNGR	Len : 2	USED SEDATIVE LONGER THAN RX PAST 12 MONTHS		
			Freq	Pct
		1 = Yes.....	33	0.02
		2 = No (not entered).....	489	0.28
		83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	12	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED/MISUSED SEDATIVES.....	169090	97.29
		93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3162	1.82
		94 = DON'T KNOW.....	27	0.02
		97 = REFUSED.....	9	0.01
		98 = BLANK (NO ANSWER).....	984	0.57

SEDATIVES

[SEDWYOTWY](#)

Len : 2 USED SEDATIVE OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
1 = Yes.....	76	0.04
2 = No (not entered).....	446	0.26
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	18	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	169090	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3156	1.82
94 = DON'T KNOW.....	27	0.02
97 = REFUSED.....	9	0.01
98 = BLANK (NO ANSWER).....	985	0.57

Now think about the last time you used a prescription sedative in any way a doctor did not direct you to use it.

Which of these sedatives did you use the last time? If you used more than one sedative the last time, please choose one sedative as your best answer.

[SEDNMLAST](#)

Len : 2 LAST SEDATIVE USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
1 = Ambien.....	180	0.10
2 = Ambien CR.....	17	0.01
3 = Zolpidem (generic).....	95	0.05
4 = Extended-release zolpidem (generic).....	6	0.00
5 = Lunesta or eszopiclone.....	30	0.02
6 = Sonata or zaleplon.....	9	0.01
7 = Halcion.....	5	0.00
8 = Restoril.....	3	0.00
9 = Flurazepam (generic), also known as Dalmane.....	4	0.00
10 = Temazepam (generic).....	19	0.01
11 = Triazolam (generic).....	11	0.01
12 = Butisol.....	5	0.00
13 = Seconal.....	2	0.00
14 = Phenobarbital (generic).....	12	0.01
15 = Some other sedative.....	157	0.09
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	52	0.03
85 = BAD DATA Logically assigned.....	13	0.01
91 = NEVER USED/MISUSED SEDATIVES.....	169090	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3122	1.80
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	972	0.56

Now think about the last time you used [SVLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [SVLASTFILL2] the last time?

[SEDRSRELX](#)

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO RELAX

	Freq	Pct
1 = Yes.....	174	0.10
2 = No (not entered).....	372	0.21
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	23	0.01
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	169090	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3151	1.81
94 = DON'T KNOW.....	8	0.00
97 = REFUSED.....	4	0.00
98 = BLANK (NO ANSWER).....	979	0.56

[SEDRSEXPT](#)

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
1 = Yes.....	30	0.02
2 = No (not entered).....	516	0.30
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN.....	5	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	169090	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3169	1.82
94 = DON'T KNOW.....	8	0.00
97 = REFUSED.....	4	0.00
98 = BLANK (NO ANSWER).....	982	0.56

SEDATIVES

[SEDRSHIGH](#)

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO GET HIGH

	Freq	Pct
1 = Yes.....	63	0.04
2 = No (not entered).....	483	0.28
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	10	0.01
91 = NEVER USED/MISUSED SEDATIVES.....	169090	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3164	1.82
94 = DON'T KNOW.....	8	0.00
97 = REFUSED.....	4	0.00
98 = BLANK (NO ANSWER).....	986	0.57

[SEDRSSLEP](#)

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) FOR SLEEP

	Freq	Pct
1 = Yes.....	408	0.23
2 = No (not entered).....	134	0.08
3 = Yes LOGICALLY ASSIGNED.....	4	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	29	0.02
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	169090	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3145	1.81
94 = DON'T KNOW.....	8	0.00
97 = REFUSED.....	4	0.00
98 = BLANK (NO ANSWER).....	984	0.57

[SEDRSEMOT](#)

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
1 = Yes.....	89	0.05
2 = No (not entered).....	457	0.26
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	9	0.01
91 = NEVER USED/MISUSED SEDATIVES.....	169090	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3165	1.82
94 = DON'T KNOW.....	8	0.00
97 = REFUSED.....	4	0.00
98 = BLANK (NO ANSWER).....	986	0.57

[SEDRSDGFX](#)

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
1 = Yes.....	18	0.01
2 = No (not entered).....	528	0.30
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	6	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	169090	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3168	1.82
94 = DON'T KNOW.....	8	0.00
97 = REFUSED.....	4	0.00
98 = BLANK (NO ANSWER).....	986	0.57

[SEDRSHOOK](#)

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
1 = Yes.....	12	0.01
2 = No (not entered).....	534	0.31
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	4	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	169090	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3170	1.82
94 = DON'T KNOW.....	8	0.00
97 = REFUSED.....	4	0.00
98 = BLANK (NO ANSWER).....	986	0.57

[SEDRSSOR](#)

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) OTHER REASON

	Freq	Pct
1 = Yes.....	40	0.02
2 = No (not entered).....	506	0.29
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	12	0.01
91 = NEVER USED/MISUSED SEDATIVES.....	169090	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3162	1.82
94 = DON'T KNOW.....	8	0.00
97 = REFUSED.....	4	0.00
98 = BLANK (NO ANSWER).....	986	0.57

SEDATIVES

Please type in the other reason you used [SVLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

SEDRSOTRS2

Len : 3 REASON USED LAST SEDATIVE (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain.....	6	0.00
4 = To feel good or get high.....	1	0.00
5 = To help with my sleep.....	5	0.00
13 = I used it/them for some other reason.....	9	0.01
16 = Suicide attempt/suicidal thoughts	5	0.00
983 = DID NOT USE SEDATIVES IN THE PAST 12 MOS Logically assigned.....	8	0.00
985 = BAD DATA (logically assigned).....	5	0.00
991 = NEVER USED SEDATIVES	169090	97.29
993 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	3166	1.82
994 = DON'T KNOW	4	0.00
997 = REFUSED	5	0.00
998 = BLANK (no answer).....	998	0.57
999 = LEGITIMATE SKIP.....	506	0.29

Which was the main reason you used [SVLASTFILL2] the last time?

SEDRSMAIN

Len : 2 MAIN REASON USED LAST SEDATIVE (NOT DIRECTED)

	Freq	Pct
1 = To relax or relieve tension	28	0.02
2 = To experiment or to see what it was/they were like	3	0.00
3 = To feel good or get high.....	14	0.01
4 = To help with my sleep.....	86	0.05
5 = To help me with my feelings or emotions.....	21	0.01
7 = Because I am 'hooked' or I have to have it/them	2	0.00
8 = The other reason I reported	6	0.00
13 = To feel good or get high LOGICALLY ASSIGNED	1	0.00
14 = To help with my sleep LOGICALLY ASSIGNED	2	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	12	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	169090	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	3162	1.82
98 = BLANK (NO ANSWER)	998	0.57
99 = LEGITIMATE SKIP.....	382	0.22

NOTE: STMNORXFG is set to 1 when respondents reported that the only way they misused sedatives in the past year was without a prescription. These respondents also reported that the last sedative they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

SEDNORXFG

Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST SED

	Freq	Pct
1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	14	0.01
98 = BLANK (NO ANSWER)	173794	99.99

The following variable for past year misuse of Any Benzodiazepines Sedatives, SVBZONMYR, was assigned a positive response if a respondent indicated any past year misuse of Benzodiazepine Sedatives or past year misuse of Benzodiazepine Sedatives that were specified as other Sedatives.

SVBZONMYR

Len : 1 RC - BENZODIAZEPINES SEDATIVES - PAST YEAR MISUSE

	Freq	Pct
. = Missing.....	775	0.45
0 = No.....	172972	99.52
1 = Yes.....	61	0.04

RECENCY OF DRUG USE

IMPUTED SUBSTANCE USE

RECENCY OF DRUG USE

IRCIGRC

Len : 1 CIGARETTE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	21503	12.37
2 = More than 30 days ago but within the past 12 mos	6808	3.92
3 = More than 12 months ago but within the past 3 yrs.....	7820	4.50
4 = More than 3 years ago.....	38035	21.88
9 = NEVER SMOKED CIGARETTES	99642	57.33

IICIGRC

Len : 1 CIGARETTE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173333	99.73
2 = Logically assigned data.....	4	0.00
3 = Statistically imputed data.....	471	0.27

I12CIGRC

Len : 1 CIGARETTE RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173333	99.73
2 = Logically assigned data.....	4	0.00
4 = Statistically imputed data - edited recency = 9.....	18	0.01
5 = Statistically imputed data - edited recency = 8.....	10	0.01
6 = Statistically imputed data - edited recency = 19.....	97	0.06
7 = Statistically imputed data - edited recency = 14.....	218	0.13
8 = Statistically imputed data - edited recency = 29.....	118	0.07
9 = Statistically imputed data - edited recency = 39.....	10	0.01

IRCGRRC

Len : 1 CIGAR RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	6316	3.63
2 = More than 30 days ago but within the past 12 mos	6000	3.45
3 = More than 12 months ago but within the past 3 yrs.....	7170	4.13
4 = More than 3 years ago.....	24849	14.30
9 = NEVER SMOKED CIGARS.....	129473	74.49

IICGRRC

Len : 1 CIGAR RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173359	99.74
2 = Logically assigned data.....	3	0.00
3 = Statistically imputed data.....	446	0.26

I12CGRRC

Len : 1 CIGAR RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173359	99.74
2 = Logically assigned data.....	3	0.00
3 = Statistically imputed data - lifetime use imputed	44	0.03
4 = Statistically imputed data - edited recency = 9.....	21	0.01
5 = Statistically imputed data - edited recency = 8.....	7	0.00
6 = Statistically imputed data - edited recency = 19.....	76	0.04
7 = Statistically imputed data - edited recency = 14.....	173	0.10
8 = Statistically imputed data - edited recency = 29.....	124	0.07
9 = Statistically imputed data - edited recency = 39.....	1	0.00

IRPIPLF

Len : 1 LIFETIME PIPE USE - IMPUTATION REVISED

	Freq	Pct
1 = Ever used pipes.....	12794	7.36
9 = NEVER SMOKED PIPES.....	161014	92.64

I1PIPLF

Len : 1 LIFETIME PIPE USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173780	99.98
3 = Statistically imputed data.....	28	0.02

RECENCY OF DRUG USE

[IRIPMN](#)

Len : 1 PAST MONTH PIPE USE - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	1141	0.66
2 = More than 30 days ago but within lifetime.....	11653	6.70
9 = NEVER SMOKED PIPES.....	161014	92.64

[IIPIMN](#)

Len : 1 PAST MONTH PIPE USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	12782	7.35
3 = Statistically imputed data.....	35	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	160991	92.63

[IRNICVAPREC](#)

Len : 1 NICOTINE VAPING RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 30 days.....	13997	8.05
2 = More than 30 days ago but within the past 12 mos.....	6666	3.84
3 = More than 12 months ago but within the past 3 years.....	6211	3.57
4 = More than 3 years ago.....	7923	4.56
9 = NEVER VAPED NICOTINE.....	80977	46.59

[IINICVAPREC](#)

Len : 1 NICOTINE VAPING RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data.....	114312	65.77
2 = Logically assigned data.....	46	0.03
3 = Statistically imputed data - lifetime use imputed.....	37	0.02
4 = Statistically imputed data - edited recency = 9.....	22	0.01
6 = Statistically imputed data - edited recency = 19.....	199	0.11
7 = Statistically imputed data - edited recency = 14.....	389	0.22
8 = Statistically imputed data - edited recency = 29.....	759	0.44
9 = Statistically imputed data - edited recency = 39.....	10	0.01

[IRSMKLSREC](#)

Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	3943	2.27
2 = More than 30 days ago but within the past 12 mos.....	1718	0.99
3 = More than 12 months ago but within the past 3 yrs.....	2326	1.34
4 = More than 3 years ago.....	12763	7.34
9 = NEVER USED SMOKELESS TOBACCO.....	153058	88.06

[IISMKLSREC](#)

Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	173530	99.84
2 = Logically assigned data.....	3	0.00
3 = Statistically imputed data - lifetime use imputed.....	77	0.04
4 = Statistically imputed data - edited recency = 9.....	13	0.01
5 = Statistically imputed data - edited recency = 8.....	1	0.00
6 = Statistically imputed data - edited recency = 19.....	48	0.03
7 = Statistically imputed data - edited recency = 14.....	94	0.05
8 = Statistically imputed data - edited recency = 29.....	41	0.02
9 = Statistically imputed data - edited recency = 39.....	1	0.00

[IRALCRC](#)

Len : 1 ALCOHOL RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	77572	44.63
2 = More than 30 days ago but within the past 12 mos.....	25166	14.48
3 = More than 12 months ago.....	21047	12.11
9 = NEVER USED ALCOHOL.....	50023	28.78

[IALCRC](#)

Len : 1 ALCOHOL RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	172142	99.04
2 = Logically assigned data.....	26	0.01
3 = Statistically imputed data.....	1640	0.94

RECENCY OF DRUG USE

I12ALCRC

Len : 1 ALCOHOL RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	172142	99.04
2 = Logically assigned data.....	26	0.01
3 = Statistically imputed data - lifetime use imputed	62	0.04
4 = Statistically imputed data - edited recency = 9.....	539	0.31
5 = Statistically imputed data - edited recency = 8.....	1039	0.60

IRCBDHMPREC

Len : 1 CBD OR HEMP RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 30 days.....	12289	7.07
2 = More than 30 days ago but within the past 12 mos	10456	6.02
3 = More than 12 months ago but within the past 3 yrs.....	9429	5.42
4 = More than 3 years ago.....	5197	2.99
9 = NEVER USED CBD OR HEMP	78403	45.11

IICBDHMPREC

Len : 1 CBD OR HEMP RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data	114860	66.08
3 = Statistically imputed data - lifetime use imputed	799	0.46
4 = Statistically imputed data - edited recency = 9.....	115	0.07

IRMJRC

Len : 1 MARIJUANA RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	28029	16.13
2 = More than 30 days ago but within the past 12 mos	13049	7.51
3 = More than 12 months ago	36052	20.74
9 = NEVER USED MARIJUANA	96678	55.62

IIMJRC

Len : 1 MARIJUANA RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	172556	99.28
2 = Logically assigned data.....	375	0.22
3 = Statistically imputed data.....	877	0.50

I12MJRC

Len : 1 MARIJUANA RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	172556	99.28
2 = Logically assigned data.....	375	0.22
3 = Statistically imputed data - lifetime use imputed	141	0.08
4 = Statistically imputed data - edited recency = 9.....	345	0.20
5 = Statistically imputed data - edited recency = 8.....	391	0.22

IRMJYRSMOKE

Len : 1 MARIJUANA SMOKING PAST YEAR - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 12 months	22617	13.01
2 = Did not smoke marijuana in the past 12 months	5933	3.41
9 = Did not use marijuana in the past 12 months	87224	50.18

IIMJYRSMOKE

Len : 1 MARIJUANA SMOKING PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data	28026	16.12
2 = Logically assigned data.....	277	0.16
3 = Statistically imputed data.....	430	0.25
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	87041	50.08

RECENCY OF DRUG USE

IRMJYRVAPE

Len : 1 MARIJUANA VAPING PAST YEAR - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
1 = Within the past 12 months	12354	7.11
2 = Did not vape marijuana in the past 12 months	16196	9.32
9 = Did not use marijuana in the past 12 months	87224	50.18

IIMJYRVAPE

Len : 1 MARIJUANA VAPING PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
1 = Questionnaire data	27866	16.03
2 = Logically assigned data	429	0.25
3 = Statistically imputed data	438	0.25
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	87041	50.08

IRMJYRDAB

Len : 1 MARIJUANA DABBING WAXES, SHATTER, OR CONC PAST YEAR-IMP REV

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
1 = Within the past 12 months	6082	3.50
2 = Did not dab marijuana in the past 12 months	22468	12.93
9 = Did not use marijuana in the past 12 months	87224	50.18

IIMJYRDAB

Len : 1 MARIJUANA DABBING WAXES, SHATTER, OR CONC PAST YEAR-IMP IND

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
1 = Questionnaire data	28066	16.15
2 = Logically assigned data	228	0.13
3 = Statistically imputed data	439	0.25
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	87041	50.08

IRMJYREAT

Len : 1 MARIJUANA EATING OR DRINKING PAST YEAR - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
1 = Within the past 12 months	14240	8.19
2 = Did not eat marijuana in the past 12 months	14310	8.23
9 = Did not use marijuana in the past 12 months	87224	50.18

IIMJYREAT

Len : 1 MARIJUANA EATING OR DRINKING PAST YR - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
1 = Questionnaire data	27815	16.00
2 = Logically assigned data	479	0.28
3 = Statistically imputed data	439	0.25
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	87041	50.08

IRMJYRMOUTH

Len : 1 MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH PAST YR - IMP REV

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
1 = Within the past 12 months	1679	0.97
2 = Did not dissolve marijuana in mouth in the past 12 months	26871	15.46
9 = Did not use marijuana in the past 12 months	87224	50.18

IIMJYRMOUTH

Len : 1 MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH PAST YR - IMP IND

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
1 = Questionnaire data	28205	16.23
2 = Logically assigned data	88	0.05
3 = Statistically imputed data	440	0.25
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	87041	50.08

RECENCY OF DRUG USE

IRMJYRSKIN

Len : 1 MARIJUANA LOTION/CREAM/PATCH TO SKIN PAST YEAR - IMP REV

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 12 months	2441	1.40
2 = Did not use marijuana lotion in the past 12 months	26109	15.02
9 = Did not use marijuana in the past 12 months	87224	50.18

IIMJYRSKIN

Len : 1 MARIJUANA LOTION/CREAM/PATCH TO SKIN PAST YEAR - IMP IND

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data	28206	16.23
2 = Logically assigned data.....	88	0.05
3 = Statistically imputed data.....	439	0.25
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	87041	50.08

IRMJYRPILL

Len : 1 MARIJUANA PILLS PAST YEAR - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 12 months	808	0.46
2 = Did not take marijuana pills in the past 12 months	27742	15.96
9 = Did not use marijuana in the past 12 months	87224	50.18

IIMJYRPILL

Len : 1 MARIJUANA PILLS PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data	28257	16.26
2 = Logically assigned data.....	36	0.02
3 = Statistically imputed data.....	440	0.25
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	87041	50.08

IRMJYROTHER

Len : 1 MARIJUANA OTHER WAY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 12 months	637	0.37
2 = Did not use marijuana in any other way in the past 12 months	27913	16.06
9 = Did not use marijuana in the past 12 months	87224	50.18

IIMJYROTHER

Len : 1 MARIJUANA OTHER WAY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data	28235	16.24
2 = Logically assigned data.....	58	0.03
3 = Statistically imputed data.....	440	0.25
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	87041	50.08

IRMJMONSMOKE

Len : 1 MARIJUANA SMOKING PAST MONTH - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 30 days.....	15411	8.87
2 = Did not smoke marijuana in the past 30 days.....	4168	2.40
9 = Did not use marijuana in the past 30 days.....	96195	55.35

IIMJMONSMOKE

Len : 1 MARIJUANA SMOKING PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data	19219	11.06
2 = Logically assigned data.....	58	0.03
3 = Statistically imputed data.....	649	0.37
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	95848	55.15

RECENCY OF DRUG USE

IRMJMONVAPE

Len : 1 MARIJUANA VAPING PAST MONTH - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 30 days.....	7982	4.59
2 = Did not vape marijuana in the past 30 days.....	11597	6.67
9 = Did not use marijuana in the past 30 days.....	96195	55.35

IIMJMONVAPE

Len : 1 MARIJUANA VAPING PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data	19216	11.06
2 = Logically assigned data.....	67	0.04
3 = Statistically imputed data.....	643	0.37
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	95848	55.15

IRMJMONDAB

Len : 1 MARIJUANA DABBING WAXES, SHATTER, OR CONC PAST MONTH-IMP REV

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 30 days.....	3774	2.17
2 = Did not dab marijuana in the past 30 days	15805	9.09
9 = Did not use marijuana in the past 30 days.....	96195	55.35

IIMJMONDAB

Len : 1 MARIJUANA DABBING WAXES, SHATTER, OR CONC PAST MONTH-IMP IND

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data	19227	11.06
2 = Logically assigned data.....	64	0.04
3 = Statistically imputed data.....	635	0.37
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	95848	55.15

IRMJMONEAT

Len : 1 MARIJUANA EATING OR DRINKING PAST MONTH - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 30 days.....	7384	4.25
2 = Did not eat marijuana in the past 30 days	12195	7.02
9 = Did not use marijuana in the past 30 days.....	96195	55.35

IIMJMONEAT

Len : 1 MARIJUANA EATING OR DRINKING PAST MONTH-IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data	19185	11.04
2 = Logically assigned data.....	101	0.06
3 = Statistically imputed data.....	640	0.37
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	95848	55.15

IRMJMONMOUTH

Len : 1 MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH PAST MONTH-IMP REV

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 30 days.....	803	0.46
2 = Did not dissolve marijuana in mouth the past 30 days	18776	10.80
9 = Did not use marijuana in the past 30 days.....	96195	55.35

IIMJMONMOUTH

Len : 1 MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH PAST MONTH-IMP IND

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data	19232	11.07
2 = Logically assigned data.....	63	0.04
3 = Statistically imputed data.....	631	0.36
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	95848	55.15

RECENCY OF DRUG USE

[IRMJMONSKIN](#)

Len : 1 MARIJUANA LOTION/CREAM/PATCH TO SKIN PAST MONTH - IMP REV

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 30 days.....	1200	0.69
2 = Did not use marijuana lotion in the past 30 days.....	18379	10.57
9 = Did not use marijuana in the past 30 days.....	96195	55.35

[IIMJMONSKIN](#)

Len : 1 MARIJUANA LOTION/CREAM/PATCH TO SKIN PAST MONTH - IMP IND

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data	19231	11.06
2 = Logically assigned data.....	63	0.04
3 = Statistically imputed data.....	632	0.36
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	95848	55.15

[IRMJMONPILL](#)

Len : 1 MARIJUANA PILLS PAST MONTH - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 30 days.....	390	0.22
2 = Did not take marijuana pills in the past 30 days.....	19189	11.04
9 = Did not use marijuana in the past 30 days.....	96195	55.35

[IIMJMONPILL](#)

Len : 1 MARIJUANA PILLS PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data	19237	11.07
2 = Logically assigned data.....	55	0.03
3 = Statistically imputed data.....	634	0.36
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	95848	55.15

[IRCOCRC](#)

Len : 1 COCAINE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	1189	0.68
2 = More than 30 days ago but within the past 12 mos	2174	1.25
3 = More than 12 months ago	16661	9.59
9 = NEVER USED COCAINE	153784	88.48

[IICOCRC](#)

Len : 1 COCAINE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173536	99.84
2 = Logically assigned data.....	67	0.04
3 = Statistically imputed data.....	205	0.12

[I12COCRC](#)

Len : 1 COCAINE RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173536	99.84
2 = Logically assigned data.....	67	0.04
3 = Statistically imputed data - lifetime use imputed	67	0.04
4 = Statistically imputed data - edited recency = 9.....	80	0.05
5 = Statistically imputed data - edited recency = 8.....	58	0.03

[IRCRKRC](#)

Len : 1 CRACK RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	249	0.14
2 = More than 30 days ago but within the past 12 mos	253	0.15
3 = More than 12 months ago	4161	2.39
9 = NEVER USED CRACK.....	169145	97.32

[IICRKRC](#)

Len : 1 CRACK RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173692	99.93
3 = Statistically imputed data.....	116	0.07

RECENCY OF DRUG USE

II2CRKRC

Len : 1 CRACK RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173692	99.93
3 = Statistically imputed data - lifetime use imputed	90	0.05
4 = Statistically imputed data - edited recency = 9	15	0.01
5 = Statistically imputed data - edited recency = 8	11	0.01

IRHERRC

Len : 1 HEROIN RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	323	0.19
2 = More than 30 days ago but within the past 12 mos	225	0.13
3 = More than 12 months ago	2825	1.63
9 = NEVER USED HEROIN	170435	98.06

IIHERRC

Len : 1 HEROIN RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173635	99.90
3 = Statistically imputed data	173	0.10

II2HERRC

Len : 1 HEROIN RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173635	99.90
3 = Statistically imputed data - lifetime use imputed	132	0.08
4 = Statistically imputed data - edited recency = 9	16	0.01
5 = Statistically imputed data - edited recency = 8	25	0.01

IRHALLUCREC

Len : 1 HALLUCINOGEN RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	1829	1.05
2 = More than 30 days ago but within the past 12 mos	4699	2.70
3 = More than 12 months ago	20750	11.94
9 = NEVER USED HALLUCINOGENS	146530	84.31

IIHALLUCREC

Len : 1 HALLUCINOGEN RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	172681	99.35
2 = Logically assigned data	111	0.06
3 = Statistically imputed data - lifetime use imputed	596	0.34
4 = Statistically imputed data - edited recency = 9	283	0.16
5 = Statistically imputed data - edited recency = 8	137	0.08

IRLSDRC

Len : 1 LSD RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	372	0.21
2 = More than 30 days ago but within the past 12 mos	1551	0.89
3 = More than 12 months ago	14120	8.12
9 = NEVER USED LSD	157765	90.77

II LSDRC

Len : 1 LSD RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173517	99.83
2 = Logically assigned data	2	0.00
3 = Statistically imputed data	289	0.17

II2LSDRC

Len : 1 LSD RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173517	99.83
2 = Logically assigned data	2	0.00
3 = Statistically imputed data - lifetime use imputed	124	0.07
4 = Statistically imputed data - edited recency = 9	134	0.08
5 = Statistically imputed data - edited recency = 8	31	0.02

RECENCY OF DRUG USE

[IRPCPRC](#)

Len : 1 PCP RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	31	0.02
2 = More than 30 days ago but within the past 12 mos	62	0.04
3 = More than 12 months ago	2303	1.33
9 = NEVER USED PCP	171412	98.62

[IIPCPRC](#)

Len : 1 PCP RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173661	99.92
3 = Statistically imputed data.....	147	0.08

[I2PCPRC](#)

Len : 1 PCP RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173661	99.92
3 = Statistically imputed data - lifetime use imputed	114	0.07
4 = Statistically imputed data - edited recency = 9.....	26	0.01
5 = Statistically imputed data - edited recency = 8.....	7	0.00

[IRECSTMOREC](#)

Len : 1 ECSTASY RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	361	0.21
2 = More than 30 days ago but within the past 12 mos	1253	0.72
3 = More than 12 months ago	12095	6.96
9 = NEVER USED ECSTASY	160099	92.11

[IIECSTMOREC](#)

Len : 1 ECSTASY RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173550	99.85
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data - lifetime use imputed	144	0.08
4 = Statistically imputed data - edited recency = 9.....	95	0.05
5 = Statistically imputed data - edited recency = 8.....	18	0.01

[IRKETMINREC](#)

Len : 1 KETAMINE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	161	0.09
2 = More than 30 days ago but within the past 12 mos	405	0.23
3 = More than 12 months ago	2519	1.45
9 = NEVER USED KETAMINE	170723	98.23

[IIKETMINREC](#)

Len : 1 KETAMINE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173578	99.87
2 = Logically assigned data.....	6	0.00
3 = Statistically imputed data - lifetime use imputed	196	0.11
4 = Statistically imputed data - edited recency = 9.....	22	0.01
5 = Statistically imputed data - edited recency = 8.....	6	0.00

[IRDAMTFXREC](#)

Len : 1 DMT/AMT/FOXY RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	88	0.05
2 = More than 30 days ago but within the past 12 mos	328	0.19
3 = More than 12 months ago	2187	1.26
9 = NEVER USED DMT/AMT/FOXY	171205	98.50

[IIDAMTFXREC](#)

Len : 1 DMT/AMT/FOXY RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173544	99.85
2 = Logically assigned data.....	4	0.00
3 = Statistically imputed data - lifetime use imputed	232	0.13
4 = Statistically imputed data - edited recency = 9.....	25	0.01
5 = Statistically imputed data - edited recency = 8.....	3	0.00

RECENCY OF DRUG USE

IRSALVAREC

Len : 1 SALVIA RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	22	0.01
2 = More than 30 days ago but within the past 12 mos	76	0.04
3 = More than 12 months ago	3198	1.84
9 = NEVER USED SALVIA	170512	98.10

IISALVAREC

Len : 1 SALVIA RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173517	99.83
2 = Logically assigned data.....	7	0.00
3 = Statistically imputed data - lifetime use imputed	264	0.15
4 = Statistically imputed data - edited recency = 9.....	16	0.01
5 = Statistically imputed data - edited recency = 8.....	4	0.00

IRINHALREC

Len : 1 INHALANT RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	760	0.44
2 = More than 30 days ago but within the past 12 mos	1407	0.81
3 = More than 12 months ago	14431	8.30
9 = NEVER USED INHALANTS	157210	90.45

IINHALREC

Len : 1 INHALANT RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	172961	99.51
3 = Statistically imputed data - lifetime use imputed	442	0.25
4 = Statistically imputed data - edited recency = 9.....	365	0.21
5 = Statistically imputed data - edited recency = 8.....	40	0.02

IRMETHAMREC

Len : 1 METHAMPHETAMINE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	891	0.51
2 = More than 30 days ago but within the past 12 mos	602	0.35
3 = More than 12 months ago	6362	3.66
9 = NEVER USED METHAMPHETAMINE	165953	95.48

IIMETHAMREC

Len : 1 METHAMPHETAMINE USE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173551	99.85
2 = Logically assigned data.....	3	0.00
3 = Statistically imputed data - lifetime use imputed	191	0.11
4 = Statistically imputed data - edited recency = 9.....	30	0.02
5 = Statistically imputed data - edited recency = 8.....	33	0.02

NOTE: The following 18 variables refer to any use of prescription drugs. Any Use of prescription drugs is defined as either the use of one's own prescription medication as directed by a doctor or the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor. Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the levels 'More than 12 months ago' and 'NEVER USED XXX' in analysis for the following variables: IRPNRANYREC, IRTRQANYREC, IRSTMANYREC, and IRSEDANYREC.

IRPNRANYREC

Len : 1 ANY PAIN RELIEVER RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	38529	22.17
2 = More than 12 months ago	44762	25.75
9 = NEVER USED PAIN RELIEVERS	90517	52.08

IIPNRANYREC

Len : 1 ANY PAIN RELIEVER RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	172019	98.97
3 = Statistically imputed data - lifetime use imputed	1457	0.84
4 = Statistically imputed data - edited recency = 9.....	332	0.19

RECENCY OF DRUG USE

<u>IROXCANYR</u>	Len : 1 ANY OXYCONTIN RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 12 months	4048	2.33
	9 = Did not use in the past 12 months	169760	97.67
<u>IIOXCANYR</u>	Len : 1 ANY OXYCONTIN RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	172700	99.36
	2 = Logically assigned data	427	0.25
	3 = Statistically imputed data - any use imputed	681	0.39
<u>IRFENTANYR</u>	Len : 1 FENTANYL PRODUCTS - ANY PAST YEAR USE - IMP REV		
		Freq	Pct
	0 = No	172265	99.11
	1 = Yes	1543	0.89
<u>IIFENTANYR</u>	Len : 1 FENTANYL PRODUCTS - ANY PAST YEAR USE - IMP IND		
		Freq	Pct
	1 = Questionnaire data	172822	99.43
	2 = Logically assigned data	354	0.20
	3 = Statistically imputed data	632	0.36
<u>IRTRQANYREC</u>	Len : 1 ANY TRANQUILIZERS RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 12 months	17140	9.86
	2 = More than 12 months ago	12648	7.28
	9 = NEVER USED TRANQUILIZERS	144020	82.86
<u>IITRQANYREC</u>	Len : 1 ANY TRANQUILIZERS RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	172425	99.20
	3 = Statistically imputed data - lifetime use imputed	1319	0.76
	4 = Statistically imputed data - edited recency = 9	64	0.04
<u>IRSTMANYREC</u>	Len : 1 ANY STIMULANTS RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 12 months	13847	7.97
	2 = More than 12 months ago	9068	5.22
	9 = NEVER USED STIMULANTS	150893	86.82
<u>IISTMANYREC</u>	Len : 1 ANY STIMULANTS RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	172696	99.36
	3 = Statistically imputed data - lifetime use imputed	1069	0.62
	4 = Statistically imputed data - edited recency = 9	43	0.02
<u>IRSEDANYREC</u>	Len : 1 ANY SEDATIVES RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 12 months	7318	4.21
	2 = More than 12 months ago	9315	5.36
	9 = NEVER USED SEDATIVES	157175	90.43
<u>IISEDANYREC</u>	Len : 1 ANY SEDATIVES RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	172360	99.17
	3 = Statistically imputed data - lifetime use imputed	1403	0.81
	4 = Statistically imputed data - edited recency = 9	45	0.03
<u>IRBZOANYR</u>	Len : 1 ANY BENZODIAZEPINES - PAST YEAR USE - IMPUTATION REVISED		
		Freq	Pct
	0 = No	160561	92.38
	1 = Yes	13247	7.62

RECENCY OF DRUG USE

IIBZOANYYYR

Len : 1 ANY BENZODIAZEPINES - PAST YEAR USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	172907	99.48
3 = Statistically imputed data	901	0.52

NOTE: The following 14 variables refer to the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor. Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the levels 'More than 12 months ago' and 'NEVER MISUSED XXX' in analysis for the following variables: IRPNRNMREC, IRTQNMREC, IRSTMNMREC, and IRSEDNMREC.

IRPNRNMREC

Len : 1 PAIN RELIEVER MISUSE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	1433	0.82
2 = More than 30 days ago but within the past 12 mos	3821	2.20
3 = More than 12 months ago	9124	5.25
9 = NEVER MISUSED PAIN RELIEVERS	159430	91.73

IIPNRNMREC

Len : 1 PAIN RELIEVER MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	171475	98.66
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data - any use rec imputed	548	0.32
4 = Stat imp data - any use rec known, misuse unknown	212	0.12
5 = Statistically imputed data - edited recency = 9.....	120	0.07
6 = Statistically imputed data - edited recency = 8.....	38	0.02
7 = Stat imp data - did not misuse py, life unknown	1414	0.81

IROXCNNMYR

Len : 1 OXYCONTIN PAST YEAR MISUSE - IMPUTATION REVISED

	Freq	Pct
1 = Misused in the past 12 months.....	634	0.36
9 = Did not misuse in the past 12 months	173174	99.64

IIOXCNNMYR

Len : 1 OXYCONTIN PAST YEAR MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	173407	99.77
2 = Logically assigned data.....	9	0.01
3 = Statistically imputed data.....	392	0.23

IRFENTNMYR

Len : 1 FENTANYL PRODUCTS - PAST YEAR MISUSE - IMP REV

	Freq	Pct
0 = No	173508	99.83
1 = Yes.....	300	0.17

IIFENTNMYR

Len : 1 FENTANYL PRODUCTS - PAST YEAR MISUSE - IMP IND

	Freq	Pct
1 = Questionnaire data	173387	99.76
3 = Statistically imputed data.....	421	0.24

IRTRQNMREC

Len : 1 TRANQUILIZER MISUSE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	793	0.46
2 = More than 30 days ago but within the past 12 mos	2017	1.16
3 = More than 12 months ago	3526	2.03
9 = NEVER MISUSED TRANQUILIZERS.....	167472	96.35

IITRQNMREC

Len : 1 TRANQUILIZER MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	172317	99.14
3 = Statistically imputed data - any use rec imputed	674	0.39
4 = Stat imp data - any use rec known, misuse unknown	86	0.05
5 = Statistically imputed data - edited recency = 9.....	15	0.01
6 = Statistically imputed data - edited recency = 8.....	19	0.01
7 = Stat imp data - did not misuse py, life unknown	697	0.40

RECENCY OF DRUG USE

IRSTMNMREC

Len : 1 STIMULANT MISUSE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	977	0.56
2 = More than 30 days ago but within the past 12 mos	2321	1.34
3 = More than 12 months ago	4605	2.65
9 = NEVER MISUSED STIMULANTS.....	165905	95.45

IISTMNMREC

Len : 1 STIMULANT MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	172587	99.30
3 = Statistically imputed data - any use rec imputed	742	0.43
4 = Stat imp data - any use rec known, misuse unknown	80	0.05
5 = Statistically imputed data - edited recency = 9.....	11	0.01
6 = Statistically imputed data - edited recency = 8.....	11	0.01
7 = Stat imp data - did not misuse py, life unknown	377	0.22

IRSEDNMREC

Len : 1 SEDATIVE MISUSE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	157	0.09
2 = More than 30 days ago but within the past 12 mos	411	0.24
3 = More than 12 months ago	2658	1.53
9 = NEVER MISUSED SEDATIVES	170582	98.14

IISEDNMREC

Len : 1 SEDATIVE MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	172263	99.11
3 = Statistically imputed data - any use rec imputed	919	0.53
4 = Stat imp data - any use rec known, misuse unknown	51	0.03
5 = Statistically imputed data - edited recency = 9.....	15	0.01
6 = Statistically imputed data - edited recency = 8.....	2	0.00
7 = Stat imp data - did not misuse py, life unknown	558	0.32

IRBZONMYR

Len : 1 ANY BENZODIAZEPINES - PAST YEAR MISUSE - IMPUTATION REVISED

	Freq	Pct
0 = No.....	171259	98.53
1 = Yes.....	2549	1.47

IIBZONMYR

Len : 1 ANY BENZODIAZEPINES - PAST YEAR MISUSE - IMP IND

	Freq	Pct
1 = Questionnaire data	172882	99.47
3 = Statistically imputed data.....	926	0.53

PAST YEAR FREQUENCY OF USE

PAST YEAR FREQUENCY OF USE

NOTE: The term "Past Year Frequency" is interchangeable with the term "12-Month Frequency".

<u>IRALCFY</u>	Len : 3 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	102738	59.11
	991 = NEVER USED ALCOHOL	50023	28.78
	993 = DID NOT USE ALCOHOL PAST YEAR	21047	12.11
<u>IIALCFY</u>	Len : 1 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	98995	56.96
	2 = Logically assigned data	2498	1.44
	3 = Statistically imputed data	1448	0.83
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	70867	40.77
<u>I12ALCFY</u>	Len : 1 ALCOHOL FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	98995	56.96
	2 = Logically assigned data	2498	1.44
	3 = Statistically imputed data - lifetime use imputed	62	0.04
	4 = Statistically imputed data - lifetime use known	1386	0.80
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	70867	40.77
<u>IRMJFY</u>	Len : 3 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	41078	23.63
	991 = NEVER USED MARIJUANA	96678	55.62
	993 = DID NOT USE MARIJUANA PAST YEAR	36052	20.74
<u>IIMJFY</u>	Len : 1 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	37483	21.57
	2 = Logically assigned data	2424	1.39
	3 = Statistically imputed data	1417	0.82
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	132484	76.22
<u>I12MJFY</u>	Len : 1 MARIJUANA FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	37483	21.57
	2 = Logically assigned data	2424	1.39
	3 = Statistically imputed data - lifetime use imputed	141	0.08
	4 = Statistically imputed data - lifetime use known	1276	0.73
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	132484	76.22
<u>IRCOCFY</u>	Len : 3 COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	3363	1.93
	991 = NEVER USED COCAINE	153784	88.48
	993 = DID NOT USE COCAINE PAST YEAR	16661	9.59
<u>IICOCFY</u>	Len : 1 COCAINE FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	3052	1.76
	2 = Logically assigned data	203	0.12
	3 = Statistically imputed data	227	0.13
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	170326	98.00

PAST YEAR FREQUENCY OF USE

II2COCFY

Len : 1 COCAINE FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	3052	1.76
2 = Logically assigned data.....	203	0.12
3 = Statistically imputed data - lifetime use imputed	67	0.04
4 = Statistically imputed data - lifetime use known.....	160	0.09
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	170326	98.00

IRCRKFY

Len : 3 CRACK FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	502	0.29
991 = NEVER USED CRACK	169145	97.32
993 = DID NOT USE CRACK PAST YEAR.....	4161	2.39

IICRKFY

Len : 1 CRACK FREQUENCY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	462	0.27
2 = Logically assigned data.....	24	0.01
3 = Statistically imputed data.....	116	0.07
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	173206	99.65

II2CRKFY

Len : 1 CRACK FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	462	0.27
2 = Logically assigned data.....	24	0.01
3 = Statistically imputed data - lifetime use imputed	90	0.05
4 = Statistically imputed data - lifetime use known.....	26	0.01
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	173206	99.65

IRHERFY

Len : 3 HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	548	0.32
991 = NEVER USED HEROIN.....	170435	98.06
993 = DID NOT USE HEROIN PAST YEAR	2825	1.63

IIHERFY

Len : 1 HEROIN FREQUENCY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	488	0.28
2 = Logically assigned data.....	30	0.02
3 = Statistically imputed data.....	175	0.10
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	173115	99.60

II2HERFY

Len : 1 HEROIN FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	488	0.28
2 = Logically assigned data.....	30	0.02
3 = Statistically imputed data - lifetime use imputed	132	0.08
4 = Statistically imputed data - lifetime use known.....	43	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	173115	99.60

IRHALLUCYFQ

Len : 3 HALL FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	6528	3.76
991 = NEVER USED HALLUCINOGENS	146530	84.31
993 = DID NOT USE HALLUCINOGENS PAST YEAR	20750	11.94

IIHALLUCYFQ

Len : 1 HALL FREQ PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	6032	3.47
2 = Logically assigned data.....	209	0.12
3 = Statistically imputed data - lifetime use imputed	597	0.34
4 = Statistically imputed data - lifetime use known.....	460	0.26
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	166510	95.80

PAST YEAR FREQUENCY OF USE

[IRINHALYFQ](#)

Len : 3 INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	2167	1.25
991 = NEVER USED INHALANTS	157210	90.45
993 = DID NOT USE INHALANTS PAST YEAR.....	14431	8.30

[IINHALYFQ](#)

Len : 1 INHALANT FREQ PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	1846	1.06
2 = Logically assigned data.....	146	0.08
3 = Statistically imputed data - lifetime use imputed	442	0.25
4 = Statistically imputed data - lifetime use known.....	433	0.25
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	170941	98.35

[IRMETHAMYFQ](#)

Len : 3 METH FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	1493	0.86
991 = NEVER USED METHAMPHETAMINE	165953	95.48
993 = DID NOT USE METHAMPHETAMINE PAST YEAR.....	6362	3.66

[IIMETHAMYFQ](#)

Len : 1 METH FREQ PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	1357	0.78
2 = Logically assigned data.....	84	0.05
3 = Statistically imputed data - lifetime use imputed	191	0.11
4 = Statistically imputed data - lifetime use known.....	73	0.04
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	172103	99.02

PAST MONTH FREQUENCY OF USE

PAST MONTH FREQUENCY OF USE

NOTE: The term "Past Month Frequency" is interchangeable with the term "30-Day Frequency".

<u>IRCIGFM</u>	Len : 2 CIG FREQUENCY PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 30	21503	12.37
	91 = NEVER USED CIGARETTES	99642	57.33
	93 = DID NOT USE CIGARETTES PAST MONTH	52663	30.30
<u>IICIGFM</u>	Len : 1 CIG FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	21369	12.29
	2 = Logically assigned data	98	0.06
	3 = Statistically imputed data	61	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	152280	87.61
<u>IICIGFM</u>	Len : 1 CIG FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	21369	12.29
	2 = Logically assigned data	98	0.06
	4 = Statistically imputed data - lifetime use known	61	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	152280	87.61
<u>IRCGRFM</u>	Len : 2 CIGAR FREQUENCY PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 30	6316	3.63
	91 = NEVER USED CIGARS	129473	74.49
	93 = DID NOT USE CIGARS PAST MONTH	38019	21.87
<u>IICGRFM</u>	Len : 1 CIGAR FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	6263	3.60
	2 = Logically assigned data	39	0.02
	3 = Statistically imputed data	86	0.05
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	167420	96.32
<u>IICGRFM</u>	Len : 1 CIGAR FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	6263	3.60
	2 = Logically assigned data	39	0.02
	3 = Statistically imputed data - lifetime use imputed	44	0.03
	4 = Statistically imputed data - lifetime use known	42	0.02
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	167420	96.32
<u>IRSMKLSS30N</u>	Len : 2 SMOKELESS TOBACCO FREQUENCY PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 30	3943	2.27
	91 = NEVER USED SMOKELESS TOBACCO	153058	88.06
	93 = DID NOT USE SMOKELESS TOBACCO PAST MONTH	16807	9.67
<u>IISMKLSS30N</u>	Len : 1 SMOKELESS TOBACCO FREQUENCY PST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	3902	2.25
	2 = Logically assigned data	27	0.02
	3 = Statistically imputed data - lifetime use imputed	77	0.04
	4 = Statistically imputed data - lifetime use known	23	0.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	169779	97.68
<u>IRNICVAP30N</u>	Len : 2 NICOTINE VAPING FREQUENCY PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 30	13997	8.05
	-9 = Data not collected for this year	58034	33.39
	91 = NEVER VAPED NICOTINE	80977	46.59
	93 = DID NOT VAPE NICOTINE PAST MONTH	20800	11.97

PAST MONTH FREQUENCY OF USE

IINICVAP30N

Len : 1 NICOTINE VAPING FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
1 = Questionnaire data	13801	7.94
2 = Logically assigned data	118	0.07
3 = Statistically imputed data - lifetime use imputed	37	0.02
4 = Statistically imputed data - lifetime use known	102	0.06
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	101716	58.52

IRALCFM

Len : 2 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	77572	44.63
91 = NEVER USED ALCOHOL	50023	28.78
93 = DID NOT USE ALCOHOL PAST MONTH	46213	26.59

IIALCFM

Len : 1 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	75850	43.64
2 = Logically assigned data	354	0.20
3 = Statistically imputed data	2213	1.27
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	95391	54.88

I12ALCFM

Len : 1 ALCOHOL FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	75850	43.64
2 = Logically assigned data	354	0.20
3 = Statistically imputed data - lifetime use imputed	62	0.04
4 = Statistically imputed data - lifetime use known	2151	1.24
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	95391	54.88

"Binge" Alcohol Frequency, IRALCBNG30D, is defined as the number of days in the past month on which the respondent reported drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females. For this variable, "occasion" means at the same time or within a couple hours of each other. Prior to 2015, "binge" alcohol frequency was defined as the number of days in the past month on which the respondent reported drinking five or more drinks on the same occasion for everyone, regardless of sex. Therefore, IRALCBNG30D is comparable to the version of this variable created from 2002-2014, IRALCD5, among males but not overall or among females.

IRALCBNG30D

Len : 2 BINGE ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 0 - 30	77572	44.63
91 = NEVER USED ALCOHOL	50023	28.78
93 = DID NOT USE ALCOHOL PAST MONTH	46213	26.59

I1ALCBNG30D

Len : 1 BINGE ALCOHOL FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	75429	43.40
2 = Logically assigned data	120	0.07
3 = Statistically imputed data - recency of use imputed	1666	0.96
4 = Statistically imputed data - recency of use known	1202	0.69
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	95391	54.88

IRMJFM

Len : 2 MARIJUANA FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	28029	16.13
91 = NEVER USED MARIJUANA	96678	55.62
93 = DID NOT USE MARIJUANA PAST MONTH	49101	28.25

I1MJFM

Len : 1 MARIJUANA FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	27267	15.69
2 = Logically assigned data	185	0.11
3 = Statistically imputed data	1064	0.61
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	145292	83.59

PAST MONTH FREQUENCY OF USE

[II2MJFM](#)

Len : 1 MARIJUANA FREQ PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	27267	15.69
2 = Logically assigned data.....	185	0.11
3 = Statistically imputed data - lifetime use imputed	141	0.08
4 = Statistically imputed data - lifetime use known.....	923	0.53
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	145292	83.59

[IRCOCFM](#)

Len : 2 COCAINE FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	1189	0.68
91 = NEVER USED COCAINE	153784	88.48
93 = DID NOT USE COCAINE PAST MONTH.....	18835	10.84

[IICOCFM](#)

Len : 1 COCAINE FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	1066	0.61
2 = Logically assigned data.....	54	0.03
3 = Statistically imputed data.....	244	0.14
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	172444	99.22

[II2COCFM](#)

Len : 1 COCAINE FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	1066	0.61
2 = Logically assigned data.....	54	0.03
3 = Statistically imputed data - lifetime use imputed	67	0.04
4 = Statistically imputed data - lifetime use known.....	177	0.10
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	172444	99.22

[IRCRKFM](#)

Len : 2 CRACK FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	249	0.14
91 = NEVER USED CRACK	169145	97.32
93 = DID NOT USE CRACK PAST MONTH.....	4414	2.54

[IICRKFM](#)

Len : 1 CRACK FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	240	0.14
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data.....	118	0.07
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	173449	99.79

[II2CRKFM](#)

Len : 1 CRACK FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	240	0.14
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data - lifetime use imputed	90	0.05
4 = Statistically imputed data - lifetime use known.....	28	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	173449	99.79

[IRHERFM](#)

Len : 2 HEROIN FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	323	0.19
91 = NEVER USED HEROIN.....	170435	98.06
93 = DID NOT USE HEROIN PAST MONTH.....	3050	1.75

[IIHERFM](#)

Len : 1 HEROIN FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	302	0.17
2 = Logically assigned data.....	2	0.00
3 = Statistically imputed data.....	174	0.10
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	173330	99.72

PAST MONTH FREQUENCY OF USE

I2HERFM

Len : 1 HEROIN FREQ PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	302	0.17
2 = Logically assigned data.....	2	0.00
3 = Statistically imputed data - lifetime use imputed	132	0.08
4 = Statistically imputed data - lifetime use known.....	42	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	173330	99.72

IRHALLUC30N

Len : 2 HALLUCINOGEN FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	1829	1.05
91 = NEVER USED HALLUCINOGENS	146530	84.31
93 = DID NOT USE HALLUCINOGENS PAST MONTH	25449	14.64

IIHALLUC30N

Len : 1 HALLUCINOGEN FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	1693	0.97
2 = Logically assigned data.....	5	0.00
3 = Statistically imputed data - lifetime use imputed	596	0.34
4 = Statistically imputed data - lifetime use known.....	489	0.28
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	171025	98.40

IRINHAL30N

Len : 2 INHALANT FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	760	0.44
91 = NEVER USED INHALANTS	157210	90.45
93 = DID NOT USE INHALANTS PAST MONTH	15838	9.11

IINHAL30N

Len : 1 INHALANT FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	689	0.40
2 = Logically assigned data.....	18	0.01
3 = Statistically imputed data - lifetime use imputed	442	0.25
4 = Statistically imputed data - lifetime use known.....	409	0.24
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	172250	99.10

IRMETHAM30N

Len : 2 METHAMPHETAMINE FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	891	0.51
91 = NEVER USED METHAMPHETAMINE	165953	95.48
93 = DID NOT USE METHAMPHETAMINE PAST MONTH	6964	4.01

IIMETHAM30N

Len : 1 METHAMPHETAMINE FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	851	0.49
2 = Logically assigned data.....	4	0.00
3 = Statistically imputed data - lifetime use imputed	191	0.11
4 = Statistically imputed data - lifetime use known.....	70	0.04
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	172692	99.36

IRPNRNM30FQ

Len : 2 PAIN RELIEVERS MISUSE FREQ PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	1433	0.82
91 = NEVER MISUSED PAIN RELIEVERS	159430	91.73
93 = DID NOT MISUSE PAIN RELIEVERS PAST MONTH	12945	7.45

IIPNRNM30FQ

Len : 1 PAIN RELIEVERS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	1380	0.79
2 = Logically assigned data.....	17	0.01
3 = Statistically imputed data - lifetime misuse imputed.....	760	0.44
4 = Statistically imputed data - lifetime misuse known.....	168	0.10
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER.....	171483	98.66

PAST MONTH FREQUENCY OF USE

<u>IRTRQNM30FQ</u>	Len : 2	TRANQUILIZERS MISUSE FREQ PAST MONTH - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1 - 30	793	0.46
		91 = NEVER MISUSED TRANQUILIZERS.....	167472	96.35
		93 = DID NOT MISUSE TRANQUILIZERS PAST MONTH.....	5543	3.19

<u>IITRQNM30FQ</u>	Len : 1	TRANQUILIZERS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	767	0.44
		2 = Logically assigned data.....	6	0.00
		3 = Statistically imputed data - lifetime misuse imputed.....	760	0.44
		4 = Statistically imputed data - lifetime misuse known.....	36	0.02
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER.....	172239	99.10

<u>IRSTNM30FQ</u>	Len : 2	STIMULANTS MISUSE FREQUENCY PAST MONTH - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1 - 30	977	0.56
		91 = NEVER MISUSED STIMULANTS.....	165905	95.45
		93 = DID NOT MISUSE STIMULANTS PAST MONTH.....	6926	3.98

<u>IISTNM30FQ</u>	Len : 1	STIMULANTS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	954	0.55
		2 = Logically assigned data.....	10	0.01
		3 = Statistically imputed data - lifetime misuse imputed.....	822	0.47
		4 = Statistically imputed data - lifetime misuse known.....	24	0.01
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER.....	171998	98.96

<u>IRSEDNM30FQ</u>	Len : 2	SEDATIVES MISUSE FREQUENCY PAST MONTH - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1 - 30	157	0.09
		91 = NEVER MISUSED SEDATIVES	170582	98.14
		93 = DID NOT MISUSE SEDATIVES PAST MONTH	3069	1.77

<u>IISEDNM30FQ</u>	Len : 1	SEDATIVES MISUSE FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	149	0.09
		2 = Logically assigned data.....	3	0.00
		3 = Statistically imputed data - lifetime misuse imputed.....	970	0.56
		4 = Statistically imputed data - lifetime misuse known.....	18	0.01
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER.....	172668	99.34

AGE/DATE OF FIRST DRUG USE

AGE/DATE OF FIRST DRUG USE

<u>IRCIGAGE</u>	Len : 3 CIGARETTE AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 74.....	Freq	Pct
	991 = NEVER USED.....	74166	42.67
		99642	57.33
<u>IICIGAGE</u>	Len : 1 CIGARETTE AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	73525	42.30
	3 = Statistically imputed data.....	37	0.02
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	604	0.35
		99642	57.33
<u>IRCIGYFU</u>	Len : 4 CIGARETTE YEAR OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1927 - 2023	Freq	Pct
	9999 = NEVER USED.....	74166	42.67
		99642	57.33
<u>IICIGYFU</u>	Len : 1 CIGARETTE YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	2202	1.27
	3 = Statistically imputed data.....	7	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	71957	41.40
		99642	57.33
<u>IRCDUAGE</u>	Len : 3 DAILY CIGARETTE AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 71	Freq	Pct
	991 = NEVER USED.....	37380	21.51
	993 = NEVER A DAILY USER.....	99642	57.33
		36786	21.16
<u>IICDUAGE</u>	Len : 1 DAILY CIGARETTE AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	37184	21.39
	3 = Statistically imputed data.....	2	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER.....	210	0.12
		136412	78.48
<u>IRCD2YFU</u>	Len : 4 DAILY CIGARETTE YFU - USING CIGDLYFU - IMPUTATION REVISED		
	RANGE = 1940 - 2023	Freq	Pct
	9993 = NEVER A DAILY USER.....	37380	21.51
	9999 = NEVER USED.....	36786	21.16
		99642	57.33
<u>IICD2YFU</u>	Len : 1 DAILY CIGARETTE YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	520	0.30
	3 = Statistically imputed data.....	1	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER.....	36875	21.22
		136412	78.48
<u>IRCGRAGE</u>	Len : 3 CIGAR AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 75	Freq	Pct
	991 = NEVER USED.....	44335	25.51
		129473	74.49
<u>IICGRAGE</u>	Len : 1 CIGAR AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	3 = Statistically imputed data.....	43728	25.16
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	642	0.37
		129438	74.47

AGE/DATE OF FIRST DRUG USE

IRCGRYFU

Len : 4 CIGAR YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1936 - 2023	44335	25.51
9999 = NEVER USED.....	129473	74.49

IICGRYFU

Len : 1 CIGAR YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	2253	1.30
3 = Statistically imputed data.....	42117	24.23
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	129438	74.47

IRSMKLSSTRY

Len : 3 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 77	20750	11.94
991 = NEVER USED.....	153058	88.06

IISMKLSSTRY

Len : 1 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	20460	11.77
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data.....	355	0.20
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	152992	88.02

IRSMKLSSYFU

Len : 4 SMOKELESS TOBACCO YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1936 - 2023	20750	11.94
9999 = NEVER USED.....	153058	88.06

IISMKLSSYFU

Len : 1 SMOKELESS TOBACCO YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	927	0.53
3 = Statistically imputed data.....	19889	11.44
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	152992	88.02

IRNICVAPAGE

Len : 3 NICOTINE VAPING AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 80	34797	20.02
-9 = Data not collected for this year.....	58034	33.39
991 = NEVER USED.....	80977	46.59

IINICVAPAGE

Len : 1 NICOTINE VAPING AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data	33977	19.55
3 = Statistically imputed data.....	846	0.49
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	80951	46.57

IRNICVAPYFU

Len : 4 NICOTINE VAPING YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1946 - 2023	34797	20.02
-9 = Data not collected for this year.....	58034	33.39
9999 = NEVER USED.....	80977	46.59

IINICVAPYFU

Len : 1 NICOTINE VAPING YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data	4896	2.82
3 = Statistically imputed data.....	29927	17.22
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	80951	46.57

AGE/DATE OF FIRST DRUG USE

IRALCAGE

Len : 3 ALCOHOL AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 89	123785	71.22
991 = NEVER USED.....	50023	28.78

IIALCAGE

Len : 1 ALCOHOL AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	122578	70.52
3 = Statistically imputed data.....	1247	0.72
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	49983	28.76

IRALCYFU

Len : 4 ALCOHOL YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1933 - 2023	123785	71.22
9999 = NEVER USED.....	50023	28.78

IIALCYFU

Len : 1 ALCOHOL YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	7754	4.46
3 = Statistically imputed data.....	116071	66.78
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	49983	28.76

IRMJAGE

Len : 3 MARIJUANA AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 85	77130	44.38
991 = NEVER USED.....	96678	55.62

IIMJAGE

Len : 1 MARIJUANA AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	76462	43.99
3 = Statistically imputed data.....	768	0.44
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	96578	55.57

IRMJYFU

Len : 4 MARIJUANA YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1948 - 2023	77130	44.38
9999 = NEVER USED.....	96678	55.62

IIMJYFU

Len : 1 MARIJUANA YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	5100	2.93
3 = Statistically imputed data.....	72130	41.50
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	96578	55.57

IRCOAGE

Len : 3 COCAINE AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 70	20024	11.52
991 = NEVER USED.....	153784	88.48

IICOAGE

Len : 1 COCAINE AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	19619	11.29
2 = Logically assigned data.....	286	0.16
3 = Statistically imputed data.....	178	0.10
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	153725	88.45

IRCOCYFU

Len : 4 COCAINE YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1958 - 2023	20024	11.52
9999 = NEVER USED.....	153784	88.48

AGE/DATE OF FIRST DRUG USE

IICOCYFU

Len : 1 COCAINE YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	757	0.44
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data.....	19325	11.12
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	153725	88.45

IRCRKAGE

Len : 3 CRACK AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 70.....	4663	2.68
991 = NEVER USED.....	169145	97.32

IICRKAGE

Len : 1 CRACK AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	4623	2.66
2 = Logically assigned data.....	2	0.00
3 = Statistically imputed data.....	123	0.07
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	169060	97.27

IRCRKYFU

Len : 4 CRACK YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1958 - 2023	4663	2.68
9999 = NEVER USED.....	169145	97.32

IICRKYFU

Len : 1 CRACK YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	79	0.05
3 = Statistically imputed data.....	4669	2.69
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	169060	97.27

IRHERAGE

Len : 3 HEROIN AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 69.....	3373	1.94
991 = NEVER USED.....	170435	98.06

IHERAGE

Len : 1 HEROIN AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	3338	1.92
3 = Statistically imputed data.....	167	0.10
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	170303	97.98

IRHERYFU

Len : 4 HEROIN YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1952 - 2023	3373	1.94
9999 = NEVER USED.....	170435	98.06

IHERYFU

Len : 1 HEROIN YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	89	0.05
3 = Statistically imputed data.....	3416	1.97
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	170303	97.98

IRHALLUCAGE

Len : 3 HALLUCINOGEN AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 80.....	27278	15.69
991 = NEVER USED.....	146530	84.31

IHALLUCAGE

Len : 1 HALLUCINOGEN AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	26525	15.26
2 = Logically assigned data.....	368	0.21
3 = Statistically imputed data.....	942	0.54
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	145973	83.99

AGE/DATE OF FIRST DRUG USE

<u>IRHALLUCYFU</u>	Len : 4 HALLUCINOGEN YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1947 - 2023	27278	15.69
	9999 = NEVER USED.....	146530	84.31
<u>IIHALLUCYFU</u>	Len : 1 HALLUCINOGEN YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	2110	1.21
	2 = Logically assigned data.....	16	0.01
	3 = Statistically imputed data.....	25709	14.79
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	145973	83.99
<u>IRLSDAGE</u>	Len : 3 LSD AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 59.....	16043	9.23
	991 = NEVER USED.....	157765	90.77
<u>IIILSDAGE</u>	Len : 1 LSD AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	15793	9.09
	2 = Logically assigned data.....	3	0.00
	3 = Statistically imputed data.....	360	0.21
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	157652	90.70
<u>IRLSDYFU</u>	Len : 4 LSD YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1952 - 2023	16043	9.23
	9999 = NEVER USED.....	157765	90.77
<u>IIILSDYFU</u>	Len : 1 LSD YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	914	0.53
	3 = Statistically imputed data.....	15242	8.77
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	157652	90.70
<u>IRPCPAGE</u>	Len : 3 PCP AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 64.....	2396	1.38
	991 = NEVER USED.....	171412	98.62
<u>IIPCPAGE</u>	Len : 1 PCP AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	2322	1.34
	3 = Statistically imputed data.....	182	0.10
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	171304	98.56
<u>IRPCPYFU</u>	Len : 4 PCP YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1961 - 2023	2396	1.38
	9999 = NEVER USED.....	171412	98.62
<u>IIPCPYFU</u>	Len : 1 PCP YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	41	0.02
	3 = Statistically imputed data.....	2463	1.42
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	171304	98.56
<u>IRECSTMOAGE</u>	Len : 3 ECSTASY AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 71	13709	7.89
	991 = NEVER USED.....	160099	92.11

AGE/DATE OF FIRST DRUG USE

<u>IIECSTMOAGE</u>	Len : 1 ECSTASY AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	13585	7.82
	2 = Logically assigned data.....	2	0.00
	3 = Statistically imputed data.....	258	0.15
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	159963	92.03
<u>IIECSTMOYFU</u>	Len : 4 ECSTASY YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1953 - 2023	13709	7.89
	9999 = NEVER USED.....	160099	92.11
<u>IIECSTMOYFU</u>	Len : 1 ECSTASY YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	705	0.41
	3 = Statistically imputed data.....	13140	7.56
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	159963	92.03
<u>IRINHALAGE</u>	Len : 3 INHALANTS AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 70	16598	9.55
	991 = NEVER USED.....	157210	90.45
<u>IIRINHALAGE</u>	Len : 1 INHALANTS AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	15526	8.93
	3 = Statistically imputed data.....	1470	0.85
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	156812	90.22
<u>IRINHLYFU</u>	Len : 4 INHALANTS YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1939 - 2023	16598	9.55
	9999 = NEVER USED.....	157210	90.45
<u>IIRINHLYFU</u>	Len : 1 INHALANTS YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	911	0.52
	3 = Statistically imputed data.....	16085	9.25
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	156812	90.22
<u>IRMETHAMAGE</u>	Len : 3 METHAMPHETAMINE AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 70	7855	4.52
	991 = NEVER USED.....	165953	95.48
<u>IIMETHAMAGE</u>	Len : 1 METHAMPHETAMINE AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	7788	4.48
	3 = Statistically imputed data.....	249	0.14
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	165771	95.38
<u>IRMETHAMYFU</u>	Len : 4 METHAMPHETAMINE YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1943 - 2023	7855	4.52
	9999 = NEVER USED.....	165953	95.48
<u>IIMETHAMYFU</u>	Len : 1 METHAMPHETAMINE YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	199	0.11
	3 = Statistically imputed data.....	7838	4.51
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	165771	95.38

AGE/DATE OF FIRST DRUG USE

The following eight variables pertain to past year initiation of prescription drugs. Past year initiation of prescription drugs is defined as the misuse of the drug for the first time in the 12 months prior to the date of the interview.

<u>IRPNRNMINIT</u>	Len : 2	PAST YR INITIATE PAIN RELIEVERS MISUSE - IMPUTATION REVISED		
			Freq	Pct
		1 = Past year initiate.....	1032	0.59
		2 = Not a past year initiate.....	4222	2.43
		91 = NEVER MISUSED.....	159430	91.73
		93 = NO PAST YEAR MISUSE.....	9124	5.25

<u>IIPNRNMINIT</u>	Len : 1	PAST YR INITIATE PAIN RELIEVER MISUSE - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire Data	172894	99.47
		3 = Statistically imputed - recency known	24	0.01
		4 = Statistically imputed - recency imputed.....	890	0.51

<u>IRTRQNMINIT</u>	Len : 2	PAST YR INITIATE TRANQUILIZER MISUSE - IMPUTATION REVISED		
			Freq	Pct
		1 = Past year initiate.....	524	0.30
		2 = Not a past year initiate.....	2286	1.32
		91 = NEVER MISUSED.....	167472	96.35
		93 = NO PAST YEAR MISUSE.....	3526	2.03

<u>IITRQNMINIT</u>	Len : 1	PAST YR INITIATE TRANQUILIZER MISUSE - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire Data	173024	99.55
		3 = Statistically imputed - recency known	3	0.00
		4 = Statistically imputed - recency imputed.....	781	0.45

<u>IRSTMNMINIT</u>	Len : 2	PAST YR INITIATE STIMULANT MISUSE - IMPUTATION REVISED		
			Freq	Pct
		1 = Past year initiate.....	700	0.40
		2 = Not a past year initiate.....	2598	1.49
		91 = NEVER MISUSED.....	165905	95.45
		93 = NO PAST YEAR MISUSE.....	4605	2.65

<u>IISTMNMINIT</u>	Len : 1	PAST YR INITIATE STIMULANT MISUSE - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire Data	172967	99.52
		3 = Statistically imputed - recency known	5	0.00
		4 = Statistically imputed - recency imputed.....	836	0.48

<u>IRSEDNMINIT</u>	Len : 2	PAST YR INITIATE SEDATIVE MISUSE - IMPUTATION REVISED		
			Freq	Pct
		1 = Past year initiate.....	137	0.08
		2 = Not a past year initiate.....	431	0.25
		91 = NEVER MISUSED.....	170582	98.14
		93 = NO PAST YEAR MISUSE.....	2658	1.53

<u>IISEDNMINIT</u>	Len : 1	PAST YR INITIATE SEDATIVE MISUSE - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire Data	172822	99.43
		3 = Statistically imputed - recency known	1	0.00
		4 = Statistically imputed - recency imputed.....	985	0.57

AGE/DATE OF FIRST DRUG USE

NOTE: The following four variables pertain to the age and date of first misuse of pain relievers. Respondents who were past year initiates (IRPNRNMNIT=1), that is respondents who misused pain relievers for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRPNRNMNIT ne 1) receive an appropriate skip code.

<u>IRPNRNMIFU</u>	Len : 4 PAIN RELIEVER YEAR OF FIRST MISUSE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 2020 - 2023	1032	0.59
	9993 = NOT A PAST YEAR INITIATE	13346	7.68
	9999 = NEVER MISUSED.....	159430	91.73

<u>IIPNRNMIFU</u>	Len : 1 PAIN RELIEVER YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	728	0.42
	3 = Statistically imputed data - Past year initiation imputed	914	0.53
	4 = Statistically imputed data - Past year initiation known.....	267	0.15
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	171899	98.90

<u>IRPNRNMAGE</u>	Len : 3 PAIN RELIEVER AGE OF FIRST MISUSE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 11 - 95	1032	0.59
	993 = NOT A PAST YEAR INITIATE	13346	7.68
	999 = NEVER MISUSED.....	159430	91.73

<u>IIPNRNMAGE</u>	Len : 1 PAIN RELIEVER AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	733	0.42
	3 = Statistically imputed data - Past year initiation imputed	914	0.53
	4 = Statistically imputed data - Past year initiation known.....	262	0.15
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	171899	98.90

NOTE: The following four variables pertain to the age and date of first misuse of tranquilizers. Respondents who were past year initiates (IRTRQNMNIT=1), that is respondents who misused tranquilizers for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRTRQNMNIT ne 1) receive an appropriate skip code.

<u>IRTRQNMIFU</u>	Len : 4 TRANQUILIZER YEAR OF FIRST MISUSE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 2020 - 2023	524	0.30
	9993 = NOT A PAST YEAR INITIATE	5812	3.34
	9999 = NEVER MISUSED.....	167472	96.35

<u>IITRQNMIFU</u>	Len : 1 TRANQUILIZER YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	481	0.28
	3 = Statistically imputed data - Past year initiation imputed	784	0.45
	4 = Statistically imputed data - Past year initiation known.....	38	0.02
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	172505	99.25

<u>IRTRQNMAGE</u>	Len : 3 TRANQUILIZER AGE OF FIRST MISUSE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 11 - 88	524	0.30
	993 = NOT A PAST YEAR INITIATE	5812	3.34
	999 = NEVER MISUSED.....	167472	96.35

<u>IITRQNMAGE</u>	Len : 1 TRANQUILIZER AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	483	0.28
	3 = Statistically imputed data - Past year initiation imputed	784	0.45
	4 = Statistically imputed data - Past year initiation known.....	36	0.02
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	172505	99.25

AGE/DATE OF FIRST DRUG USE

NOTE: The following four variables pertain to the age and date of first misuse of stimulants. Respondents who were past year initiates (IRSTMNMINIT=1), that is respondents who misused stimulants for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRSTMNMINIT ne 1) receive an appropriate skip code.

<u>IRSTMNMYFU</u>	Len : 4	STIMULANTS YEAR OF FIRST MISUSE - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 2020 - 2023	700	0.40
		9993 = NOT A PAST YEAR INITIATE	7203	4.14
		9999 = NEVER MISUSED.....	165905	95.45

<u>IISTMNMYFU</u>	Len : 1	STIMULANTS YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	645	0.37
		3 = Statistically imputed data - Past year initiation imputed	841	0.48
		4 = Statistically imputed data - Past year initiation known.....	44	0.03
		9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	172278	99.12

<u>IRSTMNMAGE</u>	Len : 3	STIMULANTS AGE OF FIRST MISUSE - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 11 - 93	700	0.40
		993 = NOT A PAST YEAR INITIATE.....	7203	4.14
		999 = NEVER MISUSED.....	165905	95.45

<u>IISTMNMAGE</u>	Len : 1	STIMULANTS AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	647	0.37
		3 = Statistically imputed data - Past year initiation imputed	841	0.48
		4 = Statistically imputed data - Past year initiation known.....	42	0.02
		9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	172278	99.12

NOTE: The following four variables pertain to the age and date of first misuse of sedatives. Respondents who were past year initiates (IRSEDNMINIT=1), that is respondents who misused sedatives for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRSEDNMINIT ne 1) receive an appropriate skip code.

<u>IRSEDNMYFU</u>	Len : 4	SEDATIVES YEAR OF FIRST MISUSE - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 2020 - 2023	137	0.08
		9993 = NOT A PAST YEAR INITIATE	3089	1.78
		9999 = NEVER MISUSED.....	170582	98.14

<u>IIRSEDNMYFU</u>	Len : 1	SEDATIVES YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	117	0.07
		3 = Statistically imputed data - Past year initiation imputed	986	0.57
		4 = Statistically imputed data - Past year initiation known.....	18	0.01
		9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	172687	99.36

<u>IRSEDNMAGE</u>	Len : 3	SEDATIVES AGE OF FIRST MISUSE - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 11 - 93	137	0.08
		993 = NOT A PAST YEAR INITIATE.....	3089	1.78
		999 = NEVER MISUSED.....	170582	98.14

<u>IIRSEDNMAGE</u>	Len : 1	SEDATIVES AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	119	0.07
		3 = Statistically imputed data - Past year initiation imputed	986	0.57
		4 = Statistically imputed data - Past year initiation known.....	16	0.01
		9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	172687	99.36

RECODED DRUG USE

RECODED DRUG USE

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Codebook section in the main introduction of the codebook.

<u>CIGFLAG</u>	Len : 1 RC-CIGARETTES - EVER USED		
	0 = Never used (IRCIGRC = 9)	Freq	Pct
	1 = Ever used (IRCIGRC = 1-4)	99642	57.33
		74166	42.67
<u>CIGYR</u>	Len : 1 RC-CIGARETTES - PAST YEAR USE		
	0 = Did not use in the past year (IRCIGRC = 3,4,9)	Freq	Pct
	1 = Used within the past year (IRCIGRC = 1,2)	145497	83.71
		28311	16.29
<u>CIGMON</u>	Len : 1 RC-CIGARETTES - PAST MONTH USE		
	0 = Did not use in the past month (IRCIGRC = 2-4,9)	Freq	Pct
	1 = Used within the past month (IRCIGRC = 1)	152305	87.63
		21503	12.37
<u>CGRFLAG</u>	Len : 1 RC-CIGARS - EVER USED		
	0 = Never used (IRCGRRC = 9)	Freq	Pct
	1 = Ever used (IRCGRRC = 1-4)	129473	74.49
		44335	25.51
<u>CGRYR</u>	Len : 1 RC-CIGARS - PAST YEAR USE		
	0 = Did not use in the past year (IRCGRRC = 3,4,9)	Freq	Pct
	1 = Used within the past year (IRCGRRC = 1,2)	161492	92.91
		12316	7.09
<u>CGRMON</u>	Len : 1 RC-CIGARS - PAST MONTH USE		
	0 = Did not use in the past month (IRCGRRC = 2-4,9)	Freq	Pct
	1 = Used within the past month (IRCGRRC = 1)	167492	96.37
		6316	3.63
<u>PIPFLAG</u>	Len : 1 RC-PIPES - EVER USED		
	0 = Never Used (IRPIPLF = 9)	Freq	Pct
	1 = Ever Used (IRPIPLF = 1)	161014	92.64
		12794	7.36
<u>PIPMON</u>	Len : 1 RC-PIPES - PAST MONTH USE		
	0 = Did not use in the past month (IRPIPMN = 2,9)	Freq	Pct
	1 = Used within the past month (IRPIPMN = 1)	172667	99.34
		1141	0.66
<u>SMKLSSFLAG</u>	Len : 1 RC-SMOKELESS TOBACCO - EVER USED		
	0 = Never Used (IRSMKLSSREC = 9)	Freq	Pct
	1 = Ever Used (IRSMKLSSREC = 1-4)	153058	88.06
		20750	11.94
<u>SMKLSSYR</u>	Len : 1 RC-SMOKELESS TOBACCO - PAST YEAR USE		
	0 = Did not use in the past year (IRSMKLSSREC = 3,4,9)	Freq	Pct
	1 = Used within the past year (IRSMKLSSREC = 1,2)	168147	96.74
		5661	3.26
<u>SMKLSSMON</u>	Len : 1 RC-SMOKELESS TOBACCO - PAST MONTH USE		
	0 = Did not use in the past month (IRSMKLSSREC = 2-4,9)	Freq	Pct
	1 = Used within the past month (IRSMKLSSREC = 1)	169865	97.73
		3943	2.27

RECODED DRUG USE

Respondents were classified as having smoked cigarettes as the only form of tobacco used in the past month (TOBCIGONL=1) if they smoked cigarettes in the past month (CIGMON=1) and did not use cigars, pipes, or smokeless tobacco in the past month (CGRMON=0 and PIPMON=0 and SMKLSSMON=0). Respondents were classified as having used both cigarettes and another tobacco product in the past month (TOBCIGONL=2) if they smoked cigarettes in the past month (CIGMON=1) and used any of cigars, pipes, or smokeless tobacco in the past month (CGRMON=1 or PIPMON=1 or SMKLSSMON=1). Respondents were classified as having used a tobacco product but not cigarettes in the past month (TOBCIGONL=3) if they did not smoke cigarettes in the past month (CIGMON=0) and used any of cigars, pipes, or smokeless tobacco in the past month (CGRMON=1 or PIPMON=1 or SMKLSSMON=1).

<u>TOBCIGONL</u>	Len : 1	RC-CIGARETTE/NONCIGARETTE TOBACCO ONLY - PAST MONTH USE		
			Freq	Pct
		1 = Smoked cigarettes as only form of tob (See comment above).....	17368	9.99
		2 = Used both cigarettes and other tob prod (See comment above).....	4135	2.38
		3 = Used tobacco product but not cigarettes (See comment above)	6110	3.52
		4 = Did not use tobacco products in the past month (Otherwise)	146195	84.11

<u>TOBFLAG</u>	Len : 1	RC-ANY TOBACCO - EVER USED		
			Freq	Pct
		0 = Never Used (All source variables = 0)	90000	51.78
		1 = Ever Used (Any source variable = 1)	83808	48.22

<u>TOBYR</u>	Len : 1	RC-ANY TOBACCO - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (All source variables = 0)	136985	78.81
		1 = Used within the past year (Any source variable = 1)	36823	21.19

<u>TOBMON</u>	Len : 1	RC-ANY TOBACCO - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month (All source variables = 0)	146195	84.11
		1 = Used within the past month (Any source variable = 1)	27613	15.89

<u>NICVAPFLAG</u>	Len : 1	RC-NICOTINE VAPING - EVER USED		
			Freq	Pct
		-9 = Data not collected for this year	58034	33.39
		0 = Never used (IRNICVAPREC = 9)	80977	46.59
		1 = Ever used (IRNICVAPREC = 1-4)	34797	20.02

<u>NICVAPYR</u>	Len : 1	RC-NICOTINE VAPING - PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	58034	33.39
		0 = Did not use in the past year (IRNICVAPREC = 3,4,9)	95111	54.72
		1 = Used within the past year (IRNICVAPREC = 1,2)	20663	11.89

<u>NICVAPMON</u>	Len : 1	RC-NICOTINE VAPING - PAST MONTH USE		
			Freq	Pct
		-9 = Data not collected for this year	58034	33.39
		0 = Did not use in the past month (IRNICVAPREC= 2-4,9)	101777	58.56
		1 = Used within the past month (IRNICVAPREC = 1)	13997	8.05

<u>TOBVNICFLAG</u>	Len : 1	RC-ANY TOBACCO PRODUCTS OR NICOTINE VAPING - EVER USED		
			Freq	Pct
		-9 = Data not collected for this year	58034	33.39
		0 = Never Used (All source variables = 0)	52292	30.09
		1 = Ever Used (Any source variable = 1)	63482	36.52

<u>TOBVNICYR</u>	Len : 1	RC-ANY TOBACCO PRODUCTS OR NICOTINE VAPING - PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	58034	33.39
		0 = Did not use in the past year (All source variables = 0)	81955	47.15
		1 = Used within the past year (Any source variable = 1)	33819	19.46

RECODED DRUG USE

TOBVNICMON

Len : 1 RC-ANY TOBACCO PRODUCTS OR NICOTINE VAPING - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
0 = Did not use in the past month (All source variables = 0)	89580	51.54
1 = Used within the past month (Any source variable = 1)	26194	15.07

NOTE: Beginning in 2022, recoded variables TOBVAPONL2 and TOBCIGVAP2 replace variables TOBVAPONL and TOBCIGVAP. The new versions of the variables were created using the new nicotine vaping variables.

TOBVAPONL2

Len : 1 RC-NIC VAPING / TOBACCO PRODUCTS ONLY - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Vaped nic but no use of tob prod (NICVAPMON=1 and TOBMON=0).....	8137	4.68
2 = Vaped nicotine and used tob prod (NICVAPMON=1 and TOBMON=1).....	5860	3.37
3 = Used tob prod but did not vape nic(NICVAPMON=0 and TOBMON=1).....	12197	7.02
4 = Did not use tob prod or vape nic (NICVAPMON=0 and TOBMON=0).....	89580	51.54

TOBCIGVAP2

Len : 1 RC-NIC VAPING AND CIG/NONCIG TOBACCO COMBINATIONS-PM USE

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Vaped nic & used cigs as only tob: NICVAPMON=1 & TOBCIGONL=1	3486	2.01
2 = Vaped nic, used cigs, & other tob: NICVAPMON=1 & TOBCIGONL=2	1289	0.74
3 = Vaped nic & used tob but not cigs: NICVAPMON=1 & TOBCIGONL=3	1085	0.62
4 = Did not both vape nic & use tob: NICVAPMON=0 or TOBCIGONL=4	109914	63.24

ALCFLAG

Len : 1 RC-ALCOHOL - EVER USED

	Freq	Pct
0 = Never used (IRALCRC = 9)	50023	28.78
1 = Ever used (IRALCRC = 1-3)	123785	71.22

ALCYR

Len : 1 RC-ALCOHOL - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRALCRC = 3,9)	71070	40.89
1 = Used within the past year (IRALCRC = 1,2)	102738	59.11

ALCMON

Len : 1 RC-ALCOHOL - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRALCRC = 2-3,9).....	96236	55.37
1 = Used within the past month (IRALCRC = 1).....	77572	44.63

CBDHMPFLAG

Len : 1 RC-CBD OR HEMP - EVER USED

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
0 = Never used (IRCBDHMPREC = 9).....	78403	45.11
1 = Ever used (IRCBDHMPREC = 1-4).....	37371	21.50

CBDHMPYR

Len : 1 RC-CBD OR HEMP - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
0 = Did not use in the past year (IRCBDHMPREC = 3,4,9)	93029	53.52
1 = Used within the past year (IRCBDHMPREC = 1,2)	22745	13.09

CBDHMPMON

Len : 1 RC-CBD OR HEMP - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
0 = Did not use in the past month (IRCBDHMPREC = 2-4,9).....	103485	59.54
1 = Used within the past month (IRCBDHMPREC = 1).....	12289	7.07

MRJFLAG

Len : 1 RC-MARIJUANA - EVER USED

	Freq	Pct
0 = Never used (IRMJRC = 9).....	96678	55.62
1 = Ever used (IRMJRC = 1-3).....	77130	44.38

RECODED DRUG USE

[MRJYR](#)

Len : 1 RC-MARIJUANA - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJRC = 3,9)	132730	76.37
1 = Used within the past year (IRMJRC = 1,2)	41078	23.63

[MRJMON](#)

Len : 1 RC-MARIJUANA - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJRC = 2-3,9)	145779	83.87
1 = Used within the past month (IRMJRC = 1)	28029	16.13

[MJSMKYR](#)

Len : 1 RC-MARIJUANA SMOKING - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
0 = Did not use in the past year (IRMJYRSMOKE = 2,9)	93157	53.60
1 = Used within the past year (IRMJYRSMOKE = 1)	22617	13.01

[MJVAPYR](#)

Len : 1 RC-MARIJUANA VAPING - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
0 = Did not use in the past year (IRMJYRVAPE = 2,9)	103420	59.50
1 = Used within the past year (IRMJYRVAPE = 1)	12354	7.11

[MJDABYR](#)

Len : 1 RC-MARIJUANA DABBING WAXES, SHATTER, OR CONC - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
0 = Did not use in the past year (IRMJYRDAB = 2,9)	109692	63.11
1 = Used within the past year (IRMJYRDAB = 1)	6082	3.50

[MJEATYR](#)

Len : 1 RC-MARIJUANA EATING OR DRINKING - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
0 = Did not use in the past year (IRMJYREAT = 2,9)	101534	58.42
1 = Used within the past year (IRMJYREAT = 1)	14240	8.19

[MJMTHYR](#)

Len : 1 RC-MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
0 = Did not use in the past year (IRMJYRMOUTH = 2,9)	114095	65.64
1 = Used within the past year (IRMJYRMOUTH = 1)	1679	0.97

[MJSKNYR](#)

Len : 1 RC-MARIJUANA LOTION/CREAM/PATCH TO SKIN - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
0 = Did not use in the past year (IRMJYRSKIN = 2,9)	113333	65.21
1 = Used within the past year (IRMJYRSKIN = 1)	2441	1.40

[MJPLLYR](#)

Len : 1 RC-MARIJUANA PILLS - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
0 = Did not use in the past year (IRMJYRPILL = 2,9)	114966	66.15
1 = Used within the past year (IRMJYRPILL = 1)	808	0.46

RECODED DRUG USE

The following variable for used marijuana some other way in the past year, MJOTHYR, was assigned a positive response if a respondent indicated using marijuana some other way in the past year (IRMJYROTHER=1) and either entered write-in responses other than responses that match existing categories or did not enter a write-in response.

A negative response was assigned if the respondent met any of these conditions:

1. Used marijuana some other way in the past year (IRMJYROTHER=1), and all the write-in variables have responses that matched existing categories.
2. Used marijuana some other way in the past year (IRMJYROTHER=1), and respondent had a mix of write-in values and blank (no answer) and at least one write-in variable had a response that matched existing categories.
3. Did not use marijuana some other way in the past year (IRMJYROTHER=2,9).

<u>MJOTHYR</u>	Len : 1 RC-MARIJUANA USE - SOME OTHER MODE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No (See comment above).....	115531	66.47
	1 = Yes (See comment above)	243	0.14

<u>MJCMOTHYR</u>	Len : 1 RC-COMBINED OTHER MARIJUANA MODES - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = Did not use in the past year (All source variables = 0).....	111605	64.21
	1 = Used within the past year (Any source variable = 1).....	4169	2.40

<u>MJSMKMON</u>	Len : 1 RC-MARIJUANA SMOKING - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = Did not use in the past month (IRMJMNSMOKE = 2,9).....	100363	57.74
	1 = Used within the past month (IRMJMNSMOKE = 1).....	15411	8.87

<u>MJVAPMON</u>	Len : 1 RC-MARIJUANA VAPING - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = Did not use in the past month (IRMJMONVAPE = 2,9).....	107792	62.02
	1 = Used within the past month (IRMJMONVAPE = 1).....	7982	4.59

NOTE: Beginning in 2022, recoded variable MRJMONVAP2 replaces variable MRJMONVAP. The new version of the variable was created using the new marijuana vaping variables.

<u>MRJMONVAP2</u>	Len : 1 RC-MRJ VAPE, MRJ USE BUT NOT VAPE, OR NO MRJ USE - PAST MON		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Vaped marijuana (MJVAPMON=1).....	8008	4.61
	2 = Used mrj but did not vape mrj (MRJMON=1 and MJVAPMON=0).....	11571	6.66
	3 = Did not use marijuana (MRJMON=0)	96195	55.35

<u>MJDABMON</u>	Len : 1 RC-MARIJUANA DABBING WAXES, SHATTER, OR CONC-PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = Did not use in the past month (IRMJMONDAB = 2,9).....	112000	64.44
	1 = Used within the past month (IRMJMONDAB = 1).....	3774	2.17

<u>MJEATMON</u>	Len : 1 RC-MARIJUANA EATING OR DRINKING - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = Did not use in the past month (IRMJMONEAT = 2,9).....	108390	62.36
	1 = Used within the past month (IRMJMONEAT = 1)	7384	4.25

<u>MJMTHMON</u>	Len : 1 RC-MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH-PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = Did not use in the past month (IRMJMONMOUTH = 2,9).....	114971	66.15
	1 = Used within the past month (IRMJMONMOUTH = 1)	803	0.46

RECODED DRUG USE

[MJSKNMON](#)

Len : 1 RC-MARIJUANA LOTION/CREAM/PATCH TO SKIN - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
0 = Did not use in the past month (IRMJMNSKIN = 2,9).....	114574	65.92
1 = Used within the past month (IRMJMNSKIN = 1).....	1200	0.69

[MJPLLMON](#)

Len : 1 RC-MARIJUANA PILLS - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
0 = Did not use in the past month (IRMJMONPILL = 2,9).....	115384	66.39
1 = Used within the past month (IRMJMONPILL = 1).....	390	0.22

[MJCMOTHMON](#)

Len : 1 RC-COMBINED OTHER MARIJUANA MODES - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
0 = Did not use in the past month (All source variables = 0)	113705	65.42
1 = Used within the past month (Any source variable = 1)	2069	1.19

[COCFLAG](#)

Len : 1 RC-COCAINE - EVER USED

	Freq	Pct
0 = Never used (IRCOCRC = 9)	153784	88.48
1 = Ever used (IRCOCRC = 1-3)	20024	11.52

[COCYR](#)

Len : 1 RC-COCAINE - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRCOCRC = 3,9).....	170445	98.07
1 = Used within the past year (IRCOCRC = 1,2).....	3363	1.93

[COCMON](#)

Len : 1 RC-COCAINE - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRCOCRC = 2-3,9)	172619	99.32
1 = Used within the past month (IRCOCRC = 1).....	1189	0.68

[CRKFLAG](#)

Len : 1 RC-"CRACK" - EVER USED

	Freq	Pct
0 = Never used (IRCRKRC = 9)	169145	97.32
1 = Ever used (IRCRKRC = 1-3)	4663	2.68

[CRKYR](#)

Len : 1 RC-"CRACK" - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRCRKRC = 3,9).....	173306	99.71
1 = Used within the past year (IRCRKRC = 1,2).....	502	0.29

[CRKMON](#)

Len : 1 RC-"CRACK" - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRCRKRC = 2-3,9)	173559	99.86
1 = Used within the past month (IRCRKRC = 1).....	249	0.14

[HERFLAG](#)

Len : 1 RC-HEROIN - EVER USED

	Freq	Pct
0 = Never used (IRHERRC = 9)	170435	98.06
1 = Ever used (IRHERRC = 1-3)	3373	1.94

[HERYR](#)

Len : 1 RC-HEROIN - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRHERRC = 3,9)	173260	99.68
1 = Used within the past year (IRHERRC = 1,2)	548	0.32

[HERMON](#)

Len : 1 RC-HEROIN - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRHERRC = 2-3,9).....	173485	99.81
1 = Used within the past month (IRHERRC = 1).....	323	0.19

RECODED DRUG USE

HALLUCFLAG	Len : 1 RC-HALLUCINOGENS - EVER USED		
		Freq	Pct
	0 = Never used (IRHALLUCREC = 9).....	146530	84.31
	1 = Ever used (IRHALLUCREC = 1-3).....	27278	15.69
HALLUCYR	Len : 1 RC-HALLUCINOGENS - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRHALLUCREC = 3,9).....	167280	96.24
	1 = Used within the past year (IRHALLUCREC = 1,2).....	6528	3.76
HALLUCMON	Len : 1 RC-HALLUCINOGENS - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRHALLUCREC= 2-3,9).....	171979	98.95
	1 = Used within the past month (IRHALLUCREC = 1)	1829	1.05
LSDFLAG	Len : 1 RC-LSD - EVER USED		
		Freq	Pct
	0 = Never used (IRLSDRC = 9).....	157765	90.77
	1 = Ever used (IRLSDRC = 1-3).....	16043	9.23
LSDYR	Len : 1 RC-LSD - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRLSDRC = 3,9).....	171885	98.89
	1 = Used within the past year (IRLSDRC = 1,2).....	1923	1.11
LSDMON	Len : 1 RC-LSD - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRLSDRC = 2-3,9).....	173436	99.79
	1 = Used within the past month (IRLSDRC = 1)	372	0.21
PCPFLAG	Len : 1 RC-PCP - EVER USED		
		Freq	Pct
	0 = Never used (IRPCPRC = 9).....	171412	98.62
	1 = Ever used (IRPCPRC = 1-3).....	2396	1.38
PCPYR	Len : 1 RC-PCP - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRPCPRC = 3,9).....	173715	99.95
	1 = Used within the past year (IRPCPRC = 1,2).....	93	0.05
PCPMON	Len : 1 RC-PCP - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRPCPRC = 2-3,9)	173777	99.98
	1 = Used within the past month (IRPCPRC = 1).....	31	0.02
ECSTMFLAG	Len : 1 RC-ECSTASY - EVER USED		
		Freq	Pct
	0 = Never used (IRECSTMOREC = 9).....	160099	92.11
	1 = Ever used (IRECSTMOREC = 1-3).....	13709	7.89
ECSTMOR	Len : 1 RC-ECSTASY - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRECSTMOREC = 3,9).....	172194	99.07
	1 = Used within the past year (IRECSTMOREC = 1,2).....	1614	0.93
ECSTMOMON	Len : 1 RC-ECSTASY - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRECSTMOREC= 2-3,9)	173447	99.79
	1 = Used within the past month (IRECSTMOREC = 1)	361	0.21

RECODED DRUG USE

DAMTFXFLAG	Len : 1 RC-DMT/AMT/FOXY - EVER USED		
		Freq	Pct
	0 = Never used (IRDAMTFXREC = 9)	171205	98.50
	1 = Ever used (IRDAMTFXREC = 1-3)	2603	1.50
DAMTFXYR	Len : 1 RC-DMT/AMT/FOXY - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRDAMTFXREC = 3,9)	173392	99.76
	1 = Used within the past year (IRDAMTFXREC = 1,2)	416	0.24
DAMTFXMON	Len : 1 RC-DMT/AMT/FOXY - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRDAMTFXREC = 2-3,9)	173720	99.95
	1 = Used within the past month (IRDAMTFXREC = 1)	88	0.05
KETMINFLAG	Len : 1 RC-KETAMINE - EVER USED		
		Freq	Pct
	0 = Never used (IRKETMINREC = 9)	170723	98.23
	1 = Ever used (IRKETMINREC = 1-3)	3085	1.77
KETMINYR	Len : 1 RC-KETAMINE - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRKETMINREC = 3,9)	173242	99.67
	1 = Used within the past year (IRKETMINREC = 1,2)	566	0.33
KETMINMON	Len : 1 RC-KETAMINE - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRKETMINREC = 2-3,9)	173647	99.91
	1 = Used within the past month (IRKETMINREC = 1)	161	0.09
SALVIAFLAG	Len : 1 RC-SALVIA - EVER USED		
		Freq	Pct
	0 = Never used (IRSALVIAREC = 9)	170512	98.10
	1 = Ever used (IRSALVIAREC = 1-3)	3296	1.90
SALVIAYR	Len : 1 RC-SALVIA - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRSALVIAREC = 3,9)	173710	99.94
	1 = Used within the past year (IRSALVIAREC = 1,2)	98	0.06
SALVIAMON	Len : 1 RC-SALVIA - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRSALVIAREC = 2-3,9)	173786	99.99
	1 = Used within the past month (IRSALVIAREC = 1)	22	0.01
INHALFLAG	Len : 1 RC-INHALANTS - EVER USED		
		Freq	Pct
	0 = Never used (IRINHALREC = 9)	157210	90.45
	1 = Ever used (IRINHALREC = 1-3)	16598	9.55
INHALYR	Len : 1 RC-INHALANTS - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRINHALREC = 3,9)	171641	98.75
	1 = Used within the past year (IRINHALREC = 1,2)	2167	1.25
INHALMON	Len : 1 RC-INHALANTS - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRINHALREC = 2-3,9)	173048	99.56
	1 = Used within the past month (IRINHALREC = 1)	760	0.44

RECODED DRUG USE

<u>METHAMFLAG</u>	Len : 1	RC-METHAMPHETAMINE - EVER USED		
			Freq	Pct
		0 = Never used (IRMETHAMREC = 9)	165953	95.48
		1 = Ever used (IRMETHAMREC = 1-3)	7855	4.52

<u>METHAMYR</u>	Len : 1	RC-METHAMPHETAMINE - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IRMETHAMREC = 3,9)	172315	99.14
		1 = Used within the past year (IRMETHAMREC = 1,2)	1493	0.86

<u>METHAMMON</u>	Len : 1	RC-METHAMPHETAMINE - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month (IRMETHAMREC= 2-3,9)	172917	99.49
		1 = Used within the past month (IRMETHAMREC = 1)	891	0.51

NOTE: The following 16 variables refer to any use of prescription drugs. Any Use of prescription drugs is defined as either the use of one's own prescription medication as directed by a doctor or the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor.

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription pain relievers (ever used/ever misused) in analysis.

<u>PNRANYFLAG</u>	Len : 1	RC-ANY PAIN RELIEVER - EVER USED		
			Freq	Pct
		0 = Never used (IRPNRANYREC = 9)	90517	52.08
		1 = Ever used (IRPNRANYREC = 1-2)	83291	47.92

<u>PNRANYR</u>	Len : 1	RC-ANY PAIN RELIEVER - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IRPNRANYREC = 2,9)	135279	77.83
		1 = Used within the past year (IRPNRANYREC = 1)	38529	22.17

<u>OXYCNANYR</u>	Len : 1	RC-OXYCONTIN - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IROXCNANYR = 9)	169760	97.67
		1 = Used within the past year (IROXCNANYR = 1)	4048	2.33

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription tranquilizers (ever used/ever misused) in analysis.

<u>TRQANYFLAG</u>	Len : 1	RC-ANY TRANQUILIZERS - EVER USED		
			Freq	Pct
		0 = Never used (IRTRQANYREC = 9)	144020	82.86
		1 = Ever used (IRTRQANYREC = 1-2)	29788	17.14

<u>TRQANYR</u>	Len : 1	RC-ANY TRANQUILIZERS - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IRTRQANYREC = 2,9)	156668	90.14
		1 = Used within the past year (IRTRQANYREC = 1)	17140	9.86

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription stimulants (ever used/ever misused) in analysis.

<u>STMANYFLAG</u>	Len : 1	RC-ANY STIMULANTS - EVER USED		
			Freq	Pct
		0 = Never used (IRSTMANYREC = 9)	150893	86.82
		1 = Ever used (IRSTMANYREC = 1-2)	22915	13.18

<u>STMANYR</u>	Len : 1	RC-ANY STIMULANTS - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IRSTMANYREC = 2,9)	159961	92.03
		1 = Used within the past year (IRSTMANYREC = 1)	13847	7.97

RECODED DRUG USE

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription sedatives (ever used/ever misused) in analysis.

SEDANYFLAG	Len : 1 RC-ANY SEDATIVES - EVER USED		
		Freq	Pct
	0 = Never used (IRSEDANYREC = 9).....	157175	90.43
	1 = Ever used (IRSEDANYREC = 1-2).....	16633	9.57

SEDANYR	Len : 1 RC-ANY SEDATIVES - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRSEDANYREC = 2,9).....	166490	95.79
	1 = Used within the past year (IRSEDANYREC = 1).....	7318	4.21

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime any use of tranquilizers or sedatives in analysis.

TQSDANYFLG	Len : 1 RC-ANY TRANQUILIZERS OR SEDATIVES - EVER USED		
		Freq	Pct
	0 = Never used (Otherwise)	137493	79.11
	1 = Ever used (TRQANYFLAG=1 OR SEDANYFLAG=1).....	36315	20.89

TQSDANYR	Len : 1 RC-ANY TRANQUILIZERS OR SEDATIVES - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (Otherwise)	152677	87.84
	1 = Used in the past year (TRQANYR=1 OR SEDANYR=1)	21131	12.16

The following variable for any past year use of Any Benzodiazepines, BZOANYR, was assigned a positive response if a respondent indicated any past year use of Benzodiazepine Tranquilizers (TRBZOANYR=1), any past year use of Benzodiazepine Sedatives (SVBZOANYR=1), past year misuse of Benzodiazepine Tranquilizers that were specified as other Sedatives, or past year misuse of Benzodiazepine Sedatives that were specified as other Tranquilizers. This is the base variable for past year use of any Benzodiazepines imputation, IRBZOANYR.

BZOANYR	Len : 1 RC - ANY BENZODIAZEPINES - PAST YEAR USE		
		Freq	Pct
	. = Missing.....	174	0.10
	0 = No.....	160483	92.33
	1 = Yes.....	13151	7.57

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of any prescription psychotherapeutics (ever used/ever misused) in analysis.

PSYANYFLAG	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - EVER USED		
		Freq	Pct
	0 = Never used (All source variables = 0).....	80088	46.08
	1 = Ever used (Any source variable = 1).....	93720	53.92

PSYANYR	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		Freq	Pct
	0 = Did not use within pst year (All source variables =0)	118363	68.10
	1 = Used in past year (Any source variable = 1)	55445	31.90

OPIANYR	Len : 1 RC-ANY OPIOIDS - PAST YEAR USE		
		Freq	Pct
	0 = Did not use within pst year (Otherwise).....	135163	77.77
	1 = Used in past year (HERYR=1 or PNRANYR=1).....	38645	22.23

CNSANYR	Len : 1 RC-ANY CENTRAL NERVOUS SYSTEM STIMULANTS - PAST YEAR USE		
		Freq	Pct
	0 = Did not use within pst year (Otherwise).....	157136	90.41
	1 = Used in past year (STMANYR, METHAMYR, or COCYR=1)	16672	9.59

RECODED DRUG USE

NOTE: The following 25 variables refer to the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor.

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription pain relievers (ever misused) in analysis.

<u>PNRNMFLAG</u>	Len : 1	RC-PAIN RELIEVERS - EVER MISUSED		
			Freq	Pct
		0 = Never misused (IRPNRMREC = 9).....	159430	91.73
		1 = Ever misused (IRPNRMREC = 1-3).....	14378	8.27

<u>PNRNMYSR</u>	Len : 1	RC-PAIN RELIEVERS - PAST YEAR MISUSE		
			Freq	Pct
		0 = Did not misuse in the past year (IRPNRMREC = 3,9).....	168554	96.98
		1 = Misused within the past year (IRPNRMREC = 1,2).....	5254	3.02

<u>PNRNMMSN</u>	Len : 1	RC-PAIN RELIEVERS - PAST MONTH MISUSE		
			Freq	Pct
		0 = Did not misuse in the pst mon (IRPNRMREC = 2-3,9).....	172375	99.18
		1 = Misused within the past month (IRPNRMREC = 1).....	1433	0.82

<u>OXYCNSMYR</u>	Len : 1	RC-OXYCONTIN - PAST YEAR MISUSE		
			Freq	Pct
		0 = Did not misuse in the past year (IROXCNSMYR = 9).....	173174	99.64
		1 = Misused within the past year (IROXCNSMYR = 1).....	634	0.36

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription tranquilizers (ever misused) in analysis.

<u>TRQNMFLAG</u>	Len : 1	RC-TRANQUILIZERS - EVER MISUSED		
			Freq	Pct
		0 = Never misused (IRTRQNMREC = 9).....	167472	96.35
		1 = Ever misused (IRTRQNMREC = 1-3).....	6336	3.65

<u>TRQNMYSR</u>	Len : 1	RC-TRANQUILIZERS - PAST YEAR MISUSE		
			Freq	Pct
		0 = Did not misuse in the past year (IRTRQNMREC = 3,9).....	170998	98.38
		1 = Misused within the past year (IRTRQNMREC = 1,2).....	2810	1.62

<u>TRQNMMSN</u>	Len : 1	RC-TRANQUILIZERS - PAST MONTH MISUSE		
			Freq	Pct
		0 = Did not misuse in the pst mon (IRTRQNMREC = 2-3,9).....	173015	99.54
		1 = Misused within the past month (IRTRQNMREC = 1).....	793	0.46

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription stimulants (ever misused) in analysis.

<u>STMNMFLAG</u>	Len : 1	RC-STIMULANTS - EVER MISUSED		
			Freq	Pct
		0 = Never misused (IRSTMNMREC = 9).....	165905	95.45
		1 = Ever misused (IRSTMNMREC = 1-3).....	7903	4.55

<u>STMNMYR</u>	Len : 1	RC-STIMULANTS - PAST YEAR MISUSE		
			Freq	Pct
		0 = Did not misuse in the past year (IRSTMNMREC = 3,9).....	170510	98.10
		1 = Misused within the past year (IRSTMNMREC = 1,2).....	3298	1.90

<u>STMNMMSN</u>	Len : 1	RC-STIMULANTS - PAST MONTH MISUSE		
			Freq	Pct
		0 = Did not misuse in the pst mon (IRSTMNMREC = 2-3,9).....	172831	99.44
		1 = Misused within the past month (IRSTMNMREC = 1).....	977	0.56

RECODED DRUG USE

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription sedatives (ever misused) in analysis.

<u>SEDNMFLAG</u>	Len : 1 RC-SEDATIVES - EVER MISUSED		
		Freq	Pct
	0 = Never misused (IRSEDNMREC = 9)	170582	98.14
	1 = Ever misused (IRSEDNMREC = 1-3)	3226	1.86

<u>SEDNMYR</u>	Len : 1 RC-SEDATIVES - PAST YEAR MISUSE		
		Freq	Pct
	0 = Did not misuse in the past year (IRSEDNMREC = 3,9)	173240	99.67
	1 = Misused within the past year (IRSEDNMREC = 1,2)	568	0.33

<u>SEDNMMON</u>	Len : 1 RC-SEDATIVES - PAST MONTH MISUSE		
		Freq	Pct
	0 = Did not misuse in the pst mon (IRSEDNMREC = 2-3,9)	173651	99.91
	1 = Misused within the past month (IRSEDNMREC = 1)	157	0.09

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of tranquilizers or sedatives (ever misused) in analysis.

<u>TQSDNMFLAG</u>	Len : 1 RC-TRANQUILIZERS OR SEDATIVES - EVER MISUSED		
		Freq	Pct
	0 = Never misused (Otherwise).....	166294	95.68
	1 = Ever misused (TRQNMFLAG=1 or SEDNMFLAG=1).....	7514	4.32

<u>TQSDNMYR</u>	Len : 1 RC-TRANQUILIZERS OR SEDATIVES - PAST YEAR MISUSE		
		Freq	Pct
	0 = Did not misuse in the past year (Otherwise)	170642	98.18
	1 = Misused in the past year (TRQNMYSR=1 or SEDNMYR=1).....	3166	1.82

<u>TQSDNMMON</u>	Len : 1 RC-TRANQUILIZERS OR SEDATIVES - PAST MONTH MISUSE		
		Freq	Pct
	0 = Did not misuse in the past month (Otherwise)	172904	99.48
	1 = Misused in the past month (TRQNMMON or SEDNMMON=1)	904	0.52

The following variable for any past year misuse of Any Benzodiazepines, BZONMYR, was assigned a positive response if a respondent indicated past year misuse of Benzodiazepine Tranquilizers (TRBZONMYR=1), past year misuse of Benzodiazepine Sedatives (SVBZONMYR=1), past year misuse of Benzodiazepine Tranquilizers that were specified as other Sedatives, or past year misuse of Benzodiazepine Sedatives that were specified as other Tranquilizers. This is the base variable for past year misuse of any Benzodiazepines imputation, IRBZONMYR.

<u>BZONMYR</u>	Len : 1 RC - ANY BENZODIAZEPINES - PAST YEAR MISUSE		
		Freq	Pct
	. = Missing	31	0.02
	0 = No	171254	98.53
	1 = Yes.....	2523	1.45

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of any prescription psychotherapeutics (ever misused) in analysis.

<u>PSYCHFLAG</u>	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - EVER MISUSED		
		Freq	Pct
	0 = Never misused (All source variables = 0)	153813	88.50
	1 = Ever misused (Any source variable = 1)	19995	11.50

<u>PSYCHYR</u>	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST YEAR MISUSE		
		Freq	Pct
	0 = Did not misuse within pst year (All source variables = 0).....	164356	94.56
	1 = Misused in past year (Any source variable = 1)	9452	5.44

<u>PSYCHMON</u>	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST MONTH MISUSE		
		Freq	Pct
	0 = Did not misuse in past month (All source variables = 0).....	170956	98.36
	1 = Misused in past month (Any source variable = 1).....	2852	1.64

RECODED DRUG USE

OPINMYR

Len : 1 RC-OPIOIDS - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (Otherwise)	168321	96.84
1 = Misused in the past year (HERYR=1 or PNRNMYR=1).....	5487	3.16

OPINMMON

Len : 1 RC-OPIOIDS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the past month (Otherwise)	172149	99.05
1 = Misused in the past month (HERMON=1 or PNRNMMON=1)	1659	0.95

HERPNRYR

Len : 1 RC-HEROIN USE AND/OR PAIN RELIEVER MISUSE - PAST YEAR

	Freq	Pct
1 = Heroin use and no pain rel misuse (HERYR=1 and PNRNMYR=0).....	233	0.13
2 = Pain rel misuse and no heroin use (HERYR=0 and PNRNMYR=1).....	4939	2.84
3 = Heroin use and pain rel misuse (HERYR=1 and PNRNMYR=1).....	315	0.18
4 = No heroin use and no pain rel misuse (HERYR=0 and PNRNMYR=0)	168321	96.84

CNSNMYR

Len : 1 RC-CENTRAL NERVOUS SYSTEM STIMULANTS - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (Otherwise)	167113	96.15
1 = Misused in the past year (STMNMYR, METHAMYR, or COCYR=1)	6695	3.85

CNSNMMON

Len : 1 RC-CENTRAL NERVOUS SYSTEM STIMULANTS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the past month (Otherwise)	171073	98.43
1 = Misused in the past month (STMNMMON, METHAMMON, or COCMON=1)	2735	1.57

ILLFLAG

Len : 1 RC-ANY ILLICIT DRUG - EVER USED

	Freq	Pct
0 = Never used (All source variables = 0).....	88879	51.14
1 = Ever used (Any source variable = 1).....	84929	48.86

ILLYR

Len : 1 RC-ANY ILLICIT DRUG - PAST YEAR USE

	Freq	Pct
0 = Did not use in past year (All source variables = 0).....	127280	73.23
1 = Used in past year (Any source variable = 1)	46528	26.77

ILLMON

Len : 1 RC-ANY ILLICIT DRUG - PAST MONTH USE

	Freq	Pct
0 = Did not use in past month (All source variables = 0)	143297	82.45
1 = Used in past month (Any source variable = 1)	30511	17.55

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use of marijuana only variable in analysis. This variable may overestimate lifetime users of only marijuana.

MJONLYFLAG

Len : 1 RC-MARIJUANA ONLY - EVER USED

	Freq	Pct
0 = Never used MJ/has used both MJ & anothr illct drug	135491	77.95
1 = Marijuana is only (illicit) drug ever used	38317	22.05

MJONLYYR

Len : 1 RC-MARIJUANA ONLY - PAST YEAR USE

	Freq	Pct
0 = MJ not used past yr/Used MJ & othr drug past yr.....	144125	82.92
1 = Marijuana is only (illicit) drug in past year	29683	17.08

MJONLYMON

Len : 1 RC-MARIJUANA ONLY - PAST MONTH USE

	Freq	Pct
0 = MJ not used past mnth/Used MJ & othr drug past mo	149533	86.03
1 = Marijuana only (illicit) drug in past month	24275	13.97

RECODED DRUG USE

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use of illicit drugs other than marijuana variable in analysis. This caution does not apply to lifetime use of any illicit drug variable given it is dominated by lifetime marijuana use.

<u>ILLEMFLAG</u>	Len : 1	RC-ILLCIT DRUG OTHER THAN MARIJUANA - EVER USED		
			Freq	Pct
		0 = Never used drug/used only marijuana.....	127196	73.18
		1 = Ever used an Illicit drug except for marijuana	46612	26.82

<u>ILLEMYR</u>	Len : 1	RC-ILLCIT DRUG OTHER THAN MARIJUANA - PAST YEAR		
			Freq	Pct
		0 = Never used drug/used only marijuana past year.....	156963	90.31
		1 = Illicit drug except for marijuana used past year	16845	9.69

<u>ILLEMMON</u>	Len : 1	RC-ILLCIT DRUG OTHER THAN MARIJUANA-PAST MONTH		
			Freq	Pct
		0 = Never used drug/used only marijuana past month.....	167572	96.41
		1 = Illicit drug except for marijuana used past month	6236	3.59

<u>CDUFLAG</u>	Len : 1	RC-CIGARETTES DAILY - EVER USED		
			Freq	Pct
		0 = Never Used/Never Used Daily (Otherwise).....	136428	78.49
		1 = Ever Used (IRCDUAGE=1-90).....	37380	21.51

<u>DCIGMON</u>	Len : 1	RC-PAST MONTH DAILY CIGARETTE USE		
			Freq	Pct
		0 = Did Not Use Daily in Past Mon (IRCIGFM=1-29,91,93).....	162347	93.41
		1 = Used Daily in the Past Month (IRCIGFM=30).....	11461	6.59

<u>CDCGMO</u>	Len : 1	RC-EVER USED CIG DAILY AND PAST MONTH CIG USE		
			Freq	Pct
		0 = No (Otherwise).....	156608	90.10
		1 = Yes (CDUFLAG=1 and CIGMON=1).....	17200	9.90

<u>CDNOCGMO</u>	Len : 1	RC-EVER USED CIG DAILY AND NO PAST MONTH CIG USE		
			Freq	Pct
		0 = No (Otherwise).....	153628	88.39
		1 = Yes (CDUFLAG=1 and CIGMON=0).....	20180	11.61

"Binge" Alcohol Use, BNGDRKMON, is defined as drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females on at least one day in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other.

<u>BNGDRKMON</u>	Len : 1	RC-BINGE ALCOHOL USE PAST 30 DAYS		
			Freq	Pct
		0 = Never/No "Binge" alc use (IRALCBNG30D = 0,91,93).....	136089	78.30
		1 = "Binge" alcohol use (IRALCBNG30D = 1-30).....	37719	21.70

Heavy Alcohol Use, HVYDRKMON, is defined as drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users.

<u>HVYDRKMON</u>	Len : 1	RC-HEAVY ALCOHOL USE PAST 30 DAYS		
			Freq	Pct
		0 = Never/No heavy alc use (IRALCBNG30D = 0-4,91,93).....	163778	94.23
		1 = Heavy alcohol use (IRALCBNG30D = 5-30).....	10030	5.77

<u>ILTOBALCFG</u>	Len : 1	RC-ILLCIT DRUG, TOBACCO PRD, OR ALCOHOL - EVER USED		
			Freq	Pct
		0 = No drug, tob, or alcohol lifetime use (Otherwise).....	41253	23.73
		1 = Drg, tob or alc lifetime use (ILLFLAG, TOBFLAG or ALCFLAG=1).....	132555	76.27

RECODED DRUG USE

<u>ILTOBALCYR</u>	Len : 1 RC-ILLCIT DRUG, TOBACCO PRD, OR ALCOHOL - PAST YEAR USE		
		Freq	Pct
	0 = No drug, tob, or alcohol past yr use (Otherwise).....	59127	34.02
	1 = Drug, tob, or alcohol past yr use (ILLYR, TOBYR or ALCYR=1).....	114681	65.98
<u>ILTOBALCMN</u>	Len : 1 RC-ILLCIT DRUG, TOBACCO PRD, OR ALC - PAST MONTH USE		
		Freq	Pct
	0 = No drug, tob, or alc past mon use (Otherwise).....	80494	46.31
	1 = Drug, tob, or alc past mon use (ILLMON, TOBMON or ALCMON=1).....	93314	53.69
<u>ILTOBVAPALC</u>	Len : 1 RC-TOBACCO, NICOTINE VAPING, ALCOHOL, ILLICIT DRUG - PST MON		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No (ILTOBALCMN=0 and NICVAPMON=0).....	51998	29.92
	1 = Yes (ILTOBALCMN=1 or NICVAPMON=1).....	63776	36.69
<u>ILLALCMON</u>	Len : 1 RC-ILLCIT DRUG OR ALCOHOL - PAST MONTH USE		
		Freq	Pct
	0 = No drug or alc past mon use (Otherwise).....	86997	50.05
	1 = Drug or alc past mon use (ILLMON=1 or ALCMON=1).....	86811	49.95
<u>TOBALCFLG</u>	Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL - EVER USED		
		Freq	Pct
	0 = No tobacco or alcohol lifetime use (Otherwise).....	45819	26.36
	1 = Tobacco or alcohol lifetime use (TOBFLAG=1 or ALCFLAG=1).....	127989	73.64
<u>TOBALCYR</u>	Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL - PAST YEAR USE		
		Freq	Pct
	0 = No tobacco or alcohol past yr use (Otherwise).....	64204	36.94
	1 = Tobacco or alcohol past yr use (TOBYR=1 or ALCYR=1).....	109604	63.06
<u>TOBALCMN</u>	Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL - PAST MONTH USE		
		Freq	Pct
	0 = No tob or alc past mon use (Otherwise).....	86331	49.67
	1 = Tob or alc past mon use (TOBMON=1 or ALCMON=1).....	87477	50.33
<u>ILLANDALC</u>	Len : 1 RC-ILLCIT DRUG AND ALCOHOL USE - PAST YEAR USE		
		Freq	Pct
	0 = No drug or alc past year use (Otherwise).....	134920	77.63
	1 = Drug and alc past year use (ILLYR=1 and ALCYR=1).....	38888	22.37
<u>ILLORALC</u>	Len : 1 RC-ILLCIT DRUG OR ALCOHOL USE - PAST YEAR USE		
		Freq	Pct
	0 = No drug and alc past year use (Otherwise).....	63430	36.49
	1 = Drug or alc past year use (ILLYR=1 or ALCYR=1).....	110378	63.51
<u>ILLALCFLG</u>	Len : 1 RC-ILLCIT DRUG OR ALCOHOL - EVER USED		
		Freq	Pct
	0 = No drug or alc lifetime use (Otherwise).....	43928	25.27
	1 = Drug or alc lifetime use (ILLFLAG=1 or ALCFLAG=1).....	129880	74.73
NOTE: The following 15 variables pertain to the use of specific hallucinogens and inhalants. These variables were revised starting with the 2021 NSDUH so that respondents with unknown lifetime use of the indicated hallucinogen or inhalant were coded as a system missing.			
<u>PEYOTEEVER</u>	Len : 1 RC-EVER USED PEYOTE		
		Freq	Pct
	. = Unknown (Otherwise).....	30	0.02
	0 = No (PEYOTE = 2,91 or HALLUCFLAG=0).....	171704	98.79
	1 = Yes (PEYOTE=1,3).....	2074	1.19

RECODED DRUG USE

MESCEVER

Len : 1 RC-EVER USED Mescaline

	Freq	Pct
. = Unknown (Otherwise).....	45	0.03
0 = No (MESCE=2,91 or HALLUCFLAG=0).....	171144	98.47
1 = Yes (MESCE=1,3).....	2619	1.51

PSILCYEVER

Len : 1 RC-EVER USED PSilocybin (Mushrooms)

	Freq	Pct
. = Unknown (Otherwise).....	28	0.02
0 = No (PSILCY=2,91 or HALLUCFLAG=0).....	155690	89.58
1 = Yes (PSILCY=1,3).....	18090	10.41

AMYLNIEVER

Len : 1 RC-EVER INHALED Amyl Nitrite, "Poppers", Rush, etc.

	Freq	Pct
. = Unknown (Otherwise).....	61	0.04
0 = No (AMYLNIT=2,91 or INHALFLAG =0).....	169823	97.71
1 = Yes (AMYLNIT=1,3).....	3924	2.26

CLEFLUEVER

Len : 1 RC-EVER INHALED Correction Fluid, Degreaser, etc.

	Freq	Pct
. = Unknown (Otherwise).....	42	0.02
0 = No (CLEFLU=2,91 or INHALFLAG =0).....	172722	99.38
1 = Yes (CLEFLU=1,3).....	1044	0.60

GASEVER

Len : 1 RC-EVER INHALED Gasoline or Lighter Fluid

	Freq	Pct
. = Unknown (Otherwise).....	35	0.02
0 = No (GAS=2,91 or INHALFLAG =0).....	171608	98.73
1 = Yes (GAS=1,3).....	2165	1.25

GLUEEVER

Len : 1 RC-EVER INHALED Glue, Shoe Polish, or Toluene

	Freq	Pct
. = Unknown (Otherwise).....	34	0.02
0 = No (GLUE=2,91 or INHALFLAG =0).....	171728	98.80
1 = Yes (GLUE=1,3).....	2046	1.18

ETHEREVER

Len : 1 RC-EVER INHALED Halothane, Ether, or other Anesthetic

	Freq	Pct
. = Unknown (Otherwise).....	35	0.02
0 = No (ETHER=2,91 or INHALFLAG =0).....	173284	99.70
1 = Yes (ETHER=1,3).....	489	0.28

SOLVENEVER

Len : 1 RC-EVER INHALED Lacquer Thinner, other Paint Solvents

	Freq	Pct
. = Unknown (Otherwise).....	27	0.02
0 = No (SOLVENT=2,91 or INHALFLAG =0).....	172904	99.48
1 = Yes (SOLVENT=1,3).....	877	0.50

LGASEVER

Len : 1 RC-EVER INHALED Lighter Gases (Butane, Propane)

	Freq	Pct
. = Unknown (Otherwise).....	19	0.01
0 = No (LGAS=2,91 or INHALFLAG =0).....	173145	99.62
1 = Yes (LGAS=1,3).....	644	0.37

NITOXIEVER

Len : 1 RC-EVER INHALED Nitrous Oxide or "Whippits"

	Freq	Pct
. = Unknown (Otherwise).....	25	0.01
0 = No (NITOXID=2,91 or INHALFLAG =0).....	166437	95.76
1 = Yes (NITOXID=1,3).....	7346	4.23

RECODED DRUG USE

FLTMKEVER	Len : 1 RC-EVER USED FELT-TIP PENS/MARKERS TO GET HIGH		
		Freq	Pct
.	= Unknown (Otherwise).....	25	0.01
0	= No (FELTMARKR=2,91 or INHALFLAG =0).....	167848	96.57
1	= Yes (FELTMARKR=1,3).....	5935	3.41

SPAINTER	Len : 1 RC-EVER INHALED SPRAY PAINTS		
		Freq	Pct
.	= Unknown (Otherwise).....	19	0.01
0	= No (SPPAINT=2,91 or INHALFLAG =0).....	172346	99.16
1	= Yes (SPPAINT=1,3).....	1443	0.83

AIRDUSEVER	Len : 1 RC-EVER USED COMPUTER CLEANER/AIR DUSTER TO GET HIGH		
		Freq	Pct
.	= Unknown (Otherwise).....	21	0.01
0	= No (AIRDUSTER=2,91 or INHALFLAG =0).....	171670	98.77
1	= Yes (AIRDUSTER=1,3).....	2117	1.22

OTHAEREVER	Len : 1 RC-EVER USED OTHER AEROSOL SPRAY		
		Freq	Pct
.	= Unknown (Otherwise).....	31	0.02
0	= No (OTHAEROS=2,91 or INHALFLAG =0).....	172868	99.46
1	= Yes (OTHAEROS=1,3).....	909	0.52

NOTE: The following 12 variables pertain to prescription pain reliever subtype use. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year use of the specific pain reliever subtype were coded as a system missing.

The following variable for any past year use of Hydrocodone Products, RXHYDCANY, was assigned a positive response if a respondent indicated any past year use of Vicodin, Lortab, Norco, Zohydro ER, generic hydrocodone, or past year misuse of other pain relievers that contain hydrocodone. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYR=0) or if a respondent indicated no past year use of Vicodin, Lortab, Norco, Zohydro ER, and generic hydrocodone.

RXHYDCANY	Len : 1 RC-HYDROCODONE PRODUCTS - ANY PAST YEAR USE		
		Freq	Pct
.	= Unknown (Otherwise).....	497	0.29
0	= No (See comment above).....	156491	90.04
1	= Yes (See comment above).....	16820	9.68

RXZOHYANY	Len : 1 RC-ZOHYDRO ER - ANY PAST YEAR USE		
		Freq	Pct
.	= Unknown (Otherwise).....	497	0.29
0	= No.....	173033	99.55
1	= Yes.....	278	0.16

The following variable for any past year use of Oxycodone Products, RXOXCOANY, was assigned a positive response if a respondent indicated any past year use of OxyContin (OXYCNANYR=1), Percocet, Percodan, Roxicodone, or generic oxycodone, or past year misuse of other pain relievers that contain oxycodone. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYR=0) or if a respondent indicated no past year use of OxyContin (OXYCNANYR=0), Percocet, Percodan, Roxicodone, and generic oxycodone.

RXOXCOANY	Len : 1 RC-OXYCODONE PRODUCTS - ANY PAST YEAR USE		
		Freq	Pct
.	= Unknown (Otherwise).....	432	0.25
0	= No (See comment above).....	162325	93.39
1	= Yes (See comment above).....	11051	6.36

RECODED DRUG USE

The following variable for any past year use of Tramadol Products, RXTRAMANY, was assigned a positive response if a respondent indicated any past year use of Ultram, Ultram ER, Ultracet, generic tramadol, or generic extended-release tramadol, or past year misuse of other pain relievers that contain tramadol. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYR=0) or if a respondent indicated no past year use of Ultram, Ultram ER, Ultracet, generic tramadol, and generic extended-release tramadol.

<u>RXTRAMANY</u>	Len : 1	RC-TRAMADOL PRODUCTS - ANY PAST YEAR USE		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (See comment above).....	445	0.26
	1	= Yes (See comment above)	166375	95.72
			6988	4.02

The following variable for any past year use of Codeine Products, RXCODEANY, was assigned a positive response if a respondent indicated any past year use of Codeine, Tylenol with Codeine 3 or 4, or past year misuse of other pain relievers that contain codeine. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYR=0) or if a respondent indicated no past year use of Codeine and Tylenol with Codeine 3 or 4.

<u>RXCODEANY</u>	Len : 1	RC-CODEINE PRODUCTS - ANY PAST YEAR USE		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (See comment above).....	425	0.24
	1	= Yes (See comment above)	163053	93.81
			10330	5.94

The following variable for any past year use of Morphine Products, RXMORPANY, was assigned a positive response if a respondent indicated any past year use of Avinza, Kadian, MS Contin, generic morphine, or generic extended-release morphine, or past year misuse of other pain relievers that contain morphine. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYR=0) or if a respondent indicated no past year use of Avinza, Kadian, MS Contin, generic morphine, and generic extended-release morphine.

<u>RXMORPANY</u>	Len : 1	RC-MORPHINE PRODUCTS - ANY PAST YEAR USE		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (See comment above).....	431	0.25
	1	= Yes (See comment above)	170559	98.13
			2818	1.62

The following variable for any past year use of Buprenorphine Products, RXBUPRANY, was assigned a positive response if a respondent indicated any past year use of Suboxone, or generic buprenorphine, or buprenorphine plus naloxone, or past year misuse of other pain relievers that contain buprenorphine. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYR=0) or if a respondent indicated no past year use of Suboxone, or generic buprenorphine, and buprenorphine plus naloxone.

<u>RXBUPRANY</u>	Len : 1	RC-BUPRENORPHINE PRODUCTS - ANY PAST YEAR USE		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (See comment above).....	377	0.22
	1	= Yes (See comment above)	171470	98.65
			1961	1.13

The following variable for any past year use of Oxymorphone Products, RXOXYMANY, was assigned a positive response if a respondent indicated any past year use of Opana, Opana ER, generic oxymorphone, or generic extended-release oxymorphone, or past year misuse of other pain relievers that contain oxymorphone. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYR=0) or if a respondent indicated no past year use of Opana, Opana ER, generic oxymorphone, and generic extended-release oxymorphone.

<u>RXOXYMANY</u>	Len : 1	RC-OXYMORPHONE PRODUCTS - ANY PAST YEAR USE		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (See comment above).....	397	0.23
	1	= Yes (See comment above)	172788	99.41
			623	0.36

RECODED DRUG USE

The following variable for any past year use of Demerol Products, RXDEMEANY, was assigned a positive response if a respondent indicated any past year use of Demerol, or past year misuse of other pain relievers that contain demerol. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYR=0) or if a respondent indicated no past year use of Demerol.

<u>RXDEMEANY</u>	Len : 1	RC-DEMEROL PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
.	= Unknown (Otherwise).....		414	0.24
0	= No (See comment above).....		173112	99.60
1	= Yes (See comment above).....		282	0.16

The following variable for any past year use of Hydromorphone Products, RXHYDMANY, was assigned a positive response if a respondent indicated any past year use of Dilaudid or generic hydromorphone, or Exalgo or generic extended-release hydromorphone, or past year misuse of other pain relievers that contain hydromorphone. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYR=0) or if a respondent indicated no past year use of Dilaudid or generic hydromorphone and Exalgo or generic extended-release hydromorphone.

<u>RXHYDMANY</u>	Len : 1	RC-HYDROMORPHONE PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
.	= Unknown (Otherwise).....		414	0.24
0	= No (See comment above).....		172643	99.33
1	= Yes (See comment above).....		751	0.43

The following variable for any past year use of Methadone Products, RXMTDNANY, was assigned a positive response if a respondent indicated any past year use of Methadone, or past year misuse of other pain relievers that contain methadone. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYR=0) or if a respondent indicated no past year use of Methadone.

<u>RXMTDNANY</u>	Len : 1	RC-METHADONE PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
.	= Unknown (Otherwise).....		414	0.24
0	= No (See comment above).....		172577	99.29
1	= Yes (See comment above).....		817	0.47

<u>OTHRPNRANY</u>	Len : 1	RC-OTHER PAIN RELIEVER- ANY PAST YEAR USE		
			Freq	Pct
.	= Unknown (Otherwise).....		294	0.17
0	= No.....		161457	92.89
1	= Yes.....		12057	6.94

NOTE: The following nine variables pertain to prescription tranquilizer subtype use. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year use of the specific tranquilizer subtype were coded as a system missing.

The following variable for any past year use of Benzodiazepine Tranquilizers, RXBZOTANY, was assigned a positive response if a respondent indicated any past year use of alprazolam products (Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam), lorazepam products, generic lorazepam), clonazepam products, generic clonazepam), diazepam products, or generic diazepam), or past year misuse of other benzodiazepine tranquilizers. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of alprazolam products (Xanax, Xanax XR, generic alprazolam, and generic extended-release alprazolam), lorazepam products (Ativan, generic lorazepam), clonazepam products (Klonopin and generic clonazepam), and diazepam products (Valium and generic diazepam).

<u>RXBZOTANY</u>	Len : 1	RC-BENZODIAZEPINE TRANQUILIZERS - ANY PAST YEAR USE		
			Freq	Pct
.	= Unknown (Otherwise).....		97	0.06
0	= No (See comment above).....		160944	92.60
1	= Yes (See comment above).....		12767	7.35

RECODED DRUG USE

The following variable for any past year use of Alprazolam Products, RXALPRANY, was assigned a positive response if a respondent indicated any past year use of Xanax, Xanax XR, generic alprazolam, or generic extended-release alprazolam, or past year misuse of other tranquilizers that contain alprazolam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of Xanax, Xanax XR, generic alprazolam, and generic extended-release alprazolam.

RXALPRANY	Len : 1	RC-ALPRAZOLEM PRODUCTS - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
			119	0.07
0	= No (See comment above).....		166452	95.77
1	= Yes (See comment above).....		7237	4.16

The following variable for any past year use of Lorazepam Products, RXLORAANY, was assigned a positive response if a respondent indicated any past year use of Ativan, or generic lorazepam, or past year misuse of other tranquilizers that contain lorazepam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of Ativan and generic lorazepam.

RXLORAANY	Len : 1	RC-LORAZEPAM PRODUCTS - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
			123	0.07
0	= No (See comment above).....		169952	97.78
1	= Yes (See comment above).....		3733	2.15

The following variable for any past year use of Clonazepam Products, RXCLONANY, was assigned a positive response if a respondent indicated any past year use of Klonopin, or generic clonazepam, or past year misuse of other tranquilizers that contain clonazepam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of Klonopin and generic clonazepam.

RXCLONANY	Len : 1	RC-CLONAZEPAM PRODUCTS - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
			124	0.07
0	= No (See comment above).....		170555	98.13
1	= Yes (See comment above).....		3129	1.80

The following variable for any past year use of Diazepam Products, RXDIAZANY, was assigned a positive response if a respondent indicated any past year use of Valium, or generic diazepam, or past year misuse of other tranquilizers that contain diazepam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of Valium and generic diazepam.

RXDIAZANY	Len : 1	RC-DIAZEPAM PRODUCTS - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
			146	0.08
0	= No (See comment above).....		171216	98.51
1	= Yes (See comment above).....		2446	1.41

The following variable for any past year use of Muscle Relaxants, RXMRLXANY, was assigned a positive response if a respondent indicated any past year use of cyclobenzaprine [also known as Flexeril], Soma, or past year misuse of other muscle relaxants. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYR=0) or if a respondent indicated no past year use of cyclobenzaprine [also known as Flexeril] and Soma.

RXMRLXANY	Len : 1	RC-MUSCLE RELAXANTS - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
			164	0.09
0	= No (See comment above).....		169733	97.66
1	= Yes (See comment above).....		3911	2.25

RECODED DRUG USE

The following variable for any past year use of Cyclobenzaprine Products, **RXCYCLANY**, was assigned a positive response if a respondent indicated any past year use of Flexeril, or past year misuse of other muscle relaxants that contain cyclobenzaprine. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYR=0) or if a respondent indicated no past year use of Flexeril.

<u>RXCYCLANY</u>	Len : 1	RC-CYCLOBENZAPRINE PRODUCTS - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
0	= No (See comment above).....		164	0.09
1	= Yes (See comment above)		170018	97.82
			3626	2.09

The following variable for any past year use of Carisoprodol Products, **RXSOMAANY**, was assigned a positive response if a respondent indicated any past year use of Soma, or past year misuse of other muscle relaxants that contain carisoprodol. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYR=0) or if a respondent indicated no past year use of Soma.

<u>RXSOMAANY</u>	Len : 1	RC-SOMA PRODUCTS - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
0	= No (See comment above).....		164	0.09
1	= Yes (See comment above)		173271	99.69
			373	0.21

<u>OTHRTRQANY</u>	Len : 1	RC-OTHER TRANQUILIZER- ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
0	= No		178	0.10
1	= Yes.....		170851	98.30
			2779	1.60

NOTE: The following six variables pertain to prescription stimulant subtype use. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year use of the specific stimulant subtype were coded as a system missing.

The following variable for any past year use of Amphetamine or Methylphenidate Products, **RXAMMEANY**, was assigned a positive response if a respondent indicated any past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, or generic extended-release dexmethylphenidate, or past year misuse of other amphetamines that are prescribed for attention-deficit/hyperactivity disorder (ADHD) or other stimulants that contain methylphenidate. A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYR=0) or if a respondent indicated no past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, and generic extended-release dexmethylphenidate. Amphetamine and methylphenidate products are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

<u>RXAMMEANY</u>	Len : 1	RC-AMPHETAMINE OR METHYLPHENIDATE PRODS - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
0	= No (See comment above).....		120	0.07
1	= Yes (See comment above)		162105	93.27
			11583	6.66

The following variable for any past year use of Amphetamine Products, **RXAMPHANY**, was assigned a positive response if a respondent indicated any past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, or generic extended-release amphetamine-dextroamphetamine combinations, or past year misuse of other amphetamines that are prescribed for attention-deficit/hyperactivity disorder (ADHD). A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYR=0) or if a respondent indicated no past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, and generic extended-release amphetamine-dextroamphetamine combinations. Amphetamines are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

<u>RXAMPHANY</u>	Len : 1	RC-AMPHETAMINE - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
0	= No (See comment above).....		137	0.08
1	= Yes (See comment above)		163829	94.26
			9842	5.66

RECODED DRUG USE

The following variable for any past year use of Methylphenidate Products, RXMTHPANY, was assigned a positive response if a respondent indicated any past year use of Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexamethylphenidate, or generic extended-release dexamethylphenidate, or past year misuse of other stimulants that contain methylphenidate. A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYYR=0) or if a respondent indicated no past year use of Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexamethylphenidate, and generic extended-release dexamethylphenidate.

<u>RXMTHPANY</u>	Len : 1	RC-METHYLPHENIDATE PRODUCTS - ANY PAST YEAR USE		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (See comment above).....	152	0.09
	1	= Yes (See comment above).....	170349	98.01
			3307	1.90

The following variable for any past year use of Anorectic, benzphetamine, Tenuate, diethylpropion, phendimetrazine, or phentermine, or past year misuse of other stimulants that are prescribed for weight loss. A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYYR=0) or if a respondent indicated no past year use of Didrex, benzphetamine, Tenuate, diethylpropion, phendimetrazine, and phentermine.

<u>RXANORANY</u>	Len : 1	RC-ANORECTIC STIMULANTS - ANY PAST YEAR USE		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (See comment above).....	147	0.08
	1	= Yes (See comment above).....	172162	99.05
			1499	0.86

The following variable for any past year use of Provigil Products, RXPROVANY, was assigned a positive response if a respondent indicated any past year use of Provigil, or past year misuse of other stimulants that contain Provigil. A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYYR=0) or if a respondent indicated no past year use of Provigil.

<u>RXPROVANY</u>	Len : 1	RC-PROVIGIL PRODUCTS- ANY PAST YEAR USE		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (See comment above).....	131	0.08
	1	= Yes (See comment above).....	173410	99.77
			267	0.15

<u>OTHRSTMAN</u>	Len : 1	RC-OTHER STIMULANT - ANY PAST YEAR USE		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No.....	141	0.08
	1	= Yes.....	171996	98.96
			1671	0.96

NOTE: The following nine variables pertain to prescription sedative subtype use. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year use of the specific sedative subtype were coded as a system missing.

The following variable for any past year use of Zolpidem Products, RXZOLPANY, was assigned a positive response if a respondent indicated any past year use of Ambien, Ambien CR, generic zolpidem, or extended-release generic zolpidem, or past year misuse of other sedatives that contain zolpidem. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0) or if a respondent indicated no past year use of Ambien, Ambien CR, generic zolpidem, and extended-release generic zolpidem.

<u>RXZOLPANY</u>	Len : 1	RC-ZOLPIDEM PRODUCTS - ANY PAST YEAR USE		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (See comment above).....	92	0.05
	1	= Yes (See comment above).....	170683	98.20
			3033	1.75

RECODED DRUG USE

The following variable for any past year use of Eszopiclone Products, RXESZOANY, was assigned a positive response if a respondent indicated any past year use of Lunesta or generic eszopiclone, or past year misuse of other sedatives that contain eszopiclone. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYR=0) or if a respondent indicated no past year use of Lunesta or generic eszopiclone.

<u>RXESZOANY</u>	Len : 1	RC-ESZOPICLONE PRODUCTS - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
0	= No (See comment above).....		91	0.05
1	= Yes (See comment above).....		173156	99.62
			561	0.32

The following variable for any past year use of Zaleplon Products, RXZALEANY, was assigned a positive response if a respondent indicated any past year use of Sonata or generic zaleplon, or past year misuse of other sedatives that contain zaleplon. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYR=0) or if a respondent indicated no past year use of Sonata or generic zaleplon.

<u>RXZALEANY</u>	Len : 1	RC-ZALEPLON PRODUCTS - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
0	= No (See comment above).....		91	0.05
1	= Yes (See comment above).....		173547	99.85
			170	0.10

The following variable for any past year use of Benzodiazepine Sedatives, RXBZOSANY, was assigned a positive response if a respondent indicated any past year use of flurazepam [also known as Dalmane], temazepam products [Restoril, or generic temazepam], or triazolam [Halcion or generic triazolam], or past year misuse of other benzodiazepine sedatives. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of flurazepam [also known as Dalmane], temazepam products [Restoril, and generic temazepam], and triazolam [Halcion and generic triazolam].

<u>RXBZOSANY</u>	Len : 1	RC-BENZODIAZEPINE SEDATIVES - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
0	= No (See comment above).....		44	0.03
1	= Yes (See comment above).....		172895	99.47
			869	0.50

The following variable for any past year use of Triazolam Products, RXTRIAANY, was assigned a positive response if a respondent indicated any past year use of Halcion, or generic triazolam, or past year misuse of other sedatives that contain tirazolam. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of Halcion and generic triazolam.

<u>RXTRIAANY</u>	Len : 1	RC-TRIAZOLAM PRODUCTS - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
0	= No (See comment above).....		45	0.03
1	= Yes (See comment above).....		173318	99.72
			445	0.26

The following variable for any past year use of Temazepam Products, RXTEMAANY, was assigned a positive response if a respondent indicated any past year use of Restoril, or generic temazepam, or past year misuse of other sedatives that contain temazepam. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of Restoril and generic temazepam.

<u>RXTEMAANY</u>	Len : 1	RC-TEMAZEPAM PRODUCTS - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
0	= No (See comment above).....		44	0.03
1	= Yes (See comment above).....		173388	99.76
			376	0.22

RECODED DRUG USE

The following variable for any past year use of Flurazepam, RXFLURANY, was assigned a positive response if a respondent indicated any past year use of flurazepam [also known as Dalmane], or past year misuse of other sedatives that contain flurazepam. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of flurazepam [also known as Dalmane].

<u>RXFLURANY</u>	Len : 1	RC-FLURAZEPAM PRODUCTS - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
0	= No (See comment above).....		44	0.03
1	= Yes (See comment above)		173678	99.93
			86	0.05

The following variable for any past year use of Barbiturates, RXBARBANY, was assigned a positive response if a respondent indicated any past year use of Butisol, Seconal, or phenobarbital, or past year misuse of other barbiturates. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYR=0) or if a respondent indicated no past year use of Butisol, Seconal, and phenobarbital.

<u>RXBARBANY</u>	Len : 1	RC-BARBITURATES - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
0	= No (See comment above).....		88	0.05
1	= Yes (See comment above)		173364	99.74
			356	0.20

<u>OTHRSEDANY</u>	Len : 1	RC-OTHER SEDATIVE - ANY PAST YEAR USE		
.	= Unknown (Otherwise).....		Freq	Pct
0	= No		84	0.05
1	= Yes.....		170093	97.86
			3631	2.09

NOTE: The following 12 variables pertain to prescription pain reliever subtype misuse. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year misuse of the specific pain reliever subtype were coded as a system missing.

The following variable for past year misuse of Hydrocodone Products, RXHYDCMIS, was assigned a positive response if a respondent indicated past year misuse of Vicodin, Lortab, Norco, Zohydro ER, generic hydrocodone, or other pain relievers that contain hydrocodone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Vicodin, Lortab, Norco, Zohydro ER, and generic hydrocodone.

<u>RXHYDCMIS</u>	Len : 1	RC-HYDROCODONE PRODUCTS - PAST YEAR MISUSE		
.	= Unknown (Otherwise).....		Freq	Pct
0	= No (See comment above).....		87	0.05
1	= Yes (See comment above)		171552	98.70
			2169	1.25

<u>RXZOHYHIS</u>	Len : 1	RC-ZOHYDRO ER - PAST YEAR MISUSE		
.	= Unknown (Otherwise).....		Freq	Pct
0	= No		74	0.04
1	= Yes.....		173703	99.94
			31	0.02

The following variable for past year misuse of Oxycodone Products, RXOXCOMIS, was assigned a positive response if a respondent indicated past year misuse of OxyContin (OXYCNNMYR=1), Percocet, Percodan, Roxicodone, generic oxycodone, or other pain relievers that contain oxycodone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of OxyContin (OXYCNNMYR=0), Percocet, Percodan, Roxicodone, and generic oxycodone.

<u>RXOXCOMIS</u>	Len : 1	RC-OXYCODONE PRODUCTS - PAST YEAR MISUSE		
.	= Unknown (Otherwise).....		Freq	Pct
0	= No (See comment above).....		100	0.06
1	= Yes (See comment above)		171993	98.96
			1715	0.99

RECODED DRUG USE

The following variable for past year misuse of Tramadol Products, RXTRAMMIS, was assigned a positive response if a respondent indicated past year misuse of Ultram, Ultram ER, Ultracet, generic tramadol, generic extended-release tramadol, or other pain relievers that contain tramadol. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Ultram, Ultram ER, Ultracet, generic tramadol, and generic extended-release tramadol.

RXTRAMMIS	Len : 1 RC-TRAMADOL PRODUCTS - PAST YEAR MISUSE		
	.	Freq	Pct
	= Unknown (Otherwise).....	90	0.05
	0 = No (See comment above).....	172928	99.49
	1 = Yes (See comment above)	790	0.45

The following variable for past year misuse of Codeine Products, RXCODEMIS, was assigned a positive response if a respondent indicated past year misuse of Codeine, Tylenol with Codeine 3 or 4, or other pain relievers that contain codeine. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Codeine and Tylenol with Codeine 3 or 4.

RXCODEMIS	Len : 1 RC-CODEINE PRODUCTS - PAST YEAR MISUSE		
	.	Freq	Pct
	= Unknown (Otherwise).....	85	0.05
	0 = No (See comment above).....	172431	99.21
	1 = Yes (See comment above)	1292	0.74

The following variable for past year misuse of Morphine Products, RXMORPMIS, was assigned a positive response if a respondent indicated past year misuse of Avinza, Kadian, MS Contin, generic morphine, generic extended-release morphine, or other pain relievers that contain morphine. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Avinza, Kadian, MS Contin, generic morphine, and generic extended-release morphine.

RXMORPMIS	Len : 1 RC-MORPHINE PRODUCTS - PAST YEAR MISUSE		
	.	Freq	Pct
	= Unknown (Otherwise).....	76	0.04
	0 = No (See comment above).....	173493	99.82
	1 = Yes (See comment above)	239	0.14

The following variable for past year misuse of Buprenorphine Products, RXBUPRMIS, was assigned a positive response if a respondent indicated past year misuse of Suboxone, generic buprenorphine, or buprenorphine plus naloxone, or other pain relievers that contain buprenorphine. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Suboxone, or generic buprenorphine, and buprenorphine plus naloxone.

RXBUPRMIS	Len : 1 RC-BUPRENORPHINE PRODUCTS - PAST YEAR MISUSE		
	.	Freq	Pct
	= Unknown (Otherwise).....	65	0.04
	0 = No (See comment above).....	173308	99.71
	1 = Yes (See comment above)	435	0.25

The following variable for past year misuse of Oxymorphone Products, RXOXYMMIS, was assigned a positive response if a respondent indicated past year misuse of Opana, Opana ER, generic oxymorphone, generic extended-release oxymorphone, or other pain relievers that contain oxymorphone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Opana, Opana ER, generic oxymorphone, and generic extended-release oxymorphone.

RXOXYMMIS	Len : 1 RC-OXYMORPHINE PRODUCTS - PAST YEAR MISUSE		
	.	Freq	Pct
	= Unknown (Otherwise).....	73	0.04
	0 = No (See comment above).....	173642	99.90
	1 = Yes (See comment above)	93	0.05

RECODED DRUG USE

The following variable for past year misuse of Demerol Products, RXDEMEMIS, was assigned a positive response if a respondent indicated past year misuse of Demerol, or other pain relievers that contain demerol. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Demerol.

<u>RXDEMEMIS</u>	Len : 1	RC-DEMEROL PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
.	= Unknown (Otherwise).....		64	0.04
0	= No (See comment above).....		173712	99.94
1	= Yes (See comment above).....		32	0.02

The following variable for past year misuse of Hydromorphone Products, RXHYDMMIS, was assigned a positive response if a respondent indicated past year misuse of Dilaudid or generic hydromorphone, Exalgo or generic extended-release hydromorphone, or other pain relievers that contain hydromorphone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Dilaudid or generic hydromorphone and Exalgo or generic extended-release hydromorphone.ble for past year misuse of Hydromorphone Products, HYDMPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Dilaudid or generic hydromorphone, Exalgo or generic extended-release hydromorphone, or other pain relievers that contain hydromorphone.

<u>RXHYDMMIS</u>	Len : 1	RC-HYDROMORPHONE PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
.	= Unknown (Otherwise).....		66	0.04
0	= No (See comment above).....		173636	99.90
1	= Yes (See comment above).....		106	0.06

The following variable for past year misuse of Methadone Products, RXMTDNMIS, was assigned a positive response if a respondent indicated past year misuse of Methadone, or other pain relievers that contain methadone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Methadone.

<u>RXMTDNMIS</u>	Len : 1	RC-METHADONE PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
.	= Unknown (Otherwise).....		70	0.04
0	= No (See comment above).....		173600	99.88
1	= Yes (See comment above).....		138	0.08

The following variable for the past year misuse of any other pain relievers, OTHRPNRMIS, was assigned a positive response if a respondent indicated past year misuse of any other pain relievers and the respondent did not report their only misuse of any other pain relievers in their write-in responses as containing the following: hydrocodone products, oxycodone products, tramadol products, codeine products, morphine products, fentanyl products, buprenorphine products, oxymorphone products, meperidine products, hydromorphone products, methadone products, or over-the-counter products. Codes for bad data, don't know, refused, and blank are not considered valid values. OTHRPNRMIS was assigned a negative response if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0), if a respondent did not indicate past year misuse of any other pain relievers, or a respondent indicated their only misuse of any other pain relievers in their write-in responses as containing the following: hydrocodone products, oxycodone products, tramadol products, codeine products, morphine products, fentanyl products, buprenorphine products, oxymorphone products, meperidine products, hydromorphone products, methadone products, or over-the-counter products. If a respondent had a least one valid write-in value, the respondent would still be assigned a negative response even if the remaining write-in responses are blank.

<u>OTHRPNRMIS</u>	Len : 1	RC-OTHER PAIN RELIEVER PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
.	= Unknown (Otherwise).....		313	0.18
0	= No (See comment above).....		173167	99.63
1	= Yes (See comment above).....		328	0.19

RECODED DRUG USE

NOTE: The following nine variables pertain to prescription tranquilizer subtype misuse. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year misuse of the specific tranquilizer subtype were coded as a system missing.

The following variable for past year misuse of Benzodiazepine Tranquilizers, RXBZOTMIS, was assigned a positive response if a respondent indicated past year misuse of alprazolam products (Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam), lorazepam products or generic lorazepam), clonazepam products, generic clonazepam), or diazepam products, generic diazepam), or other benzodiazepine tranquilizers. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year misuse of alprazolam products (Xanax and Xanax XR, generic alprazolam, generic extended-release alprazolam), lorazepam products (Ativan and generic lorazepam), clonazepam products (Klonopin and generic clonazepam), and diazepam products (Valium and generic diazepam).

<u>RXBZOTMIS</u>	Len : 1	RC-BENZODIAZEPINE TRANQUILIZERS - PAST YEAR MISUSE		
			Freq	Pct
.	= Unknown (Otherwise).....		23	0.01
0	= No (See comment above).....		171297	98.56
1	= Yes (See comment above).....		2488	1.43

The following variable for past year misuse of Alprazolam Products, RXALPRMIS, was assigned a positive response if a respondent indicated past year misuse of Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam, or other tranquilizers that contain alprazolam. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year misuse of Xanax, Xanax XR, generic alprazolam, and generic extended-release alprazolam.

<u>RXALPRMIS</u>	Len : 1	RC-ALPRAZOLEM PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
.	= Unknown (Otherwise).....		21	0.01
0	= No (See comment above).....		171941	98.93
1	= Yes (See comment above).....		1846	1.06

The following variable for past year misuse of Lorazepam Products, RXLORAMIS, was assigned a positive response if a respondent indicated past year misuse of Ativan, generic lorazepam, or other tranquilizers that contain lorazepam. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year misuse of Ativan and generic lorazepam.

<u>RXLORAMIS</u>	Len : 1	RC-LORAZEPAM PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
.	= Unknown (Otherwise).....		17	0.01
0	= No (See comment above).....		173369	99.75
1	= Yes (See comment above).....		422	0.24

The following variable for past year misuse of Clonazepam Products, RXCLONMIS, was assigned a positive response if a respondent indicated past year misuse of Klonopin, generic clonazepam, or other tranquilizers that contain clonazepam. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year misuse of Klonopin and generic clonazepam.

<u>RXCLONMIS</u>	Len : 1	RC-CLONAZEPAM PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
.	= Unknown (Otherwise).....		25	0.01
0	= No (See comment above).....		173233	99.67
1	= Yes (See comment above).....		550	0.32

The following variable for past year misuse of Diazepam Products, RXDIAZMIS, was assigned a positive response if a respondent indicated past year misuse of Valium, generic diazepam, or other tranquilizers that contain diazepam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year use of Valium and generic diazepam.

<u>RXDIAZMIS</u>	Len : 1	RC-DIAZEPAM PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
.	= Unknown (Otherwise).....		25	0.01
0	= No (See comment above).....		173420	99.78
1	= Yes (See comment above).....		363	0.21

RECODED DRUG USE

The following variable for past year misuse of Muscle Relaxants, RXMRLXMIS, was assigned a positive response if a respondent indicated past year misuse of cyclobenzaprine [also known as Flexeril], Soma, or other muscle relaxants. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0) or if a respondent indicated no past year misuse of cyclobenzaprine [also known as Flexeril] and Soma.

RXMRLXMIS	Len : 1	RC-MUSCLE RELAXANTS - PAST YEAR MISUSE		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (See comment above).....	29	0.02
	1	= Yes (See comment above)	173415	99.77
			364	0.21

The following variable for past year misuse of Cyclobenzaprine Products, RXCYCLMIS, was assigned a positive response if a respondent indicated past year misuse of Flexeril, or other muscle relaxants that contain cyclobenzaprine. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0) or if a respondent indicated no past year misuse of Flexeril.

RXCYCLMIS	Len : 1	RC-CYCLOBENZAPRINE PRODUCTS - PAST YEAR MISUSE		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (See comment above).....	27	0.02
	1	= Yes (See comment above)	173497	99.82
			284	0.16

The following variable for past year misuse of Carisoprodol Products, RXSOMAMIS, was assigned a positive response if a respondent indicated past year misuse of Soma, or other muscle relaxants that contain carisoprodol. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0) or if a respondent indicated no past year misuse of Soma.

RXSOMAMIS	Len : 1	RC-SOMA PRODUCTS - PAST YEAR MISUSE		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (See comment above).....	21	0.01
	1	= Yes (See comment above)	173694	99.93
			93	0.05

The following variable for the past year misuse of any other tranquilizers, OTHRTRQMIS, was assigned a positive response if a respondent indicated past year misuse of any other tranquilizers and the respondent did not report their only misuse of any other tranquilizers in their write-in responses as containing the following: benzodiazepine tranquilizers, muscle relaxants, or over-the-counter products. Codes for bad data, don't know, refused, and blank are not considered valid values. OTHRTRQMIS was assigned a negative response if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent did not indicate past year misuse of any other tranquilizers, or a respondent indicated their only misuse of any other pain relievers in their write-in responses as containing the following: benzodiazepine tranquilizers, muscle relaxants, or over-the-counter products. If a respondent had a least one valid write-in value, the respondent would still be assigned a negative response even if the remaining write-in responses are blank.

OTHRTRQMIS	Len : 1	RC-OTHER TRANQUILIZER PRODUCTS - PAST YEAR MISUSE		
	.	= Unknown (Otherwise).....	Freq	Pct
	0	= No (See comment above).....	48	0.03
	1	= Yes (See comment above)	173694	99.93
			66	0.04

RECODED DRUG USE

NOTE: The following six variables pertain to prescription stimulant subtype misuse. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year misuse of the specific stimulant subtype were coded as a system missing.

The following variable for past year misuse of Amphetamine or Methylphenidate Products, RXAMMEMIS, was assigned a positive response if a respondent indicated past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, or generic extended-release dexmethylphenidate, or other amphetamine that are prescribed for attention-deficit/hyperactivity disorder (ADHD) or other stimulants that contain methylphenidate. A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, and generic extended-release dexmethylphenidate. Amphetamine and methylphenidate products are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

RXAMMEMIS

Len : 1 RC-AMPHETAMINE OR METHYLPHENIDATE PRODS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	27	0.02
0 = No (See comment above).....	170650	98.18
1 = Yes (See comment above)	3131	1.80

The following variable for past year misuse of Amphetamine Products, RXAMPHMIS, was assigned a positive response if a respondent indicated past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, or other amphetamines that are prescribed for attention-deficit/hyperactivity disorder (ADHD). A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, and generic extended-release amphetamine-dextroamphetamine combinations. Amphetamines are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

RXAMPHMIS

Len : 1 RC-AMPHETAMINE - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	30	0.02
0 = No (See comment above).....	170867	98.31
1 = Yes (See comment above)	2911	1.67

The following variable for past year misuse of Methylphenidate Products, RXMTHPMIS, was assigned a positive response if a respondent indicated past year misuse of Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, generic extended-release dexmethylphenidate, or other stimulants that contain methylphenidate. A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, and generic extended-release dexmethylphenidate.

RXMTHPMIS

Len : 1 RC-METHYLPHENIDATE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	28	0.02
0 = No (See comment above).....	173298	99.71
1 = Yes (See comment above)	482	0.28

The following variable for past year misuse of Anorectic, benzphetamine, Tenuate, diethylpropion, phendimetrazine, phentermine, or other stimulants that are prescribed for weight loss. A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Didrex, benzphetamine, Tenuate, diethylpropion, phendimetrazine, and phentermine.

RXANORMIS

Len : 1 RC-ANORECTIC STIMULANTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	22	0.01
0 = No (See comment above).....	173671	99.92
1 = Yes (See comment above)	115	0.07

RECODED DRUG USE

The following variable for past year misuse of Provigil Products, RXPROVMIS, was assigned a positive response if a respondent indicated past year misuse of Provigil, or other stimulants that contain Provigil. A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Provigil.

RXPROVMIS

Len : 1 RC-PROVIGIL PRODUCTS- PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	14	0.01
0 = No (See comment above).....	173739	99.96
1 = Yes (See comment above)	55	0.03

The following variable for the past year misuse of any other stimulants, OTHRSTMMIS, was assigned a positive response if a respondent indicated past year misuse of any other stimulants and the respondent did not report their only misuse of any other stimulants in their write-in responses as containing the following: amphetamine or methylphenidate products, anorectic (weight-loss) stimulants, modafinil products, or over-the-counter products. Codes for bad data, don't know, refused, and blank are not considered valid values. OTHRSTMMIS was assigned a negative response if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0), if a respondent did not indicate past year misuse of any other stimulants, or a respondent indicated their only misuse of any other pain relievers in their write-in responses as containing the following: amphetamine or methylphenidate products, anorectic (weight-loss) stimulants, modafinil products, or over-the-counter products. If a respondent had at least one valid write-in value, the respondent would still be assigned a negative response even if the remaining write-in responses are blank.

OTHRSTMMIS

Len : 1 RC-OTHER STIMULANT PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	55	0.03
0 = No (See comment above).....	173722	99.95
1 = Yes (See comment above)	31	0.02

NOTE: The following nine variables pertain to prescription sedative subtype misuse. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year misuse of the specific sedative subtype were coded as a system missing.

The following variable for past year misuse of Zolpidem Products, RXZOLPMIS, was assigned a positive response if a respondent indicated past year misuse of Ambien, Ambien CR, generic zolpidem, extended-release generic zolpidem, or other sedatives that contain. A negative response was assigned if a respondent was not a past year misuser of prescription sedatives (SEDNMYR=0) or if a respondent indicated no past year misuse of Ambien, Ambien CR, generic zolpidem, and extended-release generic zolpidem.

RXZOLPMIS

Len : 1 RC-ZOLPIDEM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	5	0.00
0 = No (See comment above).....	173477	99.81
1 = Yes (See comment above)	326	0.19

The following variable for past year misuse of Eszopiclone Products, RXESZOMIS, was assigned a positive response if a respondent indicated past year misuse of Lunesta or generic eszopiclone, or other sedatives that contain eszopiclone. A negative response was assigned if a respondent was not a past year misuser of prescription sedatives (SEDNMYR=0) or if a respondent indicated no past year misuse of Lunesta or generic eszopiclone.

RXESZOMIS

Len : 1 RC-ESZOPICLONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	6	0.00
0 = No (See comment above).....	173765	99.98
1 = Yes (See comment above)	37	0.02

The following variable for past year misuse of Benzodiazepine Sedatives, RXBZOSMIS, was assigned a positive response if a respondent indicated past year misuse of flurazepam [also known as Dalmane], temazepam products [Restoril or generic temazepam], or triazolam [Halcion, generic triazolam], or other benzodiazepine sedatives. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDNMYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year use of flurazepam [also known as Dalmane], temazepam products [Restoril and generic temazepam], and triazolam [Halcion and generic triazolam].

RXBZOSMIS

Len : 1 RC-BENZODIAZEPINE SEDATIVES - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	4	0.00
0 = No (See comment above).....	173743	99.96
1 = Yes (See comment above)	61	0.04

RECODED DRUG USE

The following variable for past year misuse of Barbiturates, RXBARBMIS, was assigned a positive response if a respondent indicated past year misuse of Butisol, Seconal, phenobarbital, or other specific write-in barbiturates. A negative response was assigned if a respondent was not a past year misuser of prescription sedatives (SEDNMYR=0) or if a respondent indicated no past year misuse of Butisol, Seconal, and phenobarbital.

<u>RXBARBMIS</u>	Len : 1	RC-BARBITURATES - PAST YEAR MISUSE		
			Freq	Pct
.	= Unknown (Otherwise).....		7	0.00
0	= No (See comment above).....		173773	99.98
1	= Yes (See comment above).....		28	0.02

Note: The following variable for the past year misuse of any other sedatives, OTHRSED2, is based on the edited variable for the misuse of any other sedatives as well as the write-in data for the specific other sedatives that respondents specified that they misused in the past year. OTHRSED2 was assigned a positive response if a respondent indicated past year misuse of any other sedatives and the respondent did not report their only misuse of any other sedatives in their write-in responses as containing the following: zolpidem products, eszopiclone products, benzodiazepine sedatives, barbiturates, or over-the-counter products. OTHRSED2 was assigned a negative response if a respondent was not a past year misuser of prescription sedatives (SEDNMYR=0), if a respondent did not indicate past year misuse of any other sedatives, or a respondent indicated their only misuse of any other sedatives in their write-in responses as containing the following: zolpidem products, eszopiclone products, benzodiazepine sedatives, barbiturates, or over-the-counter products.

<u>OTHRSED2</u>	Len : 1	RC-OTHER SEDATIVE PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
.	= Unknown (Otherwise).....		53	0.03
0	= No (See comment above).....		173629	99.90
1	= Yes (See comment above).....		126	0.07

<u>ALCYDAYS</u>	Len : 1	RC-# OF DAYS USED ALCOHOL IN PAST YEAR		
			Freq	Pct
1	= 1-11 Days (IRALCFY=1-11).....		24565	14.13
2	= 12-49 Days (IRALCFY=12-49).....		28394	16.34
3	= 50-99 Days (IRALCFY=50-99).....		15479	8.91
4	= 100-299 Days (IRALCFY=100-299).....		28850	16.60
5	= 300-365 Days (IRALCFY=300-365).....		5450	3.14
6	= Non User or No Past Year Use (IRALCFY=991,993).....		71070	40.89

<u>MRJYDAYS</u>	Len : 1	RC-# OF DAYS USED MARIJUANA IN PAST YEAR		
			Freq	Pct
1	= 1-11 Days (IRMJFY=1-11).....		10857	6.25
2	= 12-49 Days (IRMJFY=12-49).....		6743	3.88
3	= 50-99 Days (IRMJFY=50-99).....		3556	2.05
4	= 100-299 Days (IRMJFY=100-299).....		9779	5.63
5	= 300-365 Days (IRMJFY=300-365).....		10143	5.84
6	= Non User or No Past Year Use (IRMJFY=991,993).....		132730	76.37

<u>COCYDAYS</u>	Len : 1	RC-# OF DAYS USED COCAINE IN PAST YEAR		
			Freq	Pct
1	= 1-11 Days (IRCOCFY=1-11).....		1980	1.14
2	= 12-49 Days (IRCOCFY=12-49).....		631	0.36
3	= 50-99 Days (IRCOCFY=50-99).....		288	0.17
4	= 100-299 Days (IRCOCFY=100-299).....		377	0.22
5	= 300-365 Days (IRCOCFY=300-365).....		87	0.05
6	= Non User or No Past Year Use (IRCOCFY=991,993).....		170445	98.07

<u>CRKYDAYS</u>	Len : 1	RC-# OF DAYS USED CRACK IN PAST YEAR		
			Freq	Pct
1	= 1-11 Days (IRCRKFY=1-11).....		156	0.09
2	= 12-49 Days (IRCRKFY=12-49).....		105	0.06
3	= 50-99 Days (IRCRKFY=50-99).....		68	0.04
4	= 100-299 Days (IRCRKFY=100-299).....		123	0.07
5	= 300-365 Days (IRCRKFY=300-365).....		50	0.03
6	= Non User or No Past Year Use (IRCRKFY=991,993).....		173306	99.71

RECODED DRUG USE

HERYDAYS

Len : 1 RC-# OF DAYS USED HEROIN IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRHERFY=1-11).....	112	0.06
2 = 12-49 Days (IRHERFY=12-49).....	80	0.05
3 = 50-99 Days (IRHERFY=50-99).....	66	0.04
4 = 100-299 Days (IRHERFY=100-299).....	140	0.08
5 = 300-365 Days (IRHERFY=300-365).....	150	0.09
6 = Non User or No Past Year Use (IRHERFY=991,993).....	173260	99.68

HALLNDAYYR

Len : 1 RC-# OF DAYS USED HALLUCINOGENS IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRHALLUCYFQ=1-11).....	5027	2.89
2 = 12-49 Days (IRHALLUCYFQ=12-49).....	944	0.54
3 = 50-99 Days (IRHALLUCYFQ=50-99).....	306	0.18
4 = 100-299 Days (IRHALLUCYFQ=100-299).....	216	0.12
5 = 300-365 Days (IRHALLUCYFQ=300-365).....	35	0.02
6 = Non User or No Past Year Use (IRHALLUCYFQ=991,993).....	167280	96.24

INHNDAYYR

Len : 1 RC-# OF DAYS USED INHALANTS IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRINHALYFQ=1-11).....	1285	0.74
2 = 12-49 Days (IRINHALYFQ=12-49).....	452	0.26
3 = 50-99 Days (IRINHALYFQ=50-99).....	185	0.11
4 = 100-299 Days (IRINHALYFQ=100-299).....	224	0.13
5 = 300-365 Days (IRINHALYFQ=300-365).....	21	0.01
6 = Non User or No Past Year Use (IRINHALYFQ=991,993).....	171641	98.75

METHNDAYYR

Len : 1 RC-# OF DAYS USED METHAMPHETAMINE IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRMETHAMYFQ=1-11).....	265	0.15
2 = 12-49 Days (IRMETHAMYFQ=12-49).....	219	0.13
3 = 50-99 Days (IRMETHAMYFQ=50-99).....	150	0.09
4 = 100-299 Days (IRMETHAMYFQ=100-299).....	513	0.30
5 = 300-365 Days (IRMETHAMYFQ=300-365).....	346	0.20
6 = Non User or No Past Year Use (IRMETHAMYFQ=991,993).....	172315	99.14

CIGMDAYS

Len : 1 RC-# OF DAYS USED CIGARETTES IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCIGFM=1-2).....	3237	1.86
2 = 3-5 Days (IRCIGFM=3-5).....	1993	1.15
3 = 6-19 Days (IRCIGFM=6-19).....	2715	1.56
4 = 20-29 Days (IRCIGFM=20-29).....	2097	1.21
5 = 30 Days (IRCIGFM=30).....	11461	6.59
6 = Non User or No Past Month Use (IRCIGFM=91,93).....	152305	87.63

CGRMDAYS

Len : 1 RC-# OF DAYS USED CIGARS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCGRFM=1-2).....	2703	1.56
2 = 3-5 Days (IRCGRFM=3-5).....	1161	0.67
3 = 6-19 Days (IRCGRFM=6-19).....	1096	0.63
4 = 20-30 Days (IRCGRFM=20-30).....	1356	0.78
5 = Non User or No Past Month Use (IRCGRFM=91,93).....	167492	96.37

SMKLSDAYS

Len : 1 RC-# OF DAYS USED SMOKELESS TOBACCO IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRSMKLSS30N=1-2).....	673	0.39
2 = 3-5 Days (IRSMKLSS30N=3-5).....	501	0.29
3 = 6-19 Days (IRSMKLSS30N=6-19).....	662	0.38
4 = 20-30 Days (IRSMKLSS30N=20-30).....	2107	1.21
5 = Non User or No Past Month Use (IRSMKLSS30N=91,93).....	169865	97.73

RECODED DRUG USE

NICVPMDDAYS

Len : 1 RC-# OF DAYS VAPED NICOTINE IN PAST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = 1-2 Days (IRNICVAP30N=1-2).....	2140	1.23
2 = 3-5 Days (IRNICVAP30N=3-5).....	1703	0.98
3 = 6-19 Days (IRNICVAP30N=6-19).....	2569	1.48
4 = 20-30 Days (IRNICVAP30N=20-30).....	7585	4.36
5 = Non User or No Past Month Use (IRNICVAP30N=91,93).....	101777	58.56

ALCMDAYS

Len : 1 RC-# OF DAYS USED ALCOHOL IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRALCFM=1-2).....	23922	13.76
2 = 3-5 Days (IRALCFM=3-5).....	20822	11.98
3 = 6-19 Days (IRALCFM=6-19).....	22416	12.90
4 = 20-30 Days (IRALCFM=20-30).....	10412	5.99
5 = Non User or No Past Month Use (IRALCFM=91,93).....	96236	55.37

MRJMDAYS

Len : 1 RC-# OF DAYS USED MARIJUANA IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRMJFM=1-2).....	5437	3.13
2 = 3-5 Days (IRMJFM=3-5).....	3865	2.22
3 = 6-19 Days (IRMJFM=6-19).....	5410	3.11
4 = 20-30 Days (IRMJFM=20-30).....	13317	7.66
5 = Non User or No Past Month Use (IRMJFM=91,93).....	145779	83.87

COCMDAYS

Len : 1 RC-# OF DAYS USED COCAINE IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCOCFM=1-2).....	616	0.35
2 = 3-5 Days (IRCOCFM=3-5).....	235	0.14
3 = 6-19 Days (IRCOCFM=6-19).....	208	0.12
4 = 20-30 Days (IRCOCFM=20-30).....	130	0.07
5 = Non User or No Past Month Use (IRCOCFM=91,93).....	172619	99.32

CRKMDAYS

Len : 1 RC-# OF DAYS USED CRACK IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCRKFM=1-2).....	65	0.04
2 = 3-5 Days (IRCRKFM=3-5).....	47	0.03
3 = 6-19 Days (IRCRKFM=6-19).....	65	0.04
4 = 20-30 Days (IRCRKFM=20-30).....	72	0.04
5 = Non User or No Past Month Use (IRCRKFM=91,93).....	173559	99.86

HERMDAYS

Len : 1 RC-# OF DAYS USED HEROIN IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRHERFM=1-2).....	35	0.02
2 = 3-5 Days (IRHERFM=3-5).....	41	0.02
3 = 6-19 Days (IRHERFM=6-19).....	55	0.03
4 = 20-30 Days (IRHERFM=20-30).....	192	0.11
5 = Non User or No Past Month Use (IRHERFM=91,93).....	173485	99.81

HALLNDAYPM

Len : 1 RC-# OF DAYS USED HALLUCINOGENS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRHALLUC30N=1-2).....	1364	0.78
2 = 3-5 Days (IRHALLUC30N=3-5).....	288	0.17
3 = 6-19 Days (IRHALLUC30N=6-19).....	136	0.08
4 = 20-30 Days (IRHALLUC30N=20-30).....	41	0.02
5 = Non User or No Past Month Use (IRHALLUC30N=91,93).....	171979	98.95

INHNDAYPM

Len : 1 RC-# OF DAYS USED INHALANTS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRINHAL30N=1-2).....	402	0.23
2 = 3-5 Days (IRINHAL30N=3-5).....	191	0.11
3 = 6-19 Days (IRINHAL30N=6-19).....	132	0.08
4 = 20-30 Days (IRINHAL30N=20-30).....	35	0.02
5 = Non User or No Past Month Use (IRINHAL30N=91,93).....	173048	99.56

RECODED DRUG USE

METHNDAYPM

Len : 1 RC-# OF DAYS USED METHAMPHETAMINE IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRMETHAM30N=1-2)	101	0.06
2 = 3-5 Days (IRMETHAM30N=3-5)	87	0.05
3 = 6-19 Days (IRMETHAM30N=6-19)	207	0.12
4 = 20-30 Days (IRMETHAM30N=20-30).....	496	0.29
5 = Non User or No Past Month Use (IRMETHAM30N=91,93).....	172917	99.49

PNRNDAYPM

Len : 1 RC-# OF DAYS MISUSED PAIN RELIEVERS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRPNRNM30FQ=1-2).....	588	0.34
2 = 3-5 Days (IRPNRNM30FQ=3-5).....	338	0.19
3 = 6-19 Days (IRPNRNM30FQ=6-19).....	312	0.18
4 = 20-30 Days (IRPNRNM30FQ=20-30).....	195	0.11
5 = Non User or No Past Month Misuse (IRPNRNM30FQ=91,93).....	172375	99.18

TRQNDAYPM

Len : 1 RC-# OF DAYS MISUSED TRANQUILIZERS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRTRQNM30FQ=1-2)	384	0.22
2 = 3-5 Days (IRTRQNM30FQ=3-5)	202	0.12
3 = 6-19 Days (IRTRQNM30FQ=6-19)	147	0.08
4 = 20-30 Days (IRTRQNM30FQ=20-30).....	60	0.03
5 = Non User or No Past Month Misuse (IRTRQNM30FQ=91,93).....	173015	99.54

STMNDAYPM

Len : 1 RC-# OF DAYS MISUSED STIMULANTS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRSTMNM30FQ=1-2)	479	0.28
2 = 3-5 Days (IRSTMNM30FQ=3-5)	249	0.14
3 = 6-19 Days (IRSTMNM30FQ=6-19)	173	0.10
4 = 20-30 Days (IRSTMNM30FQ=20-30)	76	0.04
5 = Non User or No Past Month Misuse (IRSTMNM30FQ=91,93)	172831	99.44

SEDNDAYPM

Len : 1 RC-# OF DAYS MISUSED SEDATIVES IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRSEDNM30FQ=1-2).....	74	0.04
2 = 3-5 Days (IRSEDNM30FQ=3-5).....	36	0.02
3 = 6-19 Days (IRSEDNM30FQ=6-19).....	36	0.02
4 = 20-30 Days (IRSEDNM30FQ=20-30).....	11	0.01
5 = Non User or No Past Month Misuse (IRSEDNM30FQ=91,93).....	173651	99.91

BNGDRMDAYS

Len : 1 RC-# OF DAYS BINGE USED ALCOHOL IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRALCBNG30D=1-2).....	20833	11.99
2 = 3-5 Days (IRALCBNG30D=3-5).....	9564	5.50
3 = 6-19 Days (IRALCBNG30D=6-19).....	5574	3.21
4 = 20-30 Days (IRALCBNG30D=20-30).....	1748	1.01
5 = Non User or No Past Month Use (IRALCBNG30D=91,93).....	136089	78.30

CIGPDAY

Len : 1 RC-# OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS

	Freq	Pct
1 = Fewer Than 6 (CIG30AV=1,2,3 and IRCIGFM=30).....	2675	1.54
2 = 6-15 (CIG30AV=4 and IRCIGFM=30)	4632	2.67
3 = 16-25 (CIG30AV=5 and IRCIGFM=30)	3218	1.85
4 = 26 or More (CIG30AV=6,7 and IRCIGFM=30).....	924	0.53
5 = Not Reported (CIG30AV=85,94,97,98 and IRCIGFM=30).....	12	0.01
6 = No Daily Use (CIG30AV=91,93 or IRCIGFM=1-29,91,93)	162347	93.41

CIG1PACK

Len : 1 RC-SMKED 1+ PCK OF CIGS PER DAY AMNG DLY SMKERS (1/0)

	Freq	Pct
. = No daily use/not reported (CIGPDAY=5,6).....	162359	93.41
0 = Smoked <1 pack per day (CIGPDAY=1,2).....	7307	4.20
1 = Smoked 1+ pack per day (CIGPDAY=3,4).....	4142	2.38

RECODED DRUG USE

The following variable, CIGAVGD, was defined as the midpoint of the range the respondent reported as the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIG30AV).

<u>CIGAVGD</u>	Len : 4	RC-AVG NUMBER OF CIGARETTES SMOKED PER DAY		
			Freq	Pct
	.	= Not Used/Unknown (Otherwise).....	152364	87.66
	0.5	= Less than 1 cigarette (CIG30AV=1)	2532	1.46
	1	= 1 cigarette (CIG30AV=2)	2703	1.56
	3.5	= 2 to 5 cigarettes (CIG30AV=3).....	5696	3.28
	10.5	= 6 to 15 cigarettes (CIG30AV=4).....	5726	3.29
	20.5	= 16 to 25 cigarettes (CIG30AV=5).....	3643	2.10
	30.5	= 26 to 35 cigarettes (CIG30AV=6).....	791	0.46
	50	= More than 35 cigarettes (CIG30AV=7).....	353	0.20

The following variable, CIGAVGM, was defined as the product of the number of days a user smoked cigarettes in the past month (IRCIGFM) and the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIGAVGD).

<u>CIGAVGM</u>	Len : 6	RC-NUMBER OF CIGARETTES SMOKED PER USER IN PAST MONTH		
			Freq	Pct
	RANGE	= 0.5 - 1500	21444	12.34
	.	= Not Used/Unknown (CIGAVGD=, or IRCIGFM=91,93).....	152364	87.66

The following variable, ALCNUMDKPM, was defined as the product of the number of days a user consumed alcohol in the past month (IRALCFM) and the average number of drinks consumed per day on the days alcohol was used in the past month (ALCUS30D). A value of missing was assigned whenever a respondent said that they had not used alcohol in the past month (IRALCFM=91, 93 or ALCUS30D=991, 993) or the average number of drinks consumed per day on the days alcohol was used in the past month was unknown (ALCUS30D=985, 994, 997, 998) or logically assigned to 5 or more (ALCUS30D=975).

<u>ALCNUMDKPM</u>	Len : 4	RC-NUMBER OF ALC BEVS DRANK PER USER IN PAST MONTH		
			Freq	Pct
	RANGE	= 1 - 2700	72610	41.78
	.	= Not Used/Unknown (See comment above).....	101198	58.22

<u>FUCIG18</u>	Len : 1	RC-FIRST USED CIGARETTES PRIOR TO AGE 18		
			Freq	Pct
	1	= Yes (IRCIGAGE<18)	48324	27.80
	2	= No (IRCIGAGE>=18)	125484	72.20

<u>FUCIG21</u>	Len : 1	RC-FIRST USED CIGARETTES PRIOR TO AGE 21		
			Freq	Pct
	1	= Yes (IRCIGAGE<21)	66321	38.16
	2	= No (IRCIGAGE>=21)	107487	61.84

<u>FUCD218</u>	Len : 1	RC-FIRST USED CIGARETTES DAILY PRIOR TO AGE 18		
			Freq	Pct
	1	= Yes (IRCDUAGE<18).....	17346	9.98
	2	= No (IRCDUAGE>=18).....	156462	90.02

<u>FUCD221</u>	Len : 1	RC-FIRST USED CIGARETTES DAILY PRIOR TO AGE 21		
			Freq	Pct
	1	= Yes (IRCDUAGE<21).....	30125	17.33
	2	= No (IRCDUAGE>=21).....	143683	82.67

<u>FUCGR18</u>	Len : 1	RC-FIRST USED CIGARS PRIOR TO AGE 18		
			Freq	Pct
	1	= Yes (IRCGRAGE<18).....	12897	7.42
	2	= No (IRCGRAGE>=18).....	160911	92.58

<u>FUCGR21</u>	Len : 1	RC-FIRST USED CIGARS PRIOR TO AGE 21		
			Freq	Pct
	1	= Yes (IRCGRAGE<21).....	27461	15.80
	2	= No (IRCGRAGE>=21).....	146347	84.20

RECODED DRUG USE

FUSMKLSS18	Len : 1 RC-FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 18		
		Freq	Pct
	1 = Yes (IRSMKLSSTRY<18).....	10467	6.02
	2 = No (IRSMKLSSTRY>=18).....	163341	93.98
FUSMKLSS21	Len : 1 RC-FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 21		
		Freq	Pct
	1 = Yes (IRSMKLSSTRY<21).....	15976	9.19
	2 = No (IRSMKLSSTRY>=21).....	157832	90.81
FUNICVAP18	Len : 1 RC-FIRST VAPED NICOTINE PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes (IRNICVAPAGE<18).....	12181	7.01
	2 = No (IRNICVAPAGE>=18).....	103593	59.60
FUNICVAP21	Len : 1 RC-FIRST VAPED NICOTINE PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes (IRNICVAPAGE<21).....	18785	10.81
	2 = No (IRNICVAPAGE>=21).....	96989	55.80
FUALC18	Len : 1 RC-FIRST USED ALCOHOL PRIOR TO AGE 18		
		Freq	Pct
	1 = Yes (IRALCAGE<18).....	69587	40.04
	2 = No (IRALCAGE>=18).....	104221	59.96
FUALC21	Len : 1 RC-FIRST USED ALCOHOL PRIOR TO AGE 21		
		Freq	Pct
	1 = Yes (IRALCAGE<21).....	100133	57.61
	2 = No (IRALCAGE>=21).....	73675	42.39
FUMJ18	Len : 1 RC-FIRST USED MARIJUANA PRIOR TO AGE 18		
		Freq	Pct
	1 = Yes (IRMJAGE<18).....	43335	24.93
	2 = No (IRMJAGE>=18).....	130473	75.07
FUMJ21	Len : 1 RC-FIRST USED MARIJUANA PRIOR TO AGE 21		
		Freq	Pct
	1 = Yes (IRMJAGE<21).....	62399	35.90
	2 = No (IRMJAGE>=21).....	111409	64.10
FUCOC18	Len : 1 RC-FIRST USED COCAINE PRIOR TO AGE 18		
		Freq	Pct
	1 = Yes (IRCOCAGE<18).....	4382	2.52
	2 = No (IRCOCAGE>=18).....	169426	97.48
FUCOC21	Len : 1 RC-FIRST USED COCAINE PRIOR TO AGE 21		
		Freq	Pct
	1 = Yes (IRCOCAGE<21).....	10679	6.14
	2 = No (IRCOCAGE>=21).....	163129	93.86
FUCRK18	Len : 1 RC-FIRST USED CRACK PRIOR TO AGE 18		
		Freq	Pct
	1 = Yes (IRCRKAGE<18).....	846	0.49
	2 = No (IRCRKAGE>=18).....	172962	99.51
FUCRK21	Len : 1 RC-FIRST USED CRACK PRIOR TO AGE 21		
		Freq	Pct
	1 = Yes (IRCRKAGE<21).....	1887	1.09
	2 = No (IRCRKAGE>=21).....	171921	98.91

RECODED DRUG USE

FUHER18	Len : 1 RC-FIRST USED HEROIN PRIOR TO AGE 18		
	1 = Yes (IRHERAGE<18).....	Freq 577	Pct 0.33
	2 = No (IRHERAGE>=18).....	173231	99.67
FUHER21	Len : 1 RC-FIRST USED HEROIN PRIOR TO AGE 21		
	1 = Yes (IRHERAGE<21).....	Freq 1303	Pct 0.75
	2 = No (IRHERAGE>=21).....	172505	99.25
FUHALLUC18	Len : 1 RC-FIRST USED HALLUCINOGENS PRIOR TO AGE 18		
	1 = Yes (IRHALLUCAGE<18).....	Freq 9410	Pct 5.41
	2 = No (IRHALLUCAGE>=18).....	164398	94.59
FUHALLUC21	Len : 1 RC-FIRST USED HALLUCINOGENS PRIOR TO AGE 21		
	1 = Yes (IRHALLUCAGE<21).....	Freq 18437	Pct 10.61
	2 = No (IRHALLUCAGE>=21).....	155371	89.39
FULSD18	Len : 1 RC-FIRST USED LSD PRIOR TO AGE 18		
	1 = Yes (IRLSDAGE<18).....	Freq 5877	Pct 3.38
	2 = No (IRLSDAGE>=18).....	167931	96.62
FULSD21	Len : 1 RC-FIRST USED LSD PRIOR TO AGE 21		
	1 = Yes (IRLSDAGE<21).....	Freq 11307	Pct 6.51
	2 = No (IRLSDAGE>=21).....	162501	93.49
FUPCP18	Len : 1 RC-FIRST USED PCP PRIOR TO AGE 18		
	1 = Yes (IRPCPAGE<18).....	Freq 1008	Pct 0.58
	2 = No (IRPCPAGE>=18).....	172800	99.42
FUPCP21	Len : 1 RC-FIRST USED PCP PRIOR TO AGE 21		
	1 = Yes (IRPCPAGE<21).....	Freq 1682	Pct 0.97
	2 = No (IRPCPAGE>=21).....	172126	99.03
FUECSTMO18	Len : 1 RC-FIRST USED ECSTASY PRIOR TO AGE 18		
	1 = Yes (IRECSTMOAGE<18).....	Freq 3000	Pct 1.73
	2 = No (IRECSTMOAGE>=18).....	170808	98.27
FUECSTMO21	Len : 1 RC-FIRST USED ECSTASY PRIOR TO AGE 21		
	1 = Yes (IRECSTMOAGE<21).....	Freq 7513	Pct 4.32
	2 = No (IRECSTMOAGE>=21).....	166295	95.68
FUINHAL18	Len : 1 RC-FIRST USED INHALANTS PRIOR TO AGE 18		
	1 = Yes (IRINHALAGE<18).....	Freq 10536	Pct 6.06
	2 = No (IRINHALAGE>=18).....	163272	93.94
FUINHAL21	Len : 1 RC-FIRST USED INHALANTS PRIOR TO AGE 21		
	1 = Yes (IRINHALAGE<21).....	Freq 13539	Pct 7.79
	2 = No (IRINHALAGE>=21).....	160269	92.21

RECODED DRUG USE

FUMETHAM18	Len : 1 RC-FIRST USED METHAMPHETAMINE PRIOR TO AGE 18		
	1 = Yes (IRMETHAMAGE<18).....	Freq 2185	Pct 1.26
	2 = No (IRMETHAMAGE>=18).....	171623	98.74
FUMETHAM21	Len : 1 RC-FIRST USED METHAMPHETAMINE PRIOR TO AGE 21		
	1 = Yes (IRMETHAMAGE<21).....	Freq 4127	Pct 2.37
	2 = No (IRMETHAMAGE>=21).....	169681	97.63
FUPNRNM18	Len : 1 RC-FIRST MISUSED PAIN RELIEVERS PRIOR TO AGE 18		
	1 = Yes (IRPNRNMAGE<18).....	Freq 299	Pct 0.17
	2 = No (IRPNRNMAGE>=18).....	173509	99.83
FUPNRNM21	Len : 1 RC-FIRST MISUSED PAIN RELIEVERS PRIOR TO AGE 21		
	1 = Yes (IRPNRNMAGE<21).....	Freq 404	Pct 0.23
	2 = No (IRPNRNMAGE>=21).....	173404	99.77
FUTRQNM18	Len : 1 RC-FIRST MISUSED TRANQUILIZERS PRIOR TO AGE 18		
	1 = Yes (IRTRQNMAGE<18).....	Freq 92	Pct 0.05
	2 = No (IRTRQNMAGE>=18).....	173716	99.95
FUTRQNM21	Len : 1 RC-FIRST MISUSED TRANQUILIZERS PRIOR TO AGE 21		
	1 = Yes (IRTRQNMAGE<21).....	Freq 164	Pct 0.09
	2 = No (IRTRQNMAGE>=21).....	173644	99.91
FUSTMNM18	Len : 1 RC-FIRST MISUSED STIMULANTS PRIOR TO AGE 18		
	1 = Yes (IRSTMNMAGE<18).....	Freq 177	Pct 0.10
	2 = No (IRSTMNMAGE>=18).....	173631	99.90
FUSTMNM21	Len : 1 RC-FIRST MISUSED STIMULANTS PRIOR TO AGE 21		
	1 = Yes (IRSTMNMAGE<21).....	Freq 307	Pct 0.18
	2 = No (IRSTMNMAGE>=21).....	173501	99.82
FUSEDNM18	Len : 1 RC-FIRST MISUSED SEDATIVES PRIOR TO AGE 18		
	1 = Yes (IRSEDNMAGE<18).....	Freq 37	Pct 0.02
	2 = No (IRSEDNMAGE>=18).....	173771	99.98
FUSEDNM21	Len : 1 RC-FIRST MISUSED SEDATIVES PRIOR TO AGE 21		
	1 = Yes (IRSEDNMAGE<21).....	Freq 55	Pct 0.03
	2 = No (IRSEDNMAGE>=21).....	173753	99.97

RECODED DRUG USE

The following main reason for misusing pain relievers, PNRRMAINRSN, is defined based on answers to questions about respondents' reasons for misusing pain relievers for their last misuse. Respondents could report more than one reason for misusing pain relievers the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-18 in PNRRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the eight categories below.

1. Main reason is to relieve physical pain (PNRRSMAIN=1,11), reported only one reason which was to relieve physical pain (PNRRSMAIN=99 and PNRRSPAIN=1), or reported some other reason as their only reason but specified that this other reason was to relieve physical pain (PNRRSMAIN=99 and PNRRSPAIN=3).
2. Main reason is to relax or relieve tension (PNRRSMAIN=2,12), reported only one reason which was to relax or relieve tension (PNRRSMAIN=99 and PNRRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (PNRRSMAIN=99 and PNRRSRELX=3).
3. Main reason is to experiment or see what it's like (PNRRSMAIN=3,13), reported only one reason which was to experiment or see what it's like (PNRRSMAIN=99 and PNRRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (PNRRSMAIN=99 and PNRRSEXPT=3).
4. Main reason is to feel good or get high (PNRRSMAIN=4,14), reported only one reason which was to feel good or get high (PNRRSMAIN=99 and PNRRHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (PNRRSMAIN=99 and PNRRSHIGH=3).
5. Main reason is to help with sleep (PNRRSMAIN=5,15), reported only one reason which was to help with sleep (PNRRSMAIN=99 and PNRRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (PNRRSMAIN=99 and PNRRSSLEP=3).
6. Main reason is to help with feelings or emotions (PNRRSMAIN=6,16), reported only one reason which was to help with feelings or emotions (PNRRSMAIN=99 and PNRRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (PNRRSMAIN=99 and PNRRSEMOT=3).
7. Main reason is to increase/decrease effects of other drugs (PNRRSMAIN=7,17), reported only one reason which was to increase/decrease the effects of other drugs (PNRRSMAIN=99 and PNRRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (PNRRSMAIN=99 and PNRRSDGFX=3).
8. Main reason is because hooked or have to have drug (PNRRSMAIN=8,18), reported only one reason which was because they were hooked or had to have the drug (PNRRSMAIN=99 and PNRRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (PNRRSMAIN=99 and PNRRSHOOK=3).
9. Main reason is some other reason (PNRRSMAIN=9), or reported only one reason which was a valid other reason listed for pain relievers other than those defined above based on the write in data (PNRRSMAIN=99 and PNRRSSOR=1 and PNRRSOTRS2=9-71). Values of 1-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for pain relievers but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (PNRRSMAIN=85,94,98) or reported only one reason and the other pain reliever reason was not a valid reason (PNRRSMAIN=99 and PNRRSSOR=1 and PNRRSOTRS2=985,994,997).

PNRRMAINRSN

Len : 1 RC-MAIN REASON FOR MISUSING PAIN RELIEVERS LAST EPISODE

	Freq	Pct
. = Unknown (See comment above).....	1105	0.64
1 = Relieve physical pain (see comment above)	3087	1.78
2 = Relax or relieve tension (see comment above).....	395	0.23
3 = Experiment/see what like (see comment above)	138	0.08
4 = Feel good/get high (see comment above).....	549	0.32
5 = Help with sleep (see comment above).....	233	0.13
6 = Help with feelings or emotions (see comment above).....	231	0.13
7 = Inc/dec effects oth drg (see comment above)	50	0.03
8 = Hooked or have to have drug (see comment above).....	166	0.10
9 = Some other reason (see comment above)	102	0.06
10 = Did not misuse in pst 12 mos (PNRRSMAIN=83,91,93).....	167752	96.52

RECODED DRUG USE

The following main reason for misusing tranquilizers, TRQMAINRSN, is defined based on answers to questions about respondents' reasons for misusing tranquilizers for their last misuse. Respondents could report more than one reason for misusing tranquilizers the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-17 in TRQSRMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the seven categories below.

1. Main reason is to relax or relieve tension (TRQSRMAIN=1,11), reported only one reason which was to relax or relieve tension (TRQSRMAIN=99 and TRQSRRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (TRQSRMAIN=99 and TRQSRRELX=3).
2. Main reason is to experiment or see what it's like (TRQSRMAIN=2,12), reported only one reason which was to experiment or see what it's like (TRQSRMAIN=99 and TRQSRSEXT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (TRQSRMAIN=99 and TRQSRSEXT=3).
3. Main reason is to feel good or get high (TRQSRMAIN=3,13), reported only one reason which was to feel good or get high (TRQSRMAIN=99 and TRQSRHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (TRQSRMAIN=99 and TRQSRHIGH=3).
4. Main reason is to help with sleep (TRQSRMAIN=4,14), reported only one reason which was to help with sleep (TRQSRMAIN=99 and TRQSRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (TRQSRMAIN=99 and TRQSRSSLEP=3).
5. Main reason is to help with feelings or emotions (TRQSRMAIN=5,15), reported only one reason which was to help with feelings or emotions (TRQSRMAIN=99 and TRQSRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (TRQSRMAIN=99 and TRQSRSEMOT=3).
6. Main reason is to increase/decrease effects of other drugs (TRQSRMAIN=6,16), reported only one reason which was to increase/decrease the effects of other drugs (TRQSRMAIN=99 and TRQSRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (TRQSRMAIN=99 and TRQSRSDGFX=3).
7. Main reason is because hooked or have to have drug (TRQSRMAIN=7,17), reported only one reason which was because they were hooked or had to have the drug (TRQSRMAIN=99 and TRQSRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (TRQSRMAIN=99 and TRQSRSHOOK=3).
8. Main reason is some other reason (TRQSRMAIN=8), or reported only one reason which was a valid other reason listed for tranquilizer other than those defined above based on the write in data (TRQSRMAIN=99 and TRQSRSSOR=1 and TRQSRSTRS2=1, 9-72). Values of 2-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for tranquilizers but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (TRQSRMAIN=85,94,98) or reported only one reason and the other tranquilizer reason was not a valid reason (TRQSRMAIN=99 and TRQSRSSOR=1 and TRQSRSTRS2=985,994,997).

TRQMAINRSN

Len : 1 RC-MAIN REASON FOR MISUSING TRANQUILIZERS LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	826	0.48
1 = Relax or relieve tension (see comment above).....	1094	0.63
2 = Experiment/see what like (see comment above)	128	0.07
3 = Feel good/get high (see comment above).....	293	0.17
4 = Help with sleep (see comment above).....	499	0.29
5 = Help with feelings or emotions (see comment above).....	529	0.30
6 = Inc/dec effects oth drg (see comment above)	55	0.03
7 = Hooked or have to have drug (see comment above).....	21	0.01
8 = Some other reason (see comment above)	110	0.06
9 = Did not misuse in pst 12 mos (TRQSRMAIN=83,91,93)	170253	97.95

RECODED DRUG USE

The following main reason for misusing stimulants, STMMAINRSN, is defined based on answers to questions about respondents' reasons for misusing stimulants for their last misuse. Respondents could report more than one reason for misusing stimulants the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-18 in STMRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the eight categories below.

1. Main reason is to help lose weight (STMRSMAIN=1,11), reported only one reason which was to help lose weight (STMRSMAIN=99 and STMRSWGHT=1), or reported some other reason as their only reason but specified that this other reason was to help lose weight (STMRSMAIN=99 and STMRSWGHT=3).
2. Main reason is to help concentrate (STMRSMAIN=2,12), reported only one reason which was to help concentrate (STMRSMAIN=99 and STMRSCONC=1), or reported some other reason as their only reason but specified that this other reason was to help concentrate (STMRSMAIN=99 and STMRSCONC=3).
3. Main reason is to help be alert or stay awake (STMRSMAIN=3,13), reported only one reason which was to help be alert or stay awake (STMRSMAIN=99 and STMRSALRT=1), or reported some other reason as their only reason but specified that this other reason was to help be alert or stay awake (STMRSMAIN=99 and STMRSALRT=3).
4. Main reason is to help study (STMRSMAIN=4,14), reported only one reason which was to help study (STMRSMAIN=99 and STMRSSTDY=1), or reported some other reason as their only reason but specified that this other reason was to help study (STMRSMAIN=99 and STMRSSTDY=3).
5. Main reason is to experiment or see what it's like (STMRSMAIN=5,15), reported only one reason which was to experiment or see what it's like (STMRSMAIN=99 and STMRSXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (STMRSMAIN=99 and STMRSXPT=3).
6. Main reason is to feel good or get high (STMRSMAIN=6,16), reported only one reason which was to feel good or get high (STMRSMAIN=99 and STMRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (STMRSMAIN=99 and STMRSHIGH=3).
7. Main reason is to increase/decrease effects of other drugs (STMRSMAIN=7,17), reported only one reason which was to increase/decrease the effects of other drugs (STMRSMAIN=99 and STMRSDFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (STMRSMAIN=99 and STMRSDFX=3).
8. Main reason is because hooked or have to have the drug (STMRSMAIN=8,18), reported only one reason which was because they were hooked or had to have the drug (STMRSMAIN=99 and STMRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (STMRSMAIN=99 and STMRSHOOK=3).
9. Main reason is some other reason (STMRSMAIN=9), or reported only one reason which was a valid other reason listed for stimulant other than those defined above based on the write in data (STMRSMAIN=99 and STMRSOR=1 and STMRSOTRS2=1,2,6,14-35). Values of 3,4, and 7-12 that are in the specific other reason level are write in responses that do not correspond to reasons listed for stimulants but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (STMRSMAIN=85,94,98) or reported only one reason and the other reason was not a valid reason (STMRSMAIN=99 and STMRSOR=1 and STMRSOTRS2= 985,994,997).

STMMAINRSN

Len : 1 RC-MAIN REASON FOR MISUSING STIMULANTS LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	893	0.51
1 = Help lose weight (see comment above).....	118	0.07
2 = Help concentrate (see comment above).....	1072	0.62
3 = Help be alert or stay awake (see comment above)	828	0.48
4 = Help study (see comment above)	443	0.25
5 = Experiment/see what like (see comment above)	198	0.11
6 = Feel good/get high (see comment above).....	389	0.22
7 = Inc/dec effects oth drg (see comment above)	33	0.02
8 = Hooked or have to have drug (see comment above).....	16	0.01
9 = Some other reason (see comment above)	114	0.07
10 = Did not misuse in pst 12 mos (STMRSMAIN=83,91,93)	169704	97.64

RECODED DRUG USE

The following main reason for misusing sedatives, SEDMAINRSN, is defined based on answers to questions about respondents' reasons for misusing sedatives for their last misuse. Respondents could report more than one reason for misusing sedatives the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-17 in SEDRSMAN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the seven categories below.

1. Main reason is to relax or relieve tension (SEDRSMAN=1,11), reported only one reason which was to relax or relieve tension (SEDRSMAN=99 and SEDRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (SEDRSMAN=99 and SEDRSRELX=3).
2. Main reason is to experiment or see what it's like (SEDRSMAN=2,12), reported only one reason which was to experiment or see what it's like (SEDRSMAN=99 and SEDRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (SEDRSMAN=99 and SEDRSEXPT=3).
3. Main reason is to feel good or get high (SEDRSMAN=3,13), reported only one reason which was to feel good or get high (SEDRSMAN=99 and SEDRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (SEDRSMAN=99 and SEDRSHIGH=3).
4. Main reason is to help with sleep (SEDRSMAN=4,14), reported only one reason which was to help with sleep (SEDRSMAN=99 and SEDRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (SEDRSMAN=99 and SEDRSSLEP=3).
5. Main reason is to help with feelings or emotions (SEDRSMAN=5,15), reported only one reason which was to help with feelings or emotions (SEDRSMAN=99 and SEDRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (SEDRSMAN=99 and SEDRSEMOT=3).
6. Main reason is to increase/decrease effects of other drugs (SEDRSMAN=6,16), reported only one reason which was to increase/decrease the effects of other drugs (SEDRSMAN=99 and SEDRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (SEDRSMAN=99 and SEDRSDGFX=3).
7. Main reason is because hooked or have to have the drug (SEDRSMAN=7,17), reported only one reason which was because they were hooked or had to have the drug (SEDRSMAN=99 and SEDRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (SEDRSMAN=99 and SEDRSHOOK=3).
8. Main reason is some other reason (SEDRSMAN=8), or reported only one reason which was a valid other reason listed for sedative other than those defined above based on the write in data (SEDRSMAN=99 and SEDRSSOR=1 and SEDRSOTRS2=1, 9-33). Values of 2-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for sedatives but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (SEDRSMAN=85,94,98) or reported only one reason and the other reason was not a valid reason (SEDRSMAN=99 and SEDRSSOR=1 and SEDRSOTRS2=985,994,997).

SEDMAINRSN

Len : 1 RC-MAIN REASON FOR MISUSING SEDATIVES LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	1006	0.58
1 = Relax or relieve tension (see comment above).....	81	0.05
2 = Experiment/see what like (see comment above)	13	0.01
3 = Feel good/get high (see comment above).....	28	0.02
4 = Help with sleep (see comment above).....	356	0.20
5 = Help with feelings or emotions (see comment above).....	30	0.02
6 = Inc/dec effects oth drg (see comment above)	4	0.00
7 = Hooked or have to have drug (see comment above).....	4	0.00
8 = Some other reason (see comment above)	22	0.01
9 = Did not misuse in pst 12 mos (SEDRSMAN=83,91,93).....	172264	99.11

RECODED DRUG USE

NOTE: The following four variables pertain to the source of a respondent's most recent misuse of prescription pain relievers (SRCPNRNM2), prescription tranquilizers (SRCTRQNM2), prescription stimulants (SRCSTMNM2), and prescription sedatives (SRCSEDNM2) within the past year.

For each variable there are eight mutually exclusive categories for specific sources, and a missing category for respondents with no past year misuse or unknown responses to the source questions. The categories for the specific sources take into account responses from a single question asking about a single, most recent source of misuse among respondents who misused in the past year.

Based on the following conditions, a respondent was classified in one of the following nine categories (including System Missing) for the source of most recent prescription drug misuse in the past year for the variables, SRCPNRNM2, SRCTRQNM2, SRCSTMNM2, and SRCSEDNM2:

1. Got From One Doctor
2. Got From More Than One Doctor
3. Stole from Dr Office, Clinic, Hospital, or Pharmacy
4. Got From Friend or Relative for Free
5. Bought from Friend or Relative
6. Took from Friend or Relative without Asking
7. Bought from Drug Dealer or Other Stranger
8. Got Some Other Way

(System Missing) No Past Year Misuse/Unknown/Invalid Source

SRCPNRNM2

Len : 2 RC-SOURCE OF PAIN RELIEVERS FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source	168995	97.23
1 = Got From One Doctor	1840	1.06
2 = Got From More Than One Doctor	100	0.06
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	38	0.02
4 = Got From Friend or Relative for Free	1552	0.89
5 = Bought from Friend or Relative	394	0.23
6 = Took from Friend or Relative without Asking	218	0.13
7 = Bought from Drug Dealer or Other Stranger	429	0.25
8 = Got Some Other Way	242	0.14

SRCTRQNM2

Len : 2 RC-SOURCE OF TRANQUILIZERS FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source	171121	98.45
1 = Got From One Doctor	593	0.34
2 = Got From More Than One Doctor	40	0.02
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	8	0.00
4 = Got From Friend or Relative for Free	1217	0.70
5 = Bought from Friend or Relative	291	0.17
6 = Took from Friend or Relative without Asking	111	0.06
7 = Bought from Drug Dealer or Other Stranger	319	0.18
8 = Got Some Other Way	108	0.06

SRCSTMNM2

Len : 2 RC-SOURCE OF STIMULANTS FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source	170651	98.18
1 = Got From One Doctor	580	0.33
2 = Got From More Than One Doctor	43	0.02
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	8	0.00
4 = Got From Friend or Relative for Free	1609	0.93
5 = Bought from Friend or Relative	511	0.29
6 = Took from Friend or Relative without Asking	118	0.07
7 = Bought from Drug Dealer or Other Stranger	170	0.10
8 = Got Some Other Way	118	0.07

SRCSEDNM2

Len : 2 RC-SOURCE OF SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source	173285	99.70
1 = Got From One Doctor	197	0.11
2 = Got From More Than One Doctor	11	0.01
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	10	0.01
4 = Got From Friend or Relative for Free	224	0.13
5 = Bought from Friend or Relative	17	0.01
6 = Took from Friend or Relative without Asking	28	0.02
7 = Bought from Drug Dealer or Other Stranger	24	0.01
8 = Got Some Other Way	12	0.01

RECODED DRUG USE

NOTE: A respondent who misused prescription drugs in the past year was administered a question regarding the source of the drug during their most recent use. If they indicated that their most recent source was a 'friend or relative for free' from either of these questions, then a respondent was administered a follow-up question that asked the source the friend/relative had obtained the drug from. The following four variables pertain to the source from which a respondent's friend or relative obtained the drug for prescription pain relievers (SRCFRPNRNM), prescription tranquilizers (SRCFRTRQNM), prescription stimulants (SRCFRSTMNM), and prescription sedatives (SRCFRSEDNM) within the past year.

For each of the following four variables, there are eight mutually exclusive categories for specific sources that the friend/relative obtained the drug from and a missing category for respondents who did not indicate using the drug in the past year (or lifetime) or a respondent that indicated in one of the previous questions that they had obtained the drug for most recent use from a valid source other than a friend or relative for free and respondents with unknown or invalid values.

Based on the following conditions, a respondent was classified in one of the following nine categories (including System Missing) for the source of most recent prescription drug use in the past year for the variables, SRCFRPNRNM, SRCFRTRQNM, SRCFRSTMNM, and SRCFRSEDNM:

1. Got Prescription(s) from One Doctor (XXXGOTLAS=4 and XXXFFGOT=1, 11)
2. Got Prescription(s) from More Than One Doctor (XXXGOTLAS=4 and XXXFFGOT=2, 12)
3. Stole from Dr Office, Clinic, Hospital, or Pharmacy (XXXGOTLAS=4 and XXXFFGOT=3, 13)
4. Got From Friend or Relative for Free (XXXGOTLAS=4 and XXXFFGOT=4, 14)
5. Bought from Friend or Relative (XXXGOTLAS=4 and XXXFFGOT=5, 15)
6. Took from Friend or Relative without Asking (XXXGOTLAS=4 and XXXFFGOT=6, 16)
7. Bought from Drug Dealer or Other Stranger (XXXGOTLAS=4 and XXXFFGOT=7, 17)
8. Got Some Other Way (XXXGOTLAS=4 and XXXFFGOT=8 and XXXFFGTSP=valid "other" response, levels 9-38, 71)

(System Missing): No Past Year Misuse or Valid Source of Most Recent Misuse Not from Friend or Relative for Free /Unknown/Invalid Source (XXXGOTLAS not=4 or [XXXGOTLAS=4 and XXXFFGOT=94, 97, 98]) or [XXXGOTLAS=4 and XXXFFGOT=8 and XXXFFGTSP=70, 72-75, 85, 94, 97, 98])

SRCFRPNRNM

Len : 1 RC-SOURCE OF FRIEND/RELATIVE PAIN RELIEVERS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	172349	99.16
1 = Got Prescription(s) from One Doctor.....	1135	0.65
2 = Got Prescription(s) from More Than One Doctor	53	0.03
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	14	0.01
4 = Got from Friend or Relative for Free	81	0.05
5 = Bought from Friend or Relative	63	0.04
6 = Took from Friend or Relative without Asking	12	0.01
7 = Bought from Drug Dealer or Other Stranger.....	69	0.04
8 = Got Some Other Way.....	32	0.02

SRCFRTRQNM

Len : 1 RC-SOURCE OF FRIEND/RELATIVE TRANQUILIZERS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	1722649	99.33
1 = Got Prescription(s) from One Doctor.....	910	0.52
2 = Got Prescription(s) from More Than One Doctor	26	0.01
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	1	0.00
4 = Got from Friend or Relative for Free	70	0.04
5 = Bought from Friend or Relative	46	0.03
6 = Took from Friend or Relative without Asking	13	0.01
7 = Bought from Drug Dealer or Other Stranger.....	73	0.04
8 = Got Some Other Way.....	20	0.01

SRCFRSTMNM

Len : 1 RC-SOURCE OF FRIEND/RELATIVE STIMULANTS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	172269	99.11
1 = Got Prescription(s) from One Doctor.....	1256	0.72
2 = Got Prescription(s) from More Than One Doctor	50	0.03
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	3	0.00
4 = Got from Friend or Relative for Free	99	0.06
5 = Bought from Friend or Relative	78	0.04
6 = Took from Friend or Relative without Asking	5	0.00
7 = Bought from Drug Dealer or Other Stranger.....	38	0.02
8 = Got Some Other Way.....	10	0.01

RECODED DRUG USE

SRCFRSEDNM

Len : 1 RC-SOURCE OF FRIEND/RELATIVE SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	173591	99.88
1 = Got Prescription(s) from One Doctor	194	0.11
2 = Got Prescription(s) from More Than One Doctor	3	0.00
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	1	0.00
4 = Got from Friend or Relative for Free	10	0.01
5 = Bought from Friend or Relative	3	0.00
6 = Took from Friend or Relative without Asking	3	0.00
7 = Bought from Drug Dealer or Other Stranger	1	0.00
8 = Got Some Other Way	2	0.00

NOTE: The following four variables show collapsed levels for the source of friend or relative's most recent misuse of prescription pain relievers (SRCCLFRPNR), prescription tranquilizers (SRCCLFRTRQ), prescription stimulants (SRCCLFRSTM), and prescription sedatives (SRCCLFRSED) within the past year.

SRCCLFRPNR

Len : 1 RC-COLLAPSED SOURCE OF FRND/REL PAIN RLVRs FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	172349	99.16
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRPNRNM=1,2,3)	1202	0.69
2 = Got From Friend/Relative (SRCFRPNRNM=4,5,6)	156	0.09
3 = Got From Another Source (SRCFRPNRNM=7,8)	101	0.06

SRCCLFRTRQ

Len : 1 RC-COLLAPSED SOURCE OF FRND/REL TRANQLZRS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	172649	99.33
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRTRQNM=1,2,3)	937	0.54
2 = Got From Friend/Relative (SRCFRTRQNM=4,5,6)	129	0.07
3 = Got From Another Source (SRCFRTRQNM=7,8)	93	0.05

SRCCLFRSTM

Len : 1 RC-COLLAPSED SOURCE OF FRND/REL STIMULANTS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	172269	99.11
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRSTMNM=1,2,3)	1309	0.75
2 = Got From Friend/Relative (SRCFRSTMNM=4,5,6)	182	0.10
3 = Got From Another Source (SRCFRSTMNM=7,8)	48	0.03

SRCCLFRSED

Len : 1 RC-COLLAPSED SOURCE OF FRND/REL SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	173591	99.88
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRSEDNM=1,2,3)	198	0.11
2 = Got From Friend/Relative (SRCFRSEDNM=4,5,6)	16	0.01
3 = Got From Another Source (SRCFRSEDNM=7,8)	3	0.00

SPECIAL DRUGS

OTHER SUBSTANCE TOPICS

SPECIAL DRUGS

This note applies to variables in this section marked by a¹.

The last questions were about prescription drugs. The next question is about non-prescription cough or cold medicines, also known as over the counter medicines. Have you ever, even once, taken a non-prescription cough or cold medicine just to get high?

COLDMEDS¹

Len : 2 TAKEN A NONPRESCRIPTION COUGH MED TO GET HIGH

	Freq	Pct
1 = Yes.....	6657	3.83
2 = No.....	166235	95.64
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW.....	143	0.08
97 = REFUSED.....	84	0.05
98 = BLANK (NO ANSWER).....	687	0.40

How long has it been since you last took one of these cough or cold medicines to get high?

COLDREC¹

Len : 2 TIME SINCE LAST USED COUGH/COLD MED

	Freq	Pct
1 = Within the past 30 days.....	488	0.28
2 = More than 30 days ago but within the past 12 mos.....	1051	0.60
3 = More than 12 months ago.....	4948	2.85
9 = At some point in the lifetime LOG ASSN.....	170	0.10
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED COUGH/COLD MED.....	166235	95.64
97 = REFUSED.....	84	0.05
98 = BLANK (NO ANSWER).....	830	0.48

SPECIAL DRUGS

COLDYR1¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 1

	Freq	Pct
122.0 = Over-the-counter sleep aid; not specified <OTC>	4	0.00
127.0 = Nytol, no other information <OTC>	1	0.00
130.0 = Phenergan, Promethazine.....	13	0.01
136.0 = Dimetapp, no other information <OTC>.....	3	0.00
171.0 = NyQuil, no other information <OTC>	320	0.18
171.1 = NyQuil cold medicine; no other information <OTC>	1	0.00
171.3 = NyQuil Cold and Flu <OTC>	2	0.00
171.5 = ZzzQuil <OTC>.....	4	0.00
171.6 = NyQuil Cough <OTC>	1	0.00
171.7 = NyQuil Severe, no other information <OTC>.....	1	0.00
176.0 = Melatonin <OTC>.....	1	0.00
180.0 = Tylenol P.M. <OTC>.....	7	0.00
415.0 = Codeine.....	23	0.01
418.0 = Methadone, Dolophine.....	1	0.00
422.0 = Motrin, no other information <OTC>	5	0.00
423.0 = Percocet	1	0.00
425.0 = Advil, no other information <OTC>	19	0.01
430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	3	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	73	0.04
438.0 = Anaprox, Naprosyn, Naproxen, Naxen	1	0.00
442.0 = Ibuprofen	14	0.01
450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>	8	0.00
466.0 = Midol <OTC>.....	1	0.00
499.0 = Aleve <OTC>	2	0.00
803.0 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
821.0 = Amoxicillin, Ampicillin.....	1	0.00
829.0 = Robitussin, no other information <OTC>	66	0.04
829.1 = Robitussin DM <OTC>.....	8	0.00
829.2 = Robitussin Maximum Strength <OTC>	1	0.00
829.4 = Robitussin PM <OTC>	1	0.00
829.5 = Robotussin Cough, no other information <OTC>	1	0.00
840.0 = Cough med, generic/unspec, contents unspc <OTC>	42	0.02
840.1 = Night cough med/syrup/drops; brand unspcfd.....	1	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>.....	15	0.01
843.1 = Nighttime cold medication; brand unspecified <OTC>.....	3	0.00
848.0 = Liquid vitamin, vitamin pills <OTC>.....	1	0.00
883.0 = Dextromethorphan Hydrobromide <OTC>.....	16	0.01
900.0 = Not a drug.....	1	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>.....	47	0.03
1017.0 = Ibuprofen PM; otherwise unspecified <OTC>	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	68	0.04
3017.3 = DayQuil Cough DM+ <OTC>	1	0.00
3023.0 = Adderall	1	0.00
3047.0 = Sudafed, no other information <OTC>	15	0.01
4031.0 = Cough medicine with Codeine <OTC>.....	2	0.00
4044.0 = Hydrocodone.....	2	0.00
4046.0 = Oxycodone.....	2	0.00
4076.1 = OTC night time pain reliever; not otherwise spcfd.....	1	0.00
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine.....	5	0.00
6029.0 = DXM <OTC>.....	14	0.01
6083.0 = CCC, "Triple C," C3 <OTC>	2	0.00
8002.0 = Zantac <OTC>	1	0.00
8004.0 = Guaifenesin	1	0.00
8009.0 = Allergy pills/antihistamine; type unspfd <OTC>	2	0.00
8010.0 = Zyrtec, Cetirizine <OTC>	3	0.00
8012.0 = Coricidin, no other information <OTC>	1	0.00
8012.1 = Coricidin Cough and Cold <OTC>	2	0.00
8012.4 = Coricidin HBP Cough & Cold <OTC>	1	0.00
8012.5 = Coricidin HBP, no other information<OTC>	1	0.00
8014.0 = Throat spray; type unspecified <OTC>	1	0.00
8014.1 = Sore throat tablets/lozenges; brand unspecified <OTC>	2	0.00
8019.0 = Azithromycin, Z-pack, Zithromax.....	1	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>.....	2	0.00
8025.1 = Alavert D, Claritin D <OTC>	2	0.00
8032.0 = Prilosec <OTC>	1	0.00
8042.0 = Alka Seltzer, no other information <OTC>.....	7	0.00
8042.1 = Alka-Seltzer Plus Cold, no other information <OTC>	1	0.00
8042.4 = Alka-Seltzer Plus; no other information.....	2	0.00
8042.6 = Alka-Seltzer Plus Cold and Flu <OTC>.....	2	0.00
8056.0 = Vicks, no other information <OTC>	13	0.01
8056.5 = Vicks cough medication, no other info <OTC>	1	0.00
8056.8 = Vicks cold medication, no other information <OTC>.....	1	0.00
8065.0 = Tylenol Cold medication, no other info <OTC>	8	0.00

SPECIAL DRUGS

8070.0 = Advil Cold and Sinus <OTC>.....	7	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	35	0.02
8138.0 = Chlorphenamine maleate, Chlorpheniramine <OTC>.....	1	0.00
8149.0 = Desenfriol <OTC>.....	1	0.00
8169.0 = TheraFlu <OTC>.....	24	0.01
8169.2 = TheraFlu daytime; no other information <OTC>.....	1	0.00
8192.0 = Delsym <OTC>.....	23	0.01
8192.1 = Delsym 12-hour cough <OTC>.....	1	0.00
8200.0 = Tylenol Cold and Flu medication,no othr info <OTC>.....	9	0.01
8201.0 = Tylenol Cough medication, no othr info <OTC>.....	1	0.00
8201.2 = Tylenol Cough and Cold medication; no other info.....	2	0.00
8202.0 = Tussin, no other information.....	6	0.00
8202.2 = Wal-Tussin, no other information <OTC>.....	1	0.00
8202.6 = Tussin DM, no other information <OTC>.....	2	0.00
8204.0 = Flu medication, no other information <OTC>.....	3	0.00
8205.0 = Mucinex, no other information <OTC>.....	65	0.04
8205.1 = Mucinex DM <OTC>.....	6	0.00
8208.0 = Robo, robo tripping.....	1	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>.....	1	0.00
8216.2 = Advil Cold and Flu <OTC>.....	1	0.00
8217.0 = Broncolin <OTC>.....	3	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite).....	10	0.01
8249.0 = XL-3.....	4	0.00
8254.0 = Flanax; no other information <OTC>.....	1	0.00
8258.0 = Tukul <OTC>.....	2	0.00
8261.0 = Rompe Pecho <OTC>.....	2	0.00
8269.0 = Prednisolone.....	1	0.00
8271.0 = Benzonatate.....	2	0.00
8279.0 = Decongestant; contents unspfd <OTC>.....	2	0.00
8284.0 = Xyzal; no other information <OTC>.....	1	0.00
8286.0 = Promethazine VC.....	1	0.00
8291.0 = Ambroxol.....	1	0.00
8299.0 = Kakkontou.....	1	0.00
8300.0 = Neogripal F.....	2	0.00
8303.0 = Antiflu-Des.....	1	0.00
8304.0 = Tylenol Severe medication; no other information.....	2	0.00
8307.0 = Cold-EEZE <OTC>.....	1	0.00
8308.0 = Magnesium <OTC>.....	1	0.00
8309.0 = Zorritone <OTC>.....	1	0.00
8310.0 = Arinac.....	1	0.00
8311.0 = Bronquilan <OTC>.....	1	0.00
8312.0 = Arnuity Ellipta.....	1	0.00
8314.0 = Fexofenadine.....	2	0.00
9985.0 = BAD DATA Logically assigned.....	224	0.13
9991.0 = NEVER USED COUGH/COLD MED.....	166235	95.64
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS.....	4948	2.85
9994.0 = DON'T KNOW.....	145	0.08
9997.0 = REFUSED.....	129	0.07
9998.0 = BLANK (NO ANSWER).....	1008	0.58

SPECIAL DRUGS

COLDYR2¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 2

	Freq	Pct
122.0 = Over-the-counter sleep aid; not specified <OTC>	1	0.00
130.0 = Phenergan, Promethazine.....	1	0.00
136.0 = Dimetapp, no other information <OTC>	1	0.00
171.0 = NyQuil, no other information <OTC>	70	0.04
171.5 = ZzzQuil <OTC>.....	4	0.00
171.6 = NyQuil Cough <OTC>	1	0.00
176.0 = Melatonin <OTC>.....	1	0.00
180.0 = Tylenol P.M. <OTC>.....	2	0.00
415.0 = Codeine.....	8	0.00
422.0 = Motrin, no other information <OTC>	2	0.00
425.0 = Advil, no other information <OTC>	10	0.01
430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	2	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	29	0.02
442.0 = Ibuprofen	5	0.00
450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>	1	0.00
829.0 = Robitussin, no other information <OTC>	22	0.01
829.1 = Robitussin DM <OTC>.....	1	0.00
829.5 = Robotussin Cough, no other information <OTC>	1	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>.....	14	0.01
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	12	0.01
843.1 = Nighttime cold medication; brand unspecified <OTC>.....	1	0.00
883.0 = Dextromethorphan Hydrobromide <OTC>.....	4	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>.....	7	0.00
1014.0 = Advil PM <OTC>	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	38	0.02
3047.0 = Sudafed, no other information <OTC>	7	0.00
3047.1 = Sudafed PE <OTC>	1	0.00
4076.0 = OTC Pain reliever; not otherwise specified <OTC>	1	0.00
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine.....	1	0.00
6029.0 = DXM <OTC>.....	2	0.00
6083.0 = CCC, "Triple C," C3 <OTC>	1	0.00
8009.0 = Allergy pills/antihistamine; type unspfd <OTC>	1	0.00
8010.0 = Zyrtec, Cetirizine <OTC>	3	0.00
8012.0 = Coriciden, no other information <OTC>.....	1	0.00
8020.0 = Allegra, Altiva	1	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>.....	2	0.00
8035.0 = Prednisone	1	0.00
8042.0 = Alka Seltzer, no other information <OTC>.....	2	0.00
8042.1 = Alka-Seltzer Plus Cold, no other information <OTC>	2	0.00
8042.4 = Alka-Seltzer Plus; no other information.....	1	0.00
8042.8 = Alka-Seltzer Plus Cold and Cough <OTC>	1	0.00
8055.0 = Flonase.....	1	0.00
8056.0 = Vicks, no other information <OTC>	2	0.00
8056.1 = Vicks 44 <OTC>.....	1	0.00
8056.5 = Vicks cough medication, no other info <OTC>	1	0.00
8065.0 = Tylenol Cold medication, no other info <OTC>	1	0.00
8070.0 = Advil Cold and Sinus <OTC>.....	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	11	0.01
8123.2 = Tylenol Cold and Sinus medication <OTC>	2	0.00
8169.0 = TheraFlu <OTC>	9	0.01
8169.3 = TheraFlu nighttime; no other information <OTC>.....	1	0.00
8192.0 = Delsym <OTC>	4	0.00
8192.1 = Delsym 12-hour cough <OTC>.....	1	0.00
8200.0 = Tylenol Cold and Flu medication,no othr info <OTC>	3	0.00
8202.0 = Tussin, no other information	3	0.00
8204.0 = Flu medication, no other information <OTC>.....	7	0.00
8204.1 = Night flu medication; brand unspecified <OTC>	1	0.00
8205.0 = Mucinex, no other information <OTC>	19	0.01
8205.1 = Mucinex DM <OTC>	2	0.00
8208.0 = Robo, robo tripping.....	1	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>.....	1	0.00
8216.0 = Advil Cold, no other information <OTC>.....	1	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite).....	3	0.00
8258.0 = Tukul <OTC>	1	0.00
8261.0 = Rompe Pecho <OTC>.....	1	0.00
8279.0 = Decongestant; contents unspfd <OTC>.....	1	0.00
8302.0 = SanaTos; no other information.....	1	0.00
8305.0 = Zinc.....	1	0.00
9985.0 = BAD DATA Logically assigned	143	0.08
9991.0 = NEVER USED COUGH/COLD MED	166235	95.64
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	4948	2.85
9994.0 = DON'T KNOW	11	0.01
9997.0 = REFUSED	89	0.05

SPECIAL DRUGS

9998.0 = BLANK (NO ANSWER)..... 2034 1.17

COLDYR3¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 3

	Freq	Pct
122.0 = Over-the-counter sleep aid; not specified <OTC>.....	1	0.00
171.0 = NyQuil, no other information <OTC>	18	0.01
171.1 = NyQuil cold medicine; no other information <OTC>	1	0.00
171.3 = NyQuil Cold and Flu <OTC>	1	0.00
176.0 = Melatonin <OTC>.....	1	0.00
422.0 = Motrin, no other information <OTC>	1	0.00
425.0 = Advil, no other information <OTC>	3	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	6	0.00
442.0 = Ibuprofen	4	0.00
450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>	3	0.00
499.0 = Aleve <OTC>	2	0.00
801.0 = OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.00
814.0 = Caffeine <OTC>	1	0.00
821.0 = Amoxicillin, Ampicillin	1	0.00
829.0 = Robitussin, no other information <OTC>	2	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>	8	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	3	0.00
843.1 = Nighttime cold medication; brand unspecified <OTC>.....	1	0.00
883.0 = Dextromethorphan Hydrobromide <OTC>.....	1	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>.....	2	0.00
1016.0 = Panadol PM <OTC>	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	7	0.00
3017.1 = DayQuil Cough <OTC>.....	1	0.00
3047.0 = Sudafed, no other information <OTC>	4	0.00
3104.0 = Phenylephrine	1	0.00
6029.0 = DXM <OTC>.....	2	0.00
6083.0 = CCC, "Triple C," C3 <OTC>	1	0.00
8042.1 = Alka-Seltzer Plus Cold, no other information <OTC>	1	0.00
8055.0 = Flonase.....	1	0.00
8056.0 = Vicks, no other information <OTC>	6	0.00
8056.2 = Vicks VapoRub <OTC>.....	1	0.00
8091.0 = Benzedrex <OTC>.....	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	7	0.00
8146.0 = Tabcin <OTC>.....	1	0.00
8169.0 = TheraFlu <OTC>	2	0.00
8192.0 = Delsym <OTC>	2	0.00
8200.0 = Tylenol Cold and Flu medication,no othr info <OTC>	1	0.00
8201.0 = Tylenol Cough medication, no othr info <OTC>	1	0.00
8202.0 = Tussin, no other information	2	0.00
8204.0 = Flu medication, no other information <OTC>.....	2	0.00
8205.0 = Mucinex, no other information <OTC>	4	0.00
8205.1 = Mucinex DM <OTC>	1	0.00
8206.1 = Advil Allergy, no other information <OTC>	1	0.00
8208.0 = Robo, robo tripping.....	1	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>.....	1	0.00
8212.0 = Zicam medication, no other information <OTC>.....	1	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8249.0 = XL-3	1	0.00
8291.0 = Ambroxol.....	1	0.00
9985.0 = BAD DATA Logically assigned	87	0.05
9991.0 = NEVER USED COUGH/COLD MED	166235	95.64
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	4948	2.85
9994.0 = DON'T KNOW	8	0.00
9997.0 = REFUSED	85	0.05
9998.0 = BLANK (NO ANSWER).....	2327	1.34

SPECIAL DRUGS

COLDYR4¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 4

	Freq	Pct
171.0 = NyQuil, no other information <OTC>	8	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	3	0.00
442.0 = Ibuprofen	3	0.00
801.0 = OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.00
829.0 = Robitussin, no other information <OTC>	2	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>	3	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	4	0.00
1015.0 = Motrin PM <OTC>	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	3	0.00
8009.0 = Allergy pills/antihistamine; type unspfd <OTC>	1	0.00
8042.0 = Alka Seltzer, no other information <OTC>	1	0.00
8056.0 = Vicks, no other information <OTC>	2	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	2	0.00
8146.0 = Tabcin <OTC>	1	0.00
8149.1 = Desenfriol D <OTC>	1	0.00
8192.0 = Delsym <OTC>	1	0.00
8203.0 = Sinus medication, no other information <OTC>	1	0.00
8204.0 = Flu medication, no other information <OTC>	2	0.00
8205.0 = Mucinex, no other information <OTC>	2	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>	2	0.00
8216.0 = Advil Cold, no other information <OTC>	1	0.00
8216.2 = Advil Cold and Flu <OTC>	1	0.00
9985.0 = BAD DATA Logically assigned	42	0.02
9991.0 = NEVER USED COUGH/COLD MED	166235	95.64
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	4948	2.85
9997.0 = REFUSED	85	0.05
9998.0 = BLANK (NO ANSWER)	2452	1.41

COLDYR5¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 5

	Freq	Pct
171.0 = NyQuil, no other information <OTC>	3	0.00
377.0 = Albuterol, Proventil, Ventolin	1	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	1	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>	2	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	1	0.00
883.0 = Dextromethorphan Hydrobromide <OTC>	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	1	0.00
8056.0 = Vicks, no other information <OTC>	1	0.00
8192.0 = Delsym <OTC>	1	0.00
8204.0 = Flu medication, no other information <OTC>	1	0.00
8205.0 = Mucinex, no other information <OTC>	2	0.00
8205.1 = Mucinex DM <OTC>	1	0.00
9985.0 = BAD DATA Logically assigned	27	0.02
9991.0 = NEVER USED COUGH/COLD MED	166235	95.64
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	4948	2.85
9994.0 = DON'T KNOW	3	0.00
9997.0 = REFUSED	84	0.05
9998.0 = BLANK (NO ANSWER)	2495	1.44

NOTE: OTCFLAG is a "flag" variable that has a value of 1 when respondents reported use of an over-the-counter (OTC) cold medication to get high in the past year, but the only drugs that they specified were prescription- type ones. OTCFLAG has a value of 2 when respondents reported use of OTC cold medications to get high but their "OTHER, Specify" variables COLDYR1 through COLDYR5 all had codes of "bad data" or "blank."

OTCFLAG¹

Len : 2 INCONSISTENCY FLAG FOR REPORT OF OTC COLD MEDS

	Freq	Pct
1 = Specified use only of prescrip-type drugs, past yr	67	0.04
2 = Bad data or blank in COLDYR1-COLDYR5	189	0.11
98 = BLANK (OTHERWISE)	173552	99.85

SPECIAL DRUGS

The next question is about GHB, also called "G," "Georgia Home Boy," "Grievous Bodily Harm," "Liquid G," or gamma hydroxybutyrate. Have you ever, even once, used GHB?

[GHB](#)¹

Len : 2 EVER USED GHB

	Freq	Pct
1 = Yes.....	847	0.49
2 = No.....	171911	98.91
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW.....	256	0.15
97 = REFUSED.....	79	0.05
98 = BLANK (NO ANSWER).....	713	0.41

How long has it been since you last used GHB?

[GHBREC](#)¹

Len : 2 TIME SINCE LAST USED GHB

	Freq	Pct
1 = Within the past 30 days.....	55	0.03
2 = More than 30 days ago but within the past 12 mos.....	64	0.04
3 = More than 12 months ago.....	719	0.41
9 = At some point in the lifetime LOG ASSN.....	9	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED GHB.....	171911	98.91
97 = REFUSED.....	79	0.05
98 = BLANK (NO ANSWER).....	969	0.56

The next questions are about the different ways that certain drugs can be used.

Have you ever, even once, used a needle to inject cocaine?

[COCNEEDL](#)¹

Len : 2 EVER USED NEEDLE TO INJECT COCAINE

	Freq	Pct
1 = Yes.....	1201	0.69
2 = No.....	18681	10.75
3 = Yes LOGICALLY ASSIGNED.....	15	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED COCAINE.....	153719	88.44
94 = DON'T KNOW.....	4	0.00
97 = REFUSED.....	28	0.02
98 = BLANK (NO ANSWER).....	158	0.09

How long has it been since you last used a needle to inject cocaine?

[CONDLREC](#)¹

Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT COCAINE

	Freq	Pct
1 = Within the past 30 days.....	30	0.02
2 = More than 30 days ago but within the past 12 mos.....	58	0.03
3 = More than 12 months ago.....	1108	0.64
9 = At some point in the lifetime LOG ASSN.....	6	0.00
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	4	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	10	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED COCAINE.....	153719	88.44
93 = USED COCAINE BUT NEVER WITH A NEEDLE.....	18681	10.75
97 = REFUSED.....	28	0.02
98 = BLANK (NO ANSWER).....	163	0.09

Have you ever, even once, smoked heroin?

[HERSMOKE](#)¹

Len : 2 EVER SMOKED HEROIN

	Freq	Pct
1 = Yes.....	1638	0.94
2 = No.....	1652	0.95
3 = Yes LOGICALLY ASSIGNED.....	45	0.03
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED HEROIN.....	170296	97.98
94 = DON'T KNOW.....	3	0.00
97 = REFUSED.....	12	0.01
98 = BLANK (NO ANSWER).....	160	0.09

SPECIAL DRUGS

How long has it been since you last smoked heroin?

[HRSMKREC](#)¹

Len : 2 TIME SINCE LAST SMOKED HEROIN

	Freq	Pct
1 = Within the past 30 days.....	97	0.06
2 = More than 30 days ago but within the past 12 mos	107	0.06
3 = More than 12 months ago	1476	0.85
9 = At some point in the lifetime LOG ASSN.....	2	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED HEROIN.....	170296	97.98
93 = USED HEROIN BUT NEVER SMOKED IT.....	1652	0.95
97 = REFUSED	12	0.01
98 = BLANK (NO ANSWER)	163	0.09

Have you ever, even once, sniffed or "snorted" heroin powder through your nose?

[HERSNIFF](#)¹

Len : 2 EVER SNIFFED HEROIN

	Freq	Pct
1 = Yes.....	2293	1.32
2 = No.....	965	0.56
3 = Yes LOGICALLY ASSIGNED.....	79	0.05
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED HEROIN.....	170296	97.98
94 = DON'T KNOW	1	0.00
97 = REFUSED	12	0.01
98 = BLANK (NO ANSWER)	160	0.09

How long has it been since you last sniffed or "snorted" heroin powder through your nose?

[HRSNFREC](#)¹

Len : 2 TIME SINCE LAST SNIFFED HEROIN

	Freq	Pct
1 = Within the past 30 days.....	163	0.09
2 = More than 30 days ago but within the past 12 mos	174	0.10
3 = More than 12 months ago	2030	1.17
9 = At some point in the lifetime LOG ASSN.....	4	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	170296	97.98
93 = USED HEROIN BUT NEVER SNIFFED IT	965	0.56
97 = REFUSED	12	0.01
98 = BLANK (NO ANSWER)	162	0.09

Have you ever, even once, used a needle to inject heroin?

[HERNEEDL](#)¹

Len : 2 EVER USED NEEDLE TO INJECT HEROIN

	Freq	Pct
1 = Yes.....	1600	0.92
2 = No.....	1717	0.99
3 = Yes LOGICALLY ASSIGNED.....	29	0.02
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED HEROIN.....	170296	97.98
97 = REFUSED	11	0.01
98 = BLANK (NO ANSWER)	153	0.09

Earlier the computer recorded that you had used heroin. In what way have you used heroin?

[HEOTSMK](#)¹

Len : 2 HOW USED HEROIN: SMOKED IT

	Freq	Pct
1 = Response entered	43	0.02
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	140	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	170296	97.98
94 = DON'T KNOW	6	0.00
97 = REFUSED	22	0.01
98 = BLANK (NO ANSWER)	162	0.09
99 = LEGITIMATE SKIP.....	3136	1.80

SPECIAL DRUGS

[HEOTSNE¹](#)

Len : 2 HOW USED HEROIN: SNIFFED IT

	Freq	Pct
1 = Response entered	77	0.04
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	106	0.06
91 = NEVER USED HEROIN.....	170296	97.98
94 = DON'T KNOW	6	0.00
97 = REFUSED	22	0.01
98 = BLANK (NO ANSWER)	163	0.09
99 = LEGITIMATE SKIP.....	3136	1.80

[HEOTNDL¹](#)

Len : 2 HOW USED HEROIN: INJECTED IT WITH A NEEDLE

	Freq	Pct
1 = Response entered	18	0.01
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered	164	0.09
91 = NEVER USED HEROIN.....	170296	97.98
94 = DON'T KNOW	6	0.00
97 = REFUSED	22	0.01
98 = BLANK (NO ANSWER)	163	0.09
99 = LEGITIMATE SKIP.....	3136	1.80

[HEOTOTH¹](#)

Len : 2 HOW USED HEROIN: SOME OTHER WAY

	Freq	Pct
1 = Response entered	57	0.03
6 = Response not entered	128	0.07
91 = NEVER USED HEROIN.....	170296	97.98
94 = DON'T KNOW	6	0.00
97 = REFUSED	22	0.01
98 = BLANK (NO ANSWER)	163	0.09
99 = LEGITIMATE SKIP.....	3136	1.80

[HEOTSP¹](#)

Len : 2 HOW USED HEROIN: SPECIFY

	Freq	Pct
1 = You smoked heroin.....	2	0.00
2 = You sniffed or "snorted" heroin powder	2	0.00
3 = You injected heroin with a needle.....	3	0.00
5 = You took it orally/by mouth/in pill form.....	22	0.01
6 = You sniffed or "snorted" in liquid/melted form.....	2	0.00
10 = You combined it w/Ecstasy (no othr drug mentioned).....	7	0.00
16 = You sniffed/snorted/huffed it; pwdr/liquid unspfd.....	1	0.00
23 = You took it rectally	2	0.00
24 = Acknowledged use; how unspecified	1	0.00
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED HEROIN.....	170296	97.98
97 = REFUSED	27	0.02
98 = BLANK (NO ANSWER)	172	0.10
99 = LEGITIMATE SKIP.....	3264	1.88

How long has it been since you last used a needle to inject heroin?

[HRNDLREC¹](#)

Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT HEROIN

	Freq	Pct
1 = Within the past 30 days.....	135	0.08
2 = More than 30 days ago but within the past 12 mos	113	0.07
3 = More than 12 months ago	1368	0.79
9 = At some point in the lifetime LOG ASSN.....	3	0.00
11 = Within the past 30 days LOGICALLY ASSIGNED.....	1	0.00
12 = More than 30 days ago but within the past 12 mos LOG ASSN	1	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	8	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	170296	97.98
93 = USED HEROIN BUT NEVER WITH A NEEDLE.....	1717	0.99
97 = REFUSED	11	0.01
98 = BLANK (NO ANSWER)	154	0.09

SPECIAL DRUGS

Have you ever, even once, used a needle to inject Methamphetamine?

<u>METHNEEDL</u> ¹	Len : 2	EVER USED NEEDLE TO INJECT METHAMPHETAMINE		
			Freq	Pct
		1 = Yes.....	1529	0.88
		2 = No.....	6239	3.59
		3 = Yes LOGICALLY ASSIGNED.....	11	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED METHAMPHETAMINE	165766	95.37
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	13	0.01
		98 = BLANK (NO ANSWER)	246	0.14

How long has it been since you last used a needle to inject Methamphetamine?

<u>METHNDLRC</u> ¹	Len : 2	TIME SINCE LAST USED NEEDLE TO INJECT METH		
			Freq	Pct
		1 = Within the past 30 days.....	197	0.11
		2 = More than 30 days ago but within the past 12 mos	174	0.10
		3 = More than 12 months ago	1156	0.67
		9 = At some point in the lifetime LOG ASSN.....	1	0.00
		12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	1	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	11	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED METHAMPHETAMINE	165766	95.37
		93 = USED METHAMPH BUT NEVER WITH A NEEDLE.....	6239	3.59
		97 = REFUSED	13	0.01
		98 = BLANK (NO ANSWER)	249	0.14

Have you ever, even once, used a needle to inject any other drug/any drug that was not prescribed for you?

<u>OTDGNEDL</u> ¹	Len : 2	EVER USED NEEDLE TO INJECT ANY OTHER DRUG		
			Freq	Pct
		1 = Yes.....	1066	0.61
		2 = No.....	171857	98.88
		4 = No LOGICALLY ASSIGNED	3	0.00
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	89	0.05
		97 = REFUSED	66	0.04
		98 = BLANK (NO ANSWER)	725	0.42

SPECIAL DRUGS

OTDGNDLA¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 1

	Freq	Pct
109 = Seconal	5	0.00
110 = Tuinal.....	1	0.00
115 = Phenobarbital	2	0.00
116 = Methaqualone, Sopor, Quaalude	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	3	0.00
157 = Barbiturates.....	2	0.00
174 = Ambien	1	0.00
201 = Valium	7	0.00
209 = Xanax.....	14	0.01
246 = Klonopin	1	0.00
306 = Desoxyn.....	1	0.00
311 = Preludin.....	3	0.00
318 = Ritalin	5	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	80	0.05
332 = Ephedrine.....	1	0.00
339 = Amphetamines, otherwise unspecified.....	1	0.00
344 = Bennies	1	0.00
355 = Crystal meth, crystal methamphetamine	2	0.00
382 = Footballs, purple footballs.....	1	0.00
394 = Debs.....	1	0.00
407 = Demerol	8	0.00
408 = Dilaudid, Hydromorphone	85	0.05
417 = Morphine	61	0.04
418 = Methadone	7	0.00
420 = OTHER Pain Reliever, NOT OTHERWISE SPECIFIED.....	15	0.01
423 = Percocet	20	0.01
434 = Vicodin	1	0.00
457 = T's and blues, tee's and b's, tops and bottoms	1	0.00
458 = Mepergan, Mepergan Fortis	1	0.00
465 = Fentanyl.....	25	0.01
481 = Acular, Dolac, Ketorolac tromethamine, Toradol	2	0.00
490 = Nalbuphine, Nubain	1	0.00
601 = LSD ("acid")	6	0.00
605 = PCP ("angel dust," phencyclidine)	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	10	0.01
614 = MDA, Methylenedioxy amphetamine	2	0.00
658 = Special K, Ketamine	34	0.02
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	4	0.00
702 = Heroin.....	78	0.04
704 = Dope	2	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	47	0.03
802 = THC, cannabinal, marinol, tetrahydrocannabinol	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	2	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	40	0.02
806 = Crack, rock.....	19	0.01
807 = Alcohol, beer, ethanol, EtOH, pink champagne	4	0.00
820 = Penicillin	2	0.00
824 = Steroids	19	0.01
848 = Liquid vitamin, vitamin pills <OTC>	4	0.00
893 = Estrogen.....	1	0.00
2001 = Soma.....	2	0.00
2034 = Clonazolam	1	0.00
3023 = Adderall	11	0.01
3046 = Adrenalin, Epinephrine	1	0.00
3052 = Speed, otherwise unspecified.....	5	0.00
3077 = Concerta.....	1	0.00
3111 = Vyvanse	1	0.00
3117 = Methedrone	1	0.00
3143 = Pyrovalerone.....	1	0.00
4043 = Tramadol.....	1	0.00
4044 = Hydrocodone.....	2	0.00
4046 = Oxycodone.....	51	0.03
4047 = Roxicet.....	3	0.00
4056 = Cataflam, Diclofenac, Voltaren.....	1	0.00
4065 = Roxicodone	10	0.01
4067 = OxyContin	66	0.04
4073 = Temgesic.....	1	0.00
4091 = K4.....	2	0.00
4109 = Suboxone	35	0.02
4119 = Buprenorphine	4	0.00
4120 = Opana.....	21	0.01

SPECIAL DRUGS

4150 = Subutex	5	0.00
4502 = Norco	1	0.00
4505 = Oxycodone product, unspecified.....	18	0.01
4510 = Oxymorphone	3	0.00
6005 = Sassafras, sassafras tea.....	1	0.00
6110 = Mad dog.....	1	0.00
6114 = Molly, not otherwise specified	12	0.01
6122 = MMDA	1	0.00
8007 = Gabapentin, Neurontin.....	2	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	1	0.00
8067 = Testosterone.....	28	0.02
8072 = Deca-Durabolin, Nandrolone decanoate.....	1	0.00
8079 = Insulin	2	0.00
8083 = Testosterone cyprionate	2	0.00
8088 = Dianabol	1	0.00
8113 = Test 250, Test 400 <OTC>	2	0.00
8114 = Lidocaine	1	0.00
8129 = Equipoise, Equipose.....	2	0.00
8184 = Ondansetron, Periset, Zofran.....	1	0.00
8188 = Anadrol	1	0.00
8206 = Delatestryl, Testosterone enanthate.....	1	0.00
8212 = Finaplix Gold, Trembolona QV75, Trenbolone	4	0.00
8224 = Oxytocin, Pitocin, Syntocinon	1	0.00
8245 = Human growth hormone (HGH)	2	0.00
8282 = Saline solution, salt, sodium chloride <OTC>	1	0.00
8301 = Bath salts/synthetic cathinone; otherwise unspcfd	5	0.00
8394 = Magnesium chloride <OTC>	1	0.00
8415 = Melanotan 2, Melanotan II.....	1	0.00
8428 = Dexmedetomidine, Precedex.....	1	0.00
8451 = Testosterone booster; contents unspecified	1	0.00
8458 = Estradiol valerate	1	0.00
8459 = Delta-9	1	0.00
8466 = Iloperidone, Fanapt	1	0.00
8481 = Ozempic, Semaglutide injection	1	0.00
8482 = Bremelanotide, PT-141	1	0.00
8503 = Dilantin	2	0.00
8505 = Quetiapine, Seroquel.....	1	0.00
8553 = Bupropion, Wellbutrin, Zyban	3	0.00
9985 = BAD DATA Logically assigned	33	0.02
9989 = LEGITIMATE SKIP Logically assigned	3	0.00
9994 = DON'T KNOW	43	0.02
9997 = REFUSED	86	0.05
9998 = BLANK (NO ANSWER).....	814	0.47
9999 = LEGITIMATE SKIP.....	171857	98.88

SPECIAL DRUGS

OTDGNDLB¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 2

	Freq	Pct
110 = Tuinal.....	2	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
174 = Ambien	1	0.00
201 = Valium	1	0.00
209 = Xanax.....	5	0.00
246 = Klonopin	1	0.00
278 = Benzodiazepines	2	0.00
306 = Desoxyn.....	1	0.00
311 = Preludin.....	1	0.00
318 = Ritalin	4	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	34	0.02
339 = Amphetamines, otherwise unspecified.....	1	0.00
407 = Demerol.....	2	0.00
408 = Dilaudid, Hydromorphone	28	0.02
417 = Morphine	45	0.03
418 = Methadone	1	0.00
420 = OTHER Pain Reliever, NOT OTHERWISE SPECIFIED.....	1	0.00
423 = Percocet	5	0.00
434 = Vicodin	3	0.00
465 = Fentanyl.....	15	0.01
601 = LSD ("acid").....	4	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	2	0.00
616 = DET, Dimethyltryptamine, DMT.....	3	0.00
658 = Special K, Ketamine	5	0.00
663 = Animal tranquilizer, horse tranquilizer	1	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	2	0.00
702 = Heroin.....	26	0.01
704 = Dope	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	17	0.01
802 = THC, cannabinal, marinol, tetrahydrocannabinol	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	31	0.02
806 = Crack, rock.....	9	0.01
807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.00
824 = Steroids.....	3	0.00
2003 = Zanies, zannies, zans, zany bars.....	1	0.00
2030 = Versed.....	1	0.00
2506 = Diazepam.....	1	0.00
3023 = Adderall	11	0.01
3052 = Speed, otherwise unspecified.....	2	0.00
4037 = MS Contin.....	1	0.00
4044 = Hydrocodone.....	1	0.00
4046 = Oxycodone.....	18	0.01
4047 = Roxicet.....	1	0.00
4065 = Roxicodone	9	0.01
4067 = OxyContin	25	0.01
4109 = Suboxone	15	0.01
4120 = Opana.....	9	0.01
4150 = Subutex	4	0.00
4501 = Lortab	2	0.00
4505 = Oxycodone product, unspecified.....	12	0.01
6114 = Molly, not otherwise specified.....	1	0.00
8067 = Testosterone.....	6	0.00
8072 = Deca-Durabolin, Nandrolone decanoate.....	2	0.00
8090 = Sustanon, Sostanon	1	0.00
8212 = Finaplix Gold, Trembolona QV75, Trenbolone	1	0.00
8245 = Human growth hormone (HGH)	2	0.00
8301 = Bath salts/synthetic cathinone; otherwise unspcfd	1	0.00
8342 = Nalone, Naloxone, Narcan	1	0.00
8438 = Ts and Bs	1	0.00
8452 = Victoza.....	1	0.00
8462 = Estradiol enantate.....	1	0.00
8476 = Bupivacaine, Marcaine	1	0.00
8553 = Bupropion, Wellbutrin, Zyban	1	0.00
9985 = BAD DATA Logically assigned	27	0.02
9994 = DON'T KNOW	16	0.01
9997 = REFUSED	75	0.04
9998 = BLANK (NO ANSWER).....	1435	0.83
9999 = LEGITIMATE SKIP.....	171860	98.88

SPECIAL DRUGS

OTDGNLDC¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 3

	Freq	Pct
105 = Placidyl, Ethchlorvynol.....	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
174 = Ambien	1	0.00
201 = Valium	1	0.00
207 = Ativan	1	0.00
209 = Xanax.....	3	0.00
318 = Ritalin	7	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	7	0.00
348 = Crystal	1	0.00
407 = Demerol	2	0.00
408 = Dilaudid, Hydromorphone	14	0.01
417 = Morphine	15	0.01
418 = Methadone	3	0.00
420 = OTHER Pain Reliever, NOT OTHERWISE SPECIFIED.....	1	0.00
423 = Percocet	3	0.00
465 = Fentanyl.....	9	0.01
605 = PCP ("angel dust," phencyclidine).....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	2	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	1	0.00
658 = Special K, Ketamine	1	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	1	0.00
702 = Heroin.....	16	0.01
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	13	0.01
805 = Cocaine, coca, cocaina, coke, perico.....	15	0.01
806 = Crack, rock.....	4	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
3023 = Adderall	8	0.00
3052 = Speed, otherwise unspecified	1	0.00
3111 = Vyvanse	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol.....	1	0.00
4044 = Hydrocodone.....	1	0.00
4046 = Oxycodone.....	12	0.01
4065 = Roxicodone	4	0.00
4067 = OxyContin	11	0.01
4109 = Suboxone	4	0.00
4120 = Opana.....	6	0.00
4150 = Subutex	1	0.00
4505 = Oxycodone product, unspecified.....	4	0.00
4507 = Kadian.....	1	0.00
6114 = Molly, not otherwise specified	1	0.00
8067 = Testosterone.....	2	0.00
8245 = Human growth hormone (HGH)	1	0.00
8477 = Betamethasone.....	1	0.00
9985 = BAD DATA Logically assigned	12	0.01
9994 = DON'T KNOW	3	0.00
9997 = REFUSED	66	0.04
9998 = BLANK (NO ANSWER).....	1682	0.97
9999 = LEGITIMATE SKIP.....	171860	98.88

SPECIAL DRUGS

OTDGNLDL¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 4

	Freq	Pct
108 = Nembutal	1	0.00
110 = Tuinal.....	1	0.00
157 = Barbiturates.....	1	0.00
174 = Ambien	1	0.00
209 = Xanax.....	3	0.00
278 = Benzodiazepines	1	0.00
318 = Ritalin	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	12	0.01
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	0.00
407 = Demerol	1	0.00
408 = Dilaudid, Hydromorphone	11	0.01
417 = Morphine	8	0.00
418 = Methadone	1	0.00
423 = Percocet	1	0.00
465 = Fentanyl.....	3	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	1	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.00
702 = Heroin.....	2	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	4	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	6	0.00
806 = Crack, rock.....	2	0.00
3023 = Adderall	2	0.00
4044 = Hydrocodone.....	1	0.00
4046 = Oxycodone.....	1	0.00
4047 = Roxicet.....	1	0.00
4065 = Roxicodone	2	0.00
4067 = OxyContin	2	0.00
4120 = Opana.....	1	0.00
4150 = Subutex	1	0.00
4505 = Oxycodone product, unspecified.....	3	0.00
6114 = Molly, not otherwise specified.....	2	0.00
8224 = Oxytocin, Pitocin, Syntocinon	1	0.00
8301 = Bath salts/synthetic cathinone; otherwise unspcfd	1	0.00
8478 = Hyaluronic acid.....	1	0.00
9985 = BAD DATA Logically assigned	8	0.00
9994 = DON'T KNOW	3	0.00
9997 = REFUSED	67	0.04
9998 = BLANK (NO ANSWER).....	1788	1.03
9999 = LEGITIMATE SKIP.....	171860	98.88

SPECIAL DRUGS

OTDGNLLE¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 5

	Freq	Pct
109 = Seconal	1	0.00
209 = Xanax.....	3	0.00
246 = Klonopin	2	0.00
318 = Ritalin	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	2	0.00
408 = Dilaudid, Hydromorphone	3	0.00
417 = Morphine	1	0.00
423 = Percocet	2	0.00
434 = Vicodin	1	0.00
465 = Fentanyl.....	3	0.00
601 = LSD ("acid")	1	0.00
658 = Special K, Ketamine	2	0.00
690 = RID	1	0.00
702 = Heroin.....	4	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	3	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	3	0.00
806 = Crack, rock.....	2	0.00
3023 = Adderall	1	0.00
4046 = Oxycodone.....	2	0.00
4067 = OxyContin	2	0.00
4109 = Suboxone	2	0.00
4120 = Opana.....	2	0.00
4505 = Oxycodone product, unspecified.....	2	0.00
8368 = alpha-PVP, alpha-Pyrrolidinopentiophenone	1	0.00
9985 = BAD DATA Logically assigned	4	0.00
9994 = DON'T KNOW	1	0.00
9997 = REFUSED	66	0.04
9998 = BLANK (NO ANSWER).....	1829	1.05
9999 = LEGITIMATE SKIP.....	171860	98.88

How long has it been since you last used a needle to inject [any other drug / any drug] that was not prescribed for you?

OTDGNLRC¹

Len : 2 TIME SINCE LAST USED A NEEDLE TO INJECT OTHER DRUG

	Freq	Pct
1 = Within the past 30 days.....	87	0.05
2 = More than 30 days ago but within the past 12 months	88	0.05
3 = More than 12 months ago	873	0.50
9 = At some point in the lifetime LOG ASSN.....	6	0.00
11 = Within the past 30 days LOGICALLY ASSIGNED.....	6	0.00
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	5	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
81 = NEVER USED ANY (OTHER) DRUG Logically assigned.....	3	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED ANY (OTHER) DRUG	171857	98.88
97 = REFUSED	66	0.04
98 = BLANK (NO ANSWER)	814	0.47

Think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?

GNNDREUS

Len : 2 LAST TIME REUSED NEEDLE USED BEFORE

	Freq	Pct
1 = Yes.....	1088	0.63
2 = No.....	1644	0.95
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	7	0.00
97 = REFUSED	63	0.04
98 = BLANK (NO ANSWER)	812	0.47
99 = LEGITIMATE SKIP.....	170185	97.92

SPECIAL DRUGS

The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?

GNNDLSH1 ¹	Len : 2	LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE		
			Freq	Pct
	1 = Yes.....		484	0.28
	2 = No.....		2249	1.29
	85 = BAD DATA Logically assigned.....		6	0.00
	89 = LEGITIMATE SKIP Logically assigned.....		3	0.00
	94 = DON'T KNOW.....		5	0.00
	97 = REFUSED.....		64	0.04
	98 = BLANK (NO ANSWER).....		812	0.47
	99 = LEGITIMATE SKIP.....		170185	97.92

The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?

GNNDCLN1 ¹	Len : 2	USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE		
			Freq	Pct
	1 = Yes.....		514	0.30
	2 = No.....		2219	1.28
	85 = BAD DATA Logically assigned.....		6	0.00
	89 = LEGITIMATE SKIP Logically assigned.....		3	0.00
	94 = DON'T KNOW.....		5	0.00
	97 = REFUSED.....		64	0.04
	98 = BLANK (NO ANSWER).....		812	0.47
	99 = LEGITIMATE SKIP.....		170185	97.92

The last time you used a needle for injecting drugs, did someone else use the needle after you?

GNNDLSH2 ¹	Len : 2	SOMEONE ELSE USED LAST NEEDLE AFTER YOU		
			Freq	Pct
	1 = Yes.....		507	0.29
	2 = No.....		2217	1.28
	85 = BAD DATA Logically assigned.....		6	0.00
	89 = LEGITIMATE SKIP Logically assigned.....		3	0.00
	94 = DON'T KNOW.....		15	0.01
	97 = REFUSED.....		62	0.04
	98 = BLANK (NO ANSWER).....		813	0.47
	99 = LEGITIMATE SKIP.....		170185	97.92

NOTE: In situations where respondents reported getting their last needle "some other way" and specified where they got the needle, the variable GNNDGET2 incorporates these "OTHER, Specify" data.

The last time you used a needle for injecting drugs, how did you get the needle?

GNNDGET2 ¹	Len : 2	HOW DID YOU GET THE NEEDLE LAST TIME		
			Freq	Pct
	1 = Bought the needle from a pharmacy.....		1372	0.79
	2 = Got the needle from a needle exchange.....		303	0.17
	3 = Bought the needle on the street.....		259	0.15
	4 = Got the needle in a shooting gallery.....		18	0.01
	5 = Got the needle some other way.....		112	0.06
	41 = Given by/stole frm friend/acquaint of frnd/nonrel.....		344	0.20
	42 = Given by, stolen from a relative.....		43	0.02
	43 = Given by, stolen from someone, relation unspecfd.....		89	0.05
	44 = From drug dealer/came with drugs.....		22	0.01
	46 = Given by, stolen frm med facility/professionl/lab.....		29	0.02
	47 = Given by, stolen from work.....		11	0.01
	48 = Given by, stolen from a pharmacy or store.....		9	0.01
	49 = Bought, given, stolen from place/location unspecfd.....		32	0.02
	54 = Shared needle with friends/other acquaintances.....		28	0.02
	56 = Given/stolen/bought from farm/pet store/supplier.....		4	0.00
	59 = Bought it online/on the Internet.....		37	0.02
	85 = BAD DATA Logically assigned.....		6	0.00
	89 = LEGITIMATE SKIP Logically assigned.....		3	0.00
	94 = DON'T KNOW.....		18	0.01
	97 = REFUSED.....		71	0.04
	98 = BLANK (NO ANSWER).....		813	0.47
	99 = LEGITIMATE SKIP.....		170185	97.92

IMPUTED SPECIAL DRUGS

IMPUTED SPECIAL DRUGS

<u>IRNPCOLDREC</u>	Len : 1 NONPRESCRIPTION COUGH OR COLD MEDS RECENCY - IMPUTATION REV		
		Freq	Pct
	1 = Within the past 30 days.....	423	0.24
	2 = More than 30 days ago but within the past 12 mos	920	0.53
	3 = More than 12 months ago	5130	2.95
	9 = Never used nonprescription cough and cold medicines.....	167335	96.28

<u>IINPCOLDREC</u>	Len : 1 NONPRESCRIPTION COUGH OR COLD MEDS RECENCY - IMPUTATION IND		
		Freq	Pct
	1 = Questionnaire data	172466	99.23
	3 = Statistically imputed data.....	1172	0.67
	4 = Statistically imputed data - edited recency = 9.....	170	0.10

<u>IRGHBREC</u>	Len : 1 GHB RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	55	0.03
	2 = More than 30 days ago but within the past 12 mos	64	0.04
	3 = More than 12 months ago	734	0.42
	9 = NEVER USED GHB	172955	99.51

<u>IIGHBREC</u>	Len : 1 GHB RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	172749	99.39
	3 = Statistically imputed data.....	1050	0.60
	4 = Statistically imputed data - edited recency = 9.....	9	0.01

RECODED SPECIAL DRUGS

RECODED SPECIAL DRUGS

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from three of the preceding sections: Recoded Drug Use, Special Drugs, and Imputed Special Drugs.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Codebook section in the main introduction of the codebook.

ANYNDLREC Len : 2 RC-MOST RECENT USE OF ANY DRUG WITH A NEEDLE

	Freq	Pct
1 = Within the past 30 days.....	311	0.18
2 = More than 30 days ago but within the past 12 mos	247	0.14
3 = More than 12 months ago	2147	1.24
8 = At some point in the past 12 months LOG ASSN.....	5	0.00
9 = At some point in the lifetime LOG ASSN.....	21	0.01
13 = More than 12 months ago LOGICALLY ASSIGNED.....	2	0.00
81 = NEVER USED COC/HER/STM W/NEEDLE Log assn	3	0.00
91 = NEVER USED ANY DRUG WITH A NEEDLE.....	170177	97.91
97 = REFUSED	88	0.05
98 = MISSING (BUT NOT REFUSED).....	807	0.46

CHMNDLREC Len : 2 RC-MOST RECENT USE OF COC/HER/METH WITH A NEEDLE

	Freq	Pct
1 = Within the past 30 days.....	282	0.16
2 = More than 30 days ago but within the past 12 mos	225	0.13
3 = More than 12 months ago	1998	1.15
9 = At some point in the lifetime LOG ASSN.....	8	0.00
12 = More than 30 days ago but within the past 12 mos LOG ASSN	3	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	11	0.01
91 = NEVER USED COC/HER/STM WITH A NEEDLE	170800	98.27
97 = REFUSED	37	0.02
98 = MISSING (BUT NOT REFUSED).....	444	0.26

NOTE: The following ten recoded variables pertain to specific needle and heroin use. The ever used a needle to inject drugs recode was revised starting with the 2022 NSDUH to include data from the new questions in the Emerging Issues section about the use of a needle to inject illegally made fentanyl. Thus, ANYNEFLAG (ever used a needle to inject heroin, cocaine, methamphetamine, illegally made fentanyl, or some other drug) in the Recoded Emerging Issues section replaces ANYNEDEVER (ever used a needle to inject heroin, cocaine, methamphetamine, or some other drug) that appeared in the Recoded Special Drugs section in 2021. A past year version of the any needle use recode which includes illegally made fentanyl needle use, ANYNEDYR, also appears in the Recoded Emerging Issues section starting with the 2022 NSDUH.

HERNEDEVER Len : 1 RC-EVER USED A NEEDLE TO INJECT HEROIN

	Freq	Pct
. = Unknown (Otherwise).....	34	0.02
0 = No (HERNEEDL=2,91 or (HERNEEDL^=1,3 & HERFLAG=0)).....	172145	99.04
1 = Yes (HERNEEDL=1,3)	1629	0.94

COCNEDEVER Len : 1 RC-EVER USED A NEEDLE TO INJECT COCAINE

	Freq	Pct
. = Unknown (Otherwise).....	133	0.08
0 = No (COCNEEDL=2,91 or (COCNEEDL^=1,3 & COCFLAG=0)).....	172459	99.22
1 = Yes (COCNEEDL=1,3)	1216	0.70

MTHNEDEVER Len : 1 RC-EVER USED NEEDLE TO INJECT METHAMPHETAMINE

	Freq	Pct
. = Unknown (Otherwise).....	81	0.05
0 = No (METHNEEDL=2,91 or (METHNEEDL^=1,3 & METHAMFLAG=0)).....	172187	99.07
1 = Yes (METHNEEDL=1,3)	1540	0.89

HERSMOEVER Len : 1 RC-EVER SMOKED HEROIN

	Freq	Pct
. = Unknown (Otherwise).....	38	0.02
0 = No (HERSMOKE=2,91 or HERFLAG=0)	172087	99.01
1 = Yes (HERSMOKE=1,3)	1683	0.97

RECODED SPECIAL DRUGS

[HERSNIEVER](#)

Len : 1 RC-EVER SNIFFED HEROIN

	Freq	Pct
. = Unknown (Otherwise).....	36	0.02
0 = No (HERSNIFF =2,91 or HERFLAG=0)	171400	98.61
1 = Yes (HERSNIFF=1,3)	2372	1.36

[NPCOLDFLAG](#)

Len : 1 RC-NONPRESCRIPTION COUGH OR COLD MEDS - EVER USED

	Freq	Pct
0 = Never used (IRNPCOLDREC = 9)	167335	96.28
1 = Ever used (IRNPCOLDREC = 1-3)	6473	3.72

[NPCOLDYR](#)

Len : 1 RC-NONPRESCRIPTION COUGH OR COLD MEDS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRNPCOLDREC = 3,9)	172465	99.23
1 = Used within the past year (IRNPCOLDREC = 1,2)	1343	0.77

[NPCOLDMON](#)

Len : 1 RC-NONPRESCRIPTION COUGH OR COLD MEDS - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRNPCOLDREC= 2-3,9)	173385	99.76
1 = Used within the past month (IRNPCOLDREC = 1)	423	0.24

[GHBFLAG](#)

Len : 1 RC-GHB - EVER USED

	Freq	Pct
0 = Never used (IRGHBREC = 9)	172955	99.51
1 = Ever used (IRGHBREC = 1-3)	853	0.49

[GHBYR](#)

Len : 1 RC-GHB - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRGHBREC = 3,9)	173689	99.93
1 = Used within the past year (IRGHBREC = 1,2)	119	0.07

[GHBMON](#)

Len : 1 RC-GHB - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRGHBREC= 2-3,9)	173753	99.97
1 = Used within the past month (IRGHBREC = 1)	55	0.03

SUBSTANCE USE DISORDER

SUBSTANCE USE DISORDER

Think about your use of alcohol during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time drinking alcohol, feeling its effects, or getting over the effects of drinking?

<u>UDALTIMEUSE</u>	Len : 2	SPENT GREAT DEAL OF TIME USING/FEEL EFF OF ALCOHOL PST 12MOS		
			Freq	Pct
	1 = Yes.....		11039	6.35
	2 = No.....		73615	42.35
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	85 = BAD DATA LOGICALLY ASSIGNED.....		9	0.01
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		103	0.06
	97 = REFUSED.....		77	0.04
	98 = BLANK (NO ANSWER).....		1384	0.80

During the past 12 months, did you spend a great deal of your time getting or trying to get alcohol?

<u>UDALTIMEGET</u>	Len : 2	SPENT GREAT DEAL TIME TRY TO GET/GETTING ALC IN PST 12 MOS		
			Freq	Pct
	1 = Yes.....		512	0.29
	2 = No.....		73180	42.10
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	85 = BAD DATA LOGICALLY ASSIGNED.....		2	0.00
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		33	0.02
	97 = REFUSED.....		65	0.04
	98 = BLANK (NO ANSWER).....		1396	0.80
	99 = LEGITIMATE SKIP.....		11039	6.35

During the past 12 months, were there many times when you ended up drinking alcohol in larger amounts or for a longer time than you meant to?

<u>UDALLRGAMTS</u>	Len : 2	DRANK ALC LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12MOS		
			Freq	Pct
	1 = Yes.....		14641	8.42
	2 = No.....		70044	40.30
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	85 = BAD DATA LOGICALLY ASSIGNED.....		9	0.01
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		57	0.03
	97 = REFUSED.....		73	0.04
	98 = BLANK (NO ANSWER).....		1403	0.81

During the past 12 months, were there times when you wanted to drink alcohol so badly that you couldn't think of anything else?

<u>UDALWANTBAD</u>	Len : 2	WANTED TO USE ALCOHOL SO BADLY IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		3704	2.13
	2 = No.....		80993	46.60
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	85 = BAD DATA LOGICALLY ASSIGNED.....		9	0.01
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		35	0.02
	97 = REFUSED.....		68	0.04
	98 = BLANK (NO ANSWER).....		1418	0.82

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you had a strong urge to drink alcohol?

UDALSTRURGE

Len : 2 STRONG URGE TO DRINK ALCOHOL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	15330	8.82
2 = No.....	65663	37.78
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	252	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	37346	21.49
94 = DON'T KNOW.....	33	0.02
97 = REFUSED.....	63	0.04
98 = BLANK (NO ANSWER).....	1432	0.82
99 = LEGITIMATE SKIP.....	3704	2.13

Do you need to drink a lot more alcohol than you used to in order to get the feeling you want?

UDALNEEDMOR

Len : 2 NEEDED A LOT MORE ALCOHOL TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	6141	3.53
2 = No.....	78500	45.16
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	252	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	9	0.01
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	37346	21.49
94 = DON'T KNOW.....	79	0.05
97 = REFUSED.....	71	0.04
98 = BLANK (NO ANSWER).....	1427	0.82

Does drinking the same amount of alcohol have much less effect on you than it used to?

UDALLESSEFF

Len : 2 SAME AMT ALCOHOL HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	6778	3.90
2 = No.....	71440	41.10
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	252	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	37346	21.49
94 = DON'T KNOW.....	340	0.20
97 = REFUSED.....	78	0.04
98 = BLANK (NO ANSWER).....	1448	0.83
99 = LEGITIMATE SKIP.....	6141	3.53

During the past 12 months, did you try to cut down or try to stop drinking alcohol?

UDALTRYSTOP

Len : 2 TRY TO CUT DOWN/STOP ALCOHOL USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	24626	14.17
2 = No.....	59841	34.43
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	252	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	9	0.01
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	37346	21.49
94 = DON'T KNOW.....	159	0.09
97 = REFUSED.....	146	0.08
98 = BLANK (NO ANSWER).....	1446	0.83

SUBSTANCE USE DISORDER

Some people who drink alcohol try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop drinking alcohol?

UDALNOTSTOP Len : 2 UNABLE TO CUT/STOP ALC USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	4883	2.81
2 = No.....	19684	11.33
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	252	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	8	0.00
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	37346	21.49
94 = DON'T KNOW.....	40	0.02
97 = REFUSED.....	160	0.09
98 = BLANK (NO ANSWER).....	1611	0.93
99 = LEGITIMATE SKIP.....	59841	34.43

In the past 12 months, did you often wish that you could cut down or stop drinking alcohol?

UDALWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP ALCOHOL USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	1840	1.06
2 = No.....	58005	33.37
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	252	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	37346	21.49
94 = DON'T KNOW.....	148	0.09
97 = REFUSED.....	149	0.09
98 = BLANK (NO ANSWER).....	1458	0.84
99 = LEGITIMATE SKIP.....	24626	14.17

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by drinking alcohol?

UDALHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY ALC PST 12 MOS

	Freq	Pct
1 = Yes.....	2784	1.60
2 = No.....	81776	47.05
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	252	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	9	0.01
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	37346	21.49
94 = DON'T KNOW.....	109	0.06
97 = REFUSED.....	85	0.05
98 = BLANK (NO ANSWER).....	1464	0.84

Did you continue to drink alcohol even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

UDALHLTHCTD Len : 2 CONTD TO USE ALCOHOL DESPITE ALCOHOL CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	1728	0.99
2 = No.....	1051	0.60
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	252	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	7	0.00
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	37346	21.49
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	87	0.05
98 = BLANK (NO ANSWER).....	1576	0.91
99 = LEGITIMATE SKIP.....	81776	47.05

SUBSTANCE USE DISORDER

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by drinking alcohol?

<u>UDALMNTLPB</u>	Len : 2	ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY ALCOHOL PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		4122	2.37
	2 = No.....		78704	45.28
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	85 = BAD DATA LOGICALLY ASSIGNED.....		2	0.00
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		105	0.06
	97 = REFUSED.....		84	0.05
	98 = BLANK (NO ANSWER).....		1482	0.85
	99 = LEGITIMATE SKIP.....		1728	0.99

Did you continue to drink alcohol even though it was causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

<u>UDALMNTLCTD</u>	Len : 2	CONTD ALCOHOL USE DESPITE ALC CSE/WRSN EMOT/MNTL HLTH PRBS		
			Freq	Pct
	1 = Yes.....		2594	1.49
	2 = No.....		1522	0.88
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		3	0.00
	97 = REFUSED.....		87	0.05
	98 = BLANK (NO ANSWER).....		1589	0.91
	99 = LEGITIMATE SKIP.....		80432	46.28

A blackout is lack of memory. That is, you were awake, but you have no recall of the things you did or that were done to you.

During the past 12 months, did you repeatedly have blackouts while drinking or after drinking alcohol?

<u>UDALBLCKOUT</u>	Len : 2	REPEATED BLACKOUTS WHILE OR AFTER DRINKING ALC PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		2751	1.58
	2 = No.....		77519	44.60
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	85 = BAD DATA LOGICALLY ASSIGNED.....		2	0.00
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		62	0.04
	97 = REFUSED.....		77	0.04
	98 = BLANK (NO ANSWER).....		1494	0.86
	99 = LEGITIMATE SKIP.....		4322	2.49

Did you continue to drink alcohol even though drinking gave you repeated blackouts?

<u>UDALBLCKCTD</u>	Len : 2	CONTINUE DRINKING ALCOHOL EVEN AFTER BLACKOUTS		
			Freq	Pct
	1 = Yes.....		1995	1.15
	2 = No.....		753	0.43
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		1	0.00
	97 = REFUSED.....		78	0.04
	98 = BLANK (NO ANSWER).....		1559	0.90
	99 = LEGITIMATE SKIP.....		81841	47.09

SUBSTANCE USE DISORDER

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your alcohol use?

UDALSTOPACT Len : 2 LESS ACTIVITIES B/C OF ALCOHOL USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	2997	1.72
2 = No.....	81566	46.93
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	252	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	9	0.01
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	37346	21.49
94 = DON'T KNOW.....	68	0.04
97 = REFUSED.....	84	0.05
98 = BLANK (NO ANSWER).....	1503	0.86

Sometimes people who drink alcohol have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your alcohol use?

UDALWORKPRB Len : 2 ALCOHOL CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	1675	0.96
2 = No.....	82880	47.68
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	252	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	9	0.01
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	37346	21.49
94 = DON'T KNOW.....	56	0.03
97 = REFUSED.....	89	0.05
98 = BLANK (NO ANSWER).....	1518	0.87

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your alcohol use?

UDALFMLYPRB Len : 2 ALCOHOL CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	4088	2.35
2 = No.....	80482	46.31
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	252	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	9	0.01
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	37346	21.49
94 = DON'T KNOW.....	48	0.03
97 = REFUSED.....	78	0.04
98 = BLANK (NO ANSWER).....	1522	0.88

SUBSTANCE USE DISORDER

Did you continue to drink alcohol even though it often caused arguments or problems with family or friends?

<u>UDALFMLYCTD</u>	Len : 2	CONTD ALCOHOL USE DESPITE ALC CAUSE ARGUMENTS W/FAM/FRNDS		
			Freq	Pct
	1 = Yes.....		2997	1.72
	2 = No.....		1088	0.63
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	85 = BAD DATA LOGICALLY ASSIGNED.....		7	0.00
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		2	0.00
	97 = REFUSED.....		79	0.05
	98 = BLANK (NO ANSWER).....		1572	0.90
	99 = LEGITIMATE SKIP.....		80482	46.31

During the past 12 months, did you repeatedly get into situations where drinking alcohol increased your chances of getting physically hurt?

<u>UDALGETHURT</u>	Len : 2	ALCOHOL USE INCREASED CHANCE GETTING HURT PST 12 MOS		
			Freq	Pct
	1 = Yes.....		2859	1.64
	2 = No.....		81688	47.00
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	85 = BAD DATA LOGICALLY ASSIGNED.....		9	0.01
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		54	0.03
	97 = REFUSED.....		84	0.05
	98 = BLANK (NO ANSWER).....		1533	0.88

People may experience withdrawal symptoms when they drink less or stop drinking alcohol. Withdrawal symptoms are stronger and last longer than a hangover.

During the past 12 months, did you have the following withdrawal symptoms after you drank less or stopped drinking alcohol for a while?

Sweating or feeling that your heart was beating fast

<u>UDALWDSWEAT</u>	Len : 2	SWEATING/RAPID HEARTBEAT - ALC WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
	1 = Yes.....		3303	1.90
	2 = No.....		81076	46.65
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	85 = BAD DATA LOGICALLY ASSIGNED.....		9	0.01
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		119	0.07
	97 = REFUSED.....		133	0.08
	98 = BLANK (NO ANSWER).....		1587	0.91

Having your hands tremble

<u>UDALWDTRMBL</u>	Len : 2	HANDS TREMBLE - ALC WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
	1 = Yes.....		2804	1.61
	2 = No.....		81612	46.96
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	85 = BAD DATA LOGICALLY ASSIGNED.....		9	0.01
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		93	0.05
	97 = REFUSED.....		118	0.07
	98 = BLANK (NO ANSWER).....		1591	0.92

SUBSTANCE USE DISORDER

Having trouble sleeping

<u>UDALWDSLEEP</u>	Len : 2	TROUBLE SLEEPING - ALC WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
	1 = Yes.....		6026	3.47
	2 = No.....		78392	45.10
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	85 = BAD DATA LOGICALLY ASSIGNED.....		9	0.01
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		97	0.06
	97 = REFUSED.....		112	0.06
	98 = BLANK (NO ANSWER).....		1591	0.92

Vomiting or having an upset stomach

<u>UDALWDVOMIT</u>	Len : 2	VOMITING/UPSET STOMACH - ALC WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
	1 = Yes.....		4617	2.66
	2 = No.....		79814	45.92
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	85 = BAD DATA LOGICALLY ASSIGNED.....		9	0.01
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		82	0.05
	97 = REFUSED.....		114	0.07
	98 = BLANK (NO ANSWER).....		1591	0.92

Seeing, hearing, or feeling things that weren't really there

<u>UDALWDHALUC</u>	Len : 2	SEE/HEAR/FEEL THINGS - ALC WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
	1 = Yes.....		1283	0.74
	2 = No.....		83137	47.83
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	85 = BAD DATA LOGICALLY ASSIGNED.....		9	0.01
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		87	0.05
	97 = REFUSED.....		119	0.07
	98 = BLANK (NO ANSWER).....		1592	0.92

Feeling like you couldn't sit still

<u>UDALWDSITST</u>	Len : 2	COULD NOT SIT STILL - ALC WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
	1 = Yes.....		2989	1.72
	2 = No.....		81432	46.85
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	85 = BAD DATA LOGICALLY ASSIGNED.....		9	0.01
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		90	0.05
	97 = REFUSED.....		115	0.07
	98 = BLANK (NO ANSWER).....		1592	0.92

Feeling anxious

<u>UDALWDFLANX</u>	Len : 2	FEELING ANXIOUS - ALC WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
	1 = Yes.....		6269	3.61
	2 = No.....		78149	44.96
	83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....		252	0.14
	85 = BAD DATA LOGICALLY ASSIGNED.....		9	0.01
	91 = NEVER USED ALCOHOL.....		49983	28.76
	93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....		37346	21.49
	94 = DON'T KNOW.....		101	0.06
	97 = REFUSED.....		109	0.06
	98 = BLANK (NO ANSWER).....		1590	0.91

SUBSTANCE USE DISORDER

During the past 12 months, did you use alcohol or another drug to get over or avoid having alcohol withdrawal symptoms?

<u>UDALAVOIDWD</u>	Len : 2	USE ALC/DRG TO GET OVER/AVOID ALC WITHDRAWAL IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1994	1.15
		2 = No.....	82521	47.48
		83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	252	0.14
		85 = BAD DATA LOGICALLY ASSIGNED.....	9	0.01
		91 = NEVER USED ALCOHOL.....	49983	28.76
		93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	37346	21.49
		94 = DON'T KNOW.....	33	0.02
		97 = REFUSED.....	71	0.04
		98 = BLANK (NO ANSWER).....	1599	0.92

Which of the following did you use to get over or avoid having alcohol withdrawal symptoms during the past 12 months?

Alcohol

<u>UDALAVWALCO</u>	Len : 2	USED ALCOHOL TO GET OVER/AVOID ALC WITHDRAWAL IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1443	0.83
		2 = No.....	543	0.31
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	252	0.14
		85 = BAD DATA LOGICALLY ASSIGNED.....	7	0.00
		91 = NEVER USED ALCOHOL.....	49983	28.76
		93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	37346	21.49
		94 = DON'T KNOW.....	3	0.00
		97 = REFUSED.....	74	0.04
		98 = BLANK (NO ANSWER).....	1635	0.94
		99 = LEGITIMATE SKIP.....	82521	47.48

Prescription sedatives, tranquilizers, sleeping pills, or downers

<u>UDALAVWSVTR</u>	Len : 2	USED SED/TRQ/SLP PILLS/DWNRS TO AVOID ALC WDRWAL PST 12 MOS		
			Freq	Pct
		1 = Yes.....	375	0.22
		2 = No.....	1604	0.92
		3 = Yes LOGICALLY ASSIGNED.....	5	0.00
		83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	252	0.14
		85 = BAD DATA LOGICALLY ASSIGNED.....	7	0.00
		91 = NEVER USED ALCOHOL.....	49983	28.76
		93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	37346	21.49
		94 = DON'T KNOW.....	7	0.00
		97 = REFUSED.....	73	0.04
		98 = BLANK (NO ANSWER).....	1635	0.94
		99 = LEGITIMATE SKIP.....	82521	47.48

Something else

<u>UDALAVWOTHR</u>	Len : 2	USED SOMETHING ELSE TO GET OVR/AVD ALC WITHDRAWAL PST 12 MOS		
			Freq	Pct
		1 = Yes.....	895	0.51
		2 = No.....	1084	0.62
		83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	252	0.14
		85 = BAD DATA LOGICALLY ASSIGNED.....	7	0.00
		91 = NEVER USED ALCOHOL.....	49983	28.76
		93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	37346	21.49
		94 = DON'T KNOW.....	8	0.00
		97 = REFUSED.....	77	0.04
		98 = BLANK (NO ANSWER).....	1635	0.94
		99 = LEGITIMATE SKIP.....	82521	47.48

SUBSTANCE USE DISORDER

Think about your use of marijuana or any cannabis product during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using marijuana or any cannabis product, feeling its effects, or getting over the effects of marijuana or any cannabis product?

<u>UDMJTIMEUSE</u>	Len : 2	SPENT GREAT DEAL OF TIME USING/FEEL EFF OF MJ PST 12 MOS		
			Freq	Pct
		1 = Yes.....	12878	7.41
		2 = No.....	18960	10.91
		83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
		85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
		91 = NEVER USED MARIJUANA	96578	55.57
		93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
		94 = DON'T KNOW.....	61	0.04
		97 = REFUSED	97	0.06
		98 = BLANK (NO ANSWER)	1102	0.63

During the past 12 months, did you spend a great deal of your time getting or trying to get marijuana or any cannabis product?

<u>UDMJTIMEGET</u>	Len : 2	SPENT GREAT DEAL TIME TRY TO GET/GETTING MJ IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	391	0.22
		2 = No.....	18610	10.71
		83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
		85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED MARIJUANA	96578	55.57
		93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
		94 = DON'T KNOW.....	23	0.01
		97 = REFUSED	86	0.05
		98 = BLANK (NO ANSWER)	1119	0.64
		99 = LEGITIMATE SKIP.....	12878	7.41

During the past 12 months, were there many times when you ended up using marijuana or any cannabis product in larger amounts or for a longer time than you meant to?

<u>UDMJLRGAMTS</u>	Len : 2	USED MJ LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS		
			Freq	Pct
		1 = Yes.....	7044	4.05
		2 = No.....	24825	14.28
		83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
		85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
		91 = NEVER USED MARIJUANA	96578	55.57
		93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
		94 = DON'T KNOW.....	24	0.01
		97 = REFUSED	89	0.05
		98 = BLANK (NO ANSWER)	1116	0.64

During the past 12 months, were there times when you wanted to use marijuana or any cannabis product so badly that you couldn't think of anything else?

<u>UDMJWANTBAD</u>	Len : 2	WANTED TO USE MARIJUANA SO BADLY IN PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	4374	2.52
		2 = No.....	27493	15.82
		83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
		85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
		91 = NEVER USED MARIJUANA	96578	55.57
		93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
		94 = DON'T KNOW.....	27	0.02
		97 = REFUSED	85	0.05
		98 = BLANK (NO ANSWER)	1119	0.64

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you had a strong urge to use marijuana or any cannabis product?

UDMJSTRURGE

Len : 2 STRONG URGE TO USE MARIJUANA IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	8613	4.96
2 = No.....	18883	10.86
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
94 = DON'T KNOW.....	23	0.01
97 = REFUSED	84	0.05
98 = BLANK (NO ANSWER)	1130	0.65
99 = LEGITIMATE SKIP.....	4374	2.52

Do you need to use a lot more marijuana or any cannabis product than you used to in order to get the feeling you want?

UDMJNEEDMOR

Len : 2 NEEDED A LOT MORE MARIJUANA TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	6540	3.76
2 = No.....	25306	14.56
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
94 = DON'T KNOW.....	37	0.02
97 = REFUSED	89	0.05
98 = BLANK (NO ANSWER)	1126	0.65

Does using the same amount of marijuana or any cannabis product have much less effect on you than it used to?

UDMJLESSEFF

Len : 2 SAME AMT MARIJUANA HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	2748	1.58
2 = No.....	22520	12.96
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
94 = DON'T KNOW.....	70	0.04
97 = REFUSED	88	0.05
98 = BLANK (NO ANSWER)	1141	0.66
99 = LEGITIMATE SKIP.....	6540	3.76

During the past 12 months, did you try to cut down or try to stop using marijuana or any cannabis product?

UDMJTRYSTOP

Len : 2 TRY TO CUT DOWN/STOP MARIJUANA USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	9881	5.69
2 = No.....	21943	12.62
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
94 = DON'T KNOW.....	40	0.02
97 = REFUSED	101	0.06
98 = BLANK (NO ANSWER)	1133	0.65

SUBSTANCE USE DISORDER

Some people who use marijuana or any cannabis product try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using marijuana or any cannabis product?

<u>UDMJNOTSTOP</u>	Len : 2	UNABLE TO CUT/STOP MJ USE MORE THAN ONE TIME PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	3090	1.78
		2 = No.....	6771	3.90
		83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
		85 = BAD DATA LOGICALLY ASSIGNED.....	9	0.01
		91 = NEVER USED MARIJUANA	96578	55.57
		93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
		94 = DON'T KNOW.....	16	0.01
		97 = REFUSED	105	0.06
		98 = BLANK (NO ANSWER)	1174	0.68
		99 = LEGITIMATE SKIP.....	21943	12.62

In the past 12 months, did you often wish that you could cut down or stop using marijuana or any cannabis product?

<u>UDMJWSHSTOP</u>	Len : 2	OFTEN WISH CUT DOWN OR STOP MJ USE PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	1032	0.59
		2 = No.....	20917	12.03
		83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
		85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED MARIJUANA	96578	55.57
		93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
		94 = DON'T KNOW.....	33	0.02
		97 = REFUSED	99	0.06
		98 = BLANK (NO ANSWER)	1145	0.66
		99 = LEGITIMATE SKIP.....	9881	5.69

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using marijuana or any cannabis product?

<u>UDMJHLTHPRB</u>	Len : 2	ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY MJ PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1247	0.72
		2 = No.....	30571	17.59
		83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
		85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
		91 = NEVER USED MARIJUANA	96578	55.57
		93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
		94 = DON'T KNOW.....	53	0.03
		97 = REFUSED	89	0.05
		98 = BLANK (NO ANSWER)	1138	0.65

Did you continue to use marijuana or any cannabis product even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

<u>UDMJHLTHCTD</u>	Len : 2	CONTD TO USE MARIJUANA DESPITE MJ CAUSE/WORSEN PHYS PRBS		
			Freq	Pct
		1 = Yes.....	875	0.50
		2 = No.....	369	0.21
		83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
		85 = BAD DATA LOGICALLY ASSIGNED.....	9	0.01
		91 = NEVER USED MARIJUANA	96578	55.57
		93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	89	0.05
		98 = BLANK (NO ANSWER)	1193	0.69
		99 = LEGITIMATE SKIP.....	30571	17.59

SUBSTANCE USE DISORDER

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using marijuana or any cannabis product?

UDMJMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY MJ PAST 12 MOS

	Freq	Pct
1 = Yes.....	1574	0.91
2 = No.....	29354	16.89
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
94 = DON'T KNOW.....	62	0.04
97 = REFUSED	91	0.05
98 = BLANK (NO ANSWER)	1151	0.66
99 = LEGITIMATE SKIP.....	875	0.50

Did you continue to use marijuana or any cannabis product even though it was causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

UDMJMNTLCTD Len : 2 CONTD MARIJUANA USE DESPITE MJ CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	1053	0.61
2 = No.....	519	0.30
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	92	0.05
98 = BLANK (NO ANSWER)	1214	0.70
99 = LEGITIMATE SKIP.....	30229	17.39

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of marijuana or any cannabis product?

UDMJSTOPACT Len : 2 LESS ACTIVITIES B/C OF MARIJUANA USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	2231	1.28
2 = No.....	29603	17.03
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
94 = DON'T KNOW.....	33	0.02
97 = REFUSED	87	0.05
98 = BLANK (NO ANSWER)	1144	0.66

SUBSTANCE USE DISORDER

Sometimes people who use marijuana or any cannabis product have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of marijuana or any cannabis product?

<u>UDMJWORKPRB</u>	Len : 2	MARIJUANA CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1336	0.77
		2 = No.....	30497	17.55
		83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
		85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
		91 = NEVER USED MARIJUANA.....	96578	55.57
		93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
		94 = DON'T KNOW.....	34	0.02
		97 = REFUSED.....	85	0.05
		98 = BLANK (NO ANSWER).....	1146	0.66

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of marijuana or any cannabis product?

<u>UDMJFMLYPRB</u>	Len : 2	MARIJUANA CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1470	0.85
		2 = No.....	30353	17.46
		83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
		85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
		91 = NEVER USED MARIJUANA.....	96578	55.57
		93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
		94 = DON'T KNOW.....	32	0.02
		97 = REFUSED.....	93	0.05
		98 = BLANK (NO ANSWER).....	1150	0.66

Did you continue to use marijuana or any cannabis product even though it often caused arguments or problems with family or friends?

<u>UDMJFMLYCTD</u>	Len : 2	CONTD MARIJUANA USE DESPITE MJ CAUSE ARGUMENTS W/FAM/FRNDS		
			Freq	Pct
		1 = Yes.....	1209	0.70
		2 = No.....	259	0.15
		83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
		85 = BAD DATA LOGICALLY ASSIGNED.....	9	0.01
		91 = NEVER USED MARIJUANA.....	96578	55.57
		93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
		97 = REFUSED.....	95	0.05
		98 = BLANK (NO ANSWER).....	1183	0.68
		99 = LEGITIMATE SKIP.....	30353	17.46

During the past 12 months, did you repeatedly get into situations where using marijuana or any cannabis product increased your chances of getting physically hurt?

<u>UDMJGETHURT</u>	Len : 2	MARIJUANA USE INCREASED CHANCE GETTING HURT PST 12 MOS		
			Freq	Pct
		1 = Yes.....	630	0.36
		2 = No.....	31203	17.95
		83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
		85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
		91 = NEVER USED MARIJUANA.....	96578	55.57
		93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
		94 = DON'T KNOW.....	24	0.01
		97 = REFUSED.....	91	0.05
		98 = BLANK (NO ANSWER).....	1150	0.66

SUBSTANCE USE DISORDER

People may experience withdrawal symptoms when they use less or stop using marijuana or any cannabis product.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using marijuana or any cannabis product for a while?

Feeling irritable or angry

UDMJWDANGRY Len : 2 FEELING IRRITABLE OR ANGRY-MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	5737	3.30
2 = No.....	26061	14.99
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
94 = DON'T KNOW.....	52	0.03
97 = REFUSED	92	0.05
98 = BLANK (NO ANSWER)	1156	0.67

Feeling anxious or nervous

UDMJWDFLANX Len : 2 FEELING ANXIOUS/NERVOUS - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	6535	3.76
2 = No.....	25266	14.54
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
94 = DON'T KNOW.....	49	0.03
97 = REFUSED	92	0.05
98 = BLANK (NO ANSWER)	1156	0.67

Having trouble sleeping

UDMJWDSLEEP Len : 2 HAVING TROUBLE SLEEPING - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	7473	4.30
2 = No.....	24318	13.99
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
94 = DON'T KNOW.....	59	0.03
97 = REFUSED	92	0.05
98 = BLANK (NO ANSWER)	1156	0.67

Losing your appetite or losing weight without trying to

UDMJWDAPPET Len : 2 LOSING APPETITE OR WEIGHT - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	4812	2.77
2 = No.....	26979	15.52
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
94 = DON'T KNOW.....	58	0.03
97 = REFUSED	93	0.05
98 = BLANK (NO ANSWER)	1156	0.67

SUBSTANCE USE DISORDER

Feeling like you couldn't sit still

<u>UDMJWDSITST</u>	Len : 2	COULDN'T SIT STILL - MJ WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
	1 = Yes.....		3378	1.94
	2 = No.....		28418	16.35
	83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....		125	0.07
	85 = BAD DATA LOGICALLY ASSIGNED.....		10	0.01
	91 = NEVER USED MARIJUANA		96578	55.57
	93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....		43997	25.31
	94 = DON'T KNOW.....		55	0.03
	97 = REFUSED		91	0.05
	98 = BLANK (NO ANSWER)		1156	0.67

Feeling depressed

<u>UDMJWDDEPRS</u>	Len : 2	FEELING DEPRESSED - MJ WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
	1 = Yes.....		5127	2.95
	2 = No.....		26655	15.34
	83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....		125	0.07
	85 = BAD DATA LOGICALLY ASSIGNED.....		10	0.01
	91 = NEVER USED MARIJUANA		96578	55.57
	93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....		43997	25.31
	94 = DON'T KNOW.....		66	0.04
	97 = REFUSED		94	0.05
	98 = BLANK (NO ANSWER)		1156	0.67

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using marijuana or any cannabis product for a while?

Stomach ache

<u>UDMJWDSTMCH</u>	Len : 2	STOMACH ACHE - MJ WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
	1 = Yes.....		2146	1.23
	2 = No.....		29649	17.06
	83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....		125	0.07
	85 = BAD DATA LOGICALLY ASSIGNED.....		10	0.01
	91 = NEVER USED MARIJUANA		96578	55.57
	93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....		43997	25.31
	94 = DON'T KNOW.....		48	0.03
	97 = REFUSED		97	0.06
	98 = BLANK (NO ANSWER)		1158	0.67

Shaking or tremors

<u>UDMJWD SHAKE</u>	Len : 2	SHAKING OR TREMORS - MJ WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
	1 = Yes.....		1058	0.61
	2 = No.....		30747	17.69
	83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....		125	0.07
	85 = BAD DATA LOGICALLY ASSIGNED.....		10	0.01
	91 = NEVER USED MARIJUANA		96578	55.57
	93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....		43997	25.31
	94 = DON'T KNOW.....		38	0.02
	97 = REFUSED		97	0.06
	98 = BLANK (NO ANSWER)		1158	0.67

SUBSTANCE USE DISORDER

Sweating

<u>UDMJWDSWEAT</u>	Len : 2 SWEATING - MJ WITHDRAWAL SYMPTOM PST 12 MOS		
		Freq	Pct
	1 = Yes.....	1615	0.93
	2 = No.....	30186	17.37
	83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
	85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
	91 = NEVER USED MARIJUANA	96578	55.57
	93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
	94 = DON'T KNOW.....	43	0.02
	97 = REFUSED	96	0.06
	98 = BLANK (NO ANSWER)	1158	0.67

Fever

<u>UDMJWDFEVER</u>	Len : 2 FEVER - MJ WITHDRAWAL SYMPTOM PST 12 MOS		
		Freq	Pct
	1 = Yes.....	505	0.29
	2 = No.....	31297	18.01
	83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
	85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
	91 = NEVER USED MARIJUANA	96578	55.57
	93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
	94 = DON'T KNOW.....	44	0.03
	97 = REFUSED	94	0.05
	98 = BLANK (NO ANSWER)	1158	0.67

Chills

<u>UDMJWDCHILL</u>	Len : 2 CHILLS - MJ WITHDRAWAL SYMPTOM PST 12 MOS		
		Freq	Pct
	1 = Yes.....	1008	0.58
	2 = No.....	30793	17.72
	83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
	85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
	91 = NEVER USED MARIJUANA	96578	55.57
	93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
	94 = DON'T KNOW.....	45	0.03
	97 = REFUSED	94	0.05
	98 = BLANK (NO ANSWER)	1158	0.67

Headache

<u>UDMJWDHEDAC</u>	Len : 2 HEADACHE - MJ WITHDRAWAL SYMPTOM PST 12 MOS		
		Freq	Pct
	1 = Yes.....	3098	1.78
	2 = No.....	28704	16.51
	83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
	85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
	91 = NEVER USED MARIJUANA	96578	55.57
	93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
	94 = DON'T KNOW.....	41	0.02
	97 = REFUSED	97	0.06
	98 = BLANK (NO ANSWER)	1158	0.67

SUBSTANCE USE DISORDER

During the past 12 months, did you use marijuana, any cannabis product, or another drug to get over or avoid having marijuana or any cannabis product withdrawal symptoms?

UDMJAVOIDWD Len : 2 USE MJ/DRG TO GET OVER/AVOID MJ WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	1902	1.09
2 = No.....	29924	17.22
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.01
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
94 = DON'T KNOW.....	26	0.01
97 = REFUSED	86	0.05
98 = BLANK (NO ANSWER)	1160	0.67

Which of the following did you use to get over or avoid having marijuana or any cannabis product withdrawal symptoms during the past 12 months?

Marijuana or any cannabis product

UDMJAVWMARJ Len : 2 USED MARIJUANA TO GET OVER/AVOID MJ WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	1663	0.96
2 = No.....	231	0.13
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
85 = BAD DATA LOGICALLY ASSIGNED.....	9	0.01
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
94 = DON'T KNOW.....	3	0.00
97 = REFUSED	89	0.05
98 = BLANK (NO ANSWER)	1187	0.68
99 = LEGITIMATE SKIP.....	29924	17.22

Something else

UDMJAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD MJ WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	437	0.25
2 = No.....	1450	0.83
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	125	0.07
85 = BAD DATA LOGICALLY ASSIGNED.....	9	0.01
91 = NEVER USED MARIJUANA	96578	55.57
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	43997	25.31
94 = DON'T KNOW.....	9	0.01
97 = REFUSED	91	0.05
98 = BLANK (NO ANSWER)	1188	0.68
99 = LEGITIMATE SKIP.....	29924	17.22

Think about your use of cocaine, including the form of cocaine called 'crack,' during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using cocaine, feeling its effects, or getting over the effects of cocaine?

UDCCTIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF COCAINE PST 12MOS

	Freq	Pct
1 = Yes.....	371	0.21
2 = No.....	2893	1.66
85 = BAD DATA LOGICALLY ASSIGNED.....	6	0.00
91 = NEVER USED COCAINE	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	16593	9.55
94 = DON'T KNOW.....	5	0.00
97 = REFUSED	25	0.01
98 = BLANK (NO ANSWER)	196	0.11

SUBSTANCE USE DISORDER

During the past 12 months, did you spend a great deal of your time getting or trying to get cocaine?

<u>UDCCTIMEGET</u>	Len : 2	SPENT GREAT DEAL TIME TRY TO GET/GETTING COCAINE PST 12 MOS		
			Freq	Pct
	1 = Yes.....		25	0.01
	2 = No.....		2869	1.65
	85 = BAD DATA LOGICALLY ASSIGNED.....		1	0.00
	91 = NEVER USED COCAINE.....		153719	88.44
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		16593	9.55
	94 = DON'T KNOW.....		4	0.00
	97 = REFUSED.....		25	0.01
	98 = BLANK (NO ANSWER).....		201	0.12
	99 = LEGITIMATE SKIP.....		371	0.21

During the past 12 months, were there many times when you ended up using cocaine in larger amounts or for a longer time than you meant to?

<u>UDCCLRGAMTS</u>	Len : 2	USED COC LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS		
			Freq	Pct
	1 = Yes.....		636	0.37
	2 = No.....		2626	1.51
	85 = BAD DATA LOGICALLY ASSIGNED.....		6	0.00
	91 = NEVER USED COCAINE.....		153719	88.44
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		16593	9.55
	94 = DON'T KNOW.....		6	0.00
	97 = REFUSED.....		25	0.01
	98 = BLANK (NO ANSWER).....		197	0.11

During the past 12 months, were there times when you wanted to use cocaine so badly that you couldn't think of anything else?

<u>UDCCWANTBAD</u>	Len : 2	WANTED TO USE COCAINE SO BADLY IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		371	0.21
	2 = No.....		2890	1.66
	85 = BAD DATA LOGICALLY ASSIGNED.....		6	0.00
	91 = NEVER USED COCAINE.....		153719	88.44
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		16593	9.55
	94 = DON'T KNOW.....		7	0.00
	97 = REFUSED.....		25	0.01
	98 = BLANK (NO ANSWER).....		197	0.11

During the past 12 months, were there times when you had a strong urge to use cocaine?

<u>UDCCSTRURGE</u>	Len : 2	STRONG URGE TO USE COCAINE IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		426	0.25
	2 = No.....		2467	1.42
	85 = BAD DATA LOGICALLY ASSIGNED.....		1	0.00
	91 = NEVER USED COCAINE.....		153719	88.44
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		16593	9.55
	94 = DON'T KNOW.....		4	0.00
	97 = REFUSED.....		25	0.01
	98 = BLANK (NO ANSWER).....		202	0.12
	99 = LEGITIMATE SKIP.....		371	0.21

Do you need to use a lot more cocaine than you used to in order to get the feeling you want?

<u>UDCCNEEDMOR</u>	Len : 2	NEEDED A LOT MORE COCAINE TO GET FEELING YOU WANT		
			Freq	Pct
	1 = Yes.....		344	0.20
	2 = No.....		2918	1.68
	85 = BAD DATA LOGICALLY ASSIGNED.....		6	0.00
	91 = NEVER USED COCAINE.....		153719	88.44
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		16593	9.55
	94 = DON'T KNOW.....		6	0.00
	97 = REFUSED.....		25	0.01
	98 = BLANK (NO ANSWER).....		197	0.11

SUBSTANCE USE DISORDER

Does using the same amount of cocaine have much less effect on you than it used to?

<u>UDCCLESSEFF</u>	Len : 2	SAME AMT COCAINE HAS LESS EFFECT THAN IT USED TO		
			Freq	Pct
	1 = Yes.....		161	0.09
	2 = No.....		2750	1.58
	85 = BAD DATA LOGICALLY ASSIGNED.....		1	0.00
	91 = NEVER USED COCAINE.....		153719	88.44
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		16593	9.55
	94 = DON'T KNOW.....		11	0.01
	97 = REFUSED.....		26	0.01
	98 = BLANK (NO ANSWER).....		203	0.12
	99 = LEGITIMATE SKIP.....		344	0.20

During the past 12 months, did you try to cut down or try to stop using cocaine?

<u>UDCCTRYSTOP</u>	Len : 2	TRY TO CUT DOWN/STOP COCAINE USE IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		967	0.56
	2 = No.....		2289	1.32
	85 = BAD DATA LOGICALLY ASSIGNED.....		6	0.00
	91 = NEVER USED COCAINE.....		153719	88.44
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		16593	9.55
	94 = DON'T KNOW.....		7	0.00
	97 = REFUSED.....		29	0.02
	98 = BLANK (NO ANSWER).....		198	0.11

Some people who use cocaine try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using cocaine?

<u>UDCCNOTSTOP</u>	Len : 2	UNABLE TO CUT/STOP COCAINE MORE THAN ONE TIME PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		307	0.18
	2 = No.....		659	0.38
	85 = BAD DATA LOGICALLY ASSIGNED.....		5	0.00
	91 = NEVER USED COCAINE.....		153719	88.44
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		16593	9.55
	94 = DON'T KNOW.....		1	0.00
	97 = REFUSED.....		29	0.02
	98 = BLANK (NO ANSWER).....		206	0.12
	99 = LEGITIMATE SKIP.....		2289	1.32

In the past 12 months, did you often wish that you could cut down or stop using cocaine?

<u>UDCCWSHSTOP</u>	Len : 2	OFTEN WISH CUT DOWN OR STOP COCAINE USE PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		104	0.06
	2 = No.....		2183	1.26
	85 = BAD DATA LOGICALLY ASSIGNED.....		1	0.00
	91 = NEVER USED COCAINE.....		153719	88.44
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		16593	9.55
	94 = DON'T KNOW.....		7	0.00
	97 = REFUSED.....		31	0.02
	98 = BLANK (NO ANSWER).....		203	0.12
	99 = LEGITIMATE SKIP.....		967	0.56

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using cocaine?

<u>UDCCHLTHPRB</u>	Len : 2	ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY COC PST 12 MOS		
			Freq	Pct
	1 = Yes.....		206	0.12
	2 = No.....		3050	1.75
	85 = BAD DATA LOGICALLY ASSIGNED.....		6	0.00
	91 = NEVER USED COCAINE.....		153719	88.44
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		16593	9.55
	94 = DON'T KNOW.....		9	0.01
	97 = REFUSED.....		26	0.01
	98 = BLANK (NO ANSWER).....		199	0.11

SUBSTANCE USE DISORDER

Did you continue to use cocaine even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

<u>UDCCHLTHCTD</u>	Len : 2	CONTD TO USE COCAINE DESPITE COCAINE CAUSE/WORSEN PHYS PRBS		
			Freq	Pct
	1 = Yes.....		141	0.08
	2 = No.....		65	0.04
	85 = BAD DATA LOGICALLY ASSIGNED.....		5	0.00
	91 = NEVER USED COCAINE.....		153719	88.44
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		16593	9.55
	97 = REFUSED.....		26	0.01
	98 = BLANK (NO ANSWER).....		209	0.12
	99 = LEGITIMATE SKIP.....		3050	1.75

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using cocaine?

<u>UDCCMNTLPRB</u>	Len : 2	ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY COCAINE PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		232	0.13
	2 = No.....		2882	1.66
	85 = BAD DATA LOGICALLY ASSIGNED.....		1	0.00
	91 = NEVER USED COCAINE.....		153719	88.44
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		16593	9.55
	94 = DON'T KNOW.....		10	0.01
	97 = REFUSED.....		26	0.01
	98 = BLANK (NO ANSWER).....		204	0.12
	99 = LEGITIMATE SKIP.....		141	0.08

Did you continue to use cocaine even though it was causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

<u>UDCCMNTLCTD</u>	Len : 2	CONTD COCAINE USE DESPITE COC CSE/WRSN EMOT/MNTL HLTH PRBS		
			Freq	Pct
	1 = Yes.....		147	0.08
	2 = No.....		84	0.05
	91 = NEVER USED COCAINE.....		153719	88.44
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		16593	9.55
	94 = DON'T KNOW.....		1	0.00
	97 = REFUSED.....		26	0.01
	98 = BLANK (NO ANSWER).....		215	0.12
	99 = LEGITIMATE SKIP.....		3023	1.74

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of cocaine?

<u>UDCCSTOAPCT</u>	Len : 2	LESS ACTIVITIES B/C OF COCAINE USE PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		345	0.20
	2 = No.....		2910	1.67
	85 = BAD DATA LOGICALLY ASSIGNED.....		6	0.00
	91 = NEVER USED COCAINE.....		153719	88.44
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		16593	9.55
	94 = DON'T KNOW.....		8	0.00
	97 = REFUSED.....		27	0.02
	98 = BLANK (NO ANSWER).....		200	0.12

SUBSTANCE USE DISORDER

Sometimes people who use cocaine have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of cocaine?

UDCCWORKPRB Len : 2 COCAINE CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	271	0.16
2 = No.....	2985	1.72
85 = BAD DATA LOGICALLY ASSIGNED	6	0.00
91 = NEVER USED COCAINE	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	16593	9.55
94 = DON'T KNOW	8	0.00
97 = REFUSED	26	0.01
98 = BLANK (NO ANSWER)	200	0.12

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of cocaine?

UDCCFMLYPRB Len : 2 COCAINE CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	344	0.20
2 = No.....	2913	1.68
85 = BAD DATA LOGICALLY ASSIGNED	6	0.00
91 = NEVER USED COCAINE	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	16593	9.55
94 = DON'T KNOW	7	0.00
97 = REFUSED	26	0.01
98 = BLANK (NO ANSWER)	200	0.12

Did you continue to use cocaine even though it often caused arguments or problems with family or friends?

UDCCFMLYCTD Len : 2 CONTD COCAINE USE DESPITE COC CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	265	0.15
2 = No.....	78	0.04
85 = BAD DATA LOGICALLY ASSIGNED	5	0.00
91 = NEVER USED COCAINE	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	16593	9.55
94 = DON'T KNOW	1	0.00
97 = REFUSED	26	0.01
98 = BLANK (NO ANSWER)	208	0.12
99 = LEGITIMATE SKIP.....	2913	1.68

During the past 12 months, did you repeatedly get into situations where using cocaine increased your chances of getting physically hurt?

UDCCGETHURT Len : 2 COCAINE USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	238	0.14
2 = No.....	3018	1.74
85 = BAD DATA LOGICALLY ASSIGNED	6	0.00
91 = NEVER USED COCAINE	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	16593	9.55
94 = DON'T KNOW	8	0.00
97 = REFUSED	26	0.01
98 = BLANK (NO ANSWER)	200	0.12

SUBSTANCE USE DISORDER

People may experience withdrawal symptoms when they use less or stop using cocaine.

During the past 12 months, have you felt kind of blue or down after you used less or stopped using cocaine for a while?

[UDCCWDFLBU](#) Len : 2 FELT BLUE OR DOWN AFTER USING LESS OR STOPPING COCAINE

	Freq	Pct
1 = Yes.....	453	0.26
2 = No.....	2803	1.61
85 = BAD DATA LOGICALLY ASSIGNED.....	6	0.00
91 = NEVER USED COCAINE.....	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	16593	9.55
94 = DON'T KNOW.....	7	0.00
97 = REFUSED.....	27	0.02
98 = BLANK (NO ANSWER).....	200	0.12

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using cocaine for a while?

Feeling tired or exhausted

[UDCCWDTIRED](#) Len : 2 FEELING TIRED/EXHAUSTED - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	377	0.22
2 = No.....	74	0.04
85 = BAD DATA LOGICALLY ASSIGNED.....	5	0.00
91 = NEVER USED COCAINE.....	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	16593	9.55
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	27	0.02
98 = BLANK (NO ANSWER).....	208	0.12
99 = LEGITIMATE SKIP.....	2803	1.61

Having bad dreams

[UDCCWDDREAM](#) Len : 2 HAVING BAD DREAMS - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	218	0.13
2 = No.....	233	0.13
85 = BAD DATA LOGICALLY ASSIGNED.....	5	0.00
91 = NEVER USED COCAINE.....	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	16593	9.55
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	27	0.02
98 = BLANK (NO ANSWER).....	208	0.12
99 = LEGITIMATE SKIP.....	2803	1.61

Having trouble sleeping or sleeping more than you normally do

[UDCCWDSLEEP](#) Len : 2 TROUBLE/MORE SLEEPING - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	327	0.19
2 = No.....	125	0.07
85 = BAD DATA LOGICALLY ASSIGNED.....	5	0.00
91 = NEVER USED COCAINE.....	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	16593	9.55
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	27	0.02
98 = BLANK (NO ANSWER).....	208	0.12
99 = LEGITIMATE SKIP.....	2803	1.61

SUBSTANCE USE DISORDER

Feeling hungry more often

UDCCWDHNGRY Len : 2 FEELING HUNGRY - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	224	0.13
2 = No.....	227	0.13
85 = BAD DATA LOGICALLY ASSIGNED.....	5	0.00
91 = NEVER USED COCAINE.....	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	16593	9.55
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	28	0.02
98 = BLANK (NO ANSWER).....	208	0.12
99 = LEGITIMATE SKIP.....	2803	1.61

Feeling either very slowed down or like you couldn't sit still

UDCCWDSITST Len : 2 SLOWED DOWN/RESTLESS - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	286	0.16
2 = No.....	166	0.10
85 = BAD DATA LOGICALLY ASSIGNED.....	5	0.00
91 = NEVER USED COCAINE.....	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	16593	9.55
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	27	0.02
98 = BLANK (NO ANSWER).....	208	0.12
99 = LEGITIMATE SKIP.....	2803	1.61

During the past 12 months, did you use cocaine or another drug to get over or avoid having cocaine withdrawal symptoms?

UDCCAVOIDWD Len : 2 USE COC/OTH DRUG TO GET OVER/AVOID COC WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	215	0.12
2 = No.....	3043	1.75
85 = BAD DATA LOGICALLY ASSIGNED.....	6	0.00
91 = NEVER USED COCAINE.....	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	16593	9.55
94 = DON'T KNOW.....	7	0.00
97 = REFUSED.....	25	0.01
98 = BLANK (NO ANSWER).....	200	0.12

Which of the following did you use to get over or avoid having cocaine withdrawal symptoms during the past 12 months?

Cocaine

UDCCAVWCOCN Len : 2 USED COCAINE TO GET OVER/AVOID COC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	131	0.08
2 = No.....	81	0.05
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED.....	5	0.00
91 = NEVER USED COCAINE.....	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	16593	9.55
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	26	0.01
98 = BLANK (NO ANSWER).....	208	0.12
99 = LEGITIMATE SKIP.....	3043	1.75

SUBSTANCE USE DISORDER

Methamphetamine

UDCCAVWMETH Len : 2 USED METH TO GET OVER/AVOID COC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	50	0.03
2 = No.....	162	0.09
85 = BAD DATA LOGICALLY ASSIGNED.....	5	0.00
91 = NEVER USED COCAINE.....	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	16593	9.55
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	26	0.01
98 = BLANK (NO ANSWER).....	208	0.12
99 = LEGITIMATE SKIP.....	3043	1.75

Prescription stimulants or uppers

UDCCAVWSTIM Len : 2 USED STM TO GET OVER/AVOID COC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	55	0.03
2 = No.....	157	0.09
85 = BAD DATA LOGICALLY ASSIGNED.....	5	0.00
91 = NEVER USED COCAINE.....	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	16593	9.55
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	26	0.01
98 = BLANK (NO ANSWER).....	208	0.12
99 = LEGITIMATE SKIP.....	3043	1.75

Something else

UDCCAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD COC WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	123	0.07
2 = No.....	88	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	5	0.00
91 = NEVER USED COCAINE.....	153719	88.44
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	16593	9.55
94 = DON'T KNOW.....	3	0.00
97 = REFUSED.....	26	0.01
98 = BLANK (NO ANSWER).....	208	0.12
99 = LEGITIMATE SKIP.....	3043	1.75

Think about your use of heroin during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using heroin, feeling its effects, or getting over the effects of heroin?

UDHETIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF HEROIN PST 12 MOS

	Freq	Pct
1 = Yes.....	308	0.18
2 = No.....	275	0.16
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
91 = NEVER USED HEROIN.....	170296	97.98
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
94 = DON'T KNOW.....	5	0.00
97 = REFUSED.....	9	0.01
98 = BLANK (NO ANSWER).....	170	0.10

SUBSTANCE USE DISORDER

During the past 12 months, did you spend a great deal of your time getting or trying to get heroin?

<u>UDHETIMEGET</u>	Len : 2	SPENT GREAT DEAL TIME TRY TO GET/GETTING HEROIN PST 12 MOS		
			Freq	Pct
	1 = Yes.....		14	0.01
	2 = No.....		263	0.15
	85 = BAD DATA LOGICALLY ASSIGNED.....		1	0.00
	91 = NEVER USED HEROIN.....		170296	97.98
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		2742	1.58
	94 = DON'T KNOW.....		3	0.00
	97 = REFUSED.....		9	0.01
	98 = BLANK (NO ANSWER).....		172	0.10
	99 = LEGITIMATE SKIP.....		308	0.18

During the past 12 months, were there many times when you ended up using heroin in larger amounts or for a longer time than you meant to?

<u>UDHELRGAMTS</u>	Len : 2	USED HER LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS		
			Freq	Pct
	1 = Yes.....		313	0.18
	2 = No.....		271	0.16
	85 = BAD DATA LOGICALLY ASSIGNED.....		3	0.00
	91 = NEVER USED HEROIN.....		170296	97.98
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		2742	1.58
	94 = DON'T KNOW.....		4	0.00
	97 = REFUSED.....		9	0.01
	98 = BLANK (NO ANSWER).....		170	0.10

During the past 12 months, were there times when you wanted to use heroin so badly that you couldn't think of anything else?

<u>UDHEWANTBAD</u>	Len : 2	WANTED TO USE HEROIN SO BADLY IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		322	0.19
	2 = No.....		261	0.15
	85 = BAD DATA LOGICALLY ASSIGNED.....		3	0.00
	91 = NEVER USED HEROIN.....		170296	97.98
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		2742	1.58
	94 = DON'T KNOW.....		5	0.00
	97 = REFUSED.....		9	0.01
	98 = BLANK (NO ANSWER).....		170	0.10

During the past 12 months, were there times when you had a strong urge to use heroin?

<u>UDHESTRURGE</u>	Len : 2	STRONG URGE TO USE HEROIN IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		65	0.04
	2 = No.....		198	0.11
	85 = BAD DATA LOGICALLY ASSIGNED.....		1	0.00
	91 = NEVER USED HEROIN.....		170296	97.98
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		2742	1.58
	94 = DON'T KNOW.....		3	0.00
	97 = REFUSED.....		9	0.01
	98 = BLANK (NO ANSWER).....		172	0.10
	99 = LEGITIMATE SKIP.....		322	0.19

Do you need to use a lot more heroin than you used to in order to get the feeling you want?

<u>UDHENEEDMOR</u>	Len : 2	NEEDED A LOT MORE HEROIN TO GET FEELING YOU WANT		
			Freq	Pct
	1 = Yes.....		276	0.16
	2 = No.....		309	0.18
	85 = BAD DATA LOGICALLY ASSIGNED.....		3	0.00
	91 = NEVER USED HEROIN.....		170296	97.98
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		2742	1.58
	94 = DON'T KNOW.....		3	0.00
	97 = REFUSED.....		9	0.01
	98 = BLANK (NO ANSWER).....		170	0.10

SUBSTANCE USE DISORDER

Does using the same amount of heroin have much less effect on you than it used to?

<u>UDHELESSEFF</u>	Len : 2	SAME AMT HEROIN HAS LESS EFFECT THAN IT USED TO		
			Freq	Pct
	1 = Yes.....		43	0.02
	2 = No.....		265	0.15
	85 = BAD DATA LOGICALLY ASSIGNED.....		1	0.00
	91 = NEVER USED HEROIN.....		170296	97.98
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		2742	1.58
	94 = DON'T KNOW.....		3	0.00
	97 = REFUSED.....		9	0.01
	98 = BLANK (NO ANSWER).....		173	0.10
	99 = LEGITIMATE SKIP.....		276	0.16

During the past 12 months, did you try to cut down or try to stop using heroin?

<u>UDHETRYSTOP</u>	Len : 2	TRY TO CUT DOWN/STOP HEROIN USE IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		393	0.23
	2 = No.....		190	0.11
	85 = BAD DATA LOGICALLY ASSIGNED.....		3	0.00
	91 = NEVER USED HEROIN.....		170296	97.98
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		2742	1.58
	94 = DON'T KNOW.....		4	0.00
	97 = REFUSED.....		9	0.01
	98 = BLANK (NO ANSWER).....		171	0.10

Some people who use heroin try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using heroin?

<u>UDHENOTSTOP</u>	Len : 2	UNABLE TO CUT/STOP HEROIN USE MORE THAN ONE TIME PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		288	0.17
	2 = No.....		105	0.06
	85 = BAD DATA LOGICALLY ASSIGNED.....		3	0.00
	91 = NEVER USED HEROIN.....		170296	97.98
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		2742	1.58
	97 = REFUSED.....		9	0.01
	98 = BLANK (NO ANSWER).....		175	0.10
	99 = LEGITIMATE SKIP.....		190	0.11

In the past 12 months, did you often wish that you could cut down or stop using heroin?

<u>UDHEWSHSTOP</u>	Len : 2	OFTEN WISH CUT DOWN OR STOP HEROIN USE PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		32	0.02
	2 = No.....		159	0.09
	91 = NEVER USED HEROIN.....		170296	97.98
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		2742	1.58
	94 = DON'T KNOW.....		3	0.00
	97 = REFUSED.....		9	0.01
	98 = BLANK (NO ANSWER).....		174	0.10
	99 = LEGITIMATE SKIP.....		393	0.23

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using heroin?

<u>UDHEHLTHPRB</u>	Len : 2	ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY HEROIN PST 12MOS		
			Freq	Pct
	1 = Yes.....		208	0.12
	2 = No.....		376	0.22
	85 = BAD DATA LOGICALLY ASSIGNED.....		3	0.00
	91 = NEVER USED HEROIN.....		170296	97.98
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		2742	1.58
	94 = DON'T KNOW.....		4	0.00
	97 = REFUSED.....		8	0.00
	98 = BLANK (NO ANSWER).....		171	0.10

SUBSTANCE USE DISORDER

Did you continue to use heroin even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

<u>UDHEHLTHCTD</u>	Len : 2	CONTD TO USE HEROIN DESPITE HEROIN CAUSE/WORSEN PHYS PRBS		
			Freq	Pct
	1 = Yes.....		185	0.11
	2 = No.....		23	0.01
	85 = BAD DATA LOGICALLY ASSIGNED.....		3	0.00
	91 = NEVER USED HEROIN.....		170296	97.98
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		2742	1.58
	97 = REFUSED		8	0.00
	98 = BLANK (NO ANSWER)		175	0.10
	99 = LEGITIMATE SKIP.....		376	0.22

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using heroin?

<u>UDHEMNTLPRB</u>	Len : 2	ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY HEROIN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		96	0.06
	2 = No.....		304	0.17
	85 = BAD DATA LOGICALLY ASSIGNED.....		1	0.00
	91 = NEVER USED HEROIN.....		170296	97.98
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		2742	1.58
	94 = DON'T KNOW		3	0.00
	97 = REFUSED		8	0.00
	98 = BLANK (NO ANSWER)		173	0.10
	99 = LEGITIMATE SKIP.....		185	0.11

Did you continue to use heroin even though it was causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

<u>UDHEMNTLCTD</u>	Len : 2	CONTD HEROIN USE DESPITE HEROIN CSE/WRSN EMOT/MNTL HLTH PRBS		
			Freq	Pct
	1 = Yes.....		73	0.04
	2 = No.....		23	0.01
	91 = NEVER USED HEROIN.....		170296	97.98
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		2742	1.58
	97 = REFUSED		8	0.00
	98 = BLANK (NO ANSWER)		177	0.10
	99 = LEGITIMATE SKIP.....		489	0.28

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of heroin?

<u>UDHESTOPACT</u>	Len : 2	LESS ACTIVITIES B/C OF HEROIN USE PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		311	0.18
	2 = No.....		273	0.16
	85 = BAD DATA LOGICALLY ASSIGNED.....		3	0.00
	91 = NEVER USED HEROIN.....		170296	97.98
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		2742	1.58
	94 = DON'T KNOW		4	0.00
	97 = REFUSED		8	0.00
	98 = BLANK (NO ANSWER)		171	0.10

SUBSTANCE USE DISORDER

Sometimes people who use heroin have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of heroin?

UDHEWORKPRB Len : 2 HEROIN CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	275	0.16
2 = No.....	311	0.18
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
91 = NEVER USED HEROIN.....	170296	97.98
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	9	0.01
98 = BLANK (NO ANSWER).....	171	0.10

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of heroin?

UDHEFMLYPRB Len : 2 HEROIN CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	294	0.17
2 = No.....	291	0.17
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
91 = NEVER USED HEROIN.....	170296	97.98
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	9	0.01
98 = BLANK (NO ANSWER).....	171	0.10

Did you continue to use heroin even though it often caused arguments or problems with family or friends?

UDHEFMLYCTD Len : 2 CONTD HEROIN DESPITE HEROIN CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	269	0.15
2 = No.....	25	0.01
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
91 = NEVER USED HEROIN.....	170296	97.98
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
97 = REFUSED.....	9	0.01
98 = BLANK (NO ANSWER).....	173	0.10
99 = LEGITIMATE SKIP.....	291	0.17

During the past 12 months, did you repeatedly get into situations where using heroin increased your chances of getting physically hurt?

UDHEGETHURT Len : 2 HEROIN INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	217	0.12
2 = No.....	368	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
91 = NEVER USED HEROIN.....	170296	97.98
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	9	0.01
98 = BLANK (NO ANSWER).....	171	0.10

SUBSTANCE USE DISORDER

People may experience withdrawal symptoms when they use less or stop using heroin.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using heroin for a while?

Feeling kind of blue or down

<u>UDHEWDFLBU</u>	Len : 2	FEELING BLUE/DOWN - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	367	0.21
		2 = No.....	216	0.12
		85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
		91 = NEVER USED HEROIN.....	170296	97.98
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
		94 = DON'T KNOW.....	3	0.00
		97 = REFUSED.....	10	0.01
		98 = BLANK (NO ANSWER).....	171	0.10

Vomiting or feeling nauseous

<u>UDHEWDVOMIT</u>	Len : 2	VOMITING/NAUSEOUS - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	324	0.19
		2 = No.....	261	0.15
		85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
		91 = NEVER USED HEROIN.....	170296	97.98
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	9	0.01
		98 = BLANK (NO ANSWER).....	171	0.10

Having cramps or muscle aches

<u>UDHEWDCRAMP</u>	Len : 2	HAVING MUSCLE CRAMPS/ACHES-HER WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	371	0.21
		2 = No.....	213	0.12
		85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
		91 = NEVER USED HEROIN.....	170296	97.98
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
		94 = DON'T KNOW.....	3	0.00
		97 = REFUSED.....	9	0.01
		98 = BLANK (NO ANSWER).....	171	0.10

Having teary eyes or a runny nose

<u>UDHEWDRUNNY</u>	Len : 2	TEARY EYES/RUNNY NOSE - HER WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	372	0.21
		2 = No.....	213	0.12
		85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
		91 = NEVER USED HEROIN.....	170296	97.98
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	9	0.01
		98 = BLANK (NO ANSWER).....	171	0.10

Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin

<u>UDHEWDSWEAT</u>	Len : 2	SWEATY/LRG PUPILS/HAIR STNDING UP-HER W/DRWAL SYM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	366	0.21
		2 = No.....	218	0.13
		85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
		91 = NEVER USED HEROIN.....	170296	97.98
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
		94 = DON'T KNOW.....	3	0.00
		97 = REFUSED.....	9	0.01
		98 = BLANK (NO ANSWER).....	171	0.10

SUBSTANCE USE DISORDER

Having diarrhea

UDHEWDDIARR	Len : 2	HAVING DIARRHEA - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	328	0.19
		2 = No.....	255	0.15
		85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
		91 = NEVER USED HEROIN.....	170296	97.98
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
		94 = DON'T KNOW.....	3	0.00
		97 = REFUSED.....	10	0.01
		98 = BLANK (NO ANSWER).....	171	0.10

Yawning

UDHEWDYAWNS	Len : 2	YAWNING - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	370	0.21
		2 = No.....	215	0.12
		85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
		91 = NEVER USED HEROIN.....	170296	97.98
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	9	0.01
		98 = BLANK (NO ANSWER).....	171	0.10

Having a fever

UDHEWDFEVER	Len : 2	HAVING FEVER - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	238	0.14
		2 = No.....	343	0.20
		85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
		91 = NEVER USED HEROIN.....	170296	97.98
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
		94 = DON'T KNOW.....	5	0.00
		97 = REFUSED.....	10	0.01
		98 = BLANK (NO ANSWER).....	171	0.10

Having trouble sleeping

UDHEWDSLEEP	Len : 2	HAVING TRBL SLEEPING - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	381	0.22
		2 = No.....	202	0.12
		85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
		91 = NEVER USED HEROIN.....	170296	97.98
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
		94 = DON'T KNOW.....	4	0.00
		97 = REFUSED.....	9	0.01
		98 = BLANK (NO ANSWER).....	171	0.10

During the past 12 months, did you use heroin or another drug to get over or avoid having heroin withdrawal symptoms?

UDHEAVOIDWD	Len : 2	USE HEROIN TO GET OVER/AVOID HEROIN WITHDRAWAL IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	339	0.20
		2 = No.....	247	0.14
		85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
		91 = NEVER USED HEROIN.....	170296	97.98
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	9	0.01
		98 = BLANK (NO ANSWER).....	171	0.10

SUBSTANCE USE DISORDER

Which of the following did you use to get over or avoid having heroin withdrawal symptoms during the past 12 months?

Heroin

<u>UDHEAVWHERN</u>	Len : 2	USED HEROIN TO GET OVER/AVOID HER WITHDRAWAL IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	287	0.17
		2 = No.....	48	0.03
		85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
		91 = NEVER USED HEROIN.....	170296	97.98
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	12	0.01
		98 = BLANK (NO ANSWER).....	173	0.10
		99 = LEGITIMATE SKIP.....	247	0.14

Prescription pain relievers

<u>UDHEAVWP NRL</u>	Len : 2	USED PN RLVR TO GET OVER/AVOID HER WITHDRAWAL IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	177	0.10
		2 = No.....	105	0.06
		3 = Yes LOGICALLY ASSIGNED.....	53	0.03
		85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
		91 = NEVER USED HEROIN.....	170296	97.98
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	12	0.01
		98 = BLANK (NO ANSWER).....	173	0.10
		99 = LEGITIMATE SKIP.....	247	0.14

Something else

<u>UDHEAVWOTHR</u>	Len : 2	USED SOMETHING ELSE TO GET OVR/AVD HER WITHDRAWAL PST 12 MOS		
			Freq	Pct
		1 = Yes.....	205	0.12
		2 = No.....	130	0.07
		85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
		91 = NEVER USED HEROIN.....	170296	97.98
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	2742	1.58
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	12	0.01
		98 = BLANK (NO ANSWER).....	173	0.10
		99 = LEGITIMATE SKIP.....	247	0.14

Think about your use of hallucinogens, such as LSD, 'acid,' PCP, 'Ecstasy' or 'Molly,' psilocybin or mushrooms, mescaline, or peyote, during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using hallucinogens, feeling their effects, or getting over the effects of hallucinogens?

<u>UDHATIMEUSE</u>	Len : 2	SPENT GREAT DEAL OF TIME USING/FEEL EFF OF HAL PST 12 MOS		
			Freq	Pct
		1 = Yes.....	250	0.14
		2 = No.....	6051	3.48
		85 = BAD DATA LOGICALLY ASSIGNED.....	5	0.00
		91 = NEVER USED HALLUCINOGENS.....	145973	83.99
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
		94 = DON'T KNOW.....	7	0.00
		97 = REFUSED.....	11	0.01
		98 = BLANK (NO ANSWER).....	974	0.56

SUBSTANCE USE DISORDER

During the past 12 months, did you spend a great deal of your time getting or trying to get hallucinogens?

<u>UDHATIMEGET</u>	Len : 2	SPENT GREAT DEAL TIME TRY TO GET/GETTING HAL IN PST 12 MOS		
			Freq	Pct
	1 = Yes.....		56	0.03
	2 = No.....		5997	3.45
	85 = BAD DATA LOGICALLY ASSIGNED.....		1	0.00
	91 = NEVER USED HALLUCINOGENS		145973	83.99
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....		20537	11.82
	94 = DON'T KNOW.....		6	0.00
	97 = REFUSED		10	0.01
	98 = BLANK (NO ANSWER)		978	0.56
	99 = LEGITIMATE SKIP.....		250	0.14

During the past 12 months, were there many times when you ended up using hallucinogens in larger amounts or for a longer time than you meant to?

<u>UDHALRGAMTS</u>	Len : 2	USED HAL LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS		
			Freq	Pct
	1 = Yes.....		255	0.15
	2 = No.....		6048	3.48
	85 = BAD DATA LOGICALLY ASSIGNED.....		5	0.00
	91 = NEVER USED HALLUCINOGENS		145973	83.99
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....		20537	11.82
	94 = DON'T KNOW.....		5	0.00
	97 = REFUSED		11	0.01
	98 = BLANK (NO ANSWER)		974	0.56

During the past 12 months, were there times when you wanted to use hallucinogens so badly that you couldn't think of anything else?

<u>UDHAWANTBAD</u>	Len : 2	WANTED TO USE HALLUC SO BADLY IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		142	0.08
	2 = No.....		6159	3.54
	85 = BAD DATA LOGICALLY ASSIGNED.....		5	0.00
	91 = NEVER USED HALLUCINOGENS		145973	83.99
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....		20537	11.82
	94 = DON'T KNOW.....		6	0.00
	97 = REFUSED		12	0.01
	98 = BLANK (NO ANSWER)		974	0.56

During the past 12 months, were there times when you had a strong urge to use hallucinogens?

<u>UDHASTRURGE</u>	Len : 2	STRONG URGE TO USE HALLUC IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		535	0.31
	2 = No.....		5622	3.23
	85 = BAD DATA LOGICALLY ASSIGNED.....		1	0.00
	91 = NEVER USED HALLUCINOGENS		145973	83.99
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....		20537	11.82
	94 = DON'T KNOW.....		6	0.00
	97 = REFUSED		13	0.01
	98 = BLANK (NO ANSWER)		979	0.56
	99 = LEGITIMATE SKIP.....		142	0.08

Do you need to use a lot more hallucinogens than you used to in order to get the feeling you want?

<u>UDHANEEDMOR</u>	Len : 2	NEEDED A LOT MORE HALLUC TO GET FEELING YOU WANT		
			Freq	Pct
	1 = Yes.....		156	0.09
	2 = No.....		6140	3.53
	85 = BAD DATA LOGICALLY ASSIGNED.....		5	0.00
	91 = NEVER USED HALLUCINOGENS		145973	83.99
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....		20537	11.82
	94 = DON'T KNOW.....		8	0.00
	97 = REFUSED		14	0.01
	98 = BLANK (NO ANSWER)		975	0.56

SUBSTANCE USE DISORDER

Does using the same amount of hallucinogens have much less effect on you than it used to?

UDHALESSEFF

Len : 2 SAME AMT HALLUC HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	180	0.10
2 = No.....	5949	3.42
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED HALLUCINOGENS.....	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
94 = DON'T KNOW.....	19	0.01
97 = REFUSED.....	14	0.01
98 = BLANK (NO ANSWER).....	979	0.56
99 = LEGITIMATE SKIP.....	156	0.09

During the past 12 months, did you try to cut down or try to stop using hallucinogens?

UDHATRYSTOP

Len : 2 TRY TO CUT DOWN/STOP HALLUC USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	602	0.35
2 = No.....	5682	3.27
85 = BAD DATA LOGICALLY ASSIGNED.....	5	0.00
91 = NEVER USED HALLUCINOGENS.....	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
94 = DON'T KNOW.....	12	0.01
97 = REFUSED.....	21	0.01
98 = BLANK (NO ANSWER).....	976	0.56

Some people who use hallucinogens try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using hallucinogens?

UDHANOTSTOP

Len : 2 UNABLE TO CUT/STOP HALLUC MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	69	0.04
2 = No.....	532	0.31
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
91 = NEVER USED HALLUCINOGENS.....	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
97 = REFUSED.....	22	0.01
98 = BLANK (NO ANSWER).....	990	0.57
99 = LEGITIMATE SKIP.....	5682	3.27

In the past 12 months, did you often wish that you could cut down or stop using hallucinogens?

UDHAWSHSTOP

Len : 2 OFTEN WISH CUT DOWN OR STOP HALLUC PAST 12 MOS

	Freq	Pct
1 = Yes.....	49	0.03
2 = No.....	5640	3.24
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS.....	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
94 = DON'T KNOW.....	8	0.00
97 = REFUSED.....	18	0.01
98 = BLANK (NO ANSWER).....	979	0.56
99 = LEGITIMATE SKIP.....	602	0.35

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using hallucinogens?

UDHAHLTHPRB

Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY HAL PST 12 MOS

	Freq	Pct
1 = Yes.....	90	0.05
2 = No.....	6200	3.57
85 = BAD DATA LOGICALLY ASSIGNED.....	5	0.00
91 = NEVER USED HALLUCINOGENS.....	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
94 = DON'T KNOW.....	9	0.01
97 = REFUSED.....	17	0.01
98 = BLANK (NO ANSWER).....	977	0.56

SUBSTANCE USE DISORDER

Did you continue to use hallucinogens even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

UDHAHLTHCTD Len : 2 CONTD TO USE HALLUC DESPITE HALLUC CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	46	0.03
2 = No.....	44	0.03
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.00
91 = NEVER USED HALLUCINOGENS	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
97 = REFUSED	17	0.01
98 = BLANK (NO ANSWER)	988	0.57
99 = LEGITIMATE SKIP.....	6200	3.57

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using hallucinogens?

UDHAMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY HALLUC PAST 12 MOS

	Freq	Pct
1 = Yes.....	163	0.09
2 = No.....	6081	3.50
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
94 = DON'T KNOW	7	0.00
97 = REFUSED	18	0.01
98 = BLANK (NO ANSWER)	981	0.56
99 = LEGITIMATE SKIP.....	46	0.03

Did you continue to use hallucinogens even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

UDHAMNTLCTD Len : 2 CONTD HALLUC USE DESPITE HAL CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	51	0.03
2 = No.....	112	0.06
91 = NEVER USED HALLUCINOGENS	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
97 = REFUSED	18	0.01
98 = BLANK (NO ANSWER)	990	0.57
99 = LEGITIMATE SKIP.....	6127	3.53

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of hallucinogens?

UDHASTOPACT Len : 2 LESS ACTIVITIES B/C OF HALLUC USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	126	0.07
2 = No.....	6165	3.55
85 = BAD DATA LOGICALLY ASSIGNED.....	5	0.00
91 = NEVER USED HALLUCINOGENS	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
94 = DON'T KNOW	6	0.00
97 = REFUSED	17	0.01
98 = BLANK (NO ANSWER)	979	0.56

SUBSTANCE USE DISORDER

Sometimes people who use hallucinogens have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of hallucinogens?

UDHAWORKPRB Len : 2 HALLUC CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	98	0.06
2 = No.....	6191	3.56
85 = BAD DATA LOGICALLY ASSIGNED	5	0.00
91 = NEVER USED HALLUCINOGENS	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
94 = DON'T KNOW	6	0.00
97 = REFUSED	18	0.01
98 = BLANK (NO ANSWER)	980	0.56

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of hallucinogens?

UDHAFMLYPRB Len : 2 HALLUC CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	97	0.06
2 = No.....	6191	3.56
85 = BAD DATA LOGICALLY ASSIGNED	5	0.00
91 = NEVER USED HALLUCINOGENS	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
94 = DON'T KNOW	6	0.00
97 = REFUSED	19	0.01
98 = BLANK (NO ANSWER)	980	0.56

Did you continue to use hallucinogens even though they often caused arguments or problems with family or friends?

UDHAFMLYCTD Len : 2 CONTD HALLUC USE DESPITE HAL CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	63	0.04
2 = No.....	34	0.02
85 = BAD DATA LOGICALLY ASSIGNED	3	0.00
91 = NEVER USED HALLUCINOGENS	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
97 = REFUSED	19	0.01
98 = BLANK (NO ANSWER)	988	0.57
99 = LEGITIMATE SKIP.....	6191	3.56

During the past 12 months, did you repeatedly get into situations where using hallucinogens increased your chances of getting physically hurt?

UDHAGETHURT Len : 2 HALLUC USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	116	0.07
2 = No.....	6176	3.55
85 = BAD DATA LOGICALLY ASSIGNED	5	0.00
91 = NEVER USED HALLUCINOGENS	145973	83.99
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	20537	11.82
94 = DON'T KNOW	5	0.00
97 = REFUSED	16	0.01
98 = BLANK (NO ANSWER)	980	0.56

SUBSTANCE USE DISORDER

Think about your use of inhalants, such as amyl nitrite, 'poppers,' nitrous oxide, gasoline or lighter fluids, glue, spray paints, or correction fluids, during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using inhalants, feeling their effects, or getting over the effects of inhalants?

<u>UDINTIMEUSE</u>	Len : 2	SPENT GREAT DEAL OF TIME USING/FEEL EFF OF INH PST 12 MOS		
			Freq	Pct
	1 = Yes.....		110	0.06
	2 = No.....		1921	1.11
	85 = BAD DATA LOGICALLY ASSIGNED.....		6	0.00
	91 = NEVER USED INHALANTS.....		156812	90.22
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....		14129	8.13
	94 = DON'T KNOW.....		7	0.00
	97 = REFUSED.....		6	0.00
	98 = BLANK (NO ANSWER).....		817	0.47

During the past 12 months, did you spend a great deal of your time getting or trying to get inhalants?

<u>UDINTIMEGET</u>	Len : 2	SPENT GREAT DEAL TIME TRY TO GET/GETTING INH IN PST 12 MOS		
			Freq	Pct
	1 = Yes.....		8	0.00
	2 = No.....		1917	1.10
	85 = BAD DATA LOGICALLY ASSIGNED.....		4	0.00
	91 = NEVER USED INHALANTS.....		156812	90.22
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....		14129	8.13
	94 = DON'T KNOW.....		5	0.00
	97 = REFUSED.....		4	0.00
	98 = BLANK (NO ANSWER).....		819	0.47
	99 = LEGITIMATE SKIP.....		110	0.06

During the past 12 months, were there many times when you ended up using inhalants in larger amounts or for a longer time than you meant to?

<u>UDINLRGAMTS</u>	Len : 2	USED INH LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS		
			Freq	Pct
	1 = Yes.....		140	0.08
	2 = No.....		1892	1.09
	85 = BAD DATA LOGICALLY ASSIGNED.....		6	0.00
	91 = NEVER USED INHALANTS.....		156812	90.22
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....		14129	8.13
	94 = DON'T KNOW.....		7	0.00
	97 = REFUSED.....		5	0.00
	98 = BLANK (NO ANSWER).....		817	0.47

During the past 12 months, were there times when you wanted to use inhalants so badly that you couldn't think of anything else?

<u>UDINWANTBAD</u>	Len : 2	WANTED TO USE INHALANTS SO BADLY IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		88	0.05
	2 = No.....		1947	1.12
	85 = BAD DATA LOGICALLY ASSIGNED.....		6	0.00
	91 = NEVER USED INHALANTS.....		156812	90.22
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....		14129	8.13
	94 = DON'T KNOW.....		4	0.00
	97 = REFUSED.....		5	0.00
	98 = BLANK (NO ANSWER).....		817	0.47

During the past 12 months, were there times when you had a strong urge to use inhalants?

<u>UDINSTRURGE</u>	Len : 2	STRONG URGE TO USE INHALANTS IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		173	0.10
	2 = No.....		1772	1.02
	85 = BAD DATA LOGICALLY ASSIGNED.....		4	0.00
	91 = NEVER USED INHALANTS.....		156812	90.22
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....		14129	8.13
	94 = DON'T KNOW.....		4	0.00
	97 = REFUSED.....		7	0.00
	98 = BLANK (NO ANSWER).....		819	0.47
	99 = LEGITIMATE SKIP.....		88	0.05

SUBSTANCE USE DISORDER

Do you need to use a lot more inhalants than you used to in order to get the feeling you want?

UDINNEEDMOR

Len : 2 NEEDED A LOT MORE INHALANTS TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	103	0.06
2 = No.....	1925	1.11
85 = BAD DATA LOGICALLY ASSIGNED.....	6	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	14129	8.13
94 = DON'T KNOW.....	9	0.01
97 = REFUSED.....	7	0.00
98 = BLANK (NO ANSWER).....	817	0.47

Does using the same amount of inhalants have much less effect on you than it used to?

UDINLESSEFF

Len : 2 SAME AMT INHALANTS HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	89	0.05
2 = No.....	1804	1.04
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	14129	8.13
94 = DON'T KNOW.....	38	0.02
97 = REFUSED.....	8	0.00
98 = BLANK (NO ANSWER).....	821	0.47
99 = LEGITIMATE SKIP.....	103	0.06

During the past 12 months, did you try to cut down or try to stop using inhalants?

UDINTRYSTOP

Len : 2 TRY TO CUT DOWN/STOP INHALANT USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	409	0.24
2 = No.....	1587	0.91
85 = BAD DATA LOGICALLY ASSIGNED.....	6	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	14129	8.13
94 = DON'T KNOW.....	28	0.02
97 = REFUSED.....	17	0.01
98 = BLANK (NO ANSWER).....	820	0.47

Some people who use inhalants try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using inhalants?

UDINNOTSTOP

Len : 2 UNABLE TO CUT/STOP INH USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	72	0.04
2 = No.....	333	0.19
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	14129	8.13
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	19	0.01
98 = BLANK (NO ANSWER).....	852	0.49
99 = LEGITIMATE SKIP.....	1587	0.91

In the past 12 months, did you often wish that you could cut down or stop using inhalants?

UDINWSHSTOP

Len : 2 OFTEN WISH CUT DOWN OR STOP INH USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	51	0.03
2 = No.....	1532	0.88
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.00
91 = NEVER USED INHALANTS.....	156812	90.22
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	14129	8.13
94 = DON'T KNOW.....	25	0.01
97 = REFUSED.....	24	0.01
98 = BLANK (NO ANSWER).....	822	0.47
99 = LEGITIMATE SKIP.....	409	0.24

SUBSTANCE USE DISORDER

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using inhalants?

<u>UDINHLTHPRB</u>	Len : 2	ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY INH PST 12 MOS		
			Freq	Pct
	1 = Yes.....		63	0.04
	2 = No.....		1953	1.12
	85 = BAD DATA LOGICALLY ASSIGNED.....		6	0.00
	91 = NEVER USED INHALANTS.....		156812	90.22
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....		14129	8.13
	94 = DON'T KNOW.....		15	0.01
	97 = REFUSED.....		10	0.01
	98 = BLANK (NO ANSWER).....		820	0.47

Did you continue to use inhalants even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

<u>UDINHLTHCTD</u>	Len : 2	CONTD TO USE INHALANTS DESPITE INH CAUSE/WORSEN PHYS PRBS		
			Freq	Pct
	1 = Yes.....		41	0.02
	2 = No.....		22	0.01
	85 = BAD DATA LOGICALLY ASSIGNED.....		2	0.00
	91 = NEVER USED INHALANTS.....		156812	90.22
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....		14129	8.13
	97 = REFUSED.....		10	0.01
	98 = BLANK (NO ANSWER).....		839	0.48
	99 = LEGITIMATE SKIP.....		1953	1.12

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using inhalants?

<u>UDINMNTLPRB</u>	Len : 2	ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY INH PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		35	0.02
	2 = No.....		1939	1.12
	85 = BAD DATA LOGICALLY ASSIGNED.....		4	0.00
	91 = NEVER USED INHALANTS.....		156812	90.22
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....		14129	8.13
	94 = DON'T KNOW.....		16	0.01
	97 = REFUSED.....		10	0.01
	98 = BLANK (NO ANSWER).....		822	0.47
	99 = LEGITIMATE SKIP.....		41	0.02

Did you continue to use inhalants even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

<u>UDINMNTLCTD</u>	Len : 2	CONTD INH USE DESPITE INH CSE/WRSN EMOT/MNTL HLTH PRBS		
			Freq	Pct
	1 = Yes.....		15	0.01
	2 = No.....		20	0.01
	91 = NEVER USED INHALANTS.....		156812	90.22
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....		14129	8.13
	97 = REFUSED.....		10	0.01
	98 = BLANK (NO ANSWER).....		842	0.48
	99 = LEGITIMATE SKIP.....		1980	1.14

SUBSTANCE USE DISORDER

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of inhalants?

<u>UDINSTOPACT</u>	Len : 2	LESS ACTIVITIES B/C OF INHALANT USE PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	59	0.03
		2 = No.....	1961	1.13
		85 = BAD DATA LOGICALLY ASSIGNED.....	6	0.00
		91 = NEVER USED INHALANTS.....	156812	90.22
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	14129	8.13
		94 = DON'T KNOW.....	11	0.01
		97 = REFUSED.....	10	0.01
		98 = BLANK (NO ANSWER).....	820	0.47

Sometimes people who use inhalants have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of inhalants?

<u>UDINWORKPRB</u>	Len : 2	INHALANTS CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS		
			Freq	Pct
		1 = Yes.....	46	0.03
		2 = No.....	1979	1.14
		85 = BAD DATA LOGICALLY ASSIGNED.....	6	0.00
		91 = NEVER USED INHALANTS.....	156812	90.22
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	14129	8.13
		94 = DON'T KNOW.....	7	0.00
		97 = REFUSED.....	9	0.01
		98 = BLANK (NO ANSWER).....	820	0.47

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of inhalants?

<u>UDINFMLYPRB</u>	Len : 2	INHALANTS CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS		
			Freq	Pct
		1 = Yes.....	62	0.04
		2 = No.....	1957	1.13
		85 = BAD DATA LOGICALLY ASSIGNED.....	6	0.00
		91 = NEVER USED INHALANTS.....	156812	90.22
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	14129	8.13
		94 = DON'T KNOW.....	12	0.01
		97 = REFUSED.....	10	0.01
		98 = BLANK (NO ANSWER).....	820	0.47

Did you continue to use inhalants even though they often caused arguments or problems with family or friends?

<u>UDINFMLYCTD</u>	Len : 2	CONTD INHALANT USE DESPITE INH CAUSE ARGUMENTS W/FAM/FRNDS		
			Freq	Pct
		1 = Yes.....	39	0.02
		2 = No.....	23	0.01
		85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
		91 = NEVER USED INHALANTS.....	156812	90.22
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	14129	8.13
		97 = REFUSED.....	10	0.01
		98 = BLANK (NO ANSWER).....	836	0.48
		99 = LEGITIMATE SKIP.....	1957	1.13

SUBSTANCE USE DISORDER

During the past 12 months, did you repeatedly get into situations where using inhalants increased your chances of getting physically hurt?

<u>UDINGETHURT</u>	Len : 2	INHALANT USE INCREASED CHANCE GETTING HURT PST 12 MOS		
			Freq	Pct
	1 = Yes.....		48	0.03
	2 = No.....		1975	1.14
	85 = BAD DATA LOGICALLY ASSIGNED.....		6	0.00
	91 = NEVER USED INHALANTS.....		156812	90.22
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....		14129	8.13
	94 = DON'T KNOW.....		10	0.01
	97 = REFUSED.....		8	0.00
	98 = BLANK (NO ANSWER).....		820	0.47

Think about your use of methamphetamine during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using methamphetamine, feeling its effects, or getting over the effects of methamphetamine?

<u>UDMETIMEUSE</u>	Len : 2	SPENT GREAT DEAL OF TIME USING/FEEL EFF OF METH PST 12 MOS		
			Freq	Pct
	1 = Yes.....		715	0.41
	2 = No.....		730	0.42
	85 = BAD DATA LOGICALLY ASSIGNED.....		2	0.00
	91 = NEVER USED METHAMPHETAMINE.....		165766	95.37
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....		6312	3.63
	94 = DON'T KNOW.....		5	0.00
	97 = REFUSED.....		13	0.01
	98 = BLANK (NO ANSWER).....		265	0.15

During the past 12 months, did you spend a great deal of your time getting or trying to get methamphetamine?

<u>UDMETIMEGET</u>	Len : 2	SPENT GREAT DEAL TIME TRY TO GET/GETTING METH IN PST 12 MOS		
			Freq	Pct
	1 = Yes.....		32	0.02
	2 = No.....		699	0.40
	85 = BAD DATA LOGICALLY ASSIGNED.....		1	0.00
	91 = NEVER USED METHAMPHETAMINE.....		165766	95.37
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....		6312	3.63
	94 = DON'T KNOW.....		5	0.00
	97 = REFUSED.....		12	0.01
	98 = BLANK (NO ANSWER).....		266	0.15
	99 = LEGITIMATE SKIP.....		715	0.41

During the past 12 months, were there many times when you ended up using methamphetamine in larger amounts or for a longer time than you meant to?

<u>UDMELRGAMTS</u>	Len : 2	USED METH LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MO		
			Freq	Pct
	1 = Yes.....		694	0.40
	2 = No.....		751	0.43
	85 = BAD DATA LOGICALLY ASSIGNED.....		2	0.00
	91 = NEVER USED METHAMPHETAMINE.....		165766	95.37
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....		6312	3.63
	94 = DON'T KNOW.....		4	0.00
	97 = REFUSED.....		13	0.01
	98 = BLANK (NO ANSWER).....		266	0.15

During the past 12 months, were there times when you wanted to use methamphetamine so badly that you couldn't think of anything else?

<u>UDMEWANTBAD</u>	Len : 2	WANTED TO USE METH SO BADLY IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		525	0.30
	2 = No.....		920	0.53
	85 = BAD DATA LOGICALLY ASSIGNED.....		2	0.00
	91 = NEVER USED METHAMPHETAMINE.....		165766	95.37
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....		6312	3.63
	94 = DON'T KNOW.....		4	0.00
	97 = REFUSED.....		13	0.01
	98 = BLANK (NO ANSWER).....		266	0.15

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you had a strong urge to use methamphetamine?

<u>UDMESTRURGE</u>	Len : 2	STRONG URGE TO USE METH IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		309	0.18
	2 = No.....		612	0.35
	85 = BAD DATA LOGICALLY ASSIGNED.....		1	0.00
	91 = NEVER USED METHAMPHETAMINE		165766	95.37
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....		6312	3.63
	94 = DON'T KNOW.....		3	0.00
	97 = REFUSED		12	0.01
	98 = BLANK (NO ANSWER)		268	0.15
	99 = LEGITIMATE SKIP.....		525	0.30

Do you need to use a lot more methamphetamine than you used to in order to get the feeling you want?

<u>UDMENEEDMOR</u>	Len : 2	NEEDED A LOT MORE METH TO GET FEELING YOU WANT		
			Freq	Pct
	1 = Yes.....		543	0.31
	2 = No.....		901	0.52
	85 = BAD DATA LOGICALLY ASSIGNED.....		2	0.00
	91 = NEVER USED METHAMPHETAMINE		165766	95.37
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....		6312	3.63
	94 = DON'T KNOW.....		5	0.00
	97 = REFUSED		12	0.01
	98 = BLANK (NO ANSWER)		267	0.15

Does using the same amount of methamphetamine have much less effect on you than it used to?

<u>UDMELESSEFF</u>	Len : 2	SAME AMT METH HAS LESS EFFECT THAN IT USED TO		
			Freq	Pct
	1 = Yes.....		118	0.07
	2 = No.....		782	0.45
	85 = BAD DATA LOGICALLY ASSIGNED.....		1	0.00
	91 = NEVER USED METHAMPHETAMINE		165766	95.37
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....		6312	3.63
	94 = DON'T KNOW.....		5	0.00
	97 = REFUSED		13	0.01
	98 = BLANK (NO ANSWER)		268	0.15
	99 = LEGITIMATE SKIP.....		543	0.31

During the past 12 months, did you try to cut down or try to stop using methamphetamine?

<u>UDMETRYSTOP</u>	Len : 2	TRY TO CUT DOWN/STOP METH USE IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		803	0.46
	2 = No.....		643	0.37
	85 = BAD DATA LOGICALLY ASSIGNED.....		2	0.00
	91 = NEVER USED METHAMPHETAMINE		165766	95.37
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....		6312	3.63
	94 = DON'T KNOW.....		3	0.00
	97 = REFUSED		12	0.01
	98 = BLANK (NO ANSWER)		267	0.15

Some people who use methamphetamine try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using methamphetamine?

<u>UDMENOTSTOP</u>	Len : 2	UNABLE TO CUT/STOP METH MORE THAN ONE TIME PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		453	0.26
	2 = No.....		348	0.20
	85 = BAD DATA LOGICALLY ASSIGNED.....		2	0.00
	91 = NEVER USED METHAMPHETAMINE		165766	95.37
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....		6312	3.63
	94 = DON'T KNOW.....		2	0.00
	97 = REFUSED		12	0.01
	98 = BLANK (NO ANSWER)		270	0.16
	99 = LEGITIMATE SKIP.....		643	0.37

SUBSTANCE USE DISORDER

In the past 12 months, did you often wish that you could cut down or stop using methamphetamine?

<u>UDMEWSHSTOP</u>	Len : 2	OFTEN WISH CUT DOWN OR STOP METH USE PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		121	0.07
	2 = No.....		521	0.30
	91 = NEVER USED METHAMPHETAMINE		165766	95.37
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....		6312	3.63
	94 = DON'T KNOW		4	0.00
	97 = REFUSED		12	0.01
	98 = BLANK (NO ANSWER)		269	0.15
	99 = LEGITIMATE SKIP.....		803	0.46

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using methamphetamine?

<u>UDMEHLTHPRB</u>	Len : 2	ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY METH PST 12 MOS		
			Freq	Pct
	1 = Yes.....		357	0.21
	2 = No.....		1089	0.63
	85 = BAD DATA LOGICALLY ASSIGNED		2	0.00
	91 = NEVER USED METHAMPHETAMINE		165766	95.37
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....		6312	3.63
	94 = DON'T KNOW		2	0.00
	97 = REFUSED		12	0.01
	98 = BLANK (NO ANSWER)		268	0.15

Did you continue to use methamphetamine even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

<u>UDMEHLTHCTD</u>	Len : 2	CONTD TO USE METH DESPITE METH CAUSE/WORSEN PHYS PRBS		
			Freq	Pct
	1 = Yes.....		306	0.18
	2 = No.....		49	0.03
	85 = BAD DATA LOGICALLY ASSIGNED		1	0.00
	91 = NEVER USED METHAMPHETAMINE		165766	95.37
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....		6312	3.63
	94 = DON'T KNOW		1	0.00
	97 = REFUSED		13	0.01
	98 = BLANK (NO ANSWER)		271	0.16
	99 = LEGITIMATE SKIP.....		1089	0.63

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using methamphetamine?

<u>UDMEMNTLPRB</u>	Len : 2	ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY METH PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		274	0.16
	2 = No.....		865	0.50
	85 = BAD DATA LOGICALLY ASSIGNED		1	0.00
	91 = NEVER USED METHAMPHETAMINE		165766	95.37
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....		6312	3.63
	94 = DON'T KNOW		3	0.00
	97 = REFUSED		12	0.01
	98 = BLANK (NO ANSWER)		269	0.15
	99 = LEGITIMATE SKIP.....		306	0.18

Did you continue to use methamphetamine even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

<u>UDMEMNTLCTD</u>	Len : 2	CONTD METH USE DESPITE METH CSE/WRSN EMOT/MNTL HLTH PRBS		
			Freq	Pct
	1 = Yes.....		190	0.11
	2 = No.....		84	0.05
	91 = NEVER USED METHAMPHETAMINE		165766	95.37
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....		6312	3.63
	97 = REFUSED		12	0.01
	98 = BLANK (NO ANSWER)		273	0.16
	99 = LEGITIMATE SKIP.....		1171	0.67

SUBSTANCE USE DISORDER

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of methamphetamine?

<u>UDMESTOPACT</u>	Len : 2	LESS ACTIVITIES B/C OF METH USE PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	591	0.34
		2 = No.....	856	0.49
		85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
		91 = NEVER USED METHAMPHETAMINE.....	165766	95.37
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6312	3.63
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	11	0.01
		98 = BLANK (NO ANSWER).....	268	0.15

Sometimes people who use methamphetamine have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of methamphetamine?

<u>UDMEWORKPRB</u>	Len : 2	METH CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS		
			Freq	Pct
		1 = Yes.....	472	0.27
		2 = No.....	973	0.56
		85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
		91 = NEVER USED METHAMPHETAMINE.....	165766	95.37
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6312	3.63
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	11	0.01
		98 = BLANK (NO ANSWER).....	270	0.16

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of methamphetamine?

<u>UDMEFMLYPRB</u>	Len : 2	METH CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS		
			Freq	Pct
		1 = Yes.....	558	0.32
		2 = No.....	887	0.51
		85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
		91 = NEVER USED METHAMPHETAMINE.....	165766	95.37
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6312	3.63
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	11	0.01
		98 = BLANK (NO ANSWER).....	270	0.16

Did you continue to use methamphetamine even though it often caused arguments or problems with family or friends?

<u>UDMEFMLYCTD</u>	Len : 2	CONTD METH USE DESPITE METH CAUSE ARGUMENTS W/FAM/FRNDS		
			Freq	Pct
		1 = Yes.....	495	0.28
		2 = No.....	62	0.04
		85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED METHAMPHETAMINE.....	165766	95.37
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6312	3.63
		97 = REFUSED.....	12	0.01
		98 = BLANK (NO ANSWER).....	273	0.16
		99 = LEGITIMATE SKIP.....	887	0.51

SUBSTANCE USE DISORDER

During the past 12 months, did you repeatedly get into situations where using methamphetamine increased your chances of getting physically hurt?

UDMEGETHURT Len : 2 METH INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	360	0.21
2 = No.....	1084	0.62
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED METHAMPHETAMINE	165766	95.37
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6312	3.63
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	13	0.01
98 = BLANK (NO ANSWER)	270	0.16

People may experience withdrawal symptoms when they use less or stop using methamphetamine.

During the past 12 months, have you felt kind of blue or down after you used less or stopped using methamphetamine for a while?

UDMEWDFLBU Len : 2 FELT BLUE OR DOWN AFTER USING LESS OR STOPPING METH

	Freq	Pct
1 = Yes.....	659	0.38
2 = No.....	784	0.45
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED METHAMPHETAMINE	165766	95.37
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6312	3.63
94 = DON'T KNOW.....	3	0.00
97 = REFUSED	12	0.01
98 = BLANK (NO ANSWER)	270	0.16

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using methamphetamine for a while?

Feeling tired or exhausted

UDMEWDTIRED Len : 2 FEELING TIRED/EXHAUSTED - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	622	0.36
2 = No.....	37	0.02
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	165766	95.37
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6312	3.63
97 = REFUSED	12	0.01
98 = BLANK (NO ANSWER)	274	0.16
99 = LEGITIMATE SKIP.....	784	0.45

Having bad dreams

UDMEWDDREAM Len : 2 HAVING BAD DREAMS - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	353	0.20
2 = No.....	306	0.18
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	165766	95.37
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6312	3.63
97 = REFUSED	12	0.01
98 = BLANK (NO ANSWER)	274	0.16
99 = LEGITIMATE SKIP.....	784	0.45

Having trouble sleeping or sleeping more than you normally do

UDMEWDSLEEP Len : 2 TROUBLE/MORE SLEEP - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	572	0.33
2 = No.....	86	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	165766	95.37
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6312	3.63
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	12	0.01
98 = BLANK (NO ANSWER)	274	0.16
99 = LEGITIMATE SKIP.....	784	0.45

SUBSTANCE USE DISORDER

Feeling hungry more often

UDMEWDHNGRY Len : 2 FEELING HUNGRY - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	452	0.26
2 = No.....	206	0.12
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	165766	95.37
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6312	3.63
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	12	0.01
98 = BLANK (NO ANSWER).....	274	0.16
99 = LEGITIMATE SKIP.....	784	0.45

Feeling either very slowed down or like you couldn't sit still

UDMEWDSITST Len : 2 FEELING SLOWED DOWN/RESTLESS -MTH W/DRAWL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	521	0.30
2 = No.....	137	0.08
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	165766	95.37
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6312	3.63
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	12	0.01
98 = BLANK (NO ANSWER).....	274	0.16
99 = LEGITIMATE SKIP.....	784	0.45

During the past 12 months, did you use methamphetamine or another drug to get over or avoid having methamphetamine withdrawal symptoms?

UDMEAVOIDWD Len : 2 USE METH TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	418	0.24
2 = No.....	1026	0.59
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED METHAMPHETAMINE.....	165766	95.37
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6312	3.63
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	12	0.01
98 = BLANK (NO ANSWER).....	270	0.16

Which of the following did you use to get over or avoid having methamphetamine withdrawal symptoms during the past 12 months?

Methamphetamine

UDMEAVWMETH Len : 2 USED METH TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	332	0.19
2 = No.....	85	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	165766	95.37
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6312	3.63
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	12	0.01
98 = BLANK (NO ANSWER).....	273	0.16
99 = LEGITIMATE SKIP.....	1026	0.59

SUBSTANCE USE DISORDER

Cocaine or crack

<u>UDMEAVWCOCN</u>	Len : 2	USED COC/CRK TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	71	0.04
		2 = No.....	346	0.20
		85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED METHAMPHETAMINE.....	165766	95.37
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6312	3.63
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	12	0.01
		98 = BLANK (NO ANSWER).....	273	0.16
		99 = LEGITIMATE SKIP.....	1026	0.59

Prescription stimulants or uppers

<u>UDMEAVWSTIM</u>	Len : 2	USED STM TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	112	0.06
		2 = No.....	306	0.18
		85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED METHAMPHETAMINE.....	165766	95.37
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6312	3.63
		97 = REFUSED.....	12	0.01
		98 = BLANK (NO ANSWER).....	273	0.16
		99 = LEGITIMATE SKIP.....	1026	0.59

Something else

<u>UDMEAVWOTHR</u>	Len : 2	USED SOMTHING ELSE TO GET OVR/AVD METH WITHDRAWAL PST 12 MOS		
			Freq	Pct
		1 = Yes.....	196	0.11
		2 = No.....	222	0.13
		85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED METHAMPHETAMINE.....	165766	95.37
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6312	3.63
		97 = REFUSED.....	12	0.01
		98 = BLANK (NO ANSWER).....	273	0.16
		99 = LEGITIMATE SKIP.....	1026	0.59

Think about your use of prescription pain relievers during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription pain relievers, feeling their effects, or getting over the effects of any prescription pain relievers?

<u>UDPRTIMEUSE</u>	Len : 2	SPENT GREAT DEAL OF TIME USING/FEEL EFF OF PN RLVR PST 12 MO		
			Freq	Pct
		1 = Yes.....	2319	1.33
		2 = No.....	35182	20.24
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
		85 = BAD DATA LOGICALLY ASSIGNED.....	55	0.03
		91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
		94 = DON'T KNOW.....	126	0.07
		97 = REFUSED.....	63	0.04
		98 = BLANK (NO ANSWER).....	1359	0.78

SUBSTANCE USE DISORDER

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription pain relievers?

<u>UDPRTIMEGET</u>	Len : 2	SPENT GREAT DEAL TIME TRY TO GET/GETTING PR IN PST 12 MOS		
			Freq	Pct
	1 = Yes.....		253	0.15
	2 = No.....		35002	20.14
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....		924	0.53
	85 = BAD DATA LOGICALLY ASSIGNED.....		34	0.02
	91 = NEVER USED PAIN RELIEVERS.....		89407	51.44
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....		44373	25.53
	94 = DON'T KNOW.....		68	0.04
	97 = REFUSED.....		47	0.03
	98 = BLANK (NO ANSWER).....		1381	0.79
	99 = LEGITIMATE SKIP.....		2319	1.33

During the past 12 months, were there many times when you ended up using any prescription pain relievers in larger amounts or for a longer time than you meant to?

<u>UDPRLRGAMTS</u>	Len : 2	USED PR LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS		
			Freq	Pct
	1 = Yes.....		1150	0.66
	2 = No.....		36414	20.95
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....		924	0.53
	85 = BAD DATA LOGICALLY ASSIGNED.....		55	0.03
	91 = NEVER USED PAIN RELIEVERS.....		89407	51.44
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....		44373	25.53
	94 = DON'T KNOW.....		80	0.05
	97 = REFUSED.....		41	0.02
	98 = BLANK (NO ANSWER).....		1364	0.78

During the past 12 months, were there times when you wanted to use any prescription pain relievers so badly that you couldn't think of anything else?

<u>UDPRWANTBAD</u>	Len : 2	WANTED TO USE PN RLVR SO BADLY IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		1142	0.66
	2 = No.....		36429	20.96
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....		924	0.53
	85 = BAD DATA LOGICALLY ASSIGNED.....		55	0.03
	91 = NEVER USED PAIN RELIEVERS.....		89407	51.44
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....		44373	25.53
	94 = DON'T KNOW.....		65	0.04
	97 = REFUSED.....		46	0.03
	98 = BLANK (NO ANSWER).....		1367	0.79

During the past 12 months, were there times when you had a strong urge to use any prescription pain relievers?

<u>UDPRSTRURGE</u>	Len : 2	STRONG URGE TO USE PN RLVR IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		1753	1.01
	2 = No.....		34677	19.95
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....		924	0.53
	85 = BAD DATA LOGICALLY ASSIGNED.....		34	0.02
	91 = NEVER USED PAIN RELIEVERS.....		89407	51.44
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....		44373	25.53
	94 = DON'T KNOW.....		59	0.03
	97 = REFUSED.....		46	0.03
	98 = BLANK (NO ANSWER).....		1393	0.80
	99 = LEGITIMATE SKIP.....		1142	0.66

SUBSTANCE USE DISORDER

Do you need to use a lot more of any prescription pain relievers than you used to in order to get the feeling you want?

UDPRNEEDMOR

Len : 2 NEEDED A LOT MORE PN RLVR TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	1134	0.65
2 = No.....	36399	20.94
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
85 = BAD DATA LOGICALLY ASSIGNED.....	55	0.03
91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
94 = DON'T KNOW.....	94	0.05
97 = REFUSED.....	46	0.03
98 = BLANK (NO ANSWER).....	1376	0.79

Does using the same amount of any prescription pain relievers have much less effect on you than it used to?

UDPRLESSEFF

Len : 2 SAME AMT PN RLVR HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	1368	0.79
2 = No.....	34832	20.04
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
85 = BAD DATA LOGICALLY ASSIGNED.....	37	0.02
91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
94 = DON'T KNOW.....	281	0.16
97 = REFUSED.....	57	0.03
98 = BLANK (NO ANSWER).....	1395	0.80
99 = LEGITIMATE SKIP.....	1134	0.65

During the past 12 months, did you try to cut down or try to stop using any prescription pain relievers?

UDPRTRYSTOP

Len : 2 TRY TO CUT DOWN/STOP PN RLVR IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	6083	3.50
2 = No.....	31155	17.92
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
85 = BAD DATA LOGICALLY ASSIGNED.....	55	0.03
91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
94 = DON'T KNOW.....	304	0.17
97 = REFUSED.....	126	0.07
98 = BLANK (NO ANSWER).....	1381	0.79

Some people who use prescription pain relievers try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription pain relievers?

UDPRNOTSTOP

Len : 2 UNABLE TO CUT/STOP PN RLVR MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	1027	0.59
2 = No.....	5035	2.90
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
85 = BAD DATA LOGICALLY ASSIGNED.....	18	0.01
91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
94 = DON'T KNOW.....	13	0.01
97 = REFUSED.....	133	0.08
98 = BLANK (NO ANSWER).....	1723	0.99
99 = LEGITIMATE SKIP.....	31155	17.92

SUBSTANCE USE DISORDER

In the past 12 months, did you often wish that you could cut down or stop using any prescription pain relievers?

<u>UDPRWSHSTOP</u>	Len : 2	OFTEN WISH CUT DOWN OR STOP PN RLVR PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		1393	0.80
	2 = No.....		29758	17.12
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....		924	0.53
	85 = BAD DATA LOGICALLY ASSIGNED.....		37	0.02
	91 = NEVER USED PAIN RELIEVERS.....		89407	51.44
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....		44373	25.53
	94 = DON'T KNOW.....		287	0.17
	97 = REFUSED.....		140	0.08
	98 = BLANK (NO ANSWER).....		1406	0.81
	99 = LEGITIMATE SKIP.....		6083	3.50

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription pain reliever?

<u>UDPRHLTHPRB</u>	Len : 2	ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY PR PST 12 MOS		
			Freq	Pct
	1 = Yes.....		723	0.42
	2 = No.....		36724	21.13
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....		924	0.53
	85 = BAD DATA LOGICALLY ASSIGNED.....		55	0.03
	91 = NEVER USED PAIN RELIEVERS.....		89407	51.44
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....		44373	25.53
	94 = DON'T KNOW.....		120	0.07
	97 = REFUSED.....		89	0.05
	98 = BLANK (NO ANSWER).....		1393	0.80

Did you continue to use any prescription pain relievers even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

<u>UDPRHLTHCTD</u>	Len : 2	CONTD TO USE PN RLVR DESPITE PN RLVR CAUSE/WORSEN PHYS PRBS		
			Freq	Pct
	1 = Yes.....		365	0.21
	2 = No.....		357	0.21
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....		924	0.53
	85 = BAD DATA LOGICALLY ASSIGNED.....		18	0.01
	91 = NEVER USED PAIN RELIEVERS.....		89407	51.44
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....		44373	25.53
	97 = REFUSED.....		89	0.05
	98 = BLANK (NO ANSWER).....		1551	0.89
	99 = LEGITIMATE SKIP.....		36724	21.13

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription pain reliever?

<u>UDPRMNTLPRB</u>	Len : 2	ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY PN RLVR PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		517	0.30
	2 = No.....		36577	21.04
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....		924	0.53
	85 = BAD DATA LOGICALLY ASSIGNED.....		38	0.02
	91 = NEVER USED PAIN RELIEVERS.....		89407	51.44
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....		44373	25.53
	94 = DON'T KNOW.....		112	0.06
	97 = REFUSED.....		80	0.05
	98 = BLANK (NO ANSWER).....		1415	0.81
	99 = LEGITIMATE SKIP.....		365	0.21

SUBSTANCE USE DISORDER

Did you continue to use any prescription pain relievers even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

[UDPRMNTLCTD](#) Len : 2 CONTD PN RLVR USE DESPITE PR CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	249	0.14
2 = No.....	266	0.15
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	80	0.05
98 = BLANK (NO ANSWER).....	1565	0.90
99 = LEGITIMATE SKIP.....	36942	21.25

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription pain relievers?

[UDPRSTOPACT](#) Len : 2 LESS ACTIVITIES B/C OF PN RLVR USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	1000	0.58
2 = No.....	36482	20.99
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
85 = BAD DATA LOGICALLY ASSIGNED.....	54	0.03
91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
94 = DON'T KNOW.....	99	0.06
97 = REFUSED.....	63	0.04
98 = BLANK (NO ANSWER).....	1406	0.81

Sometimes people who use prescription pain relievers have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription pain relievers?

[UDPRWORKPRB](#) Len : 2 PN RLVR CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	679	0.39
2 = No.....	36808	21.18
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
85 = BAD DATA LOGICALLY ASSIGNED.....	54	0.03
91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
94 = DON'T KNOW.....	83	0.05
97 = REFUSED.....	68	0.04
98 = BLANK (NO ANSWER).....	1412	0.81

SUBSTANCE USE DISORDER

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription pain reliever?

<u>UDPRFMLYPRB</u>	Len : 2	PN RLVR CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS		
			Freq	Pct
		1 = Yes.....	695	0.40
		2 = No.....	36786	21.16
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
		85 = BAD DATA LOGICALLY ASSIGNED.....	54	0.03
		91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
		94 = DON'T KNOW.....	89	0.05
		97 = REFUSED.....	66	0.04
		98 = BLANK (NO ANSWER).....	1414	0.81

Did you continue to use any prescription pain relievers even though they often caused arguments or problems with family or friends?

<u>UDPRFMLYCTD</u>	Len : 2	CONTD PN RLVR USE DESPITE PR CAUSE ARGUMENTS W/FAM/FRNDS		
			Freq	Pct
		1 = Yes.....	476	0.27
		2 = No.....	217	0.12
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
		85 = BAD DATA LOGICALLY ASSIGNED.....	17	0.01
		91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
		97 = REFUSED.....	68	0.04
		98 = BLANK (NO ANSWER).....	1540	0.89
		99 = LEGITIMATE SKIP.....	36786	21.16

During the past 12 months, did you repeatedly get into situations where using a prescription pain reliever increased your chances of getting physically hurt?

<u>UDPRGETHURT</u>	Len : 2	PN RLVR INCREASED CHANCE GETTING HURT PST 12 MOS		
			Freq	Pct
		1 = Yes.....	423	0.24
		2 = No.....	37066	21.33
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
		85 = BAD DATA LOGICALLY ASSIGNED.....	54	0.03
		91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
		94 = DON'T KNOW.....	74	0.04
		97 = REFUSED.....	69	0.04
		98 = BLANK (NO ANSWER).....	1418	0.82

People may experience withdrawal symptoms when they use less or stop using prescription pain relievers.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using any prescription pain relievers for a while?

Feeling kind of blue or down

<u>UDPRWDFLBLU</u>	Len : 2	FEELING BLUE/DOWN - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	2172	1.25
		2 = No.....	35107	20.20
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
		85 = BAD DATA LOGICALLY ASSIGNED.....	54	0.03
		91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
		94 = DON'T KNOW.....	208	0.12
		97 = REFUSED.....	124	0.07
		98 = BLANK (NO ANSWER).....	1439	0.83

SUBSTANCE USE DISORDER

Vomiting or feeling nauseous

UDPRWDVOMIT	Len : 2	VOMITING/NAUSEOUS - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1576	0.91
		2 = No.....	35753	20.57
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
		85 = BAD DATA LOGICALLY ASSIGNED.....	54	0.03
		91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
		94 = DON'T KNOW.....	165	0.09
		97 = REFUSED.....	116	0.07
		98 = BLANK (NO ANSWER).....	1440	0.83

Having cramps or muscle aches

UDPRWDCRAMP	Len : 2	MUSCLE CRAMPS/ACHES - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	2540	1.46
		2 = No.....	34794	20.02
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
		85 = BAD DATA LOGICALLY ASSIGNED.....	54	0.03
		91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
		94 = DON'T KNOW.....	169	0.10
		97 = REFUSED.....	106	0.06
		98 = BLANK (NO ANSWER).....	1441	0.83

Having teary eyes or a runny nose

UDPRWDRUNNY	Len : 2	TEARY EYES/RUNNY NOSE - PR WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1927	1.11
		2 = No.....	35406	20.37
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
		85 = BAD DATA LOGICALLY ASSIGNED.....	54	0.03
		91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
		94 = DON'T KNOW.....	171	0.10
		97 = REFUSED.....	105	0.06
		98 = BLANK (NO ANSWER).....	1441	0.83

Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin

UDPRWDSWEAT	Len : 2	SWEATY/LRG PUPILS/HAIR STNDING UP-PR W/DRAWL SYMP PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1469	0.85
		2 = No.....	35874	20.64
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
		85 = BAD DATA LOGICALLY ASSIGNED.....	54	0.03
		91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
		94 = DON'T KNOW.....	163	0.09
		97 = REFUSED.....	103	0.06
		98 = BLANK (NO ANSWER).....	1441	0.83

Having diarrhea

UDPRWDDIARR	Len : 2	HAVING DIARRHEA - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1760	1.01
		2 = No.....	35579	20.47
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
		85 = BAD DATA LOGICALLY ASSIGNED.....	54	0.03
		91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
		94 = DON'T KNOW.....	164	0.09
		97 = REFUSED.....	106	0.06
		98 = BLANK (NO ANSWER).....	1441	0.83

SUBSTANCE USE DISORDER

Yawning

<u>UDPRWDYAWNS</u>	Len : 2	YAWNING - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	2766	1.59
		2 = No.....	34562	19.89
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
		85 = BAD DATA LOGICALLY ASSIGNED.....	54	0.03
		91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
		94 = DON'T KNOW.....	175	0.10
		97 = REFUSED.....	107	0.06
		98 = BLANK (NO ANSWER).....	1440	0.83

Having a fever

<u>UDPRWDFEVER</u>	Len : 2	HAVING FEVER - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	999	0.57
		2 = No.....	36339	20.91
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
		85 = BAD DATA LOGICALLY ASSIGNED.....	54	0.03
		91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
		94 = DON'T KNOW.....	166	0.10
		97 = REFUSED.....	106	0.06
		98 = BLANK (NO ANSWER).....	1440	0.83

Having trouble sleeping

<u>UDPRWDSLEEP</u>	Len : 2	HAVING TRBL SLEEPING - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	3197	1.84
		2 = No.....	34138	19.64
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
		85 = BAD DATA LOGICALLY ASSIGNED.....	54	0.03
		91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
		94 = DON'T KNOW.....	171	0.10
		97 = REFUSED.....	104	0.06
		98 = BLANK (NO ANSWER).....	1440	0.83

During the past 12 months, did you use any prescription pain relievers or other drugs to get over or avoid having prescription pain reliever withdrawal symptoms?

<u>UDPRVOIDWD</u>	Len : 2	USE PN RLVR TO GET OVER/AVOID PR WITHDRAWAL IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	887	0.51
		2 = No.....	36570	21.04
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
		85 = BAD DATA LOGICALLY ASSIGNED.....	55	0.03
		91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
		94 = DON'T KNOW.....	83	0.05
		97 = REFUSED.....	66	0.04
		98 = BLANK (NO ANSWER).....	1443	0.83

SUBSTANCE USE DISORDER

Which of the following did you use to get over or avoid having prescription pain reliever withdrawal symptoms during the past 12 months?

Prescription pain relievers

UDPRVWP NRL Len : 2 USED PN RLVR TO GET OVER/AVOID PR WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	556	0.32
2 = No.....	260	0.15
3 = Yes LOGICALLY ASSIGNED.....	59	0.03
13 = Yes LOG ASSN (not applicable to criterion 11b).....	8	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
85 = BAD DATA LOGICALLY ASSIGNED.....	19	0.01
91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	68	0.04
98 = BLANK (NO ANSWER).....	1562	0.90
99 = LEGITIMATE SKIP.....	36570	21.04

Heroin

UDPRVWHERN Len : 2 USED HEROIN TO GET OVER/AVOID PR WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	157	0.09
2 = No.....	726	0.42
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
85 = BAD DATA LOGICALLY ASSIGNED.....	19	0.01
91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	68	0.04
98 = BLANK (NO ANSWER).....	1562	0.90
99 = LEGITIMATE SKIP.....	36570	21.04

Something else

UDPRVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD PR WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	402	0.23
2 = No.....	474	0.27
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	924	0.53
85 = BAD DATA LOGICALLY ASSIGNED.....	19	0.01
91 = NEVER USED PAIN RELIEVERS.....	89407	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	44373	25.53
94 = DON'T KNOW.....	9	0.01
97 = REFUSED.....	68	0.04
98 = BLANK (NO ANSWER).....	1562	0.90
99 = LEGITIMATE SKIP.....	36570	21.04

Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription tranquilizers, feeling their effects, or getting over the effects of any prescription tranquilizers?

UDTRTIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF TRN PST 12 MOS

	Freq	Pct
1 = Yes.....	808	0.46
2 = No.....	15878	9.14
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn.....	646	0.37
85 = BAD DATA LOGICALLY ASSIGNED.....	84	0.05
91 = NEVER USED TRANQUILIZERS.....	142871	82.20
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
94 = DON'T KNOW.....	50	0.03
97 = REFUSED.....	24	0.01
98 = BLANK (NO ANSWER).....	901	0.52

SUBSTANCE USE DISORDER

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription tranquilizers?

<u>UDTRTIMEGET</u>	Len : 2	SPENT GREAT DEAL TIME TRY TO GET/GETTING TRN IN PST 12 MOS		
			Freq	Pct
	1 = Yes.....		71	0.04
	2 = No.....		15833	9.11
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn		646	0.37
	85 = BAD DATA LOGICALLY ASSIGNED.....		62	0.04
	91 = NEVER USED TRANQUILIZERS.....		142871	82.20
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		12546	7.22
	94 = DON'T KNOW.....		24	0.01
	97 = REFUSED		24	0.01
	98 = BLANK (NO ANSWER)		923	0.53
	99 = LEGITIMATE SKIP.....		808	0.46

During the past 12 months, were there many times when you ended up using any prescription tranquilizers in larger amounts or for a longer time than you meant to?

<u>UDTRLRGAMTS</u>	Len : 2	USED TRN LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS		
			Freq	Pct
	1 = Yes.....		451	0.26
	2 = No.....		16259	9.35
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn		646	0.37
	85 = BAD DATA LOGICALLY ASSIGNED.....		84	0.05
	91 = NEVER USED TRANQUILIZERS.....		142871	82.20
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		12546	7.22
	94 = DON'T KNOW.....		27	0.02
	97 = REFUSED		22	0.01
	98 = BLANK (NO ANSWER)		902	0.52

During the past 12 months, were there times when you wanted to use any prescription tranquilizers so badly that you couldn't think of anything else?

<u>UDTRWANTBAD</u>	Len : 2	WANTED TO USE TRN SO BADLY IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		402	0.23
	2 = No.....		16307	9.38
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn		646	0.37
	85 = BAD DATA LOGICALLY ASSIGNED.....		84	0.05
	91 = NEVER USED TRANQUILIZERS.....		142871	82.20
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		12546	7.22
	94 = DON'T KNOW.....		27	0.02
	97 = REFUSED		22	0.01
	98 = BLANK (NO ANSWER)		903	0.52

During the past 12 months, were there times when you had a strong urge to use any prescription tranquilizers?

<u>UDTRSTRURGE</u>	Len : 2	STRONG URGE TO USE TRN IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		830	0.48
	2 = No.....		15479	8.91
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn		646	0.37
	85 = BAD DATA LOGICALLY ASSIGNED.....		65	0.04
	91 = NEVER USED TRANQUILIZERS.....		142871	82.20
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		12546	7.22
	94 = DON'T KNOW.....		24	0.01
	97 = REFUSED		23	0.01
	98 = BLANK (NO ANSWER)		922	0.53
	99 = LEGITIMATE SKIP.....		402	0.23

SUBSTANCE USE DISORDER

Do you need to use a lot more of any prescription tranquilizers than you used to in order to get the feeling you want?

UDTRNEEDMOR Len : 2 NEEDED A LOT MORE TRN TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	417	0.24
2 = No.....	16283	9.37
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	646	0.37
85 = BAD DATA LOGICALLY ASSIGNED.....	84	0.05
91 = NEVER USED TRANQUILIZERS.....	142871	82.20
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
94 = DON'T KNOW	33	0.02
97 = REFUSED	25	0.01
98 = BLANK (NO ANSWER)	903	0.52

Does using the same amount of any prescription tranquilizers have much less effect on you than it used to?

UDTRLESSEFF Len : 2 SAME AMT TRN HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	537	0.31
2 = No.....	15691	9.03
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	646	0.37
85 = BAD DATA LOGICALLY ASSIGNED.....	65	0.04
91 = NEVER USED TRANQUILIZERS.....	142871	82.20
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
94 = DON'T KNOW	83	0.05
97 = REFUSED	28	0.02
98 = BLANK (NO ANSWER)	924	0.53
99 = LEGITIMATE SKIP.....	417	0.24

During the past 12 months, did you try to cut down or try to stop using any prescription tranquilizers?

UDTRTRYSTOP Len : 2 TRY TO CUT DOWN/STOP TRN USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	2032	1.17
2 = No.....	14611	8.41
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	646	0.37
85 = BAD DATA LOGICALLY ASSIGNED.....	84	0.05
91 = NEVER USED TRANQUILIZERS.....	142871	82.20
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
94 = DON'T KNOW	59	0.03
97 = REFUSED	53	0.03
98 = BLANK (NO ANSWER)	906	0.52

Some people who use prescription tranquilizers try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription tranquilizers?

UDTRNOTSTOP Len : 2 UNABLE TO CUT/STOP TRN MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	340	0.20
2 = No.....	1685	0.97
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	646	0.37
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.01
91 = NEVER USED TRANQUILIZERS.....	142871	82.20
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
94 = DON'T KNOW	6	0.00
97 = REFUSED	54	0.03
98 = BLANK (NO ANSWER)	1028	0.59
99 = LEGITIMATE SKIP.....	14611	8.41

SUBSTANCE USE DISORDER

In the past 12 months, did you often wish that you could cut down or stop using any prescription tranquilizers?

<u>UDTRWSHSTOP</u>	Len : 2	OFTEN WISH CUT DOWN OR STOP TRN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		561	0.32
	2 = No.....		14050	8.08
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn		646	0.37
	85 = BAD DATA LOGICALLY ASSIGNED.....		63	0.04
	91 = NEVER USED TRANQUILIZERS.....		142871	82.20
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		12546	7.22
	94 = DON'T KNOW.....		65	0.04
	97 = REFUSED		47	0.03
	98 = BLANK (NO ANSWER)		927	0.53
	99 = LEGITIMATE SKIP.....		2032	1.17

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription tranquilizer?

<u>UDTRHLTHPRB</u>	Len : 2	ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY TRN PST 12 MO		
			Freq	Pct
	1 = Yes.....		215	0.12
	2 = No.....		16467	9.47
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn		646	0.37
	85 = BAD DATA LOGICALLY ASSIGNED.....		84	0.05
	91 = NEVER USED TRANQUILIZERS.....		142871	82.20
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		12546	7.22
	94 = DON'T KNOW.....		46	0.03
	97 = REFUSED		27	0.02
	98 = BLANK (NO ANSWER)		906	0.52

Did you continue to use any prescription tranquilizers even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

<u>UDTRHLTHCTD</u>	Len : 2	CONTD TO USE TRN DESPITE TRN CAUSE/WORSEN PHYS PRBS		
			Freq	Pct
	1 = Yes.....		120	0.07
	2 = No.....		95	0.05
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn		646	0.37
	85 = BAD DATA LOGICALLY ASSIGNED.....		17	0.01
	91 = NEVER USED TRANQUILIZERS.....		142871	82.20
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		12546	7.22
	97 = REFUSED		27	0.02
	98 = BLANK (NO ANSWER)		1019	0.59
	99 = LEGITIMATE SKIP.....		16467	9.47

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription tranquilizer?

<u>UDTRMNTLPRB</u>	Len : 2	ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY TRN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		302	0.17
	2 = No.....		16262	9.36
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn		646	0.37
	85 = BAD DATA LOGICALLY ASSIGNED.....		69	0.04
	91 = NEVER USED TRANQUILIZERS.....		142871	82.20
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		12546	7.22
	94 = DON'T KNOW.....		38	0.02
	97 = REFUSED		31	0.02
	98 = BLANK (NO ANSWER)		923	0.53
	99 = LEGITIMATE SKIP.....		120	0.07

SUBSTANCE USE DISORDER

Did you continue to use any prescription tranquilizers even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

UDTRMNTLCTD Len : 2 CONTD TRN DESPITE TRN CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	139	0.08
2 = No.....	161	0.09
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	646	0.37
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.00
91 = NEVER USED TRANQUILIZERS.....	142871	82.20
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	31	0.02
98 = BLANK (NO ANSWER)	1026	0.59
99 = LEGITIMATE SKIP.....	16382	9.43

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription tranquilizers?

UDTRSTOPACT Len : 2 LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	394	0.23
2 = No.....	16296	9.38
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	646	0.37
85 = BAD DATA LOGICALLY ASSIGNED.....	84	0.05
91 = NEVER USED TRANQUILIZERS.....	142871	82.20
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
94 = DON'T KNOW.....	32	0.02
97 = REFUSED	31	0.02
98 = BLANK (NO ANSWER)	908	0.52

Sometimes people who use prescription tranquilizers have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription tranquilizers?

UDTRWORKPRB Len : 2 TRN CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	288	0.17
2 = No.....	16407	9.44
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	646	0.37
85 = BAD DATA LOGICALLY ASSIGNED.....	84	0.05
91 = NEVER USED TRANQUILIZERS.....	142871	82.20
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
94 = DON'T KNOW.....	26	0.01
97 = REFUSED	30	0.02
98 = BLANK (NO ANSWER)	910	0.52

SUBSTANCE USE DISORDER

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription tranquilizer?

<u>UDTRFMLYPRB</u>	Len : 2	TRN CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS		
			Freq	Pct
		1 = Yes.....	278	0.16
		2 = No.....	16414	9.44
		83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	646	0.37
		85 = BAD DATA LOGICALLY ASSIGNED.....	84	0.05
		91 = NEVER USED TRANQUILIZERS.....	142871	82.20
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
		94 = DON'T KNOW.....	29	0.02
		97 = REFUSED	30	0.02
		98 = BLANK (NO ANSWER)	910	0.52

Did you continue to use any prescription tranquilizers even though they often caused arguments or problems with family or friends?

<u>UDTRFMLYCTD</u>	Len : 2	CONTD TRN USE DESPITE TRN CAUSE ARGUMENTS W/FAM/FRNDS		
			Freq	Pct
		1 = Yes.....	189	0.11
		2 = No.....	89	0.05
		83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	646	0.37
		85 = BAD DATA LOGICALLY ASSIGNED.....	22	0.01
		91 = NEVER USED TRANQUILIZERS.....	142871	82.20
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
		97 = REFUSED	30	0.02
		98 = BLANK (NO ANSWER)	1001	0.58
		99 = LEGITIMATE SKIP.....	16414	9.44

During the past 12 months, did you repeatedly get into situations where using a prescription tranquilizer increased your chances of getting physically hurt?

<u>UDTRGETHURT</u>	Len : 2	TRN USE INCREASED CHANCE GETTING HURT PST 12 MOS		
			Freq	Pct
		1 = Yes.....	209	0.12
		2 = No.....	16478	9.48
		83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	646	0.37
		85 = BAD DATA LOGICALLY ASSIGNED.....	84	0.05
		91 = NEVER USED TRANQUILIZERS.....	142871	82.20
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
		94 = DON'T KNOW.....	28	0.02
		97 = REFUSED	32	0.02
		98 = BLANK (NO ANSWER)	914	0.53

People may experience withdrawal symptoms when they use less or stop using prescription tranquilizers.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using any prescription tranquilizers for a while?

Sweating or feeling that your heart was beating fast

<u>UDTRWDSWEAT</u>	Len : 2	SWEATY/FAST HEARTBEAT - TRN WITHDRAWAL SYMPTOM PST 12 MO		
			Freq	Pct
		1 = Yes.....	786	0.45
		2 = No.....	15865	9.13
		83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	646	0.37
		85 = BAD DATA LOGICALLY ASSIGNED.....	84	0.05
		91 = NEVER USED TRANQUILIZERS.....	142871	82.20
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
		94 = DON'T KNOW.....	49	0.03
		97 = REFUSED	41	0.02
		98 = BLANK (NO ANSWER)	920	0.53

SUBSTANCE USE DISORDER

Having your hands tremble

<u>UDTRWDTRMBL</u>	Len : 2	HANDS TREMBLE - TRN WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
	1 = Yes.....		717	0.41
	2 = No.....		15939	9.17
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn		646	0.37
	85 = BAD DATA LOGICALLY ASSIGNED.....		84	0.05
	91 = NEVER USED TRANQUILIZERS.....		142871	82.20
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		12546	7.22
	94 = DON'T KNOW		44	0.03
	97 = REFUSED		41	0.02
	98 = BLANK (NO ANSWER)		920	0.53

Having trouble sleeping

<u>UDTRWDSLEEP</u>	Len : 2	TRouble SLEEPing - TRN WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
	1 = Yes.....		1643	0.95
	2 = No.....		15017	8.64
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn		646	0.37
	85 = BAD DATA LOGICALLY ASSIGNED.....		84	0.05
	91 = NEVER USED TRANQUILIZERS.....		142871	82.20
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		12546	7.22
	94 = DON'T KNOW		39	0.02
	97 = REFUSED		42	0.02
	98 = BLANK (NO ANSWER)		920	0.53

Vomiting or having an upset stomach

<u>UDTRWDVOMIT</u>	Len : 2	VOMITING/UPSET STOMACH - TRN WITHDRAWAL SYMPTOM PST 12 MO		
			Freq	Pct
	1 = Yes.....		577	0.33
	2 = No.....		16086	9.26
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn		646	0.37
	85 = BAD DATA LOGICALLY ASSIGNED.....		84	0.05
	91 = NEVER USED TRANQUILIZERS.....		142871	82.20
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		12546	7.22
	94 = DON'T KNOW		39	0.02
	97 = REFUSED		39	0.02
	98 = BLANK (NO ANSWER)		920	0.53

Seeing, hearing, or feeling things that weren't really there

<u>UDTRWDHALUC</u>	Len : 2	SEE/HEAR/FEEL THINGS - TRN WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
	1 = Yes.....		408	0.23
	2 = No.....		16253	9.35
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn		646	0.37
	85 = BAD DATA LOGICALLY ASSIGNED.....		84	0.05
	91 = NEVER USED TRANQUILIZERS.....		142871	82.20
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		12546	7.22
	94 = DON'T KNOW		40	0.02
	97 = REFUSED		40	0.02
	98 = BLANK (NO ANSWER)		920	0.53

Feeling like you couldn't sit still

<u>UDTRWDSITST</u>	Len : 2	COULDN'T SIT STILL - TRN WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
	1 = Yes.....		848	0.49
	2 = No.....		15810	9.10
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn		646	0.37
	85 = BAD DATA LOGICALLY ASSIGNED.....		84	0.05
	91 = NEVER USED TRANQUILIZERS.....		142871	82.20
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		12546	7.22
	94 = DON'T KNOW		44	0.03
	97 = REFUSED		39	0.02
	98 = BLANK (NO ANSWER)		920	0.53

SUBSTANCE USE DISORDER

Feeling anxious

<u>UDTRWDFLANX</u>	Len : 2	FEELING ANXIOUS - TRN WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1776	1.02
		2 = No.....	14883	8.56
		83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	646	0.37
		85 = BAD DATA LOGICALLY ASSIGNED.....	84	0.05
		91 = NEVER USED TRANQUILIZERS.....	142871	82.20
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
		94 = DON'T KNOW	44	0.03
		97 = REFUSED	38	0.02
		98 = BLANK (NO ANSWER)	920	0.53

During the past 12 months, did you use any prescription tranquilizers or other drugs to get over or avoid having prescription tranquilizer withdrawal symptoms?

<u>UDTRAVOIDWD</u>	Len : 2	USE TRN TO GET OVER/AVOID TRN WITHDRAWAL IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	241	0.14
		2 = No.....	16450	9.46
		83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	646	0.37
		85 = BAD DATA LOGICALLY ASSIGNED.....	84	0.05
		91 = NEVER USED TRANQUILIZERS.....	142871	82.20
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
		94 = DON'T KNOW	21	0.01
		97 = REFUSED	27	0.02
		98 = BLANK (NO ANSWER)	922	0.53

Which of the following did you use to get over or avoid having prescription tranquilizer withdrawal symptoms during the past 12 months?

Prescription tranquilizers, sedatives, downers, or sleeping pills

<u>UDTRAVWSVTR</u>	Len : 2	USED TRN/SED TO GET OVER/AVOID TRN WITHDRWL IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	161	0.09
		2 = No.....	78	0.04
		13 = Yes LOG ASSN (not applicable to criterion 11b).....	1	0.00
		83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	646	0.37
		85 = BAD DATA LOGICALLY ASSIGNED.....	20	0.01
		91 = NEVER USED TRANQUILIZERS.....	142871	82.20
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
		97 = REFUSED	28	0.02
		98 = BLANK (NO ANSWER)	1007	0.58
		99 = LEGITIMATE SKIP.....	16450	9.46

Alcohol

<u>UDTRAVWALCO</u>	Len : 2	USED ALC TO GET OVER/AVOID TRN WITHDRAWAL IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	75	0.04
		2 = No.....	164	0.09
		83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	646	0.37
		85 = BAD DATA LOGICALLY ASSIGNED.....	20	0.01
		91 = NEVER USED TRANQUILIZERS.....	142871	82.20
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
		97 = REFUSED	29	0.02
		98 = BLANK (NO ANSWER)	1007	0.58
		99 = LEGITIMATE SKIP.....	16450	9.46

SUBSTANCE USE DISORDER

Something else

UDTRAVWOTH Len : 2 USED SOMETHING ELSE TO GET OVR/AVD TRN WTHDRWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	106	0.06
2 = No.....	132	0.08
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	646	0.37
85 = BAD DATA LOGICALLY ASSIGNED.....	20	0.01
91 = NEVER USED TRANQUILIZERS.....	142871	82.20
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	12546	7.22
97 = REFUSED	30	0.02
98 = BLANK (NO ANSWER)	1007	0.58
99 = LEGITIMATE SKIP.....	16450	9.46

Think about your use of prescription stimulants during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription stimulants, feeling their effects, or getting over the effects of any prescription stimulants?

UDSTTIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF STM PST 12 MOS

	Freq	Pct
1 = Yes.....	2007	1.15
2 = No.....	11386	6.55
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
85 = BAD DATA LOGICALLY ASSIGNED.....	46	0.03
91 = NEVER USED STIMULANTS.....	149934	86.26
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
94 = DON'T KNOW.....	111	0.06
97 = REFUSED	27	0.02
98 = BLANK (NO ANSWER)	947	0.54

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription stimulants?

UDSTTIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING STM IN PST 12 MOS

	Freq	Pct
1 = Yes.....	127	0.07
2 = No.....	11337	6.52
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
85 = BAD DATA LOGICALLY ASSIGNED.....	33	0.02
91 = NEVER USED STIMULANTS.....	149934	86.26
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
94 = DON'T KNOW.....	38	0.02
97 = REFUSED	21	0.01
98 = BLANK (NO ANSWER)	961	0.55
99 = LEGITIMATE SKIP.....	2007	1.15

During the past 12 months, were there many times when you ended up using any prescription stimulants in larger amounts or for a longer time than you meant to?

UDSTLRGAMTS Len : 2 USE STM LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes.....	523	0.30
2 = No.....	12959	7.46
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
85 = BAD DATA LOGICALLY ASSIGNED.....	46	0.03
91 = NEVER USED STIMULANTS.....	149934	86.26
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
94 = DON'T KNOW.....	28	0.02
97 = REFUSED	20	0.01
98 = BLANK (NO ANSWER)	948	0.55

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you wanted to use any prescription stimulants so badly that you couldn't think of anything else?

UDSTWANTBAD

Len : 2 WANTED TO USE STM SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	372	0.21
2 = No.....	13110	7.54
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
85 = BAD DATA LOGICALLY ASSIGNED.....	46	0.03
91 = NEVER USED STIMULANTS.....	149934	86.26
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
94 = DON'T KNOW.....	22	0.01
97 = REFUSED	26	0.01
98 = BLANK (NO ANSWER)	948	0.55

During the past 12 months, were there times when you had a strong urge to use any prescription stimulants?

UDSTSTRURGE

Len : 2 STRONG URGE TO USE STM IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	692	0.40
2 = No.....	12416	7.14
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
85 = BAD DATA LOGICALLY ASSIGNED.....	32	0.02
91 = NEVER USED STIMULANTS.....	149934	86.26
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
94 = DON'T KNOW.....	27	0.02
97 = REFUSED	23	0.01
98 = BLANK (NO ANSWER)	962	0.55
99 = LEGITIMATE SKIP.....	372	0.21

Do you need to use a lot more of any prescription stimulants than you used to in order to get the feeling you want?

UDSTNEEDMOR

Len : 2 NEEDED A LOT MORE STM TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	552	0.32
2 = No.....	12907	7.43
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
85 = BAD DATA LOGICALLY ASSIGNED.....	46	0.03
91 = NEVER USED STIMULANTS.....	149934	86.26
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
94 = DON'T KNOW.....	43	0.02
97 = REFUSED	27	0.02
98 = BLANK (NO ANSWER)	949	0.55

Does using the same amount of any prescription stimulants have much less effect on you than it used to?

UDSTLESSEFF

Len : 2 SAME AMT STM HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	750	0.43
2 = No.....	12068	6.94
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
85 = BAD DATA LOGICALLY ASSIGNED.....	32	0.02
91 = NEVER USED STIMULANTS.....	149934	86.26
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
94 = DON'T KNOW.....	130	0.07
97 = REFUSED	27	0.02
98 = BLANK (NO ANSWER)	965	0.56
99 = LEGITIMATE SKIP.....	552	0.32

SUBSTANCE USE DISORDER

During the past 12 months, did you try to cut down or try to stop using any prescription stimulants?

<u>UDSTTRYSTOP</u>	Len : 2 TRY TO CUT DOWN/STOP STM USE IN PAST 12 MOS		
		Freq	Pct
	1 = Yes.....	1754	1.01
	2 = No.....	11642	6.70
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
	85 = BAD DATA LOGICALLY ASSIGNED.....	46	0.03
	91 = NEVER USED STIMULANTS.....	149934	86.26
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
	94 = DON'T KNOW	85	0.05
	97 = REFUSED	46	0.03
	98 = BLANK (NO ANSWER)	951	0.55

Some people who use prescription stimulants try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription stimulants?

<u>UDSTNOTSTOP</u>	Len : 2 UNABLE TO CUT/STOP STM USE MORE THAN ONE TIME PAST 12 MOS		
		Freq	Pct
	1 = Yes.....	322	0.19
	2 = No.....	1425	0.82
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
	85 = BAD DATA LOGICALLY ASSIGNED.....	15	0.01
	91 = NEVER USED STIMULANTS.....	149934	86.26
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
	94 = DON'T KNOW	6	0.00
	97 = REFUSED	47	0.03
	98 = BLANK (NO ANSWER)	1067	0.61
	99 = LEGITIMATE SKIP.....	11642	6.70

In the past 12 months, did you often wish that you could cut down or stop using any prescription stimulants?

<u>UDSTWHSSTOP</u>	Len : 2 OFTEN WISH CUT DOWN OR STOP STM USE PAST 12 MOS		
		Freq	Pct
	1 = Yes.....	483	0.28
	2 = No.....	11172	6.43
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
	85 = BAD DATA LOGICALLY ASSIGNED.....	31	0.02
	91 = NEVER USED STIMULANTS.....	149934	86.26
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
	94 = DON'T KNOW	82	0.05
	97 = REFUSED	36	0.02
	98 = BLANK (NO ANSWER)	966	0.56
	99 = LEGITIMATE SKIP.....	1754	1.01

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription stimulant?

<u>UDSTHLTHPRB</u>	Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY STM PST 12 MOS		
		Freq	Pct
	1 = Yes.....	410	0.24
	2 = No.....	13041	7.50
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
	85 = BAD DATA LOGICALLY ASSIGNED.....	46	0.03
	91 = NEVER USED STIMULANTS.....	149934	86.26
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
	94 = DON'T KNOW	53	0.03
	97 = REFUSED	23	0.01
	98 = BLANK (NO ANSWER)	951	0.55

SUBSTANCE USE DISORDER

Did you continue to use any prescription stimulants even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

<u>UDSTHLTHCTD</u>	Len : 2	CONTD TO USE STM DESPITE STM CAUSE/WORSEN PHYS PRBS		
			Freq	Pct
	1 = Yes.....		243	0.14
	2 = No.....		165	0.09
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn		333	0.19
	85 = BAD DATA LOGICALLY ASSIGNED.....		14	0.01
	91 = NEVER USED STIMULANTS.....		149934	86.26
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....		9017	5.19
	94 = DON'T KNOW.....		2	0.00
	97 = REFUSED		23	0.01
	98 = BLANK (NO ANSWER)		1036	0.60
	99 = LEGITIMATE SKIP.....		13041	7.50

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription stimulant?

<u>UDSTMNTLPRB</u>	Len : 2	ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY STM PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		569	0.33
	2 = No.....		12626	7.26
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn		333	0.19
	85 = BAD DATA LOGICALLY ASSIGNED.....		32	0.02
	91 = NEVER USED STIMULANTS.....		149934	86.26
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....		9017	5.19
	94 = DON'T KNOW.....		64	0.04
	97 = REFUSED		25	0.01
	98 = BLANK (NO ANSWER)		965	0.56
	99 = LEGITIMATE SKIP.....		243	0.14

Did you continue to use any prescription stimulants even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

<u>UDSTMNTLCTD</u>	Len : 2	CONTD STM USE DESPITE STM CSE/WRSN EMOT/MNTL HLTH PRBS		
			Freq	Pct
	1 = Yes.....		303	0.17
	2 = No.....		262	0.15
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn		333	0.19
	85 = BAD DATA LOGICALLY ASSIGNED.....		2	0.00
	91 = NEVER USED STIMULANTS.....		149934	86.26
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....		9017	5.19
	97 = REFUSED		29	0.02
	98 = BLANK (NO ANSWER)		1059	0.61
	99 = LEGITIMATE SKIP.....		12869	7.40

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription stimulants?

<u>UDSTSTOPACT</u>	Len : 2	LESS ACTIVITIES B/C OF STM USE PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		380	0.22
	2 = No.....		13090	7.53
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn		333	0.19
	85 = BAD DATA LOGICALLY ASSIGNED.....		46	0.03
	91 = NEVER USED STIMULANTS.....		149934	86.26
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....		9017	5.19
	94 = DON'T KNOW.....		34	0.02
	97 = REFUSED		21	0.01
	98 = BLANK (NO ANSWER)		953	0.55

SUBSTANCE USE DISORDER

Sometimes people who use prescription stimulants have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription stimulants?

UDSTWORKPRB Len : 2 STM CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	275	0.16
2 = No.....	13195	7.59
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
85 = BAD DATA LOGICALLY ASSIGNED.....	46	0.03
91 = NEVER USED STIMULANTS.....	149934	86.26
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
94 = DON'T KNOW.....	32	0.02
97 = REFUSED	22	0.01
98 = BLANK (NO ANSWER)	954	0.55

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription stimulant?

UDSTFMLYPRB Len : 2 STM CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	397	0.23
2 = No.....	13066	7.52
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
85 = BAD DATA LOGICALLY ASSIGNED.....	46	0.03
91 = NEVER USED STIMULANTS.....	149934	86.26
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
94 = DON'T KNOW.....	41	0.02
97 = REFUSED	20	0.01
98 = BLANK (NO ANSWER)	954	0.55

Did you continue to use any prescription stimulants even though they often caused arguments or problems with family or friends?

UDSTFMLYCTD Len : 2 CONTD STM DESPITE STM CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	279	0.16
2 = No.....	116	0.07
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
85 = BAD DATA LOGICALLY ASSIGNED.....	16	0.01
91 = NEVER USED STIMULANTS.....	149934	86.26
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	21	0.01
98 = BLANK (NO ANSWER)	1025	0.59
99 = LEGITIMATE SKIP.....	13066	7.52

During the past 12 months, did you repeatedly get into situations where using a prescription stimulant increased your chances of getting physically hurt?

UDSTGETHURT Len : 2 STM INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	168	0.10
2 = No.....	13296	7.65
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
85 = BAD DATA LOGICALLY ASSIGNED.....	46	0.03
91 = NEVER USED STIMULANTS.....	149934	86.26
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
94 = DON'T KNOW.....	38	0.02
97 = REFUSED	21	0.01
98 = BLANK (NO ANSWER)	955	0.55

SUBSTANCE USE DISORDER

People may experience withdrawal symptoms when they use less or stop using prescription stimulants.

During the past 12 months, have you felt kind of blue or down after you used less or stopped using any prescription stimulants for a while?

<u>UDSTWDFLBLU</u>	Len : 2	FELT BLUE OR DOWN AFTER USING LESS OR STOPPING STM		
			Freq	Pct
		1 = Yes.....	1250	0.72
		2 = No.....	12186	7.01
		83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
		85 = BAD DATA LOGICALLY ASSIGNED.....	46	0.03
		91 = NEVER USED STIMULANTS.....	149934	86.26
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
		94 = DON'T KNOW.....	58	0.03
		97 = REFUSED	28	0.02
		98 = BLANK (NO ANSWER)	956	0.55

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using prescription stimulants for a while?

Feeling tired or exhausted

<u>UDSTWDTIRED</u>	Len : 2	FEELING TIRED/EXHAUSTED - STM WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1076	0.62
		2 = No.....	170	0.10
		83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
		85 = BAD DATA LOGICALLY ASSIGNED.....	16	0.01
		91 = NEVER USED STIMULANTS.....	149934	86.26
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	29	0.02
		98 = BLANK (NO ANSWER)	1045	0.60
		99 = LEGITIMATE SKIP.....	12186	7.01

Having bad dreams

<u>UDSTWDDREAM</u>	Len : 2	HAVING BAD DREAMS - STM WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	391	0.22
		2 = No.....	848	0.49
		83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
		85 = BAD DATA LOGICALLY ASSIGNED.....	16	0.01
		91 = NEVER USED STIMULANTS.....	149934	86.26
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
		94 = DON'T KNOW.....	7	0.00
		97 = REFUSED	31	0.02
		98 = BLANK (NO ANSWER)	1045	0.60
		99 = LEGITIMATE SKIP.....	12186	7.01

Having trouble sleeping or sleeping more than you normally do

<u>UDSTWDSLEEP</u>	Len : 2	TROUBLE/MORE SLEEPING - STM WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	885	0.51
		2 = No.....	359	0.21
		83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
		85 = BAD DATA LOGICALLY ASSIGNED.....	16	0.01
		91 = NEVER USED STIMULANTS.....	149934	86.26
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
		94 = DON'T KNOW.....	4	0.00
		97 = REFUSED	29	0.02
		98 = BLANK (NO ANSWER)	1045	0.60
		99 = LEGITIMATE SKIP.....	12186	7.01

SUBSTANCE USE DISORDER

Feeling hungry more often

UDSTWDHNGRY Len : 2 FEELING HUNGRY - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	695	0.40
2 = No.....	549	0.32
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
85 = BAD DATA LOGICALLY ASSIGNED.....	16	0.01
91 = NEVER USED STIMULANTS.....	149934	86.26
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
94 = DON'T KNOW.....	4	0.00
97 = REFUSED	29	0.02
98 = BLANK (NO ANSWER)	1045	0.60
99 = LEGITIMATE SKIP.....	12186	7.01

Feeling either very slowed down or like you couldn't sit still

UDSTWDSITST Len : 2 FEELING SLOWED DOWN/ - STM W/DRAWL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	898	0.52
2 = No.....	345	0.20
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
85 = BAD DATA LOGICALLY ASSIGNED.....	16	0.01
91 = NEVER USED STIMULANTS.....	149934	86.26
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
94 = DON'T KNOW.....	5	0.00
97 = REFUSED	29	0.02
98 = BLANK (NO ANSWER)	1045	0.60
99 = LEGITIMATE SKIP.....	12186	7.01

During the past 12 months, did you use any prescription stimulants or other drugs to get over or avoid having prescription stimulant withdrawal symptoms?

UDSTAVOIDWD Len : 2 USE STM TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	295	0.17
2 = No.....	13156	7.57
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
85 = BAD DATA LOGICALLY ASSIGNED.....	46	0.03
91 = NEVER USED STIMULANTS.....	149934	86.26
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
94 = DON'T KNOW.....	44	0.03
97 = REFUSED	26	0.01
98 = BLANK (NO ANSWER)	957	0.55

Which of the following did you use to get over or avoid having prescription stimulant withdrawal symptoms during the past 12 months?

Prescription stimulants or uppers

UDSTAVWSTIM Len : 2 USED STM TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	172	0.10
2 = No.....	119	0.07
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
85 = BAD DATA LOGICALLY ASSIGNED.....	15	0.01
91 = NEVER USED STIMULANTS.....	149934	86.26
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	28	0.02
98 = BLANK (NO ANSWER)	1032	0.59
99 = LEGITIMATE SKIP.....	13156	7.57

SUBSTANCE USE DISORDER

Cocaine or crack

<u>UDSTAVWCOCN</u>	Len : 2	USED COC/CRK TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	53	0.03
		2 = No.....	239	0.14
		83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
		85 = BAD DATA LOGICALLY ASSIGNED.....	15	0.01
		91 = NEVER USED STIMULANTS.....	149934	86.26
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	28	0.02
		98 = BLANK (NO ANSWER)	1032	0.59
		99 = LEGITIMATE SKIP.....	13156	7.57

Methamphetamine

<u>UDSTAVWMETH</u>	Len : 2	USED METH TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	66	0.04
		2 = No.....	225	0.13
		83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
		85 = BAD DATA LOGICALLY ASSIGNED.....	15	0.01
		91 = NEVER USED STIMULANTS.....	149934	86.26
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
		94 = DON'T KNOW.....	3	0.00
		97 = REFUSED	27	0.02
		98 = BLANK (NO ANSWER)	1032	0.59
		99 = LEGITIMATE SKIP.....	13156	7.57

Something else

<u>UDSTAVWOTHR</u>	Len : 2	USED SOMETHING ELSE TO GET OVR/AVD STM WITHDRAWAL PST 12 MOS		
			Freq	Pct
		1 = Yes.....	121	0.07
		2 = No.....	168	0.10
		83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	333	0.19
		85 = BAD DATA LOGICALLY ASSIGNED.....	15	0.01
		91 = NEVER USED STIMULANTS.....	149934	86.26
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	9017	5.19
		94 = DON'T KNOW.....	4	0.00
		97 = REFUSED	28	0.02
		98 = BLANK (NO ANSWER)	1032	0.59
		99 = LEGITIMATE SKIP.....	13156	7.57

Think about your use of prescription sedatives during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription sedatives, feeling their effects, or getting over the effects of any prescription sedatives?

<u>UDSVTIMEUSE</u>	Len : 2	SPENT GREAT DEAL OF TIME USING/FEEL EFF OF SED PST 12 MOS		
			Freq	Pct
		1 = Yes.....	367	0.21
		2 = No.....	6704	3.86
		83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
		85 = BAD DATA LOGICALLY ASSIGNED.....	57	0.03
		91 = NEVER USED SEDATIVES	155889	89.69
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	9226	5.31
		94 = DON'T KNOW.....	36	0.02
		97 = REFUSED	14	0.01
		98 = BLANK (NO ANSWER)	1030	0.59

SUBSTANCE USE DISORDER

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription sedatives?

<u>UDSVTIMEGET</u>	Len : 2	SPENT GREAT DEAL TIME TRY TO GET/GETTING SED IN PST 12 MOS		
			Freq	Pct
	1 = Yes.....		34	0.02
	2 = No.....		6683	3.85
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....		485	0.28
	85 = BAD DATA LOGICALLY ASSIGNED.....		41	0.02
	91 = NEVER USED SEDATIVES.....		155889	89.69
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....		9226	5.31
	94 = DON'T KNOW.....		22	0.01
	97 = REFUSED.....		15	0.01
	98 = BLANK (NO ANSWER).....		1046	0.60
	99 = LEGITIMATE SKIP.....		367	0.21

During the past 12 months, were there many times when you ended up using any prescription sedatives in larger amounts or for a longer time than you meant to?

<u>UDSVLRGAMTS</u>	Len : 2	USED SED LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS		
			Freq	Pct
	1 = Yes.....		187	0.11
	2 = No.....		6897	3.97
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....		485	0.28
	85 = BAD DATA LOGICALLY ASSIGNED.....		57	0.03
	91 = NEVER USED SEDATIVES.....		155889	89.69
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....		9226	5.31
	94 = DON'T KNOW.....		21	0.01
	97 = REFUSED.....		14	0.01
	98 = BLANK (NO ANSWER).....		1032	0.59

During the past 12 months, were there times when you wanted to use any prescription sedatives so badly that you couldn't think of anything else?

<u>UDSVWANTBAD</u>	Len : 2	WANTED TO USE SED SO BADLY IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		128	0.07
	2 = No.....		6956	4.00
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....		485	0.28
	85 = BAD DATA LOGICALLY ASSIGNED.....		57	0.03
	91 = NEVER USED SEDATIVES.....		155889	89.69
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....		9226	5.31
	94 = DON'T KNOW.....		22	0.01
	97 = REFUSED.....		13	0.01
	98 = BLANK (NO ANSWER).....		1032	0.59

During the past 12 months, were there times when you had a strong urge to use any prescription sedatives?

<u>UDSVSTRURGE</u>	Len : 2	STRONG URGE TO USE SED IN PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		268	0.15
	2 = No.....		6691	3.85
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....		485	0.28
	85 = BAD DATA LOGICALLY ASSIGNED.....		42	0.02
	91 = NEVER USED SEDATIVES.....		155889	89.69
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....		9226	5.31
	94 = DON'T KNOW.....		18	0.01
	97 = REFUSED.....		14	0.01
	98 = BLANK (NO ANSWER).....		1047	0.60
	99 = LEGITIMATE SKIP.....		128	0.07

SUBSTANCE USE DISORDER

Do you need to use a lot more of any prescription sedatives than you used to in order to get the feeling you want?

UDSVNEEDMOR Len : 2 NEEDED A LOT MORE SED TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	199	0.11
2 = No.....	6884	3.96
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
85 = BAD DATA LOGICALLY ASSIGNED.....	57	0.03
91 = NEVER USED SEDATIVES	155889	89.69
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	9226	5.31
94 = DON'T KNOW	24	0.01
97 = REFUSED	12	0.01
98 = BLANK (NO ANSWER)	1032	0.59

Does using the same amount of any prescription sedatives have much less effect on you than it used to?

UDSVLESSEFF Len : 2 SAME AMT SED HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	293	0.17
2 = No.....	6563	3.78
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
85 = BAD DATA LOGICALLY ASSIGNED.....	41	0.02
91 = NEVER USED SEDATIVES	155889	89.69
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	9226	5.31
94 = DON'T KNOW	49	0.03
97 = REFUSED	15	0.01
98 = BLANK (NO ANSWER)	1048	0.60
99 = LEGITIMATE SKIP.....	199	0.11

During the past 12 months, did you try to cut down or try to stop using any prescription sedatives?

UDSVTRYSTOP Len : 2 TRY TO CUT DOWN/STOP SED USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	860	0.49
2 = No.....	6194	3.56
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
85 = BAD DATA LOGICALLY ASSIGNED.....	57	0.03
91 = NEVER USED SEDATIVES	155889	89.69
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	9226	5.31
94 = DON'T KNOW	43	0.02
97 = REFUSED	21	0.01
98 = BLANK (NO ANSWER)	1033	0.59

Some people who use prescription sedatives try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription sedatives?

UDSVNOTSTOP Len : 2 UNABLE TO CUT/STOP SED MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	171	0.10
2 = No.....	684	0.39
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
85 = BAD DATA LOGICALLY ASSIGNED.....	17	0.01
91 = NEVER USED SEDATIVES	155889	89.69
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	9226	5.31
94 = DON'T KNOW	4	0.00
97 = REFUSED	22	0.01
98 = BLANK (NO ANSWER)	1116	0.64
99 = LEGITIMATE SKIP.....	6194	3.56

SUBSTANCE USE DISORDER

In the past 12 months, did you often wish that you could cut down or stop using any prescription sedatives?

<u>UDSVWSHSTOP</u>	Len : 2	OFTEN WISH CUT DOWN OR STOP SED USE PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		364	0.21
	2 = No.....		5822	3.35
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....		485	0.28
	85 = BAD DATA LOGICALLY ASSIGNED.....		40	0.02
	91 = NEVER USED SEDATIVES		155889	89.69
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		9226	5.31
	94 = DON'T KNOW		45	0.03
	97 = REFUSED		25	0.01
	98 = BLANK (NO ANSWER)		1052	0.61
	99 = LEGITIMATE SKIP.....		860	0.49

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription sedative?

<u>UDSVHLTHPRB</u>	Len : 2	ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY SED PST 12 MO		
			Freq	Pct
	1 = Yes.....		121	0.07
	2 = No.....		6941	3.99
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....		485	0.28
	85 = BAD DATA LOGICALLY ASSIGNED.....		57	0.03
	91 = NEVER USED SEDATIVES		155889	89.69
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		9226	5.31
	94 = DON'T KNOW		37	0.02
	97 = REFUSED		16	0.01
	98 = BLANK (NO ANSWER)		1036	0.60

Did you continue to use any prescription sedatives even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

<u>UDSVHLTHCTD</u>	Len : 2	CONTD TO USE SED DESPITE SED CAUSE/WORSEN PHYS PRBS		
			Freq	Pct
	1 = Yes.....		58	0.03
	2 = No.....		63	0.04
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....		485	0.28
	85 = BAD DATA LOGICALLY ASSIGNED.....		16	0.01
	91 = NEVER USED SEDATIVES		155889	89.69
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		9226	5.31
	97 = REFUSED		16	0.01
	98 = BLANK (NO ANSWER)		1114	0.64
	99 = LEGITIMATE SKIP.....		6941	3.99

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription sedative?

<u>UDSVMNTLPRB</u>	Len : 2	ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY SED PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		136	0.08
	2 = No.....		6877	3.96
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....		485	0.28
	85 = BAD DATA LOGICALLY ASSIGNED.....		43	0.02
	91 = NEVER USED SEDATIVES		155889	89.69
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		9226	5.31
	94 = DON'T KNOW		27	0.02
	97 = REFUSED		16	0.01
	98 = BLANK (NO ANSWER)		1051	0.60
	99 = LEGITIMATE SKIP.....		58	0.03

SUBSTANCE USE DISORDER

Did you continue to use any prescription sedatives even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

UDSVMTLCTD Len : 2 CONTD SED USE DESPITE SED CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	57	0.03
2 = No.....	78	0.04
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED SEDATIVES	155889	89.69
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	9226	5.31
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	16	0.01
98 = BLANK (NO ANSWER)	1119	0.64
99 = LEGITIMATE SKIP.....	6935	3.99

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription sedatives?

UDSVSTOPACT Len : 2 LESS ACTIVITIES B/C OF SED USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	182	0.10
2 = No.....	6888	3.96
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
85 = BAD DATA LOGICALLY ASSIGNED.....	57	0.03
91 = NEVER USED SEDATIVES	155889	89.69
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	9226	5.31
94 = DON'T KNOW.....	23	0.01
97 = REFUSED	21	0.01
98 = BLANK (NO ANSWER)	1037	0.60

Sometimes people who use prescription sedatives have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription sedatives?

UDSVWORKPRB Len : 2 SED CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	143	0.08
2 = No.....	6927	3.99
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
85 = BAD DATA LOGICALLY ASSIGNED.....	57	0.03
91 = NEVER USED SEDATIVES	155889	89.69
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	9226	5.31
94 = DON'T KNOW.....	22	0.01
97 = REFUSED	22	0.01
98 = BLANK (NO ANSWER)	1037	0.60

SUBSTANCE USE DISORDER

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription sedative?

<u>UDSVFMLYPRB</u>	Len : 2	SED CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS		
			Freq	Pct
		1 = Yes.....	127	0.07
		2 = No.....	6944	4.00
		83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
		85 = BAD DATA LOGICALLY ASSIGNED.....	57	0.03
		91 = NEVER USED SEDATIVES	155889	89.69
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	9226	5.31
		94 = DON'T KNOW.....	22	0.01
		97 = REFUSED	20	0.01
		98 = BLANK (NO ANSWER)	1038	0.60

Did you continue to use any prescription sedatives even though they often caused arguments or problems with family or friends?

<u>UDSVFMLYCTD</u>	Len : 2	CONTD SED DESPITE SED CAUSE ARGUMENTS W/FAM/FRNDS		
			Freq	Pct
		1 = Yes.....	96	0.06
		2 = No.....	30	0.02
		83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
		85 = BAD DATA LOGICALLY ASSIGNED.....	16	0.01
		91 = NEVER USED SEDATIVES	155889	89.69
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	9226	5.31
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	20	0.01
		98 = BLANK (NO ANSWER)	1101	0.63
		99 = LEGITIMATE SKIP.....	6944	4.00

During the past 12 months, did you repeatedly get into situations where using a prescription sedative increased your chances of getting physically hurt?

<u>UDSVGETHURT</u>	Len : 2	SED INCREASED CHANCE GETTING HURT PST 12 MOS		
			Freq	Pct
		1 = Yes.....	115	0.07
		2 = No.....	6957	4.00
		83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
		85 = BAD DATA LOGICALLY ASSIGNED.....	57	0.03
		91 = NEVER USED SEDATIVES	155889	89.69
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	9226	5.31
		94 = DON'T KNOW.....	22	0.01
		97 = REFUSED	18	0.01
		98 = BLANK (NO ANSWER)	1039	0.60

People may experience withdrawal symptoms when they use less or stop using prescription sedatives.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using any prescription sedatives for a while?

Sweating or feeling that your heart was beating fast

<u>UDSVWDSWEAT</u>	Len : 2	SWEATY/FAST HEARTBEAT - SED WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	283	0.16
		2 = No.....	6763	3.89
		83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
		85 = BAD DATA LOGICALLY ASSIGNED.....	57	0.03
		91 = NEVER USED SEDATIVES	155889	89.69
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	9226	5.31
		94 = DON'T KNOW.....	38	0.02
		97 = REFUSED	24	0.01
		98 = BLANK (NO ANSWER)	1043	0.60

SUBSTANCE USE DISORDER

Having your hands tremble

UDSVWDTRMBL	Len : 2	HANDS TREMBLE - SED WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	260	0.15
		2 = No.....	6789	3.91
		83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
		85 = BAD DATA LOGICALLY ASSIGNED.....	57	0.03
		91 = NEVER USED SEDATIVES.....	155889	89.69
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	9226	5.31
		94 = DON'T KNOW.....	35	0.02
		97 = REFUSED.....	24	0.01
		98 = BLANK (NO ANSWER).....	1043	0.60

Having trouble sleeping

UDSVWDSLEEP	Len : 2	TRouble SLEEPing - SED WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1085	0.62
		2 = No.....	5968	3.43
		83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
		85 = BAD DATA LOGICALLY ASSIGNED.....	57	0.03
		91 = NEVER USED SEDATIVES.....	155889	89.69
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	9226	5.31
		94 = DON'T KNOW.....	32	0.02
		97 = REFUSED.....	23	0.01
		98 = BLANK (NO ANSWER).....	1043	0.60

Vomiting or having an upset stomach

UDSVWDVOMIT	Len : 2	VOMITING/UPSET STOMACH - SED WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	219	0.13
		2 = No.....	6831	3.93
		83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
		85 = BAD DATA LOGICALLY ASSIGNED.....	57	0.03
		91 = NEVER USED SEDATIVES.....	155889	89.69
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	9226	5.31
		94 = DON'T KNOW.....	35	0.02
		97 = REFUSED.....	23	0.01
		98 = BLANK (NO ANSWER).....	1043	0.60

Seeing, hearing, or feeling things that weren't really there

UDSVWDHALUC	Len : 2	SEE/HEAR/FEEL THINGS - SED WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	214	0.12
		2 = No.....	6840	3.94
		83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
		85 = BAD DATA LOGICALLY ASSIGNED.....	57	0.03
		91 = NEVER USED SEDATIVES.....	155889	89.69
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	9226	5.31
		94 = DON'T KNOW.....	31	0.02
		97 = REFUSED.....	23	0.01
		98 = BLANK (NO ANSWER).....	1043	0.60

Feeling like you couldn't sit still

UDSVWDSITST	Len : 2	COULDN'T SIT STILL - SED WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	373	0.21
		2 = No.....	6682	3.84
		83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
		85 = BAD DATA LOGICALLY ASSIGNED.....	57	0.03
		91 = NEVER USED SEDATIVES.....	155889	89.69
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	9226	5.31
		94 = DON'T KNOW.....	31	0.02
		97 = REFUSED.....	22	0.01
		98 = BLANK (NO ANSWER).....	1043	0.60

SUBSTANCE USE DISORDER

Feeling anxious

<u>UDSVWDFLANX</u>	Len : 2	FEELING ANXIOUS - SED WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes.....	676	0.39
		2 = No.....	6378	3.67
		83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
		85 = BAD DATA LOGICALLY ASSIGNED.....	57	0.03
		91 = NEVER USED SEDATIVES.....	155889	89.69
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	9226	5.31
		94 = DON'T KNOW.....	30	0.02
		97 = REFUSED.....	24	0.01
		98 = BLANK (NO ANSWER).....	1043	0.60

During the past 12 months, did you use any prescription sedatives or other drugs to get over or avoid having prescription sedative withdrawal symptoms?

<u>UDSVAVOIDWD</u>	Len : 2	USE SED TO GET OVER/AVOID SED WITHDRAWAL IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	112	0.06
		2 = No.....	6957	4.00
		83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
		85 = BAD DATA LOGICALLY ASSIGNED.....	57	0.03
		91 = NEVER USED SEDATIVES.....	155889	89.69
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	9226	5.31
		94 = DON'T KNOW.....	21	0.01
		97 = REFUSED.....	18	0.01
		98 = BLANK (NO ANSWER).....	1043	0.60

Which of the following did you use to get over or avoid having prescription sedative withdrawal symptoms during the past 12 months?

Prescription sedatives, tranquilizers, sleeping pills, or downers

<u>UDSVAVWSVTR</u>	Len : 2	USED SED/TR TO GET OVER/AVOID SED WITHDRWL IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	63	0.04
		2 = No.....	45	0.03
		13 = Yes LOG ASSN (not applicable to criterion 11b).....	2	0.00
		83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
		85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.01
		91 = NEVER USED SEDATIVES.....	155889	89.69
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	9226	5.31
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	18	0.01
		98 = BLANK (NO ANSWER).....	1109	0.64
		99 = LEGITIMATE SKIP.....	6957	4.00

Alcohol

<u>UDSVAVWALCO</u>	Len : 2	USED ALC TO GET OVER/AVOID SED WITHDRAWAL IN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	47	0.03
		2 = No.....	63	0.04
		83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
		85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.01
		91 = NEVER USED SEDATIVES.....	155889	89.69
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	9226	5.31
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	18	0.01
		98 = BLANK (NO ANSWER).....	1109	0.64
		99 = LEGITIMATE SKIP.....	6957	4.00

SUBSTANCE USE DISORDER

Something else

[UDSVAVWOTH](#) Len : 2 USED SOMETHING ELSE TO GET OVR/AVD SED WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	50	0.03
2 = No.....	60	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	485	0.28
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.01
91 = NEVER USED SEDATIVES.....	155889	89.69
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	9226	5.31
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	18	0.01
98 = BLANK (NO ANSWER).....	1109	0.64
99 = LEGITIMATE SKIP.....	6957	4.00

The next set of variables are substance use disorder (SUD) measures for alcohol and drugs and are based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition. Drugs include marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, and the use of prescription psychotherapeutic drugs (i.e., pain relievers, tranquilizers, stimulants, and sedatives). These variables include missing values, while the imputation-revised versions of these variables in which missing values are replaced with valid response categories are described in the "Imputed Substance Use Disorder" section. The construction of all SUD variables is described in more detail in the Nicotine Dependence and Substance Use Disorder appendix.

NOTE: Respondents who reported past year alcohol use but indicated use of alcohol on 5 or fewer days in the past year were not asked the questions on alcohol use disorder. However, respondents who reported past year alcohol use and had a missing value for the number of days they used alcohol in the past year were asked the questions on alcohol use disorder. Therefore, it is possible for a respondent to have used alcohol on 5 or fewer days in the past year according to IRALCFY but to be classified as having a past year substance use disorder of alcohol.

[PYUD5ALC](#) Len : 2 ALCOHOL USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	1760	1.01
0 = No.....	65738	37.82
1 = Yes.....	18526	10.66
91 = NEVER USED ALCOHOL.....	50023	28.78
93 = DID NOT USE ALCHOHOL PAST 12 MONTHS OR USED <6 DAYS.....	37761	21.73

NOTE: Respondents who reported past year marijuana use but indicated use of marijuana on 5 or fewer days in the past year were not asked the questions on marijuana use disorder. However, respondents who reported past year marijuana use and had a missing value for the number of days they used marijuana in the past year were asked the questions on marijuana use disorder. Therefore, it is possible for a respondent to have used marijuana on 5 or fewer days in the past year according to IRMJFY but to be classified as having a past year substance use disorder of marijuana.

[PYUD5MRJ](#) Len : 2 MARIJUANA USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	1105	0.64
0 = No.....	17827	10.26
1 = Yes.....	13930	8.01
91 = NEVER USED MARIJUANA.....	96678	55.62
93 = DID NOT USE MARIJUANA PAST 12 MONTHS OR USED <6 DAYS.....	44268	25.47

NOTE: Respondents who reported lifetime but not past year use of cocaine, but were past year users of cocaine according to the variable CONDLREC, were asked the questions on cocaine use disorder. Because the editing and imputation procedures for cocaine recency do not incorporate CONDLREC, it is possible for a respondent to be a lifetime but not a past year user of cocaine according to IRCOCRC, but to be classified as having past year substance use disorder of cocaine. The few respondents who were lifetime but not past year users of cocaine according to IRCOCRC but were missing for CONDLREC were considered past year nonusers.

[PYUD5COC](#) Len : 2 COCAINE USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	122	0.07
0 = No.....	2460	1.42
1 = Yes.....	791	0.46
91 = NEVER USED COCAINE.....	153778	88.48
93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS.....	16657	9.58

SUBSTANCE USE DISORDER

NOTE: Respondents who reported lifetime but not past year use of heroin, but were past year users of heroin according to the variables HRNDLREC, HRSMKREC, or HRSNFREC were asked the questions on heroin use disorder. Because the editing and imputation procedures for heroin recency do not incorporate HRNDLREC, HRSMKREC, or HRSNFREC, it is possible for a respondent to be a lifetime but not a past year user of heroin according to IRHERRC, but to be classified as having past year substance use disorder of heroin. The few respondents who were lifetime but not past year users of heroin according to IRHERRC but were missing for HRNDLREC, HRSMKREC, or HRSNFREC were considered past year nonusers.

PYUD5HER	Len : 2	HEROIN USE DISORDER IN THE PAST YEAR		
			Freq	Pct
	.	= Missing: Past year use known or imputed.....	38	0.02
	0	= No.....	161	0.09
	1	= Yes.....	423	0.24
	91	= NEVER USED HEROIN.....	170428	98.06
	93	= DID NOT USE HEROIN IN THE PAST 12 MONTHS.....	2758	1.59

PYUD5HAL	Len : 2	HALLUCINOGEN USE DISORDER IN THE PAST YEAR		
			Freq	Pct
	.	= Missing: Past year use known or imputed.....	253	0.15
	0	= No.....	5841	3.36
	1	= Yes.....	434	0.25
	91	= NEVER USED HALLUCINOGENS	146530	84.31
	93	= DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS.....	20750	11.94

PYUD5INH	Len : 2	INHALANT USE DISORDER IN THE PAST YEAR		
			Freq	Pct
	.	= Missing: Past year use known or imputed.....	176	0.10
	0	= No.....	1766	1.02
	1	= Yes.....	225	0.13
	91	= NEVER USED INHALANTS	157210	90.45
	93	= DID NOT USE INHALANTS IN THE PAST 12 MONTHS	14431	8.30

NOTE: Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine use disorder. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not a past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year substance use disorder of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

PYUD5MTH	Len : 2	METHAMPHETAMINE USE DISORDER IN THE PAST YEAR		
			Freq	Pct
	.	= Missing: Past year use known or imputed.....	78	0.04
	0	= No.....	486	0.28
	1	= Yes.....	954	0.55
	91	= NEVER USED METHAMPHETAMINE	165948	95.48
	93	= DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS.....	6342	3.65

NOTE: EDUD5PNRMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription pain relievers.

EDUD5PNRMIS	Len : 2	PAIN RELIEVER USE DISORDER, PY MISUSERS		
			Freq	Pct
	.	= Missing: Past year use known or imputed.....	255	0.15
	0	= No.....	3772	2.17
	1	= Yes.....	1227	0.71
	91	= NEVER MISUSED PAIN RELIEVERS	159430	91.73
	93	= DID NOT MISUSE PAIN RELIEVER IN THE PAST 12 MOS.....	9124	5.25

SUBSTANCE USE DISORDER

NOTE: EDUD5PNRUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription pain relievers.

EDUD5PNRUNM Len : 2 PAIN RELIEVER USE DISORDER, PY USERS BUT NOT MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	993	0.57
0 = No.....	30788	17.71
1 = Yes.....	1494	0.86
91 = NEVER USED PAIN RELIEVERS.....	90517	52.08
93 = DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON....	50016	28.78

NOTE: EDUD5TRQMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription tranquilizers.

EDUD5TRQMIS Len : 2 TRANQUILIZER USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	105	0.06
0 = No.....	2172	1.25
1 = Yes.....	533	0.31
91 = NEVER MISUSED TRANQUILIZERS.....	167472	96.35
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3526	2.03

NOTE: EDUD5TRQUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription tranquilizers.

EDUD5TRQUNM Len : 2 TRANQUILIZER USE DISORDER, PY USERS BUT NOT MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	390	0.22
0 = No.....	13428	7.73
1 = Yes.....	512	0.29
91 = NEVER USED TRANQUILIZERS.....	144020	82.86
93 = DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON....	15458	8.89

NOTE: EDUD5STMISM was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription stimulants.

EDUD5STMISM Len : 2 STIMULANT USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	80	0.05
0 = No.....	2611	1.50
1 = Yes.....	607	0.35
91 = NEVER MISUSED STIMULANTS.....	165905	95.45
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS.....	4605	2.65

NOTE: EDUD5STMUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription stimulants.

EDUD5STMUNM Len : 2 STIMULANT USE DISORDER, PY USERS BUT NOT MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	386	0.22
0 = No.....	9381	5.40
1 = Yes.....	782	0.45
91 = NEVER USED STIMULANTS.....	150893	86.82
93 = DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON....	12366	7.11

NOTE: EDUD5SEDMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription sedatives.

EDUD5SEDMIS Len : 2 SEDATIVE USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	24	0.01
0 = No.....	410	0.24
1 = Yes.....	134	0.08
91 = NEVER MISUSED SEDATIVES.....	170582	98.14
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MOS.....	2658	1.53

SUBSTANCE USE DISORDER

NOTE: EDUD5SEDUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription sedatives.

EDUD5SEDUNM	Len : 2	SEDATIVE USE DISORDER, PY USERS BUT NOT MISUSERS		
			Freq	Pct
.		= Missing: Past year use known or imputed.....	253	0.15
0		= No.....	6169	3.55
1		= Yes.....	328	0.19
91		= NEVER USED SEDATIVES	157175	90.43
93		= DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON....	9883	5.69

IMPUTED SUBSTANCE USE DISORDER

IMPUTED SUBSTANCE USE DISORDER

The next set of variables are imputation-revised substance use disorder measures for alcohol and drugs and are based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition. Drugs include marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, and the use of prescription psychotherapeutic drugs (i.e., pain relievers, tranquilizers, stimulants, and sedatives). The construction of all SUD variables is described in more detail in the Nicotine Dependence and Substance Use Disorder appendix.

NOTE: Respondents who reported past year alcohol use but indicated use of alcohol on 5 or fewer days in the past year were not asked the questions on alcohol use disorder. However, respondents who reported past year alcohol use and had a missing value for the number of days they used alcohol in the past year were asked the questions on alcohol use disorder. Therefore, it is possible for a respondent to have used alcohol on 5 or fewer days in the past year according to IRALCFY but to be classified as having a past year substance use disorder of alcohol.

<u>IRPYUD5ALC</u>	Len : 1	ALCOHOL USE DISORDER IN THE PAST YEAR - IMP REV		
			Freq	Pct
	0 = No.....		154865	89.10
	1 = Yes.....		18943	10.90

<u>IIPYUD5ALC</u>	Len : 1	ALCOHOL USE DISORDER IN THE PAST YEAR - IMP IND		
			Freq	Pct
	1 = Questionnaire data.....		84264	48.48
	3 = Statistically imputed data.....		1760	1.01
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER.....		87784	50.51

NOTE: Respondents who reported past year marijuana use but indicated use of marijuana on 5 or fewer days in the past year were not asked the questions on marijuana use disorder. However, respondents who reported past year marijuana use and had a missing value for the number of days they used marijuana in the past year were asked the questions on marijuana use disorder. Therefore, it is possible for a respondent to have used marijuana on 5 or fewer days in the past year according to IRMJFY but to be classified as having a past year substance use disorder of marijuana.

<u>IRPYUD5MRJ</u>	Len : 1	MARIJUANA USE DISORDER IN THE PAST YEAR - IMP REV		
			Freq	Pct
	0 = No.....		159381	91.70
	1 = Yes.....		14427	8.30

<u>IIPYUD5MRJ</u>	Len : 1	MARIJUANA USE DISORDER IN THE PAST YEAR - IMP IND		
			Freq	Pct
	1 = Questionnaire data.....		31757	18.27
	3 = Statistically imputed data.....		1105	0.64
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER.....		140946	81.09

NOTE: Respondents who reported lifetime but not past year use of cocaine, but were past year users of cocaine according to the variable CONDLREC, were asked the questions on cocaine use disorder. Because the editing and imputation procedures for cocaine recency do not incorporate CONDLREC, it is possible for a respondent to be a lifetime but not a past year user of cocaine according to IRCOCRC, but to be classified as having past year substance use disorder of cocaine. The few respondents who were lifetime but not past year users of cocaine according to IRCOCRC but were missing for CONDLREC were considered past year nonusers.

<u>IRPYUD5COC</u>	Len : 1	COCAINE USE DISORDER IN THE PAST YEAR - IMP REV		
			Freq	Pct
	0 = No.....		172981	99.52
	1 = Yes.....		827	0.48

<u>IIPYUD5COC</u>	Len : 1	COCAINE USE DISORDER IN THE PAST YEAR - IMP IND		
			Freq	Pct
	1 = Questionnaire data.....		3251	1.87
	3 = Statistically imputed data.....		122	0.07
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER.....		170435	98.06

IMPUTED SUBSTANCE USE DISORDER

NOTE: Respondents who reported lifetime but not past year use of heroin, but were past year users of heroin according to the variables HRNDLREC, HRSMKREC, or HRSNFREC were asked the questions on heroin use disorder. Because the editing and imputation procedures for heroin recency do not incorporate HRNDLREC, HRSMKREC, or HRSNFREC, it is possible for a respondent to be a lifetime but not a past year user of heroin according to IRHERRC, but to be classified as having past year substance use disorder of heroin. The few respondents who were lifetime but not past year users of heroin according to IRHERRC but were missing for HRNDLREC, HRSMKREC, or HRSNFREC were considered past year nonusers.

<u>IRPYUD5HER</u>	Len : 1	HEROIN USE DISORDER IN THE PAST YEAR - IMP REV		
			Freq	Pct
	0 = No.....		173353	99.74
	1 = Yes.....		455	0.26

<u>IIPYUD5HER</u>	Len : 1	HEROIN USE DISORDER IN THE PAST YEAR - IMP IND		
			Freq	Pct
	1 = Questionnaire data		584	0.34
	3 = Statistically imputed data.....		38	0.02
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER		173186	99.64

<u>IRPYUD5HAL</u>	Len : 1	HALLUCINOGEN USE DISORDER IN THE PAST YEAR - IMP REV		
			Freq	Pct
	0 = No.....		173345	99.73
	1 = Yes.....		463	0.27

<u>IIPYUD5HAL</u>	Len : 1	HALLUCINOGEN USE DISORDER IN THE PAST YEAR - IMP IND		
			Freq	Pct
	1 = Questionnaire data		6275	3.61
	3 = Statistically imputed data.....		253	0.15
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER		167280	96.24

<u>IRPYUD5INH</u>	Len : 1	INHALANT USE DISORDER IN THE PAST YEAR - IMP REV		
			Freq	Pct
	0 = No.....		173556	99.86
	1 = Yes.....		252	0.14

<u>IIPYUD5INH</u>	Len : 1	INHALANT USE DISORDER IN THE PAST YEAR - IMP IND		
			Freq	Pct
	1 = Questionnaire data		1991	1.15
	3 = Statistically imputed data.....		176	0.10
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER		171641	98.75

NOTE: Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine use disorder. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not a past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year substance use disorder of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

<u>IRPYUD5MTH</u>	Len : 1	METHAMPHETAMINE USE DISORDER IN THE PAST YEAR - IMP REV		
			Freq	Pct
	0 = No.....		172796	99.42
	1 = Yes.....		1012	0.58

<u>IIPYUD5MTH</u>	Len : 1	METHAMPHETAMINE USE DISORDER IN THE PAST YEAR - IMP IND		
			Freq	Pct
	1 = Questionnaire data		1440	0.83
	3 = Statistically imputed data.....		78	0.04
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER		172290	99.13

IMPUTED SUBSTANCE USE DISORDER

NOTE: IRUD5PNRMIS and IIUD5PNRMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription pain relievers.

<u>IRUD5PNRMIS</u>	Len : 1	PAIN RELIEVER USE DISORDER, PY MISUERS - IMP REV		
			Freq	Pct
	0 = No.....		172505	99.25
	1 = Yes.....		1303	0.75

<u>IIUD5PNRMIS</u>	Len : 1	PAIN RELIEVER USE DISORDER, PY MISUSERS - IMP IND		
			Freq	Pct
	1 = Questionnaire data.....		4999	2.88
	3 = Statistically imputed data.....		255	0.15
	9 = LEGITIMATE SKIP-DID NOT MISUSE IN PAST YEAR.....		168554	96.98

NOTE: IRUD5PNRUNM and IIUD5PNRUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription pain relievers.

<u>IRUD5PNRUNM</u>	Len : 1	PAIN RELIEVER USE DISORD, PY USERS BUT NOT MISUSERS-IMP REV		
			Freq	Pct
	0 = No.....		172228	99.09
	1 = Yes.....		1580	0.91

<u>IIUD5PNRUNM</u>	Len : 1	PAIN RELIEVER USE DISORD, PY USERS BUT NOT MISUSERS-IMP IND		
			Freq	Pct
	1 = Questionnaire data.....		32282	18.57
	3 = Statistically imputed data.....		993	0.57
	9 = LEGIT SKIP-NOT A PAST YR USER OR MISUSED IN PAST YR.....		140533	80.86

NOTE: IRUD5TRQMIS and IIUD5TRQMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription tranquilizers.

<u>IRUD5TRQMIS</u>	Len : 1	TRANQUILIZER USE DISORDER, PY MISUSERS - IMP REV		
			Freq	Pct
	0 = No.....		173247	99.68
	1 = Yes.....		561	0.32

<u>IIUD5TRQMIS</u>	Len : 1	TRANQUILIZER USE DISORDER, PY MISUSERS - IMP IND		
			Freq	Pct
	1 = Questionnaire data.....		2705	1.56
	3 = Statistically imputed data.....		105	0.06
	9 = LEGITIMATE SKIP-DID NOT MISUSE IN PAST YEAR.....		170998	98.38

NOTE: IRUD5TRQUNM and IIUD5TRQUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription tranquilizers.

<u>IRUD5TRQUNM</u>	Len : 1	TRANQUILIZER USE DISORDER, PY USERS BUT NOT MISUSERS-IMP REV		
			Freq	Pct
	0 = No.....		173264	99.69
	1 = Yes.....		544	0.31

<u>IIUD5TRQUNM</u>	Len : 1	TRANQUILIZER USE DISORDER, PY USERS BUT NOT MISUSERS-IMP IND		
			Freq	Pct
	1 = Questionnaire data.....		13940	8.02
	3 = Statistically imputed data.....		390	0.22
	9 = LEGIT SKIP-NOT A PAST YR USER OR MISUSED IN PAST YR.....		159478	91.76

NOTE: IRUD5STMMIS and IIUD5STMMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription stimulants.

<u>IRUD5STMMIS</u>	Len : 1	STIMULANT USE DISORDER, PY MISUSERS - IMP REV		
			Freq	Pct
	0 = No.....		173180	99.64
	1 = Yes.....		628	0.36

IMPUTED SUBSTANCE USE DISORDER

IIUD5STMMIS

Len : 1 STIMULANT USE DISORDER, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	3218	1.85
3 = Statistically imputed data	80	0.05
9 = LEGITIMATE SKIP-DID NOT MISUSE IN PAST YEAR.....	170510	98.10

NOTE: IRUD5STMUNM and IIUD5STMUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription stimulants.

IRUD5STMUNM

Len : 1 STIMULANT USE DISORDER, PY USERS BUT NOT MISUSERS - IMP REV

	Freq	Pct
0 = No.....	172986	99.53
1 = Yes.....	822	0.47

IIUD5STMUNM

Len : 1 STIMULANT USE DISORDER, PY USERS BUT NOT MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	10163	5.85
3 = Statistically imputed data	386	0.22
9 = LEGIT SKIP-NOT A PAST YR USER OR MISUSED IN PAST YR	163259	93.93

NOTE: IRUD5SEDMIS and IIUD5SEDMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription sedatives.

IRUD5SEDMIS

Len : 1 SEDATIVE USE DISORDER, PY MISUSERS - IMP REV

	Freq	Pct
0 = No.....	173665	99.92
1 = Yes.....	143	0.08

IIUD5SEDMIS

Len : 1 SEDATIVE USE DISORDER, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	544	0.31
3 = Statistically imputed data	24	0.01
9 = LEGITIMATE SKIP-DID NOT MISUSE IN PAST YEAR.....	173240	99.67

NOTE: IRUD5SEDUNM and IIUD5SEDUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription sedatives.

IRUD5SEDUNM

Len : 1 SEDATIVE USE DISORDER, PY USERS BUT NOT MISUSERS - IMP REV

	Freq	Pct
0 = No.....	173461	99.80
1 = Yes.....	347	0.20

IIUD5SEDUNM

Len : 1 SEDATIVE USE DISORDER, PY USERS BUT NOT MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	6497	3.74
3 = Statistically imputed data	253	0.15
9 = LEGIT SKIP-NOT A PAST YR USER OR MISUSED IN PAST YR	167058	96.12

The next set of variables are imputation-revised measures of substance use disorder severity for alcohol and drugs and are based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition. The severity of an SUD according to DSM-5 criteria is determined by the number of individual criteria recorded as positive for a particular substance. Respondents were classified as having an SUD of mild severity if they met two or three SUD criteria for that substance, an SUD of moderate severity if they met four or five SUD criteria for that substance, and a severe SUD if they met six or more SUD criteria for that substance. The construction of all SUD variables is described in more detail in the Nicotine Dependence and Substance Use Disorder appendix.

NOTE: Respondents who reported past year alcohol use but indicated use of alcohol on 5 or fewer days in the past year were not asked the questions on alcohol use disorder. However, respondents who reported past year alcohol use and had a missing value for the number of days they used alcohol in the past year were asked the questions on alcohol use disorder. Therefore, it is possible for a respondent to have used alcohol on 5 or fewer days in the past year according to IRALCFY but to be classified as having a past year substance use disorder of alcohol.

IRPYSEV5ALC

Len : 1 ALCOHOL USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	11007	6.33
2 = Moderate disorder.....	4075	2.34
3 = Severe disorder	3861	2.22
9 = NO PAST YEAR USE DISORDER.....	154865	89.10

IMPUTED SUBSTANCE USE DISORDER

[IIPYSEV5ALC](#)

Len : 1 ALCOHOL USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	18382	10.58
3 = Statistically imputed data	1904	1.10
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	153522	88.33

NOTE: Respondents who reported past year marijuana use but indicated use of marijuana on 5 or fewer days in the past year were not asked the questions on marijuana use disorder. However, respondents who reported past year marijuana use and had a missing value for the number of days they used marijuana in the past year were asked the questions on marijuana use disorder. Therefore, it is possible for a respondent to have used marijuana on 5 or fewer days in the past year according to IRMJFY but to be classified as having a past year substance use disorder of marijuana.

[IIPYSEV5MRJ](#)

Len : 1 MARIJUANA USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	7475	4.30
2 = Moderate disorder	4099	2.36
3 = Severe disorder	2853	1.64
9 = NO PAST YEAR USE DISORDER	159381	91.70

[IIPYSEV5MRJ](#)

Len : 1 MARIJUANA USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	13822	7.95
3 = Statistically imputed data	1213	0.70
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	158773	91.35

NOTE: Respondents who reported lifetime but not past year use of cocaine, but were past year users of cocaine according to the variable CONDLREC, were asked the questions on cocaine use disorder. Because the editing and imputation procedures for cocaine recency do not incorporate CONDLREC, it is possible for a respondent to be a lifetime but not a past year user of cocaine according to IRCOCRC, but to be classified as having past year substance use disorder of cocaine. The few respondents who were lifetime but not past year users of cocaine according to IRCOCRC but were missing for CONDLREC were considered past year nonusers.

[IIPYSEV5COC](#)

Len : 1 COCAINE USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	323	0.19
2 = Moderate disorder	173	0.10
3 = Severe disorder	331	0.19
9 = NO PAST YEAR USE DISORDER	172981	99.52

[IIPYSEV5COC](#)

Len : 1 COCAINE USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	786	0.45
3 = Statistically imputed data	127	0.07
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	172895	99.47

NOTE: Respondents who reported lifetime but not past year use of heroin, but were past year users of heroin according to the variables HRNDLREC, HRSMKREC, or HRSNFREC were asked the questions on heroin use disorder. Because the editing and imputation procedures for heroin recency do not incorporate HRNDLREC, HRSMKREC, or HRSNFREC, it is possible for a respondent to be a lifetime but not a past year user of heroin according to IRHERRC, but to be classified as having past year substance use disorder of heroin. The few respondents who were lifetime but not past year users of heroin according to IRHERRC but were missing for HRNDLREC, HRSMKREC, or HRSNFREC were considered past year nonusers.

[IIPYSEV5HER](#)

Len : 1 HEROIN USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	71	0.04
2 = Moderate disorder	43	0.02
3 = Severe disorder	341	0.20
9 = NO PAST YEAR USE DISORDER	173353	99.74

[IIPYSEV5HER](#)

Len : 1 HEROIN USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	418	0.24
3 = Statistically imputed data	43	0.02
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	173347	99.73

IMPUTED SUBSTANCE USE DISORDER

<u>IRPYSEV5HAL</u>	Len : 1 HALLUCINOGEN USE DISORDER SEVERITY IN THE PAST YR - IMP REV		
		Freq	Pct
	1 = Mild disorder	312	0.18
	2 = Moderate disorder.....	96	0.06
	3 = Severe disorder	55	0.03
	9 = NO PAST YEAR USE DISORDER.....	173345	99.73

<u>IIPYSEV5HAL</u>	Len : 1 HALLUCINOGEN USE DISORDER SEVERITY IN THE PAST YR - IMP IND		
		Freq	Pct
	1 = Questionnaire data	430	0.25
	3 = Statistically imputed data.....	257	0.15
	9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	173121	99.60

<u>IRPYSEV5INH</u>	Len : 1 INHALANT USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV		
		Freq	Pct
	1 = Mild disorder	164	0.09
	2 = Moderate disorder.....	43	0.02
	3 = Severe disorder	45	0.03
	9 = NO PAST YEAR USE DISORDER.....	173556	99.86

<u>IIPYSEV5INH</u>	Len : 1 INHALANT USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND		
		Freq	Pct
	1 = Questionnaire data	222	0.13
	3 = Statistically imputed data.....	179	0.10
	9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	173407	99.77

NOTE: Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine use disorder. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not a past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year substance use disorder of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

<u>IRPYSEV5MTH</u>	Len : 1 METHAMPHETAMINE USE DISORDER SEVERITY IN PAST YR - IMP REV		
		Freq	Pct
	1 = Mild disorder	206	0.12
	2 = Moderate disorder.....	186	0.11
	3 = Severe disorder	620	0.36
	9 = NO PAST YEAR USE DISORDER.....	172796	99.42

<u>IIPYSEV5MTH</u>	Len : 1 METHAMPHETAMINE USE DISORDER SEVERITY IN PAST YR - IMP IND		
		Freq	Pct
	1 = Questionnaire data	946	0.54
	3 = Statistically imputed data.....	86	0.05
	9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	172776	99.41

NOTE: IRSEVPNRMIS and IISEVPNRMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription pain relievers.

<u>IRSEVPNRMIS</u>	Len : 1 PAIN RELIEVER USE DISORDER SEVERITY, PY MISUSERS - IMP REV		
		Freq	Pct
	1 = Mild disorder	597	0.34
	2 = Moderate disorder.....	258	0.15
	3 = Severe disorder	448	0.26
	9 = Legitimate Skip.....	172505	99.25

<u>IISEVPNRMIS</u>	Len : 1 PAIN RELIEVER USE DISORDER SEVERITY, PY MISUSERS - IMP IND		
		Freq	Pct
	1 = Questionnaire data	1211	0.70
	3 = Statistically imputed data.....	271	0.16
	9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	172326	99.15

IMPUTED SUBSTANCE USE DISORDER

NOTE: IRSEVPNRUNM and IISEVPNRUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription pain relievers.

<u>IRSEVPNRUNM</u>	Len : 1	PAIN RELIEVER USE DIS SEV, PY USERS BUT NOT MISUSERS-IMP REV		
			Freq	Pct
		1 = Mild disorder	1283	0.74
		2 = Moderate disorder	203	0.12
		3 = Severe disorder	94	0.05
		9 = Legitimate Skip	172228	99.09

<u>IISEVPNRUNM</u>	Len : 1	PAIN RELIEVER USE DIS SEV, PY USERS BUT NOT MISUSERS-IMP IND		
			Freq	Pct
		1 = Questionnaire data	1472	0.85
		3 = Statistically imputed data	1015	0.58
		9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	171321	98.57

NOTE: IRSEVTRQMIS and IISEVTRQMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription tranquilizers.

<u>IRSEVTRQMIS</u>	Len : 1	TRANQUILIZER USE DISORDER SEVERITY, PY MISUSERS - IMP REV		
			Freq	Pct
		1 = Mild disorder	246	0.14
		2 = Moderate disorder	124	0.07
		3 = Severe disorder	191	0.11
		9 = Legitimate Skip	173247	99.68

<u>IISEVTRQMIS</u>	Len : 1	TRANQUILIZER USE DISORDER SEVERITY, PY MISUSERS - IMP IND		
			Freq	Pct
		1 = Questionnaire data	522	0.30
		3 = Statistically imputed data	116	0.07
		9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	173170	99.63

NOTE: IRSEVTRQUNM and IISEVTRQUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription tranquilizers.

<u>IRSEVTRQUNM</u>	Len : 1	TRANQUILIZER USE DIS SEV, PY USERS BUT NOT MISUSERS-IMP REV		
			Freq	Pct
		1 = Mild disorder	429	0.25
		2 = Moderate disorder	77	0.04
		3 = Severe disorder	38	0.02
		9 = Legitimate Skip	173264	99.69

<u>IISEVTRQUNM</u>	Len : 1	TRANQUILIZER USE DIS SEV, PY USERS BUT NOT MISUSERS-IMP IND		
			Freq	Pct
		1 = Questionnaire data	507	0.29
		3 = Statistically imputed data	395	0.23
		9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	172906	99.48

NOTE: IRSEVSTMMIS and IISEVSTMMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription stimulants.

<u>IRSEVSTMMIS</u>	Len : 1	STIMULANT USE DISORDER SEVERITY, PY MISUSERS - IMP REV		
			Freq	Pct
		1 = Mild disorder	278	0.16
		2 = Moderate disorder	153	0.09
		3 = Severe disorder	197	0.11
		9 = Legitimate Skip	173180	99.64

<u>IISEVSTMMIS</u>	Len : 1	STIMULANT USE DISORDER SEVERITY, PY MISUSERS - IMP IND		
			Freq	Pct
		1 = Questionnaire data	598	0.34
		3 = Statistically imputed data	89	0.05
		9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	173121	99.60

IMPUTED SUBSTANCE USE DISORDER

NOTE: IRSEVSTMUNM and IISEVSTMUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription stimulants.

<u>IRSEVSTMUNM</u>	Len : 1	STIMULANT USE DIS SEV, PY USERS BUT NOT MISUSERS - IMP REV		
			Freq	Pct
		1 = Mild disorder	671	0.39
		2 = Moderate disorder.....	101	0.06
		3 = Severe disorder	50	0.03
		9 = Legitimate Skip.....	172986	99.53

<u>IISEVSTMUNM</u>	Len : 1	STIMULANT USE DIS SEV, PY USERS BUT NOT MISUSERS - IMP IND		
			Freq	Pct
		1 = Questionnaire data	767	0.44
		3 = Statistically imputed data.....	401	0.23
		9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	172640	99.33

NOTE: IRSEVSEDMIS and IISEVSEDMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription sedatives.

<u>IRSEVSEDMIS</u>	Len : 1	SEDATIVE USE DISORDER SEVERITY, PY MISUSERS - IMP REV		
			Freq	Pct
		1 = Mild disorder	62	0.04
		2 = Moderate disorder.....	37	0.02
		3 = Severe disorder	44	0.03
		9 = Legitimate Skip.....	173665	99.92

<u>IISEVSEDMIS</u>	Len : 1	SEDATIVE USE DISORDER SEVERITY, PY MISUSERS - IMP IND		
			Freq	Pct
		1 = Questionnaire data	131	0.08
		3 = Statistically imputed data.....	27	0.02
		9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	173650	99.91

NOTE: IRSEVSEDUNM and IISEVSEDUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription sedatives.

<u>IRSEVSEDUNM</u>	Len : 1	SEDATIVE USE DIS SEV, PY USERS BUT NOT MISUSERS - IMP REV		
			Freq	Pct
		1 = Mild disorder	246	0.14
		2 = Moderate disorder.....	62	0.04
		3 = Severe disorder	39	0.02
		9 = Legitimate Skip.....	173461	99.80

<u>IISEVSEDUNM</u>	Len : 1	SEDATIVE USE DIS SEV, PY USERS BUT NOT MISUSERS - IMP IND		
			Freq	Pct
		1 = Questionnaire data	322	0.19
		3 = Statistically imputed data.....	259	0.15
		9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	173227	99.67

RECODED SUBSTANCE USE DISORDER

RECODED SUBSTANCE USE DISORDER

NOTE: UD5TRQSDANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription tranquilizers or sedatives.

<u>UD5TRQSDANY</u>	Len : 1	RC-TRANQUILIZER OR SEDATIVE USE DISORDER - PAST YEAR USERS		
			Freq	Pct
	0 = No (all source variables = 0)		172398	99.19
	1 = Yes (any source variable = 1)		1410	0.81

NOTE: UD5PSYANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

<u>UD5PSYANY</u>	Len : 1	RC-PSYCHOTHERAPEUTIC USE DISORDER - PAST YEAR USERS		
			Freq	Pct
	0 = No (all source variables = 0)		168980	97.22
	1 = Yes (any source variable = 1)		4828	2.78

NOTE: UD5OPIANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription pain relievers.

<u>UD5OPIANY</u>	Len : 1	RC-OPIOID USE DISORDER - PAST YEAR USERS		
			Freq	Pct
	0 = No (all source variables = 0)		170658	98.19
	1 = Yes (any source variable = 1)		3150	1.81

NOTE: UD5HRPNRANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription pain relievers.

<u>UD5HRPNRANY</u>	Len : 1	RC-HEROIN/PAIN RELIEVER USE DISORDER - PAST YEAR USERS		
			Freq	Pct
	1 = PST YR HEROIN USE DIS (IRPYUD5HER=1 and UDYR5PNRANY=0)		267	0.15
	2 = PST YR PNR USE DIS (IRPYUD5HER=0 and UDYR5PNRANY=1)		2695	1.55
	3 = PST YR HER & PNR USE DIS (IRPYUD5HER=1 and UDYR5PNRANY=1)		188	0.11
	4 = NO PST YR HER OR PNR UD (IRPYUD5HER=0 and UDYR5PNRANY=0)		170658	98.19

NOTE: UD5CNSANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription stimulants.

<u>UD5CNSANY</u>	Len : 1	RC-CNS STIMULANT USE DISORDER - PAST YEAR USERS		
			Freq	Pct
	0 = No (all source variables = 0)		170828	98.29
	1 = Yes (any source variable = 1)		2980	1.71

NOTE: UD5ILLANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

<u>UD5ILLANY</u>	Len : 1	RC-DRUG USE DISORDER - PAST YEAR USERS		
			Freq	Pct
	0 = No (all source variables = 0)		154813	89.07
	1 = Yes (any source variable = 1)		18995	10.93

NOTE: UD5IEMANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

<u>UD5IEMANY</u>	Len : 1	RC-DRUG OTHER THAN MRJ USE DISORDER - PAST YEAR USERS		
			Freq	Pct
	0 = No (all source variables = 0)		167252	96.23
	1 = Yes (any source variable = 1)		6556	3.77

RECODED SUBSTANCE USE DISORDER

NOTE: UD5ILALANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

<u>UD5ILALANY</u>	Len : 1	RC-DRUG OR ALCOHOL USE DISORDER - PAST YEAR USERS		
			Freq	Pct
	0 = No (all source variables = 0)		141661	81.50
	1 = Yes (any source variable = 1)		32147	18.50

NOTE: UD5ILAALANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

<u>UD5ILAALANY</u>	Len : 1	RC-DRUG AND ALCOHOL USE DISORDER - PAST YEAR USERS		
			Freq	Pct
	0 = No (IRPYUD5ALC=0 or UD5ILLANY=0)		168017	96.67
	1 = Yes (IRPYUD5ALC=1 and UD5ILLANY=1)		5791	3.33

NOTE: UD5ILNALANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

<u>UD5ILNALANY</u>	Len : 1	RC-DRUG USE DISORDER, NO ALC USE DISORDER - PAST YEAR USERS		
			Freq	Pct
	0 = No (IRPYUD5ALC=1 or UD5ILLANY=0)		160604	92.40
	1 = Yes (IRPYUD5ALC=0 and UD5ILLANY=1)		13204	7.60

NOTE: UD5ALNILANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

<u>UD5ALNILANY</u>	Len : 1	RC-ALC USE DISORDER, NO DRUG USE DISORDER - PAST YEAR USERS		
			Freq	Pct
	0 = No (IRPYUD5ALC=0 or UD5ILLANY=1)		160656	92.43
	1 = Yes (IRPYUD5ALC=1 and UD5ILLANY=0)		13152	7.57

NOTE: The following variables UDYR5PNRANY, UDYR5SEDANY, UDYR5STMANY, UDYR5TRQANY, SEVYRPNRANY, SEVYRTRQANY, SEVYRSTMANY, and SEVYRSEDANY were created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

<u>UDYR5PNRANY</u>	Len : 1	RC-PAIN RELIEVER USE DISORDER, PY USERS		
			Freq	Pct
	0 = No (all source variables = 0)		170925	98.34
	1 = Yes (any source variable = 1)		2883	1.66

<u>UDYR5SEDANY</u>	Len : 1	RC-SEDATIVE USE DISORDER, PY USERS		
			Freq	Pct
	0 = No (all source variables = 0)		173318	99.72
	1 = Yes (any source variable = 1)		490	0.28

<u>UDYR5STMANY</u>	Len : 1	RC-STIMULANT USE DISORDER, PY USERS		
			Freq	Pct
	0 = No (all source variables = 0)		172358	99.17
	1 = Yes (any source variable = 1)		1450	0.83

<u>UDYR5TRQANY</u>	Len : 1	RC-TRANQUILIZER USE DISORDER, PY USERS		
			Freq	Pct
	0 = No (all source variables = 0)		172703	99.36
	1 = Yes (any source variable = 1)		1105	0.64

RECODED SUBSTANCE USE DISORDER

<u>SEVYRPNRANY</u>	Len : 1 RC-PAIN RELIEVER USE DISORDER SEVERITY, PY USERS		
		Freq	Pct
	1 = Mild disorder	1880	1.08
	2 = Moderate disorder.....	461	0.27
	3 = Severe disorder	542	0.31
	9 = Legitimate Skip.....	170925	98.34

<u>SEVYRTRQANY</u>	Len : 1 RC-TRANQUILIZER USE DISORDER SEVERITY, PY USERS		
		Freq	Pct
	1 = Mild disorder	675	0.39
	2 = Moderate disorder.....	201	0.12
	3 = Severe disorder	229	0.13
	9 = Legitimate Skip.....	172703	99.36

<u>SEVYRSTMAN</u>	Len : 1 RC-STIMULANT USE DISORDER SEVERITY, PY USERS		
		Freq	Pct
	1 = Mild disorder	949	0.55
	2 = Moderate disorder.....	254	0.15
	3 = Severe disorder	247	0.14
	9 = Legitimate Skip.....	172358	99.17

<u>SEVYRSEDANY</u>	Len : 1 RC-SEDATIVE USE DISORDER SEVERITY, PY USERS		
		Freq	Pct
	1 = Mild disorder	308	0.18
	2 = Moderate disorder.....	99	0.06
	3 = Severe disorder	83	0.05
	9 = Legitimate Skip.....	173318	99.72

NOTE: The following six substance use disorder (SUD) severity recoded variables were created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs. These SUD severity recoded variables are defined as the maximum disorder severity level across multiple substances (each of the source variables represent a substance). When any of the source variables indicated a disorder (mild, moderate, or severe), these recoded variables are assigned the maximum severity level.

<u>SVYRTQSDANY</u>	Len : 1 RC-TRANQUILIZER OR SEDATIVE USE DISORDER SEVERITY, PY USERS		
		Freq	Pct
	1 = Mild disorder (See comment above)	863	0.50
	2 = Moderate disorder (See comment above).....	264	0.15
	3 = Severe disorder (See comment above)	283	0.16
	4 = No Past Year Use Disorder (all source variables=9).....	172398	99.19

<u>SVYRPSYANY</u>	Len : 1 RC-PSYCHOTHERAPUETIC USE DISORDER SEVERITY, PY USERS		
		Freq	Pct
	1 = Mild disorder (See comment above SVYRTQSDANY)	3152	1.81
	2 = Moderate disorder (See comment above SVYRTQSDANY).....	796	0.46
	3 = Severe disorder (See comment above SVYRTQSDANY)	880	0.51
	4 = No Past Year Use Disorder (all source variables=9).....	168980	97.22

<u>SVYROPIANY</u>	Len : 1 RC-OPIOID USE DISORDER SEVERITY, PY USERS		
		Freq	Pct
	1 = Mild disorder (See comment above SVYRTQSDANY)	1888	1.09
	2 = Moderate disorder (See comment above SVYRTQSDANY).....	477	0.27
	3 = Severe disorder (See comment above SVYRTQSDANY)	785	0.45
	4 = No Past Year Use Disorder (all source variables=9).....	170658	98.19

<u>SVYRCNSANY</u>	Len : 1 RC-CNS STIMULANT USE DISORDER SEVERITY, PY USERS		
		Freq	Pct
	1 = Mild disorder (See comment above SVYRTQSDANY)	1342	0.77
	2 = Moderate disorder (See comment above SVYRTQSDANY).....	547	0.31
	3 = Severe disorder (See comment above SVYRTQSDANY)	1091	0.63
	4 = No Past Year Use Disorder (all source variables=9).....	170828	98.29

RECODED SUBSTANCE USE DISORDER

[SVYRDUDANY](#)

Len : 1 RC-DRUG USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder (See comment above SVYRTQSDANY)	9909	5.70
2 = Moderate disorder (See comment above SVYRTQSDANY).....	4739	2.73
3 = Severe disorder (See comment above SVYRTQSDANY)	4347	2.50
4 = No Past Year Use Disorder (all source variables=9).....	154813	89.07

[SVYRSUDANY](#)

Len : 1 RC-SUBSTANCE USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder (See comment above SVYRTQSDANY)	17129	9.86
2 = Moderate disorder (See comment above SVYRTQSDANY).....	7578	4.36
3 = Severe disorder (See comment above SVYRTQSDANY)	7440	4.28
4 = No Past Year Use Disorder (all source variables=9).....	141661	81.50

PRIOR SUBSTANCE USE

PRIOR SUBSTANCE USE

This note applies to variables in this section marked by a¹.

NOTE: The variables MRJYRBFR and MRJAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use marijuana or any cannabis product, even once?

<u>MRJYRBFR</u> ¹	Len : 2 USE MJ/CANNABIS EVEN ONCE YR BEFORE LAST	Freq	Pct
1 = Yes.....		35149	20.22
2 = No.....		40245	23.15
85 = BAD DATA Logically assigned		9	0.01
91 = NEVER USED MARIJUANA		96578	55.57
94 = DON'T KNOW		323	0.19
97 = REFUSED		165	0.09
98 = BLANK (NO ANSWER)		1339	0.77

The computer recorded that you last used marijuana or any cannabis product [MJREC FILL]. How old were you the last time you used marijuana or any cannabis product?

<u>MRJAGLST</u> ¹	Len : 3 HOW OLD WERE YOU THE LAST TIME USED MARIJUANA/CANNABIS	Freq	Pct
RANGE = 1 - 85.....		46330	26.66
985 = BAD DATA Logically assigned		1074	0.62
989 = LEGITIMATE SKIP Logically assigned		107	0.06
991 = NEVER USED MARIJUANA		96578	55.57
994 = DON'T KNOW		771	0.44
997 = REFUSED		254	0.15
998 = BLANK (NO ANSWER).....		1162	0.67
999 = LEGITIMATE SKIP.....		27532	15.84

Did you last use marijuana or any cannabis prodcut in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use marijuana or any cannabis product in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use marijuana or cannabis product?

<u>MRJYLU</u> ¹	Len : 4 YEAR OF LAST MARIJUANA/CANNABIS USE - RECODE	Freq	Pct
RANGE = 2019 - 2023		14826	8.53
9985 = BAD DATA Logically assigned		210	0.12
9989 = LEGITIMATE SKIP Logically assigned		637	0.37
9991 = NEVER USED MARIJUANA.....		96578	55.57
9994 = DON'T KNOW		825	0.47
9997 = REFUSED		268	0.15
9998 = BLANK (NO ANSWER).....		2235	1.29
9999 = LEGITIMATE SKIP.....		58229	33.50

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use marijuana or any cannabis product?

In what month in [YEAR FROM LU02a or LU02b] did you last use marijuana or any cannabis product?

[MRJMLU](#)¹

Len : 2 MONTH OF LAST MARIJUANA/CANNABIS USE - RECODE

	Freq	Pct
1 = January.....	1287	0.74
2 = February.....	1084	0.62
3 = March.....	1184	0.68
4 = April.....	1050	0.60
5 = May.....	1127	0.65
6 = June.....	1384	0.80
7 = July.....	1393	0.80
8 = August.....	1225	0.70
9 = September.....	1033	0.59
10 = October.....	1085	0.62
11 = November.....	992	0.57
12 = December.....	1236	0.71
85 = BAD DATA Logically assigned.....	333	0.19
89 = LEGITIMATE SKIP Logically assigned.....	636	0.37
91 = NEVER USED MARIJUANA.....	96578	55.57
94 = DON'T KNOW.....	1384	0.80
97 = REFUSED.....	311	0.18
98 = BLANK (NO ANSWER).....	2256	1.30
99 = LEGITIMATE SKIP.....	58230	33.50

Earlier the computer recorded that you last smoked part or all of a cigarette [CG06]. How old were you the last time you smoked part or all of a cigarette?

[CIGAGLST](#)¹

Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGARETTE

	Freq	Pct
RANGE = 1 - 89.....	49744	28.62
985 = BAD DATA Logically assigned.....	1325	0.76
989 = LEGITIMATE SKIP Logically assigned.....	4	0.00
991 = NEVER USED CIGARETTES.....	99642	57.33
994 = DON'T KNOW.....	764	0.44
997 = REFUSED.....	123	0.07
998 = BLANK (NO ANSWER).....	720	0.41
999 = LEGITIMATE SKIP.....	21486	12.36

Did you last smoke part or all of a cigarette in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke part or all of a cigarette in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke part or all of a cigarette?

[CIGYLU](#)¹

Len : 4 YEAR OF LAST CIGARETTE USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	8175	4.70
9985 = BAD DATA Logically assigned.....	163	0.09
9989 = LEGITIMATE SKIP Logically assigned.....	280	0.16
9991 = NEVER USED CIGARETTES.....	99642	57.33
9994 = DON'T KNOW.....	795	0.46
9997 = REFUSED.....	128	0.07
9998 = BLANK (NO ANSWER).....	2093	1.20
9999 = LEGITIMATE SKIP.....	62532	35.98

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke part or all of a cigarette?

In what month in [YEAR FROM LU03a or LU03b] did you last smoke part or all of a cigarette?

[CIGMLU¹](#)

Len : 2 MONTH OF LAST CIGARETTE USE - RECODE

	Freq	Pct
1 = January.....	729	0.42
2 = February.....	604	0.35
3 = March.....	624	0.36
4 = April.....	519	0.30
5 = May.....	559	0.32
6 = June.....	672	0.39
7 = July.....	786	0.45
8 = August.....	625	0.36
9 = September.....	628	0.36
10 = October.....	646	0.37
11 = November.....	593	0.34
12 = December.....	686	0.39
85 = BAD DATA Logically assigned.....	302	0.17
89 = LEGITIMATE SKIP Logically assigned.....	280	0.16
91 = NEVER USED CIGARETTES.....	99642	57.33
94 = DON'T KNOW.....	1131	0.65
97 = REFUSED.....	137	0.08
98 = BLANK (NO ANSWER).....	2113	1.22
99 = LEGITIMATE SKIP.....	62532	35.98

Earlier the computer also recorded that there was a period in your life when you smoked cigarettes every day for at least 30 days. How old were you when you last smoked cigarettes daily?

[CIGDLLST¹](#)

Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGS DAILY

	Freq	Pct
RANGE = 2 - 90.....	24722	14.22
985 = BAD DATA Logically assigned.....	414	0.24
991 = NEVER USED CIGARETTES.....	99642	57.33
994 = DON'T KNOW.....	273	0.16
997 = REFUSED.....	82	0.05
998 = BLANK (NO ANSWER).....	449	0.26
999 = LEGITIMATE SKIP.....	48226	27.75

Did you last smoke cigarettes daily in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke cigarettes daily in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke cigarettes daily?

[CIGDLYLU¹](#)

Len : 4 YEAR OF LAST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	4060	2.34
9985 = BAD DATA Logically assigned.....	72	0.04
9989 = LEGITIMATE SKIP Logically assigned.....	113	0.07
9991 = NEVER USED CIGARETTES.....	99642	57.33
9994 = DON'T KNOW.....	278	0.16
9997 = REFUSED.....	86	0.05
9998 = BLANK (NO ANSWER).....	864	0.50
9999 = LEGITIMATE SKIP.....	68693	39.52

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke cigarettes daily?

In what month in [YEAR FROM LU04a or LU04b] did you last smoke cigarettes daily?

[CIGDMLU¹](#)

Len : 2 MONTH OF LAST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
1 = January.....	321	0.18
2 = February.....	287	0.17
3 = March.....	332	0.19
4 = April.....	279	0.16
5 = May.....	296	0.17
6 = June.....	344	0.20
7 = July.....	391	0.22
8 = August.....	336	0.19
9 = September.....	317	0.18
10 = October.....	343	0.20
11 = November.....	293	0.17
12 = December.....	426	0.25
85 = BAD DATA Logically assigned.....	96	0.06
89 = LEGITIMATE SKIP Logically assigned.....	113	0.07
91 = NEVER USED CIGARETTES.....	99642	57.33
94 = DON'T KNOW.....	339	0.20
97 = REFUSED.....	93	0.05
98 = BLANK (NO ANSWER).....	867	0.50
99 = LEGITIMATE SKIP.....	68693	39.52

The computer recorded that you last used smokeless tobacco [CGSNREC FILL]. How old were you the last time you used smokeless tobacco?

[SMKAGLAST¹](#)

Len : 3 HOW OLD WERE YOU LAST THE TIME USED SMOKELESS TOB

	Freq	Pct
RANGE = 1 - 79.....	15008	8.63
985 = BAD DATA Logically assigned.....	1061	0.61
989 = LEGITIMATE SKIP Logically assigned.....	3	0.00
991 = NEVER USED SMOKELESS TOBACCO.....	152992	88.02
994 = DON'T KNOW.....	367	0.21
997 = REFUSED.....	78	0.04
998 = BLANK (NO ANSWER).....	365	0.21
999 = LEGITIMATE SKIP.....	3934	2.26

Did you last use smokeless tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use smokeless tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use smokeless tobacco?

[SMKYRLAST¹](#)

Len : 4 YEAR OF LAST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	2174	1.25
9985 = BAD DATA Logically assigned.....	64	0.04
9989 = LEGITIMATE SKIP Logically assigned.....	100	0.06
9991 = NEVER USED SMOKELESS TOBACCO.....	152992	88.02
9994 = DON'T KNOW.....	374	0.22
9997 = REFUSED.....	80	0.05
9998 = BLANK (NO ANSWER).....	1412	0.81
9999 = LEGITIMATE SKIP.....	16612	9.56

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use smokeless tobacco?

In what month in [YEAR FROM LU05a or LU05b] did you last use smokeless tobacco?

SMKMOLAST¹

Len : 2 MONTH OF LAST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
1 = January.....	199	0.11
2 = February.....	149	0.09
3 = March.....	179	0.10
4 = April.....	118	0.07
5 = May.....	161	0.09
6 = June.....	212	0.12
7 = July.....	212	0.12
8 = August.....	177	0.10
9 = September.....	152	0.09
10 = October.....	158	0.09
11 = November.....	151	0.09
12 = December.....	162	0.09
85 = BAD DATA Logically assigned.....	109	0.06
89 = LEGITIMATE SKIP Logically assigned.....	100	0.06
91 = NEVER USED SMOKELESS TOBACCO.....	152992	88.02
94 = DON'T KNOW.....	455	0.26
97 = REFUSED.....	84	0.05
98 = BLANK (NO ANSWER).....	1426	0.82
99 = LEGITIMATE SKIP.....	16612	9.56

The computer recorded that you last smoked part or all of a cigar or cigarillo [CG37REC FILL]. How old were you the last time you smoked part or all of a cigar or cigarillo?

CGRAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGAR/CIGARILLO

	Freq	Pct
RANGE = 1 - 87.....	34501	19.85
985 = BAD DATA Logically assigned.....	2021	1.16
989 = LEGITIMATE SKIP Logically assigned.....	3	0.00
991 = NEVER USED CIGARS.....	129438	74.47
994 = DON'T KNOW.....	855	0.49
997 = REFUSED.....	103	0.06
998 = BLANK (NO ANSWER).....	575	0.33
999 = LEGITIMATE SKIP.....	6312	3.63

Did you last smoke part or all of a cigar or cigarillo in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke part or all of a cigar or cigarillo in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke part or all of a cigar or cigarillo?

CIGARYLU¹

Len : 4 YEAR OF LAST CIGAR/CIGARILLO USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	7453	4.29
9985 = BAD DATA Logically assigned.....	138	0.08
9989 = LEGITIMATE SKIP Logically assigned.....	256	0.15
9991 = NEVER USED CIGARS.....	129438	74.47
9994 = DON'T KNOW.....	878	0.51
9997 = REFUSED.....	108	0.06
9998 = BLANK (NO ANSWER).....	2579	1.48
9999 = LEGITIMATE SKIP.....	32958	18.96

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke part or all of a cigar or cigarillo?

In what month in [YEAR FROM LU07a or LU07b] did you last smoke part or all of a cigar or cigarillo?

[CIGARMLU](#)¹

Len : 2 MONTH OF LAST CIGAR/CIGARILLO USE - RECODE

	Freq	Pct
1 = January.....	566	0.33
2 = February.....	471	0.27
3 = March.....	497	0.29
4 = April.....	466	0.27
5 = May.....	552	0.32
6 = June.....	703	0.40
7 = July.....	838	0.48
8 = August.....	719	0.41
9 = September.....	559	0.32
10 = October.....	613	0.35
11 = November.....	495	0.28
12 = December.....	564	0.32
85 = BAD DATA Logically assigned.....	239	0.14
89 = LEGITIMATE SKIP Logically assigned.....	256	0.15
91 = NEVER USED CIGARS.....	129438	74.47
94 = DON'T KNOW.....	1144	0.66
97 = REFUSED.....	124	0.07
98 = BLANK (NO ANSWER).....	2606	1.50
99 = LEGITIMATE SKIP.....	32958	18.96

The computer recorded that you last drank an alcoholic beverage [ALCREC FILL]. How old were you the last time you drank an alcoholic beverage?

[ALCAGLST](#)¹

Len : 3 HOW OLD WERE YOU LAST TIME DRANK ALCOHOL BEVERAGE

	Freq	Pct
RANGE = 1 - 98.....	44097	25.37
985 = BAD DATA Logically assigned.....	481	0.28
989 = LEGITIMATE SKIP Logically assigned.....	21	0.01
991 = NEVER USED ALCOHOL.....	49983	28.76
994 = DON'T KNOW.....	701	0.40
997 = REFUSED.....	179	0.10
998 = BLANK (NO ANSWER).....	1590	0.91
999 = LEGITIMATE SKIP.....	76756	44.16

Did you last drink an alcoholic beverage in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last drink an alcoholic beverage in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last drink an alcoholic beverage?

[ALCYLU](#)¹

Len : 4 YEAR OF LAST ALCOHOL USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	27395	15.76
9985 = BAD DATA Logically assigned.....	383	0.22
9989 = LEGITIMATE SKIP Logically assigned.....	476	0.27
9991 = NEVER USED ALCOHOL.....	49983	28.76
9994 = DON'T KNOW.....	742	0.43
9997 = REFUSED.....	186	0.11
9998 = BLANK (NO ANSWER).....	2096	1.21
9999 = LEGITIMATE SKIP.....	92547	53.25

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last drink an alcoholic beverage?

In what month in [YEAR FROM LU08a or LU08b] did you last drink an alcoholic beverage?

[ALCMLU¹](#)

Len : 2 MONTH OF LAST ALCOHOL USE - RECODE

	Freq	Pct
1 = January.....	3061	1.76
2 = February.....	1966	1.13
3 = March.....	2018	1.16
4 = April.....	1648	0.95
5 = May.....	1956	1.13
6 = June.....	2312	1.33
7 = July.....	2943	1.69
8 = August.....	2086	1.20
9 = September.....	1805	1.04
10 = October.....	1675	0.96
11 = November.....	1529	0.88
12 = December.....	3481	2.00
85 = BAD DATA Logically assigned.....	520	0.30
89 = LEGITIMATE SKIP Logically assigned.....	476	0.27
91 = NEVER USED ALCOHOL.....	49983	28.76
94 = DON'T KNOW.....	1449	0.83
97 = REFUSED.....	227	0.13
98 = BLANK (NO ANSWER).....	2126	1.22
99 = LEGITIMATE SKIP.....	92547	53.25

The computer recorded that you last used cocaine [CCREC FILL]. How old were you the last time you used cocaine?

[COCAGLST¹](#)

Len : 3 HOW OLD WERE YOU THE LAST TIME USED COCAINE

	Freq	Pct
RANGE = 1 - 74.....	17047	9.81
985 = BAD DATA Logically assigned.....	1048	0.60
989 = LEGITIMATE SKIP Logically assigned.....	32	0.02
991 = NEVER USED COCAINE.....	153725	88.45
994 = DON'T KNOW.....	286	0.16
997 = REFUSED.....	103	0.06
998 = BLANK (NO ANSWER).....	440	0.25
999 = LEGITIMATE SKIP.....	1127	0.65

Did you last use cocaine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use cocaine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use cocaine?

[COCYLU¹](#)

Len : 4 YEAR OF LAST COCAINE USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	2671	1.54
9985 = BAD DATA Logically assigned.....	41	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	152	0.09
9991 = NEVER USED COCAINE.....	153725	88.45
9994 = DON'T KNOW.....	302	0.17
9997 = REFUSED.....	109	0.06
9998 = BLANK (NO ANSWER).....	1514	0.87
9999 = LEGITIMATE SKIP.....	15294	8.80

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use cocaine?

In what month in [YEAR FROM LU09a or LU09b] did you last use cocaine?

[COCMLU¹](#)

Len : 2 MONTH OF LAST COCAINE USE - RECODE

	Freq	Pct
1 = January.....	228	0.13
2 = February.....	182	0.10
3 = March.....	221	0.13
4 = April.....	174	0.10
5 = May.....	195	0.11
6 = June.....	242	0.14
7 = July.....	229	0.13
8 = August.....	228	0.13
9 = September.....	207	0.12
10 = October.....	229	0.13
11 = November.....	167	0.10
12 = December.....	230	0.13
85 = BAD DATA Logically assigned.....	84	0.05
89 = LEGITIMATE SKIP Logically assigned.....	152	0.09
91 = NEVER USED COCAINE.....	153725	88.45
94 = DON'T KNOW.....	388	0.22
97 = REFUSED.....	115	0.07
98 = BLANK (NO ANSWER).....	1518	0.87
99 = LEGITIMATE SKIP.....	15294	8.80

The computer recorded that you last used "crack" [CKREC FILL]. How old were you the last time you used "crack"?

[CRKAGLST¹](#)

Len : 3 HOW OLD WERE YOU THE LAST TIME USED CRACK

	Freq	Pct
RANGE = 1 - 72.....	3706	2.13
985 = BAD DATA Logically assigned.....	465	0.27
991 = NEVER USED CRACK.....	169060	97.27
994 = DON'T KNOW.....	96	0.06
997 = REFUSED.....	60	0.03
998 = BLANK (NO ANSWER).....	178	0.10
999 = LEGITIMATE SKIP.....	243	0.14

Did you last use "crack" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "crack" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "crack"?

[CRKYLU¹](#)

Len : 4 YEAR OF LAST CRACK USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	321	0.18
9985 = BAD DATA Logically assigned.....	12	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	13	0.01
9991 = NEVER USED CRACK.....	169060	97.27
9994 = DON'T KNOW.....	96	0.06
9997 = REFUSED.....	61	0.04
9998 = BLANK (NO ANSWER).....	638	0.37
9999 = LEGITIMATE SKIP.....	3607	2.08

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "crack"?

In what month in [YEAR FROM LU10a or LU10b] did you last use "crack"?

[CRKMLU](#)¹

Len : 2 MONTH OF LAST CRACK USE - RECODE

	Freq	Pct
1 = January.....	25	0.01
2 = February.....	21	0.01
3 = March.....	31	0.02
4 = April.....	24	0.01
5 = May.....	27	0.02
6 = June.....	30	0.02
7 = July.....	28	0.02
8 = August.....	22	0.01
9 = September.....	19	0.01
10 = October.....	22	0.01
11 = November.....	22	0.01
12 = December.....	32	0.02
85 = BAD DATA Logically assigned.....	22	0.01
89 = LEGITIMATE SKIP Logically assigned.....	13	0.01
91 = NEVER USED CRACK.....	169060	97.27
94 = DON'T KNOW.....	102	0.06
97 = REFUSED.....	62	0.04
98 = BLANK (NO ANSWER).....	639	0.37
99 = LEGITIMATE SKIP.....	3607	2.08

The computer recorded that you last used heroin [HEREC FILL]. How old were you the last time you used heroin?

[HERAGLST](#)¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED HEROIN

	Freq	Pct
RANGE = 1 - 71.....	2622	1.51
985 = BAD DATA Logically assigned.....	295	0.17
991 = NEVER USED HEROIN.....	170303	97.98
994 = DON'T KNOW.....	47	0.03
997 = REFUSED.....	37	0.02
998 = BLANK (NO ANSWER).....	199	0.11
999 = LEGITIMATE SKIP.....	305	0.18

Did you last use heroin in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use heroin in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use heroin?

[HERYLU](#)¹

Len : 4 YEAR OF LAST HEROIN USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	325	0.19
9985 = BAD DATA Logically assigned.....	14	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	14	0.01
9991 = NEVER USED HEROIN.....	170303	97.98
9994 = DON'T KNOW.....	48	0.03
9997 = REFUSED.....	38	0.02
9998 = BLANK (NO ANSWER).....	491	0.28
9999 = LEGITIMATE SKIP.....	2575	1.48

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use heroin?

In what month in [YEAR FROM LU11a or LU11b] did you last use heroin?

[HERMLU¹](#)

Len : 2 MONTH OF LAST HEROIN USE - RECODE

	Freq	Pct
1 = January.....	30	0.02
2 = February.....	29	0.02
3 = March.....	26	0.01
4 = April.....	21	0.01
5 = May.....	26	0.01
6 = June.....	28	0.02
7 = July.....	22	0.01
8 = August.....	23	0.01
9 = September.....	21	0.01
10 = October.....	37	0.02
11 = November.....	21	0.01
12 = December.....	30	0.02
85 = BAD DATA Logically assigned.....	17	0.01
89 = LEGITIMATE SKIP Logically assigned.....	14	0.01
91 = NEVER USED HEROIN.....	170303	97.98
94 = DON'T KNOW.....	54	0.03
97 = REFUSED.....	39	0.02
98 = BLANK (NO ANSWER).....	492	0.28
99 = LEGITIMATE SKIP.....	2575	1.48

The computer recorded that you last used [LSFILL] [HALLREC FILL]. How old were you the last time you used [LSFILL]?

[HALLAGLST¹](#)

Len : 3 HOW OLD WERE YOU THE LAST TIME USED HALLUCINOGEN

	Freq	Pct
RANGE = 1 - 80.....	23174	13.33
985 = BAD DATA Logically assigned.....	1193	0.69
989 = LEGITIMATE SKIP Logically assigned.....	47	0.03
991 = NEVER USED HALLUCINOGENS.....	145973	83.99
994 = DON'T KNOW.....	429	0.25
997 = REFUSED.....	118	0.07
998 = BLANK (NO ANSWER).....	1154	0.66
999 = LEGITIMATE SKIP.....	1720	0.99

Did you last use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use [LSFILL]?

[HALLYRLST¹](#)

Len : 4 YEAR OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	5361	3.08
9985 = BAD DATA Logically assigned.....	86	0.05
9989 = LEGITIMATE SKIP Logically assigned.....	201	0.12
9991 = NEVER USED HALLUCINOGENS.....	145973	83.99
9994 = DON'T KNOW.....	453	0.26
9997 = REFUSED.....	121	0.07
9998 = BLANK (NO ANSWER).....	2570	1.48
9999 = LEGITIMATE SKIP.....	19043	10.96

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use [LSFILL]?

In what month in [YEAR FROM LU12a or LU12b] did you last use [LSFILL]?

HALLMOLST¹

Len : 2 MONTH OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
1 = January.....	423	0.24
2 = February.....	340	0.20
3 = March.....	423	0.24
4 = April.....	364	0.21
5 = May.....	375	0.22
6 = June.....	484	0.28
7 = July.....	582	0.33
8 = August.....	468	0.27
9 = September.....	382	0.22
10 = October.....	406	0.23
11 = November.....	338	0.19
12 = December.....	391	0.22
85 = BAD DATA Logically assigned.....	251	0.14
89 = LEGITIMATE SKIP Logically assigned.....	200	0.12
91 = NEVER USED HALLUCINOGENS.....	145973	83.99
94 = DON'T KNOW.....	647	0.37
97 = REFUSED.....	134	0.08
98 = BLANK (NO ANSWER).....	2583	1.49
99 = LEGITIMATE SKIP.....	19044	10.96

The computer recorded that you last used LSD [LSDREC FILL]. How old were you the last time you used LSD?

LSDAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED LSD

	Freq	Pct
RANGE = 1 - 73.....	14113	8.12
985 = BAD DATA Logically assigned.....	637	0.37
989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
991 = NEVER USED LSD.....	157652	90.70
994 = DON'T KNOW.....	216	0.12
997 = REFUSED.....	67	0.04
998 = BLANK (NO ANSWER).....	763	0.44
999 = LEGITIMATE SKIP.....	358	0.21

Did you last use LSD in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use LSD in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use LSD?

LSDYLU¹

Len : 4 YEAR OF LAST LSD USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	2184	1.26
9985 = BAD DATA Logically assigned.....	36	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	76	0.04
9991 = NEVER USED LSD.....	157652	90.70
9994 = DON'T KNOW.....	227	0.13
9997 = REFUSED.....	67	0.04
9998 = BLANK (NO ANSWER).....	1396	0.80
9999 = LEGITIMATE SKIP.....	12170	7.00

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use LSD?

In what month in [YEAR FROM LU13a or LU13b] did you last use LSD?

[LSDMLU¹](#)

Len : 2 MONTH OF LAST LSD USE - RECODE

	Freq	Pct
1 = January.....	180	0.10
2 = February.....	136	0.08
3 = March.....	186	0.11
4 = April.....	169	0.10
5 = May.....	127	0.07
6 = June.....	206	0.12
7 = July.....	208	0.12
8 = August.....	197	0.11
9 = September.....	133	0.08
10 = October.....	170	0.10
11 = November.....	154	0.09
12 = December.....	157	0.09
85 = BAD DATA Logically assigned.....	81	0.05
89 = LEGITIMATE SKIP Logically assigned.....	76	0.04
91 = NEVER USED LSD.....	157652	90.70
94 = DON'T KNOW.....	301	0.17
97 = REFUSED.....	69	0.04
98 = BLANK (NO ANSWER).....	1436	0.83
99 = LEGITIMATE SKIP.....	12170	7.00

The computer recorded that you last used PCP [PCPREC FILL]. How old were you the last time you used PCP?

[PCPAGLST¹](#)

Len : 3 HOW OLD WERE YOU THE LAST TIME USED PCP

	Freq	Pct
RANGE = 1 - 66.....	1925	1.11
985 = BAD DATA Logically assigned.....	249	0.14
991 = NEVER USED PCP.....	171304	98.56
994 = DON'T KNOW.....	53	0.03
997 = REFUSED.....	27	0.02
998 = BLANK (NO ANSWER).....	220	0.13
999 = LEGITIMATE SKIP.....	30	0.02

Did you last use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use PCP in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use PCP?

[PCPYLU¹](#)

Len : 4 YEAR OF LAST PCP USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	65	0.04
9985 = BAD DATA Logically assigned.....	2	0.00
9989 = LEGITIMATE SKIP Logically assigned.....	4	0.00
9991 = NEVER USED PCP.....	171304	98.56
9994 = DON'T KNOW.....	53	0.03
9997 = REFUSED.....	28	0.02
9998 = BLANK (NO ANSWER).....	469	0.27
9999 = LEGITIMATE SKIP.....	1883	1.08

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use PCP?

In what month in [YEAR FROM LU14a or LU14b] did you last use PCP?

[PCPMLU](#)¹

Len : 2 MONTH OF LAST PCP USE - RECODE

	Freq	Pct
1 = January.....	8	0.00
2 = February.....	3	0.00
3 = March.....	4	0.00
4 = April.....	2	0.00
5 = May.....	8	0.00
6 = June.....	8	0.00
7 = July.....	8	0.00
8 = August.....	2	0.00
9 = September.....	3	0.00
10 = October.....	1	0.00
11 = November.....	5	0.00
12 = December.....	3	0.00
85 = BAD DATA Logically assigned.....	4	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
91 = NEVER USED PCP.....	171304	98.56
94 = DON'T KNOW.....	57	0.03
97 = REFUSED.....	28	0.02
98 = BLANK (NO ANSWER).....	473	0.27
99 = LEGITIMATE SKIP.....	1883	1.08

The computer recorded that you last used "Ecstasy" or "Molly" also known as MDMA [ECSTREC FILL]. How old were you the last time you used "Ecstasy" or "Molly" ?

[ECSTMOAGL](#)¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED ECSTASY/MOLLY

	Freq	Pct
RANGE = 1 - 75.....	11876	6.83
985 = BAD DATA Logically assigned.....	661	0.38
991 = NEVER USED ECSTASY.....	159963	92.03
994 = DON'T KNOW.....	176	0.10
997 = REFUSED.....	57	0.03
998 = BLANK (NO ANSWER).....	723	0.42
999 = LEGITIMATE SKIP.....	352	0.20

Did you last use "Ecstasy" or "Molly" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "Ecstasy" or "Molly" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "Ecstasy" or "Molly"?

[ECSTMOYLU](#)¹

Len : 4 YEAR OF LAST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	1656	0.95
9985 = BAD DATA Logically assigned.....	34	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	60	0.03
9991 = NEVER USED ECSTASY OR MOLLY.....	159963	92.03
9994 = DON'T KNOW.....	182	0.10
9997 = REFUSED.....	57	0.03
9998 = BLANK (NO ANSWER).....	1384	0.80
9999 = LEGITIMATE SKIP.....	10472	6.03

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "Ecstasy" or "Molly"?

In what month in [YEAR FROM LU15a or LU15b] did you last use "Ecstasy" or "Molly"?

[ECSTMOMLU](#)¹

Len : 2 MONTH OF LAST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
1 = January.....	142	0.08
2 = February.....	104	0.06
3 = March.....	146	0.08
4 = April.....	103	0.06
5 = May.....	135	0.08
6 = June.....	129	0.07
7 = July.....	175	0.10
8 = August.....	142	0.08
9 = September.....	120	0.07
10 = October.....	143	0.08
11 = November.....	98	0.06
12 = December.....	116	0.07
85 = BAD DATA Logically assigned.....	66	0.04
89 = LEGITIMATE SKIP Logically assigned.....	60	0.03
91 = NEVER USED ECSTASY OR MOLLY.....	159963	92.03
94 = DON'T KNOW.....	221	0.13
97 = REFUSED.....	61	0.04
98 = BLANK (NO ANSWER).....	1412	0.81
99 = LEGITIMATE SKIP.....	10472	6.03

The computer recorded that you last used any inhalants for kicks or to get high [INREC FILL]. How old were you the last time you used any inhalants for kicks or to get high?

[INHLAGLST](#)¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED INHALANTS

	Freq	Pct
RANGE = 1 - 83.....	13183	7.58
985 = BAD DATA Logically assigned.....	1169	0.67
991 = NEVER USED INHALANTS.....	156812	90.22
994 = DON'T KNOW.....	766	0.44
997 = REFUSED.....	208	0.12
998 = BLANK (NO ANSWER).....	959	0.55
999 = LEGITIMATE SKIP.....	711	0.41

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

[INHLYRLST](#)¹

Len : 4 YEAR OF LAST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	1770	1.02
9985 = BAD DATA Logically assigned.....	56	0.03
9989 = LEGITIMATE SKIP Logically assigned.....	88	0.05
9991 = NEVER USED INHALANTS.....	156812	90.22
9994 = DON'T KNOW.....	780	0.45
9997 = REFUSED.....	210	0.12
9998 = BLANK (NO ANSWER).....	2119	1.22
9999 = LEGITIMATE SKIP.....	11973	6.89

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

In what month in [YEAR FROM LU16a or LU16b] did you last use an inhalant for kicks or to get high?

[INHLMOLST¹](#)

Len : 2 MONTH OF LAST INHALANT USE - RECODE

	Freq	Pct
1 = January.....	113	0.07
2 = February.....	143	0.08
3 = March.....	148	0.09
4 = April.....	128	0.07
5 = May.....	114	0.07
6 = June.....	140	0.08
7 = July.....	139	0.08
8 = August.....	122	0.07
9 = September.....	116	0.07
10 = October.....	151	0.09
11 = November.....	121	0.07
12 = December.....	97	0.06
85 = BAD DATA Logically assigned.....	108	0.06
89 = LEGITIMATE SKIP Logically assigned.....	88	0.05
91 = NEVER USED INHALANTS.....	156812	90.22
94 = DON'T KNOW.....	934	0.54
97 = REFUSED.....	220	0.13
98 = BLANK (NO ANSWER).....	2141	1.23
99 = LEGITIMATE SKIP.....	11973	6.89

The computer recorded that you last used methamphetamine [MEREK FILL]. How old were you the last time you used methamphetamine?

[METHAGLST¹](#)

Len : 3 HOW OLD WERE YOU THE LAST TIME USED METH

	Freq	Pct
RANGE = 1 - 73.....	6167	3.55
985 = BAD DATA Logically assigned.....	465	0.27
989 = LEGITIMATE SKIP Logically assigned.....	3	0.00
991 = NEVER USED METHAMPHETAMINE.....	165771	95.38
994 = DON'T KNOW.....	143	0.08
997 = REFUSED.....	47	0.03
998 = BLANK (NO ANSWER).....	353	0.20
999 = LEGITIMATE SKIP.....	859	0.49

Did you last use methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use methamphetamine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use methamphetamine?

[METHYRLST¹](#)

Len : 4 YEAR OF LAST METHAMPHETAMINE USE - RECODE

	Freq	Pct
RANGE = 2019 - 2023.....	807	0.46
9985 = BAD DATA Logically assigned.....	19	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	40	0.02
9991 = NEVER USED METHAMPHETAMINE.....	165771	95.38
9994 = DON'T KNOW.....	147	0.08
9997 = REFUSED.....	48	0.03
9998 = BLANK (NO ANSWER).....	814	0.47
9999 = LEGITIMATE SKIP.....	6162	3.55

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use methamphetamine?

In what month in [YEAR FROM LU17a or LU17b] did you last use methamphetamine?

METHMOLST¹

Len : 2 MONTH OF LAST METH USE - RECODE

	Freq	Pct
1 = January.....	85	0.05
2 = February.....	75	0.04
3 = March.....	69	0.04
4 = April.....	63	0.04
5 = May.....	71	0.04
6 = June.....	68	0.04
7 = July.....	65	0.04
8 = August.....	52	0.03
9 = September.....	41	0.02
10 = October.....	39	0.02
11 = November.....	54	0.03
12 = December.....	83	0.05
85 = BAD DATA Logically assigned.....	35	0.02
89 = LEGITIMATE SKIP Logically assigned.....	40	0.02
91 = NEVER USED METHAMPHETAMINE.....	165771	95.38
94 = DON'T KNOW.....	168	0.10
97 = REFUSED.....	50	0.03
98 = BLANK (NO ANSWER).....	817	0.47
99 = LEGITIMATE SKIP.....	6162	3.55

NOTE: Respondents were assigned legitimate skip codes of 99 or 89 in CIGYRBFR if they reported in the core TOBACCO module that they last smoked a cigarette more than 3 years ago. Logically, these respondents would not have smoked a cigarette in the past 12 to 24 months. In addition, CIGYRBFR was not edited with respect to CIGAGLST or CIGDLLST. Therefore, inconsistencies could exist between CIGYRBFR and these other variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you smoke part or all of a cigarette, even once?

CIGYRBFR¹

Len : 2 SMOKE ALL OR PART OF CIGARETTE IN YR BEFORE LAST

	Freq	Pct
1 = Yes.....	25201	14.50
2 = No.....	9677	5.57
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED CIGARETTES.....	99642	57.33
94 = DON'T KNOW.....	289	0.17
97 = REFUSED.....	140	0.08
98 = BLANK (NO ANSWER).....	987	0.57
99 = LEGITIMATE SKIP.....	37866	21.79

NOTE: The variables ALCYRBFR and ALCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you have a drink of any type of alcoholic beverage, even once?

ALCYRBFR¹

Len : 2 HAVE ALCOHOLIC BEVERAGE IN YEAR BEFORE LAST

	Freq	Pct
1 = Yes.....	91012	52.36
2 = No.....	30065	17.30
85 = BAD DATA Logically assigned.....	13	0.01
91 = NEVER USED ALCOHOL.....	49983	28.76
94 = DON'T KNOW.....	627	0.36
97 = REFUSED.....	271	0.16
98 = BLANK (NO ANSWER).....	1837	1.06

PRIOR SUBSTANCE USE

NOTE: The variables COCYRBFR and COCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use any form of cocaine, even once?

[COCYRBFR](#)¹

Len : 2 HAVE ANY FORM OF COCAINE IN YEAR BEFORE LAST

	Freq	Pct
1 = Yes.....	3445	1.98
2 = No.....	16068	9.24
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED COCAINE.....	153725	88.45
94 = DON'T KNOW.....	57	0.03
97 = REFUSED.....	74	0.04
98 = BLANK (NO ANSWER).....	434	0.25

ALCOHOL AND DRUG TREATMENT

ALCOHOL AND DRUG TREATMENT

This note applies to variables in this section marked by a¹.

When you received the following help in the past 12 months, was it for your alcohol use only, your drug use only, or for both your alcohol and drug use?

Support groups

<u>SUTSUPPADB</u> ¹	Len : 2	SUBSTANCE TYPE (ALC/DRGS/BOTH) PRTCPTD IN SUPP GRP FOR	Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		1 = For alcohol use only.....	765	0.44
		2 = For drug use only.....	595	0.34
		3 = For both alcohol and drug use.....	592	0.34
		4 = For alcohol use only LOGICALLY ASSIGNED.....	92	0.05
		5 = For drug use only LOGICALLY ASSIGNED.....	121	0.07
		85 = BAD DATA Logically Assigned.....	11	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	20973	12.07
		94 = DON'T KNOW.....	25	0.01
		97 = REFUSED.....	26	0.01
		98 = BLANK (NO ANSWER).....	2538	1.46
		99 = LEGITIMATE SKIP.....	90036	51.80

For which of the following substances did you receive outpatient treatment in the past 12 months?

Alcohol?

<u>SUTOUTALC</u> ¹	Len : 2	RCVD OUTPATIENT TREATMENT FOR ALCOHOL USE - PST 12 MOS	Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		1 = Yes.....	959	0.55
		2 = No.....	2469	1.42
		3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify).....	1	0.00
		7 = Yes LOGICALLY ASSIGNED.....	177	0.10
		13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use).....	1	0.00
		85 = BAD DATA Logically assigned.....	13	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	20973	12.07
		93 = USED DRUGS BUT NOT ALCOHOL.....	11659	6.71
		94 = DON'T KNOW.....	6	0.00
		97 = REFUSED.....	6	0.00
		98 = BLANK (NO ANSWER).....	2413	1.39
		99 = LEGITIMATE SKIP.....	77097	44.36

Marijuana or cannabis products?

<u>SUTOUTMRJ</u> ¹	Len : 2	RCVD OUTPATIENT TREATMENT FOR MARIJUANA USE - PST 12 MOS	Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		1 = Yes.....	557	0.32
		2 = No.....	2502	1.44
		3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify).....	3	0.00
		7 = Yes LOGICALLY ASSIGNED.....	34	0.02
		13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use).....	1	0.00
		85 = BAD DATA Logically assigned.....	10	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	20973	12.07
		93 = USED ALCOHOL OR DRUGS BUT NOT MARIJUANA.....	42079	24.21
		94 = DON'T KNOW.....	4	0.00
		97 = REFUSED.....	5	0.00
		98 = BLANK (NO ANSWER).....	1931	1.11
		99 = LEGITIMATE SKIP.....	47675	27.43

ALCOHOL AND DRUG TREATMENT

Inhalants such as [INFILL2]?

SUTOUTINHL¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR INHALANT USE - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	66	0.04
2 = No.....	1024	0.59
7 = Yes LOGICALLY ASSIGNED.....	33	0.02
85 = BAD DATA Logically assigned.....	16	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	20973	12.07
93 = USED ALCOHOL OR DRUGS BUT NOT INHALANTS.....	82662	47.56
94 = DON'T KNOW.....	4	0.00
97 = REFUSED.....	3	0.00
98 = BLANK (NO ANSWER).....	1313	0.76
99 = LEGITIMATE SKIP.....	9680	5.57

Hallucinogens such as [HALLFILL2]?

SUTOUTHALL¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR HALLUCINOGEN USE - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	91	0.05
2 = No.....	1645	0.95
3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify).....	4	0.00
7 = Yes LOGICALLY ASSIGNED.....	1	0.00
13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use).....	1	0.00
85 = BAD DATA Logically assigned.....	10	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	20973	12.07
93 = USED ALCOHOL OR DRUGS BUT NOT HALLUCINOGENS.....	75227	43.28
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	3	0.00
98 = BLANK (NO ANSWER).....	1450	0.83
99 = LEGITIMATE SKIP.....	16367	9.42

Cocaine or "crack"?

SUTOUTCOC¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR COCAINE USE - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	199	0.11
2 = No.....	1318	0.76
3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify).....	1	0.00
13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use).....	2	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	20973	12.07
93 = USED ALCOHOL OR DRUGS BUT NOT COCAINE.....	80468	46.30
94 = DON'T KNOW.....	4	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	1351	0.78
99 = LEGITIMATE SKIP.....	11451	6.59

Heroin?

SUTOUTHER¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR HEROIN USE - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	363	0.21
2 = No.....	320	0.18
13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use).....	1	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	20973	12.07
93 = USED ALCOHOL OR DRUGS BUT NOT HEROIN.....	91443	52.61
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	1156	0.67
99 = LEGITIMATE SKIP.....	1508	0.87

ALCOHOL AND DRUG TREATMENT

Methamphetamine?

SUTOUTMETH ¹	Len : 2	RCVD OUTPATIENT TREATMENT FOR METHAMPHETAMINE USE-PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	58034	33.39
		1 = Yes.....	326	0.19
		2 = No.....	623	0.36
		3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify).....	1	0.00
		13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use)	1	0.00
		85 = BAD DATA Logically assigned	4	0.00
		91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
		93 = USED ALCOHOL OR DRUGS BUT NOT METHAMPHETAMINE	88450	50.89
		94 = DON'T KNOW	4	0.00
		98 = BLANK (NO ANSWER)	1226	0.71
		99 = LEGITIMATE SKIP.....	4166	2.40

Prescription pain relievers?

SUTOUTPNR ¹	Len : 2	RCVD OUTPATIENT TREATMENT FOR PAIN RELIEVER USE - PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	58034	33.39
		1 = Yes.....	600	0.35
		2 = No.....	2215	1.27
		3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify).....	15	0.01
		7 = Yes LOGICALLY ASSIGNED.....	136	0.08
		13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use)	4	0.00
		85 = BAD DATA Logically assigned	23	0.01
		91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
		93 = USED ALCOHOL OR DRUGS BUT NOT PAIN RELIEVERS.....	38414	22.10
		94 = DON'T KNOW	5	0.00
		97 = REFUSED	7	0.00
		98 = BLANK (NO ANSWER)	2062	1.19
		99 = LEGITIMATE SKIP.....	51320	29.53

Prescription stimulants?

SUTOUTSTM ¹	Len : 2	RCVD OUTPATIENT TREATMENT FOR STIMULANT USE - PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	58034	33.39
		1 = Yes.....	231	0.13
		2 = No.....	1232	0.71
		3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify).....	1	0.00
		7 = Yes LOGICALLY ASSIGNED.....	36	0.02
		85 = BAD DATA Logically assigned	17	0.01
		91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
		93 = USED ALCOHOL OR DRUGS BUT NOT STIMULANTS	77847	44.79
		94 = DON'T KNOW	5	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	1576	0.91
		99 = LEGITIMATE SKIP.....	13855	7.97

ALCOHOL AND DRUG TREATMENT

Prescription tranquilizers?

[SUTOUTTRQ](#)¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR TRANQUILIZER USE - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	174	0.10
2 = No.....	1474	0.85
3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify).....	5	0.00
7 = Yes LOGICALLY ASSIGNED.....	11	0.01
13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use).....	4	0.00
85 = BAD DATA Logically assigned.....	21	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	20973	12.07
93 = USED ALCOHOL OR DRUGS BUT NOT TRANQUILIZERS.....	73827	42.48
94 = DON'T KNOW.....	3	0.00
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	1577	0.91
99 = LEGITIMATE SKIP.....	17700	10.18

Prescription sedatives?

[SUTOUTSED](#)¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR SEDATIVE USE - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	120	0.07
2 = No.....	964	0.55
7 = Yes LOGICALLY ASSIGNED.....	12	0.01
13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use).....	2	0.00
85 = BAD DATA Logically assigned.....	19	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	20973	12.07
93 = USED ALCOHOL OR DRUGS BUT NOT SEDATIVES.....	82258	47.33
94 = DON'T KNOW.....	6	0.00
97 = REFUSED.....	3	0.00
98 = BLANK (NO ANSWER).....	1585	0.91
99 = LEGITIMATE SKIP.....	9832	5.66

Some other drug?

[SUTOUTODG](#)¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR OTHER DRUG USE - PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	241	0.14
2 = No.....	2600	1.50
17 = Received treatment for unspecified drug.....	151	0.09
19 = Substance not specified.....	1318	0.76
85 = BAD DATA Logically assigned.....	19	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	20973	12.07
94 = DON'T KNOW.....	11	0.01
97 = REFUSED.....	4	0.00
98 = BLANK (NO ANSWER).....	2697	1.55
99 = LEGITIMATE SKIP.....	87760	50.49

ALCOHOL AND DRUG TREATMENT

When you received the following treatment services in the past 12 months, was it for your alcohol use only, your drug use only, or both your alcohol and drug use?

Professional treatment over the phone, or through video

SUTPHVIADB¹	Len : 2	SUBSTANCE TYPE (ALC/DRGS/BOTH) RCVD PHONE/VIDEO SRVCS FOR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		1 = For alcohol use only.....	485	0.28
		2 = For drug use only.....	690	0.40
		3 = For both alcohol and drug use.....	284	0.16
		4 = For alcohol use only LOGICALLY ASSIGNED.....	29	0.02
		5 = For drug use only LOGICALLY ASSIGNED.....	146	0.08
		85 = BAD DATA Logically assigned.....	13	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	20973	12.07
		94 = DON'T KNOW.....	18	0.01
		97 = REFUSED.....	20	0.01
		98 = BLANK (NO ANSWER).....	2593	1.49
		99 = LEGITIMATE SKIP.....	90523	52.08

Peer support specialist or recovery coach

SUTPEERADB¹	Len : 2	SUB TYPE (ALC/DRG/BOTH) RCVD HELP FROM PEER SUPP SPCLST FOR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		1 = For alcohol use only.....	234	0.13
		2 = For drug use only.....	374	0.22
		3 = For both alcohol and drug use.....	193	0.11
		4 = For alcohol use only LOGICALLY ASSIGNED.....	16	0.01
		5 = For drug use only LOGICALLY ASSIGNED.....	70	0.04
		85 = BAD DATA Logically assigned.....	13	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	20973	12.07
		94 = DON'T KNOW.....	8	0.00
		97 = REFUSED.....	7	0.00
		98 = BLANK (NO ANSWER).....	2617	1.51
		99 = LEGITIMATE SKIP.....	91268	52.51

There may be many reasons you did not get treatments during the past 12 months.

For each statement, please mark whether or not it was one of the reasons why you did not get [additional] professional counseling, medication, or other treatment for your alcohol or drug use.

You thought it would cost too much.

SUTUNCOST¹	Len : 2	UNMET SUB TRMT NEED: TREATMENT COST TOO MUCH		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		1 = Yes.....	454	0.26
		2 = No.....	549	0.32
		91 = NEVER USED ALCOHOL OR DRUGS.....	20973	12.07
		94 = DON'T KNOW.....	14	0.01
		97 = REFUSED.....	6	0.00
		98 = BLANK (NO ANSWER).....	2659	1.53
		99 = LEGITIMATE SKIP.....	91119	52.43

ALCOHOL AND DRUG TREATMENT

You did not have health insurance coverage for alcohol or drug use treatment.

SUTUNINSCV ¹	Len : 2	UNMET SUB TRMT NEED: NO HEALTH INSURANCE COVERAGE FOR TRMT		
			Freq	Pct
		-9 = Data not collected for this year	58034	33.39
		1 = Yes.....	301	0.17
		2 = No	654	0.38
		91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
		94 = DON'T KNOW	60	0.03
		97 = REFUSED	8	0.00
		98 = BLANK (NO ANSWER)	2659	1.53
		99 = LEGITIMATE SKIP	91119	52.43

Your health insurance would not pay enough of the costs for treatment.

SUTUNENFCV ¹	Len : 2	UNMET SUB TRMT NEED: HEALTH INSURANCE DID NOT COVER ENOUGH		
			Freq	Pct
		-9 = Data not collected for this year	58034	33.39
		1 = Yes.....	258	0.15
		2 = No	648	0.37
		91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
		94 = DON'T KNOW	109	0.06
		97 = REFUSED	8	0.00
		98 = BLANK (NO ANSWER)	2659	1.53
		99 = LEGITIMATE SKIP	91119	52.43

You did not know how or where to get treatment.

SUTUNWHER ¹	Len : 2	UNMET SUB TRMT NEED: DID NOT KNOW HOW/WHERE TO GET TREATMENT		
			Freq	Pct
		-9 = Data not collected for this year	58034	33.39
		1 = Yes.....	462	0.27
		2 = No	551	0.32
		91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
		94 = DON'T KNOW	5	0.00
		97 = REFUSED	5	0.00
		98 = BLANK (NO ANSWER)	2659	1.53
		99 = LEGITIMATE SKIP	91119	52.43

You could not find a treatment program or health care professional you wanted to go to.

SUTUNNOFND ¹	Len : 2	UNMET SUB TRMT NEED: COULD NOT FIND PREFERRED PROVIDER		
			Freq	Pct
		-9 = Data not collected for this year	58034	33.39
		1 = Yes.....	334	0.19
		2 = No	640	0.37
		91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
		94 = DON'T KNOW	36	0.02
		97 = REFUSED	12	0.01
		98 = BLANK (NO ANSWER)	2660	1.53
		99 = LEGITIMATE SKIP	91119	52.43

There were no openings in the treatment program or with the health care professional you wanted to go to.

SUTUNNOOPN ¹	Len : 2	UNMET SUB TRMT NEED: NO OPENINGS WITH PREFERRED PROVIDER		
			Freq	Pct
		-9 = Data not collected for this year	58034	33.39
		1 = Yes.....	130	0.07
		2 = No	831	0.48
		91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
		94 = DON'T KNOW	51	0.03
		97 = REFUSED	10	0.01
		98 = BLANK (NO ANSWER)	2660	1.53
		99 = LEGITIMATE SKIP	91119	52.43

ALCOHOL AND DRUG TREATMENT

You had problems with things like transportation, childcare, or getting appointments at times that worked for you.

SUTUNPROBS ¹	Len : 2 UNMET SUB TRMT NEED: PROB W/TRANS, CHILD CARE, APPT TIMES		
		Freq	Pct
	-9 = Data not collected for this year	58034	33.39
	1 = Yes.....	238	0.14
	2 = No.....	756	0.43
	91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
	94 = DON'T KNOW.....	19	0.01
	97 = REFUSED	9	0.01
	98 = BLANK (NO ANSWER)	2660	1.53
	99 = LEGITIMATE SKIP.....	91119	52.43

You didn't have enough time for treatment.

SUTUNTIME ¹	Len : 2 UNMET SUB TRMT NEED: NOT ENOUGH TIME FOR TREATMENT		
		Freq	Pct
	-9 = Data not collected for this year	58034	33.39
	1 = Yes.....	420	0.24
	2 = No.....	570	0.33
	91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
	94 = DON'T KNOW.....	23	0.01
	97 = REFUSED	9	0.01
	98 = BLANK (NO ANSWER)	2660	1.53
	99 = LEGITIMATE SKIP.....	91119	52.43

You were worried that your information would not be kept private.

SUTUNPRIV ¹	Len : 2 UNMET SUB TRMT NEED: WORRIED THAT INFO NOT KEPT PRIVATE		
		Freq	Pct
	-9 = Data not collected for this year	58034	33.39
	1 = Yes.....	373	0.21
	2 = No.....	622	0.36
	91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
	94 = DON'T KNOW.....	19	0.01
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	2660	1.53
	99 = LEGITIMATE SKIP.....	91119	52.43

You were worried about what people would think or say if you got treatment.

SUTUNPTHNK ¹	Len : 2 UNMET SUB TRMT NEED: WORRIED WHAT PEOPLE WOULD THINK OR SAY		
		Freq	Pct
	-9 = Data not collected for this year	58034	33.39
	1 = Yes.....	478	0.28
	2 = No.....	534	0.31
	91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
	94 = DON'T KNOW.....	5	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER)	2660	1.53
	99 = LEGITIMATE SKIP.....	91119	52.43

You thought that if people knew you were in treatment bad things would happen, like losing your job, home, or children.

SUTUNCONSQ ¹	Len : 2 UNMET SUB TRMT NEED: WORRIED LOSS OF JOB, HOME, CHLDRN, ETC		
		Freq	Pct
	-9 = Data not collected for this year	58034	33.39
	1 = Yes.....	350	0.20
	2 = No.....	645	0.37
	91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
	94 = DON'T KNOW.....	17	0.01
	97 = REFUSED	10	0.01
	98 = BLANK (NO ANSWER)	2660	1.53
	99 = LEGITIMATE SKIP.....	91119	52.43

ALCOHOL AND DRUG TREATMENT

You were not ready to start treatment.

<u>SUTUNSTART</u> ¹	Len : 2 UNMET SUB TRMT NEED: NOT READY TO START TREATMENT		
		Freq	Pct
	-9 = Data not collected for this year	58034	33.39
	1 = Yes.....	621	0.36
	2 = No	368	0.21
	91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
	94 = DON'T KNOW	25	0.01
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	2660	1.53
	99 = LEGITIMATE SKIP	91119	52.43

You were not ready to stop or cut back using alcohol or drugs.

<u>SUTUNQUIT</u> ¹	Len : 2 UNMET SUB TRMT NEED: NOT RDY TO STOP/CUT BCK ON ALC/DRUG USE		
		Freq	Pct
	-9 = Data not collected for this year	58034	33.39
	1 = Yes.....	547	0.31
	2 = No	442	0.25
	91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
	94 = DON'T KNOW	23	0.01
	97 = REFUSED	10	0.01
	98 = BLANK (NO ANSWER)	2660	1.53
	99 = LEGITIMATE SKIP	91119	52.43

You thought you should have been able to handle your alcohol or drug use on your own.

<u>SUTUNHNDL</u> ¹	Len : 2 UNMET SUB TRMT NEED: THGHT COULD HANDLE ALC/DRUG USE ON OWN		
		Freq	Pct
	-9 = Data not collected for this year	58034	33.39
	1 = Yes.....	743	0.43
	2 = No	258	0.15
	91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
	94 = DON'T KNOW	13	0.01
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	2660	1.53
	99 = LEGITIMATE SKIP	91119	52.43

You thought your family, friends, or religious group wouldn't like it if you got treatment.

<u>SUTUNFLKE</u> ¹	Len : 2 UNMET SUB TRMT NEED: FAMILY/FRIENDS/RELIG GROUP WOULDNT LIKE		
		Freq	Pct
	-9 = Data not collected for this year	58034	33.39
	1 = Yes.....	203	0.12
	2 = No	791	0.46
	91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
	94 = DON'T KNOW	18	0.01
	97 = REFUSED	10	0.01
	98 = BLANK (NO ANSWER)	2660	1.53
	99 = LEGITIMATE SKIP	91119	52.43

You thought you would be forced to stay in rehab or treatment against your will.

<u>SUTUNFORCE</u> ¹	Len : 2 UNMET SUB TRMT NEED: WORRIED ABOUT BEING FORCED AGAINST WILL		
		Freq	Pct
	-9 = Data not collected for this year	58034	33.39
	1 = Yes.....	241	0.14
	2 = No	754	0.43
	91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
	94 = DON'T KNOW	20	0.01
	97 = REFUSED	7	0.00
	98 = BLANK (NO ANSWER)	2660	1.53
	99 = LEGITIMATE SKIP	91119	52.43

ALCOHOL AND DRUG TREATMENT

You didn't think treatment would help you.

[SUTUNNOHLP¹](#) Len : 2 UNMET SUB TRMT NEED: DIDN'T THINK TREATMENT WOULD HELP

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
1 = Yes.....	294	0.17
2 = No	690	0.40
91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
94 = DON'T KNOW	33	0.02
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	2660	1.53
99 = LEGITIMATE SKIP	91119	52.43

You thought no one would care if you got better.

[SUTUNCARE¹](#) Len : 2 UNMET SUB TRMT NEED: NO ONE WOULD CARE IF YOU GOT BETTER

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
1 = Yes.....	227	0.13
2 = No	766	0.44
91 = NEVER USED ALCOHOL OR DRUGS	20973	12.07
94 = DON'T KNOW	16	0.01
97 = REFUSED	13	0.01
98 = BLANK (NO ANSWER)	2660	1.53
99 = LEGITIMATE SKIP	91119	52.43

IMPUTED ALCOHOL AND DRUG TREATMENT

IMPUTED ALCOHOL AND DRUG TREATMENT

<u>IRSUTSUPPGRP</u>	Len : 1 PARTICIPATED IN SUPPORT GRP FOR SUBSTANCE USE - PY - IMP REV		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No.....	58034	33.39
	1 = Yes.....	113489	65.30
		2285	1.31
<u>IISUTSUPPGRP</u>	Len : 1 PARTICIPATED IN SUPPORT GRP FOR SUBSTANCE USE - PY - IMP IND		
	-9 = Data not collected for this year.....	Freq	Pct
	1 = Questionnaire data.....	58034	33.39
	2 = Logically assigned data.....	92256	53.08
	3 = Statistically imputed data.....	7	0.00
	9 = LEGITIMATE SKIP.....	1550	0.89
		21961	12.64
<u>IRSUTERED</u>	Len : 1 SEEN IN EMERGENCY ROOM/DEPT FOR SUBSTANCE USE - PY - IMP REV		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No.....	58034	33.39
	1 = Yes.....	114883	66.10
		891	0.51
<u>IISUTERED</u>	Len : 1 SEEN IN EMERGENCY ROOM/DEPT FOR SUBSTANCE USE - PY - IMP IND		
	-9 = Data not collected for this year.....	Freq	Pct
	1 = Questionnaire data.....	58034	33.39
	2 = Logically assigned data.....	92333	53.12
	3 = Statistically imputed data.....	3	0.00
	9 = LEGITIMATE SKIP.....	1477	0.85
		21961	12.64
<u>IRSUTINHOSP</u>	Len : 1 RCVD SUB TRMT AT HOSPITAL AS INPATIENT - PY - IMP REV		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No.....	58034	33.39
	1 = Yes.....	114849	66.08
		925	0.53
<u>IISUTINHOSP</u>	Len : 1 RCVD SUB TRMT AT HOSPITAL AS INPATIENT - PY - IMP IND		
	-9 = Data not collected for this year.....	Freq	Pct
	1 = Questionnaire data.....	58034	33.39
	2 = Logically assigned data.....	92138	53.01
	3 = Statistically imputed data.....	19	0.01
	9 = LEGITIMATE SKIP.....	1656	0.95
		21961	12.64
<u>IRSUTINRHAB</u>	Len : 1 RCVD SUB TRMT AT RSDNTL SUB REHAB/TRMT CTR - PY - IMP REV		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No.....	58034	33.39
	1 = Yes.....	115093	66.22
		681	0.39
<u>IISUTINRHAB</u>	Len : 1 RCVD SUB TRMT AT RSDNTL SUB REHAB/TRMT CTR - PY - IMP IND		
	-9 = Data not collected for this year.....	Freq	Pct
	1 = Questionnaire data.....	58034	33.39
	2 = Logically assigned data.....	92182	53.04
	3 = Statistically imputed data.....	1	0.00
	9 = LEGITIMATE SKIP.....	1630	0.94
		21961	12.64
<u>IRSUTINRSMH</u>	Len : 1 RCVD SUB TRMT AT RSDNTL MNTL HLTH TRMT CTR - PY - IMP REV		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No.....	58034	33.39
	1 = Yes.....	115027	66.18
		747	0.43

IMPUTED ALCOHOL AND DRUG TREATMENT

IISUTINRSMH	Len : 1 RCVD SUB TRMT AT RSDNTL MNTL HLTH TRMT CTR - PY - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	92181	53.04
	3 = Statistically imputed data.....	1632	0.94
	9 = LEGITIMATE SKIP.....	21961	12.64
IRSUTINOPL	Len : 1 RCVD SUB TRMT AT OTHER PLACE AS INPATIENT - PY - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	115226	66.29
	1 = Yes.....	548	0.32
IISUTINOPL	Len : 1 RCVD SUB TRMT AT OTHER PLACE AS INPATIENT - PY - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	92169	53.03
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data.....	1643	0.95
	9 = LEGITIMATE SKIP.....	21961	12.64
IRSUTOUTRHAB	Len : 1 RCVD SUB TRMT AT OUTPTNT SUB REHAB/TRMT CTR - PY - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	114766	66.03
	1 = Yes.....	1008	0.58
IISUTOUTRHAB	Len : 1 RCVD SUB TRMT AT OUTPTNT SUB REHAB/TRMT CTR - PY - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	92179	53.03
	2 = Logically assigned data.....	2	0.00
	3 = Statistically imputed data.....	1632	0.94
	9 = LEGITIMATE SKIP.....	21961	12.64
IRSUTOUTMCCR	Len : 1 RCVD SUB TRMT AT OUTPTNT MNTL HLTH TRMT CTR - PY - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	114478	65.86
	1 = Yes.....	1296	0.75
IISUTOUTMCCR	Len : 1 RCVD SUB TRMT AT OUTPTNT MNTL HLTH TRMT CTR - PY - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	92169	53.03
	3 = Statistically imputed data.....	1644	0.95
	9 = LEGITIMATE SKIP.....	21961	12.64
IRSUTOUTTHRP	Len : 1 RCVD SUB TRMT AT THERAPIST OFFICE - PY - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	113300	65.19
	1 = Yes.....	2474	1.42
IISUTOUTTHRP	Len : 1 RCVD SUB TRMT AT THERAPIST OFFICE - PY - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	92168	53.03
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data.....	1644	0.95
	9 = LEGITIMATE SKIP.....	21961	12.64

IMPUTED ALCOHOL AND DRUG TREATMENT

<u>IRSUTOUTDOC</u>	Len : 1 RCVD SUB TRMT AT GENERAL MEDICAL OFFICE - PY - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	113578	65.35
	1 = Yes.....	2196	1.26
<u>IISUTOUTDOC</u>	Len : 1 RCVD SUB TRMT AT GENERAL MEDICAL OFFICE - PY - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	92155	53.02
	2 = Logically assigned data.....	2	0.00
	3 = Statistically imputed data.....	1656	0.95
	9 = LEGITIMATE SKIP.....	21961	12.64
<u>IRSUTOUTHOSP</u>	Len : 1 RCVD SUB TRMT AT HOSPITAL AS OUTPATIENT - PY - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	114992	66.16
	1 = Yes.....	782	0.45
<u>IISUTOUTHOSP</u>	Len : 1 RCVD SUB TRMT AT HOSPITAL AS OUTPATIENT - PY - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	92140	53.01
	2 = Logically assigned data.....	6	0.00
	3 = Statistically imputed data.....	1667	0.96
	9 = LEGITIMATE SKIP.....	21961	12.64
<u>IRSUTOUTSCHL</u>	Len : 1 RCVD SUB TRMT AT SCHOOL HEALTH/COUNSELING - PY - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	114898	66.11
	1 = Yes.....	876	0.50
<u>IISUTOUTSCHL</u>	Len : 1 RCVD SUB TRMT AT SCHOOL HEALTH/COUNSELING - PY - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	92160	53.02
	2 = Logically assigned data.....	2	0.00
	3 = Statistically imputed data.....	1651	0.95
	9 = LEGITIMATE SKIP.....	21961	12.64
<u>IRSUTOUTOPL</u>	Len : 1 RCVD SUB TRMT AT OTHER PLACE AS OUTPATIENT - PY - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	115312	66.34
	1 = Yes.....	462	0.27
<u>IISUTOUTOPL</u>	Len : 1 RCVD SUB TRMT AT OTHER PLACE AS OUTPATIENT - PY - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	92126	53.00
	2 = Logically assigned data.....	2	0.00
	3 = Statistically imputed data.....	1685	0.97
	9 = LEGITIMATE SKIP.....	21961	12.64
<u>IRSUTRXALC</u>	Len : 1 USED RX MED TO HELP CUT BACK OR STOP ALCOHOL USE - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	115294	66.33
	1 = Yes.....	480	0.28

IMPUTED ALCOHOL AND DRUG TREATMENT

<u>IISUTRXALC</u>	Len : 1 USED RX MED TO HELP CUT BACK OR STOP ALCOHOL USE - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	80735	46.45
	3 = Statistically imputed data.....	1326	0.76
	9 = LEGITIMATE SKIP.....	33713	19.40
<u>IRSUTRXDRG</u>	Len : 1 USED RX MED TO HELP CUT BACK/STOP HER/PNR USE - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	114844	66.08
	1 = Yes.....	930	0.54
<u>IISUTRXDRG</u>	Len : 1 USED RX MED TO HELP CUT BACK/STOP HER/PNR USE - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	54210	31.19
	2 = Logically assigned data.....	2	0.00
	3 = Statistically imputed data.....	1120	0.64
	9 = LEGITIMATE SKIP.....	60442	34.78
<u>IRSUTPHVID</u>	Len : 1 RCVD PHONE/VIDEO SVCS FOR SUB USE - PY - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	114048	65.62
	1 = Yes.....	1726	0.99
<u>IISUTPHVID</u>	Len : 1 RCVD PHONE/VIDEO SVCS FOR SUB USE - PY - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	92198	53.05
	2 = Logically assigned data.....	2	0.00
	3 = Statistically imputed data.....	1613	0.93
	9 = LEGITIMATE SKIP.....	21961	12.64
<u>IRSUTDETOX</u>	Len : 1 RCVD DETOX SRVCS FOR SUB USE WITHDRAWAL SYMPT - PY - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	115278	66.32
	1 = Yes.....	496	0.29
<u>IISUTDETOX</u>	Len : 1 RCVD DETOX SRVCS FOR SUB USE WITHDRAWAL SYMPT - PY - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	74539	42.89
	2 = Logically assigned data.....	3	0.00
	3 = Statistically imputed data.....	1822	1.05
	9 = LEGITIMATE SKIP.....	39410	22.67
<u>IRSUTPEERSPC</u>	Len : 1 RCVD SUB USE HELP FM PEER SUPP SPCLST/RCVY COACH-PY-IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	114840	66.07
	1 = Yes.....	934	0.54
<u>IISUTPEERSPC</u>	Len : 1 RCVD SUB USE HELP FM PEER SUPP SPCLST/RCVY COACH-PY-IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	92171	53.03
	3 = Statistically imputed data.....	1642	0.94
	9 = LEGITIMATE SKIP.....	21961	12.64

RECODED ALCOHOL AND DRUG TREATMENT

RECODED ALCOHOL AND DRUG TREATMENT

<u>SUTINPPY</u>	Len : 1 RC-RCVD SUB USE TREATMENT AS AN INPATIENT - PAST YEAR		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No.....	58034	33.39
	1 = Yes.....	114139	65.67
		1635	0.94

<u>SUTOUTPPY</u>	Len : 1 RC-RCVD SUB USE TREATMENT AS AN OUTPATIENT - PAST YEAR		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No (All source variables=0).....	58034	33.39
	1 = Yes (Any source variable=1).....	111355	64.07
		4419	2.54

<u>SUTOUTNDOC</u>	Len : 1 RC-RCVD SUB TRMT AS AN OUTPATIENT OTHER THAN GEN MED-PY		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No (All source variables=0).....	58034	33.39
	1 = Yes (Any source variable=1).....	112001	64.44
		3773	2.17

NOTE: This section includes recodes for the receipt of treatment as an outpatient for the following substances: alcohol (ALC), marijuana (MRJ), cocaine (COC), heroin (HER), hallucinogens (HAL), inhalants (INH), methamphetamine (MTH), pain relievers (PNR), stimulants (STM), tranquilizers (TRQ), sedatives (SED), tranquilizers or sedatives (TQSD), psychotherapeutics (PSY), opioids (OPI), central nervous system stimulants (CNS), drugs (DRG), alcohol and drugs (DRAL), and substance unspecified (UNSP).

Because respondents can specify more than one drug for which they received treatment, there is a different variable for every drug (SUTOUTXXPPY). XXX in the variable name refers to the drug abbreviations in parentheses provided above. Because there is a relatively large number of respondents that did not indicate a substance for which they received outpatient treatment (respondents either answered no or had missing data for all the substances they were asked about), it is important to consider the substance unspecified numbers (SUTOUTUNSPPY) when analyzing any of the specific substances or aggregate substance categories.

<u>SUTOUTALCPY</u>	Len : 1 RC- RCVD SUB USE TRMT AS AN OUTPATIENT FOR ALCOHOL USE - PY		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No/unspecified (Otherwise).....	58034	33.39
	1 = Yes (SUTOUTPPY=1 and SUTOUTALC=1,3,5,7,13,15).....	114647	65.96
		1127	0.65

<u>SUTOUTMRJPY</u>	Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR MARIJUANA USE - PY		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No/unspecified (Otherwise).....	58034	33.39
	1 = Yes (SUTOUTPPY=1 and SUTOUTMRJ=1,3,5,7,13,15).....	115181	66.27
		593	0.34

<u>SUTOUTCOCYPY</u>	Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR COCAINE USE - PY		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No/unspecified (Otherwise).....	58034	33.39
	1 = Yes (SUTOUTPPY=1 and SUTOUTCOC=1,3,5,7,13,15).....	115573	66.49
		201	0.12

<u>SUTOUTHERPY</u>	Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR HEROIN USE - PY		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No/unspecified (Otherwise).....	58034	33.39
	1 = Yes (SUTOUTPPY=1 and SUTOUTHER=1,3,5,7,13,15).....	115416	66.40
		358	0.21

<u>SUTOUTHALPY</u>	Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR HALLUC USE - PY		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No/unspecified (Otherwise).....	58034	33.39
	1 = Yes (SUTOUTPPY=1 and SUTOUTHALL=1,3,5,7,13,15).....	115678	66.56
		96	0.06

RECODED ALCOHOL AND DRUG TREATMENT

SUTOUTINHPY	Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR INHALANT USE - PY		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No/unspecified (Otherwise).....	115676	66.55
	1 = Yes (SUTOUTPPY=1 and SUTOUTINHL=1,3,5,7,13,15).....	98	0.06
SUTOUTMTHPY	Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR METHAM USE - PY		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No/unspecified (Otherwise).....	115448	66.42
	1 = Yes (SUTOUTPPY=1 and SUTOUTMETH=1,3,5,7,13,15).....	326	0.19
SUTOUTPNRPY	Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR PAIN REL USE - PY		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No/unspecified (Otherwise).....	115024	66.18
	1 = Yes (SUTOUTPPY=1 and SUTOUTPNR=1,3,5,7,13,15).....	750	0.43
SUTOUTSTMPY	Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR STIM USE - PY		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No/unspecified (Otherwise).....	115507	66.46
	1 = Yes (SUOUTNPPY=1 and SUTOUTSTM=1,3,5,7,13,15).....	267	0.15
SUTOUTTRQPY	Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR TRANQ USE - PY		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No/unspecified (Otherwise).....	115581	66.50
	1 = Yes (SUTOUTPPY=1 and SUTOUTTRQ=1,3,5,7,13,15).....	193	0.11
SUTOUTSEDPY	Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR SEDATIVE USE-PY		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No/unspecified (Otherwise).....	115640	66.53
	1 = Yes (SUTOUTPPY=1 and SUTOUTSED=1,3,5,7,13,15).....	134	0.08
SUTOUTTQSDPY	Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR TRQ OR SED USE-PY		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No/unspecified (SUTOUTSEDPY=0 and SUTOUTTRQPY=0).....	115510	66.46
	1 = Yes (SUTOUTSEDPY=1 or SUTOUTTRQPY=1).....	264	0.15
SUTOUTPSYPY	Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR PSYCHO USE - PY		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No/unspecified (All source variables=0).....	114712	66.00
	1 = Yes (Any source variable=1).....	1062	0.61
SUTOUTOPIPY	Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR OPIOID USE - PY		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No/unspecified (SUTOUTHERPY=0 and SUTOUTPNRPY=0).....	114824	66.06
	1 = Yes (SUTOUTHERPY=1 or SUTOUTPNRPY=1).....	950	0.55
SUTOUTCNSPY	Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR CNS USE - PY		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No/unspecified (All source variables=0).....	115101	66.22
	1 = Yes (Any source variable=1).....	673	0.39

RECODED ALCOHOL AND DRUG TREATMENT

<u>SUTOUTDRGPY</u>	Len : 1	RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR DRUG USE - PY		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No/unspecified (All source variables=0).....	113793	65.47
		1 = Yes (Any source variable=1)	1981	1.14

<u>SUTOUTDRALPY</u>	Len : 1	RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR DRUGS AND ALC - PY		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No/unspecified (SUTOUTALCPY=0 or SUTOUTDRGPY=0).....	115415	66.40
		1 = Yes (SUTOUTALCPY=1 and SUTOUTDRGPY=1).....	359	0.21

<u>SUTOUTUNSPY</u>	Len : 1	RC-RCVD SUB USE TRMT AS AN OUTPATIENT - SUB UNSPECIFIED - PY		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No (Otherwise)	114107	65.65
		1 = Yes (SUTOUTPPY=1 and (SUTOUTALCPY=0 and SUTOUTDRGPY=0)	1667	0.96

The following variable for receipt of phone or video services for drug use in the past year, SUTPHVIDRG, was assigned a positive response if a respondent met either of these conditions:

1. Received phone or video services in the past year (IRSUTPHVID=1) and that service was for drug use only OR drug and alcohol use (SUTPHVIADB=2,3,5).
2. Received phone or video services in the past year (IRSUTPHVID=1) and had used drugs but not alcohol in their lifetime [(ILLFLAG=1 or PSYANYFLAG=1) and ALCFLAG=0].

<u>SUTPHVIDRG</u>	Len : 1	RC-RCVD PHONE/VIDEO SERVICES FOR DRUG USE - PAST YEAR		
			Freq	Pct
		. = Unknown (Otherwise).....	80	0.05
		-9 = Data not collected for this year.....	58034	33.39
		0 = No(IRSUTPHVID=0 or SUTPHVIADB=1,4 or (ILLFLAG&PSYANYFLAG=0))	114565	65.91
		1 = Yes (See comment above)	1129	0.65

The following variable for receipt of phone or video services for alcohol use in the past year, SUTPHVIALC, was assigned a positive response if a respondent met either of these conditions:

1. Received phone or video services in the past year (IRSUTPHVID=1) and that service was for alcohol use only OR drug and alcohol use (SUTPHVIADB=1,3,4).
2. Received phone or video services in the past year (IRSUTPHVID=1) and had used alcohol but not drugs in their lifetime [(ILLFLAG=0 and PSYANYFLAG=0) and ALCFLAG=1].

<u>SUTPHVIALC</u>	Len : 1	RC-RCVD PHONE/VIDEO SERVICES FOR ALCOHOL USE - PAST YEAR		
			Freq	Pct
		. = Unknown (Otherwise).....	80	0.05
		-9 = Data not collected for this year.....	58034	33.39
		0 = No (IRSUTPHVID=0 or SUTPHVIADB=2,5 or ALCFLAG=0)	114893	66.10
		1 = Yes (See comment above)	801	0.46

<u>SUTRTPY</u>	Len : 1	RC-RCVD SUBSTANCE USE TREATMENT - PAST YEAR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No (All source variables=0).....	109940	63.25
		1 = Yes (Any source variable=1)	5834	3.36

The following variable for receipt of substance use treatment for drug use in the past year, SUTRTDRGPY, was assigned a positive response if a respondent indicated receiving substance use treatment (SUTRTPY=1) and that treatment was for drug use [SUTOUTDRGPY=1, inpatient treatment for drug use, SUTPHVIDRG=1, IRSUTRXDRG=1, prison or jail for drug use or (prison or jail for substance use and (ILLFLAG=1 or PSYANYFLAG=1) and ALCFLAG=0)].

<u>SUTRTDRGPY</u>	Len : 1	RC-RCVD SUB USE TREATMENT FOR DRUG USE - PAST YEAR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No/unspecified (Otherwise)	112783	64.89
		1 = Yes (See comment above)	2991	1.72

RECODED ALCOHOL AND DRUG TREATMENT

The following variable for receipt of substance use treatment for alcohol use in the past year, SUTRTALCPY, was assigned a positive response if a respondent indicated receiving substance use treatment (SUTRTPY=1) and that treatment was for alcohol use [SUTOUTALCPY=1, inpatient treatment for alcohol use, SUTPHVIALC=1, IRSUTRXALC=1, prison or jail for alcohol use, or (prison or jail for substance use and ALCFLAG=1 and ILLFLAG=0 and PSYANYFLAG=0)].

<u>SUTRTALCPY</u>	Len : 1	RC-RCVD SUB USE TREATMENT FOR ALCOHOL USE - PAST YEAR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No/unspecified (Otherwise).....	113849	65.50
		1 = Yes (See comment above).....	1925	1.11

<u>SUTRTDRALPY</u>	Len : 1	RC-RCVD SUB USE TREATMENT FOR DRUG AND ALCOHOL USE - PST YR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No/unspecified (SUTRTALCPY=0 or SUTRTDRGPY=0).....	115012	66.17
		1 = Yes (SUTRTALCPY=1 and SUTRTDRGPY=1).....	762	0.44

<u>SUTRTUNSPPY</u>	Len : 1	RC-RCVD SUB USE TREATMENT - SUB UNSPECIFIED - PAST YEAR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No (Otherwise).....	114094	65.64
		1 = Yes (SUTRTPY=1 and (SUTRTALCPY=0 and SUTRTDRGPY=0).....	1680	0.97

<u>SUTRTOTHPY</u>	Len : 1	RC-RCVD SUB USE TREATMENT OR OTHER SERVICES - PAST YEAR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No (All source variables=0).....	108814	62.61
		1 = Yes (Any source variable=1).....	6960	4.00

<u>SUTNEEDPY</u>	Len : 1	RC-CLASSIFIED AS NEEDING SUBSTANCE USE TREATMENT - PAST YEAR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No (SUTRTPY=0 and UD5ILALANY=0).....	91363	52.57
		1 = Yes (SUTRTPY=1 or UD5ILALANY=1).....	24411	14.04

The following variable for sought or thought should get substance use treatment but did not receive substance use treatment in the past year, SUTSKTHPY, was assigned a positive response if a respondent met either of these conditions:

1. Did not receive substance use treatment (SUTRTPY=0) and sought treatment.
2. Did not receive substance use treatment (SUTRTPY=0), did not indicate they sought treatment, but thought they should get treatment.

A negative response was assigned if a respondent did not receive substance use treatment (SUTRTPY=0), did not seek treatment, and did not think they should get treatment. Additionally, a negative response was assigned if respondent never used alcohol or drugs (ALCFLAG=0, ILLFLAG=0, and PSYANYFLAG=0).

<u>SUTSKTHPY</u>	Len : 1	RC-SOUGHT OR THGHT SHLD GET SUB USE TRT, DIDNT RCV TRT - PY		
			Freq	Pct
		. = Unknown/received sub use treatment (Otherwise).....	7368	4.24
		-9 = Data not collected for this year.....	58034	33.39
		1 = Sought or thght shld get trt, not recvd (See comment above).....	1023	0.59
		2 = Didnt seek or thnk shld get trt, not revd(See comment above).....	107383	61.78

NOTE: The following 18 variables describe reasons the respondent did not receive substance use treatment. These variables are defined for respondents who did not receive substance use treatment in the past year and who either sought treatment or did not indicate they sought treatment but thought they should get treatment in the past year.

<u>SUNTUNCPY</u>	Len : 1	RC-UNMET PY SUB USE TRT NEED: THOUGHT COST TOO MUCH		
			Freq	Pct
		. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise).....	114771	66.03
		-9 = Data not collected for this year.....	58034	33.39
		0 = No (SUTSKTHPY=1 and SUTUNCPY=2).....	549	0.32
		1 = Yes (SUTSKTHPY=1 and SUTUNCPY=1).....	454	0.26

RECODED ALCOHOL AND DRUG TREATMENT

SUNTINSCV

Len : 1 RC-UNMET PY SUB USE TRT NEED: NO HEALTH INSUR COVERAGE

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114819	66.06
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNINSCV=2).....	654	0.38
1 = Yes (SUTSKTHPY=1 and SUTUNINSCV=1).....	301	0.17

SUNTENCV

Len : 1 RC-UNMET PY SUB USE TRT NEED: HLTH INSUR DIDNT COVER ENOUGH

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114868	66.09
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNENFCV=2).....	648	0.37
1 = Yes (SUTSKTHPY=1 and SUTUNENFCV=1)	258	0.15

SUNTWHER

Len : 1 RC-UNMET PY SUB USE TRT NEED: DIDNT KNOW WHERE TO GET TRT

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114761	66.03
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNWHER=2).....	551	0.32
1 = Yes (SUTSKTHPY=1 and SUTUNWHER=1).....	462	0.27

SUNTNOFND

Len : 1 RC-UNMET PY SUB USE TRT NEED: COULDNT FIND PREFERRED PROVIDR

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114800	66.05
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNNOFND=2).....	640	0.37
1 = Yes (SUTSKTHPY=1 and SUTUNNOFND=1).....	334	0.19

SUNTNOOPN

Len : 1 RC-UNMET PY SUB USE TRT NEED: NO OPENING W/ PREFERRED PROVID

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114813	66.06
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNNOOPN=2).....	831	0.48
1 = Yes (SUTSKTHPY=1 and SUTUNNOOPN=1).....	130	0.07

SUNTPROBS

Len : 1 RC-UNMET PY SUB USE TRT NEED: PROB W/TRAN, CHLDCARE, APPT TM

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114780	66.04
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNPROBS=2).....	756	0.43
1 = Yes (SUTSKTHPY=1 and SUTUNPROBS=1).....	238	0.14

SUNTTIME

Len : 1 RC-UNMET PY SUB USE TRT NEED: NOT ENOUGH TIME FOR TRT

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114784	66.04
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNTIME=2).....	570	0.33
1 = Yes (SUTSKTHPY=1 and SUTUNTIME=1).....	420	0.24

SUNTPRIV

Len : 1 RC-UNMET PY SUB USE TRT NEED: WORRIED INFO NOT KEPT PRIVATE

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114779	66.04
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNPRIV=2).....	622	0.36
1 = Yes (SUTSKTHPY=1 and SUTUNPRIV=1)	373	0.21

SUNTPTHNK

Len : 1 RC-UNMET PY SUB USE TRT NEED: WORRIED WHAT PEOPLE THNK/SAY

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114762	66.03
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNPTHNK=2).....	534	0.31
1 = Yes (SUTSKTHPY=1 and SUTUNPTHNK=1)	478	0.28

RECODED ALCOHOL AND DRUG TREATMENT

SUNTCONSQ

Len : 1 RC-UNMET PY SUB USE TRT NEED: THGHT WOULD LOSE JOB/HOME/CHLD

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114779	66.04
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNCONSQ=2).....	645	0.37
1 = Yes (SUTSKTHPY=1 and SUTUNCONSQ=1).....	350	0.20

SUNTSTART

Len : 1 RC-UNMET PY SUB USE TRT NEED: NOT READY TO START TRT

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114785	66.04
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNSTART=2).....	368	0.21
1 = Yes (SUTSKTHPY=1 and SUTUNSTART=1).....	621	0.36

SUNTQUIT

Len : 1 RC-UNMET PY SUB USE TRT NEED: NOT RDY TO STOP/CUT SUB USE

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114785	66.04
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNQUIT=2).....	442	0.25
1 = Yes (SUTSKTHPY=1 and SUTUNQUIT=1).....	547	0.31

SUNTHNDL

Len : 1 RC-UNMET PY SUB USE TRT NEED: THOUGHT COULD HANDLE ON OWN

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114773	66.03
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNHNDL=2).....	258	0.15
1 = Yes (SUTSKTHPY=1 and SUTUNHNDL=1).....	743	0.43

SUNTFFLKE

Len : 1 RC-UNMET PY SUB USE TRT NEED: FAM/FRIENDS/RELIG WOULDNT LIKE

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114780	66.04
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNFFLKE=2).....	791	0.46
1 = Yes (SUTSKTHPY=1 and SUTUNFFLKE=1).....	203	0.12

SUNTFORCE

Len : 1 RC-UNMET PY SUB USE TRT NEED: AFRAID TO BE FORCD AGNST WILL

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114779	66.04
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNFORCE=2).....	754	0.43
1 = Yes (SUTSKTHPY=1 and SUTUNFORCE=1).....	241	0.14

SUNTNOHLP

Len : 1 RC-UNMET PY SUB USE TRT NEED: DIDN'T THINK TRT WOULD HELP

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114790	66.04
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNNOHLP=2).....	690	0.40
1 = Yes (SUTSKTHPY=1 and SUTUNNOHLP=1).....	294	0.17

SUNTCARE

Len : 1 RC-UNMET PY SUB USE TRT NEED: NO ONE CARE IF YOU GOT BETTER

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	114781	66.04
-9 = Data not collected for this year.....	58034	33.39
0 = No (SUTSKTHPY=1 and SUTUNCARE=2).....	766	0.44
1 = Yes (SUTSKTHPY=1 and SUTUNCARE=1).....	227	0.13

RISK/AVAILABILITY

RISK/AVAILABILITY

This note applies to variables in this section marked by a¹.

We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.

Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities.

If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity.

How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?

RSKCIGPKD¹

Len : 2 RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY

	Freq	Pct
1 = No risk	8490	4.88
2 = Slight risk	11433	6.58
3 = Moderate risk	37891	21.80
4 = Great risk	113769	65.46
85 = BAD DATA Logically assigned	8	0.00
94 = DON'T KNOW	1258	0.72
97 = REFUSED	167	0.10
98 = BLANK (NO ANSWER)	792	0.46

How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?

RSKMRJMON¹

Len : 2 RISK SMOKING MARIJUANA ONCE A MONTH

	Freq	Pct
1 = No risk	50712	29.18
2 = Slight risk	57936	33.33
3 = Moderate risk	32969	18.97
4 = Great risk	29355	16.89
85 = BAD DATA Logically assigned	9	0.01
94 = DON'T KNOW	1840	1.06
97 = REFUSED	176	0.10
98 = BLANK (NO ANSWER)	811	0.47

How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?

RSKMRJWK¹

Len : 2 RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK

	Freq	Pct
1 = No risk	40238	23.15
2 = Slight risk	52014	29.93
3 = Moderate risk	40124	23.09
4 = Great risk	38618	22.22
85 = BAD DATA Logically assigned	9	0.01
94 = DON'T KNOW	1804	1.04
97 = REFUSED	180	0.10
98 = BLANK (NO ANSWER)	821	0.47

How much do people risk harming themselves physically and in other ways when they try LSD once or twice?

RSKLSDRY¹

Len : 2 RISK TRYING LSD ONCE OR TWICE

	Freq	Pct
1 = No risk	11473	6.60
2 = Slight risk	33895	19.50
3 = Moderate risk	39666	22.82
4 = Great risk	83528	48.06
85 = BAD DATA Logically assigned	9	0.01
94 = DON'T KNOW	4177	2.40
97 = REFUSED	223	0.13
98 = BLANK (NO ANSWER)	837	0.48

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?

RSKLSDWK ¹	Len : 2	RISK USING LSD ONCE OR TWICE A WEEK		
			Freq	Pct
		1 = No risk	4964	2.86
		2 = Slight risk	12361	7.11
		3 = Moderate risk	36357	20.92
		4 = Great risk	114894	66.10
		85 = BAD DATA Logically assigned	10	0.01
		94 = DON'T KNOW	4153	2.39
		97 = REFUSED	224	0.13
		98 = BLANK (NO ANSWER)	845	0.49

How much do people risk harming themselves physically and in other ways when they try heroin once or twice?

RSKHERTRY ¹	Len : 2	RISK TRYING HEROIN ONCE OR TWICE		
			Freq	Pct
		1 = No risk	3981	2.29
		2 = Slight risk	10509	6.05
		3 = Moderate risk	25336	14.58
		4 = Great risk	130499	75.08
		85 = BAD DATA Logically assigned	10	0.01
		94 = DON'T KNOW	2434	1.40
		97 = REFUSED	183	0.11
		98 = BLANK (NO ANSWER)	856	0.49

How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?

RSKHERWK ¹	Len : 2	RISK USING HEROIN ONCE OR TWICE A WEEK		
			Freq	Pct
		1 = No risk	2988	1.72
		2 = Slight risk	2680	1.54
		3 = Moderate risk	11755	6.76
		4 = Great risk	152983	88.02
		85 = BAD DATA Logically assigned	10	0.01
		94 = DON'T KNOW	2348	1.35
		97 = REFUSED	178	0.10
		98 = BLANK (NO ANSWER)	866	0.50

How much do people risk harming themselves physically and in other ways when they use cocaine once a month?

RSKCOCMON ¹	Len : 2	RISK USING COCAINE ONCE A MONTH		
			Freq	Pct
		1 = No risk	4970	2.86
		2 = Slight risk	20733	11.93
		3 = Moderate risk	40523	23.31
		4 = Great risk	104300	60.01
		85 = BAD DATA Logically assigned	10	0.01
		94 = DON'T KNOW	2218	1.28
		97 = REFUSED	179	0.10
		98 = BLANK (NO ANSWER)	875	0.50

How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?

RSKCOCWK ¹	Len : 2	RISK USING COCAINE ONCE OR TWICE A WEEK		
			Freq	Pct
		1 = No risk	3256	1.87
		2 = Slight risk	5428	3.12
		3 = Moderate risk	22764	13.10
		4 = Great risk	139200	80.09
		85 = BAD DATA Logically assigned	10	0.01
		94 = DON'T KNOW	2101	1.21
		97 = REFUSED	166	0.10
		98 = BLANK (NO ANSWER)	883	0.51

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?

[RSKBNGDLY¹](#)

Len : 2 RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY

	Freq	Pct
1 = No risk	3747	2.16
2 = Slight risk	12081	6.95
3 = Moderate risk	40180	23.12
4 = Great risk	115478	66.44
85 = BAD DATA Logically assigned	10	0.01
94 = DON'T KNOW	1250	0.72
97 = REFUSED	169	0.10
98 = BLANK (NO ANSWER)	893	0.51

How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?

[RSKBNGWK¹](#)

Len : 2 RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK

	Freq	Pct
1 = No risk	6198	3.57
2 = Slight risk	29733	17.11
3 = Moderate risk	62767	36.11
4 = Great risk	72700	41.83
85 = BAD DATA Logically assigned	10	0.01
94 = DON'T KNOW	1335	0.77
97 = REFUSED	155	0.09
98 = BLANK (NO ANSWER)	910	0.52

The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.

How difficult or easy would it be for you to get some marijuana, if you wanted some?

[DIFGETMRJ¹](#)

Len : 2 HOW DIFFICULT TO GET MARIJUANA

	Freq	Pct
1 = Probably impossible.....	23539	13.54
2 = Very difficult	16125	9.28
3 = Fairly difficult.....	19731	11.35
4 = Fairly easy	44808	25.78
5 = Very easy	65426	37.64
85 = BAD DATA Logically assigned	11	0.01
94 = DON'T KNOW	2720	1.56
97 = REFUSED	479	0.28
98 = BLANK (NO ANSWER)	969	0.56

How difficult or easy would it be for you to get some LSD, if you wanted some?

[DIFGETLSD¹](#)

Len : 2 HOW DIFFICULT TO GET LSD

	Freq	Pct
1 = Probably impossible.....	65165	37.49
2 = Very difficult	43386	24.96
3 = Fairly difficult.....	34975	20.12
4 = Fairly easy	17339	9.98
5 = Very easy	6220	3.58
85 = BAD DATA Logically assigned	11	0.01
94 = DON'T KNOW	5248	3.02
97 = REFUSED	480	0.28
98 = BLANK (NO ANSWER)	984	0.57

RISK/AVAILABILITY

How difficult or easy would it be for you to get some cocaine, if you wanted some?

[DIFGETCOC](#)¹

Len : 2 HOW DIFFICULT TO GET COCAINE

	Freq	Pct
1 = Probably impossible.....	64187	36.93
2 = Very difficult	42309	24.34
3 = Fairly difficult.....	30042	17.28
4 = Fairly easy	21559	12.40
5 = Very easy	9906	5.70
85 = BAD DATA Logically assigned.....	11	0.01
94 = DON'T KNOW	4359	2.51
97 = REFUSED	444	0.26
98 = BLANK (NO ANSWER)	991	0.57

How difficult or easy would it be for you to get some 'crack', if you wanted some?

[DIFGETCRK](#)¹

Len : 2 HOW DIFFICULT TO GET "CRACK"

	Freq	Pct
1 = Probably impossible.....	73479	42.28
2 = Very difficult	45316	26.07
3 = Fairly difficult.....	25552	14.70
4 = Fairly easy	15162	8.72
5 = Very easy	8263	4.75
85 = BAD DATA Logically assigned.....	11	0.01
94 = DON'T KNOW	4570	2.63
97 = REFUSED	457	0.26
98 = BLANK (NO ANSWER)	998	0.57

How difficult or easy would it be for you to get some heroin, if you wanted some?

[DIFGETHER](#)¹

Len : 2 HOW DIFFICULT TO GET HEROIN

	Freq	Pct
1 = Probably impossible.....	78310	45.06
2 = Very difficult	44929	25.85
3 = Fairly difficult.....	23310	13.41
4 = Fairly easy	13491	7.76
5 = Very easy	7672	4.41
85 = BAD DATA Logically assigned.....	11	0.01
94 = DON'T KNOW	4625	2.66
97 = REFUSED	454	0.26
98 = BLANK (NO ANSWER)	1006	0.58

In the past 30 days, has anyone approached you to sell you an illegal drug?

[APPDRGMON](#)¹

Len : 2 APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS

	Freq	Pct
1 = Yes.....	8834	5.08
2 = No	163695	94.18
85 = BAD DATA Logically assigned.....	11	0.01
94 = DON'T KNOW	143	0.08
97 = REFUSED	109	0.06
98 = BLANK (NO ANSWER)	1016	0.58

How often do you get a real kick out of doing things that are a little dangerous?

[RSKYFQDGR](#)¹

Len : 2 GET A REAL KICK OUT OF DOING DANGEROUS THINGS

	Freq	Pct
1 = Never	82035	47.20
2 = Seldom.....	53377	30.71
3 = Sometimes	30809	17.73
4 = Always.....	5128	2.95
85 = BAD DATA Logically assigned.....	11	0.01
94 = DON'T KNOW	1110	0.64
97 = REFUSED	307	0.18
98 = BLANK (NO ANSWER)	1031	0.59

RISK/AVAILABILITY

How often do you like to test yourself by doing something a little risky?

[RSKYFQTES](#)¹

Len : 2 LIKE TO TEST YOURSELF BY DOING RISKY THINGS

	Freq	Pct
1 = Never	83992	48.32
2 = Seldom.....	59646	34.32
3 = Sometimes	25003	14.39
4 = Always.....	3292	1.89
85 = BAD DATA Logically assigned	11	0.01
94 = DON'T KNOW	578	0.33
97 = REFUSED	243	0.14
98 = BLANK (NO ANSWER)	1043	0.60

How often do you wear a seatbelt when you ride in the front passenger seat of a car?

[RKFPBLT](#)¹

Len : 2 WEAR A SEATBELT WHEN RIDE FRONT PASS SEAT OF CAR

	Freq	Pct
1 = Never	5874	3.38
2 = Seldom.....	4476	2.58
3 = Sometimes	12663	7.29
4 = Always.....	149470	86.00
85 = BAD DATA Logically assigned	11	0.01
94 = DON'T KNOW	148	0.09
97 = REFUSED	110	0.06
98 = BLANK (NO ANSWER)	1056	0.61

How often do you wear a seatbelt when you drive a car?

[RKFDBLT](#)¹

Len : 2 WEAR A SEATBELT WHEN YOU DRIVE A CAR

	Freq	Pct
1 = Never	4067	2.34
2 = Seldom.....	2657	1.53
3 = Sometimes	7031	4.05
4 = Always.....	126209	72.61
5 = I don't drive.....	32505	18.70
85 = BAD DATA Logically assigned	11	0.01
94 = DON'T KNOW	154	0.09
97 = REFUSED	110	0.06
98 = BLANK (NO ANSWER)	1064	0.61

RECODED RISK/AVAILABILITY

RECODED RISK/AVAILABILITY

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

<u>GRSKCIGPKD</u>	Len : 1 RC-GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY		
	.	Freq	Pct
	= Unknown (Otherwise).....	2225	1.28
	0 = Otherwise (RSKCIGPKD=1,2,3).....	57814	33.26
	1 = Great Risk (RSKCIGPKD=4).....	113769	65.46

<u>GRSKMRJMON</u>	Len : 1 RC-GREAT RISK: USE MARIJUANA ONCE A MONTH		
	.	Freq	Pct
	= Unknown (Otherwise).....	2836	1.63
	0 = Otherwise (RSKMRJMON=1,2,3).....	141617	81.48
	1 = Great Risk (RSKMRJMON=4).....	29355	16.89

<u>GRSKMRJWK</u>	Len : 1 RC-GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK		
	.	Freq	Pct
	= Unknown (Otherwise).....	2814	1.62
	0 = Otherwise (RSKMRJWK=1,2,3).....	132376	76.16
	1 = Great Risk (RSKMRJWK=4).....	38618	22.22

<u>GRSKCOCMON</u>	Len : 1 RC-GREAT RISK: USE COCAINE ONCE A MONTH		
	.	Freq	Pct
	= Unknown (Otherwise).....	3282	1.89
	0 = Otherwise (RSKCOCMON=1,2,3).....	66226	38.10
	1 = Great Risk (RSKCOCMON=4).....	104300	60.01

<u>GRSKCOCWK</u>	Len : 1 RC-GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK		
	.	Freq	Pct
	= Unknown (Otherwise).....	3160	1.82
	0 = Otherwise (RSKCOCWK=1,2,3).....	31448	18.09
	1 = Great Risk (RSKCOCWK=4).....	139200	80.09

<u>GRSKHERTRY</u>	Len : 1 RC-GREAT RISK: TRYING HEROIN ONCE OR TWICE		
	.	Freq	Pct
	= Unknown (Otherwise).....	3483	2.00
	0 = Otherwise (RSKHERTRY=1,2,3).....	39826	22.91
	1 = Great Risk (RSKHERTRY=4).....	130499	75.08

<u>GRSKHERWK</u>	Len : 1 RC-GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK		
	.	Freq	Pct
	= Unknown (Otherwise).....	3402	1.96
	0 = Otherwise (RSKHERWK=1,2,3).....	17423	10.02
	1 = Great Risk (RSKHERWK=4).....	152983	88.02

<u>GRSKLSDTRY</u>	Len : 1 RC-GREAT RISK: TRYING LSD ONCE OR TWICE		
	.	Freq	Pct
	= Unknown (Otherwise).....	5246	3.02
	0 = Otherwise (RSKLSLSDTRY=1,2,3).....	85034	48.92
	1 = Great Risk (RSKLSLSDTRY=4).....	83528	48.06

<u>GRSKLSDWK</u>	Len : 1 RC-GREAT RISK: USE LSD 1-2 TIMES PER WEEK		
	.	Freq	Pct
	= Unknown (Otherwise).....	5232	3.01
	0 = Otherwise (RSKLSLSDWK=1,2,3).....	53682	30.89
	1 = Great Risk (RSKLSLSDWK=4).....	114894	66.10

<u>GRSKBNGDLY</u>	Len : 1 RC-GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY		
	.	Freq	Pct
	= Unknown (Otherwise).....	2322	1.34
	0 = Otherwise (RSKBNGDLY=1,2,3).....	56008	32.22
	1 = Great Risk (RSKBNGDLY=4).....	115478	66.44

RECODED RISK/AVAILABILITY

[GRSKBNGWK](#)

Len : 1 RC-GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK

	Freq	Pct
. = Unknown (Otherwise).....	2410	1.39
0 = Otherwise (RSKBNGWK=1,2,3).....	98698	56.79
1 = Great Risk (RSKBNGWK=4).....	72700	41.83

[DIFOBTRMJ](#)

Len : 1 RC-MARIJUANA FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise).....	4179	2.40
0 = Otherwise (DIFGETMRJ=1,2,3).....	59395	34.17
1 = Fairly or Very Easy (DIFGETMRJ=4,5).....	110234	63.42

[DIFOBTCCOC](#)

Len : 1 RC-COCAINE FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise).....	5805	3.34
0 = Otherwise (DIFGETCOC=1,2,3).....	136538	78.56
1 = Fairly or Very Easy (DIFGETCOC=4,5).....	31465	18.10

[DIFOBTCCRK](#)

Len : 1 RC-CRACK FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise).....	6036	3.47
0 = Otherwise (DIFGETCRK=1,2,3).....	144347	83.05
1 = Fairly or Very Easy (DIFGETCRK=4,5).....	23425	13.48

[DIFOBTHER](#)

Len : 1 RC-HEROIN FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise).....	6096	3.51
0 = Otherwise (DIFGETHER=1,2,3).....	146549	84.32
1 = Fairly or Very Easy (DIFGETHER=4,5).....	21163	12.18

[DIFOBTLSLSD](#)

Len : 1 RC-LSD FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise).....	6723	3.87
0 = Otherwise (DIFGETLSLSD=1,2,3).....	143526	82.58
1 = Fairly or Very Easy (DIFGETLSLSD=4,5).....	23559	13.55

[APPDRGMON2](#)

Len : 1 RC-APPROACHED BY SOMEONE SELLING DRUGS

	Freq	Pct
. = Unknown (Otherwise).....	1279	0.74
0 = No (APPDRGMON=2).....	163695	94.18
1 = Yes (APPDRGMON=1,3).....	8834	5.08

SOCIAL ENVIRONMENT

SOCIAL ENVIRONMENT

This note applies to variables in this section marked by a¹.

The next questions are about things you might or might not have done recently.

During the past 12 months, how many times have you sold illegal drugs?

SNYSELL¹

Len : 2 SOLD ILLEGAL DRUGS

	Freq	Pct
1 = 0 times	133678	76.91
2 = 1 or 2 times	1443	0.83
3 = 3 to 5 times	372	0.21
4 = 6 to 9 times	154	0.09
5 = 10 or more times	532	0.31
85 = BAD DATA Logically assigned	62	0.04
94 = DON'T KNOW	119	0.07
97 = REFUSED	257	0.15
98 = BLANK (NO ANSWER)	2907	1.67
99 = LEGITIMATE SKIP	34284	19.73

During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?

SNYSTOLE¹

Len : 2 STOLEN/TRIED TO STEAL ANYTHING WORTH > \$50

	Freq	Pct
1 = 0 times	134459	77.36
2 = 1 or 2 times	1187	0.68
3 = 3 to 5 times	232	0.13
4 = 6 to 9 times	79	0.05
5 = 10 or more times	232	0.13
85 = BAD DATA Logically assigned	62	0.04
94 = DON'T KNOW	116	0.07
97 = REFUSED	246	0.14
98 = BLANK (NO ANSWER)	2911	1.67
99 = LEGITIMATE SKIP	34284	19.73

During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?

SNYATTAK¹

Len : 2 ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM

	Freq	Pct
1 = 0 times	134834	77.58
2 = 1 or 2 times	1138	0.65
3 = 3 to 5 times	127	0.07
4 = 6 to 9 times	28	0.02
5 = 10 or more times	71	0.04
85 = BAD DATA Logically assigned	62	0.04
94 = DON'T KNOW	106	0.06
97 = REFUSED	242	0.14
98 = BLANK (NO ANSWER)	2916	1.68
99 = LEGITIMATE SKIP	34284	19.73

How do you feel about adults trying marijuana or any cannabis product once or twice?

SNFAMJEV¹

Len : 2 HOW YOU FEEL: ADLTS TRYING MJ/CANNABIS

	Freq	Pct
1 = Neither approve nor disapprove	100723	57.95
2 = Somewhat disapprove	13754	7.91
3 = Strongly disapprove	20605	11.86
85 = BAD DATA Logically assigned	62	0.04
94 = DON'T KNOW	755	0.43
97 = REFUSED	695	0.40
98 = BLANK (NO ANSWER)	2930	1.69
99 = LEGITIMATE SKIP	34284	19.73

SOCIAL ENVIRONMENT

During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.

[SNRLGSVC¹](#)

Len : 2 PAST 12 MOS, HOW MANY RELIG. SERVICES

	Freq	Pct
1 = 0 times	78762	45.32
2 = 1 to 2 times	13358	7.69
3 = 3 to 5 times	9651	5.55
4 = 6 to 24 times	11535	6.64
5 = 25 to 52 times	12005	6.91
6 = More than 52 times	10418	5.99
85 = BAD DATA Logically assigned	62	0.04
94 = DON'T KNOW	334	0.19
97 = REFUSED	454	0.26
98 = BLANK (NO ANSWER)	2945	1.69
99 = LEGITIMATE SKIP	34284	19.73

These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.

Your religious beliefs are a very important part of your life.

[SNRLGIMP¹](#)

Len : 2 MY RELIGIOUS BELIEFS ARE VERY IMPORTANT

	Freq	Pct
1 = Strongly Disagree	31401	18.07
2 = Disagree	23181	13.34
3 = Agree	43022	24.75
4 = Strongly Agree	36962	21.27
85 = BAD DATA Logically assigned	62	0.04
94 = DON'T KNOW	942	0.54
97 = REFUSED	982	0.56
98 = BLANK (NO ANSWER)	2972	1.71
99 = LEGITIMATE SKIP	34284	19.73

Your religious beliefs influence how you make decisions in your life.

[SNRLDCSN¹](#)

Len : 2 MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS

	Freq	Pct
1 = Strongly Disagree	33067	19.03
2 = Disagree	26097	15.01
3 = Agree	43416	24.98
4 = Strongly Agree	32160	18.50
85 = BAD DATA Logically assigned	62	0.04
94 = DON'T KNOW	838	0.48
97 = REFUSED	903	0.52
98 = BLANK (NO ANSWER)	2981	1.72
99 = LEGITIMATE SKIP	34284	19.73

It is important that your friends share your religious beliefs.

[SNRLFRND¹](#)

Len : 2 IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS

	Freq	Pct
1 = Strongly Disagree	51393	29.57
2 = Disagree	51536	29.65
3 = Agree	23081	13.28
4 = Strongly Agree	8626	4.96
85 = BAD DATA Logically assigned	62	0.04
94 = DON'T KNOW	933	0.54
97 = REFUSED	899	0.52
98 = BLANK (NO ANSWER)	2994	1.72
99 = LEGITIMATE SKIP	34284	19.73

YOUTH EXPERIENCES

YOUTH EXPERIENCES

This note applies to variables in this section marked by a¹.

The next questions are about school. By "school," we mean elementary school, junior high or middle school, high school, or a college or university. Please include home schooling as well.

Have you attended any type of school at any time during the past 12 months?

<u>YEATNDYR</u> ¹	Len : 2	ATTENDED ANY TYPE OF SCHOOL PAST 12 MONTHS		
			Freq	Pct
		1 = Yes.....	31416	18.08
		2 = No.....	2519	1.45
		85 = BAD DATA Logically assigned.....	65	0.04
		94 = DON'T KNOW.....	169	0.10
		97 = REFUSED.....	66	0.04
		98 = BLANK (NO ANSWER).....	49	0.03
		99 = LEGITIMATE SKIP.....	139524	80.27

Some parents decide to educate their children at home rather than send them to school. Have you been home-schooled at any time during the past 12 months?

<u>YEHMSLYR</u> ¹	Len : 2	HOME SCHOOLED AT ANY TIME DURING THE PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	392	0.23
		2 = No.....	2224	1.28
		85 = BAD DATA Logically assigned.....	58	0.03
		94 = DON'T KNOW.....	84	0.05
		97 = REFUSED.....	52	0.03
		98 = BLANK (NO ANSWER).....	58	0.03
		99 = LEGITIMATE SKIP.....	170940	98.35

Which of the statements below best describes how you felt overall about going to school during the past 12 months?

<u>YESCHFLT</u> ¹	Len : 2	HOW YOU FELT OVERALL ABT GOING TO SCHL PAST 12 MOS		
			Freq	Pct
		1 = You liked going to school a lot.....	6852	3.94
		2 = You kind of liked going to school.....	16018	9.22
		3 = You didn't like going to school very much.....	6474	3.72
		4 = You hated going to school.....	2399	1.38
		85 = BAD DATA Logically assigned.....	9	0.01
		94 = DON'T KNOW.....	41	0.02
		97 = REFUSED.....	73	0.04
		98 = BLANK (NO ANSWER).....	279	0.16
		99 = LEGITIMATE SKIP.....	141663	81.51

During the past 12 months, how often did you feel that the school work you were assigned to do was meaningful and important?

<u>YESCHWRK</u> ¹	Len : 2	HOW OFTEN FELT SCHL WORK MEANINGFUL PST 12 MOS		
			Freq	Pct
		1 = Always.....	5484	3.16
		2 = Sometimes.....	15963	9.18
		3 = Seldom.....	7302	4.20
		4 = Never.....	2941	1.69
		85 = BAD DATA Logically assigned.....	9	0.01
		94 = DON'T KNOW.....	95	0.05
		97 = REFUSED.....	72	0.04
		98 = BLANK (NO ANSWER).....	279	0.16
		99 = LEGITIMATE SKIP.....	141663	81.51

YOUTH EXPERIENCES

How important do you think the things you have learned in school during the past 12 months are going to be to you later in life?

[YESCHIMP¹](#)

Len : 2 HOW IMPT THINGS LEARNED PST 12 MOS ARE GOING TO BE

	Freq	Pct
1 = Very important.....	6937	3.99
2 = Somewhat important.....	15225	8.76
3 = Somewhat unimportant.....	7082	4.07
4 = Very unimportant.....	2469	1.42
85 = BAD DATA Logically assigned.....	9	0.01
94 = DON'T KNOW.....	79	0.05
97 = REFUSED.....	65	0.04
98 = BLANK (NO ANSWER).....	279	0.16
99 = LEGITIMATE SKIP.....	141663	81.51

How interesting do you think most of your courses at school during the past 12 months have been?

[YESCHINT¹](#)

Len : 2 HOW INTERESTING ARE COURSES AT SCHL PAST 12 MONTHS

	Freq	Pct
1 = Very interesting.....	5765	3.32
2 = Somewhat interesting.....	15364	8.84
3 = Somewhat boring.....	7352	4.23
4 = Very boring.....	3229	1.86
85 = BAD DATA Logically assigned.....	9	0.01
94 = DON'T KNOW.....	77	0.04
97 = REFUSED.....	70	0.04
98 = BLANK (NO ANSWER).....	279	0.16
99 = LEGITIMATE SKIP.....	141663	81.51

During the past 12 months, how often did your teachers at school let you know when you were doing a good job with you school work?

[YETCGJOB¹](#)

Len : 2 HOW OFTEN TCHR SAY DOING A GOOD JOB PAST 12 MONTHS

	Freq	Pct
1 = Always.....	8973	5.16
2 = Sometimes.....	14485	8.33
3 = Seldom.....	5665	3.26
4 = Never.....	2557	1.47
85 = BAD DATA Logically assigned.....	9	0.01
94 = DON'T KNOW.....	103	0.06
97 = REFUSED.....	74	0.04
98 = BLANK (NO ANSWER).....	279	0.16
99 = LEGITIMATE SKIP.....	141663	81.51

What were your grades for the last semester or grading period you completed?

[YELSTGRD¹](#)

Len : 2 GRADES FOR LAST SEMESTER/GRADING PERIOD COMPLETED

	Freq	Pct
1 = An "A+", "A" or "A-minus" average.....	12601	7.25
2 = A "B+", "B" or "B-minus" average.....	10621	6.11
3 = A "C+", "C" or "C-minus" average.....	4614	2.65
4 = A "D" or less than a "D" average.....	1754	1.01
5 = My school does not give these grades.....	1558	0.90
85 = BAD DATA Logically assigned.....	10	0.01
94 = DON'T KNOW.....	508	0.29
97 = REFUSED.....	200	0.12
98 = BLANK (NO ANSWER).....	279	0.16
99 = LEGITIMATE SKIP.....	141663	81.51

YOUTH EXPERIENCES

Note: Beginning in 2022, edited variables YECIGFRNDOF2 and YECIGNEXTYR2 replace variables CIGOFSRM and CIGWILYR. Questions CG02 and CG03 were moved from the Nicotine (formerly Tobacco) section to the Youth Experiences section in 2022.

If one of your best friends offered you a cigarette, would you smoke it?

<u>YECIGFRNDOF2</u> ¹	Len : 2	IF BEST FRIEND OFFERED, WOULD YOU SMOKE CIGARETTE		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		1 = Yes.....	809	0.47
		2 = No.....	20763	11.95
		85 = BAD DATA Logically assigned.....	35	0.02
		94 = DON'T KNOW.....	67	0.04
		97 = REFUSED.....	49	0.03
		98 = BLANK (NO ANSWER).....	34	0.02
		99 = LEGITIMATE SKIP.....	94017	54.09

At any time during the next 12 months do you think you will smoke a cigarette?

<u>YECIGNEXTYR2</u> ¹	Len : 2	DO YOU THINK YOU'LL SMOKE A CIGARETTE IN NEXT 12 MONTHS		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		1 = Yes.....	336	0.19
		2 = No.....	21246	12.22
		85 = BAD DATA Logically assigned.....	35	0.02
		94 = DON'T KNOW.....	66	0.04
		97 = REFUSED.....	40	0.02
		98 = BLANK (NO ANSWER).....	34	0.02
		99 = LEGITIMATE SKIP.....	94017	54.09

How many of the students in your grade at school would you say smoke cigarettes?

Please think about the school you would be attending if you were not home-schooled, as you answer these next questions.

How many of the students in your grade at school would you say smoke cigarettes?

<u>YESTSCIG</u> ¹	Len : 2	HOW MANY SDNTS YOU KNOW IN GRADE SMOKE CIGARETTES		
			Freq	Pct
		1 = None of them.....	10487	6.03
		2 = A few of them.....	16661	9.59
		3 = Most of them.....	3003	1.73
		4 = All of them.....	354	0.20
		85 = BAD DATA Logically assigned.....	10	0.01
		94 = DON'T KNOW.....	1259	0.72
		97 = REFUSED.....	90	0.05
		98 = BLANK (NO ANSWER).....	281	0.16
		99 = LEGITIMATE SKIP.....	141663	81.51

How many of the students in your grade at school would you say use marijuana or any cannabis product?

<u>YESTSMJ</u> ¹	Len : 2	HOW MANY SDNTS YOU KNOW IN GRADE USE MJ/CANNABIS		
			Freq	Pct
		1 = None of them.....	10433	6.00
		2 = A few of them.....	12591	7.24
		3 = Most of them.....	6684	3.85
		4 = All of them.....	627	0.36
		85 = BAD DATA Logically assigned.....	10	0.01
		94 = DON'T KNOW.....	1427	0.82
		97 = REFUSED.....	92	0.05
		98 = BLANK (NO ANSWER).....	281	0.16
		99 = LEGITIMATE SKIP.....	141663	81.51

YOUTH EXPERIENCES

How many of the students in your grade at school would you say drink alcoholic beverages?

[YESTSALC](#)¹

Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE DRINK ALCOHOL

	Freq	Pct
1 = None of them	9747	5.61
2 = A few of them	13002	7.48
3 = Most of them	7025	4.04
4 = All of them	605	0.35
85 = BAD DATA Logically assigned	10	0.01
94 = DON'T KNOW	1384	0.80
97 = REFUSED	90	0.05
98 = BLANK (NO ANSWER)	282	0.16
99 = LEGITIMATE SKIP	141663	81.51

How many of the students in your grade at school would you say get drunk at least once a week?

[YESTSDNK](#)¹

Len : 2 HOW MANY SDNTS YOU KNOW GET DRUNK WEEKLY

	Freq	Pct
1 = None of them	15833	9.11
2 = A few of them	11575	6.66
3 = Most of them	2374	1.37
4 = All of them	255	0.15
85 = BAD DATA Logically assigned	10	0.01
94 = DON'T KNOW	1725	0.99
97 = REFUSED	91	0.05
98 = BLANK (NO ANSWER)	282	0.16
99 = LEGITIMATE SKIP	141663	81.51

The next questions ask about your parents. By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians who live in your household.

During the past 12 months, how often did your parents check on whether you had done your homework?

[YEPCHKHW](#)¹

Len : 2 PRNTS CHECK IF YOU'VE DONE HOMEWORK PST 12 MOS

	Freq	Pct
1 = Always	15453	8.89
2 = Sometimes	10156	5.84
3 = Seldom	3432	1.97
4 = Never	2573	1.48
85 = BAD DATA Logically assigned	10	0.01
94 = DON'T KNOW	127	0.07
97 = REFUSED	111	0.06
98 = BLANK (NO ANSWER)	283	0.16
99 = LEGITIMATE SKIP	141663	81.51

During the past 12 months, how often did your parents provide help with your homework when you needed it?

[YEPHLPHW](#)¹

Len : 2 PRNTS HELPED YOU W/HOMEWORK PAST 12 MONTHS

	Freq	Pct
1 = Always	17435	10.03
2 = Sometimes	7393	4.25
3 = Seldom	3170	1.82
4 = Never	3567	2.05
85 = BAD DATA Logically assigned	10	0.01
94 = DON'T KNOW	147	0.08
97 = REFUSED	140	0.08
98 = BLANK (NO ANSWER)	283	0.16
99 = LEGITIMATE SKIP	141663	81.51

YOUTH EXPERIENCES

During the past 12 months, how often did your parents make you do chores around the house?

YEPCHORE ¹	Len : 2	PRNTS MADE YOU DO WORK/CHORES PAST 12 MONTHS		
			Freq	Pct
		1 = Always.....	15461	8.90
		2 = Sometimes	14174	8.15
		3 = Seldom.....	2894	1.67
		4 = Never	1380	0.79
		85 = BAD DATA Logically assigned.....	67	0.04
		94 = DON'T KNOW.....	155	0.09
		97 = REFUSED	99	0.06
		98 = BLANK (NO ANSWER)	54	0.03
		99 = LEGITIMATE SKIP.....	139524	80.27

During the past 12 months, how often did your parents limit the amount of time you watched TV?

YEPLMTTV ¹	Len : 2	PRNTS LIMITED YOUR AMT OF TV TIME PST 12 MOS		
			Freq	Pct
		1 = Always.....	3863	2.22
		2 = Sometimes	8407	4.84
		3 = Seldom.....	6487	3.73
		4 = Never	15024	8.64
		85 = BAD DATA Logically assigned.....	67	0.04
		94 = DON'T KNOW.....	269	0.15
		97 = REFUSED	113	0.07
		98 = BLANK (NO ANSWER)	54	0.03
		99 = LEGITIMATE SKIP.....	139524	80.27

During the past 12 months, how often did your parents limit the amount of time you went out with friends on school nights?

YEPLMTSN ¹	Len : 2	PRNTS LIMITED YOUR TIME OUT W/FRNDS PST 12 MOS		
			Freq	Pct
		1 = Always.....	9546	5.49
		2 = Sometimes	8606	4.95
		3 = Seldom.....	5368	3.09
		4 = Never	7422	4.27
		85 = BAD DATA Logically assigned.....	10	0.01
		94 = DON'T KNOW.....	705	0.41
		97 = REFUSED	205	0.12
		98 = BLANK (NO ANSWER)	283	0.16
		99 = LEGITIMATE SKIP.....	141663	81.51

During the past 12 months, how often did your parents let you know when you'd done a good job?

YEPGDJOB ¹	Len : 2	PRNTS LET YOU KNOW DONE A GOOD JOB PST 12 MOS		
			Freq	Pct
		1 = Always.....	16369	9.42
		2 = Sometimes	11528	6.63
		3 = Seldom.....	3968	2.28
		4 = Never	1988	1.14
		85 = BAD DATA Logically assigned.....	68	0.04
		94 = DON'T KNOW.....	210	0.12
		97 = REFUSED	99	0.06
		98 = BLANK (NO ANSWER)	54	0.03
		99 = LEGITIMATE SKIP.....	139524	80.27

During the past 12 months, how often did your parents tell you they were proud of you for something you had done?

YEPPROUD ¹	Len : 2	TELL YOU THEY'RE PROUD OF SOMETHING YOU'D DONE		
			Freq	Pct
		1 = Always.....	16482	9.48
		2 = Sometimes	10840	6.24
		3 = Seldom.....	4284	2.46
		4 = Never	2220	1.28
		85 = BAD DATA Logically assigned.....	68	0.04
		94 = DON'T KNOW.....	218	0.13
		97 = REFUSED	118	0.07
		98 = BLANK (NO ANSWER)	54	0.03
		99 = LEGITIMATE SKIP.....	139524	80.27

YOUTH EXPERIENCES

During the past 12 months, how many times have you argued or had a fight with at least one of your parents?

YEYARGUP¹

Len : 2 ARGUED/HAD A FIGHT WITH AT LEAST ONE OF YOUR PRNTS

	Freq	Pct
1 = 0 times	7070	4.07
2 = 1 or 2 times	9653	5.55
3 = 3 to 5 times	6905	3.97
4 = 6 to 9 times	3463	1.99
5 = 10 or more times	6366	3.66
85 = BAD DATA Logically assigned	68	0.04
94 = DON'T KNOW	465	0.27
97 = REFUSED	240	0.14
98 = BLANK (NO ANSWER)	54	0.03
99 = LEGITIMATE SKIP	139524	80.27

During the past 12 months, how many times have you gotten into a serious fight at school or work?

YEYFGTSW¹

Len : 2 GOTTEN INTO A SERIOUS FIGHT AT SCHOOL/WORK

	Freq	Pct
1 = 0 times	28453	16.37
2 = 1 or 2 times	4149	2.39
3 = 3 to 5 times	811	0.47
4 = 6 to 9 times	216	0.12
5 = 10 or more times	204	0.12
85 = BAD DATA Logically assigned	68	0.04
94 = DON'T KNOW	198	0.11
97 = REFUSED	131	0.08
98 = BLANK (NO ANSWER)	54	0.03
99 = LEGITIMATE SKIP	139524	80.27

During the past 12 months, how many times have you taken part in a fight where a group of your friends fought against another group?

YEYFGTGP¹

Len : 2 TAKEN PART IN FIGHT WHERE GROUP FIGHTS GROUP

	Freq	Pct
1 = 0 times	30339	17.46
2 = 1 or 2 times	2740	1.58
3 = 3 to 5 times	463	0.27
4 = 6 to 9 times	171	0.10
5 = 10 or more times	136	0.08
85 = BAD DATA Logically assigned	68	0.04
94 = DON'T KNOW	196	0.11
97 = REFUSED	117	0.07
98 = BLANK (NO ANSWER)	54	0.03
99 = LEGITIMATE SKIP	139524	80.27

During the past 12 months, how many times have you carried a handgun?

YEYHGUN¹

Len : 2 CARRIED A HANDGUN

	Freq	Pct
1 = 0 times	32197	18.52
2 = 1 or 2 times	1126	0.65
3 = 3 to 5 times	306	0.18
4 = 6 to 9 times	110	0.06
5 = 10 or more times	158	0.09
85 = BAD DATA Logically assigned	68	0.04
94 = DON'T KNOW	151	0.09
97 = REFUSED	112	0.06
98 = BLANK (NO ANSWER)	56	0.03
99 = LEGITIMATE SKIP	139524	80.27

YOUTH EXPERIENCES

During the past 12 months, how many times have you sold illegal drugs?

[YEYSELL](#)¹

Len : 2 SOLD ILLEGAL DRUGS

	Freq	Pct
1 = 0 times	33479	19.26
2 = 1 or 2 times	268	0.15
3 = 3 to 5 times	65	0.04
4 = 6 to 9 times	55	0.03
5 = 10 or more times	92	0.05
85 = BAD DATA Logically assigned	69	0.04
94 = DON'T KNOW	103	0.06
97 = REFUSED	95	0.05
98 = BLANK (NO ANSWER)	58	0.03
99 = LEGITIMATE SKIP	139524	80.27

During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?

[YEYSTOLE](#)¹

Len : 2 STOLEN/TRIED TO STEAL ANYTHING WORTH >\$50

	Freq	Pct
1 = 0 times	32783	18.86
2 = 1 or 2 times	824	0.47
3 = 3 to 5 times	175	0.10
4 = 6 to 9 times	77	0.04
5 = 10 or more times	85	0.05
85 = BAD DATA Logically assigned	69	0.04
94 = DON'T KNOW	112	0.06
97 = REFUSED	99	0.06
98 = BLANK (NO ANSWER)	60	0.03
99 = LEGITIMATE SKIP	139524	80.27

During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?

[YEYATTAK](#)¹

Len : 2 ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM

	Freq	Pct
1 = 0 times	32144	18.49
2 = 1 or 2 times	1413	0.81
3 = 3 to 5 times	212	0.12
4 = 6 to 9 times	74	0.04
5 = 10 or more times	76	0.04
85 = BAD DATA Logically assigned	69	0.04
94 = DON'T KNOW	120	0.07
97 = REFUSED	116	0.07
98 = BLANK (NO ANSWER)	60	0.03
99 = LEGITIMATE SKIP	139524	80.27

How do you think your parents would feel about you smoking one or more packs of cigarettes per day?

[YEPPKCIG](#)¹

Len : 2 HOW PRNTS WLD FEEL: YOU SMOKING 1+ PACK CIGS/DAY

	Freq	Pct
1 = Neither approve nor disapprove	1463	0.84
2 = Somewhat disapprove	920	0.53
3 = Strongly disapprove	31339	18.03
85 = BAD DATA Logically assigned	69	0.04
94 = DON'T KNOW	302	0.17
97 = REFUSED	131	0.08
98 = BLANK (NO ANSWER)	60	0.03
99 = LEGITIMATE SKIP	139524	80.27

YOUTH EXPERIENCES

How do you think your parents would feel about you trying marijuana or any cannabis product once or twice?

YEPMJEV¹	Len : 2	HOW PRNTS WLD FEEL: YOU TRYING MJ/CANNABIS		
			Freq	Pct
		1 = Neither Approve or Disapprove	2579	1.48
		2 = Somewhat Disapprove	3701	2.13
		3 = Strongly Disapprove	27400	15.76
		85 = BAD DATA Logically assigned	69	0.04
		94 = DON'T KNOW	331	0.19
		97 = REFUSED	144	0.08
		98 = BLANK (NO ANSWER)	60	0.03
		99 = LEGITIMATE SKIP	139524	80.27

How do you think your parents would feel about you using marijuana or any cannabis product once a month or more?

YEPMJMO¹	Len : 2	HOW PRNTS WLD FEEL: YOU USING MJ/CANNABIS MONTHLY		
			Freq	Pct
		1 = Neither Approve or Disapprove	2265	1.30
		2 = Somewhat Disapprove	3035	1.75
		3 = Strongly Disapprove	28368	16.32
		85 = BAD DATA Logically assigned	69	0.04
		94 = DON'T KNOW	346	0.20
		97 = REFUSED	141	0.08
		98 = BLANK (NO ANSWER)	60	0.03
		99 = LEGITIMATE SKIP	139524	80.27

How do you think your parents would feel about you having one or two drinks of an alcoholic beverage nearly every day?

YEPALDLY¹	Len : 2	HOW PRNTS WLD FEEL: YOU DRINKING ALC DAILY		
			Freq	Pct
		1 = Neither Approve or Disapprove	1352	0.78
		2 = Somewhat Disapprove	2147	1.24
		3 = Strongly Disapprove	30208	17.38
		85 = BAD DATA Logically assigned	70	0.04
		94 = DON'T KNOW	312	0.18
		97 = REFUSED	135	0.08
		98 = BLANK (NO ANSWER)	60	0.03
		99 = LEGITIMATE SKIP	139524	80.27

How do you feel about someone your age smoking one or more packs of cigarettes a day?

YEGPKCIG¹	Len : 2	HOW YOU FEEL S/ONE YOUR AGE SMOKG 1+ PK CIGS/DY		
			Freq	Pct
		1 = Neither approve nor disapprove	2719	1.56
		2 = Somewhat disapprove	3160	1.82
		3 = Strongly disapprove	27834	16.01
		85 = BAD DATA Logically assigned	70	0.04
		94 = DON'T KNOW	313	0.18
		97 = REFUSED	128	0.07
		98 = BLANK (NO ANSWER)	60	0.03
		99 = LEGITIMATE SKIP	139524	80.27

How do you feel about someone your age trying marijuana or any cannabis product once or twice?

YEGMJEV¹	Len : 2	HOW YOU FEEL S/ONE YOUR AGE TRYING MJ/CANNABIS		
			Freq	Pct
		1 = Neither approve nor disapprove	7475	4.30
		2 = Somewhat disapprove	5264	3.03
		3 = Strongly disapprove	20962	12.06
		85 = BAD DATA Logically assigned	70	0.04
		94 = DON'T KNOW	327	0.19
		97 = REFUSED	126	0.07
		98 = BLANK (NO ANSWER)	60	0.03
		99 = LEGITIMATE SKIP	139524	80.27

YOUTH EXPERIENCES

How do you feel about someone your age using marijuana once a month or more?

[YEGMJMO](#)¹

Len : 2 HOW YOU FEEL S/ONE YOUR AGE USING MJ/CANNABIS MONTHLY

	Freq	Pct
1 = Neither approve nor disapprove	7329	4.22
2 = Somewhat disapprove	5091	2.93
3 = Strongly disapprove	21285	12.25
85 = BAD DATA Logically assigned	70	0.04
94 = DON'T KNOW	325	0.19
97 = REFUSED	124	0.07
98 = BLANK (NO ANSWER)	60	0.03
99 = LEGITIMATE SKIP	139524	80.27

How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?

[YEGALDLY](#)¹

Len : 2 HOW YOU FEEL S/ONE YOUR AGE DRINKING ALC DLY

	Freq	Pct
1 = Neither approve nor disapprove	3686	2.12
2 = Somewhat disapprove	4519	2.60
3 = Strongly disapprove	25515	14.68
85 = BAD DATA Logically assigned	70	0.04
94 = DON'T KNOW	307	0.18
97 = REFUSED	127	0.07
98 = BLANK (NO ANSWER)	60	0.03
99 = LEGITIMATE SKIP	139524	80.27

How do you think your close friends would feel about you smoking one or more packs of cigarettes a day?

[YEFKICIG](#)¹

Len : 2 HOW YOU FEEL FRIENDS SMOKING 1+ PACK CIGS/DAY

	Freq	Pct
1 = Neither approve nor disapprove	3048	1.75
2 = Somewhat disapprove	4572	2.63
3 = Strongly disapprove	25947	14.93
85 = BAD DATA Logically assigned	70	0.04
94 = DON'T KNOW	460	0.26
97 = REFUSED	127	0.07
98 = BLANK (NO ANSWER)	60	0.03
99 = LEGITIMATE SKIP	139524	80.27

How do you think your close friends would feel about you trying marijuana or any cannabis product once or twice?

[YEFMJVR](#)¹

Len : 2 HOW YOU FEEL FRIENDS USING MJ 1X/MO

	Freq	Pct
1 = Neither approve nor disapprove	7515	4.32
2 = Somewhat disapprove	5573	3.21
3 = Strongly disapprove	20460	11.77
85 = BAD DATA Logically assigned	70	0.04
94 = DON'T KNOW	481	0.28
97 = REFUSED	125	0.07
98 = BLANK (NO ANSWER)	60	0.03
99 = LEGITIMATE SKIP	139524	80.27

How do you think your close friends would feel about you using marijuana or any cannabis product once a month or more?

[YEFMJMO](#)¹

Len : 2 HOW YOU FEEL FRIENDS USING MJ MONTHLY

	Freq	Pct
1 = Neither approve nor disapprove	7026	4.04
2 = Somewhat disapprove	5282	3.04
3 = Strongly disapprove	21223	12.21
85 = BAD DATA Logically assigned	70	0.04
94 = DON'T KNOW	494	0.28
97 = REFUSED	129	0.07
98 = BLANK (NO ANSWER)	60	0.03
99 = LEGITIMATE SKIP	139524	80.27

YOUTH EXPERIENCES

How do you think your close friends would feel about you having one or two drinks of an alcoholic beverage nearly every day?

[YEFALDLY](#)¹

Len : 2 HOW YOU FEEL FRIENDS DRINKING ALC DAILY

	Freq	Pct
1 = Neither approve nor disapprove	3794	2.18
2 = Somewhat disapprove	5167	2.97
3 = Strongly disapprove	24593	14.15
85 = BAD DATA Logically assigned	70	0.04
94 = DON'T KNOW	474	0.27
97 = REFUSED	125	0.07
98 = BLANK (NO ANSWER)	61	0.04
99 = LEGITIMATE SKIP	139524	80.27

NOTE: In the variables YETLKPAR, YETLKBGF, YETLKOTA and YETLKSOP, codes of 11 were assigned if the respondent indicated that there was no one that he/she could talk to about a serious problem but the respondent also indicated 1 or more people that he/she could talk to about a serious problem.

If you wanted to talk to someone about a serious problem, which of the following people would you turn to?

[YETLKNON](#)¹

Len : 2 THERE IS NOBODY I CAN TALK TO ABOUT SERIOUS PROBS

	Freq	Pct
1 = Response entered	2259	1.30
6 = Response not entered	30684	17.65
11 = Response entered (& other responses entered)	636	0.37
85 = BAD DATA Logically assigned	14	0.01
94 = DON'T KNOW	357	0.21
97 = REFUSED	217	0.12
98 = BLANK (NO ANSWER)	117	0.07
99 = LEGITIMATE SKIP	139524	80.27

[YETLKPAR](#)¹

Len : 2 MY MOTHER/FATHER/GUARDIAN

	Freq	Pct
1 = Response entered	23330	13.42
6 = Response not entered	9991	5.75
11 = Response entered (YETLKNON=11)	258	0.15
85 = BAD DATA Logically assigned	56	0.03
94 = DON'T KNOW	357	0.21
97 = REFUSED	217	0.12
98 = BLANK (NO ANSWER)	75	0.04
99 = LEGITIMATE SKIP	139524	80.27

[YETLKBGF](#)¹

Len : 2 MY BOYFRIEND/GIRLFRIEND

	Freq	Pct
1 = Response entered	7085	4.08
6 = Response not entered	26306	15.14
11 = Response entered (YETLKNON=11)	188	0.11
94 = DON'T KNOW	357	0.21
97 = REFUSED	217	0.12
98 = BLANK (NO ANSWER)	131	0.08
99 = LEGITIMATE SKIP	139524	80.27

[YETLKOTA](#)¹

Len : 2 SOME OTHER ADULT

	Freq	Pct
1 = Response entered	7642	4.40
6 = Response not entered	25789	14.84
11 = Response entered (YETLKNON=11)	148	0.09
94 = DON'T KNOW	357	0.21
97 = REFUSED	217	0.12
98 = BLANK (NO ANSWER)	131	0.08
99 = LEGITIMATE SKIP	139524	80.27

YOUTH EXPERIENCES

[YETLKSOP¹](#)

Len : 2 SOME OTHER PERSON

	Freq	Pct
1 = Response entered	11689	6.73
6 = Response not entered	21590	12.42
11 = Response entered (YETLKNON=11)	300	0.17
94 = DON'T KNOW	357	0.21
97 = REFUSED	217	0.12
98 = BLANK (NO ANSWER)	131	0.08
99 = LEGITIMATE SKIP	139524	80.27

Now think about the past 12 months, that is, from [DATEFILL] through today. During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians -- whether or not they live with you.

[YEPRTDNG¹](#)

Len : 2 HAVE YOU TALKED W/PARENT(S) ABT DANGER OF TOB/ALC

	Freq	Pct
1 = Yes.....	17439	10.03
2 = No	15963	9.18
85 = BAD DATA Logically assigned.....	70	0.04
94 = DON'T KNOW	592	0.34
97 = REFUSED	159	0.09
98 = BLANK (NO ANSWER)	61	0.04
99 = LEGITIMATE SKIP.....	139524	80.27

During the past 12 months have you participated in a problem solving, communication skills or self-esteem group?

[YEPRBSLV¹](#)

Len : 2 PRBLM SOLVING/COMMUNICATION SKILLS/SELF-ESTEEM GR

	Freq	Pct
1 = Yes.....	6732	3.87
2 = No	26422	15.20
85 = BAD DATA Logically assigned.....	70	0.04
94 = DON'T KNOW	867	0.50
97 = REFUSED	132	0.08
98 = BLANK (NO ANSWER)	61	0.04
99 = LEGITIMATE SKIP.....	139524	80.27

During the past 12 months have you participated in a violence prevention program, where you learn ways to avoid fights and control anger?

[YEVIOPRV¹](#)

Len : 2 VIOLENCE PREVENTION PROGRAMS

	Freq	Pct
1 = Yes.....	2702	1.55
2 = No	30908	17.78
85 = BAD DATA Logically assigned.....	70	0.04
94 = DON'T KNOW	419	0.24
97 = REFUSED	124	0.07
98 = BLANK (NO ANSWER)	61	0.04
99 = LEGITIMATE SKIP.....	139524	80.27

During the past 12 months have you participated in an alcohol, tobacco or drug prevention program outside of school, where you learn about the dangers of using, and how to resist using, alcohol, tobacco, or drugs?

[YEDGPRGP¹](#)

Len : 2 ALCOHOL/TOBACCO/DRUG PREV PGMS OUTSIDE SCHL

	Freq	Pct
1 = Yes.....	2487	1.43
2 = No	31202	17.95
85 = BAD DATA Logically assigned.....	70	0.04
94 = DON'T KNOW	335	0.19
97 = REFUSED	128	0.07
98 = BLANK (NO ANSWER)	62	0.04
99 = LEGITIMATE SKIP.....	139524	80.27

YOUTH EXPERIENCES

During the past 12 months have you participated in a program or meeting to help you deal with drug or alcohol use by you or another member of your family, such as Alcoholics Anonymous, Alateen, or individual or group counseling?

[YESLFHLP¹](#)

Len : 2 AA/ALATEEN/INDIVIDUAL OR GROUP COUNSELING

	Freq	Pct
1 = Yes.....	751	0.43
2 = No.....	32905	18.93
85 = BAD DATA Logically assigned.....	70	0.04
94 = DON'T KNOW.....	363	0.21
97 = REFUSED.....	132	0.08
98 = BLANK (NO ANSWER).....	63	0.04
99 = LEGITIMATE SKIP.....	139524	80.27

During the past 12 months have you participated in pregnancy or sexually transmitted disease prevention programs?

[YEPRGSTD¹](#)

Len : 2 PREGNANCY OR SEXUALLY TRANSMITTED DISEASE PGMS

	Freq	Pct
1 = Yes.....	1211	0.70
2 = No.....	32540	18.72
85 = BAD DATA Logically assigned.....	70	0.04
94 = DON'T KNOW.....	268	0.15
97 = REFUSED.....	132	0.08
98 = BLANK (NO ANSWER).....	63	0.04
99 = LEGITIMATE SKIP.....	139524	80.27

During the past 12 months, in how many different kinds of school-based activities, such as team sports, cheerleading, choir, band, student government, or clubs, have you participated?

[YESCHACT¹](#)

Len : 2 # OF SCHOOL-BASED ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None.....	7623	4.39
1 = One.....	9040	5.20
2 = Two.....	8733	5.02
3 = 3 or more.....	8361	4.81
85 = BAD DATA Logically assigned.....	70	0.04
94 = DON'T KNOW.....	278	0.16
97 = REFUSED.....	116	0.07
98 = BLANK (NO ANSWER).....	63	0.04
99 = LEGITIMATE SKIP.....	139524	80.27

During the past 12 months, in how many different kinds of community-based activities, such as volunteer activities, sports, clubs, or groups have you participated?

[YECOMACT¹](#)

Len : 2 # OF COMM.-BASED ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None.....	10914	6.28
1 = One.....	8845	5.09
2 = Two.....	7101	4.09
3 = 3 or more.....	6713	3.86
85 = BAD DATA Logically assigned.....	70	0.04
94 = DON'T KNOW.....	451	0.26
97 = REFUSED.....	126	0.07
98 = BLANK (NO ANSWER).....	64	0.04
99 = LEGITIMATE SKIP.....	139524	80.27

During the past 12 months, in how many different kinds of church or faith-based activities, such as clubs, youth groups, Saturday or Sunday school, prayer groups, youth trips, service or volunteer activities have you participated?

[YEFAIACT¹](#)

Len : 2 # OF FAITH-BASED ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None.....	17583	10.12
1 = One.....	6625	3.81
2 = Two.....	3637	2.09
3 = 3 or more.....	5672	3.26
85 = BAD DATA Logically assigned.....	70	0.04
94 = DON'T KNOW.....	485	0.28
97 = REFUSED.....	147	0.08
98 = BLANK (NO ANSWER).....	65	0.04
99 = LEGITIMATE SKIP.....	139524	80.27

YOUTH EXPERIENCES

During the past 12 months, in how many different kinds of other activities, such as dance lessons, piano lessons, karate lessons, or horseback riding lessons, have you participated?

[YEOTHACT](#)¹

Len : 2 # OF OTHER ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None	21929	12.62
1 = One	6224	3.58
2 = Two	2874	1.65
3 = 3 or more	2645	1.52
85 = BAD DATA Logically assigned	70	0.04
94 = DON'T KNOW	348	0.20
97 = REFUSED	129	0.07
98 = BLANK (NO ANSWER)	65	0.04
99 = LEGITIMATE SKIP	139524	80.27

During the past 12 months have you had a special class about drugs or alcohol in school?

[YEDECLAS](#)¹

Len : 2 A SPECIAL CLASS ABOUT DRUGS OR ALCOHOL

	Freq	Pct
1 = Yes	11160	6.42
2 = No	20163	11.60
85 = BAD DATA Logically assigned	12	0.01
94 = DON'T KNOW	405	0.23
97 = REFUSED	113	0.07
98 = BLANK (NO ANSWER)	292	0.17
99 = LEGITIMATE SKIP	141663	81.51

During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol in one of your regular school classes such as health or physical education?

[YEDERGLR](#)¹

Len : 2 FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC IN CLASS

	Freq	Pct
1 = Yes	17474	10.05
2 = No	13814	7.95
85 = BAD DATA Logically assigned	12	0.01
94 = DON'T KNOW	419	0.24
97 = REFUSED	133	0.08
98 = BLANK (NO ANSWER)	293	0.17
99 = LEGITIMATE SKIP	141663	81.51

During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol outside of one of your regular classes such as in a special assembly?

[YEDESPCL](#)¹

Len : 2 FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC OUT CLAS

	Freq	Pct
1 = Yes	8957	5.15
2 = No	22241	12.80
85 = BAD DATA Logically assigned	12	0.01
94 = DON'T KNOW	509	0.29
97 = REFUSED	133	0.08
98 = BLANK (NO ANSWER)	293	0.17
99 = LEGITIMATE SKIP	141663	81.51

During the past 12 months have you seen or heard any alcohol or drug prevention messages from sources outside school such as posters, pamphlets, radio, or TV?

[YEPVNTYR](#)¹

Len : 2 SEEN/HEARD ALC/DRG PREV MESSAGES FRM SOURC OUT SC

	Freq	Pct
1 = Yes	21150	12.17
2 = No	12305	7.08
85 = BAD DATA Logically assigned	70	0.04
94 = DON'T KNOW	563	0.32
97 = REFUSED	128	0.07
98 = BLANK (NO ANSWER)	68	0.04
99 = LEGITIMATE SKIP	139524	80.27

YOUTH EXPERIENCES

During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.

[YERLGSVC](#)¹

Len : 2 PAST 12 MOS, HOW MANY RELIG. SERVICES

	Freq	Pct
1 = 0 times	16411	9.44
2 = 1 to 2 times	4824	2.78
3 = 3 to 5 times	2454	1.41
4 = 6 to 24 times	2958	1.70
5 = 25 to 52 times	2692	1.55
6 = More than 52 times	3785	2.18
85 = BAD DATA Logically assigned	70	0.04
94 = DON'T KNOW	825	0.47
97 = REFUSED	197	0.11
98 = BLANK (NO ANSWER)	68	0.04
99 = LEGITIMATE SKIP	139524	80.27

These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.

Your religious beliefs are a very important part of your life.

[YERLGIMP](#)¹

Len : 2 MY RELIGIOUS BELIEFS ARE VERY IMPORTANT

	Freq	Pct
1 = Strongly Disagree	6356	3.66
2 = Disagree	6400	3.68
3 = Agree	12133	6.98
4 = Strongly Agree	8086	4.65
85 = BAD DATA Logically assigned	70	0.04
94 = DON'T KNOW	879	0.51
97 = REFUSED	289	0.17
98 = BLANK (NO ANSWER)	71	0.04
99 = LEGITIMATE SKIP	139524	80.27

Your religious beliefs influence how you make decisions in your life.

[YERLDCSN](#)¹

Len : 2 MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS

	Freq	Pct
1 = Strongly Disagree	7444	4.28
2 = Disagree	7949	4.57
3 = Agree	11343	6.53
4 = Strongly Agree	6290	3.62
85 = BAD DATA Logically assigned	70	0.04
94 = DON'T KNOW	839	0.48
97 = REFUSED	278	0.16
98 = BLANK (NO ANSWER)	71	0.04
99 = LEGITIMATE SKIP	139524	80.27

It is important that your friends share your religious beliefs.

[YERLFRND](#)¹

Len : 2 IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS

	Freq	Pct
1 = Strongly Disagree	12477	7.18
2 = Disagree	12083	6.95
3 = Agree	6046	3.48
4 = Strongly Agree	2318	1.33
85 = BAD DATA Logically assigned	70	0.04
94 = DON'T KNOW	936	0.54
97 = REFUSED	283	0.16
98 = BLANK (NO ANSWER)	71	0.04
99 = LEGITIMATE SKIP	139524	80.27

YOUTH EXPERIENCES

Note: Beginning in 2022, questions YSUI01, YCOV9, YSUI02, YCOV10, YSUI03, YCOV11, YSUI04, and YSUI05 were moved from the youth mental health service utilization section to the youth experiences section.

The next few questions are about thoughts of suicide. You can answer "I'm not sure" or "I don't want to answer" to any question.

At any time in the past 12 months, that is from [DATEFILL] up to and including today, did you seriously think about trying to kill yourself?

<u>YUSUITHK</u> ¹	Len : 2	YOUTH SERIOUSLY THINK ABOUT KILLING SELF PST 12 MOS		
			Freq	Pct
		1 = Yes.....	4407	2.54
		2 = No.....	24317	13.99
		3 = I'm not sure	2462	1.42
		4 = I don't want to answer.....	2470	1.42
		85 = BAD DATA Logically assigned	62	0.04
		94 = DON'T KNOW.....	186	0.11
		97 = REFUSED	303	0.17
		98 = BLANK (NO ANSWER)	77	0.04
		99 = LEGITIMATE SKIP.....	139524	80.27

Was this because of the COVID-19 pandemic?

<u>YUCOSUITHK</u> ¹	Len : 2	YOUTH SERIOUSLY THINK ABOUT KILLING SELF DUE TO COVID-19		
			Freq	Pct
		1 = Yes.....	580	0.33
		2 = No.....	3749	2.16
		85 = BAD DATA Logically assigned	15	0.01
		94 = DON'T KNOW.....	74	0.04
		97 = REFUSED	5	0.00
		98 = BLANK (NO ANSWER)	5544	3.19
		99 = LEGITIMATE SKIP.....	163841	94.27

During the past 12 months, did you make any plans to kill yourself?

<u>YUSUIPLN</u> ¹	Len : 2	YOUTH MAKE PLANS TO KILL YOURSELF PST 12 MOS		
			Freq	Pct
		1 = Yes.....	2185	1.26
		2 = No.....	28413	16.35
		3 = I'm not sure	1120	0.64
		4 = I don't want to answer.....	2005	1.15
		85 = BAD DATA Logically assigned	63	0.04
		94 = DON'T KNOW.....	155	0.09
		97 = REFUSED	266	0.15
		98 = BLANK (NO ANSWER)	77	0.04
		99 = LEGITIMATE SKIP.....	139524	80.27

Was this because of the COVID-19 pandemic?

<u>YUCOSUIPLN</u> ¹	Len : 2	YOUTH MAKE PLAN TO KILL YOURSELF DUE TO COVID-19		
			Freq	Pct
		1 = Yes.....	192	0.11
		2 = No.....	1960	1.13
		85 = BAD DATA Logically assigned	21	0.01
		94 = DON'T KNOW.....	27	0.02
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER)	3669	2.11
		99 = LEGITIMATE SKIP.....	167937	96.62

RECODED YOUTH EXPERIENCES

RECODED YOUTH EXPERIENCES

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

<u>SCHFELT</u>	Len : 1 RC-HOW YTH FELT: ABOUT GOING TO SCHOOL IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	142065	81.74
	1 = Liked A Lot/Kind of Liked (YESCHFLT=1,2).....	22870	13.16
	2 = Didn't Like Very Much/Hated (YESCHFLT=3,4).....	8873	5.11

<u>TCHGJOB</u>	Len : 1 RC-TEACHER LET YTH KNOW DOING GOOD JOB IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	142128	81.77
	1 = Always/Sometimes (YETCGJOB=1,2).....	23458	13.50
	2 = Seldom/Never (YETCGJOB=3,4)	8222	4.73

<u>AVGGRADE</u>	Len : 1 RC-GRADE AVERAGE FOR LAST GRADING PERIOD COMPLETED		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	144218	82.98
	1 = D or Lower (YELSTGRD=4)	1754	1.01
	2 = A, B, or C (YELSTGRD=1,2,3)	27836	16.02

<u>STNDSCIG</u>	Len : 1 RC-STUDENTS IN YTH GRADE SMOKE CIGARETTES		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	143303	82.45
	1 = Most/All (YESTSCIG=3,4)	3357	1.93
	2 = None/Few (YESTSCIG=1,2)	27148	15.62

<u>STNDSMJ</u>	Len : 1 RC-STUDENTS IN YTH GRADE USE MARIJUANA		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	143473	82.55
	1 = Most/All (YESTSMJ=3,4).....	7311	4.21
	2 = None/Few (YESTSMJ=1,2).....	23024	13.25

<u>STNDALC</u>	Len : 1 RC-STUDENTS IN YTH GRADE DRINK ALCOHOLIC BEVERAGES		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	143429	82.52
	1 = Most/All (YESTSALC=3,4)	7630	4.39
	2 = None/Few (YESTSALC=1,2).....	22749	13.09

<u>STNDDNK</u>	Len : 1 RC-STUDENTS IN YTH GRADE GET DRUNK ONCE/WEEK		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	143771	82.72
	1 = Most/All (YESTSDNK=3,4)	2629	1.51
	2 = None/Few (YESTSDNK=1,2)	27408	15.77

<u>PARCHKHW</u>	Len : 1 RC-PARENTS CHECK IF HOMEWORK DONE IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	142194	81.81
	1 = Always/Sometimes (YEPCHKHW=1,2)	25609	14.73
	2 = Seldom/Never (YEPCHKHW=3,4)	6005	3.45

<u>PARHLPHW</u>	Len : 1 RC-PARENTS HELP WITH HOMEWORK IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	142243	81.84
	1 = Always/Sometimes (YEPHLPHW=1,2)	24828	14.28
	2 = Seldom/Never (YEPHLPHW=3,4)	6737	3.88

<u>PRCHORE2</u>	Len : 1 RC-PARENTS MAKE YTH DO CHORES AROUND HOUSE IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	139899	80.49
	1 = Always/Sometimes (YEPCHORE=1,2).....	29635	17.05
	2 = Seldom/Never (YEPCHORE=3,4).....	4274	2.46

RECODED YOUTH EXPERIENCES

PRLMTTV2

Len : 1 RC-PARENTS LIMIT AMOUNT OF TV IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140027	80.56
1 = Always/Sometimes (YEPLMTTV=1,2).....	12270	7.06
2 = Seldom/Never (YEPLMTTV=3,4)	21511	12.38

PARLMTSN

Len : 1 RC-PARENTS LIMIT TIME OUT ON SCHOOL NIGHT IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	142866	82.20
1 = Always/Sometimes (YEPLMTSN=1,2).....	18152	10.44
2 = Seldom/Never (YEPLMTSN=3,4).....	12790	7.36

PRGDJOB2

Len : 1 RC-PARENTS TELL YTH HAD DONE GOOD JOB IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	139955	80.52
1 = Always/Sometimes (YEPGDJOB=1,2).....	27897	16.05
2 = Seldom/Never (YEPGDJOB=3,4)	5956	3.43

PRPROUD2

Len : 1 RC-PARENTS TELL YTH PROUD OF THINGS DONE IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	139982	80.54
1 = Always/Sometimes (YEPPROUD=1,2).....	27322	15.72
2 = Seldom/Never (YEPPROUD=3,4).....	6504	3.74

ARGUPAR

Len : 1 RC-TIMES ARGUED/HAD A FIGHT WITH ONE PARENT IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140351	80.75
1 = 9 or Fewer (YEYARGUP=1,2,3,4).....	27091	15.59
2 = 10 or More (YEYARGUP=5).....	6366	3.66

YOFIGHT2

Len : 1 RC-YOUTH HAD SERIOUS FIGHT AT SCHOOL/WORK

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	139975	80.53
1 = One or More Times (YEYFGTSW=2,3,4,5).....	5380	3.10
2 = None (YEYFGTSW=1)	28453	16.37

YOGRPFT2

Len : 1 RC-YOUTH FOUGHT WITH GROUP VS OTHER GROUP

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	139959	80.53
1 = One or More Times (YEYFGTGP=2,3,4,5).....	3510	2.02
2 = None (YEYFGTGP=1)	30339	17.46

YOHGUN2

Len : 1 RC-YOUTH CARRIED A HANDGUN

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	139911	80.50
1 = One or More Times (YEYHGUN=2,3,4,5).....	1700	0.98
2 = None (YEYHGUN=1)	32197	18.52

YOSELL2

Len : 1 RC-YOUTH SOLD ILLEGAL DRUGS

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	139849	80.46
1 = One or More Times (YEYSELL=2,3,4,5).....	480	0.28
2 = None (YEYSELL=1)	33479	19.26

YOSTOLE2

Len : 1 RC-YOUTH STOLE/TRIED TO STEAL ITEM >\$50

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	139864	80.47
1 = One or More Times (YEYSTOLE=2,3,4,5).....	1161	0.67
2 = None (YEYSTOLE=1)	32783	18.86

RECODED YOUTH EXPERIENCES

[YOATTAK2](#)

Len : 1 RC-YOUTH ATTACKED WITH INTENT TO SERIOUSLY HARM

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	139889	80.48
1 = One or More Times (YEYATTAK=2,3,4,5).....	1775	1.02
2 = None (YEYATTAK=1).....	32144	18.49

[YRPPKIG2](#)

Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH SMOKE PACK CIG/DAY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140086	80.60
1 = Strongly Disapprove (YEPPKIG=3).....	31339	18.03
2 = Somewhat Disapprove or Neither (YEPPKIG=1,2).....	2383	1.37

[PRMJEV2](#)

Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH TRY MARIJUANA

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140128	80.62
1 = Strongly Disapprove (YEPMJEV=3).....	27400	15.76
2 = Somewhat Disapprove or Neither (YEPMJEV=1,2).....	6280	3.61

[PRMJMO](#)

Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH USE MARIJUANA MNTHLY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140140	80.63
1 = Strongly Disapprove (YEPMJMO=3).....	28368	16.32
2 = Somewhat Disapprove or Neither (YEPMJMO=1,2).....	5300	3.05

[PRALDLY2](#)

Len : 1 RC-YTH THINK: PARNTS FEEL ABT YTH DRK 1-2 ALC BEV/DAY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140101	80.61
1 = Strongly Disapprove (YEPALDLY=3).....	30208	17.38
2 = Somewhat Disapprove or Neither (YEPALDLY=1,2).....	3499	2.01

[YFLPKCG2](#)

Len : 1 RC-HOW YTH FEELS: PEERS SMOKE PACK/DAY CIG

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140095	80.60
1 = Strongly/Somewhat Disapprove (YEGPKCIG=2,3).....	30994	17.83
2 = Neither Approve Nor Disapprove (YEGPKCIG=1).....	2719	1.56

[YFLTMRJ2](#)

Len : 1 RC-HOW YTH FEELS: PEERS TRY MARIJUANA

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140107	80.61
1 = Strongly/Somewhat Disapprove (YEGMJEV=2,3).....	26226	15.09
2 = Neither Approve Nor Disapprove (YEGMJEV=1).....	7475	4.30

[YFLMJMO](#)

Len : 1 RC-HOW YTH FEELS: PEERS USING MARIJUANA MONTHLY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140103	80.61
1 = Strongly/Somewhat Disapprove (YEGMJMO=2,3).....	26376	15.18
2 = Neither Approve Nor Disapprove (YEGMJMO=1).....	7329	4.22

[YFLADLY2](#)

Len : 1 RC-HOW YTH FEELS: PEERS DRNK 1-2 ALC BEV/DAY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140088	80.60
1 = Strongly/Somewhat Disapprove (YEGALDLY=2,3).....	30034	17.28
2 = Neither Approve Nor Disapprove (YEGALDLY=1).....	3686	2.12

[FRDPCIG2](#)

Len : 1 RC-YTH THINK: CLSE FRND FEEL ABT YTH SMK 1+ PAC DAILY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140241	80.69
1 = Strongly/Somewhat Disapprove (YEFPCIG=2,3).....	30519	17.56
2 = Neither Approve Nor Disapprove (YEFPCIG=1).....	3048	1.75

RECODED YOUTH EXPERIENCES

[FRDMEVR2](#)

Len : 1 RC-YTH THINK: CLOSE FRNDS FEEL ABT YTH TRY MARIJUANA

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140260	80.70
1 = Strongly/Somewhat Disapprove (YEFMJVR=2,3).....	26033	14.98
2 = Neither Approve Nor Disapprove (YEFMJVR=1).....	7515	4.32

[FRDMJMON](#)

Len : 1 RC-YTH THINK: CLSE FRNDS FEEL ABT YTH USE MARIJUANA MON

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140277	80.71
1 = Strongly/Somewhat Disapprove (YEFMJMO=2,3).....	26505	15.25
2 = Neither Approve Nor Disapprove (YEFMJMO=1).....	7026	4.04

[FRDADLY2](#)

Len : 1 RC-YTH THINK: CLSE FRND FEEL ABT YTH HAVE 1-2 ALC/DAY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140254	80.69
1 = Strongly/Somewhat Disapprove (YEFALDLY=2,3).....	29760	17.12
2 = Neither Approve Nor Disapprove (YEFALDLY=1).....	3794	2.18

The following variable, TALKPROB, was created from the variables containing information on who youths would talk with about serious problems: No one (YETLKNON), parent/guardian (YETLKPAR), boyfriend/girlfriend (YETLKBGF), other adults (YETLKOTA), or some other person (YETLKSOP). Youths who did not report a positive response to at least one of the source variables (no source variables=1), or youths who reported both being able to talk with no one (YETLKNON=11) and being able to talk to someone (YETLKPAR, YETLKBGF, YETLKOTA, or YETLKSOP=11), or respondents over the age of 17 (all source variables=99) were coded as system missing.

[TALKPROB](#)

Len : 1 RC-WHO YTH TALKS WITH ABOUT SERIOUS PROBLEMS

	Freq	Pct
. = Otherwise (See comment above)	140865	81.05
1 = No One (YETLKNON=1)	2259	1.30
2 = Someone (YETLKPAR, YETLKBGF, YETLKOTA, or YETLKSOP=1)	30684	17.65

[PRTALK3](#)

Len : 1 RC-TALKED WITH PARENT ABOUT DANGER TOB/ALC/DRG

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140406	80.78
1 = Yes (YEPRTDNG=1).....	17439	10.03
2 = No (YEPRTDNG=2).....	15963	9.18

[PRBSOLV2](#)

Len : 1 RC-PARTICIPATED IN PRBSLV/COMMSKILL/SELFESTEEM GROUP

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140654	80.92
1 = Yes (YEPBSLV=1).....	6732	3.87
2 = No (YEPBSLV=2).....	26422	15.20

[PREVIOL2](#)

Len : 1 RC-PARTICIPATED IN VIOLENCE PREVENTION PROGRAM

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140198	80.66
1 = Yes (YEVIOPRV=1).....	2702	1.55
2 = No (YEVIOPRV=2).....	30908	17.78

[PRVDRGO2](#)

Len : 1 RC-PARTICIPATED IN SUBSTANCE PREV PROGRAM OUTSIDE SCHOOL

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140119	80.62
1 = Yes (YEDGPRGP=1).....	2487	1.43
2 = No (YEDGPRGP=2).....	31202	17.95

[GRPCNSL2](#)

Len : 1 RC-PARTICIPATED IN PROGRAM TO HELP SUBSTANCE USE

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140152	80.64
1 = Yes (YESLFHLP=1)	751	0.43
2 = No (YESLFHLP=2).....	32905	18.93

RECODED YOUTH EXPERIENCES

PREGPGM2

Len : 1 RC-PARTICIPATED IN PREG/STD PREVENTION PROGRAM

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140057	80.58
1 = Yes (YEPRGSTD=1).....	1211	0.70
2 = No (YEPRGSTD=2).....	32540	18.72

The following variable, YTHACT2, was created by counting the number of positive responses reported over the following four youth activity questions: School-based (YESCHACT), community-based (YECOMACT), church or faith-based (YEFALACT), or other activities (YEOTHACT). Youth respondents who reported participation in two or more activities were included in the "Two or more activities" category regardless of how many other activity questions were answered. Youth respondents who did not answer two or more of the four youth activity questions with a "yes" or "no" response were coded as system missing. To be included in the "None or one activity" category, a youth respondent must have answered two or more of the activity questions and reported they participated in either zero or one activity.

YTHACT2

Len : 1 RC-YTH PARTICIPATED IN YOUTH ACTIVITIES

	Freq	Pct
. = Otherwise/Aged 18+ (See comment above).....	139991	80.54
1 = None or one activity (See comment above).....	7344	4.23
2 = Two or more activities (See comment above).....	26473	15.23

DRPRVME3

Len : 1 RC-YTH SEEN ALC OR DRUG PREVENTION MESSAGE OUTSIDE SCHOOL

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140353	80.75
1 = Yes (YEPVNTYR=1).....	21150	12.17
2 = No (YEPVNTYR=2).....	12305	7.08

ANYEDUC3

Len : 1 RC-YTH HAD ANY DRUG OR ALCOHOL EDUCATION IN SCHOOL

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	142514	82.00
1 = Yes (YEDECLAS=1 or YEDERGLR=1 or YEDESPCL=1).....	20338	11.70
2 = No (YEDECLAS=2 & YEDERGLR=2 & YEDESPCL=2).....	10956	6.30

RLGATTD

Len : 1 RC-NUMBER TIMES ATTEND RELIGIOUS SERVICES IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140684	80.94
1 = 25 or More (YERLGSVC=5,6).....	6477	3.73
2 = Less than 25 (YERLGSVC=1,2,3,4).....	26647	15.33

RLGIMPT

Len : 1 RC-RELIGIOUS BELIEFS VERY IMPORTANT IN LIFE

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140833	81.03
1 = Agree/Strongly Agree (YERLGIMP=3,4).....	20219	11.63
2 = Strongly Disagree/Disagree (YERLGIMP=1,2).....	12756	7.34

RLGDSCN

Len : 1 RC-RELIGIOUS BELIEFS INFLUENCE LIFE DECISIONS

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140782	81.00
1 = Agree/Strongly Agree (YERLDSCN=3,4).....	17633	10.15
2 = Strongly Disagree/Disagree (YERLDSCN=1,2).....	15393	8.86

RLGFRND

Len : 1 RC-IMPORTANT FOR FRIENDS TO SHARE RELIGIOUS BELIEFS

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	140884	81.06
1 = Agree/Strongly Agree (YERLFRND=3,4).....	8364	4.81
2 = Strongly Disagree/Disagree (YERLFRND=1,2).....	24560	14.13

NOTE: The following four variables present youth suicide information based on responses to the youth suicidal ideation screen.

YUSUITHKYR

Len : 1 RC-YOUTH SERIOUSLY THOUGHT ABOUT KILLING SELF PAST YEAR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	139663	80.35
1 = Yes (YUSUITHK=1).....	4407	2.54
2 = No (YUSUITHK=2).....	24317	13.99
3 = I'm not sure/Don't know (YUSUITHK=3,94).....	2648	1.52
4 = I don't want to answer/Refused (YUSUITHK=4,97).....	2773	1.60

RECODED YOUTH EXPERIENCES

YUCOSUITHK2

Len : 1 RC-YTH SERIOUSLY THOUGHT ABOUT KILLING SELF DUE COVID PY

	Freq	Pct
. = Unknown/Aged 18+/No Suicide Thoughts (Otherwise)	169479	97.51
0 = No (YUCOSUITHK=2)	3749	2.16
1 = Yes (YUCOSUITHK=1)	580	0.33

YUSUIPLNYR

Len : 1 RC-YOUTH MADE PLANS TO KILL SELF IN PAST YEAR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	139664	80.36
1 = Yes (YUSUIPLN=1)	2185	1.26
2 = No (YUSUIPLN=2)	28413	16.35
3 = I'm not sure/Don't know (YUSUIPLN=3,94)	1275	0.73
4 = I don't want to answer/Refused (YUSUIPLN=4,97)	2271	1.31

YUCOSUIPLN2

Len : 1 RC-YTH MADE PLANS TO KILL SELF DUE TO COVID-19 PAST YEAR

	Freq	Pct
. = Unknown/Aged 18+/No Suicide Plans (Otherwise)	171656	98.76
0 = No (YUCOSUIPLN=2)	1960	1.13
1 = Yes (YUCOSUIPLN=1)	192	0.11

ADULT MENTAL HEALTH

MENTAL HEALTH

ADULT MENTAL HEALTH

This note applies to variables in this section marked by a¹.

These questions ask how you have been feeling during the past 30 days.

During the past 30 days, how often did you feel nervous?

<u>DSTNRV30</u> ¹	Len : 2	HOW OFTEN FELT NERVOUS PAST 30 DAYS		
			Freq	Pct
		1 = All of the time.....	5096	2.93
		2 = Most of the time.....	10372	5.97
		3 = Some of the time.....	32933	18.95
		4 = A little of the time.....	42842	24.65
		5 = None of the time.....	44492	25.60
		85 = BAD DATA Logically assigned.....	42	0.02
		94 = DON'T KNOW.....	296	0.17
		97 = REFUSED.....	348	0.20
		98 = BLANK (NO ANSWER).....	3103	1.79
		99 = LEGITIMATE SKIP.....	34284	19.73

During the past 30 days, how often did you feel hopeless?

<u>DSTHOP30</u> ¹	Len : 2	HOW OFTEN FELT HOPELESS PAST 30 DAYS		
			Freq	Pct
		1 = All of the time.....	2998	1.72
		2 = Most of the time.....	5351	3.08
		3 = Some of the time.....	15852	9.12
		4 = A little of the time.....	27375	15.75
		5 = None of the time.....	84130	48.40
		85 = BAD DATA Logically assigned.....	42	0.02
		94 = DON'T KNOW.....	279	0.16
		97 = REFUSED.....	384	0.22
		98 = BLANK (NO ANSWER).....	3113	1.79
		99 = LEGITIMATE SKIP.....	34284	19.73

During the past 30 days, how often did you feel restless or fidgety?

<u>DSTRST30</u> ¹	Len : 2	HOW OFTEN FELT RESTLESS/FIDGETY PST 30 DYS		
			Freq	Pct
		1 = All of the time.....	4887	2.81
		2 = Most of the time.....	9264	5.33
		3 = Some of the time.....	24717	14.22
		4 = A little of the time.....	35324	20.32
		5 = None of the time.....	61513	35.39
		85 = BAD DATA Logically assigned.....	42	0.02
		94 = DON'T KNOW.....	307	0.18
		97 = REFUSED.....	347	0.20
		98 = BLANK (NO ANSWER).....	3123	1.80
		99 = LEGITIMATE SKIP.....	34284	19.73

During the past 30 days, how often did you feel so sad or depressed that nothing could cheer you up?

<u>DSTCHR30</u> ¹	Len : 2	HOW OFTEN FELT SAD NOTHING COULD CHEER YOU UP		
			Freq	Pct
		1 = All of the time.....	2725	1.57
		2 = Most of the time.....	5509	3.17
		3 = Some of the time.....	15555	8.95
		4 = A little of the time.....	27456	15.80
		5 = None of the time.....	84484	48.61
		85 = BAD DATA Logically assigned.....	42	0.02
		94 = DON'T KNOW.....	251	0.14
		97 = REFUSED.....	368	0.21
		98 = BLANK (NO ANSWER).....	3134	1.80
		99 = LEGITIMATE SKIP.....	34284	19.73

ADULT MENTAL HEALTH

During the past 30 days, how often did you feel that everything was an effort?

[DSTEFF30](#)¹

Len : 2 HOW OFT FELT EVERYTHING EFFORT PST 30 DYS

	Freq	Pct
1 = All of the time.....	6941	3.99
2 = Most of the time.....	11045	6.35
3 = Some of the time.....	22383	12.88
4 = A little of the time.....	34361	19.77
5 = None of the time.....	60695	34.92
85 = BAD DATA Logically assigned.....	42	0.02
94 = DON'T KNOW.....	514	0.30
97 = REFUSED.....	398	0.23
98 = BLANK (NO ANSWER).....	3145	1.81
99 = LEGITIMATE SKIP.....	34284	19.73

During the past 30 days, how often did you feel down on yourself, no good or worthless?

[DSTNGD30](#)¹

Len : 2 HOW OFT FELT DOWN/WTLLSS/NO GOOD PST 30 DYS

	Freq	Pct
1 = All of the time.....	3857	2.22
2 = Most of the time.....	6929	3.99
3 = Some of the time.....	16166	9.30
4 = A little of the time.....	27545	15.85
5 = None of the time.....	81158	46.69
85 = BAD DATA Logically assigned.....	42	0.02
94 = DON'T KNOW.....	276	0.16
97 = REFUSED.....	394	0.23
98 = BLANK (NO ANSWER).....	3157	1.82
99 = LEGITIMATE SKIP.....	34284	19.73

The last questions asked about how you have been feeling during the past 30 days. Now think about the past 12 months. Was there a month in the past 12 months when you felt more depressed, anxious, or emotionally stressed than you felt during the past 30 days?

[DSTWORST](#)¹

Len : 2 MON IN PST 12 MOS FELT WORSE THAN PST 30 DYS

	Freq	Pct
1 = Yes.....	47929	27.58
2 = No.....	87520	50.35
85 = BAD DATA Logically assigned.....	42	0.02
94 = DON'T KNOW.....	473	0.27
97 = REFUSED.....	379	0.22
98 = BLANK (NO ANSWER).....	3181	1.83
99 = LEGITIMATE SKIP.....	34284	19.73

Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed.

During that month, how often did you feel nervous?

[DSTNRV12](#)¹

Len : 2 HOW OFT FELT NERVOUS IN WORST MONTH, PST 12 MOS

	Freq	Pct
1 = All of the time.....	7486	4.31
2 = Most of the time.....	13864	7.98
3 = Some of the time.....	15594	8.97
4 = A little of the time.....	8699	5.00
5 = None of the time.....	2229	1.28
85 = BAD DATA Logically assigned.....	20	0.01
94 = DON'T KNOW.....	41	0.02
97 = REFUSED.....	388	0.22
98 = BLANK (NO ANSWER).....	3683	2.12
99 = LEGITIMATE SKIP.....	121804	70.08

ADULT MENTAL HEALTH

During that same month when you were at your worst emotionally...

how often did you feel hopeless?

[DSTHOP12](#)¹

Len : 2 HOW OFTEN FELT HOPELESS IN WORST MONTH

	Freq	Pct
1 = All of the time.....	6278	3.61
2 = Most of the time.....	9894	5.69
3 = Some of the time.....	12569	7.23
4 = A little of the time.....	9737	5.60
5 = None of the time.....	9386	5.40
85 = BAD DATA Logically assigned.....	20	0.01
94 = DON'T KNOW.....	35	0.02
97 = REFUSED.....	399	0.23
98 = BLANK (NO ANSWER).....	3686	2.12
99 = LEGITIMATE SKIP.....	121804	70.08

During that same month when you were at your worst emotionally...

how often did you feel restless or fidgety?

[DSTRST12](#)¹

Len : 2 HOW OFTEN FELT RESTLESS IN WORST MONTH

	Freq	Pct
1 = All of the time.....	5973	3.44
2 = Most of the time.....	9351	5.38
3 = Some of the time.....	13644	7.85
4 = A little of the time.....	11462	6.59
5 = None of the time.....	7415	4.27
85 = BAD DATA Logically assigned.....	20	0.01
94 = DON'T KNOW.....	52	0.03
97 = REFUSED.....	396	0.23
98 = BLANK (NO ANSWER).....	3691	2.12
99 = LEGITIMATE SKIP.....	121804	70.08

During that same month when you were at your worst emotionally...

how often did you feel so sad or depressed that nothing could cheer you up?

[DSTCHR12](#)¹

Len : 2 HOW OFTEN COULDN'T BE CHEERED UP IN WORST MONTH

	Freq	Pct
1 = All of the time.....	6232	3.59
2 = Most of the time.....	9795	5.64
3 = Some of the time.....	11992	6.90
4 = A little of the time.....	10393	5.98
5 = None of the time.....	9450	5.44
85 = BAD DATA Logically assigned.....	20	0.01
94 = DON'T KNOW.....	30	0.02
97 = REFUSED.....	398	0.23
98 = BLANK (NO ANSWER).....	3694	2.13
99 = LEGITIMATE SKIP.....	121804	70.08

During that same month when you were at your worst emotionally...

how often did you feel that everything was an effort?

[DSTEFF12](#)¹

Len : 2 HOW OFT FELT EVERYTHING AN EFFORT IN WORST MON

	Freq	Pct
1 = All of the time.....	9077	5.22
2 = Most of the time.....	11314	6.51
3 = Some of the time.....	11827	6.80
4 = A little of the time.....	9854	5.67
5 = None of the time.....	5741	3.30
85 = BAD DATA Logically assigned.....	20	0.01
94 = DON'T KNOW.....	69	0.04
97 = REFUSED.....	405	0.23
98 = BLANK (NO ANSWER).....	3697	2.13
99 = LEGITIMATE SKIP.....	121804	70.08

ADULT MENTAL HEALTH

During that same month when you were at your worst emotionally...

how often did you feel down on yourself, no good, or worthless?

DSTNGD12¹

Len : 2 HOW OFTEN FELT NO GOOD IN WORST MONTH

	Freq	Pct
1 = All of the time.....	6918	3.98
2 = Most of the time.....	9183	5.28
3 = Some of the time.....	10906	6.27
4 = A little of the time.....	9740	5.60
5 = None of the time.....	11094	6.38
85 = BAD DATA Logically assigned.....	20	0.01
94 = DON'T KNOW.....	32	0.02
97 = REFUSED.....	409	0.24
98 = BLANK (NO ANSWER).....	3702	2.13
99 = LEGITIMATE SKIP.....	121804	70.08

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have remembering to do things you needed to do?

IMPREMEM¹

Len : 2 DIFFICULTY REMEMBERING ONE MO IN PST 12 MOS

	Freq	Pct
1 = No difficulty.....	48419	27.86
2 = Mild difficulty.....	35725	20.55
3 = Moderate difficulty.....	16709	9.61
4 = Severe difficulty.....	5632	3.24
85 = BAD DATA Logically assigned.....	43	0.02
94 = DON'T KNOW.....	246	0.14
97 = REFUSED.....	133	0.08
98 = BLANK (NO ANSWER).....	179	0.10
99 = LEGITIMATE SKIP.....	66722	38.39

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have concentrating on doing something important when other things were going on around you?

IMPCONCN¹

Len : 2 DIFFICULTY CONCENTRATING ONE MO IN PST 12 MOS

	Freq	Pct
1 = No difficulty.....	41471	23.86
2 = Mild difficulty.....	37180	21.39
3 = Moderate difficulty.....	19833	11.41
4 = Severe difficulty.....	8001	4.60
85 = BAD DATA Logically assigned.....	43	0.02
94 = DON'T KNOW.....	211	0.12
97 = REFUSED.....	146	0.08
98 = BLANK (NO ANSWER).....	201	0.12
99 = LEGITIMATE SKIP.....	66722	38.39

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have going out of the house and getting around on your own?

IMPGOUT¹

Len : 2 DIFFICULTY GOING OUT ONE MO IN PST 12 MO

	Freq	Pct
1 = No difficulty.....	62824	36.15
2 = Mild difficulty.....	20532	11.81
3 = Moderate difficulty.....	13296	7.65
4 = Severe difficulty.....	6033	3.47
5 = You didn't leave the house on your own.....	3815	2.19
85 = BAD DATA Logically assigned.....	43	0.02
94 = DON'T KNOW.....	168	0.10
97 = REFUSED.....	160	0.09
98 = BLANK (NO ANSWER).....	215	0.12
99 = LEGITIMATE SKIP.....	66722	38.39

ADULT MENTAL HEALTH

Did problems with your emotions, nerves, or mental health keep you from leaving the house on your own?

[IMPGOUTM¹](#)

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM LEAVING HOUSE

	Freq	Pct
1 = Yes.....	2497	1.44
2 = No.....	1298	0.75
94 = DON'T KNOW.....	14	0.01
97 = REFUSED.....	166	0.10
98 = BLANK (NO ANSWER).....	426	0.25
99 = LEGITIMATE SKIP.....	169407	97.47

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have dealing with people you did not know well?

[IMPPEOP¹](#)

Len : 2 DIFFICULTY DEALING W STRANGERS ONE MO IN PST 12 M

	Freq	Pct
1 = No difficulty.....	53466	30.76
2 = Mild difficulty.....	25728	14.80
3 = Moderate difficulty.....	15135	8.71
4 = Severe difficulty.....	7275	4.19
5 = You didn't deal with people you did not know well.....	4848	2.79
85 = BAD DATA Logically assigned.....	43	0.02
94 = DON'T KNOW.....	195	0.11
97 = REFUSED.....	160	0.09
98 = BLANK (NO ANSWER).....	236	0.14
99 = LEGITIMATE SKIP.....	66722	38.39

Did problems with your emotions, nerves, or mental health keep you from dealing with people you did not know well?

[IMPPEOPM¹](#)

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM DEALING W STRAGR

	Freq	Pct
1 = Yes.....	2233	1.28
2 = No.....	2589	1.49
94 = DON'T KNOW.....	19	0.01
97 = REFUSED.....	167	0.10
98 = BLANK (NO ANSWER).....	474	0.27
99 = LEGITIMATE SKIP.....	168326	96.85

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have participating in social activities, like visiting friends or going to parties?

[IMPSOC¹](#)

Len : 2 DIFFICULTY PARTICIPATE IN SOCIAL ACT 1 MO /12 MO

	Freq	Pct
1 = No difficulty.....	49697	28.59
2 = Mild difficulty.....	24418	14.05
3 = Moderate difficulty.....	15457	8.89
4 = Severe difficulty.....	8425	4.85
5 = You didn't participate in social activities.....	8465	4.87
85 = BAD DATA Logically assigned.....	43	0.02
94 = DON'T KNOW.....	169	0.10
97 = REFUSED.....	169	0.10
98 = BLANK (NO ANSWER).....	243	0.14
99 = LEGITIMATE SKIP.....	66722	38.39

Did problems with your emotions, nerves, or mental health keep you from participating in social activities?

[IMPSOCM¹](#)

Len : 2 EMOTIONAL PROBS KEEP YOU FROM PART IN SOCIAL

	Freq	Pct
1 = Yes.....	4148	2.39
2 = No.....	4289	2.47
94 = DON'T KNOW.....	20	0.01
97 = REFUSED.....	176	0.10
98 = BLANK (NO ANSWER).....	456	0.26
99 = LEGITIMATE SKIP.....	164719	94.77

ADULT MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of household responsibilities?

[IMPHHLD](#)¹

Len : 2 DIFFICULTY HOUSE RESPONS ONE MO IN PST 12 MO

	Freq	Pct
1 = No difficulty	50805	29.23
2 = Mild difficulty.....	27666	15.92
3 = Moderate difficulty	16936	9.74
4 = Severe difficulty.....	9220	5.30
5 = You didn't take care of household responsibilities	1864	1.07
85 = BAD DATA Logically assigned.....	43	0.02
94 = DON'T KNOW	148	0.09
97 = REFUSED	149	0.09
98 = BLANK (NO ANSWER)	255	0.15
99 = LEGITIMATE SKIP.....	66722	38.39

Did problems with your emotions, nerves, or mental health keep you from taking care of household responsibilities?

[IMPHHLD](#)¹

Len : 2 EMOTIONL PROBS MAKE KEEP YOU FRM TAKING CARE HOUS

	Freq	Pct
1 = Yes.....	1292	0.74
2 = No.....	564	0.32
94 = DON'T KNOW	4	0.00
97 = REFUSED	153	0.09
98 = BLANK (NO ANSWER)	446	0.26
99 = LEGITIMATE SKIP.....	171349	98.59

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of your daily responsibilities at work or school?

[IMPRES](#)¹

Len : 2 DIFFICULTY WORK RESPONS ONE MO IN PST 12 MO

	Freq	Pct
1 = No difficulty	53239	30.63
2 = Mild difficulty.....	25409	14.62
3 = Moderate difficulty	13783	7.93
4 = Severe difficulty.....	6425	3.70
5 = You didn't work or go to school.....	7529	4.33
85 = BAD DATA Logically assigned.....	43	0.02
94 = DON'T KNOW	192	0.11
97 = REFUSED	198	0.11
98 = BLANK (NO ANSWER)	268	0.15
99 = LEGITIMATE SKIP.....	66722	38.39

Did problems with your emotions, nerves, or mental health keep you from working or going to school?

[IMPRES](#)¹

Len : 2 DID EMOTIONAL PROBS KEEP YOU FROM WORK/SCHOOL

	Freq	Pct
1 = Yes.....	1605	0.92
2 = No.....	5871	3.38
94 = DON'T KNOW	25	0.01
97 = REFUSED	226	0.13
98 = BLANK (NO ANSWER)	503	0.29
99 = LEGITIMATE SKIP.....	165578	95.26

ADULT MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have getting your daily work done as quickly as needed?

[IMPWORK](#)¹

Len : 2 DIFFICULTY DOING DAILY WORK ONE MO IN PST 12 MO

	Freq	Pct
1 = No difficulty	47716	27.45
2 = Mild difficulty.....	30569	17.59
3 = Moderate difficulty	14668	8.44
4 = Severe difficulty.....	5946	3.42
85 = BAD DATA Logically assigned	43	0.02
94 = DON'T KNOW	165	0.09
97 = REFUSED	174	0.10
98 = BLANK (NO ANSWER)	276	0.16
99 = LEGITIMATE SKIP	74251	42.72

You mentioned having difficulty with or being unable to do such things as [FILL].

During the past 12 months, about how many weeks did you have any of these difficulties because of your emotions, nerves, or mental health? If you can't remember the exact number, just give your best estimate.

[IMPWEEKS](#)¹

Len : 2 NUM WEEKS HAVE DIFFICULTIES BECAUSE OF MENTL HLTH

	Freq	Pct
RANGE = 1 - 52	79334	45.64
85 = BAD DATA Logically assigned	22	0.01
94 = DON'T KNOW	2049	1.18
97 = REFUSED	479	0.28
98 = BLANK (NO ANSWER)	582	0.33
99 = LEGITIMATE SKIP	91342	52.55

During that/those [IMWEEK1FILL] week/weeks did you have these kinds of difficulties every day, most days, or only one or two days a week?

[IMPDYFRQ](#)¹

Len : 2 HOW MANY DAYS IN WEEK DID YOU HAVE DIFFICULTIES

	Freq	Pct
1 = Every day	5225	3.01
2 = Most days.....	28976	16.67
3 = Only one or two days a week	44895	25.83
85 = BAD DATA Logically assigned	22	0.01
94 = DON'T KNOW	177	0.10
97 = REFUSED	527	0.30
98 = BLANK (NO ANSWER)	2644	1.52
99 = LEGITIMATE SKIP	91342	52.55

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your emotions, nerves or mental health?

You can use any number between 0 and 365 to answer.

[IMPYDAYS](#)¹

Len : 3 HOW MANY DAY IN PAST YR YOU WERE UNABLE TO WORK

	Freq	Pct
RANGE = 0 - 365	80347	46.23
985 = BAD DATA Logically assigned	22	0.01
994 = DON'T KNOW	1157	0.67
997 = REFUSED	332	0.19
998 = BLANK (NO ANSWER).....	608	0.35
999 = LEGITIMATE SKIP	91342	52.55

The next few questions are about thoughts of suicide. At any time in the past 12 months, that is from [DATEFILL] up to and including today, did you seriously think about trying to kill yourself?

[SUICTHINK](#)¹

Len : 2 SERIOUSLY THINK ABOUT KILLING SELF PST 12 MOS

	Freq	Pct
1 = Yes.....	9580	5.51
2 = No	125671	72.30
85 = BAD DATA Logically assigned	44	0.03
94 = DON'T KNOW	231	0.13
97 = REFUSED	531	0.31
98 = BLANK (NO ANSWER)	3467	1.99
99 = LEGITIMATE SKIP	34284	19.73

ADULT MENTAL HEALTH

Was this because of the COVID-19 pandemic?

[COSUITHNK](#)

Len : 2 ADULT THINK ABOUT KILLING YOURSELF DUE TO COVID-19

	Freq	Pct
1 = Yes.....	1305	0.75
2 = No.....	8217	4.73
85 = BAD DATA Logically assigned.....	22	0.01
94 = DON'T KNOW.....	49	0.03
97 = REFUSED.....	9	0.01
98 = BLANK (NO ANSWER).....	4251	2.45
99 = LEGITIMATE SKIP.....	159955	92.03

During the past 12 months, did you make any plans to kill yourself?

[SUIPLANYR¹](#)

Len : 2 ADULT MAKE PLANS TO KILL SELF PST 12 MOS

	Freq	Pct
1 = Yes.....	3098	1.78
2 = No.....	132334	76.14
85 = BAD DATA Logically assigned.....	44	0.03
94 = DON'T KNOW.....	161	0.09
97 = REFUSED.....	415	0.24
98 = BLANK (NO ANSWER).....	3472	2.00
99 = LEGITIMATE SKIP.....	34284	19.73

Was this because of the COVID-19 pandemic?

[COSUIPLNYR](#)

Len : 2 ADULT MAKE PLAN TO KILL YOURSELF DUE TO COVID-19

	Freq	Pct
1 = Yes.....	369	0.21
2 = No.....	2709	1.56
85 = BAD DATA Logically assigned.....	22	0.01
94 = DON'T KNOW.....	12	0.01
97 = REFUSED.....	7	0.00
98 = BLANK (NO ANSWER).....	4071	2.34
99 = LEGITIMATE SKIP.....	166618	95.86

NOTE: The following variable, KSSLR6MONED, is a score with values ranging from 0 to 24 indicating the level of psychological distress over the past 30 days (past month). This variable is based on data collected from a series of six questions known as the K6, asking adult respondents how frequently they experienced symptoms of psychological distress during the past 30 days. These questions include the following symptoms of distress: feeling nervous (DSTNRV30), feeling hopeless (DSTHOP30), feeling restless or fidgety (DSTRST30), feeling so sad or depressed that nothing could cheer you up (DSTCHR30), feeling that everything was an effort (DSTEFF30), and feeling down on yourself, no good, or worthless (DSTNGD30). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" were coded 0. These assigned values were summed across the six items to calculate a total score for KSSLR6MONED. Specific details about this variable are provided in the Recoded Mental Health Appendix.

[KSSLR6MONED](#)

Len : 2 K6 TOTAL SCORE IN PAST MONTH

	Freq	Pct
RANGE = 0 - 24.....	134988	77.67
. = Aged 12-17 or missing.....	38820	22.33

NOTE: The following variable, KSSLR6YRED, is a score with values ranging from 0 to 24 indicating the level of psychological distress during the worst month of the past year, that was not the past 30 days. This variable is only defined for respondents who reported that there was a month in the past 12 months when he/she was more depressed, anxious, or emotionally stressed than during the past 30 days (DSTWORST=1). This score variable is based on a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during their worst month in the past year (only if the worst month was not the past 30 days). These questions are from the K6 and include the following symptoms of distress: feeling nervous (DSTNRV12), feeling hopeless (DSTHOP12), feeling restless or fidgety (DSTRST12), feeling so sad or depressed that nothing could cheer them up (DSTCHR12), feeling that everything was an effort (DSTEFF12), and feeling down on themselves, no good, or worthless (DSTNGD12). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" were coded 0. These assigned values were summed across the six items to calculate a total score for KSSLR6YRED. For respondents who indicated that they did not have a month in the past year worse than the past 30 days, KSSLR6YRED was set to missing. Specific details about this variable are provided in the Recoded Mental Health Appendix.

[KSSLR6YRED](#)

Len : 2 K6 TOTAL SCORE IN PAST YEAR

	Freq	Pct
RANGE = 0 - 24.....	47704	27.45
. = Aged 12-17, missing, or DSTWORST in (2,85,94,97,98).....	126104	72.55

ADULT MENTAL HEALTH

NOTE: The following two variables, WHODASSCED and WHODASDAED, are score variables that indicate the level of impairment for respondents. These variables are based on data collected from a series of thirteen questions asking respondents how much difficulty they experienced in doing eight daily activities in the one month in the past year when they were at their worst emotionally. These questions, drawn from the World Health Organization Disability Assessment Schedule (WHODAS), comprise an abbreviated scale which is used to capture information on impairment (see the Recoded Mental Health Appendix for more information). Respondents who had indicated during the administration of any of the K6 items that they had experienced at least one of the K6 symptoms (defined in the note above variables KSSLR6MONED and KSSLR6YRED) at least "a little of the time" (i.e., KSSLR6MONED greater than 0 or KSSLR6YRED greater than 0) were asked about remembering to do things they needed to do (IMPREMEM), concentrating on doing something important when other things were going on around them (IMPCONCN), going out of the house and getting around on their own (IMPGOUT, IMPGOUTM), dealing with people they did not know well (IMPPEOP, IMPPEOPM), participating in social activities (IMPSOC, IMPSOCM), taking care of household responsibilities (IMPHHLD, IMPHHLDM), taking care of daily responsibilities at work or school (IMPRES, IMPRESM), and getting daily work done as quickly as needed (IMPWORK, IMPRESM). Respondents who reported that they did not engage in an activity were asked a follow-up question to determine if they did not do so because of emotions, nerves, or mental health.

For the WHODAS total score, WHODASSCED, a value of 3 was assigned for each of the daily activities that a respondent indicated having "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. A value of 2 was assigned for each of the daily activities that a respondent indicated having "moderate" difficulty performing, and a value of 1 was assigned for "mild" difficulty. For activities that had a follow-up question, a response of "yes" was assigned a value of 3 as having "severe difficulty." A value of 0 was assigned for all other non-missing responses for each activity. These assigned values were summed to calculate a total score for WHODASSCED which ranges from 0 to 24. WHODASSCED was set equal to 0 for respondents with KSSLR6MAX=0.

For the alternative WHODAS total score, WHODASDAED, a value of 1 was assigned for each of the daily activities that a respondent indicated having "moderate" or "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. For activities that had a follow-up question, a response of "yes" was assigned a value of a 1 as having "moderate or severe difficulty." A value of 0 was assigned for all other non-missing responses for each activity. These assigned values were summed to calculate a total score for WHODASDAED which ranges from 0 to 8. WHODASDAED was set equal to 0 for respondents with KSSLR6MAX=0.

Specific details about these variables are provided in the Recoded Mental Health Appendix.

<u>WHODASSCED</u>	Len : 2	WHODAS TOTAL SCORE		
			Freq	Pct
		RANGE = 0 - 24.....	135264	77.82
		. = Aged 12-17 or missing.....	38544	22.18

<u>WHODASDAED</u>	Len : 2	ALTERNATIVE WHODAS SCORE		
			Freq	Pct
		RANGE = 0 - 8.....	135264	77.82
		. = Aged 12-17 or missing.....	38544	22.18

IMPUTED ADULT MENTAL HEALTH

IMPUTED ADULT MENTAL HEALTH

<u>IRDSTNRV30</u>	Len : 2 HOW OFTEN FELT NERVOUS PAST 30 DAYS - IMP REV		
		Freq	Pct
	1 = All of the time.....	5240	3.01
	2 = Most of the time.....	10671	6.14
	3 = Some of the time.....	33841	19.47
	4 = A little of the time.....	43982	25.30
	5 = None of the time.....	45790	26.35
	99 = LEGITIMATE SKIP.....	34284	19.73

<u>IIDSTNRV30</u>	Len : 1 HOW OFTEN FELT NERVOUS PAST 30 DAYS - IMP IND		
		Freq	Pct
	1 = Questionnaire data	135735	78.09
	3 = Statistically imputed data.....	3789	2.18
	9 = LEGITIMATE SKIP.....	34284	19.73

<u>IRDSTHOP30</u>	Len : 2 HOW OFTEN FELT HOPELESS PAST 30 DAYS - IMP REV		
		Freq	Pct
	1 = All of the time.....	3076	1.77
	2 = Most of the time.....	5512	3.17
	3 = Some of the time.....	16350	9.41
	4 = A little of the time.....	28161	16.20
	5 = None of the time.....	86425	49.72
	99 = LEGITIMATE SKIP.....	34284	19.73

<u>IIDSTHOP30</u>	Len : 1 HOW OFTEN FELT HOPELESS PAST 30 DAYS - IMP IND		
		Freq	Pct
	1 = Questionnaire data	135706	78.08
	3 = Statistically imputed data.....	3818	2.20
	9 = LEGITIMATE SKIP.....	34284	19.73

<u>IRDSTRST30</u>	Len : 2 HOW OFTEN FELT RESTLESS/FIDGETY PAST 30 DAYS - IMP REV		
		Freq	Pct
	1 = All of the time.....	5019	2.89
	2 = Most of the time.....	9561	5.50
	3 = Some of the time.....	25446	14.64
	4 = A little of the time.....	36281	20.87
	5 = None of the time.....	63217	36.37
	99 = LEGITIMATE SKIP.....	34284	19.73

<u>IIDSTRST30</u>	Len : 1 HOW OFTEN FELT RESTLESS/FIDGETY PAST 30 DAYS - IMP IND		
		Freq	Pct
	1 = Questionnaire data	135705	78.08
	3 = Statistically imputed data.....	3819	2.20
	9 = LEGITIMATE SKIP.....	34284	19.73

<u>IRDSTCHR30</u>	Len : 2 HOW OFTEN FELT COULDN'T BE CHEERED UP PST 30 DYS - IMP REV		
		Freq	Pct
	1 = All of the time.....	2798	1.61
	2 = Most of the time.....	5684	3.27
	3 = Some of the time.....	16025	9.22
	4 = A little of the time.....	28226	16.24
	5 = None of the time.....	86791	49.93
	99 = LEGITIMATE SKIP.....	34284	19.73

<u>IIDSTCHR30</u>	Len : 1 HOW OFTEN FELT COULDN'T BE CHEERED UP PST 30 DYS - IMP IND		
		Freq	Pct
	1 = Questionnaire data	135729	78.09
	3 = Statistically imputed data.....	3795	2.18
	9 = LEGITIMATE SKIP.....	34284	19.73

IMPUTED ADULT MENTAL HEALTH

[IRDSTEFF30](#)

Len : 2 HOW OFTEN FELT EVERYTHING EFFORT PAST 30 DAYS - IMP REV

	Freq	Pct
1 = All of the time.....	7140	4.11
2 = Most of the time.....	11401	6.56
3 = Some of the time.....	23076	13.28
4 = A little of the time.....	35359	20.34
5 = None of the time.....	62548	35.99
99 = LEGITIMATE SKIP.....	34284	19.73

[IIDSTEFF30](#)

Len : 1 HOW OFTEN FELT EVERYTHING EFFORT PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data.....	135425	77.92
3 = Statistically imputed data.....	4099	2.36
9 = LEGITIMATE SKIP.....	34284	19.73

[IRDSTNGD30](#)

Len : 2 HOW OFTEN FELT DOWN/WTHLSS/NO GOOD PAST 30 DAYS - IMP REV

	Freq	Pct
1 = All of the time.....	3975	2.29
2 = Most of the time.....	7133	4.10
3 = Some of the time.....	16684	9.60
4 = A little of the time.....	28308	16.29
5 = None of the time.....	83424	48.00
99 = LEGITIMATE SKIP.....	34284	19.73

[IIDSTNGD30](#)

Len : 1 HOW OFTEN FELT DOWN/WTHLSS/NO GOOD PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data.....	135655	78.05
3 = Statistically imputed data.....	3869	2.23
9 = LEGITIMATE SKIP.....	34284	19.73

[IRDSTWORST](#)

Len : 2 MONTH IN PAST 12 MOS FELT WORSE THAN PAST 30 DAYS - IMP REV

	Freq	Pct
1 = Yes.....	49357	28.40
2 = No.....	90167	51.88
99 = LEGITIMATE SKIP.....	34284	19.73

[IIDSTWORST](#)

Len : 1 MONTH IN PAST 12 MOS FELT WORSE THAN PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data.....	135449	77.93
3 = Statistically imputed data.....	4075	2.34
9 = LEGITIMATE SKIP.....	34284	19.73

[IRDSTNRV12](#)

Len : 2 HOW OFTEN FELT NERVOUS WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time.....	7688	4.42
2 = Most of the time.....	14275	8.21
3 = Some of the time.....	16063	9.24
4 = A little of the time.....	9004	5.18
5 = None of the time.....	2327	1.34
99 = LEGITIMATE SKIP.....	124451	71.60

[IIDSTNRV12](#)

Len : 1 HOW OFTEN FELT NERVOUS WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data.....	47872	27.54
3 = Statistically imputed data.....	1485	0.85
9 = LEGITIMATE SKIP.....	124451	71.60

[IRDSTHOP12](#)

Len : 2 HOW OFTEN FELT HOPELESS WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time.....	6457	3.72
2 = Most of the time.....	10182	5.86
3 = Some of the time.....	12956	7.45
4 = A little of the time.....	10070	5.79
5 = None of the time.....	9692	5.58
99 = LEGITIMATE SKIP.....	124451	71.60

IMPUTED ADULT MENTAL HEALTH

[IIDSTHOP12](#)

Len : 1 HOW OFTEN FELT HOPELESS WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	47864	27.54
3 = Statistically imputed data	1493	0.86
9 = LEGITIMATE SKIP	124451	71.60

[IRDSTRST12](#)

Len : 2 HOW OFTEN FELT RESTLESS/FIDGETY WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time	6151	3.54
2 = Most of the time	9641	5.55
3 = Some of the time	14043	8.08
4 = A little of the time	11855	6.82
5 = None of the time	7667	4.41
99 = LEGITIMATE SKIP	124451	71.60

[IIDSTRST12](#)

Len : 1 HOW OFTEN FELT RESTLESS/FIDGETY WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	47845	27.53
3 = Statistically imputed data	1512	0.87
9 = LEGITIMATE SKIP	124451	71.60

[IRDSTCHR12](#)

Len : 2 HOW OFTEN FELT COULDN'T BE CHEERED UP WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time	6420	3.69
2 = Most of the time	10081	5.80
3 = Some of the time	12365	7.11
4 = A little of the time	10743	6.18
5 = None of the time	9748	5.61
99 = LEGITIMATE SKIP	124451	71.60

[IIDSTCHR12](#)

Len : 1 HOW OFTEN FELT COULDN'T BE CHEERED UP WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	47862	27.54
3 = Statistically imputed data	1495	0.86
9 = LEGITIMATE SKIP	124451	71.60

[IRDSTEFF12](#)

Len : 2 HOW OFTEN FELT EVERYTHING EFFORT WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time	9358	5.38
2 = Most of the time	11682	6.72
3 = Some of the time	12176	7.01
4 = A little of the time	10190	5.86
5 = None of the time	5951	3.42
99 = LEGITIMATE SKIP	124451	71.60

[IIDSTEFF12](#)

Len : 1 HOW OFTEN FELT EVERYTHING EFFORT WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	47813	27.51
3 = Statistically imputed data	1544	0.89
9 = LEGITIMATE SKIP	124451	71.60

[IRDSTNGD12](#)

Len : 2 HOW OFTEN FELT DOWN/WTHLSS/NO GOOD WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time	7129	4.10
2 = Most of the time	9459	5.44
3 = Some of the time	11220	6.46
4 = A little of the time	10098	5.81
5 = None of the time	11451	6.59
99 = LEGITIMATE SKIP	124451	71.60

[IIDSTNGD12](#)

Len : 1 HOW OFTEN FELT DOWN/WTHLSS/NO GOOD WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	47841	27.53
3 = Statistically imputed data	1516	0.87
9 = LEGITIMATE SKIP	124451	71.60

IMPUTED ADULT MENTAL HEALTH

<u>IRIMPREMEM</u>	Len : 2 DIFFICULTY REMEMBERING ONE MO IN PST 12 MOS - IMP REV		
		Freq	Pct
	1 = No difficulty	50055	28.80
	2 = Mild difficulty.....	36877	21.22
	3 = Moderate difficulty	17274	9.94
	4 = Severe difficulty.....	5821	3.35
	99 = LEGITIMATE SKIP.....	63781	36.70
<u>IIIMPREMEM</u>	Len : 1 DIFFICULTY REMEMBERING ONE MO IN PST 12 MOS - IMP IND		
		Freq	Pct
	1 = Questionnaire data	106485	61.27
	3 = Statistically imputed data.....	3542	2.04
	9 = LEGITIMATE SKIP.....	63781	36.70
<u>IRIMPCONCN</u>	Len : 2 DIFFICULTY CONCENTRATING ONE MO IN PST 12 MOS - IMP REV		
		Freq	Pct
	1 = No difficulty	42868	24.66
	2 = Mild difficulty.....	38399	22.09
	3 = Moderate difficulty	20493	11.79
	4 = Severe difficulty.....	8267	4.76
	99 = LEGITIMATE SKIP.....	63781	36.70
<u>IIIMPCONCN</u>	Len : 1 DIFFICULTY CONCENTRATING ONE MO IN PST 12 MOS - IMP IND		
		Freq	Pct
	1 = Questionnaire data	106485	61.27
	3 = Statistically imputed data.....	3542	2.04
	9 = LEGITIMATE SKIP.....	63781	36.70
<u>IRIMPGOUT</u>	Len : 2 DIFFICULTY GOING OUT ONE MO IN PST 12 MOS - IMP REV		
		Freq	Pct
	1 = No difficulty	64882	37.33
	2 = Mild difficulty.....	21228	12.21
	3 = Moderate difficulty	13722	7.89
	4 = Severe difficulty.....	6230	3.58
	5 = You didn't leave the house on your own	3965	2.28
	99 = LEGITIMATE SKIP.....	63781	36.70
<u>IIIMPGOUT</u>	Len : 1 DIFFICULTY GOING OUT ONE MO IN PST 12 MOS - IMP IND		
		Freq	Pct
	1 = Questionnaire data	106500	61.27
	3 = Statistically imputed data.....	3527	2.03
	9 = LEGITIMATE SKIP.....	63781	36.70
<u>IRIMPGOUTM</u>	Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM LEAVING HOUSE - IMP REV		
		Freq	Pct
	1 = Yes.....	2605	1.50
	2 = No.....	1360	0.78
	99 = LEGITIMATE SKIP.....	169843	97.72
<u>IIIMPGOUTM</u>	Len : 1 EMOTIONAL PROBLEMS KEEP YOU FROM LEAVING HOUSE - IMP IND		
		Freq	Pct
	1 = Questionnaire data	106480	61.26
	3 = Statistically imputed data.....	3547	2.04
	9 = LEGITIMATE SKIP.....	63781	36.70
<u>IRIMPPEOP</u>	Len : 2 DIFFICULTY DEALING W STRNGERS ONE MO IN PST 12 MOS - IMP REV		
		Freq	Pct
	1 = No difficulty	55233	31.78
	2 = Mild difficulty.....	26610	15.31
	3 = Moderate difficulty	15644	9.00
	4 = Severe difficulty.....	7512	4.32
	5 = You didn't deal with people you did not know well	5028	2.89
	99 = LEGITIMATE SKIP.....	63781	36.70

IMPUTED ADULT MENTAL HEALTH

IIIMPPEOP

Len : 1 DIFFICULTY DEALING W STRNGERS ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	106452	61.25
3 = Statistically imputed data.....	3575	2.06
9 = LEGITIMATE SKIP.....	63781	36.70

IRIMPPEOPM

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM DEALING W STRNGRS - IMP REV

	Freq	Pct
1 = Yes.....	2324	1.34
2 = No.....	2704	1.56
99 = LEGITIMATE SKIP.....	168780	97.11

IIIMPPEOPM

Len : 1 EMOTIONAL PRBLMS KEEP YOU FROM DEALING W STRNGRS - IMP IND

	Freq	Pct
1 = Questionnaire data	106426	61.23
3 = Statistically imputed data.....	3601	2.07
9 = LEGITIMATE SKIP.....	63781	36.70

IRIMPSOC

Len : 2 DIFFICULTY PART IN SOCIAL ACT ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	51365	29.55
2 = Mild difficulty.....	25192	14.49
3 = Moderate difficulty	15983	9.20
4 = Severe difficulty.....	8699	5.00
5 = You didn't participate in social activities	8788	5.06
99 = LEGITIMATE SKIP.....	63781	36.70

IIIMPSOC

Len : 1 DIFFICULTY PART IN SOCIAL ACT ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	106462	61.25
3 = Statistically imputed data.....	3565	2.05
9 = LEGITIMATE SKIP.....	63781	36.70

IRIMPSOCM

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM SOCIAL ACT - IMP REV

	Freq	Pct
1 = Yes.....	4315	2.48
2 = No.....	4473	2.57
99 = LEGITIMATE SKIP.....	165020	94.94

IIIMPSOCM

Len : 1 EMOTIONAL PROBLEMS KEEP YOU FROM SOCIAL ACT - IMP IND

	Freq	Pct
1 = Questionnaire data	106434	61.24
3 = Statistically imputed data.....	3593	2.07
9 = LEGITIMATE SKIP.....	63781	36.70

IRIMPHLD

Len : 2 DIFFICULTY HHLD RESPONS ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	52505	30.21
2 = Mild difficulty.....	28586	16.45
3 = Moderate difficulty	17484	10.06
4 = Severe difficulty.....	9523	5.48
5 = You didn't take care of household responsibilities	1929	1.11
99 = LEGITIMATE SKIP.....	63781	36.70

IIIMPHLD

Len : 1 DIFFICULTY HHLD RESPONS ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	106491	61.27
3 = Statistically imputed data.....	3536	2.03
9 = LEGITIMATE SKIP.....	63781	36.70

IMPUTED ADULT MENTAL HEALTH

<u>IRIMPHLDM</u>	Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM HHLD RESP - IMP REV		
		Freq	Pct
	1 = Yes.....	1342	0.77
	2 = No.....	587	0.34
	99 = LEGITIMATE SKIP.....	171879	98.89
<u>IIIMPHLDM</u>	Len : 1 EMOTIONAL PROBLEMS KEEP YOU FROM HHLD RESP - IMP IND		
		Freq	Pct
	1 = Questionnaire data	106483	61.26
	3 = Statistically imputed data.....	3544	2.04
	9 = LEGITIMATE SKIP.....	63781	36.70
<u>IRIMPRES</u>	Len : 2 DIFFICULTY WORK RESPONDS ONE MO IN PST 12 MOS - IMP REV		
		Freq	Pct
	1 = No difficulty	55038	31.67
	2 = Mild difficulty.....	26294	15.13
	3 = Moderate difficulty	14241	8.19
	4 = Severe difficulty.....	6654	3.83
	5 = You didn't work or go to school.....	7800	4.49
	99 = LEGITIMATE SKIP.....	63781	36.70
<u>IIIMPRES</u>	Len : 1 DIFFICULTY WORK RESPONDS ONE MO IN PST 12 MOS - IMP IND		
		Freq	Pct
	1 = Questionnaire data	106385	61.21
	3 = Statistically imputed data.....	3642	2.10
	9 = LEGITIMATE SKIP.....	63781	36.70
<u>IRIMPRESM</u>	Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM WORK OR SCHOOL - IMP REV		
		Freq	Pct
	1 = Yes.....	1686	0.97
	2 = No.....	6114	3.52
	99 = LEGITIMATE SKIP.....	166008	95.51
<u>IIIMPRESM</u>	Len : 1 EMOTIONAL PROBLEMS KEEP YOU FROM WORK OR SCHOOL - IMP IND		
		Freq	Pct
	1 = Questionnaire data	106332	61.18
	3 = Statistically imputed data.....	3695	2.13
	9 = LEGITIMATE SKIP.....	63781	36.70
<u>IRIMPWORK</u>	Len : 2 DIFFICULTY DOING DAILY WORK ONE MO IN PST 12 MOS - IMP REV		
		Freq	Pct
	1 = No difficulty	49333	28.38
	2 = Mild difficulty.....	31605	18.18
	3 = Moderate difficulty	15147	8.71
	4 = Severe difficulty.....	6142	3.53
	99 = LEGITIMATE SKIP.....	71581	41.18
<u>IIIMPWORK</u>	Len : 1 DIFFICULTY DOING DAILY WORK ONE MO IN PST 12 MOS - IMP IND		
		Freq	Pct
	1 = Questionnaire data	106428	61.23
	3 = Statistically imputed data.....	3599	2.07
	9 = LEGITIMATE SKIP.....	63781	36.70
<u>IRSUICTHNK</u>	Len : 1 ADULT SERIOUSLY THOUGHT ABOUT KILLING SELF PST YR - IMP REV		
		Freq	Pct
	. = Aged 12-17.....	34284	19.73
	0 = No.....	129631	74.58
	1 = Yes.....	9893	5.69
<u>IIIRSUICTHNK</u>	Len : 1 ADULT SERIOUSLY THOUGHT ABOUT KILLING SELF PST YR - IMP IND		
		Freq	Pct
	1 = Questionnaire data	135251	77.82
	3 = Statistically imputed data.....	4273	2.46
	9 = LEGITIMATE SKIP.....	34284	19.73

IMPUTED ADULT MENTAL HEALTH

<u>IRCOSUITHNK</u>	Len : 1 ADULT THOUGHT OF KILLING SELF DUE TO COVID-19 PY - IMP REV		
	.	Freq	Pct
	= Aged 12-17.....	34284	19.73
	0 = No.....	8535	4.91
	1 = Yes.....	1358	0.78
	9 = LEGITIMATE SKIP.....	129631	74.58
<u>IICOSUITHNK</u>	Len : 1 ADULT THOUGHT OF KILLING SELF DUE TO COVID-19 PY - IMP IND		
	1 = Questionnaire data.....	Freq	Pct
	3 = Statistically imputed data.....	9522	5.48
	9 = LEGITIMATE SKIP.....	4331	2.49
		159955	92.03
<u>IRSUIPLANYR</u>	Len : 1 ADULT MADE PLANS TO KILL SELF IN PST YR - IMP REV		
	.	Freq	Pct
	= Aged 12-17.....	34284	19.73
	0 = No.....	136332	78.44
	1 = Yes.....	3192	1.84
<u>IISUIPLANYR</u>	Len : 1 ADULT MADE PLANS TO KILL SELF IN PST YR - IMP IND		
	1 = Questionnaire data.....	Freq	Pct
	3 = Statistically imputed data.....	135432	77.92
	9 = LEGITIMATE SKIP.....	4092	2.35
		34284	19.73
<u>IRCOSUIPLNYR</u>	Len : 1 ADULT MADE PLANS TO KILL SELF DUE TO COVID-19 PY - IMP REV		
	.	Freq	Pct
	= Aged 12-17.....	34284	19.73
	0 = No.....	2807	1.62
	1 = Yes.....	385	0.22
	9 = LEGITIMATE SKIP.....	136332	78.44
<u>IICOSUIPLNYR</u>	Len : 1 ADULT MADE PLANS TO SELF DUE TO COVID-19 PY - IMP IND		
	1 = Questionnaire data.....	Freq	Pct
	3 = Statistically imputed data.....	3078	1.77
	9 = LEGITIMATE SKIP.....	4112	2.37
		166618	95.86
<u>IRSUITRYR</u>	Len : 1 ADULT ATTEMPTED TO KILL SELF IN PST YR - IMP REV		
	.	Freq	Pct
	= Aged 12-17.....	34284	19.73
	0 = No.....	138129	79.47
	1 = Yes.....	1395	0.80
<u>IISUITRYR</u>	Len : 1 ADULT ATTEMPTED TO KILL SELF IN PST YR - IMP IND		
	1 = Questionnaire data.....	Freq	Pct
	3 = Statistically imputed data.....	135486	77.95
	9 = LEGITIMATE SKIP.....	4038	2.32
		34284	19.73
<u>IRCOSUITRYR</u>	Len : 1 ADULT ATTEMPTED TO KILL SELF DUE TO COVID-19 PY - IMP REV		
	.	Freq	Pct
	= Aged 12-17.....	34284	19.73
	0 = No.....	1177	0.68
	1 = Yes.....	218	0.13
	9 = LEGITIMATE SKIP.....	138129	79.47
<u>IICOSUITRYR</u>	Len : 1 ADULT ATTEMPTED TO KILL SELF DUE TO COVID-19 PY - IMP IND		
	1 = Questionnaire data.....	Freq	Pct
	3 = Statistically imputed data.....	1340	0.77
	9 = LEGITIMATE SKIP.....	4047	2.33
		168421	96.90

RECODED ADULT MENTAL HEALTH

RECODED ADULT MENTAL HEALTH

NOTE: The following variable, KSSLR6MON, is a score with values ranging from 0 to 24 indicating the level of psychological distress over the past 30 days (past month). This variable is based on imputed data collected from a series of six questions known as the K6, asking adult respondents how frequently they experienced symptoms of psychological distress during the past 30 days. These questions include the following symptoms of distress: feeling nervous (IRDSTNRV30), feeling hopeless (IRDSTHOP30), feeling restless or fidgety (IRDSTRST30), feeling so sad or depressed that nothing could cheer you up (IRDSTCHR30), feeling that everything was an effort (IRDSTEFF30), and feeling down on yourself, no good, or worthless (IRDSTNGD30). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" were coded 0. These assigned values were summed across the six items to calculate a total score for KSSLR6MON. Specific details about this variable are provided in the Recoded Mental Health Appendix.

<u>KSSLR6MON</u>	Len : 2	RC-K6 TOTAL SCORE IN PAST MONTH		
			Freq	Pct
		RANGE = 0 - 24.....	139524	80.27
		. = Aged 12-17.....	34284	19.73

<u>SPDPSTMON</u>	Len : 1	RC-PAST MONTH SERIOUS PSCYHOLOGICAL DISTRESS INDICATOR		
			Freq	Pct
		. = Aged 12-17.....	34284	19.73
		0 = No (KSSLR6MON<13).....	124551	71.66
		1 = Yes (KSSLR6MON>=13).....	14973	8.61

NOTE: The following variable, KSSLR6YR, is a score with values ranging from 0 to 24 indicating the level of psychological distress during the worst month of the past year, that was not the past 30 days. This variable is only defined for respondents who reported that there was a month in the past 12 months when he/she was more depressed, anxious, or emotionally stressed than during the past 30 days (IRDSTWORST=1). This score variable is based on imputation-revised values for a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during their worst month in the past year (only if the worst month was not the past 30 days). These questions are from the K6 and include the following symptoms of distress: feeling nervous (IRDSTNRV12), feeling hopeless (IRDSTHOP12), feeling restless or fidgety (IRDSTRST12), feeling so sad or depressed that nothing could cheer them up (IRDSTCHR12), feeling that everything was an effort (IRDSTEFF12), and feeling down on themselves, no good, or worthless (IRDSTNGD12). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" were coded 0. These assigned values were summed across the six items to calculate a total score for KSSLR6YR. For respondents who indicated that they did not have a month in the past year worse than the past 30 days, KSSLR6YR was set to missing. Specific details about this variable are provided in the Recoded Mental Health Appendix.

<u>KSSLR6YR</u>	Len : 2	RC-K6 TOTAL SCORE IN PAST YEAR		
			Freq	Pct
		RANGE = 0 - 24.....	49357	28.40
		. = Aged 12-17 or IRDSTWORST=2.....	124451	71.60

NOTE: The following variable, KSSLR6MAX, is defined to be the higher K6 score between the past month K6 total score (KSSLR6MON) variable, and the K6 total score in the worst month of the past year if the worst month was not the past 30 days (KSSLR6YR) variable.

<u>KSSLR6MAX</u>	Len : 2	RC-WORST K6 TOTAL SCORE IN PAST YEAR		
			Freq	Pct
		RANGE = 0 - 24.....	139524	80.27
		. = Aged 12-17.....	34284	19.73

<u>SPDPSTYR</u>	Len : 1	RC-PAST YEAR SERIOUS PSCYHOLOGICAL DISTRESS INDICATOR		
			Freq	Pct
		. = Aged 12-17.....	34284	19.73
		0 = No (KSSLR6MAX<13).....	112198	64.55
		1 = Yes (KSSLR6MAX>=13).....	27326	15.72

NOTE: The following variable, AKSSLR6WRST, is an alternative version of the original worst K6 total score in the past year (KSSLR6MAX) with values ranging from 0 to 17 rather than 0 to 24. This alternative total score was calculated by assigning a value of 0 when KSSLR6MAX had a value from 0 to 7 and assigning a value of 1 to 17 when KSSLR6MAX had a corresponding value from 8 to 24. This alternative version was used in the regression model to determine SMI because SMI prevalence was typically extremely low for respondents with worst K6 total scores less than 8. Specific details about this variable are provided in the Recoded Mental Health Appendix.

<u>AKSSLR6WRST</u>	Len : 2	RC-ALTERNATIVE WORST K6 TOTAL SCORE		
			Freq	Pct
		RANGE = 0 - 17.....	139524	80.27
		. = Aged 12-17.....	34284	19.73

RECODED ADULT MENTAL HEALTH

NOTE: The following two variables, WHODASTOTSC and WHODASDASC, are score variables that indicate the level of impairment for respondents. These variables are based on imputation-revised data collected from a series of thirteen questions asking respondents how much difficulty they experienced in doing eight daily activities in the one month in the past year when they were at their worst emotionally (defined in the note above variables WHODASSCED and WHODASDAED).

For the original WHODAS total score, WHODASTOTSC, a value of 3 was assigned for each of the daily activities that a respondent indicated having "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. A value of 2 was assigned for each of the daily activities that a respondent indicated having "moderate" difficulty performing, and a value of 1 was assigned for "mild" difficulty. For activities that had a follow-up question, a response of "yes" was assigned a value of 3 as having "severe difficulty." A value of 0 was assigned for all other responses (or imputed values) for each activity. These assigned values were summed to calculate a total score for WHODASTOTSC which ranges from 0 to 24. WHODASTOTSC was set equal to 0 for respondents with KSSLR6MAX=0.

For the alternative WHODAS total score, WHODASDASC, a value of 1 was assigned for each of the daily activities that a respondent indicated having "moderate" or "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. For activities that had a follow-up question, a response of "yes" was assigned a value of a 1 as having "moderate or severe difficulty." A value of 0 was assigned for all other responses (or imputed values) for each activity. These assigned values were summed to calculate a total score for WHODASDASC which ranges from 0 to 8. WHODASDASC was set equal to 0 for respondents with KSSLR6MAX=0. The alternative version of the WHODAS total score (WHODASDASC) was used in the regression model to determine SMI.

Specific details about these variables are provided in the Recoded Mental Health Appendix.

<u>WHODASTOTSC</u>	Len : 2	RC-WHODAS TOTAL SCORE		
			Freq	Pct
		RANGE = 0 - 24.....	139524	80.27
		. = Aged 12-17.....	34284	19.73

<u>WHODASDASC</u>	Len : 2	RC-ALTERNATIVE WHODAS SCORE		
			Freq	Pct
		RANGE = 0 - 8.....	139524	80.27
		. = Aged 12-17.....	34284	19.73

NOTE: The following eight mental illness variables are based on the 2012 mental illness prediction model. Starting with the 2021 NSDUH, the inputs to the 2012 mental illness prediction model were statistically imputed. Specific details about these variables and the prediction models are provided in the Recoded Mental Health Appendix.

The following variable, SMIPPPY, is a predicted probability that a respondent has Serious Mental Illness (SMI) estimated using the 2012 logistic regression model. SMIPPPY was used to determine these levels of mental illness: Serious (SMI), Serious or Moderate (SMMI), and Any (AMI). The categories of Moderate (MMI) and Mild (LMI) were determined by subtraction.

<u>SMIPPPY</u>	Len : 12	RC-IMP PREDICTED SERIOUS MENTAL ILLNESS PROB PY		
			Freq	Pct
		RANGE = 0.0025409721 - 0.9291205406.....	139524	80.27
		. = Aged 12-17 (AGE3<4).....	34284	19.73

NOTE: The following six variables (SMIPY, AMIPY, SMMIPY, MMIPY, LMIPY, and LMMIPY) are not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor are they recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of these variables can be found in the Recoded Mental Health Appendix.

The following variable, SMIPY, is a Serious Mental Illness (SMI) indicator for respondents based on the 2012 predicted probability of SMI (SMIPPPY). If SMIPPPY is greater than or equal to a specified cutoff point (0.260573529) then SMIPY=1, and if SMIPPPY is less than the cutoff point then SMIPY=0. Specific details about this variable can be found in the Recoded Mental Health Appendix.

<u>SMIPY</u>	Len : 1	RC-IMP SMI IND (1/0) BASED ON PREDICTED SMI PROB PY		
			Freq	Pct
		. = Aged 12-17 (AGE3<4).....	34284	19.73
		0 = No Past Year SMI (See comment above).....	128750	74.08
		1 = Past Year SMI (See comment above).....	10774	6.20

RECODED ADULT MENTAL HEALTH

The following variable, AMIPY, is an indicator for Any Mental Illness (AMI) based on the 2012 predicted probability of SMI (SMIPPPY). If SMIPPPY is greater than or equal to a specified cutoff point (0.0192519810) then AMIPY=1, and if SMIPPPY is less than the cutoff point then AMIPY=0. AMI is defined as having Serious, Moderate, or Mild Mental Illness. Specific details about this variable can be found in the Recoded Mental Health Appendix.

<u>AMIPY</u>	Len : 1 RC-IMP AMI IND (1/0) BASED ON PREDICTED SMI PROB PY		
		Freq	Pct
.	= Aged 12-17 (AGE3<4)	34284	19.73
0	= No Past Yr Any Mental Illness (See comment above)	100624	57.89
1	= Past Year Any Mental Illness (See comment above)	38900	22.38

The following variable, SMMIPY, is an indicator for Serious or Moderate Mental Illness (SMMI) based on the 2012 predicted probability of SMI (SMIPPPY). If SMIPPPY is greater than or equal to a specified cutoff point (0.077686285365) then SMMIPY=1, and if SMIPPPY is less than the cutoff point then SMMIPY=0. Specific details about this variable can be found in the Recoded Mental Health Appendix.

<u>SMMIPY</u>	Len : 1 RC-IMP SMMI IND (1/0) BASED ON PREDICTED SMI PROB PY		
		Freq	Pct
.	= Aged 12-17 (AGE3<4)	34284	19.73
0	= No Past Year SMMI (See comment above)	118130	67.97
1	= Past Year SMMI (See comment above)	21394	12.31

The following variable, MMIPY, is an indicator for Moderate Mental Illness (MMI). This indicator is derived from mental illness variables based on the 2012 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

<u>MMIPY</u>	Len : 1 RC-IMP MOD MI IND (1/0) BASED ON PRED SMI PROB PY		
		Freq	Pct
.	= Aged 12-17 (AGE3<4)	34284	19.73
0	= No Past Year MMI (Otherwise)	128904	74.16
1	= Past Year MMI (SMMIPY=1 and SMIPY=0)	10620	6.11

The following variable, LMIPY, is an indicator for Mild (Low) Mental Illness (LMI). This indicator is derived from mental illness variables based on the 2012 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

<u>LMIPY</u>	Len : 1 RC-IMP MILD MI IND (1/0) BASED ON PRED SMI PROB PY		
		Freq	Pct
.	= Aged 12-17 (AGE3<4)	34284	19.73
0	= No Past Year LMI (Otherwise)	122018	70.20
1	= Past Year LMI (AMIPY=1 and SMMIPY=0)	17506	10.07

The following variable, LMMIPY, is an indicator for Mild (Low) Mental Illness (LMI) or Moderate Mental Illness (MMI). This indicator is derived from mental illness variables based on the 2012 model. Specific details about this variable are provided in the Recoded Mental Health Appendix. This mental illness variable is referred to as any mental illness (AMI) excluding serious mental illness (SMI).

<u>LMMIPY</u>	Len : 1 RC-IMP LMMI IND (1/0) BASED ON PREDICTED SMI PROB PY		
		Freq	Pct
.	= Aged 12-17 (AGE3<4)	34284	19.73
0	= No Past Year LMMI (Otherwise)	111398	64.09
1	= Past Year LMMI (LMIPY=1 or MMIPY=1)	28126	16.18

The following variable, MICATPY, is a categorical mental illness indicator. This indicator is derived from mental illness variables based on the 2012 model. MICATPY is not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor is it recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of this variable can be found in the Recoded Mental Health Appendix.

<u>MICATPY</u>	Len : 1 RC-IMP CATEGORICAL MI INDICATOR PY		
		Freq	Pct
.	= Aged 12-17 (AGE3<4)	34284	19.73
0	= No Past Year MI (SMIPY & LMIPY & MMIPY=0)	100624	57.89
1	= Past Year Mild Mental Illness (LMIPY=1)	17506	10.07
2	= Past Year Moderate Mental Illness (MMIPY=1)	10620	6.11
3	= Past Year Serious Mental Illness (SMIPY=1)	10774	6.20

RECODED ADULT MENTAL HEALTH

NOTE: SMISUD5ANY, AMISUD5ANY, and LMMISUD5ANY are recodes that combine mental illness measures based on the 2012 predicted probability of SMI (SMIPPPY) with substance use disorder (SUD) in the past year. Starting with the 2021 NSDUH, the inputs to the 2012 mental illness prediction model were statistically imputed. Specific information about the DSM-5 use disorder criteria used in these recoded variables can be found in the Nicotine Dependence and Substance Use Disorder Appendix.

<u>SMISUD5ANY</u>	Len : 1 RC-IMP SMI AND SUB USE DISORDER - PAST YEAR-DSM-5 - ANY		
		Freq	Pct
.	= Aged 12-17 (SMIPY=.)	34284	19.73
1	= Yes (SMIPY=1 and UD5ILALANY=1)	5188	2.98
2	= No (SMIPY=0 or UD5ILALANY=0)	134336	77.29

<u>AMISUD5ANY</u>	Len : 1 RC-IMP AMI AND SUB USE DISORDER - PAST YEAR-DSM-5 - ANY		
		Freq	Pct
.	= Aged 12-17 (AMIPY=.)	34284	19.73
1	= Yes (AMIPY=1 and UD5ILALANY=1)	14347	8.25
2	= No (AMIPY=0 or UD5ILALANY=0)	125177	72.02

<u>LMMISUD5ANY</u>	Len : 1 RC-IMP LMMI AND SUB USE DISORDER - PAST YEAR-DSM-5 - ANY		
		Freq	Pct
.	= Aged 12-17 (LMMIPY=.)	34284	19.73
0	= No (LMMIPY=0 or UD5ILALANY=0)	130365	75.01
1	= Yes (LMMIPY=1 and UD5ILALANY=1)	9159	5.27

NOTE: The following four variables are recodes that combine mental illness measures based on the 2012 revised predicted probability of SMI (SMIPPPY) with substance use disorder (SUD) in the past year. SMIRSUD5ANY, SMISUD5ANYO, AMIRSUD5ANY, and AMISUD5ANYO were created using the DSM-5 based SUD estimates. Specific information about the DSM-5 use disorder criteria used in these recoded variables can be found in the Nicotine Dependence and Substance Use Disorder Appendix. These recodes replace variables SMIRSUD5, SMISUD5ONL, AMIRSUD5, and AMISUD5ONL, and were used starting with the 2021 NSDUH National Report appendix tables.

<u>SMIRSUD5ANY</u>	Len : 1 RC-IMP SMI OR SUB USE DISORDER - PAST YEAR-DSM-5 - ANY		
		Freq	Pct
.	= Aged 12-17 (SMIPY=.)	34284	19.73
1	= Yes (SMIPY=1 or UD5ILALANY=1)	34606	19.91
2	= No (SMIPY=0 and UD5ILALANY=0)	104918	60.36

<u>SMISUD5ANYO</u>	Len : 1 RC-ONLY IMP SMI, ONLY SUD, BOTH, OR NEITHER - PY-DSM-5-ANY		
		Freq	Pct
.	= Aged 12-17 (SMIPY=.)	34284	19.73
1	= SUD only, no SMI (SMIPY=0 and UD5ILALANY=1)	23832	13.71
2	= SMI only, no SUD (SMIPY=1 and UD5ILALANY=0)	5586	3.21
3	= SUD and SMI (SMIPY=1 and UD5ILALANY=1)	5188	2.98
4	= Neither SUD or SMI (SMIPY=0 and UD5ILALANY=0)	104918	60.36

<u>AMIRSUD5ANY</u>	Len : 1 RC-IMP AMI OR SUB USE DISORDER - PAST YEAR-DSM-5 - ANY		
		Freq	Pct
.	= Aged 12-17 (AMIPY=.)	34284	19.73
1	= Yes (AMIPY=1 or UD5ILALANY=1)	53573	30.82
2	= No (AMIPY=0 and UD5ILALANY=0)	85951	49.45

<u>AMISUD5ANYO</u>	Len : 1 RC-ONLY IMP AMI, ONLY SUD, BOTH, OR NEITHER - PY-DSM-5-ANY		
		Freq	Pct
.	= Aged 12-17 (AMIPY=.)	34284	19.73
1	= SUD only, no AMI (AMIPY=0 and UD5ILALANY=1)	14673	8.44
2	= AMI only, no SUD (AMIPY=1 and UD5ILALANY=0)	24553	14.13
3	= SUD and AMI (AMIPY=1 and UD5ILALANY=1)	14347	8.25
4	= Neither SUD or AMI (AMIPY=0 and UD5ILALANY=0)	85951	49.45

<u>ADSUITPAYR</u>	Len : 1 RC-ADULT THOUGHT ABOUT, PLANNED, OR ATTEMPTED SUICIDE - PY		
		Freq	Pct
.	= Aged 12-17 (Otherwise)	34284	19.73
1	= One or More (IRSUICTHKN=1 or IRSUIPLANYR=1 or IRSUITRYR=1)	10138	5.83
2	= None (IRSUICTHKN=0 and IRSUIPLANYR=0 and IRSUITRYR=0)	129386	74.44

RECODED ADULT MENTAL HEALTH

[ADSUITPACOM](#)

Len : 1 RC-ADULT PY SUICIDE THOUGHTS/PLANS/ATTEMPTS COMBINATIONS

	Freq	Pct
. = Aged 12-17	23541	13.54
-9 = Data not collected for this year	58034	33.39
1 = Thoughts only (IRSUICTHNK=1 & IRSUIPLANYR=0 & IRSUITRYR=0)	4444	2.56
2 = Plans only (IRSUICTHNK=0 & IRSUIPLANYR=1 & IRSUITRYR=0)	101	0.06
3 = Attempts only (IRSUICTHNK=0 & IRSUIPLANYR=0 & IRSUITRYR=1)	40	0.02
4 = Thghts/Plans only (IRSUICTHNK, IRSUIPLANYR=1 & IRSUITRYR=0)	1369	0.79
5 = Thghts/Atmpt only (IRSUICTHNK, IRSUITRYR=1 & IRSUIPLANYR=0)	170	0.10
6 = Plns/Atmpts only (IRSUICTHNK=0 & IRSUIPLANYR, IRSUITRYR=1)	17	0.01
7 = Thghts/Plns/Atmpts (IRSUICTHNK, IRSUIPLANYR, IRSUITRYR=1)	733	0.42
8 = No suicide behaviors (IRSUICTHNK, IRSUIPLANYR, IRSUITRYR=0)	85359	49.11

ADULT DEPRESSION

ADULT DEPRESSION

This note applies to variables in this section marked by a¹.

Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty or depressed?

[ADDPREV¹](#)

Len : 2 SEVERAL DAYS OR LNGR WHEN FELT SAD/EMPTY/DPRSD

	Freq	Pct
1 = Yes.....	47618	27.40
2 = No.....	87766	50.50
85 = BAD DATA Logically assigned.....	24	0.01
94 = DON'T KNOW.....	221	0.13
97 = REFUSED.....	407	0.23
98 = BLANK (NO ANSWER).....	3488	2.01
99 = LEGITIMATE SKIP.....	34284	19.73

Have you ever had a period of time lasting several days or longer when most of the day you were very discouraged about how things were going in your life?

[ADDSCEV¹](#)

Len : 2 SEVERAL DAYS OR LNGR FELT DISCOURAGED ABT LIFE

	Freq	Pct
1 = Yes.....	8713	5.01
2 = No.....	79065	45.49
94 = DON'T KNOW.....	207	0.12
97 = REFUSED.....	395	0.23
98 = BLANK (NO ANSWER).....	3526	2.03
99 = LEGITIMATE SKIP.....	81902	47.12

Have you ever had a period of time lasting several days or longer when you lost interest in most things you usually enjoy like work, hobbies, and personal relationships?

[ADLOSEV¹](#)

Len : 2 EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS

	Freq	Pct
1 = Yes.....	3291	1.89
2 = No.....	75791	43.61
94 = DON'T KNOW.....	199	0.11
97 = REFUSED.....	375	0.22
98 = BLANK (NO ANSWER).....	3537	2.04
99 = LEGITIMATE SKIP.....	90615	52.14

During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?

[ADDPDISC¹](#)

Len : 2 FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
1 = Yes.....	44267	25.47
2 = No.....	3303	1.90
85 = BAD DATA Logically assigned.....	24	0.01
94 = DON'T KNOW.....	30	0.02
97 = REFUSED.....	16	0.01
98 = BLANK (NO ANSWER).....	3954	2.27
99 = LEGITIMATE SKIP.....	122214	70.32

During the times when you felt sad, empty, or depressed, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?

[ADDPDISIN¹](#)

Len : 2 EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
1 = Yes.....	41042	23.61
2 = No.....	6522	3.75
85 = BAD DATA Logically assigned.....	24	0.01
94 = DON'T KNOW.....	36	0.02
97 = REFUSED.....	14	0.01
98 = BLANK (NO ANSWER).....	3956	2.28
99 = LEGITIMATE SKIP.....	122214	70.32

ADULT DEPRESSION

During times when you felt discouraged about how things were going in your life, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?

[ADDSLSIN¹](#)

Len : 2 EVER LOSE INT IN THNGS WHEN FEELING DISCOURGAGED

	Freq	Pct
1 = Yes.....	4936	2.84
2 = No.....	3761	2.16
94 = DON'T KNOW.....	9	0.01
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	4031	2.32
99 = LEGITIMATE SKIP.....	161069	92.67

Did you ever have a period of time like this that lasted most of the day nearly every day for two weeks or longer?

[ADLSI2WK¹](#)

Len : 2 PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR

	Freq	Pct
1 = Yes.....	627	0.36
2 = No.....	2651	1.53
94 = DON'T KNOW.....	9	0.01
97 = REFUSED.....	4	0.00
98 = BLANK (NO ANSWER).....	4111	2.37
99 = LEGITIMATE SKIP.....	166406	95.74

Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, nearly every day, for two weeks or longer?

[ADDP2WK¹](#)

Len : 2 TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR

	Freq	Pct
1 = Yes.....	37501	21.58
2 = No.....	18654	10.73
85 = BAD DATA Logically assigned.....	24	0.01
94 = DON'T KNOW.....	120	0.07
97 = REFUSED.....	38	0.02
98 = BLANK (NO ANSWER).....	4020	2.31
99 = LEGITIMATE SKIP.....	113451	65.27

Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?

[ADWRHRS¹](#)

Len : 2 TIME THAT MOST SEVERE/FREQUENT MOOD LASTED

	Freq	Pct
1 = Less than 1 hour.....	1759	1.01
2 = At least 1 hour but no more than 3 hours.....	6748	3.88
3 = At least 3 hours but no more than 5 hours.....	9069	5.22
4 = 5 hours or more.....	20260	11.66
85 = BAD DATA Logically assigned.....	24	0.01
94 = DON'T KNOW.....	255	0.15
97 = REFUSED.....	29	0.02
98 = BLANK (NO ANSWER).....	4284	2.46
99 = LEGITIMATE SKIP.....	131380	75.59

Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how severe was your emotional distress during those times?

[ADWRDST¹](#)

Len : 2 HOW SEVERE WAS EMOTIONAL DISTRESS DURING 2 WKS

	Freq	Pct
1 = Mild.....	2902	1.67
2 = Moderate.....	14002	8.06
3 = Severe.....	13250	7.62
4 = Very Severe.....	6089	3.50
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	85	0.05
97 = REFUSED.....	25	0.01
98 = BLANK (NO ANSWER).....	4315	2.48
99 = LEGITIMATE SKIP.....	133139	76.60

ADULT DEPRESSION

Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, was your emotional distress so severe that nothing could cheer you up?

[ADWRCHR](#)¹

Len : 2 EMOT DISTRSS SO SEVERE NOTHING COULD CHEER YOU UP

	Freq	Pct
1 = Often.....	11295	6.50
2 = Sometimes	17778	10.23
3 = Rarely	5653	3.25
4 = Never	1511	0.87
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	85	0.05
97 = REFUSED	27	0.02
98 = BLANK (NO ANSWER)	4319	2.48
99 = LEGITIMATE SKIP	133139	76.60

Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, was your emotional distress so severe that you could not carry out your daily activities?

[ADWRIMP](#)¹

Len : 2 EMOT DISTRSS SO SEVERE COULD NT DO DLY ACTIVITIES

	Freq	Pct
1 = Often.....	7586	4.36
2 = Sometimes	15410	8.87
3 = Rarely	8632	4.97
4 = Never	4610	2.65
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	71	0.04
97 = REFUSED	34	0.02
98 = BLANK (NO ANSWER)	4325	2.49
99 = LEGITIMATE SKIP	133139	76.60

People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:

- sleep
- appetite
- energy
- the ability to concentrate and remember
- feelings of low self-worth

Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?

[ADDPPOB](#)¹

Len : 2 EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER

	Freq	Pct
1 = Yes.....	30735	17.68
2 = No.....	5063	2.91
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	50	0.03
97 = REFUSED	32	0.02
98 = BLANK (NO ANSWER)	4328	2.49
99 = LEGITIMATE SKIP	133599	76.87

ADULT DEPRESSION

Think again about these other problems we just mentioned. They include things like changes in

- sleep
- appetite
- energy
- the ability to concentrate and remember
- feelings of low self-worth

Please think of a time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.

Is there one particular time like this that stands out in your mind as the worst one you ever had?

[ADWRPROB](#)¹

Len : 2 ONE PARTICULAR TIME THAT IS THE WORST ONE EVER

	Freq	Pct
1 = Yes.....	20218	11.63
2 = No.....	10355	5.96
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	122	0.07
97 = REFUSED.....	31	0.02
98 = BLANK (NO ANSWER).....	4419	2.54
99 = LEGITIMATE SKIP.....	138662	79.78

How old were you when that worst period of time started?

Then think of the most recent time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.

How old were you when that time started?

[ADWRAGE](#)¹

Len : 3 AGE WHEN WORST PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 98.....	30142	17.34
985 = BAD DATA Logically assigned.....	23	0.01
994 = DON'T KNOW.....	490	0.28
997 = REFUSED.....	66	0.04
998 = BLANK (NO ANSWER).....	4425	2.55
999 = LEGITIMATE SKIP.....	138662	79.78

In answering the next questions, think about the period of time when your [FEELNOUN] and other problems were the worst.

In answering the next questions, think about the most recent period of time when you [FEELFILL] and had other problems at the same time.

During that time, did you feel sad, empty, or depressed most of the day nearly every day?

[ADWRDEPR](#)¹

Len : 2 WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY

	Freq	Pct
1 = Yes.....	25648	14.76
2 = No.....	4937	2.84
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	94	0.05
97 = REFUSED.....	35	0.02
98 = BLANK (NO ANSWER).....	4431	2.55
99 = LEGITIMATE SKIP.....	138662	79.78

During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?

[ADWRDISC](#)¹

Len : 2 WHEN PRBLMS WORST FELT DISCRGD ABT LIFE EVERYDAY

	Freq	Pct
1 = Yes.....	25785	14.84
2 = No.....	4818	2.77
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	75	0.04
97 = REFUSED.....	32	0.02
98 = BLANK (NO ANSWER).....	4435	2.55
99 = LEGITIMATE SKIP.....	138662	79.78

ADULT DEPRESSION

During that [TIMEFILL] period of time, did you lose interest in almost all things like work and hobbies and things you like to do for fun?

[ADWRLSIN](#)¹

Len : 2 WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS

	Freq	Pct
1 = Yes.....	25371	14.60
2 = No.....	5253	3.02
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	58	0.03
97 = REFUSED.....	25	0.01
98 = BLANK (NO ANSWER).....	4438	2.55
99 = LEGITIMATE SKIP.....	138662	79.78

During that [TIMEFILL] period of time, did you lose the ability to take pleasure in having good things happen to you, like winning something or being praised or complimented?

[ADWRPLSR](#)¹

Len : 2 WHEN PRBLMS WORST LOSE PLSURE IN GOOD THINGS

	Freq	Pct
1 = Yes.....	22139	12.74
2 = No.....	8430	4.85
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	105	0.06
97 = REFUSED.....	27	0.02
98 = BLANK (NO ANSWER).....	4444	2.56
99 = LEGITIMATE SKIP.....	138662	79.78

The next questions are about changes in appetite and weight.

In answering the next questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a much smaller appetite than usual nearly every day during that time?

[ADWRELES](#)¹

Len : 2 WHEN PRBLMS WORST HAVE SMALLER APPETITE EVERY DAY

	Freq	Pct
1 = Yes.....	17790	10.24
2 = No.....	11107	6.39
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	120	0.07
97 = REFUSED.....	9	0.01
98 = BLANK (NO ANSWER).....	4520	2.60
99 = LEGITIMATE SKIP.....	140261	80.70

Did you have a much larger appetite than usual nearly every day?

[ADWREMOR](#)¹

Len : 2 WHEN PRBLMS WORST HAVE LARGER APPETITE EVERY DAY

	Freq	Pct
1 = Yes.....	5723	3.29
2 = No.....	5406	3.11
94 = DON'T KNOW.....	98	0.06
97 = REFUSED.....	8	0.00
98 = BLANK (NO ANSWER).....	4522	2.60
99 = LEGITIMATE SKIP.....	158051	90.93

Did you gain weight without trying to during that [TIMEFILL] period of time?

[ADWRGAIN](#)¹

Len : 2 WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING

	Freq	Pct
1 = Yes.....	6341	3.65
2 = No.....	4785	2.75
94 = DON'T KNOW.....	99	0.06
97 = REFUSED.....	10	0.01
98 = BLANK (NO ANSWER).....	4522	2.60
99 = LEGITIMATE SKIP.....	158051	90.93

ADULT DEPRESSION

Did you gain weight without trying to because you were growing?

ADWRGROW ¹	Len : 2	WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING		
			Freq	Pct
	1 = Yes.....		513	0.30
	2 = No.....		2079	1.20
	94 = DON'T KNOW.....		29	0.02
	98 = BLANK (NO ANSWER)		4678	2.69
	99 = LEGITIMATE SKIP.....		166509	95.80

Did you gain weight without trying to because you were pregnant?

ADWRPREG ¹	Len : 2	WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC PRGN		
			Freq	Pct
	1 = Yes.....		166	0.10
	2 = No.....		3823	2.20
	98 = BLANK (NO ANSWER)		2610	1.50
	99 = LEGITIMATE SKIP.....		167209	96.20

How many pounds did you gain? Please enter your answer as a whole number.

ADWRGNL2 ¹	Len : 3	WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING		
			Freq	Pct
	RANGE = 0 - 20.....		2946	1.69
	21 = 21 to 25 pounds.....		310	0.18
	22 = 26 to 30 pounds.....		664	0.38
	23 = 31 to 35 pounds.....		117	0.07
	24 = 36 to 40 pounds.....		360	0.21
	25 = 41 to 45 pounds.....		55	0.03
	26 = 46 to 50 pounds.....		396	0.23
	27 = 51 or more pounds		648	0.37
	994 = DON'T KNOW		150	0.09
	997 = REFUSED		15	0.01
	998 = BLANK (NO ANSWER).....		4632	2.67
	999 = LEGITIMATE SKIP.....		163515	94.08

Did you lose weight without trying to?

ADWRLOSE ¹	Len : 2	WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING		
			Freq	Pct
	1 = Yes.....		13151	7.57
	2 = No.....		9290	5.34
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW		232	0.13
	97 = REFUSED		10	0.01
	98 = BLANK (NO ANSWER)		4548	2.62
	99 = LEGITIMATE SKIP.....		146576	84.33

Did you lose weight without trying to because you were sick or on a diet?

ADWRDIET ¹	Len : 2	WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT		
			Freq	Pct
	1 = Yes.....		2485	1.43
	2 = No.....		10648	6.13
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW		16	0.01
	97 = REFUSED		1	0.00
	98 = BLANK (NO ANSWER)		4791	2.76
	99 = LEGITIMATE SKIP.....		155866	89.68

ADULT DEPRESSION

How many pounds did you lose?

Please enter your answer as a whole number.

[ADWRLSL2](#)¹

Len : 3 WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING

	Freq	Pct
RANGE = 0 - 20	7892	4.54
21 = 21 to 25 pounds.....	564	0.32
22 = 26 to 30 pounds.....	723	0.42
23 = 31 to 35 pounds.....	159	0.09
24 = 36 to 40 pounds.....	322	0.19
25 = 41 to 45 pounds.....	78	0.04
26 = 46 to 50 pounds.....	230	0.13
27 = 51 or more pounds	368	0.21
994 = DON'T KNOW	314	0.18
997 = REFUSED	15	0.01
998 = BLANK (NO ANSWER)	4792	2.76
999 = LEGITIMATE SKIP	158351	91.11

Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a lot more trouble than usual falling asleep, staying asleep, or waking too early nearly every night during that [TIMEFILL] period of time?

[ADWRSLEP](#)¹

Len : 2 WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY

	Freq	Pct
1 = Yes.....	23153	13.32
2 = No	5786	3.33
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	75	0.04
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER)	4524	2.60
99 = LEGITIMATE SKIP	140261	80.70

During that [TIMEFILL] period of time, did you sleep a lot more than usual nearly every night?

[ADWRSMOR](#)¹

Len : 2 WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL

	Freq	Pct
1 = Yes.....	3538	2.04
2 = No	2278	1.31
94 = DON'T KNOW	47	0.03
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	4526	2.60
99 = LEGITIMATE SKIP	163414	94.02

During that [TIMEFILL] period of time, did you feel tired or low in energy nearly every day, even when you had not been working very hard?

[ADWRENRG](#)¹

Len : 2 WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY

	Freq	Pct
1 = Yes.....	26981	15.52
2 = No	1990	1.14
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	38	0.02
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	4531	2.61
99 = LEGITIMATE SKIP	140261	80.70

Did you talk or move more slowly than is normal for you nearly every day?

[ADWRSLOW](#)¹

Len : 2 WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL

	Freq	Pct
1 = Yes.....	15561	8.95
2 = No	13216	7.60
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	230	0.13
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	4533	2.61
99 = LEGITIMATE SKIP	140261	80.70

ADULT DEPRESSION

Did anyone else notice that you were talking or moving slowly?

ADWRSLNO ¹	Len : 2	WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL		
			Freq	Pct
	1 = Yes.....		9559	5.50
	2 = No.....		5872	3.38
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		126	0.07
	97 = REFUSED.....		1	0.00
	98 = BLANK (NO ANSWER).....		4772	2.75
	99 = LEGITIMATE SKIP.....		153477	88.30

Were you so restless or jittery nearly every day that you paced up and down or couldn't sit still?

ADWRJITT ¹	Len : 2	WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY		
			Freq	Pct
	1 = Yes.....		3362	1.93
	2 = No.....		10015	5.76
	94 = DON'T KNOW.....		67	0.04
	97 = REFUSED.....		7	0.00
	98 = BLANK (NO ANSWER).....		4535	2.61
	99 = LEGITIMATE SKIP.....		155822	89.65

Did anyone else notice that you were restless?

ADWRJINO ¹	Len : 2	WHEN PRBLMS WORST PEOP NOTICE YOU WERE RSTLSS		
			Freq	Pct
	1 = Yes.....		2188	1.26
	2 = No.....		1138	0.65
	94 = DON'T KNOW.....		35	0.02
	98 = BLANK (NO ANSWER).....		4610	2.65
	99 = LEGITIMATE SKIP.....		165837	95.41

The next questions are about changes in your ability to concentrate, and your feelings about yourself.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

During that [TIMEFILL] time, did your thoughts come much more slowly than usual or seem confused nearly every day?

ADWRTHOT ¹	Len : 2	WHEN PRBLMS WORST THGHTS SLOWER/MORE CONFUSING		
			Freq	Pct
	1 = Yes.....		15537	8.94
	2 = No.....		13228	7.61
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		200	0.12
	97 = REFUSED.....		25	0.01
	98 = BLANK (NO ANSWER).....		4556	2.62
	99 = LEGITIMATE SKIP.....		140261	80.70

Did you have a lot more trouble concentrating than usual nearly every day?

ADWRCONC ¹	Len : 2	WHEN PRBLMS WORST HAVE TROUBLE CONCENTRATING		
			Freq	Pct
	1 = Yes.....		22218	12.78
	2 = No.....		6637	3.82
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		113	0.07
	97 = REFUSED.....		18	0.01
	98 = BLANK (NO ANSWER).....		4560	2.62
	99 = LEGITIMATE SKIP.....		140261	80.70

ADULT DEPRESSION

Were you unable to make decisions about things you ordinarily have no trouble deciding about?

ADWRDCSN¹	Len : 2	WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS		
			Freq	Pct
	1 = Yes.....		17319	9.96
	2 = No.....		11483	6.61
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		162	0.09
	97 = REFUSED.....		20	0.01
	98 = BLANK (NO ANSWER).....		4562	2.62
	99 = LEGITIMATE SKIP.....		140261	80.70

Did you feel that you were not as good as other people nearly every day?

ADWRNOGD¹	Len : 2	WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE		
			Freq	Pct
	1 = Yes.....		22862	13.15
	2 = No.....		6033	3.47
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		63	0.04
	97 = REFUSED.....		22	0.01
	98 = BLANK (NO ANSWER).....		4566	2.63
	99 = LEGITIMATE SKIP.....		140261	80.70

Did you feel totally worthless nearly every day?

ADWRWRTH¹	Len : 2	WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY		
			Freq	Pct
	1 = Yes.....		17893	10.29
	2 = No.....		4939	2.84
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		23	0.01
	97 = REFUSED.....		6	0.00
	98 = BLANK (NO ANSWER).....		4652	2.68
	99 = LEGITIMATE SKIP.....		146294	84.17

AD_MDEA1¹	Len : 2	SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED		
			Freq	Pct
	1 = Has symptom.....		27456	15.80
	2 = Does not have symptom.....		3160	1.82
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		75	0.04
	97 = REFUSED.....		22	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....		108810	62.60
	99 = LEGITIMATE SKIP.....		34284	19.73

AD_MDEA2¹	Len : 2	LOST INTEREST OR PLEASURE IN MOST THINGS		
			Freq	Pct
	1 = Has symptom.....		26811	15.43
	2 = Does not have symptom.....		3808	2.19
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		62	0.04
	97 = REFUSED.....		24	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....		108818	62.61
	99 = LEGITIMATE SKIP.....		34284	19.73

AD_MDEA3¹	Len : 2	CHANGES IN APPETITE OR WT		
			Freq	Pct
	1 = Has symptom.....		24781	14.26
	2 = Does not have symptom.....		4027	2.32
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		203	0.12
	97 = REFUSED.....		14	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....		110498	63.57
	99 = LEGITIMATE SKIP.....		34284	19.73

ADULT DEPRESSION

[AD_MDEA4](#)¹

Len : 2 SLEEP PROBLEMS

	Freq	Pct
1 = Has symptom	26691	15.36
2 = Does not have symptom.....	2251	1.30
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	71	0.04
97 = REFUSED	8	0.00
98 = OTHER MISSING/NOT APPLICABLE.....	110502	63.58
99 = LEGITIMATE SKIP.....	34284	19.73

[AD_MDEA5](#)¹

Len : 2 OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC

	Freq	Pct
1 = Has symptom	11747	6.76
2 = Does not have symptom.....	17099	9.84
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	161	0.09
97 = REFUSED	1	0.00
98 = OTHER MISSING/NOT APPLICABLE.....	110515	63.58
99 = LEGITIMATE SKIP.....	34284	19.73

[AD_MDEA6](#)¹

Len : 2 FELT TIRED/LOW ENERGY NEARLY EVERY DAY

	Freq	Pct
1 = Has symptom	26981	15.52
2 = Does not have symptom.....	1990	1.14
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	38	0.02
97 = REFUSED	6	0.00
98 = OTHER MISSING/NOT APPLICABLE.....	110508	63.58
99 = LEGITIMATE SKIP.....	34284	19.73

[AD_MDEA7](#)¹

Len : 2 FELT WORTHLESS NEARLY EVERY DAY

	Freq	Pct
1 = Has symptom	17893	10.29
2 = Does not have symptom.....	11057	6.36
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	23	0.01
97 = REFUSED	6	0.00
98 = OTHER MISSING/NOT APPLICABLE.....	110544	63.60
99 = LEGITIMATE SKIP.....	34284	19.73

[AD_MDEA8](#)¹

Len : 2 INABILITY TO CONCENTRATE OR MAKE DECISIONS

	Freq	Pct
1 = Has symptom	24108	13.87
2 = Does not have symptom.....	4760	2.74
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	103	0.06
97 = REFUSED	18	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	110534	63.60
99 = LEGITIMATE SKIP.....	34284	19.73

[ADSMMDEA](#)¹

Len : 2 SCORE OF SYMPTOM INDICATORS 1 THRU 9

	Freq	Pct
1 = Has 5 or more symptoms	26924	15.49
2 = Has less than 5 symptoms.....	3701	2.13
85 = BAD DATA Logically assigned.....	1	0.00
94 = SUM OF SYMPTOMS AND DON'T KNOW >=5	78	0.04
97 = SUM OF SYMPTOMS AND REFUSED >=5	10	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	108810	62.60
99 = LEGITIMATE SKIP.....	34284	19.73

ADULT DEPRESSION

You mentioned having some of the problems I just asked you about.

During that [TIMEFILL] period of time, how much did your [FEELNOUN] and these other problems interfere with your work, your social life, or your personal relationships?

[ADPBINTF](#)¹

Len : 2 WHEN PRBLMS WORST INTERFERE WITH WORK/ PRSNL LIFE

	Freq	Pct
1 = Not at all	632	0.36
2 = A little.....	3136	1.80
3 = Some.....	8015	4.61
4 = A lot.....	9639	5.55
5 = Extremely	5934	3.41
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	34	0.02
97 = REFUSED	20	0.01
98 = BLANK (NO ANSWER)	4648	2.67
99 = LEGITIMATE SKIP	141748	81.55

During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities because of these problems with your mood?

[ADPBDLYA](#)¹

Len : 2 WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS

	Freq	Pct
1 = Often.....	8342	4.80
2 = Sometimes	12416	7.14
3 = Rarely	4584	2.64
4 = Never	1388	0.80
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	27	0.02
97 = REFUSED	17	0.01
98 = BLANK (NO ANSWER)	4653	2.68
99 = LEGITIMATE SKIP	142380	81.92

Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] for most of the day nearly every day and also had some of the other problems we just asked about.

Can you remember your exact age?

[ADPBRMBR](#)¹

Len : 2 RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
1 = Yes.....	16712	9.62
2 = No.....	10451	6.01
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	196	0.11
97 = REFUSED	42	0.02
98 = BLANK (NO ANSWER)	4657	2.68
99 = LEGITIMATE SKIP	141748	81.55

How old were you?

[ADPBAGE](#)¹

Len : 3 AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 98	26655	15.34
985 = BAD DATA Logically assigned	21	0.01
994 = DON'T KNOW	632	0.36
997 = REFUSED	48	0.03
998 = BLANK (NO ANSWER).....	4704	2.71
999 = LEGITIMATE SKIP	141748	81.55

ADULT DEPRESSION

In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

If you are not sure of your answer, just make your best guess.

[ADPBNUM](#)¹

Len : 4 # TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE

	Freq	Pct
RANGE = 1 - 1000	25759	14.82
9985 = BAD DATA Logically assigned	2	0.00
9994 = DON'T KNOW	1512	0.87
9997 = REFUSED	119	0.07
9998 = BLANK (NO ANSWER).....	4668	2.69
9999 = LEGITIMATE SKIP.....	141748	81.55

In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

[ADPB2WK](#)¹

Len : 2 FELT THIS 2 WKS+ W/OTH PRBS DURING PAST 12 MOS

	Freq	Pct
1 = Yes.....	15478	8.91
2 = No.....	11667	6.71
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	192	0.11
97 = REFUSED	49	0.03
98 = BLANK (NO ANSWER)	4672	2.69
99 = LEGITIMATE SKIP.....	141748	81.55

Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] most severe.

Using the 0 to 10 scale shown below, where 0 means no interference and 10 means very severe interference, select the number that describes how much [NUMPROBS] interfered with your ability to do each of the following activities during that period. You can use any number between 0 and 10 to answer.

How much did your [FEELNOUN] interfere with your ability to do home management task, like cleaning, shopping, and working around the house, apartment, or yard?

[ADPSHMG1](#)¹

Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH HOME MNGMT

	Freq	Pct
0 = No Interference	300	0.17
1 = Mild - 1	263	0.15
2 = Mild - 2	668	0.38
3 = Mild - 3	934	0.54
4 = Moderate - 4	1141	0.66
5 = Moderate - 5	2294	1.32
6 = Moderate - 6	2501	1.44
7 = Severe - 7	2477	1.43
8 = Severe - 8	2282	1.31
9 = Severe - 9	1032	0.59
10 = Very Severe Interference	1520	0.87
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	37	0.02
97 = REFUSED	21	0.01
98 = BLANK (NO ANSWER)	4922	2.83
99 = LEGITIMATE SKIP.....	153415	88.27

ADULT DEPRESSION

During that time in the past 12 months when your [FEELNOUN] was most severe, how much did this interfere with your ability to work?

You can use any number between 0 and 10 to answer.

ADPSWORK¹

Len : 2 HOW MUCH DID FEELING INTERFERE WITH ABLTY TO WORK

	Freq	Pct
0 = No Interference	1058	0.61
1 = Mild - 1	592	0.34
2 = Mild - 2	1106	0.64
3 = Mild - 3	1495	0.86
4 = Moderate - 4	1416	0.81
5 = Moderate - 5	2148	1.24
6 = Moderate - 6	1898	1.09
7 = Severe - 7	1705	0.98
8 = Severe - 8	1537	0.88
9 = Severe - 9	910	0.52
10 = Very Severe Interference	1517	0.87
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	58	0.03
97 = REFUSED	25	0.01
98 = BLANK (NO ANSWER)	4927	2.83
99 = LEGITIMATE SKIP	153415	88.27

How much did your [FEELNOUN] interfere with your ability to form and maintain close relationships with other people during that period of time?

You can use any number between 0 and 10 to answer.

ADPSRELS¹

Len : 2 HOW MUCH DID FEELING INTERFERE WITH RELATIONSHIPS

	Freq	Pct
0 = No Interference	555	0.32
1 = Mild - 1	428	0.25
2 = Mild - 2	822	0.47
3 = Mild - 3	1236	0.71
4 = Moderate - 4	1313	0.76
5 = Moderate - 5	2182	1.26
6 = Moderate - 6	1975	1.14
7 = Severe - 7	2098	1.21
8 = Severe - 8	2005	1.15
9 = Severe - 9	1282	0.74
10 = Very Severe Interference	1517	0.87
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	35	0.02
97 = REFUSED	14	0.01
98 = BLANK (NO ANSWER)	4930	2.84
99 = LEGITIMATE SKIP	153415	88.27

How much did [NUMPROBS] interfere with your ability to have a social life during that period of time?

You can use any number between 0 and 10 to answer.

ADPSSOC¹

Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE

	Freq	Pct
0 = No Interference	423	0.24
1 = Mild - 1	311	0.18
2 = Mild - 2	603	0.35
3 = Mild - 3	971	0.56
4 = Moderate - 4	1099	0.63
5 = Moderate - 5	1874	1.08
6 = Moderate - 6	1784	1.03
7 = Severe - 7	2117	1.22
8 = Severe - 8	2338	1.35
9 = Severe - 9	1720	0.99
10 = Very Severe Interference	2173	1.25
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	32	0.02
97 = REFUSED	17	0.01
98 = BLANK (NO ANSWER)	4930	2.84
99 = LEGITIMATE SKIP	153415	88.27

ADULT DEPRESSION

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer

ADPSDAYS¹	Len : 3 # DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS		
	RANGE = 0 - 365	Freq	Pct
	985 = BAD DATA Logically assigned	14977	8.62
	994 = DON'T KNOW	1	0.00
	997 = REFUSED	363	0.21
	998 = BLANK (NO ANSWER)	29	0.02
	999 = LEGITIMATE SKIP	4952	2.85
		153486	88.31

Here is a list of professionals some people talk to about the problems we have been asking about:

- General practitioner or family doctor
- Other medical doctor like a cardiologist, gynecologist, urologist
- Psychologist
- Psychiatrist or psychotherapist
- Social Worker
- Counselor
- Other mental health professional, like a mental health nurse
- A nurse, occupational therapist, or other health professional
- A religious or spiritual advisor like a minister, priest, or rabbi
- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist

At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?

ADSEEDOC¹	Len : 2 SEE/TALK TO DR/OTH PROF ABT FEELINGS PAST 12 MOS		
	1 = Yes.....	Freq	Pct
	2 = No.....	13085	7.53
	85 = BAD DATA Logically assigned	14222	8.18
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	29	0.02
	98 = BLANK (NO ANSWER)	30	0.02
	99 = LEGITIMATE SKIP	4692	2.70
		141748	81.55

During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?

ADFAMDOC¹	Len : 2 GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS		
	1 = Response entered	Freq	Pct
	6 = Response not entered	6736	3.88
	94 = DON'T KNOW	6319	3.64
	97 = REFUSED	18	0.01
	98 = BLANK (NO ANSWER)	42	0.02
	99 = LEGITIMATE SKIP	4723	2.72
		155970	89.74

ADOTHD¹	Len : 2 OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS		
	1 = Response entered	Freq	Pct
	3 = Response entered LOGICALLY ASSIGNED	1033	0.59
	6 = Response not entered	20	0.01
	94 = DON'T KNOW	12002	6.91
	97 = REFUSED	18	0.01
	98 = BLANK (NO ANSWER)	42	0.02
	99 = LEGITIMATE SKIP	4723	2.72
		155970	89.74

ADULT DEPRESSION

[ADPSYCH](#)¹

Len : 2 PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	4237	2.44
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	8816	5.07
94 = DON'T KNOW	18	0.01
97 = REFUSED	42	0.02
98 = BLANK (NO ANSWER)	4723	2.72
99 = LEGITIMATE SKIP	155970	89.74

[ADPSYMD](#)¹

Len : 2 PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	4980	2.87
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	8073	4.64
94 = DON'T KNOW	18	0.01
97 = REFUSED	42	0.02
98 = BLANK (NO ANSWER)	4723	2.72
99 = LEGITIMATE SKIP	155970	89.74

[ADSOCWRK](#)¹

Len : 2 SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	1433	0.82
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered	11618	6.68
94 = DON'T KNOW	18	0.01
97 = REFUSED	42	0.02
98 = BLANK (NO ANSWER)	4723	2.72
99 = LEGITIMATE SKIP	155970	89.74

[ADCOUNS](#)¹

Len : 2 COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	4635	2.67
3 = Response entered LOGICALLY ASSIGNED	13	0.01
6 = Response not entered	8407	4.84
94 = DON'T KNOW	18	0.01
97 = REFUSED	42	0.02
98 = BLANK (NO ANSWER)	4723	2.72
99 = LEGITIMATE SKIP	155970	89.74

[ADOTHMHP](#)¹

Len : 2 MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	1565	0.90
3 = Response entered LOGICALLY ASSIGNED	7	0.00
6 = Response not entered	11483	6.61
94 = DON'T KNOW	18	0.01
97 = REFUSED	42	0.02
98 = BLANK (NO ANSWER)	4723	2.72
99 = LEGITIMATE SKIP	155970	89.74

[ADNURSE](#)¹

Len : 2 NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	1196	0.69
3 = Response entered LOGICALLY ASSIGNED	19	0.01
6 = Response not entered	11840	6.81
94 = DON'T KNOW	18	0.01
97 = REFUSED	42	0.02
98 = BLANK (NO ANSWER)	4723	2.72
99 = LEGITIMATE SKIP	155970	89.74

ADULT DEPRESSION

ADRELIG¹

Len : 2 RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS

	Freq	Pct
1 = Response entered	1150	0.66
3 = Response entered LOGICALLY ASSIGNED	21	0.01
6 = Response not entered	11884	6.84
94 = DON'T KNOW	18	0.01
97 = REFUSED	42	0.02
98 = BLANK (NO ANSWER)	4723	2.72
99 = LEGITIMATE SKIP	155970	89.74

ADHERBAL¹

Len : 2 HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	661	0.38
3 = Response entered LOGICALLY ASSIGNED	7	0.00
6 = Response not entered	12387	7.13
94 = DON'T KNOW	18	0.01
97 = REFUSED	42	0.02
98 = BLANK (NO ANSWER)	4723	2.72
99 = LEGITIMATE SKIP	155970	89.74

ADOTHHLP¹

Len : 2 OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	517	0.30
6 = Response not entered	12538	7.21
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	18	0.01
97 = REFUSED	42	0.02
98 = BLANK (NO ANSWER)	4722	2.72
99 = LEGITIMATE SKIP	155970	89.74

Are you currently receiving professional treatment or counseling for [NUMPROBS] with your mood?

ADTMTNOW¹

Len : 2 CURRENTLY RCVNG PROF TREATMENT/COUNSLG FOR MOOD

	Freq	Pct
1 = Yes	8668	4.99
2 = No	4406	2.53
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	8	0.00
97 = REFUSED	33	0.02
98 = BLANK (NO ANSWER)	4722	2.72
99 = LEGITIMATE SKIP	155970	89.74

During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?

ADRX12MO¹

Len : 2 TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS

	Freq	Pct
1 = Yes	11094	6.38
2 = No	16227	9.34
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	22	0.01
97 = REFUSED	22	0.01
98 = BLANK (NO ANSWER)	4693	2.70
99 = LEGITIMATE SKIP	141748	81.55

Are you currently taking prescription medication that was prescribed for [NUMPROBS]?

ADRXNOW¹

Len : 2 CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD

	Freq	Pct
1 = Yes	9580	5.51
2 = No	1509	0.87
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	2	0.00
97 = REFUSED	24	0.01
98 = BLANK (NO ANSWER)	4717	2.71
99 = LEGITIMATE SKIP	157975	90.89

ADULT DEPRESSION

During the past 12 months, how much has this prescription medication helped you?

ADRXHLP¹

Len : 2 HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MO

	Freq	Pct
1 = Not at all	589	0.34
2 = A little.....	1176	0.68
3 = Some.....	2821	1.62
4 = A lot.....	3985	2.29
5 = Extremely	2487	1.43
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	31	0.02
97 = REFUSED	25	0.01
98 = BLANK (NO ANSWER)	4718	2.71
99 = LEGITIMATE SKIP.....	157975	90.89

During the past 12 months, how much has treatment or counseling helped you?

ADTMTHLP¹

Len : 2 HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS

	Freq	Pct
1 = Not at all	1473	0.85
2 = A little.....	1918	1.10
3 = Some.....	3322	1.91
4 = A lot.....	3854	2.22
5 = Extremely	2395	1.38
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	102	0.06
97 = REFUSED	50	0.03
98 = BLANK (NO ANSWER)	4723	2.72
99 = LEGITIMATE SKIP.....	155970	89.74

NOTE: The following variable, AMDELT, identifies an adult as having a major depressive episode (MDE) in their lifetime and AMDEYR identifies an adult as having MDE in the prior year. Beginning in 2021, missing values for AMDELT and AMDEYR were replaced using statistical imputation. The imputation-revised variables used in analysis, IRAMDELT and IRAMDEYR, appear in the Imputed Adult Depression section.

A respondent was classified as having a major depressive episode (MDE) in their lifetime, AMDELT=1, if they reported experiencing at least five out of the nine criteria used to define an adult as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (ADSMMDA=1). An adult was classified as NOT having a major depressive episode (MDE) in their lifetime, AMDELT=2, if they met either of these conditions:

1. Reported experiencing fewer than five out of the nine criteria used to define an adult as having had MDE in their lifetime (ADSMMDA=2).
2. If the number of criteria used to define an adult as having had MDE in their lifetime is unknown (ADSMMDA=94,97,98) and the respondent reported at least one of the following:
 - (a) Never having had a period of time lasting several days or longer for the following feelings:
 - i. felt sad, empty, or depressed (ADDPREV=2)
 - ii. discouraged about how things were going in life (ADDSCEV=2)
 - iii. lost interest in most things usually enjoyable (ADLOSEV=2)
 - (b) Experienced the feelings in (a), but they did not last most of the day, nearly every day for two weeks or longer (ADLSI2WK=2) or (ADDP2WK=2).
 - (c) Experienced the feelings in (a) most of the day, nearly every day for two weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (ADWRHRS=1).
 - (d) Experienced the feelings in (a) most of the day, nearly every day for two weeks or longer for at least an hour during those times when mood was most severe and frequent, but emotional distress was mild (ADWRDST=1), there was never a time when emotional distress was so severe that you could not be cheered up (ADWRCHR=4), and there was never a time when your emotional distress was so severe that you could not carry out your daily activities (ADWRIMP=4).
 - (e) Experienced the feelings in (a) most of the day, nearly every day for two weeks or longer for at least an hour and the severe distress were more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, appetite, energy, the ability to concentrate and remember, or feelings of low self-worth (ADPPROB=2).

AMDELT

Len : 1 ADULT: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	38925	22.40
1 = Yes (ADSMMDA=1).....	26924	15.49
2 = No (See comment above).....	107959	62.11

ADULT DEPRESSION

NOTE: Beginning in 2021, missing values for AMDEYR were replaced using statistical imputation. The imputation-revised variable used in analysis, IRAMDEYR, appears in the Imputed Adult Depression section.

<u>AMDEYR</u>	Len : 1	ADULT: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)		
			Freq	Pct
	.	= Aged 12-17/Unknown (Otherwise).....	39221	22.57
	1	= Yes (AMDELT=1 & ADPB2WK=1)	15340	8.83
	2	= No (AMDELT=2 or [AMDELT=1 & ADPB2WK=2])	119247	68.61

NOTE: The following four variables make up the four role domains (home management, work, close relationships with others, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on an adult's life.

<u>ASDSHOM2</u>	Len : 1	ADULT: DEPRESS FEELINGS ROLE IMPAIRMENT - HOME MANAGEMENT		
			Freq	Pct
	.	= Aged 12-17/Unkn/Legit Skip (Otherwise).....	158396	91.13
	1	= None (ADPSHMG=0).....	300	0.17
	2	= Mild (ADPSHMG=1,2,3).....	1865	1.07
	3	= Moderate (ADPSHMG=4,5,6)	5936	3.42
	4	= Severe (ADPSHMG=7,8,9).....	5791	3.33
	5	= Very Severe (ADPSHMG=10).....	1520	0.87

<u>ASDSWRK2</u>	Len : 1	ADULT: DEPRESS FEELINGS ROLE IMPAIRMENT - ABILITY TO WORK		
			Freq	Pct
	.	= Aged 12-17/Unkn/Legit Skip (Otherwise).....	158426	91.15
	1	= None (ADPSWORK=0)	1058	0.61
	2	= Mild (ADPSWORK=1,2,3)	3193	1.84
	3	= Moderate (ADPSWORK=4,5,6).....	5462	3.14
	4	= Severe (ADPSWORK=7,8,9)	4152	2.39
	5	= Very Severe (ADPSWORK=10).....	1517	0.87

<u>ASDSREL2</u>	Len : 1	ADULT: DEP FEELINGS ROLE IMPAIRMENT - CLOSE RELATIONSHIPS		
			Freq	Pct
	.	= Aged 12-17/Unkn/Legit Skip (Otherwise).....	158395	91.13
	1	= None (ADPSRELS=0).....	555	0.32
	2	= Mild (ADPSRELS=1,2,3).....	2486	1.43
	3	= Moderate (ADPSRELS=4,5,6)	5470	3.15
	4	= Severe (ADPSRELS=7,8,9).....	5385	3.10
	5	= Very Severe (ADPSRELS=10).....	1517	0.87

<u>ASDSSOC2</u>	Len : 1	ADULT: DEPRESSIVE FEELINGS ROLE IMPAIRMENT - SOCIAL LIFE		
			Freq	Pct
	.	= Aged 12-17/Unkn/Legit Skip (Otherwise).....	158395	91.13
	1	= None (ADPSSOC=0).....	423	0.24
	2	= Mild (ADPSSOC=1,2,3).....	1885	1.08
	3	= Moderate (ADPSSOC=4,5,6)	4757	2.74
	4	= Severe (ADPSSOC=7,8,9).....	6175	3.55
	5	= Very Severe (ADPSSOC=10).....	2173	1.25

The following variable, AMDEIMP, is restricted to adults with past year MDE (AMDEYR=1) and is derived from the maximum level of interference over the four role domains of SDS: home management (ASDSHOM2), ability to work (ASDSWRK2), close relationships (ASDSREL2), and social life (ASDSSOC2). Adults with a past year MDE (AMDEYR=1) and a "severe" or "very severe" maximum level of interference are assigned AMDEIMP=1. Adults without a past year MDE (AMDEYR=2) or a maximum level of interference of "none", "mild", or "moderate" (and no missing data across the four role domains) are assigned AMDEIMP=2. All other respondents are assigned a missing value for AMDEIMP. Beginning in 2021, missing values for AMDEIMP were replaced using statistical imputation. The imputation-revised variable used in analysis, IRAMDEIMP, appears in the Imputed Adult Depression section.

<u>AMDEIMP</u>	Len : 1	ADULT: MDE WITH SEVERE ROLE IMPAIRMENT		
			Freq	Pct
	.	= Aged 12-17/Unknown (Otherwise).....	39298	22.61
	1	= Yes.....	10940	6.29
	2	= No.....	123570	71.10

IMPUTED ADULT DEPRESSION

IMPUTED ADULT DEPRESSION

<u>IRAMDELT</u>	Len : 1 ADULT: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE) - IMP REV		
	.	Freq	Pct
	= Aged 12-17.....	34284	19.73
	0 = No.....	111622	64.22
	1 = Yes.....	27902	16.05
<u>IIAMDELT</u>	Len : 1 ADULT: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE) - IMP IND		
		Freq	Pct
	1 = Questionnaire data.....	134883	77.60
	3 = Statistically imputed data.....	4641	2.67
	9 = LEGITIMATE SKIP.....	34284	19.73
<u>IRAMDEYR</u>	Len : 1 ADULT: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE) - IMP REV		
	.	Freq	Pct
	= Aged 12-17.....	34284	19.73
	0 = No.....	123432	71.02
	1 = Yes.....	16092	9.26
<u>IIAMDEYR</u>	Len : 1 ADULT: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE) - IMP IND		
		Freq	Pct
	1 = Questionnaire data.....	134587	77.43
	3 = Statistically imputed data.....	4937	2.84
	9 = LEGITIMATE SKIP.....	34284	19.73
<u>IRAMDEIMP</u>	Len : 1 ADULT: MDE WITH SEVERE ROLE IMPAIRMENT - IMP REV		
	.	Freq	Pct
	= Aged 12-17.....	34284	19.73
	0 = No.....	127976	73.63
	1 = Yes.....	11548	6.64
<u>IIAMDEIMP</u>	Len : 1 ADULT: MDE WITH SEVERE ROLE IMPAIRMENT - IMP IND		
		Freq	Pct
	1 = Questionnaire data.....	134510	77.39
	3 = Statistically imputed data.....	5014	2.88
	9 = LEGITIMATE SKIP.....	34284	19.73

RECODED ADULT DEPRESSION

RECODED ADULT DEPRESSION

NOTE: The variables in this section are recoded variables that were created from one or more of the edited or imputed variables from the preceding sections.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Codebook section in the main introduction of the codebook.

NOTE: The following 16 variables are among all adult respondents who were asked the respective questions and are not confined to those respondents who were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or past year. To produce estimates among adults with MDE, the analysis will need to be restricted by either the lifetime MDE variable (IRAMDELT) or the past year MDE variable (IRAMDEYR).

<u>ATXMDEYR</u>	Len : 1 RC-ADULT: SAW/TALK TO MD/PROF ABT DEPRESSIVE FEELNGS IN PY		
	.	Freq	Pct
	= Aged 12-17/Unknown (Otherwise).....	146501	84.29
	0 = No (ADSEEDOC=2).....	14222	8.18
	1 = Yes (ADSEEDOC=1).....	13085	7.53

<u>ARXMDEYR</u>	Len : 1 RC-ADULT: USED RX MEDICATION FOR DEPRESSIVE FEELINGS IN PY		
	.	Freq	Pct
	= Aged 12-17/Unknown (Otherwise).....	146487	84.28
	0 = No (ADRX12MO=2).....	16227	9.34
	1 = Yes (ADRX12MO=1).....	11094	6.38

The following variable, AMDETXX, is defined as having received treatment/counseling for MDE in the past year if (1) saw or talked to a medical doctor or other professional about depressive feelings or (2) used prescription medication for depressive feelings.

<u>AMDETXX</u>	Len : 1 RC-ADULT: RCVD TRT/CNSLG OR RX MED FOR DEPRESS FEELING IN PY		
	.	Freq	Pct
	= Aged 12-17/Unknown (Otherwise).....	146497	84.29
	0 = No (ATXMDEYR=0 and ARXMDEYR=0).....	12241	7.04
	1 = Yes (ATXMDEYR=1 or ARXMDEYR=1).....	15070	8.67

<u>ADOCMDE</u>	Len : 1 RC-ADULT: SAW/TALK TO GEN PRAC/FAM MD ABT DEP FEELINGS IN PY		
	.	Freq	Pct
	= Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	146531	84.31
	0 = No (ADSEEDOC=2 or ADFAMDOC=6).....	20541	11.82
	1 = Yes (ADFAMDOC=1,3).....	6736	3.88

<u>AOMDMDE</u>	Len : 1 RC-ADULT: SAW/TALK TO OTHER MD ABT DEPRESSIVE FEELINGS IN PY		
	.	Freq	Pct
	= Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	146531	84.31
	0 = No (ADSEEDOC=2 or ADOTDOC=6).....	26224	15.09
	1 = Yes (ADOTDOC=1,3).....	1053	0.61

<u>APSY1MDE</u>	Len : 1 RC-ADULT: SAW/TALK TO PSYCHOLOGIST ABT DEPRES FEELINGS IN PY		
	.	Freq	Pct
	= Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	146531	84.31
	0 = No (ADSEEDOC=2 or ADPSYCH=6).....	23038	13.25
	1 = Yes (ADPSYCH=1,3).....	4239	2.44

<u>APSY2MDE</u>	Len : 1 RC-ADULT: SAW/TALK TO PSYCHIATRIST ABT DEPRES FEELINGS IN PY		
	.	Freq	Pct
	= Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	146531	84.31
	0 = No (ADSEEDOC=2 or ADPSYMD=6).....	22295	12.83
	1 = Yes (ADPSYMD=1,3).....	4982	2.87

<u>ASOCMDE</u>	Len : 1 RC-ADULT: SAW/TALK TO SOCIAL WORKR ABT DEPRES FEELINGS IN PY		
	.	Freq	Pct
	= Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	146531	84.31
	0 = No (ADSEEDOC=2 or ADSOCWRK=6).....	25840	14.87
	1 = Yes (ADSOCWRK=1,3).....	1437	0.83

RECODED ADULT DEPRESSION

[ACOUNMDE](#)

Len : 1 RC-ADULT: SAW/TALK TO COUNSELOR ABT DEPRESSVE FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	146531	84.31
0 = No (ADSEEDOC=2 or ADCOUNS=6).....	22629	13.02
1 = Yes (ADCOUNS=1,3).....	4648	2.67

AOMHMDE indicates whether an adult reported having seen or talked to other mental health professionals about MDE during the past year. Other mental health professionals include mental health nurses and other therapists where type is not specified.

[AOMHMDE](#)

Len : 1 RC-ADULT: SAW/TALK TO OTH MENT HLTH PROF ABT DEP FEELINGS-PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	146531	84.31
0 = No (ADSEEDOC=2 or [ADOTHMHP=6 & No Writ-in Enter])	25636	14.75
1 = Yes (ADOTHMHP=1,3 or Write-in Response Entered)	1641	0.94

[ANURSMDE](#)

Len : 1 RC-ADULT: SAW/TALK TO NURSE/OCC THERA ABT DEP FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	146531	84.31
0 = No (ADSEEDOC=2 or ADNURSE=6)	26062	14.99
1 = Yes (ADNURSE=1,3)	1215	0.70

[ARELMDE](#)

Len : 1 RC-ADULT: SAW/TALK TO RELIG ADVISR ABT DEPRES FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	146531	84.31
0 = No (ADSEEDOC=2 or ADRELIG=6).....	26106	15.02
1 = Yes (ADRELIG=1,3).....	1171	0.67

[AHBCHMDE](#)

Len : 1 RC-ADULT: SAW/TALK TO ANOTHER HEALER ABT DEPR FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	146531	84.31
0 = No (ADSEEDOC=2 or ADHERBAL=6).....	26609	15.31
1 = Yes (ADHERBAL=1,3).....	668	0.38

The following variable, AHLTMDE, indicates whether an adult reported seeing or talking to a health professional about MDE in the past year. Adults were classified as having seen or talked to a health professional, AHLTMDE=1, if they reported seeing or talking to any of the following professionals: general practitioner or family doctor (ADOCMDE=1); other medical doctor (AOMDMDE=1); psychologist (APSY1MDE=1); psychiatrist or psychotherapist (APSY2MDE=1); social worker (ASOCMDE=1); counselor (ACOUNMDE=1); other mental health professional (AOMHMDE=1); or nurse, occupational therapist, or other health professional (ANURSMDE=1). Respondents were classified as having not seen or talked to a health professional, AHLTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

[AHLTMDE](#)

Len : 1 RC-ADULT: SAW/TALK TO HLTH PROF ABT DEPRESSVE FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	146531	84.31
0 = No (See comment above).....	14462	8.32
1 = Yes (See comment above)	12815	7.37

The following variable, AALTMDE, indicates whether an adult reported seeing or talking to an alternative service professional about MDE in the past year. Adults were classified as having seen or talked to an alternative service professional, AALTMDE=1, if they reported seeing or talking to any of the following professionals: religious or spiritual advisor (ARELMDE=1); or herbalist, chiropractor, acupuncturist, or massage therapist (AHBCHMDE=1). Respondents were classified as having not seen or talked to an alternative service professional, AALTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

[AALTMDE](#)

Len : 1 RC-ADULT: SAW/TALK TO ALT SERV PROF ABT DEPRS FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	146531	84.31
0 = No (See comment above).....	25586	14.72
1 = Yes (See comment above)	1691	0.97

ADOLESCENT DEPRESSION

ADOLESCENT DEPRESSION

This note applies to variables in this section marked by a¹.

Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty, or depressed?

<u>YODPREV</u> ¹	Len : 2	EVER HAD SEVERAL DAYS WHRE FELT SAD/EMPTY/DEPRSSD		
			Freq	Pct
	1 = Yes.....		17580	10.11
	2 = No.....		15992	9.20
	85 = BAD DATA Logically assigned.....		13	0.01
	94 = DON'T KNOW.....		350	0.20
	97 = REFUSED.....		271	0.16
	98 = BLANK (NO ANSWER).....		78	0.04
	99 = LEGITIMATE SKIP.....		139524	80.27

Have you ever had a period of time lasting several days or longer when most of the day you felt very discouraged or hopeless about how things were going in your life?

<u>YODSCEV</u> ¹	Len : 2	EVER HAD PER OF TIME WHERE FELT DISCRGD OR HPELSS		
			Freq	Pct
	1 = Yes.....		1283	0.74
	2 = No.....		14798	8.51
	94 = DON'T KNOW.....		291	0.17
	97 = REFUSED.....		240	0.14
	98 = BLANK (NO ANSWER).....		92	0.05
	99 = LEGITIMATE SKIP.....		157104	90.39

Have you ever had a period of time lasting several days or longer when you lost interest and became bored with most things you usually enjoy, like work, hobbies, and personal relationships?

<u>YOLOSEV</u> ¹	Len : 2	EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS		
			Freq	Pct
	1 = Yes.....		2129	1.22
	2 = No.....		12737	7.33
	94 = DON'T KNOW.....		267	0.15
	97 = REFUSED.....		196	0.11
	98 = BLANK (NO ANSWER).....		92	0.05
	99 = LEGITIMATE SKIP.....		158387	91.13

During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?

<u>YODPDISC</u> ¹	Len : 2	FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED		
			Freq	Pct
	1 = Yes.....		15443	8.89
	2 = No.....		2014	1.16
	85 = BAD DATA Logically assigned.....		13	0.01
	94 = DON'T KNOW.....		95	0.05
	97 = REFUSED.....		28	0.02
	98 = BLANK (NO ANSWER).....		425	0.24
	99 = LEGITIMATE SKIP.....		155790	89.63

During the times when you felt sad, empty, or depressed, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?

<u>YODPLSIN</u> ¹	Len : 2	EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED		
			Freq	Pct
	1 = Yes.....		13699	7.88
	2 = No.....		3759	2.16
	85 = BAD DATA Logically assigned.....		13	0.01
	94 = DON'T KNOW.....		92	0.05
	97 = REFUSED.....		30	0.02
	98 = BLANK (NO ANSWER).....		425	0.24
	99 = LEGITIMATE SKIP.....		155790	89.63

ADOLESCENT DEPRESSION

During times when you felt discouraged about how things were going in your life, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?

[YODSLSN¹](#)

Len : 2 EVER LOSE INT IN THGS WHEN FEELING DISCOURGAGED

	Freq	Pct
1 = Yes.....	707	0.41
2 = No.....	558	0.32
94 = DON'T KNOW.....	16	0.01
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	469	0.27
99 = LEGITIMATE SKIP.....	172056	98.99

Did you ever have a period of time like this that lasted most of the day almost every day for two weeks or longer?

[YOLSI2WK¹](#)

Len : 2 PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR

	Freq	Pct
1 = Yes.....	339	0.20
2 = No.....	1725	0.99
94 = DON'T KNOW.....	58	0.03
97 = REFUSED.....	7	0.00
98 = BLANK (NO ANSWER).....	555	0.32
99 = LEGITIMATE SKIP.....	171124	98.46

Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, almost every day, for two weeks or longer?

[YODPR2WK¹](#)

Len : 2 TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR

	Freq	Pct
1 = Yes.....	12768	7.35
2 = No.....	5858	3.37
85 = BAD DATA Logically assigned.....	13	0.01
94 = DON'T KNOW.....	194	0.11
97 = REFUSED.....	42	0.02
98 = BLANK (NO ANSWER).....	457	0.26
99 = LEGITIMATE SKIP.....	154476	88.88

Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?

[YOWRHRS¹](#)

Len : 2 TIME THAT MOST SEVERE/FREQUENT MOOD LASTED

	Freq	Pct
1 = Less than 1 hour.....	1214	0.70
2 = At least 1 hour but no more than 3 hours.....	3264	1.88
3 = At least 3 hours but no more than 5 hours.....	3345	1.92
4 = 5 hours or more.....	5032	2.90
85 = BAD DATA Logically assigned.....	13	0.01
94 = DON'T KNOW.....	214	0.12
97 = REFUSED.....	38	0.02
98 = BLANK (NO ANSWER).....	844	0.49
99 = LEGITIMATE SKIP.....	159844	91.97

Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how strong were your bad feelings during those times?

[YOWRDST¹](#)

Len : 2 HOW STRONG WERE BAD FEELINGS DURING 2 WKS

	Freq	Pct
1 = Mild.....	1351	0.78
2 = Moderate.....	4829	2.78
3 = Severe.....	3969	2.28
4 = Very Severe.....	1532	0.88
94 = DON'T KNOW.....	154	0.09
97 = REFUSED.....	58	0.03
98 = BLANK (NO ANSWER).....	857	0.49
99 = LEGITIMATE SKIP.....	161058	92.66

ADOLESCENT DEPRESSION

Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, did you feel so bad that nothing could cheer you up?

YOWRCHR¹

Len : 2 BAD FEELINGS SO SEVERE NOTHING COULD CHEER YOU UP

	Freq	Pct
1 = Often.....	3302	1.90
2 = Sometimes	5496	3.16
3 = Not very often	2350	1.35
4 = Never	624	0.36
94 = DON'T KNOW	77	0.04
97 = REFUSED	43	0.02
98 = BLANK (NO ANSWER)	858	0.49
99 = LEGITIMATE SKIP.....	161058	92.66

Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, did you feel so bad that you could not carry out your daily activities?

YOWRIMP¹

Len : 2 MOOD SO SEVERE COULDN'T DO DLY ACTIVITIES

	Freq	Pct
1 = Often.....	3049	1.75
2 = Sometimes	4410	2.54
3 = Not very often	2783	1.60
4 = Never	1519	0.87
94 = DON'T KNOW	94	0.05
97 = REFUSED	37	0.02
98 = BLANK (NO ANSWER)	858	0.49
99 = LEGITIMATE SKIP.....	161058	92.66

People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:

- sleep
- eating
- energy
- the ability to keep their mind on things
- feeling badly about themselves

Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?

YODPPROB¹

Len : 2 EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER

	Freq	Pct
1 = Yes.....	9800	5.64
2 = No.....	1774	1.02
94 = DON'T KNOW	84	0.05
97 = REFUSED	32	0.02
98 = BLANK (NO ANSWER)	858	0.49
99 = LEGITIMATE SKIP.....	161260	92.78

Think again about these other problems we just mentioned. They include things like changes in:

- sleep
- eating
- energy
- the ability to keep their mind on things
- feeling badly about themselves

Can you think of the worst time when you [FEELFILL] for two weeks or longer and also had these other problems at the same time?

YOWRPROB¹

Len : 2 ONE PARTICULAR TIME THAT IS THE WORST ONE EVER

	Freq	Pct
1 = Yes.....	8064	4.64
2 = No.....	1621	0.93
94 = DON'T KNOW	95	0.05
97 = REFUSED	20	0.01
98 = BLANK (NO ANSWER)	974	0.56
99 = LEGITIMATE SKIP.....	163034	93.80

ADOLESCENT DEPRESSION

How old were you when that worst period of time started?

Then think of the most recent time you [FEELFILL] for two weeks or longer and you had these other problems at the same time.

How old were you when that time started?

<u>YOWRAGE</u> ¹	Len : 3	AGE WHEN WORST PERIOD OF TIME STARTED		
			Freq	Pct
		RANGE = 1 - 17	9415	5.42
		994 = DON'T KNOW	317	0.18
		997 = REFUSED	68	0.04
		998 = BLANK (NO ANSWER)	974	0.56
		999 = LEGITIMATE SKIP	163034	93.80

In answering the next questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

During that time, did you feel sad, empty, or depressed for most of the day nearly every day?

<u>YOWRDEPR</u> ¹	Len : 2	WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY		
			Freq	Pct
		1 = Yes	7676	4.42
		2 = No	1998	1.15
		94 = DON'T KNOW	92	0.05
		97 = REFUSED	34	0.02
		98 = BLANK (NO ANSWER)	974	0.56
		99 = LEGITIMATE SKIP	163034	93.80

During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?

<u>YOWRDISC</u> ¹	Len : 2	WHEN PRBLMS WRST FELT DISCRGED ABT LIFE EVERY DAY		
			Freq	Pct
		1 = Yes	7846	4.51
		2 = No	1837	1.06
		94 = DON'T KNOW	87	0.05
		97 = REFUSED	30	0.02
		98 = BLANK (NO ANSWER)	974	0.56
		99 = LEGITIMATE SKIP	163034	93.80

During that [TIMEFILL] period of time, did you become bored with almost everything like school, work, hobbies, and things you like to do for fun?

<u>YOWRLSIN</u> ¹	Len : 2	WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS		
			Freq	Pct
		1 = Yes	8298	4.77
		2 = No	1418	0.82
		94 = DON'T KNOW	64	0.04
		97 = REFUSED	20	0.01
		98 = BLANK (NO ANSWER)	974	0.56
		99 = LEGITIMATE SKIP	163034	93.80

During that [TIMEFILL] period of time, did you feel like nothing was fun even when good things were happening?

<u>YOWRPLSR</u> ¹	Len : 2	WHEN PRBLMS WORST FEEL NO FUN IN GOOD THINGS		
			Freq	Pct
		1 = Yes	7290	4.19
		2 = No	2402	1.38
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW	83	0.05
		97 = REFUSED	24	0.01
		98 = BLANK (NO ANSWER)	974	0.56
		99 = LEGITIMATE SKIP	163034	93.80

ADOLESCENT DEPRESSION

The next questions are about changes in appetite and weight.

In answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you eat much less than usual almost every day during that time?

<u>YOWRELES</u> ¹	Len : 2	WHEN PRBLMS WORST EAT LESS THAN USUAL EVERY DAY		
			Freq	Pct
	1 = Yes.....		5674	3.26
	2 = No.....		3543	2.04
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		134	0.08
	97 = REFUSED.....		37	0.02
	98 = BLANK (NO ANSWER).....		1008	0.58
	99 = LEGITIMATE SKIP.....		163411	94.02

Did you eat much more than usual almost every day?

<u>YOWREMOR</u> ¹	Len : 2	WHEN PRBLMS WORST EAT MORE THAN USUAL EVERY DAY		
			Freq	Pct
	1 = Yes.....		1410	0.81
	2 = No.....		2179	1.25
	94 = DON'T KNOW.....		105	0.06
	97 = REFUSED.....		20	0.01
	98 = BLANK (NO ANSWER).....		1009	0.58
	99 = LEGITIMATE SKIP.....		169085	97.28

Did you gain weight without trying to during that [TIMEFILL] period of time?

<u>YOWRGAIN</u> ¹	Len : 2	WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING		
			Freq	Pct
	1 = Yes.....		1352	0.78
	2 = No.....		2209	1.27
	94 = DON'T KNOW.....		135	0.08
	97 = REFUSED.....		18	0.01
	98 = BLANK (NO ANSWER).....		1009	0.58
	99 = LEGITIMATE SKIP.....		169085	97.28

Did you gain weight without trying to because you were growing?

<u>YOWRGROW</u> ¹	Len : 2	WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING		
			Freq	Pct
	1 = Yes.....		559	0.32
	2 = No.....		667	0.38
	94 = DON'T KNOW.....		124	0.07
	97 = REFUSED.....		2	0.00
	98 = BLANK (NO ANSWER).....		1162	0.67
	99 = LEGITIMATE SKIP.....		171294	98.55

Did you gain weight without trying to because you were pregnant?

<u>YOWRPREG</u> ¹	Len : 2	WHEN PRBLMS WRST GAIN WGHT W/O TRYING BC PREGNANT		
			Freq	Pct
	2 = No.....		545	0.31
	94 = DON'T KNOW.....		2	0.00
	98 = BLANK (NO ANSWER).....		628	0.36
	99 = LEGITIMATE SKIP.....		172633	99.32

ADOLESCENT DEPRESSION

How many pounds did you gain?

Please enter your answer as a whole number.

[YOWRGNL2](#)¹

Len : 3 WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING

	Freq	Pct
RANGE = 0 - 20	421	0.24
21 = 21 to 25 pounds.....	34	0.02
22 = 26 to 30 pounds.....	68	0.04
23 = 31 to 35 pounds.....	7	0.00
24 = 36 to 40 pounds.....	26	0.01
25 = 41 to 45 pounds.....	9	0.01
26 = 46 to 50 pounds.....	26	0.01
27 = 51 or more pounds	52	0.03
994 = DON'T KNOW	130	0.07
997 = REFUSED	20	0.01
998 = BLANK (NO ANSWER).....	1162	0.67
999 = LEGITIMATE SKIP.....	171853	98.88

Did you lose weight without trying to?

[YOWRLOSE](#)¹

Len : 2 WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING

	Freq	Pct
1 = Yes.....	3956	2.28
2 = No.....	3738	2.15
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	319	0.18
97 = REFUSED	23	0.01
98 = BLANK (NO ANSWER)	1043	0.60
99 = LEGITIMATE SKIP.....	164728	94.78

Did you lose weight without trying to because you were sick or on a diet?

[YOWRDIET](#)¹

Len : 2 WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT

	Freq	Pct
1 = Yes.....	976	0.56
2 = No.....	2948	1.70
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	28	0.02
97 = REFUSED	4	0.00
98 = BLANK (NO ANSWER)	1385	0.80
99 = LEGITIMATE SKIP.....	168466	96.93

How many pounds did you lose?

Please enter your answer as a whole number.

[YOWRLSL2](#)¹

Len : 3 WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING

	Freq	Pct
RANGE = 0 - 20	2200	1.27
21 = 21 to 25 pounds.....	94	0.05
22 = 26 to 30 pounds.....	120	0.07
23 = 31 to 35 pounds.....	23	0.01
24 = 36 to 40 pounds.....	36	0.02
25 = 41 to 45 pounds.....	9	0.01
26 = 46 to 50 pounds.....	27	0.02
27 = 51 or more pounds	42	0.02
994 = DON'T KNOW	394	0.23
997 = REFUSED	35	0.02
998 = BLANK (NO ANSWER).....	1386	0.80
999 = LEGITIMATE SKIP.....	169442	97.49

ADOLESCENT DEPRESSION

Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a lot more trouble than usual falling asleep or staying asleep most nights or waking too early most mornings during that [TIMEFILL] time?

<u>YOWRSLEP</u> ¹	Len : 2	WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY		
			Freq	Pct
	1 = Yes.....		7428	4.27
	2 = No.....		1869	1.08
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		68	0.04
	97 = REFUSED.....		23	0.01
	98 = BLANK (NO ANSWER).....		1008	0.58
	99 = LEGITIMATE SKIP.....		163411	94.02

During that [TIMEFILL] period of time, did you sleep a lot more than usual?

<u>YOWRSMOR</u> ¹	Len : 2	WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL		
			Freq	Pct
	1 = Yes.....		1166	0.67
	2 = No.....		743	0.43
	94 = DON'T KNOW.....		39	0.02
	97 = REFUSED.....		12	0.01
	98 = BLANK (NO ANSWER).....		1009	0.58
	99 = LEGITIMATE SKIP.....		170839	98.29

On most days during that [TIMEFILL] period of time, did you feel that you didn't have much energy?

<u>YOWRENRG</u> ¹	Len : 2	WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY		
			Freq	Pct
	1 = Yes.....		8678	4.99
	2 = No.....		667	0.38
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		33	0.02
	97 = REFUSED.....		10	0.01
	98 = BLANK (NO ANSWER).....		1008	0.58
	99 = LEGITIMATE SKIP.....		163411	94.02

Did you feel as though you were talking or moving more slowly than usual on most days during that [TIMEFILL] period of time?

<u>YOWRSLOW</u> ¹	Len : 2	WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL		
			Freq	Pct
	1 = Yes.....		6726	3.87
	2 = No.....		2530	1.46
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		119	0.07
	97 = REFUSED.....		13	0.01
	98 = BLANK (NO ANSWER).....		1008	0.58
	99 = LEGITIMATE SKIP.....		163411	94.02

Did anyone else notice that you were talking or moving more slowly than usual?

<u>YOWRSLNO</u> ¹	Len : 2	WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL		
			Freq	Pct
	1 = Yes.....		3322	1.91
	2 = No.....		3254	1.87
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		147	0.08
	97 = REFUSED.....		3	0.00
	98 = BLANK (NO ANSWER).....		1140	0.66
	99 = LEGITIMATE SKIP.....		165941	95.47

ADOLESCENT DEPRESSION

Were you so restless or jittery that you walked up or down or couldn't sit still?

YOWRJIT¹

Len : 2 WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY

	Freq	Pct
1 = Yes.....	989	0.57
2 = No.....	1600	0.92
94 = DON'T KNOW.....	59	0.03
97 = REFUSED.....	14	0.01
98 = BLANK (NO ANSWER).....	1009	0.58
99 = LEGITIMATE SKIP.....	170137	97.89

Did anyone else notice that you couldn't sit still?

YOWRJNO¹

Len : 2 WHEN PRBLMS WRST PEOP NOTICE YOU CLDN'T SIT STILL

	Freq	Pct
1 = Yes.....	452	0.26
2 = No.....	506	0.29
94 = DON'T KNOW.....	30	0.02
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	1082	0.62
99 = LEGITIMATE SKIP.....	171737	98.81

The next questions are about changes in your ability to concentrate, and your feelings about yourself.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

On most days during that [TIMEFILL] time, did your thinking seem slower than usual or seem mixed up?

YOWRTHOT¹

Len : 2 WHEN PRBLMS WORST THGHTS SLOWER/MIXED UP

	Freq	Pct
1 = Yes.....	6947	4.00
2 = No.....	2267	1.30
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	152	0.09
97 = REFUSED.....	22	0.01
98 = BLANK (NO ANSWER).....	1008	0.58
99 = LEGITIMATE SKIP.....	163411	94.02

On most days, did you have a lot more trouble than usual keeping your mind on things?

YOWRCONC¹

Len : 2 WHEN PRBLMS WRST HAVE TRBLE KEEPING MIND ON THNGS

	Freq	Pct
1 = Yes.....	7738	4.45
2 = No.....	1540	0.89
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	90	0.05
97 = REFUSED.....	20	0.01
98 = BLANK (NO ANSWER).....	1008	0.58
99 = LEGITIMATE SKIP.....	163411	94.02

Were you unable to make up your mind about things you ordinarily have no trouble deciding about?

YOWRDCSN¹

Len : 2 WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS

	Freq	Pct
1 = Yes.....	6022	3.46
2 = No.....	3179	1.83
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	169	0.10
97 = REFUSED.....	18	0.01
98 = BLANK (NO ANSWER).....	1008	0.58
99 = LEGITIMATE SKIP.....	163411	94.02

ADOLESCENT DEPRESSION

Did you feel that you were not as good as other people nearly every day?

<u>YOWRNOGD</u> ¹	Len : 2	WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE		
			Freq	Pct
	1 = Yes.....		7921	4.56
	2 = No.....		1373	0.79
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		60	0.03
	97 = REFUSED.....		34	0.02
	98 = BLANK (NO ANSWER).....		1008	0.58
	99 = LEGITIMATE SKIP.....		163411	94.02

Did you feel totally worthless nearly every day?

<u>YOWRWRTH</u> ¹	Len : 2	WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY		
			Freq	Pct
	1 = Yes.....		6089	3.50
	2 = No.....		1763	1.01
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		42	0.02
	97 = REFUSED.....		26	0.01
	98 = BLANK (NO ANSWER).....		1103	0.63
	99 = LEGITIMATE SKIP.....		164784	94.81

<u>YO_MDEA1</u> ¹	Len : 2	SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED		
			Freq	Pct
	1 = Has symptom.....		8574	4.93
	2 = Does not have symptom.....		1138	0.65
	94 = DON'T KNOW.....		65	0.04
	97 = REFUSED.....		23	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....		24484	14.09
	99 = LEGITIMATE SKIP.....		139524	80.27

<u>YO_MDEA2</u> ¹	Len : 2	LOST INTEREST OR PLEASURE IN MOST THINGS		
			Freq	Pct
	1 = Has symptom.....		9004	5.18
	2 = Does not have symptom.....		931	0.54
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		116	0.07
	97 = REFUSED.....		23	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....		24209	13.93
	99 = LEGITIMATE SKIP.....		139524	80.27

<u>YO_MDEA3</u> ¹	Len : 2	CHANGES IN APPETITE OR WT		
			Freq	Pct
	1 = Has symptom.....		7285	4.19
	2 = Does not have symptom.....		1818	1.05
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		262	0.15
	97 = REFUSED.....		23	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....		24895	14.32
	99 = LEGITIMATE SKIP.....		139524	80.27

<u>YO_MDEA4</u> ¹	Len : 2	SLEEP PROBLEMS		
			Freq	Pct
	1 = Has symptom.....		8594	4.94
	2 = Does not have symptom.....		722	0.42
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		56	0.03
	97 = REFUSED.....		16	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....		24895	14.32
	99 = LEGITIMATE SKIP.....		139524	80.27

ADOLESCENT DEPRESSION

YO_MDEA5¹

Len : 2 OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC

	Freq	Pct
1 = Has symptom	3774	2.17
2 = Does not have symptom.....	5433	3.13
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	177	0.10
97 = REFUSED	4	0.00
98 = OTHER MISSING/NOT APPLICABLE.....	24895	14.32
99 = LEGITIMATE SKIP.....	139524	80.27

YO_MDEA6¹

Len : 2 FELT TIRED/LOW ENERGY NEARLY EVERY DAY

	Freq	Pct
1 = Has symptom	8678	4.99
2 = Does not have symptom.....	667	0.38
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	33	0.02
97 = REFUSED	10	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	24895	14.32
99 = LEGITIMATE SKIP.....	139524	80.27

YO_MDEA7¹

Len : 2 FELT WORTHLESS NEARLY EVERY DAY

	Freq	Pct
1 = Has symptom	6089	3.50
2 = Does not have symptom.....	3230	1.86
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	42	0.02
97 = REFUSED	26	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	24896	14.32
99 = LEGITIMATE SKIP.....	139524	80.27

YO_MDEA8¹

Len : 2 INABILITY TO CONCENTRATE OR MAKE DECISIONS

	Freq	Pct
1 = Has symptom	8521	4.90
2 = Does not have symptom.....	780	0.45
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	71	0.04
97 = REFUSED	16	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	24895	14.32
99 = LEGITIMATE SKIP.....	139524	80.27

YODSMMDE¹

Len : 2 SCORE OF SYMPTOM INDICATORS 1 THRU 9

	Freq	Pct
1 = Has 5 or more symptoms	8685	5.00
2 = Has less than 5 symptoms.....	1293	0.74
85 = BAD DATA Logically assigned.....	1	0.00
94 = SUM OF SYMPTOMS AND DON'T KNOW >=5	80	0.05
97 = SUM OF SYMPTOMS AND REFUSED >=5	16	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	24209	13.93
99 = LEGITIMATE SKIP.....	139524	80.27

You mentioned having some of the problems I just asked you about.

During that [TIMEFILL] period of time, how much did your [FEELNOUN] interfere or cause problems with your school work, your job, or your relationships with family and friends?

YOPBINTF¹

Len : 2 WHEN PRBLMS WORST INTERFERE WITH SCHL/ PRSNL LIFE

	Freq	Pct
1 = Not at all	405	0.23
2 = A little.....	1555	0.89
3 = Some.....	2719	1.56
4 = A lot.....	2715	1.56
5 = Extremely	1400	0.81
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	32	0.02
97 = REFUSED	31	0.02
98 = BLANK (NO ANSWER)	1087	0.63
99 = LEGITIMATE SKIP.....	163863	94.28

ADOLESCENT DEPRESSION

During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities or to take care of yourself because of these problems with your mood?

[YOPBDLYA](#)¹

Len : 2 WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS

	Freq	Pct
1 = Often.....	2450	1.41
2 = Sometimes.....	3882	2.23
3 = Not very often.....	1658	0.95
4 = Never.....	389	0.22
94 = DON'T KNOW.....	49	0.03
97 = REFUSED.....	24	0.01
98 = BLANK (NO ANSWER).....	1088	0.63
99 = LEGITIMATE SKIP.....	164268	94.51

Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] and also had some of the other problems we just asked about.

Can you remember your exact age?

[YOPBRMBR](#)¹

Len : 2 RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
1 = Yes.....	5046	2.90
2 = No.....	3718	2.14
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	67	0.04
97 = REFUSED.....	26	0.01
98 = BLANK (NO ANSWER).....	1087	0.63
99 = LEGITIMATE SKIP.....	163863	94.28

How old were you?

[YOPBAGE](#)¹

Len : 3 AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 17.....	8262	4.75
994 = DON'T KNOW.....	517	0.30
997 = REFUSED.....	52	0.03
998 = BLANK (NO ANSWER).....	1114	0.64
999 = LEGITIMATE SKIP.....	163863	94.28

In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

If you are not sure of your answer, just make your best guess.

[YOPBNUM](#)¹

Len : 4 # TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE

	Freq	Pct
RANGE = 1 - 1000.....	7424	4.27
9985 = BAD DATA Logically assigned.....	1	0.00
9994 = DON'T KNOW.....	1268	0.73
9997 = REFUSED.....	165	0.09
9998 = BLANK (NO ANSWER).....	1087	0.63
9999 = LEGITIMATE SKIP.....	163863	94.28

In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

[YOPB2WK](#)¹

Len : 2 FELT THIS WAY 2 WKS+ W/OTH PRBS DURING PST 12 MOS

	Freq	Pct
1 = Yes.....	6452	3.71
2 = No.....	2162	1.24
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	185	0.11
97 = REFUSED.....	58	0.03
98 = BLANK (NO ANSWER).....	1087	0.63
99 = LEGITIMATE SKIP.....	163863	94.28

ADOLESCENT DEPRESSION

Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] the worst.

Using the 0 to 10 scale shown below, where 0 means no problems and 10 means very severe problems, select the number that describes how much your [FEELNOUN] caused problems with your ability to do each of the following activities during that time. You can use any number between 0 and 10 to answer.

How much did your [FEELNOUN] cause problems with your chores at home?

[YOPSHMGT](#)¹

Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH HOME CHORES

	Freq	Pct
0 = No Problems	260	0.15
1 = Mild - 1	195	0.11
2 = Mild - 2	372	0.21
3 = Mild - 3	512	0.29
4 = Moderate - 4	586	0.34
5 = Moderate - 5	1000	0.58
6 = Moderate - 6	1083	0.62
7 = Severe - 7	876	0.50
8 = Severe - 8	748	0.43
9 = Severe - 9	298	0.17
10 = Very Severe Problems.....	441	0.25
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	55	0.03
97 = REFUSED	25	0.01
98 = BLANK (NO ANSWER)	1331	0.77
99 = LEGITIMATE SKIP.....	166025	95.52

During that time in the past 12 months when your [FEELNOUN] was worst, how much did this cause problems with your ability to do well at school or work?

You can use any number between 0 and 10 to answer.

[YOPSWORK](#)¹

Len : 2 HOW MCH DID FLNGS INTRFR W/ABLTY TO DO WLL SCH/WK

	Freq	Pct
0 = No Problems	226	0.13
1 = Mild - 1	198	0.11
2 = Mild - 2	423	0.24
3 = Mild - 3	482	0.28
4 = Moderate - 4	529	0.30
5 = Moderate - 5	768	0.44
6 = Moderate - 6	742	0.43
7 = Severe - 7	805	0.46
8 = Severe - 8	868	0.50
9 = Severe - 9	546	0.31
10 = Very Severe Problems.....	788	0.45
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	49	0.03
97 = REFUSED	27	0.02
98 = BLANK (NO ANSWER)	1331	0.77
99 = LEGITIMATE SKIP.....	166025	95.52

ADOLESCENT DEPRESSION

How much did your [FEELNOUN] cause problems with your ability to get along with your family during that time?

You can use any number between 0 and 10 to answer.

[YOPSRELS](#)¹

Len : 2 HOW MUCH DID FLNGS INTRFR W/GETTING ALONG W/FAM

	Freq	Pct
0 = No Problems	240	0.14
1 = Mild - 1	193	0.11
2 = Mild - 2	421	0.24
3 = Mild - 3	500	0.29
4 = Moderate - 4	540	0.31
5 = Moderate - 5	827	0.48
6 = Moderate - 6	822	0.47
7 = Severe - 7	803	0.46
8 = Severe - 8	821	0.47
9 = Severe - 9	529	0.30
10 = Very Severe Problems.....	686	0.39
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	46	0.03
97 = REFUSED	23	0.01
98 = BLANK (NO ANSWER)	1331	0.77
99 = LEGITIMATE SKIP.....	166025	95.52

How much did your [FEELNOUN] cause problems with your social life during that time?

You can use any number between 0 and 10 to answer.

[YOPSSOC](#)¹

Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE

	Freq	Pct
0 = No Problems	187	0.11
1 = Mild - 1	137	0.08
2 = Mild - 2	298	0.17
3 = Mild - 3	402	0.23
4 = Moderate - 4	511	0.29
5 = Moderate - 5	731	0.42
6 = Moderate - 6	769	0.44
7 = Severe - 7	828	0.48
8 = Severe - 8	893	0.51
9 = Severe - 9	711	0.41
10 = Very Severe Problems.....	910	0.52
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	51	0.03
97 = REFUSED	23	0.01
98 = BLANK (NO ANSWER)	1331	0.77
99 = LEGITIMATE SKIP.....	166025	95.52

About how many days out of 365 in the past 12 months were you totally unable to go to school or work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer.

[YOPSDAYS](#)¹

Len : 3 # DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS

	Freq	Pct
RANGE = 0 - 365	5888	3.39
985 = BAD DATA Logically assigned	1	0.00
994 = DON'T KNOW	455	0.26
997 = REFUSED	45	0.03
998 = BLANK (NO ANSWER).....	1376	0.79
999 = LEGITIMATE SKIP.....	166043	95.53

ADOLESCENT DEPRESSION

Here is a list of professionals some people talk to about the problems we have been asking about:

- General practitioner or family doctor
- Other medical doctor like a cardiologist, gynecologist, urologist
- Psychologist
- Psychiatrist or psychotherapist
- Social Worker
- Counselor
- Other mental health professional, like a mental health nurse
- A nurse, occupational therapist, or other health professional
- A religious or spiritual advisor like a minister, priest, or rabbi
- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist

At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?

<u>YOSEEDOC</u> ¹	Len : 2	SEE/TALK TO A DR/OTH PROF ABT FEELINGS PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	3461	1.99
		2 = No	5277	3.04
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW	68	0.04
		97 = REFUSED	50	0.03
		98 = BLANK (NO ANSWER)	1088	0.63
		99 = LEGITIMATE SKIP.....	163863	94.28

During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?

<u>YOFAMDOC</u> ¹	Len : 2	GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS		
			Freq	Pct
		1 = Response entered	1059	0.61
		3 = Response entered LOGICALLY ASSIGNED	1	0.00
		6 = Response not entered	2346	1.35
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW	36	0.02
		97 = REFUSED	69	0.04
		98 = BLANK (NO ANSWER)	1156	0.67
		99 = LEGITIMATE SKIP.....	169140	97.31

<u>YOOTHDOC</u> ¹	Len : 2	OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS		
			Freq	Pct
		1 = Response entered	149	0.09
		3 = Response entered LOGICALLY ASSIGNED	4	0.00
		6 = Response not entered	3253	1.87
		94 = DON'T KNOW	36	0.02
		97 = REFUSED	69	0.04
		98 = BLANK (NO ANSWER)	1157	0.67
		99 = LEGITIMATE SKIP.....	169140	97.31

<u>YOPSYCH</u> ¹	Len : 2	PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
			Freq	Pct
		1 = Response entered	1144	0.66
		3 = Response entered LOGICALLY ASSIGNED	1	0.00
		6 = Response not entered	2261	1.30
		94 = DON'T KNOW	36	0.02
		97 = REFUSED	69	0.04
		98 = BLANK (NO ANSWER)	1157	0.67
		99 = LEGITIMATE SKIP.....	169140	97.31

<u>YOPSYMD</u> ¹	Len : 2	PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
			Freq	Pct
		1 = Response entered	944	0.54
		6 = Response not entered	2462	1.42
		94 = DON'T KNOW	36	0.02
		97 = REFUSED	69	0.04
		98 = BLANK (NO ANSWER)	1157	0.67
		99 = LEGITIMATE SKIP.....	169140	97.31

ADOLESCENT DEPRESSION

YOSOCWRK¹

Len : 2 SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	531	0.31
6 = Response not entered	2875	1.65
94 = DON'T KNOW	36	0.02
97 = REFUSED	69	0.04
98 = BLANK (NO ANSWER)	1157	0.67
99 = LEGITIMATE SKIP	169140	97.31

YOCOUNS¹

Len : 2 COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	1996	1.15
3 = Response entered LOGICALLY ASSIGNED	10	0.01
6 = Response not entered	1400	0.81
94 = DON'T KNOW	36	0.02
97 = REFUSED	69	0.04
98 = BLANK (NO ANSWER)	1157	0.67
99 = LEGITIMATE SKIP	169140	97.31

YOOTHMP¹

Len : 2 MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	453	0.26
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	2951	1.70
94 = DON'T KNOW	36	0.02
97 = REFUSED	69	0.04
98 = BLANK (NO ANSWER)	1157	0.67
99 = LEGITIMATE SKIP	169140	97.31

YONURSE¹

Len : 2 NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	569	0.33
3 = Response entered LOGICALLY ASSIGNED	6	0.00
6 = Response not entered	2831	1.63
94 = DON'T KNOW	36	0.02
97 = REFUSED	69	0.04
98 = BLANK (NO ANSWER)	1157	0.67
99 = LEGITIMATE SKIP	169140	97.31

YORELIG¹

Len : 2 RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS

	Freq	Pct
1 = Response entered	174	0.10
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	3230	1.86
94 = DON'T KNOW	36	0.02
97 = REFUSED	69	0.04
98 = BLANK (NO ANSWER)	1157	0.67
99 = LEGITIMATE SKIP	169140	97.31

YOTHERBAL¹

Len : 2 HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	56	0.03
6 = Response not entered	3350	1.93
94 = DON'T KNOW	36	0.02
97 = REFUSED	69	0.04
98 = BLANK (NO ANSWER)	1157	0.67
99 = LEGITIMATE SKIP	169140	97.31

YOOTHHLP¹

Len : 2 OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	213	0.12
6 = Response not entered	3193	1.84
94 = DON'T KNOW	36	0.02
97 = REFUSED	69	0.04
98 = BLANK (NO ANSWER)	1157	0.67
99 = LEGITIMATE SKIP	169140	97.31

ADOLESCENT DEPRESSION

Are you currently receiving treatment or counseling for [NUMPROBS] with your mood?

<u>YOTMTNOW</u> ¹	Len : 2	CURRENTLY RCVNG TREATMENT/COUNSLG FOR MOOD		
			Freq	Pct
	1 = Yes.....		2084	1.20
	2 = No.....		1354	0.78
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		16	0.01
	97 = REFUSED.....		57	0.03
	98 = BLANK (NO ANSWER).....		1156	0.67
	99 = LEGITIMATE SKIP.....		169140	97.31

During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?

<u>YORX12MO</u> ¹	Len : 2	TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS		
			Freq	Pct
	1 = Yes.....		1947	1.12
	2 = No.....		6842	3.94
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		39	0.02
	97 = REFUSED.....		28	0.02
	98 = BLANK (NO ANSWER).....		1088	0.63
	99 = LEGITIMATE SKIP.....		163863	94.28

Are you currently taking prescription medication that was prescribed for [NUMPROBS]?

<u>YORXNOW</u> ¹	Len : 2	CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD		
			Freq	Pct
	1 = Yes.....		1551	0.89
	2 = No.....		392	0.23
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		3	0.00
	97 = REFUSED.....		29	0.02
	98 = BLANK (NO ANSWER).....		1127	0.65
	99 = LEGITIMATE SKIP.....		170705	98.21

During the past 12 months, how much has this prescription medication helped you?

<u>YORXHLP</u> ¹	Len : 2	HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MOS		
			Freq	Pct
	1 = Not at all.....		251	0.14
	2 = A little.....		307	0.18
	3 = Some.....		513	0.30
	4 = A lot.....		578	0.33
	5 = Extremely.....		269	0.15
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		27	0.02
	97 = REFUSED.....		30	0.02
	98 = BLANK (NO ANSWER).....		1127	0.65
	99 = LEGITIMATE SKIP.....		170705	98.21

During the past 12 months, how much has treatment or counseling helped you?

<u>YOTMTHLP</u> ¹	Len : 2	HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS		
			Freq	Pct
	1 = Not at all.....		477	0.27
	2 = A little.....		709	0.41
	3 = Some.....		946	0.54
	4 = A lot.....		858	0.49
	5 = Extremely.....		421	0.24
	85 = BAD DATA Logically assigned.....		1	0.00
	94 = DON'T KNOW.....		39	0.02
	97 = REFUSED.....		61	0.04
	98 = BLANK (NO ANSWER).....		1156	0.67
	99 = LEGITIMATE SKIP.....		169140	97.31

RECODED ADOLESCENT DEPRESSION

RECODED ADOLESCENT DEPRESSION

The following variable, YMDELТ, classifies an adolescent as having a major depressive episode (MDE) in their lifetime, YMDELТ=1, if they reported experiencing at least 5 out of the 9 criteria used to define an adolescent as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (YODSMMDE=1). An adolescent was classified as NOT having a major depressive episode (MDE) in their lifetime, YMDELТ=2, if they met either of these conditions.

1. Reported experiencing fewer than five out of the nine criteria used to define an adolescent as having had MDE in their lifetime (YODSMMDE=2).
2. If the number of criteria used to define an adolescent as having had MDE in their lifetime is unknown (YODSMMDE=94, 97, 98) and the respondent reported at least one of the following:
 - (a) Never having had a period of time lasting several days or longer for the following feelings:
 - i. felt sad, empty, or depressed (YODPREV=2)
 - ii. discouraged or hopeless about how things were going in life (YODSCEV=2)
 - iii. lost interest and became bored with most things usually enjoyable (YOLOSEV=2)
 - (b) Experienced the feelings in (a), but they did not last most of the day, almost every day for two weeks or longer [YOLSI2WK=2 or YODPR2WK=2].
 - (c) Experienced the feelings in (a) most of the day, almost every day for two weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (YOWRHRS=1).
 - (d) Experienced the feelings in (a) most of the day, almost every day for two weeks or longer for at least an hour during those times when mood was most severe and frequent, but the bad feelings were mild (YOWRDST=1), there was never a time when you felt so bad that nothing could cheer you up (YOWRCHR=4), and there was never a time when you felt so bad that you could not carry out your daily activities (YOWRIMP=4).
 - (e) Experienced the feelings in (a) most of the day, almost every day for two weeks or longer for at least an hour with bad feelings that were more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, eating, energy, the ability to keep mind on things, or feeling badly about self (YODPPROB=2).

YMDELТ

Len : 1 RC-YOUTH: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	140666	80.93
1 = Yes (YODSMMDE=1).....	8685	5.00
2 = No (See comment above).....	24457	14.07

YMDEYR

Len : 1 RC-YOUTH: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	140897	81.06
1 = Yes (YMDELТ=1 & YOPB2WK=1).....	6384	3.67
2 = No (YMDELТ=2 or [YMDELТ=1 & YOPB2WK=2]).....	26527	15.26

NOTE: The following three recoded variables define if a respondent had co-occurring major depressive episode and a use disorder. Specific information about the DSM-5 use disorder criteria used in these recoded variables can be found in the Nicotine Dependence and Substance Use Disorder Appendix.

YMDEAUD5YR

Len : 1 RC-YOUTH: PAST YEAR MDE AND ALC USE DISORDER-DSM-5

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR=.).....	140897	81.06
0 = No (YMDEYR=2 or IRPYUD5ALC=0).....	32413	18.65
1 = Yes (YMDEYR=1 & IRPYUD5ALC=1).....	498	0.29

YMIUD5YANY

Len : 1 RC-YOUTH: PY MDE AND ILL DRUG USE DISORDER-DSM-5 - ANY

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR=.).....	140897	81.06
0 = No (YMDEYR=2 or UD5ILLANY=0).....	31843	18.32
1 = Yes (YMDEYR=1 & UD5ILLANY=1).....	1068	0.61

YMSUD5YANY

Len : 1 RC-YOUTH: PY MDE AND SUB USE DISORDER-DSM-5 - ANY

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR=.).....	140897	81.06
0 = No (YMDEYR=2 or UD5ILALANY=0).....	31632	18.20
1 = Yes (YMDEYR=1 & UD5ILALANY=1).....	1279	0.74

RECODED ADOLESCENT DEPRESSION

NOTE: The following two recoded variables define if a respondent had major depressive episode and/or a substance use disorder. YMDERSUD5ANY and YMDESUD5ANYO are based on DSM-5 SUD estimates including prescription drug use data from all past year users of prescription drugs. These recodes replace variables YMDEORSUD5 and YMDESUD5ONL, and were used starting with the 2021 First Findings Report appendix tables.

YMDERSUD5ANY Len : 1 RC-YTH: MDE OR SUBSTANCE USE DISORDER-PAST YEAR-DSM-5-ANY

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR=. and UD5ILALANY=0)	140749	80.98
0 = No (YMDEYR=2 and UD5ILALANY=0)	24827	14.28
1 = Yes (YMDEYR =1 or UD5ILALANY=1)	8232	4.74

YMDESUD5ANYO Len : 1 RC-YTH:ONLY MDE, ONLY SUD, BOTH, OR NEITHER-PY-DSM-5-ANY

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR=.)	140897	81.06
1 = SUD only, no MDE (YMDEYR=2 and UD5ILALANY=1)	1700	0.98
2 = MDE only, no SUD (YMDEYR =1 and UD5ILALANY=0)	5105	2.94
3 = SUD and MDE (YMDEYR=1 and UD5ILALANY=1)	1279	0.74
4 = Neither SUD or MDE (YMDEYR=2 and UD5ILALANY=0)	24827	14.28

NOTE: The following 25 variables are among all adolescent respondents who were asked the respective questions and are not confined to those respondents who were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or past year. To produce estimates among adolescents with MDE, the analysis will need to be restricted by either the lifetime MDE variable (YMDELT) or the past year MDE variable (YMDEYR).

YTXMDEYR Len : 1 RC-YOUTH: SAW OR TALK TO MD/PROF FOR MDE IN PAST YEAR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	165070	94.97
0 = No (YOSEEDOC=2)	5277	3.04
1 = Yes (YOSEEDOC=1)	3461	1.99

YRXMDEYR Len : 1 RC-YOUTH: USED RX MEDICATION FOR MDE IN PAST YEAR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	165019	94.94
0 = No (YORX12MO=2)	6842	3.94
1 = Yes (YORX12MO=1)	1947	1.12

In the following variable, YMDETXX, an adolescent is defined as having received treatment/counseling if he/she saw or talked to a medical doctor or other professional for MDE.

YMDETXX Len : 1 RC-YOUTH: RCVD TRT/CNSLG OR RX MED FOR MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	165060	94.97
0 = No (YTXMDEYR=0 and YRXMDEYR=0)	5008	2.88
1 = Yes (YTXMDEYR=1 or YRXMDEYR=1)	3740	2.15

YDOCMDE Len : 1 RC-YOUTH: SAW/TALK TO GEN PRAC/FAM MD ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	165125	95.00
0 = No (YOSEEDOC=2 or YOFAMDOC=6)	7623	4.39
1 = Yes (YOFAMDOC=1,3)	1060	0.61

YOMDMDE Len : 1 RC-YOUTH: SAW/TALK TO OTHER MD ABOUT MDE IN PAST YEAR

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	165125	95.00
0 = No (YOSEEDOC=2 or YOOTHDOC=6)	8530	4.91
1 = Yes (YOOTHDOC=1,3)	153	0.09

YPSY1MDE Len : 1 RC-YOUTH: SAW/TALK TO PSYCHOLOGIST ABT MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	165125	95.00
0 = No (YOSEEDOC=2 or YOPSYCH=6)	7538	4.34
1 = Yes (YOPSYCH=1,3)	1145	0.66

RECODED ADOLESCENT DEPRESSION

YPSY2MDE

Len : 1 RC-YOUTH: SAW/TALK TO PSYCHIATRIST ABT MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	165125	95.00
0 = No (YOSEEDOC=2 or YOPSYMD=6).....	7739	4.45
1 = Yes (YOPSYMD=1,3).....	944	0.54

YSOCMDE

Len : 1 RC-YOUTH: SAW/TALK TO SOCIAL WORKER ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	165125	95.00
0 = No (YOSEEDOC=2 or YOSOCWRK=6)	8152	4.69
1 = Yes (YOSOCWRK=1,3)	531	0.31

YCOUNMDE

Len : 1 RC-YOUTH: SAW/TALK TO COUNSELOR ABOUT MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	165125	95.00
0 = No (YOSEEDOC=2 or YOCOUNS=6).....	6677	3.84
1 = Yes (YOCOUNS=1,3).....	2006	1.15

YOMHMDE indicates whether an adolescent reported having seen or talked to other mental health professionals about MDE during the past year. Other mental health professionals include mental health nurses and other therapists where type is not specified.

YOMHMDE

Len : 1 RC-YOUTH: SAW/TALK TO OTH MENT HLTH PROF ABOUT MDE-PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	165125	95.00
0 = No (YOSEEDOC=2 or [YOOTHMHP=6 & No Writ-in Enter]).....	8150	4.69
1 = Yes (YOOTHMHP=1,3 or Write-in Response Entered)	533	0.31

YNURSMDE

Len : 1 RC-YOUTH: SAW/TALK TO NURSE/OCC THERA ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	165125	95.00
0 = No (YOSEEDOC=2 or YONURSE=6)	8108	4.66
1 = Yes (YONURSE=1,3)	575	0.33

YRELMDE

Len : 1 RC-YOUTH: SAW/TALK TO RELIG ADVISOR ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	165125	95.00
0 = No (YOSEEDOC=2 or YORELIG=6).....	8507	4.89
1 = Yes (YORELIG=1,3).....	176	0.10

YHBCHMDE

Len : 1 RC-YOUTH: SAW/TALK TO ANOTHER HEALER ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	165125	95.00
0 = No (YOSEEDOC=2 or YOHERBAL=6).....	8627	4.96
1 = Yes (YOHERBAL=1,3).....	56	0.03

The following variable, YHLTMDE, indicates whether a youth reported seeing or talking to a health professional about MDE in the past year. Youths were classified as having seen or talked to a health professional, YHLTMDE=1, if they reported seeing or talking to any of the following professionals: general practitioner or family doctor (YDOCMDE=1); other medical doctor (YOMDMDE=1); psychologist (YPSY1MDE=1); psychiatrist or psychotherapist (YPSY2MDE=1); social worker (YSOCMDE=1); counselor (YCOUNMDE=1); other mental health professional (YOMHMDE=1); or nurse, occupational therapist, or other health professional (YNURSMDE=1). Respondents were classified as having not seen or talked to a health professional, YHLTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

YHLTMDE

Len : 1 RC-YOUTH: SAW/TALK TO HEALTH PROF ABOUT MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	165125	95.00
0 = No (See comment above).....	5343	3.07
1 = Yes (See comment above)	3340	1.92

RECODED ADOLESCENT DEPRESSION

The following variable, YALTMDE, indicates whether a youth reported seeing or talking to an alternative service professional about MDE in the past year. Youths were classified as having seen or talked to an alternative service professional, YALTMDE=1, if they reported seeing or talking to any of the following professionals: religious or spiritual advisor (YRELMDE=1); or herbalist, chiropractor, acupuncturist, or massage therapist (YHBMCHMDE=1). Respondents were classified as having not seen or talked to an alternative service professional, YALTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

<u>YALTMDE</u>	Len : 1	RC-YOUTH: SAW/TALK TO ALT SERV PROF ABOUT MDE IN PY		
			Freq	Pct
.	= Aged 18+/Unknown (Otherwise).....		165125	95.00
0	= No (See comment above).....		8460	4.87
1	= Yes (See comment above)		223	0.13

<u>YMDEHPRX</u>	Len : 1	RC-YOUTH: SAW HEALTH PROF OR RX MED FOR MDE IN PST YR		
			Freq	Pct
.	= Aged 18+/Unknown (Otherwise).....		165091	94.98
0	= No (YHLMDE=0 and YRXMDEYR=0).....		5066	2.91
1	= Yes (YHLMDE=1 or YRXMDEYR=1).....		3651	2.10

<u>YMDEHPO</u>	Len : 1	RC-YOUTH: SAW HEALTH PROF ONLY FOR MDE IN PAST YEAR		
			Freq	Pct
.	= Aged 18+/Unknown (Otherwise).....		165089	94.98
0	= No (YHLMDE=0 or YRXMDEYR=1).....		7022	4.04
1	= Yes (YHLMDE=1 and YRXMDEYR=0).....		1697	0.98

<u>YMDERXO2</u>	Len : 1	RC-YOUTH: RCVD RX MED, NO HEALTH PROF FOR MDE IN PY		
			Freq	Pct
.	= Aged 18+/Unknown (Otherwise).....		165055	94.96
0	= No (YRXMDEYR=0 or YHLMDE=1)		8485	4.88
1	= Yes (YRXMDEYR=1 and YHLMDE=0)		268	0.15

<u>YMDEHARX</u>	Len : 1	RC-YOUTH: SAW HEALTH PROF AND RX MED FOR MDE IN PY		
			Freq	Pct
.	= Aged 18+/Unknown (Otherwise).....		165053	94.96
0	= No (YHLMDE=0 or YRXMDEYR=0)		7119	4.10
1	= Yes (YHLMDE=1 and YRXMDEYR=1).....		1636	0.94

NOTE: The following four variables make up the four role domains (chores at home, school or work, close relationships with family, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on an adolescent's life.

<u>YSDSHOME</u>	Len : 1	RC-YOUTH: MDE ROLE IMPAIRMENT - CHORES AT HOME		
			Freq	Pct
.	= Aged 18+/Unknown/Legitimate Skip (Otherwise).....		167437	96.33
1	= None (YOPSHMGT=0).....		260	0.15
2	= Mild (YOPSHMGT=1,2,3).....		1079	0.62
3	= Moderate (YOPSHMGT=4,5,6)		2669	1.54
4	= Severe (YOPSHMGT=7,8,9).....		1922	1.11
5	= Very Severe (YOPSHMGT=10).....		441	0.25

<u>YSDSWRK</u>	Len : 1	RC-YOUTH: MDE ROLE IMPAIRMENT - SCHOOL OR WORK		
			Freq	Pct
.	= Aged 18+/Unknown/Legitimate Skip (Otherwise).....		167433	96.33
1	= None (YOPSWORK=0)		226	0.13
2	= Mild (YOPSWORK=1,2,3)		1103	0.63
3	= Moderate (YOPSWORK=4,5,6)		2039	1.17
4	= Severe (YOPSWORK=7,8,9)		2219	1.28
5	= Very Severe (YOPSWORK=10).....		788	0.45

<u>YSDSREL</u>	Len : 1	RC-YOUTH: MDE ROLE IMPAIRMENT - FAMILY RELATIONSHIPS		
			Freq	Pct
.	= Aged 18+/Unknown/Legitimate Skip (Otherwise).....		167426	96.33
1	= None (YOPSRELS=0).....		240	0.14
2	= Mild (YOPSRELS=1,2,3).....		1114	0.64
3	= Moderate (YOPSRELS=4,5,6)		2189	1.26
4	= Severe (YOPSRELS=7,8,9).....		2153	1.24
5	= Very Severe (YOPSRELS=10).....		686	0.39

RECODED ADOLESCENT DEPRESSION

YSDSSOC

Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - SOCIAL LIFE

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	167431	96.33
1 = None (YOPSSOC=0).....	187	0.11
2 = Mild (YOPSSOC=1,2,3).....	837	0.48
3 = Moderate (YOPSSOC=4,5,6).....	2011	1.16
4 = Severe (YOPSSOC=7,8,9).....	2432	1.40
5 = Very Severe (YOPSSOC=10).....	910	0.52

The following variable, YSDSOVRL, is assigned the maximum level of interference over the four role domains of SDS: chores at home (YSDSHOME), school or work (YSDSWRK), family relationships (YSDSREL), and social life (YSDSSOC).

YSDSOVRL

Len : 1 RC-YOUTH: MAX SEVERITY LEVEL OF MDE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	167399	96.31
1 = None (See comment above).....	21	0.01
2 = Mild (See comment above).....	205	0.12
3 = Moderate (See comment above).....	1395	0.80
4 = Severe (See comment above).....	3153	1.81
5 = Very Severe (See comment above).....	1635	0.94

The following variable, MDEIMPY, is derived from the maximum severity level of MDE role impairment (YSDSOVRL) and is restricted to adolescents with past year MDE (YMDEYR).

MDEIMPY

Len : 1 RC-YOUTH: MDE WITH SEVERE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	140933	81.09
1 = Yes (YMDEYR=1 and YSDSOVRL=4,5).....	4771	2.74
2 = No (YMDEYR=2 or YSDSOVRL=1,2,3).....	28104	16.17

NOTE: The following four recoded variables define if a respondent had co-occurring major depressive episode with severe impairment and/or a use disorder. Specific information about the DSM-5 use disorder criteria used in these recoded variables can be found in the Nicotine Dependence and Substance Use Disorder Appendix.

YMDEIMAD5YR

Len : 1 RC-YOUTH: PY MDE WITH SEVERE IMP AND ALC USE DISORDER-DSM-5

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.).....	140933	81.09
0 = No (MDEIMPY=2 or IRPYUD5ALC=0).....	32456	18.67
1 = Yes (MDEIMPY=1 & IRPYUD5ALC=1).....	419	0.24

YMIMISYANY

Len : 1 RC-YOUTH: PY MDE W/ SEV IMPAIR & ILL DRG USE DIS-DSM-5-ANY

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.).....	140933	81.09
0 = No (MDEIMPY=2 or UD5ILLANY=0).....	31978	18.40
1 = Yes (MDEIMPY=1 & UD5ILLANY=1).....	897	0.52

YMIMR5YANY

Len : 1 RC-YOUTH: PY MDE W/ SEV IMPAIR OR SUB USE DIS-DSM-5 - ANY

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=. and UD5ILALANY=0).....	93088	53.56
-9 = Data not collected for this year.....	58034	33.39
0 = No (MDEIMPY=2 & UD5ILALANY=0).....	17927	10.31
1 = Yes (MDEIMPY=1 or UD5ILALANY=1).....	4759	2.74

YMIMS5YANY

Len : 1 RC-YOUTH: PY MDE W/ SEV IMPAIR AND SUB USE DIS-DSM-5 - ANY

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.).....	140933	81.09
0 = No (MDEIMPY=2 or UD5ILALANY=0).....	31810	18.30
1 = Yes (MDEIMPY=1 & UD5ILALANY=1).....	1065	0.61

MENTAL HEALTH SERVICES UTILIZATION

MENTAL HEALTH SERVICES UTILIZATION

During the past 12 months, did you seek professional counseling, medication, or other treatment for your mental health, emotions, or behavior?

NOTE: This question is asked of respondents who did not report receiving any of the treatments in the past 12 months for mental health, emotions, or behavior.

MHTSEEKTX

Len : 2 DID SEEK TRMT FOR MENTAL HEALTH (NOT RCVD TRMT)-PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	1090	0.63
2 = No.....	79905	45.97
11 = Yes (unknown receipt of treatment).....	29	0.02
12 = No (unknown receipt of treatment).....	783	0.45
94 = DON'T KNOW.....	176	0.10
97 = REFUSED.....	228	0.13
98 = BLANK (NO ANSWER).....	1669	0.96
99 = LEGITIMATE SKIP.....	31894	18.35

During the past 12 months, did you think you should get professional counseling, medication, or other treatment for your mental health, emotions, or behavior?

NOTE: This question is asked of respondents who did not report receiving any of the treatments in the past 12 months for mental health, emotions, or behavior, and did not report seeking treatment in the past 12 months for mental health, emotions, or behavior.

MHTSHLDTX

Len : 2 THOUGHT SHLD GET MNTL HLTH TRMT (NOT RCVD TRMT)-PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	5927	3.41
2 = No.....	73859	42.49
11 = Yes (unknown receipt of treatment).....	41	0.02
12 = No (unknown receipt of treatment).....	733	0.42
94 = DON'T KNOW.....	258	0.15
97 = REFUSED.....	271	0.16
98 = BLANK (NO ANSWER).....	1672	0.96
99 = LEGITIMATE SKIP.....	33013	18.99

There may be many reasons you did not get [additional] treatments during the past 12 months.

For each statement, please mark whether or not it was one of the reasons why you did not get [additional] professional counseling, medication or other treatment for your mental health, emotions, or behavior.

You thought it would cost too much.

MHTUNCOST

Len : 2 UNMET MH TRMT NEED: TREATMENT COST TOO MUCH

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	3515	2.02
2 = No.....	3739	2.15
94 = DON'T KNOW.....	39	0.02
97 = REFUSED.....	14	0.01
98 = BLANK (NO ANSWER).....	2264	1.30
99 = LEGITIMATE SKIP.....	106203	61.10

You did not have health insurance coverage for mental health treatment.

MHTUNINSCV

Len : 2 UNMET MH TRMT NEED: NO HEALTH INSURANCE COVERAGE FOR TRMT

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	1668	0.96
2 = No.....	5095	2.93
94 = DON'T KNOW.....	516	0.30
97 = REFUSED.....	28	0.02
98 = BLANK (NO ANSWER).....	2264	1.30
99 = LEGITIMATE SKIP.....	106203	61.10

MENTAL HEALTH SERVICES UTILIZATION

Your health insurance would not pay enough of the costs for treatment.

MHTUNENFCV	Len : 2 UNMET MH TRMT NEED: HEALTH INSURANCE DID NOT COVER ENOUGH		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	1795	1.03
	2 = No.....	4756	2.74
	94 = DON'T KNOW.....	734	0.42
	97 = REFUSED.....	21	0.01
	98 = BLANK (NO ANSWER).....	2265	1.30
	99 = LEGITIMATE SKIP.....	106203	61.10

You did not know how or where to get treatment.

MHTUNWHER	Len : 2 UNMET TRMT NEED: DID NOT KNOW HOW/WHERE TO GET TREATMENT		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	3337	1.92
	2 = No.....	3934	2.26
	94 = DON'T KNOW.....	23	0.01
	97 = REFUSED.....	12	0.01
	98 = BLANK (NO ANSWER).....	2265	1.30
	99 = LEGITIMATE SKIP.....	106203	61.10

You could not find a treatment program or health care professional you wanted to go to.

MHTUNNOFND	Len : 2 UNMET MH TRMT NEED: COULD NOT FIND PREFERRED PROVIDER		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	2541	1.46
	2 = No.....	4506	2.59
	94 = DON'T KNOW.....	223	0.13
	97 = REFUSED.....	35	0.02
	98 = BLANK (NO ANSWER).....	2266	1.30
	99 = LEGITIMATE SKIP.....	106203	61.10

There were no openings in the treatment program or with the health care professional you wanted to go to.

MHTUNNOOPN	Len : 2 UNMET MH TRMT NEED: NO OPENINGS WITH PREFERRED PROVIDER		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	955	0.55
	2 = No.....	5975	3.44
	94 = DON'T KNOW.....	346	0.20
	97 = REFUSED.....	29	0.02
	98 = BLANK (NO ANSWER).....	2266	1.30
	99 = LEGITIMATE SKIP.....	106203	61.10

You had problems with things like transportation, childcare, or getting appointments at times that worked for you.

MHTUNPROBS	Len : 2 UNMET MH TRMT NEED: PROB W/TRANS, CHILD CARE, APPT TIMES		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	1582	0.91
	2 = No.....	5591	3.22
	94 = DON'T KNOW.....	106	0.06
	97 = REFUSED.....	26	0.01
	98 = BLANK (NO ANSWER).....	2266	1.30
	99 = LEGITIMATE SKIP.....	106203	61.10

MENTAL HEALTH SERVICES UTILIZATION

You didn't have enough time for treatment.

MHTUNTIME	Len : 2 UNMET MH TRMT NEED: NOT ENOUGH TIME FOR TREATMENT		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	3005	1.73
	2 = No.....	4173	2.40
	94 = DON'T KNOW.....	97	0.06
	97 = REFUSED.....	30	0.02
	98 = BLANK (NO ANSWER).....	2266	1.30
	99 = LEGITIMATE SKIP.....	106203	61.10

You were worried that your information would not be kept private.

MHTUNPRIV	Len : 2 UNMET MH TRMT NEED: WORRIED THAT INFO NOT KEPT PRIVATE		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	2081	1.20
	2 = No.....	5140	2.96
	94 = DON'T KNOW.....	48	0.03
	97 = REFUSED.....	36	0.02
	98 = BLANK (NO ANSWER).....	2266	1.30
	99 = LEGITIMATE SKIP.....	106203	61.10

You were worried about what people would think or say if you got treatment.

MHTUNPTHNK	Len : 2 UNMET MH TRMT NEED: WORRIED WHAT PEOPLE WOULD THINK OR SAY		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	2433	1.40
	2 = No.....	4846	2.79
	94 = DON'T KNOW.....	15	0.01
	97 = REFUSED.....	10	0.01
	98 = BLANK (NO ANSWER).....	2267	1.30
	99 = LEGITIMATE SKIP.....	106203	61.10

You thought that if people knew you were in treatment bad things would happen, like losing your job, home, or children.

MHTUNCONSQ	Len : 2 UNMET MH TRMT NEED: WORRIED LOSS OF JOB, HOME, CHILDREN, ETC		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	799	0.46
	2 = No.....	6429	3.70
	94 = DON'T KNOW.....	48	0.03
	97 = REFUSED.....	27	0.02
	98 = BLANK (NO ANSWER).....	2268	1.30
	99 = LEGITIMATE SKIP.....	106203	61.10

You were not ready to start treatment.

MHTUNSTART	Len : 2 UNMET MH TRMT NEED: NOT READY TO START TREATMENT		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	3429	1.97
	2 = No.....	3680	2.12
	94 = DON'T KNOW.....	169	0.10
	97 = REFUSED.....	25	0.01
	98 = BLANK (NO ANSWER).....	2268	1.30
	99 = LEGITIMATE SKIP.....	106203	61.10

MENTAL HEALTH SERVICES UTILIZATION

You thought you should have been able to handle your mental health, emotions, or behavior on your own.

MHTUNHNDL	Len : 2 UNMET MH TRMT NEED: THOUGHT COULD HANDLE MNTL HLTH ON OWN		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	5267	3.03
	2 = No.....	1931	1.11
	94 = DON'T KNOW.....	78	0.04
	97 = REFUSED.....	27	0.02
	98 = BLANK (NO ANSWER).....	2268	1.30
	99 = LEGITIMATE SKIP.....	106203	61.10

You thought your family, friends, or religious group wouldn't like it if you got treatment.

MHTUNFFLKE	Len : 2 UNMET MH TRMT NEED: FAMILY/FRIENDS/RELIG GROUP WOULDNT LIKE		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	1408	0.81
	2 = No.....	5800	3.34
	94 = DON'T KNOW.....	65	0.04
	97 = REFUSED.....	30	0.02
	98 = BLANK (NO ANSWER).....	2268	1.30
	99 = LEGITIMATE SKIP.....	106203	61.10

You were afraid of being committed to a hospital or forced into treatment against your will.

MHTUNFORCE	Len : 2 UNMET MH TRMT NEED: WORRIED ABOUT BEING FORCED AGAINST WILL		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	1636	0.94
	2 = No.....	5582	3.21
	94 = DON'T KNOW.....	58	0.03
	97 = REFUSED.....	27	0.02
	98 = BLANK (NO ANSWER).....	2268	1.30
	99 = LEGITIMATE SKIP.....	106203	61.10

You thought you would be told you needed to take medication.

MHTUNMED	Len : 2 UNMET MH TRMT NEED: THOUGHT WOULD BE TOLD TO TAKE MEDICATION		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	2244	1.29
	2 = No.....	4965	2.86
	94 = DON'T KNOW.....	74	0.04
	97 = REFUSED.....	20	0.01
	98 = BLANK (NO ANSWER).....	2268	1.30
	99 = LEGITIMATE SKIP.....	106203	61.10

You didn't think treatment would help you.

MHTUNNOHLP	Len : 2 UNMET MH TRMT NEED: DIDN'T THINK TREATMENT WOULD HELP		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Yes.....	2409	1.39
	2 = No.....	4695	2.70
	94 = DON'T KNOW.....	174	0.10
	97 = REFUSED.....	25	0.01
	98 = BLANK (NO ANSWER).....	2268	1.30
	99 = LEGITIMATE SKIP.....	106203	61.10

MENTAL HEALTH SERVICES UTILIZATION

You thought no one would care if you got better.

[MHTUNCARE](#)

Len : 2 UNMET MH TRMT NEED: NO ONE WOULD CARE IF YOU GOT BETTER

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
1 = Yes.....	1490	0.86
2 = No.....	5687	3.27
94 = DON'T KNOW	92	0.05
97 = REFUSED	34	0.02
98 = BLANK (NO ANSWER)	2268	1.30
99 = LEGITIMATE SKIP.....	106203	61.10

IMPUTED MENTAL HEALTH SERVICES UTILIZATION

IMPUTED MENTAL HEALTH SERVICES UTILIZATION

<u>IRMHTSUPPGRP</u>	Len : 1 PARTICIPATED IN SUPPORT GRP FOR MNTL HLTH - PY - IMP REV		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No.....	58034	33.39
	1 = Yes.....	110285	63.45
		5489	3.16

<u>IIMHTSUPPGRP</u>	Len : 1 PARTICIPATED IN SUPPORT GRP FOR MNTL HLTH - PY - IMP IND		
	-9 = Data not collected for this year.....	Freq	Pct
	1 = Questionnaire data.....	58034	33.39
	2 = Logically assigned data.....	113571	65.34
	3 = Statistically imputed data.....	5	0.00
		2198	1.26

<u>IRMHTERED</u>	Len : 1 SEEN IN EMERGENCY ROOM/DEPT FOR MNTL HLTH - PY - IMP REV		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No.....	58034	33.39
	1 = Yes.....	113795	65.47
		1979	1.14

<u>IIMHTERED</u>	Len : 1 SEEN IN EMERGENCY ROOM/DEPT FOR MNTL HLTH - PY - IMP IND		
	-9 = Data not collected for this year.....	Freq	Pct
	1 = Questionnaire data.....	58034	33.39
	2 = Logically assigned data.....	113679	65.40
	3 = Statistically imputed data.....	6	0.00
		2089	1.20

<u>IRMHTINHOSP</u>	Len : 1 RCVD MNTL HLTH TRMT AT HOSPITAL AS INPATIENT - PY - IMP REV		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No.....	58034	33.39
	1 = Yes.....	114142	65.67
		1632	0.94

<u>IIMHTINHOSP</u>	Len : 1 RCVD MNTL HLTH TRMT AT HOSPITAL AS INPATIENT - PY - IMP IND		
	-9 = Data not collected for this year.....	Freq	Pct
	1 = Questionnaire data.....	58034	33.39
	2 = Logically assigned data.....	113468	65.28
	3 = Statistically imputed data.....	16	0.01
		2290	1.32

<u>IRMHTINRSMH</u>	Len : 1 RCVD MNTL HLTH TRMT AT RSDNTL MNTL HLTH TRMT CTR-PY-IMP REV		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No.....	58034	33.39
	1 = Yes.....	114705	66.00
		1069	0.62

<u>IIMHTINRSMH</u>	Len : 1 RCVD MNTL HLTH TRMT AT RSDNTL MNTL HLTH TRMT CTR-PY-IMP IND		
	-9 = Data not collected for this year.....	Freq	Pct
	1 = Questionnaire data.....	58034	33.39
	2 = Logically assigned data.....	113496	65.30
	3 = Statistically imputed data.....	3	0.00
		2275	1.31

<u>IRMHTINRHAB</u>	Len : 1 RCVD MNTL HLTH TRMT AT RSDNTL SUB REHAB/TRMT CTR-PY-IMP REV		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No.....	58034	33.39
	1 = Yes.....	115305	66.34
		469	0.27

IMPUTED MENTAL HEALTH SERVICES UTILIZATION

<u>IIMHTINRHAB</u>	Len : 1 RCVD MNTL HLTH TRMT AT RSDNTL SUB REHAB/TRMT CTR-PY-IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	113544	65.33
	3 = Statistically imputed data.....	2230	1.28
<u>IRMHTINOPL</u>	Len : 1 RCVD MNTL HLTH TRMT AT OTHER PLACE AS INPATIENT-PY-IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	115155	66.25
	1 = Yes.....	619	0.36
<u>IIMHTINOPL</u>	Len : 1 RCVD MNTL HLTH TRMT AT OTHER PLACE AS INPATIENT-PY-IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	113499	65.30
	2 = Logically assigned data.....	4	0.00
	3 = Statistically imputed data.....	2271	1.31
<u>IRMHTOUTMHCR</u>	Len : 1 RCVD MNTL HLTH TRMT AT OUTPTNT MNTL HLTH TRMT CTR-PY-IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	111893	64.38
	1 = Yes.....	3881	2.23
<u>IIMHTOUTMHCR</u>	Len : 1 RCVD MNTL HLTH TRMT AT OUTPTNT MNTL HLTH TRMT CTR-PY-IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	113402	65.25
	2 = Logically assigned data.....	2	0.00
	3 = Statistically imputed data.....	2370	1.36
<u>IRMHTOUTRHAB</u>	Len : 1 RCVD MNTL HLTH TRMT AT OUTPTNT SUB REHAB/TRMT CTR-PY-IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	115052	66.19
	1 = Yes.....	722	0.42
<u>IIMHTOUTRHAB</u>	Len : 1 RCVD MNTL HLTH TRMT AT OUTPTNT SUB REHAB/TRMT CTR-PY-IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	113480	65.29
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data.....	2293	1.32
<u>IRMHTOUTTHRP</u>	Len : 1 RCVD MNTL HLTH TRMT AT THERAPIST OFFICE - PY - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	101815	58.58
	1 = Yes.....	13959	8.03
<u>IIMHTOUTTHRP</u>	Len : 1 RCVD MNTL HLTH TRMT AT THERAPIST OFFICE - PY - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	113418	65.25
	2 = Logically assigned data.....	10	0.01
	3 = Statistically imputed data.....	2346	1.35
<u>IRMHTOUTDOC</u>	Len : 1 RCVD MNTL HLTH TRMT AT GENERAL MEDICAL OFFICE - PY - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	106178	61.09
	1 = Yes.....	9596	5.52

IMPUTED MENTAL HEALTH SERVICES UTILIZATION

<u>IIMHTOUTDOC</u>	Len : 1 RCVD MNTL HLTH TRMT AT GENERAL MEDICAL OFFICE - PY - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	113379	65.23
	2 = Logically assigned data.....	3	0.00
	3 = Statistically imputed data.....	2392	1.38
<u>IRMHTOUTHOSP</u>	Len : 1 RCVD MNTL HLTH TRMT AT HOSPITAL AS OUTPTNT - PY - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	114139	65.67
	1 = Yes.....	1635	0.94
<u>IIMHTOUTHOSP</u>	Len : 1 RCVD MNTL HLTH TRMT AT HOSPITAL AS OUTPTNT - PY - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	113397	65.24
	2 = Logically assigned data.....	4	0.00
	3 = Statistically imputed data.....	2373	1.37
<u>IRMHTOUTSCHL</u>	Len : 1 RCVD MNTL HLTH TRMT AT SCHOOL HEALTH/COUNSELING-PY-IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	111329	64.05
	1 = Yes.....	4445	2.56
<u>IIMHTOUTSCHL</u>	Len : 1 RCVD MNTL HLTH TRMT AT SCHOOL HEALTH/COUNSELING-PY-IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	113394	65.24
	2 = Logically assigned data.....	4	0.00
	3 = Statistically imputed data.....	2376	1.37
<u>IRMHTOUTOPL</u>	Len : 1 RCVD MNTL HLTH TRMT AT OTHER PLACE AS OUTPTNT-PY- IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	114575	65.92
	1 = Yes.....	1199	0.69
<u>IIMHTOUTOPL</u>	Len : 1 RCVD MNTL HLTH TRMT AT OTHER PLACE AS OUTPTNT-PY- IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	113321	65.20
	3 = Statistically imputed data.....	2453	1.41
<u>IRMHTRXMED</u>	Len : 1 USED RX MEDICATION TO HELP WITH MNTL HLTH - PY - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	95915	55.18
	1 = Yes.....	19859	11.43
<u>IIMHTRXMED</u>	Len : 1 USED RX MEDICATION TO HELP WITH MNTL HLTH - PY - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	1 = Questionnaire data.....	113618	65.37
	3 = Statistically imputed data.....	2156	1.24
<u>IRMHTPHVID</u>	Len : 1 RCVD TRMT BY PHONE/VIDEO FOR MNTL HLTH - PY - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = No.....	98617	56.74
	1 = Yes.....	17157	9.87

IMPUTED MENTAL HEALTH SERVICES UTILIZATION

[IIMHTPHVID](#)

Len : 1 RCVD TRMT BY PHONE/VIDEO FOR MNTL HLTH - PY - IMP IND

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data	113598	65.36
2 = Logically assigned data.....	24	0.01
3 = Statistically imputed data.....	2152	1.24

[IRMHTPEERSPC](#)

Len : 1 RCVD MNTL HLTH HLP FM PEER SUP SPCLST/RECVY COACH-PY-IMP REV

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
0 = No.....	113460	65.28
1 = Yes.....	2314	1.33

[IIMHTPEERSPC](#)

Len : 1 RCVD MNTL HLTH HLP FM PEER SUP SPCLST/RECVY COACH-PY-IMP IND

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Questionnaire data	113493	65.30
3 = Statistically imputed data.....	2281	1.31

RECODED MENTAL HEALTH SERVICES UTILIZATION

RECODED MENTAL HEALTH SERVICES UTILIZATION

The following variable, MHTINOTHPY, was assigned a positive response if a respondent indicated receiving mental health treatment at some other inpatient location in the past year (IRMHTINOPL=1) and entered a write-in response other than the responses that matched existing categories or did not enter a write-in response.

A negative response was assigned if the respondent met either of these conditions:

1. Received mental health treatment at some other inpatient location in the past year (IRMHTINOPL=1) and their write-in response matched an existing inpatient treatment or other treatment category.
2. Did not receive mental health treatment at some other inpatient location in the past year (IRMHTINOPL=0).

<u>MHTINOTHPY</u>	Len : 1	RC-RCVD MH TRMT AT SOME OTHER PLACE AS AN INPATIENT - PST YR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No (See comment above).....	115261	66.32
		1 = Yes (See comment above).....	513	0.30

<u>MHTINPPY</u>	Len : 1	RC-RCVD MENTAL HEALTH TREATMENT AS AN INPATIENT - PAST YEAR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No (IRMHTINHOSP, IRMHTINRSMH, IRMHTINRHAB, and MHTINOTHPY=0)	113439	65.27
		1 = Yes (IRMHTINHOSP, IRMHTINRSMH, IRMHTINRHAB, or MHTINOTHPY=1) .	2335	1.34

The following variable, MHTOUTOTPY, was assigned a positive response if a respondent indicated receiving mental health treatment at some other outpatient location in the past year (IRMHTOUTOPL=1) and entered a write-in response other than the responses that matched existing categories or did not enter a write-in response.

A negative response was assigned if the respondent met either of these conditions:

1. Received mental health treatment at some other outpatient location in the past year (IRMHTOUTOPL=1) and their write-in response matched an existing outpatient treatment or other treatment category.
2. Did not receive mental health treatment at some other outpatient location in the past year (IRMHTOUTOPL=0).

<u>MHTOUTOTPY</u>	Len : 1	RC-RCVD MH TRMT AT SOME OTHER PLACE AS AN OUTPATIENT-PST YR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No (See comment above).....	115078	66.21
		1 = Yes (See comment above).....	696	0.40

<u>MHTOUTPPY</u>	Len : 1	RC-RCVD MENTAL HEALTH TREATMENT AS AN OUTPATIENT - PAST YEAR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No (All source variables=0).....	94984	54.65
		1 = Yes (Any source variable=1).....	20790	11.96

<u>MHTOUTNDOC</u>	Len : 1	RC-RCVD MH TRMT AS AN OUTPATIENT OTHER THAN GEN MED-PST YR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No (All source variables=0).....	98273	56.54
		1 = Yes (Any source variable=1).....	17501	10.07

<u>MHTRTPY</u>	Len : 1	RC-RCVD MENTAL HEALTH TREATMENT - PAST YEAR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No (All source variables=0).....	84491	48.61
		1 = Yes (Any source variable=1).....	31283	18.00

<u>MHTRTOTHPY</u>	Len : 1	RC-RCVD MENTAL HEALTH TREATMENT OR OTHER SERVICES-PAST YEAR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		0 = No (MHTRTPY, IRMHTPEERSPC, IRMHTSUPPGRP, and IRMHTERED=0).....	83176	47.86
		1 = Yes (MHTRTPY, IRMHTPEERSPC, IRMHTSUPPGRP, or IRMHTERED=1).....	32598	18.76

RECODED MENTAL HEALTH SERVICES UTILIZATION

The following variable, as assigned a positive response if a respondent did not receive mental health treatment (MHTRTPY=0), and thought they should get treatment but did not seek treatment. A negative response was assigned if a respondent met either of these conditions:

1. Did not receive mental health treatment (MHTRTPY=0) and sought treatment.
2. Did not receive mental health treatment (MHTRTPY=0) and did not think they should get treatment.

<u>MHTNSEEKPY</u>	Len : 1 RC-THGHT SHOULD GET MH TRT, DIDNT RECV OR SEEK TRT- PST YR		
	. = Unknown/received MH treatment (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	32940	18.95
	1 = Yes (See comment above).....	58034	33.39
	2 = No (See comment above).....	6087	3.50
		76747	44.16

The following variable, MHTSKTHPY, was assigned a positive response if a respondent met either of these conditions:

1. Did not receive mental health treatment (MHTRTPY=0) and sought treatment.
2. Did not receive mental health treatment (MHTRTPY=0), did not indicate they sought treatment, but did think they should get treatment.

A negative response was assigned if a respondent did not receive mental health treatment (MHTRTPY=0), did not seek treatment, and did not think they should get treatment.

<u>MHTSKTHPY</u>	Len : 1 RC-SOUGHT OR THGHT SHLD GET MH TRT, DIDNT RECV TRT - PST YR		
	. = Unknown/received MH treatment (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	32968	18.97
	1 = Sought or thght shld get trt, not recvd (See comment above).....	58034	33.39
	2 = Didnt seek or thnk shld get trt, not recvd(See comment above).....	7298	4.20
		75508	43.44

NOTE: The following 18 variables describe reasons the respondent did not receive mental health treatment. These variables are defined for respondents who did not receive mental health treatment in the past year and who either sought treatment or did not indicate they sought treatment but thought they should get treatment in the past year.

<u>MHNTCOST</u>	Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: THOUGHT COST TOO MUCH		
	. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	108528	62.44
	0 = No (MHTSKTHPY=1 and MHTUNCOST=2).....	58034	33.39
	1 = Yes (MHTSKTHPY=1 and MHTUNCOST=1).....	3733	2.15
		3513	2.02

<u>MHTNINSCV</u>	Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: NO HEALTH INSUR COVERAGE		
	. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	109018	62.72
	0 = No (MHTSKTHPY=1 and MHTUNINSCV=2).....	58034	33.39
	1 = Yes (MHTSKTHPY=1 and MHTUNINSCV=1).....	5089	2.93
		1667	0.96

<u>MHTENFCV</u>	Len : 1 RC-UNMET PY MH TRT NEED: HEALTH INSUR DIDNT COVER ENOUGH		
	. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	109229	62.84
	0 = No (MHTSKTHPY=1 and MHTUNENFCV=2).....	58034	33.39
	1 = Yes (MHTSKTHPY=1 and MHTUNENFCV=1).....	4750	2.73
		1795	1.03

<u>MHTNWHER</u>	Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: DIDNT KNOW WHERE TO GET TRT		
	. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	108511	62.43
	0 = No (MHTSKTHPY=1 and MHTUNWHER=2).....	58034	33.39
	1 = Yes (MHTSKTHPY=1 and MHTUNWHER=1).....	3928	2.26
		3335	1.92

<u>MHTNOFND</u>	Len : 1 RC-UNMET PY MH TRT NEED: COULD NOT FIND PREFERRED PROVIDER		
	. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	108733	62.56
	0 = No (MHTSKTHPY=1 and MHTUNNOFND=2).....	58034	33.39
	1 = Yes (MHTSKTHPY=1 and MHTUNNOFND=1).....	4502	2.59
		2539	1.46

RECODED MENTAL HEALTH SERVICES UTILIZATION

MHNTNOOPN

Len : 1 RC-UNMET PY MH TRT NEED: NO OPENINGS WITH PREFERRED PROVIDER

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	108852	62.63
-9 = Data not collected for this year.....	58034	33.39
0 = No (MHTSKTHPY=1 and MHTUNNOOPN=2).....	5968	3.43
1 = Yes (MHTSKTHPY=1 and MHTUNNOOPN=1)	954	0.55

MHNTPROBS

Len : 1 RC-UNMET PY MH TRT NEED: PROB W/TRANS, CHILDCARE, APPT TIMES

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	108608	62.49
-9 = Data not collected for this year.....	58034	33.39
0 = No (MHTSKTHPY=1 and MHTUNPROBS=2).....	5586	3.21
1 = Yes (MHTSKTHPY=1 and MHTUNPROBS=1)	1580	0.91

MHNTTIME

Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: NOT ENOUGH TIME FOR TRT

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	108604	62.49
-9 = Data not collected for this year.....	58034	33.39
0 = No (MHTSKTHPY=1 and MHTUNTIME=2)	4167	2.40
1 = Yes (MHTSKTHPY=1 and MHTUNTIME=1)	3003	1.73

MHNTPRIV

Len : 1 RC-UNMET PY MH TRT NEED: WORRIED THAT INFO NOT KEPT PRIVATE

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	108561	62.46
-9 = Data not collected for this year.....	58034	33.39
0 = No (MHTSKTHPY=1 and MHTUNPRIV=2).....	5136	2.95
1 = Yes (MHTSKTHPY=1 and MHTUNPRIV=1).....	2077	1.19

MHNTPTHNK

Len : 1 RC-UNMET PY MH TRT NEED: WORRIED WHAT PEOPLE WOULD THNK/SAY

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	108502	62.43
-9 = Data not collected for this year.....	58034	33.39
0 = No (MHTSKTHPY=1 and MHTUNPTHNK=2).....	4842	2.79
1 = Yes (MHTSKTHPY=1 and MHTUNPTHNK=1).....	2430	1.40

MHNTCONSQ

Len : 1 RC-UNMET PY MH TRT NEED: THGHT WOULD LOSE JOB, HOME, CHILD

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	108554	62.46
-9 = Data not collected for this year.....	58034	33.39
0 = No (MHTSKTHPY=1 and MHTUNCONSQ=2).....	6424	3.70
1 = Yes (MHTSKTHPY=1 and MHTUNCONSQ=1)	796	0.46

MHNTSTART

Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: NOT READY TO START TRT

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	108672	62.52
-9 = Data not collected for this year.....	58034	33.39
0 = No (MHTSKTHPY=1 and MHTUNSTART=2).....	3676	2.11
1 = Yes (MHTSKTHPY=1 and MHTUNSTART=1)	3426	1.97

MHNTHNDL

Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: THOUGHT COULD HANDLE ON OWN

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	108584	62.47
-9 = Data not collected for this year.....	58034	33.39
0 = No (MHTSKTHPY=1 and MHTUNHNDL=2).....	1929	1.11
1 = Yes (MHTSKTHPY=1 and MHTUNHNDL=1).....	5261	3.03

MHNTFFLKE

Len : 1 RC-UNMET PY MH TRT NEED: FAM/FRIENDS/RELIG GRP WOULDNT LIKE

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	108574	62.47
-9 = Data not collected for this year.....	58034	33.39
0 = No (MHTSKTHPY=1 and MHTUNFFLKE=2).....	5792	3.33
1 = Yes (MHTSKTHPY=1 and MHTUNFFLKE=1).....	1408	0.81

RECODED MENTAL HEALTH SERVICES UTILIZATION

MHNTFORCE

Len : 1 RC-UNMET PY MH TRT NEED: AFRAID OF BEING FORCED AGAINST WILL

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	108564	62.46
-9 = Data not collected for this year.....	58034	33.39
0 = No (MHTSKTHPY=1 and MHTUNFORCE=2)	5579	3.21
1 = Yes (MHTSKTHPY=1 and MHTUNFORCE=1).....	1631	0.94

MHNTMEDS

Len : 1 RC-UNMET PY MH TRT NEED: THOUGHT WOULD BE TOLD TO TAKE MEDS

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	108572	62.47
-9 = Data not collected for this year.....	58034	33.39
0 = No (MHTSKTHPY=1 and MHTUNMED=2)	4961	2.85
1 = Yes (MHTSKTHPY=1 and MHTUNMED=1).....	2241	1.29

MHNTNOHLP

Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: DIDNT THINK TRT WOULD HELP

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	108678	62.53
-9 = Data not collected for this year.....	58034	33.39
0 = No (MHTSKTHPY=1 and MHTUNNOHLP=2).....	4691	2.70
1 = Yes (MHTSKTHPY=1 and MHTUNNOHLP=1).....	2405	1.38

MHNTCARE

Len : 1 RC-UNMET PY MH TRT NEED: NO ONE WOULD CARE IF YOU GOT BETTER

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	108603	62.48
-9 = Data not collected for this year.....	58034	33.39
0 = No (MHTSKTHPY=1 and MHTUNCARE=2).....	5682	3.27
1 = Yes (MHTSKTHPY=1 and MHTUNCARE=1).....	1489	0.86

NOTE: The following four variables were created by using a combination of variables from the following sections: Recoded Mental Health Services Utilization and Recoded Alcohol and Drug Treatment. Specifications on how the individual Recoded Adult Mental Health Service Utilization variable was defined can be found above. Specifications on how the individual Recoded Alcohol and Drug Treatment variable was defined can be found in the Recoded Alcohol and Drug Treatment section.

RCVSUTOMHT

Len : 1 RC-RCVD SUBSTANCE USE TRT OR MENTAL HEALTH TRT IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Sub Trt or MH Trt (SUTRTPY=1 or MHTRTPY=1).....	32992	18.98
2 = No Sub Trt and No MH Trt (SUTRTPY=0 and MHTRTPY=0).....	82782	47.63

RCVMHTNSUT

Len : 1 RC-RCVD MENTAL HEALTH TRT BUT NOT SUB USE TRT IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Mental Health Trt Only (MHTRTPY=1 and SUTRTPY=0).....	27158	15.63
2 = No MH Trt or Rcvd Sub Trt (MHTRTPY=0 or SUTRTPY=1).....	88616	50.98

RCVSUTNMHT

Len : 1 RC-RCVD SUB USE TRT BUT NOT MENTAL HEALTH TRT IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Sub Trt Only (SUTRTPY=1 and MHTRTPY=0).....	1709	0.98
2 = No Sub Trt or Rcvd MH Trt (SUTRTPY=0 or MHTRTPY=1).....	114065	65.63

RCVSUTAMHT

Len : 1 RC-RCVD BOTH SUB USE TRT AND MENTAL HEALTH TRT IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Sub Trt and MH Trt (SUTRTPY=1 and MHTRTPY=1).....	4125	2.37
2 = No Sub Trt or No MH Trt (SUTRTPY=0 or MHTRTPY=0).....	111649	64.24

HEALTH

OTHER TOPICS

HEALTH

This note applies to variables in this section marked by a¹.

The next questions are about your health and health care.

Are you currently pregnant?

PREGNANT

Len : 2 ARE YOU PREGNANT

	Freq	Pct
1 = Yes.....	2051	1.18
2 = No.....	67043	38.57
85 = BAD DATA Logically assigned.....	14	0.01
94 = DON'T KNOW.....	87	0.05
97 = REFUSED.....	47	0.03
98 = BLANK (NO ANSWER).....	1027	0.59
99 = LEGITIMATE SKIP.....	103539	59.57

NOTE: In the variable HTANSWER, reported preferences to answer in feet and inches or in inches only were combined into a single value. Reported preferences to answer in meters and centimeters or in centimeters only were combined into a single value.

This question asks about your height.

To answer in feet and inches, press 1. To answer in meters and centimeters, press 2. To answer in inches only, press 3. To answer in centimeters only, press 4. Then press [ENTER] to continue.

HTANSWER¹

Len : 2 PREFERRED WAY TO REPORT HEIGHT

	Freq	Pct
1 = Feet/inches or inches only.....	163416	94.02
2 = Meters/cm or cm only.....	5629	3.24
85 = BAD DATA Logically assigned.....	46	0.03
94 = DON'T KNOW.....	1433	0.82
97 = REFUSED.....	843	0.49
98 = BLANK (NO ANSWER).....	2441	1.40

NOTE: HTINCHE2 was recoded to inches from reports of heights in feet and inches, meters and centimeters, or centimeters only. Heights in meters and centimeters first were converted to centimeters. For respondents who chose to report their height in metric units, a conversion factor was applied of 0.393701 inches to 1 centimeter to produce a height in inches. HTINCHE2 was then rounded to the nearest integer and top coded at 75 inches and bottom coded at 55 inches.

About how tall are you, without shoes? First, please type in the number of feet, then press [ENTER].

Please type in the number of inches and then press [ENTER].

About how tall are you, without shoes? First, please type in the number of meters, then press [ENTER].

Please type in the number of centimeters and then press [ENTER].

HTINCHE2¹

Len : 3 HEIGHT IN INCHES WITHOUT SHOES - RECODE

	Freq	Pct
RANGE = 55 - 75.....	166679	95.90
985 = BAD DATA Logically assigned.....	582	0.33
994 = DON'T KNOW.....	2919	1.68
997 = REFUSED.....	1158	0.67
998 = BLANK (NO ANSWER).....	2470	1.42

HEALTH

The next question asks about your weight.

To answer in pounds, press 1. To answer in kilograms, press 2. Then press [ENTER] to continue.

[WTANSWER¹](#)

Len : 2 PREFERRED WAY TO REPORT WEIGHT

	Freq	Pct
1 = Pounds	163751	94.21
2 = Kilograms	4501	2.59
85 = BAD DATA Logically assigned	47	0.03
94 = DON'T KNOW	1655	0.95
97 = REFUSED	1352	0.78
98 = BLANK (NO ANSWER)	2502	1.44

NOTE: WTPOUND2 was recoded to pounds from reports of weights in kilograms. For respondents who chose to report their weight in kilograms, a conversion factor was applied of 2.20462 pounds to 1 kilogram to produce a weight in pounds. Females aged 12 to 44 who were currently pregnant were asked to report their weight before they got pregnant. WTPOUND2 was then rounded to the nearest integer and top coded at 295 pounds and bottom coded at 75 pounds.

About how much do you weigh? Please type in the number of pounds and then press [ENTER].

About how much do you weigh? Please type in the number of kilograms and then press [ENTER].

About how much did you weigh before you got pregnant? Please type in the number of pounds and then press [ENTER].

About how much did you weigh before you got pregnant? Please type in the number of kilograms and then press [ENTER].

[WTPOUND2¹](#)

Len : 3 WEIGHT IN POUNDS - RECODE

	Freq	Pct
RANGE = 75 - 295	165577	95.26
9985 = BAD DATA Logically assigned	583	0.34
9994 = DON'T KNOW	3303	1.90
9997 = REFUSED	1850	1.06
9998 = BLANK (NO ANSWER).....	2495	1.44

During the past 12 months, that is since DATEFILL, how many different times have you been treated in an emergency room for any reason?

[NMERTMT2](#)

Len : 3 # OF TIMES BEEN TREATED IN EMER ROOM PAST 12 MOS

	Freq	Pct
RANGE = 0 - 30	167857	96.58
31 = 31 or more.....	60	0.03
985 = BAD DATA Logically assigned	42	0.02
994 = DON'T KNOW	2405	1.38
997 = REFUSED	926	0.53
998 = BLANK (NO ANSWER).....	2518	1.45

During the past 12 months, have you stayed overnight or longer as an inpatient in a hospital?

[INHOSPYR](#)

Len : 2 STAYED OVERNIGHT AS INPNT IN HOSP PAST 12 MOS

	Freq	Pct
1 = Yes.....	11553	6.65
2 = No.....	158909	91.43
85 = BAD DATA Logically assigned	59	0.03
94 = DON'T KNOW	428	0.25
97 = REFUSED	327	0.19
98 = BLANK (NO ANSWER)	2532	1.46

During the past 12 months, how many nights were you an inpatient in a hospital?

[NMNGTHS2](#)

Len : 3 # NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER

	Freq	Pct
RANGE = 1 - 30	11203	6.45
31 = 31 or more.....	174	0.10
985 = BAD DATA Logically assigned	18	0.01
994 = DON'T KNOW	140	0.08
997 = REFUSED	362	0.21
998 = BLANK (NO ANSWER).....	3002	1.73
999 = LEGITIMATE SKIP.....	158909	91.43

HEALTH

During the past 12 months, how many times have you visited a doctor, nurse, physician assistant or nurse practitioner about your own health at a doctor's office, a clinic, or some other place?

NMVSOPT2

Len : 3 # OUTPATIENT VISITS PAST 12 MOS - RECODE

	Freq	Pct
RANGE = 0 - 15	161356	92.84
16 = 16 - 20 times	1884	1.08
17 = 21 - 25 times	735	0.42
18 = 26 - 30 times	713	0.41
19 = 31+ times	1105	0.64
985 = BAD DATA Logically assigned	59	0.03
994 = DON'T KNOW	4617	2.66
997 = REFUSED	775	0.45
998 = BLANK (NO ANSWER)	2564	1.48

What is your best guess of how many times you have visited a doctor, nurse, physician assistant or nurse practitioner about your own health at a doctor's office, a clinic, or some other place in the past 12 months?

NMVSOEST

Len : 2 # TIMES VISITED DR ABOUT OWN HEALTH PST YR

	Freq	Pct
0 = I have not visited a Dr in the past 12 mos	516	0.30
1 = 1 time	418	0.24
2 = 2-3 times	1007	0.58
3 = 4-5 times	637	0.37
4 = 6-7 times	357	0.21
5 = 8-9 times	230	0.13
6 = 10-12 times	201	0.12
7 = 13-15 times	98	0.06
8 = 16 or more times	307	0.18
94 = DON'T KNOW	1189	0.68
97 = REFUSED	430	0.25
98 = BLANK (NO ANSWER)	2625	1.51
99 = LEGITIMATE SKIP	165793	95.39

During the past 12 months, have you talked to a doctor, physician assistant, or nurse practitioner about your own health **over the phone, by email, or through video calling** instead of going to an in-person appointment?

TELEAPTYR

Len : 2 TALK TO DOC ABOUT HEALTH OVER PHONE/EMAIL/VIDEO PST 12 MOS

	Freq	Pct
1 = Yes	49486	28.47
2 = No	120630	69.40
85 = BAD DATA Logically assigned	62	0.04
94 = DON'T KNOW	694	0.40
97 = REFUSED	352	0.20
98 = BLANK (NO ANSWER)	2584	1.49

During the past 12 months, did any doctor or other health care professional ask, either in person or on a form, if you:

a. Smoke cigarettes or use any other tobacco products?

HPUSETOB

Len : 2 HEALTH PROF ASKED PST 12 MOS: TOBACCO USE

	Freq	Pct
1 = Yes	86655	49.86
2 = No	47001	27.04
85 = BAD DATA Logically assigned	62	0.04
94 = DON'T KNOW	893	0.51
97 = REFUSED	126	0.07
98 = BLANK (NO ANSWER)	4403	2.53
99 = LEGITIMATE SKIP	34668	19.95

HEALTH

b. Drink alcohol?

HPUSEALC

Len : 2 HEALTH PROF ASKED PST 12 MOS: ALCOHOL USE

	Freq	Pct
1 = Yes.....	85585	49.24
2 = No.....	48099	27.67
85 = BAD DATA Logically assigned.....	62	0.04
94 = DON'T KNOW.....	878	0.51
97 = REFUSED.....	112	0.06
98 = BLANK (NO ANSWER).....	4404	2.53
99 = LEGITIMATE SKIP.....	34668	19.95

c. Use marijuana or other illegal drugs?

HPUSEDRG

Len : 2 HEALTH PROF ASKED PST 12 MOS: DRUG USE

	Freq	Pct
1 = Yes.....	72284	41.59
2 = No.....	61156	35.19
85 = BAD DATA Logically assigned.....	62	0.04
94 = DON'T KNOW.....	1104	0.64
97 = REFUSED.....	128	0.07
98 = BLANK (NO ANSWER).....	4406	2.53
99 = LEGITIMATE SKIP.....	34668	19.95

NOTE: If respondents reported that they last smoked cigarettes, used smokeless tobacco, or smoked cigars more than 12 months prior to their interview date and they did not smoke pipe tobacco in the past 30 days (or never smoked pipe tobacco), codes of 93 in HPQTTTOB indicate that these respondents had not used tobacco products in the past 12 months. Respondents who smoked tobacco in a pipe in their lifetime were asked whether they did so in the past 30 days but they were not asked whether they smoked tobacco in a pipe more than 30 days ago but within the past 12 months. If respondents reported never using tobacco products or not using them in the past 12 months (including not smoking tobacco in a pipe in the past 30 days) and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits, or telehealth encounters), indication that these respondents had not used tobacco products in the past 12 months or in their lifetime (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPQTTTOB applied to respondents who used tobacco products in the past 12 months or whose status as a tobacco user in the past 12 months was unknown but who did not have any health care visits in the past 12 months.

During the past 12 months, did any doctor or other health care professional advise you to quit smoking cigarettes or quit using any other tobacco products?

HPQTTTOB

Len : 2 HEALTH PROF ADVISED YOU TO QUIT TOBACCO USE

	Freq	Pct
1 = Yes.....	11156	6.42
2 = No.....	15630	8.99
85 = BAD DATA Logically assigned.....	29	0.02
91 = NEVER USED TOBACCO PRODUCTS.....	89953	51.75
93 = DID NOT USE TOBACCO IN PAST 12 MOS (See note).....	46722	26.88
94 = DON'T KNOW.....	34	0.02
97 = REFUSED.....	32	0.02
98 = BLANK (NO ANSWER).....	1538	0.88
99 = LEGITIMATE SKIP (No health care visits pst 12 mos).....	8714	5.01

HEALTH

NOTE: In HPALCAMT, HPALCFRQ, HPALCPRB, HPALCCUT, HPALCTX, and HPALCNOT, if respondents reported never using alcohol or not using it in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, outpatient visits, or telehealth encounters), indication that respondents never used alcohol or did not use it in the past 12 months (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in these variables applied to respondents who used alcohol in the past 12 months or whose status as a past year alcohol user was unknown but who did not have any health care visits in the past 12 months. Additionally, HPALCAMT through HPALCTX were assigned codes of 99 if respondents reported that a doctor did not discuss their alcohol use with them in the past 12 months (HPALCNOT=95). HPALCNOT was assigned a code of 99 if respondents selected any of the statements regarding discussions with their doctor about alcohol use (any of HPALCAMT through HPALCTX = 1).

Please think about all of the talks you have had with a doctor or other health care professional during the past 12 months when you answer this question. Choose the statement or statements below that describe any discussions you may have had in person with a doctor or other health professional about your alcohol use.

Please think about [VISITFILL] during the past 12 months when you answer this question. Choose the statement or statements below that describe any discussion you may have had in person with a doctor or other health professional about your alcohol use.

To select more than one statement, press the space bar between each number you type. When you have finished, press [ENTER].

HPALCAMT

Len : 2 DOCTOR ASKED HOW MUCH YOU DRINK

	Freq	Pct
1 = Yes.....	37249	21.43
2 = No (Not entered).....	9105	5.24
85 = BAD DATA Logically assigned.....	13	0.01
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	20884	12.02
94 = DON'T KNOW.....	971	0.56
97 = REFUSED.....	407	0.23
98 = BLANK (NO ANSWER).....	2762	1.59
99 = LEGITIMATE SKIP.....	52434	30.17

HPALCFRQ

Len : 2 DOCTOR ASKED HOW OFTEN YOU DRINK

	Freq	Pct
1 = Yes.....	36848	21.20
2 = No (Not entered).....	9506	5.47
85 = BAD DATA Logically assigned.....	15	0.01
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	20884	12.02
94 = DON'T KNOW.....	971	0.56
97 = REFUSED.....	407	0.23
98 = BLANK (NO ANSWER).....	2760	1.59
99 = LEGITIMATE SKIP.....	52434	30.17

HPALCPRB

Len : 2 DOCTOR ASKED IF ANY DRINKING PROBS

	Freq	Pct
1 = Yes.....	9098	5.23
2 = No (Not entered).....	37256	21.44
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	20884	12.02
94 = DON'T KNOW.....	971	0.56
97 = REFUSED.....	407	0.23
98 = BLANK (NO ANSWER).....	2775	1.60
99 = LEGITIMATE SKIP.....	52434	30.17

HPALCCUT

Len : 2 DOCTOR ADVISED YOU TO CUT DOWN ON DRINKING

	Freq	Pct
1 = Yes.....	2865	1.65
2 = No (Not entered).....	43489	25.02
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	20884	12.02
94 = DON'T KNOW.....	971	0.56
97 = REFUSED.....	407	0.23
98 = BLANK (NO ANSWER).....	2775	1.60
99 = LEGITIMATE SKIP.....	52434	30.17

HEALTH

HPALCTX

Len : 2 DOCTOR OFFERED INFO ABOUT ALCOHOL TREATMT

	Freq	Pct
1 = Yes.....	1860	1.07
2 = No (Not entered).....	44494	25.60
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	20884	12.02
94 = DON'T KNOW.....	971	0.56
97 = REFUSED.....	407	0.23
98 = BLANK (NO ANSWER).....	2775	1.60
99 = LEGITIMATE SKIP.....	52434	30.17

HPALCNOT

Len : 2 DOCTOR DIDNT DISCUSS MY ALCOHOL USE WITH ME

	Freq	Pct
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL.....	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	20884	12.02
94 = DON'T KNOW.....	971	0.56
95 = DR DIDNT DISCUSS ALC USE PST 12 MOS.....	32950	18.96
97 = REFUSED.....	407	0.23
98 = BLANK (NO ANSWER).....	2773	1.60
99 = LEGITIMATE SKIP.....	65838	37.88

NOTE: In HPDRGTALK, if respondents reported never using marijuana, cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine or not using these substances in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, outpatient visits, or telehealth encounters), indication that respondents never used these drugs or last used any of them more than 12 months ago (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPDRGTALK applied to respondents who used any of these drugs in the past 12 months or whose status as a past year user was unknown but who did not have any health care visits in the past 12 months.

During the past 12 months, did any doctor or other health care professional talk to you about your use of [MARIJUANA/COCAINE/CRACK/HEROIN/INHALANTS/HALLUCINOGENS/METHAMPHETAMINE]?

HPDRGTALK

Len : 2 HEALTH PROF DISCUSSED MY DRUG USE WITH ME

	Freq	Pct
1 = Yes.....	9117	5.25
2 = No.....	23862	13.73
85 = BAD DATA Logically assigned.....	35	0.02
91 = NEVER USED MJ/COC/HER/HALL/INH/METH.....	90948	52.33
93 = DID NOT USE MJ/COC/HER/HALL/INH/METH IN PST 12 MOS.....	38186	21.97
94 = DON'T KNOW.....	60	0.03
97 = REFUSED.....	47	0.03
98 = BLANK (NO ANSWER).....	2756	1.59
99 = LEGITIMATE SKIP.....	8797	5.06

These next questions are about certain medical conditions.

During the past 12 months, did you have a sexually transmitted disease such as chlamydia, gonorrhea, herpes or syphilis?

STDANYR¹

Len : 2 HAD SEXUALLY TRANSMITTED DISEASE PST 12 MOS

	Freq	Pct
1 = Yes.....	3100	1.78
2 = No.....	167243	96.22
85 = BAD DATA Logically assigned.....	63	0.04
94 = DON'T KNOW.....	372	0.21
97 = REFUSED.....	364	0.21
98 = BLANK (NO ANSWER).....	2666	1.53

HEALTH

NOTE: Variables HRTCONDEV through HIGHBPEVR were assigned codes of 99 if respondents reported never having a health care professional tell them they had any of the health conditions listed (NONABOVEV=95).

Below is a list of health conditions that you may have had during your lifetime.

Please read the list and type in the numbers of all of the conditions that a doctor or other health care professional has ever told you that you had.

To select more than one condition, press the space bar between each number you type. When you have finished, press [ENTER].

<u>HRTCONDEV</u> ¹	Len : 2	EVER TOLD HAD HEART CONDITION		
			Freq	Pct
		1 = Yes.....	10804	6.22
		2 = No (not entered).....	41021	23.60
		85 = BAD DATA Logically assigned.....	49	0.03
		94 = DON'T KNOW.....	1234	0.71
		97 = REFUSED.....	773	0.44
		98 = BLANK (NO ANSWER).....	2757	1.59
		99 = LEGITIMATE SKIP.....	117170	67.41

<u>DIABETEVR</u> ¹	Len : 2	EVER TOLD HAD DIABETES/SUGAR DIABETES		
			Freq	Pct
		1 = Yes.....	10697	6.15
		2 = No (not entered).....	41128	23.66
		85 = BAD DATA Logically assigned.....	70	0.04
		94 = DON'T KNOW.....	1234	0.71
		97 = REFUSED.....	773	0.44
		98 = BLANK (NO ANSWER).....	2736	1.57
		99 = LEGITIMATE SKIP.....	117170	67.41

<u>COPDEVER</u> ¹	Len : 2	EVER TOLD HAD CHRONIC BRONCHITIS OR COPD		
			Freq	Pct
		1 = Yes.....	3528	2.03
		2 = No (not entered).....	48297	27.79
		85 = BAD DATA Logically assigned.....	29	0.02
		94 = DON'T KNOW.....	1234	0.71
		97 = REFUSED.....	773	0.44
		98 = BLANK (NO ANSWER).....	2777	1.60
		99 = LEGITIMATE SKIP.....	117170	67.41

<u>CIRROSEVR</u> ¹	Len : 2	EVER TOLD HAD CIRRHOSIS OF THE LIVER		
			Freq	Pct
		1 = Yes.....	394	0.23
		2 = No (not entered).....	51431	29.59
		85 = BAD DATA Logically assigned.....	29	0.02
		94 = DON'T KNOW.....	1234	0.71
		97 = REFUSED.....	773	0.44
		98 = BLANK (NO ANSWER).....	2777	1.60
		99 = LEGITIMATE SKIP.....	117170	67.41

<u>HEPBCEVR</u> ¹	Len : 2	EVER TOLD HAD HEPATITIS B OR C		
			Freq	Pct
		1 = Yes.....	1314	0.76
		2 = No (not entered).....	50511	29.06
		85 = BAD DATA Logically assigned.....	29	0.02
		94 = DON'T KNOW.....	1234	0.71
		97 = REFUSED.....	773	0.44
		98 = BLANK (NO ANSWER).....	2777	1.60
		99 = LEGITIMATE SKIP.....	117170	67.41

HEALTH

[KIDNYDSEV¹](#)

Len : 2 EVER TOLD HAD KIDNEY DISEASE

	Freq	Pct
1 = Yes.....	2233	1.28
2 = No (not entered).....	49592	28.53
85 = BAD DATA Logically assigned.....	29	0.02
94 = DON'T KNOW.....	1234	0.71
97 = REFUSED.....	773	0.44
98 = BLANK (NO ANSWER).....	2777	1.60
99 = LEGITIMATE SKIP.....	117170	67.41

[ASTHMAEVR¹](#)

Len : 2 EVER TOLD HAD ASTHMA

	Freq	Pct
1 = Yes.....	20270	11.66
2 = No (not entered).....	31555	18.16
85 = BAD DATA Logically assigned.....	29	0.02
94 = DON'T KNOW.....	1234	0.71
97 = REFUSED.....	773	0.44
98 = BLANK (NO ANSWER).....	2777	1.60
99 = LEGITIMATE SKIP.....	117170	67.41

[HIVAIDSEV¹](#)

Len : 2 EVER TOLD HAD HIV OR AIDS

	Freq	Pct
1 = Yes.....	348	0.20
2 = No (not entered).....	51477	29.62
85 = BAD DATA Logically assigned.....	29	0.02
94 = DON'T KNOW.....	1234	0.71
97 = REFUSED.....	773	0.44
98 = BLANK (NO ANSWER).....	2777	1.60
99 = LEGITIMATE SKIP.....	117170	67.41

[CANCEREVR¹](#)

Len : 2 EVER TOLD HAD CANCER

	Freq	Pct
1 = Yes.....	5856	3.37
2 = No (not entered).....	45969	26.45
85 = BAD DATA Logically assigned.....	29	0.02
94 = DON'T KNOW.....	1234	0.71
97 = REFUSED.....	773	0.44
98 = BLANK (NO ANSWER).....	2777	1.60
99 = LEGITIMATE SKIP.....	117170	67.41

[HIGHBPEVR¹](#)

Len : 2 EVER TOLD HAD HIGH BLOOD PRESSURE

	Freq	Pct
1 = Yes.....	19341	11.13
2 = No (not entered).....	32484	18.69
85 = BAD DATA Logically assigned.....	29	0.02
94 = DON'T KNOW.....	1234	0.71
97 = REFUSED.....	773	0.44
98 = BLANK (NO ANSWER).....	2777	1.60
99 = LEGITIMATE SKIP.....	117170	67.41

[NONABOVEV¹](#)

Len : 2 NEVER HAD ANY OF THESE CONDITIONS

	Freq	Pct
2 = No (not entered).....	51825	29.82
85 = BAD DATA Logically assigned.....	25	0.01
94 = DON'T KNOW.....	1234	0.71
95 = Response entered.....	117170	67.41
97 = REFUSED.....	773	0.44
98 = BLANK (NO ANSWER).....	2781	1.60

HEALTH

NOTE: Variables CABLADDER through CAOTHER2 were assigned codes of 99 if respondents reported never having a health care professional tell them they had cancer (CANCEREVR=2,99). In addition, CAOVARY, CAPROSTEST, and CAUTERUS were assigned codes of 99 if the corresponding question did not apply due to the reported sex assigned at birth.

What kind of cancer was it? Enter all that apply.

To select more than one category, press the space bar between the numbers. When you have finished, press [ENTER].

<u>CABLADDER</u> ¹	Len : 2	TYPE OF CANCER: BLADDER		
			Freq	Pct
		1 = Yes.....	143	0.08
		2 = No (not entered).....	5584	3.21
		85 = BAD DATA Logically assigned.....	140	0.08
		94 = DON'T KNOW.....	10	0.01
		97 = REFUSED.....	5	0.00
		98 = BLANK (NO ANSWER).....	4787	2.75
		99 = LEGITIMATE SKIP.....	163139	93.86

<u>CABLOLEULYM</u>	Len : 2	TYPE OF CANCER: BLOOD/LEUKEMIA/LYMPHOMA		
			Freq	Pct
		1 = Yes.....	535	0.31
		2 = No (not entered).....	5192	2.99
		85 = BAD DATA Logically assigned.....	140	0.08
		94 = DON'T KNOW.....	10	0.01
		97 = REFUSED.....	5	0.00
		98 = BLANK (NO ANSWER).....	4787	2.75
		99 = LEGITIMATE SKIP.....	163139	93.86

<u>CAOTHER2</u>	Len : 2	TYPE OF CANCER: OTHER		
			Freq	Pct
		1 = Yes.....	457	0.26
		2 = No (not entered).....	5270	3.03
		85 = BAD DATA Logically assigned.....	142	0.08
		94 = DON'T KNOW.....	10	0.01
		97 = REFUSED.....	5	0.00
		98 = BLANK (NO ANSWER).....	4785	2.75
		99 = LEGITIMATE SKIP.....	163139	93.86

<u>CABREAST</u> ¹	Len : 2	TYPE OF CANCER: BREAST		
			Freq	Pct
		1 = Yes.....	1190	0.68
		2 = No (not entered).....	4537	2.61
		85 = BAD DATA Logically assigned.....	140	0.08
		94 = DON'T KNOW.....	10	0.01
		97 = REFUSED.....	5	0.00
		98 = BLANK (NO ANSWER).....	4787	2.75
		99 = LEGITIMATE SKIP.....	163139	93.86

<u>CACERVIX</u> ¹	Len : 2	TYPE OF CANCER: CERVIX (FEMALES ONLY)		
			Freq	Pct
		1 = Yes.....	301	0.17
		2 = No (not entered).....	3109	1.79
		85 = BAD DATA Logically assigned.....	68	0.04
		94 = DON'T KNOW.....	5	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	4786	2.75
		99 = LEGITIMATE SKIP.....	165537	95.24

<u>CACOLNRECT</u>	Len : 2	TYPE OF CANCER: COLON/RECTUM		
			Freq	Pct
		1 = Yes.....	294	0.17
		2 = No (not entered).....	5433	3.13
		85 = BAD DATA Logically assigned.....	140	0.08
		94 = DON'T KNOW.....	10	0.01
		97 = REFUSED.....	5	0.00
		98 = BLANK (NO ANSWER).....	4787	2.75
		99 = LEGITIMATE SKIP.....	163139	93.86

HEALTH

[CAESOPSTOM](#)

Len : 2 TYPE OF CANCER: ESOPHAGUS/STOMACH

	Freq	Pct
1 = Yes.....	49	0.03
2 = No (not entered).....	5678	3.27
85 = BAD DATA Logically assigned.....	140	0.08
94 = DON'T KNOW.....	10	0.01
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	4787	2.75
99 = LEGITIMATE SKIP.....	163139	93.86

[CAGALLIVPAN](#)

Len : 2 TYPE OF CANCER: GALLBLADDER/LIVER/PANCREAS

	Freq	Pct
1 = Yes.....	78	0.04
2 = No (not entered).....	5649	3.25
85 = BAD DATA Logically assigned.....	140	0.08
94 = DON'T KNOW.....	10	0.01
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	4787	2.75
99 = LEGITIMATE SKIP.....	163139	93.86

[CAKIDNEY¹](#)

Len : 2 TYPE OF CANCER: KIDNEY

	Freq	Pct
1 = Yes.....	163	0.09
2 = No (not entered).....	5564	3.20
85 = BAD DATA Logically assigned.....	140	0.08
94 = DON'T KNOW.....	10	0.01
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	4787	2.75
99 = LEGITIMATE SKIP.....	163139	93.86

[CALARYLUNG](#)

Len : 2 TYPE OF CANCER: LARYNX/WINDPIPE/LUNG

	Freq	Pct
1 = Yes.....	169	0.10
2 = No (not entered).....	5558	3.20
85 = BAD DATA Logically assigned.....	140	0.08
94 = DON'T KNOW.....	10	0.01
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	4787	2.75
99 = LEGITIMATE SKIP.....	163139	93.86

[CAMELANOM¹](#)

Len : 2 TYPE OF CANCER: MELANOMA

	Freq	Pct
1 = Yes.....	540	0.31
2 = No (not entered).....	5187	2.98
85 = BAD DATA Logically assigned.....	140	0.08
94 = DON'T KNOW.....	10	0.01
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	4787	2.75
99 = LEGITIMATE SKIP.....	163139	93.86

[CAMOUTTHRO](#)

Len : 2 TYPE OF CANCER: MOUTH/TONGUE/LIP/THROAT/PHARYNX

	Freq	Pct
1 = Yes.....	81	0.05
2 = No (not entered).....	5646	3.25
85 = BAD DATA Logically assigned.....	140	0.08
94 = DON'T KNOW.....	10	0.01
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	4787	2.75
99 = LEGITIMATE SKIP.....	163139	93.86

HEALTH

CAOVARY¹

Len : 2 TYPE OF CANCER: OVARY (FEMALES ONLY)

	Freq	Pct
1 = Yes.....	146	0.08
2 = No (not entered).....	3264	1.88
85 = BAD DATA Logically assigned.....	68	0.04
94 = DON'T KNOW.....	5	0.00
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	4786	2.75
99 = LEGITIMATE SKIP.....	165537	95.24

CAPROTEST

Len : 2 TYPE OF CANCER: PROSTATE/TESTIS (MALES ONLY)

	Freq	Pct
1 = Yes.....	789	0.45
2 = No (not entered).....	1528	0.88
85 = BAD DATA Logically assigned.....	72	0.04
94 = DON'T KNOW.....	5	0.00
97 = REFUSED.....	3	0.00
98 = BLANK (NO ANSWER).....	4786	2.75
99 = LEGITIMATE SKIP.....	166625	95.87

CASKINOTH¹

Len : 2 TYPE OF CANCER: SKIN (NOT MELANOMA)

	Freq	Pct
1 = Yes.....	1060	0.61
2 = No (not entered).....	4667	2.69
85 = BAD DATA Logically assigned.....	140	0.08
94 = DON'T KNOW.....	10	0.01
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	4787	2.75
99 = LEGITIMATE SKIP.....	163139	93.86

CASKINDK¹

Len : 2 TYPE OF CANCER: SKIN DON'T KNOW WHICH KIND

	Freq	Pct
1 = Yes.....	339	0.20
2 = No (not entered).....	5388	3.10
85 = BAD DATA Logically assigned.....	140	0.08
94 = DON'T KNOW.....	10	0.01
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	4787	2.75
99 = LEGITIMATE SKIP.....	163139	93.86

CATHYROID¹

Len : 2 TYPE OF CANCER: THYROID

	Freq	Pct
1 = Yes.....	261	0.15
2 = No (not entered).....	5466	3.14
85 = BAD DATA Logically assigned.....	140	0.08
94 = DON'T KNOW.....	10	0.01
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	4787	2.75
99 = LEGITIMATE SKIP.....	163139	93.86

CAUTERUS¹

Len : 2 TYPE OF CANCER: UTERUS (FEMALES ONLY)

	Freq	Pct
1 = Yes.....	223	0.13
2 = No (not entered).....	3187	1.83
85 = BAD DATA Logically assigned.....	68	0.04
94 = DON'T KNOW.....	5	0.00
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	4786	2.75
99 = LEGITIMATE SKIP.....	165537	95.24

HEALTH

NOTE: The question corresponding to CANCERYR was skipped if respondents reported first being diagnosed with any form of cancer at their current age because it could be logically inferred that they had cancer in the past year. CANCERYR was assigned a code of 5 for these respondents. In rare situations, respondents whose final current age and reported age at any cancer diagnosis are the same were asked the question corresponding to CANCERYR. In this situation, respondents who indicated having cancer during the past 12 months were coded as CANCERYR=11, while respondents who indicated not having cancer during the past 12 months were coded as CANCERYR=12.

Did you have cancer during the past 12 months?

<u>CANCERYR</u> ¹	Len : 2	HAD ANY CANCER PAST 12 MONTHS		
			Freq	Pct
		1 = Yes.....	1183	0.68
		2 = No.....	4323	2.49
		5 = Yes LOGICALLY ASSIGNED from skip pattern.....	330	0.19
		11 = Yes (see note).....	1	0.00
		85 = BAD DATA Logically assigned.....	29	0.02
		94 = DON'T KNOW.....	12	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	4790	2.76
		99 = LEGITIMATE SKIP.....	163139	93.86

How old were you when your heart condition or heart disease was first diagnosed?

<u>HRTCONDAG</u> ¹	Len : 3	AGE HEART CONDITION 1ST DIAGNOSED		
			Freq	Pct
		RANGE = 1 - 95.....	10576	6.08
		985 = BAD DATA Logically assigned.....	49	0.03
		994 = DON'T KNOW.....	202	0.12
		997 = REFUSED.....	21	0.01
		998 = BLANK (NO ANSWER).....	4769	2.74
		999 = LEGITIMATE SKIP.....	158191	91.01

NOTE: The question corresponding to HRTCONDYR was skipped if respondents reported first being diagnosed with a heart condition at their current age because it could be logically inferred that they a heart condition in the past year.

Did you have any kind of heart condition or heart disease in the past 12 months?

<u>HRTCONDYR</u> ¹	Len : 2	HAD HEART CONDITION PAST 12 MONTHS		
			Freq	Pct
		1 = Yes.....	5373	3.09
		2 = No.....	4876	2.81
		5 = Yes LOGICALLY ASSIGNED from skip pattern.....	498	0.29
		85 = BAD DATA Logically assigned.....	49	0.03
		94 = DON'T KNOW.....	45	0.03
		97 = REFUSED.....	7	0.00
		98 = BLANK (NO ANSWER).....	4769	2.74
		99 = LEGITIMATE SKIP.....	158191	91.01

How old were you when your diabetes or sugar diabetes was first diagnosed?

<u>DIABETEAG</u> ¹	Len : 3	AGE DIABETES 1ST DIAGNOSED		
			Freq	Pct
		RANGE = 1 - 92.....	10438	6.01
		985 = BAD DATA Logically assigned.....	70	0.04
		994 = DON'T KNOW.....	211	0.12
		997 = REFUSED.....	42	0.02
		998 = BLANK (NO ANSWER).....	4749	2.73
		999 = LEGITIMATE SKIP.....	158298	91.08

HEALTH

How old were you when your chronic bronchitis, emphysema, or chronic obstructive pulmonary disease, also called COPD were first diagnosed?

[COPDAGE](#)¹

Len : 3 AGE COPD 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 95	3397	1.95
985 = BAD DATA Logically assigned	29	0.02
994 = DON'T KNOW	123	0.07
997 = REFUSED	7	0.00
998 = BLANK (NO ANSWER).....	4785	2.75
999 = LEGITIMATE SKIP	165467	95.20

How old were you when your cirrhosis of the liver was first diagnosed?

[CIRROSAGE](#)¹

Len : 3 AGE CIRRHOSIS 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 83	387	0.22
985 = BAD DATA Logically assigned	29	0.02
994 = DON'T KNOW	2	0.00
997 = REFUSED	4	0.00
998 = BLANK (NO ANSWER).....	4785	2.75
999 = LEGITIMATE SKIP	168601	97.00

How old were you when your hepatitis was first diagnosed?

[HEPBCAGE](#)¹

Len : 3 AGE HEPATITIS 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 73	1276	0.73
985 = BAD DATA Logically assigned	29	0.02
994 = DON'T KNOW	32	0.02
997 = REFUSED	5	0.00
998 = BLANK (NO ANSWER).....	4785	2.75
999 = LEGITIMATE SKIP	167681	96.47

How old were you when your kidney disease was first diagnosed?

[KIDNYDSAG](#)¹

Len : 3 AGE KIDNEY DISEASE 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 103	2155	1.24
985 = BAD DATA Logically assigned	29	0.02
994 = DON'T KNOW	65	0.04
997 = REFUSED	12	0.01
998 = BLANK (NO ANSWER).....	4785	2.75
999 = LEGITIMATE SKIP	166762	95.95

How old were you when your asthma was first diagnosed?

[ASTHMAAGE](#)¹

Len : 3 AGE ASTHMA 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 89	19307	11.11
985 = BAD DATA Logically assigned	29	0.02
994 = DON'T KNOW	930	0.54
997 = REFUSED	32	0.02
998 = BLANK (NO ANSWER).....	4785	2.75
999 = LEGITIMATE SKIP	148725	85.57

Do you still have asthma?

[ASTHMANOW](#)¹

Len : 2 STILL HAVE ASTHMA

	Freq	Pct
1 = Yes.....	13600	7.82
2 = No	6494	3.74
85 = BAD DATA Logically assigned	29	0.02
94 = DON'T KNOW	170	0.10
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	4785	2.75
99 = LEGITIMATE SKIP	148725	85.57

HEALTH

How old were you when you found out you had HIV or AIDS?

[HIVAIDSAG](#)¹

Len : 3 AGE 1ST FOUND OUT HAD HIV/AIDS

	Freq	Pct
RANGE = 1 - 64.....	341	0.20
985 = BAD DATA Logically assigned	29	0.02
994 = DON'T KNOW	1	0.00
997 = REFUSED	6	0.00
998 = BLANK (NO ANSWER).....	4784	2.75
999 = LEGITIMATE SKIP.....	168647	97.03

Are you currently taking prescription medicine for your high blood pressure?

[HIGHBPMED](#)¹

Len : 2 TAKING MEDS FOR HIGH BLOOD PRESSURE

	Freq	Pct
1 = Yes.....	14965	8.61
2 = No.....	4356	2.51
85 = BAD DATA Logically assigned	29	0.02
94 = DON'T KNOW	9	0.01
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER)	4787	2.75
99 = LEGITIMATE SKIP.....	149654	86.10

How old were you when your high blood pressure was first diagnosed?

[HIGHBPAGE](#)¹

Len : 3 AGE WHEN HIGH BLOOD PRESSURE 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 94.....	14604	8.40
985 = BAD DATA Logically assigned	26	0.01
994 = DON'T KNOW	342	0.20
997 = REFUSED	16	0.01
998 = BLANK (NO ANSWER).....	4810	2.77
999 = LEGITIMATE SKIP.....	154010	88.61

RECODED HEALTH

RECODED HEALTH

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Codebook section in the main introduction of the codebook.

PREG

Len : 1 RC-PREGNANT FEMALES AGED 12-44

	Freq	Pct
0 = Otherwise.....	171757	98.82
1 = Pregnant Females Aged 12-44 (PREGNANT=1)	2051	1.18

PREG2

Len : 1 RC-PREGNANCY STATUS OF FEMALES AGED 12-44

	Freq	Pct
. = Unknown (Otherwise).....	1175	0.68
1 = Pregnant (PREGNANT=1)	2051	1.18
2 = Not Pregnant (PREGNANT=2)	67043	38.57
3 = Males/Females Not Aged 12-44 (PREGNANT=89,99).....	103539	59.57

TRIMEST

Len : 1 RC-CURRENT TRIMESTER OF PREGNANCY-FEMALES AGED 12-44

	Freq	Pct
. = Unknown	21	0.01
1 = 1st 3 Months of Pregnancy	612	0.35
2 = 2nd 3 Months of Pregnancy	751	0.43
3 = Last 3 Months of Pregnancy	667	0.38
4 = Males/Not Pregnant Females (PREG=0)	171757	98.82

BMI2 was created from the variables WTPOUND2 and HTINCHE2 according to the formula of 703 times WTPOUND2 divided by the square of HTINCHE2. BMI2 was set to a SAS missing value (unknown) if WTPOUND2 had a value of 9985, 9994, 9997, or 9998 or if HTINCHE2 had a value of 985, 994, 997, or 998.

BMI2

Len : 12 RC-BODY MASS INDEX (BMI)

	Freq	Pct
RANGE = 9.373333333 - 68.557024793	163982	94.35
. = Unknown (See comment above)	9826	5.65

TELEAPTYR2

Len : 1 RC-TALK TO DOC ABOUT VIRTUAL SERVICE TREATMENT-PAST YEAR

	Freq	Pct
. = Not Applicable/Unknown (Otherwise)	3692	2.12
0 = No (TELEAPTYR=2).....	120630	69.40
1 = Yes (TELEAPTYR=1)	49486	28.47

EMERGING ISSUES

EMERGING ISSUES

This note applies to variables in this section marked by a¹.

Do you think you ever had a problem with your own drug or alcohol use?

<u>CASUPROB</u> ¹	Len : 2	THINK EVER HAD PROBLEM WITH OWN DRUG OR ALCOHOL USE		
			Freq	Pct
	1 = Yes.....		15905	9.15
	2 = No.....		119000	68.47
	85 = BAD DATA Logically assigned.....		17	0.01
	94 = DON'T KNOW.....		326	0.19
	97 = REFUSED.....		410	0.24
	98 = BLANK (NO ANSWER).....		3866	2.22
	99 = LEGITIMATE SKIP.....		34284	19.73

At this time do you consider yourself to be in recovery or recovered from your own problem with drugs or alcohol use?

<u>CASURCVR</u> ¹	Len : 2	THINK IN RECOVERY FROM DRUG OR ALCOHOL PROBLEM		
			Freq	Pct
	1 = Yes.....		11165	6.42
	2 = No.....		4684	2.69
	85 = BAD DATA Logically assigned.....		15	0.01
	94 = DON'T KNOW.....		41	0.02
	97 = REFUSED.....		14	0.01
	98 = BLANK (NO ANSWER).....		4605	2.65
	99 = LEGITIMATE SKIP.....		153284	88.19

Do you think you ever had a problem with your own mental health?

<u>CAMHPROB</u> ¹	Len : 2	THINK EVER HAD PROBLEM WITH OWN MENTAL HEALTH		
			Freq	Pct
	1 = Yes.....		41741	24.02
	2 = No.....		93077	53.55
	85 = BAD DATA Logically assigned.....		17	0.01
	94 = DON'T KNOW.....		377	0.22
	97 = REFUSED.....		440	0.25
	98 = BLANK (NO ANSWER).....		3872	2.23
	99 = LEGITIMATE SKIP.....		34284	19.73

At this time do you consider yourself to be in recovery or recovered from your own mental health problem?

<u>CAMHRCVR</u> ¹	Len : 2	THINK IN RECOVERY FROM MENTAL HEALTH PROBLEM		
			Freq	Pct
	1 = Yes.....		26705	15.36
	2 = No.....		14748	8.49
	85 = BAD DATA Logically assigned.....		16	0.01
	94 = DON'T KNOW.....		243	0.14
	97 = REFUSED.....		44	0.03
	98 = BLANK (NO ANSWER).....		4691	2.70
	99 = LEGITIMATE SKIP.....		127361	73.28

This next question is about kratom, which can come in forms such as powder, pills, or leaf.

Have you ever, even once, used kratom?

<u>KRATEVER</u>	Len : 2	EVER USED KRATOM		
			Freq	Pct
	1 = Yes.....		3153	1.81
	2 = No.....		165403	95.16
	85 = BAD DATA Logically assigned.....		31	0.02
	94 = DON'T KNOW.....		811	0.47
	97 = REFUSED.....		421	0.24
	98 = BLANK (NO ANSWER).....		3989	2.30

EMERGING ISSUES

How long has it been since you last used kratom?

KRATREC

Len : 2 TIME SINCE LAST USED KRATOM

	Freq	Pct
1 = Within the past 30 days.....	552	0.32
2 = More than 30 days ago but within the past 12 mos	557	0.32
3 = More than 12 months ago	2014	1.16
9 = Used at some point in the lifetime LOG ASSN.....	30	0.02
85 = BAD DATA Logically assigned.....	28	0.02
91 = NEVER USED KRATOM.....	165403	95.16
98 = BLANK (NO ANSWER)	5224	3.01

Note: Beginning in 2022, edited variables FLVVAPEVR and FLVVAPREC replace variables VAPFLVEVR and VAPFLVREC because of revisions to the skip logic for these questions.

The next questions are about vaping flavoring.

Have you ever, even once, vaped only flavoring without nicotine or other substances added?

FLVVAPEVR

Len : 2 EVER VAPED ONLY FLAVORING WITHOUT NICOTINE/SUBSTANCE

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	10383	5.97
2 = No.....	102396	58.91
85 = BAD DATA Logically Assigned	19	0.01
94 = DON'T KNOW	385	0.22
97 = REFUSED	338	0.19
98 = BLANK (NO ANSWER)	2253	1.30

How long has it been since you last vaped only flavoring?

FLVVAPREC

Len : 2 TIME SINCE LAST VAPED ONLY FLAVORING

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Within the past 30 days.....	2281	1.31
2 = More than 30 days ago but within the past 12 mos	2006	1.15
3 = More than 12 months ago	6027	3.47
9 = Used at some point in the lifetime LOGICALLY ASSIGNED.....	69	0.04
85 = BAD DATA Logically Assigned	19	0.01
91 = NEVER VAPED ONLY FLAVORING	102396	58.91
98 = BLANK (NO ANSWER)	2976	1.71

The next question is about synthetic marijuana or fake weed, also called K2 or Spice. Have you ever, even once, used synthetic marijuana or fake weed?

SYNMRJEVR

Len : 2 EVER USED SYNTHETIC MARIJUANA

	Freq	Pct
1 = Yes.....	4477	2.58
2 = No.....	164405	94.59
85 = BAD DATA Logically assigned	30	0.02
94 = DON'T KNOW	439	0.25
97 = REFUSED	426	0.25
98 = BLANK (NO ANSWER)	4031	2.32

How long has it been since you last used synthetic marijuana or fake weed?

SYNMRJREC

Len : 2 TIME SINCE LAST USED SYNTHETIC MARIJUANA

	Freq	Pct
1 = Within the past 30 days.....	226	0.13
2 = More than 30 days ago but within the past 12 mos	321	0.18
3 = More than 12 months ago	3907	2.25
9 = Used at some point in the lifetime LOGICALLY ASSIGNED.....	23	0.01
85 = BAD DATA Logically assigned.....	29	0.02
91 = NEVER USED SYNTHETIC MARIJUANA.....	164405	94.59
98 = BLANK (NO ANSWER)	4897	2.82

EMERGING ISSUES

The next question is about synthetic stimulants that people use to get high, also called "bath salts" or flakka.

Have you ever, even once, used these synthetic stimulants?

SYNSTMEVR

Len : 2 EVER USED SYNTHETIC STIMULANTS

	Freq	Pct
1 = Yes.....	501	0.29
2 = No.....	168485	96.94
85 = BAD DATA Logically assigned.....	29	0.02
94 = DON'T KNOW.....	351	0.20
97 = REFUSED	403	0.23
98 = BLANK (NO ANSWER)	4039	2.32

How long has it been since you last used these synthetic stimulants, also called "bath salts" or flakka?

SYNSTMREC

Len : 2 TIME SINCE LAST USED SYNTHETIC STIMULANTS

	Freq	Pct
1 = Within the past 30 days.....	78	0.04
2 = More than 30 days ago but within the past 12 mos	39	0.02
3 = More than 12 months ago	374	0.22
9 = Used at some point in the lifetime LOGICALLY ASSIGNED.....	10	0.01
85 = BAD DATA Logically assigned.....	28	0.02
91 = NEVER USED SYNTHETIC STIMULANTS	168485	96.94
98 = BLANK (NO ANSWER)	4794	2.76

Earlier, you were asked whether you had used prescription fentanyl, also known as Duragesic or Fentora, in the past 12 months.

This next question is about illegally made fentanyl, which is fentanyl that people can't get from a doctor or pharmacy. Illegally made fentanyl can come in forms such as powder, pills, or blotter paper. It can also be mixed with heroin or other drugs.

Have you ever, even once, used illegally made fentanyl?

IMFEVER

Len : 2 EVER USED ILLEGALLY MADE FENTANYL

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	644	0.37
2 = No.....	112262	64.59
85 = BAD DATA Logically Assigned.....	18	0.01
94 = DON'T KNOW.....	267	0.15
97 = REFUSED	311	0.18
98 = BLANK (NO ANSWER)	2272	1.31

Have you ever, even once, used a needle to inject illegally made fentanyl?

IMFNDLEVER

Len : 2 EVER INJECTED ILLEGALLY MADE FENTANYL WITH NEEDLE

	Freq	Pct
-9 = Data not collected for this year.....	58034	33.39
1 = Yes.....	225	0.13
2 = No.....	410	0.24
85 = BAD DATA Logically Assigned.....	21	0.01
91 = NEVER USED ILLEGALLY MADE FENTANYL.....	112262	64.59
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	2851	1.64

IMPUTED EMERGING ISSUES

IMPUTED EMERGING ISSUES

<u>IKRATREC</u>	Len : 1	KRATOM RECENCY - IMPUTATION REVISED		
			Freq	Pct
		1 = Within the past 30 days.....	587	0.34
		2 = More than 30 days ago but within the past 12 mos	583	0.34
		3 = More than 12 months ago	2096	1.21
		9 = NEVER USED KRATOM	170542	98.12

<u>IKRATREC</u>	Len : 1	KRATOM RECENCY - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	168526	96.96
		3 = Statistically imputed data - lifetime use imputed	5252	3.02
		4 = Statistically imputed data - edited recency = 9.....	30	0.02

<u>IRFLVVAPREC</u>	Len : 1	ONLY FLAVORING VAPING RECENCY - IMPUTATION REVISED		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		1 = Within the past 30 days.....	2371	1.36
		2 = More than 30 days ago but within the past 12 mos	2114	1.22
		3 = More than 12 months ago	6251	3.60
		9 = NEVER VAPED ONLY FLAVORING	105038	60.43

<u>IIFLVVAPREC</u>	Len : 1	ONLY FLAVORING VAPING RECENCY - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		1 = Questionnaire data	112710	64.85
		3 = Statistically imputed data - lifetime use imputed	2995	1.72
		4 = Statistically imputed data - edited recency = 9.....	69	0.04

<u>IRSYNMRJREC</u>	Len : 1	SYNTHETIC MARIJUANA RECENCY - IMPUTATION REVISED		
			Freq	Pct
		1 = Within the past 30 days.....	235	0.14
		2 = More than 30 days ago but within the past 12 mos	339	0.20
		3 = More than 12 months ago	4074	2.34
		9 = NEVER USED SYNTHETIC MARIJUANA.....	169160	97.33

<u>IISYNMRJREC</u>	Len : 1	SYNTHETIC MARIJUANA RECENCY - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	168859	97.15
		3 = Statistically imputed data - lifetime use imputed	4926	2.83
		4 = Statistically imputed data - edited recency = 9.....	23	0.01

<u>IRSYNSTMREC</u>	Len : 1	SYNTHETIC STIMULANTS RECENCY - IMPUTATION REVISED		
			Freq	Pct
		1 = Within the past 30 days.....	85	0.05
		2 = More than 30 days ago but within the past 12 mos	44	0.03
		3 = More than 12 months ago	405	0.23
		9 = NEVER USED SYNTHETIC STIMULANTS.....	173274	99.69

<u>IISYNSTMREC</u>	Len : 1	SYNTHETIC STIMULANTS RECENCY - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	168976	97.22
		3 = Statistically imputed data - lifetime use imputed	4822	2.77
		4 = Statistically imputed data - edited recency = 9.....	10	0.01

<u>IRIMFREC</u>	Len : 1	ILLEGALLY MADE FENTANYL RECENCY - IMPUTATION REVISED		
			Freq	Pct
		-9 = Data not collected for this year.....	58034	33.39
		1 = Within the past 30 days.....	159	0.09
		2 = More than 30 days ago but within the past 12 mos	143	0.08
		3 = More than 12 months ago	375	0.22
		9 = NEVER USED ILLEGALLY MADE FENTANYL	115097	66.22

IMPUTED EMERGING ISSUES

[IIIMFREC](#)

Len : 1 ILLEGALLY MADE FENTANYL RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	58034	33.39
1 = Questionnaire data	112896	64.95
3 = Statistically imputed data - lifetime use imputed	2868	1.65
4 = Statistically imputed data - edited recency = 9.....	10	0.01

RECODED EMERGING ISSUES

RECODED EMERGING ISSUES

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from three of the preceding sections: Recoded Drug Use, Emerging Issues, or Imputed Emerging Issues.

<u>CASUPROB2</u>	Len : 1 RC-PERCEIVED EVER HAD DRUG OR ALCOHOL USE PROBLEM		
	.	Freq	Pct
	= Aged 12-17/Unknown (Otherwise).....	38903	22.38
	0 = No (CASUPROB=2)	119000	68.47
	1 = Yes (CASUPROB=1)	15905	9.15

<u>RCVYSUBPRB</u>	Len : 1 RC-PERCEIVED RECOVERY FROM DRUG OR ALCOHOL USE PROBLEM		
	.	Freq	Pct
	= Aged 12-17/Unknown (Otherwise).....	38959	22.41
	0 = No/No Problem (CASURCVR=2 OR CASUPROB2=0).....	123684	71.16
	1 = Yes (CASURCVR=1).....	11165	6.42

<u>CAMHPROB2</u>	Len : 1 RC-PERCEIVED EVER HAD A MENTAL HEALTH ISSUE		
	.	Freq	Pct
	= Aged 12-17/Unknown (Otherwise).....	38990	22.43
	0 = No (CAMHPROB=2)	93077	53.55
	1 = Yes (CAMHPROB=1).....	41741	24.02

<u>RCVYMHPRB</u>	Len : 1 RC-PERCEIVED RECOVERY FROM MENTAL HEALTH ISSUE		
	.	Freq	Pct
	= Aged 12-17/Unknown (Otherwise).....	39278	22.60
	0 = No/No Issue (CAMHRCVR=2 OR CAMHPROB2=0).....	107825	62.04
	1 = Yes (CAMHRCVR=1)	26705	15.36

<u>KRATOMFLAG</u>	Len : 1 RC-KRATOM - EVER USED		
		Freq	Pct
	0 = Never used (IRKRATREC = 9).....	170542	98.12
	1 = Ever used (IRKRATREC = 1-3).....	3266	1.88

<u>KRATOMYR</u>	Len : 1 RC-KRATOM - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRKRATREC = 3,9).....	172638	99.33
	1 = Used within the past year (IRKRATREC = 1,2).....	1170	0.67

<u>KRATOMMON</u>	Len : 1 RC-KRATOM - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRKRATREC= 2-3,9)	173221	99.66
	1 = Used within the past month (IRKRATREC = 1).....	587	0.34

<u>FLVVAPFLAG</u>	Len : 1 RC-ONLY FLAVORING VAPING - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = Never used (IRFLVVAPREC = 9)	105038	60.43
	1 = Ever used (IRFLVVAPREC = 1-3)	10736	6.18

<u>FLVVAPYR</u>	Len : 1 RC-ONLY FLAVORING VAPING - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = Did not use in the past year (IRFLVVAPREC = 3,9)	111289	64.03
	1 = Used within the past year (IRFLVVAPREC = 1,2)	4485	2.58

<u>FLVVAPMON</u>	Len : 1 RC-ONLY FLAVORING VAPING - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	58034	33.39
	0 = Did not use in the past month (IRFLVVAPREC= 2-3,9).....	113403	65.25
	1 = Used within the past month (IRFLVVAPREC = 1).....	2371	1.36

RECODED EMERGING ISSUES

<u>SYNMRJFLAG</u>	Len : 1 RC-SYNTHETIC MARIJUANA - EVER USED		
		Freq	Pct
	0 = Never used (IRSYNMRJREC = 9)	169160	97.33
	1 = Ever used (IRSYNMRJREC = 1-3)	4648	2.67
<u>SYNMRJYR</u>	Len : 1 RC-SYNTHETIC MARIJUANA - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRSYNMRJREC = 3,9)	173234	99.67
	1 = Used within the past year (IRSYNMRJREC = 1,2)	574	0.33
<u>SYNMRJMON</u>	Len : 1 RC-SYNTHETIC MARIJUANA - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRSYNMRJREC= 2-3,9)	173573	99.86
	1 = Used within the past month (IRSYNMRJREC = 1)	235	0.14
<u>SYNSTMFLAG</u>	Len : 1 RC-SYNTHETIC STIMULANTS - EVER USED		
		Freq	Pct
	0 = Never used (IRSYNSTMREC = 9)	173279	99.69
	1 = Ever used (IRSYNSTMREC = 1-3)	534	0.31
<u>SYNSTMYR</u>	Len : 1 RC-SYNTHETIC STIMULANTS - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRSYNSTMREC = 3,9)	173679	99.93
	1 = Used within the past year (IRSYNSTMREC = 1,2)	129	0.07
<u>SYNSTMMON</u>	Len : 1 RC-SYNTHETIC STIMULANTS - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRSYNSTMREC= 2-3,9)	173723	99.95
	1 = Used within the past month (IRSYNSTMREC = 1)	85	0.05
<u>IMFFLAG</u>	Len : 1 RC-ILLEGALLY MADE FENTANYL - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	58034	33.39
	0 = Never used (IRIMFREC = 9)	115097	66.22
	1 = Ever used (IRIMFREC = 1-3)	677	0.39
<u>IMFYR</u>	Len : 1 RC-ILLEGALLY MADE FENTANYL - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	58034	33.39
	0 = Did not use in the past year (IRIMFREC = 3,9)	115472	66.44
	1 = Used within the past year (IRIMFREC = 1,2)	302	0.17
<u>IMFMON</u>	Len : 1 RC-ILLEGALLY MADE FENTANYL - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	58034	33.39
	0 = Did not use in the past month (IRIMFREC= 2-3,9)	115615	66.52
	1 = Used within the past month (IRIMFREC = 1)	159	0.09
<u>IMFNEDFLAG</u>	Len : 1 RC-EVER USED A NEEDLE TO INJECT IMF		
		Freq	Pct
	. = Unknown (Otherwise)	42	0.02
	-9 = Data not collected for this year	58034	33.39
	0 = No (IMFNDEVER =2,91 or (IMFNDEVER^=1 and IMFFLAG=0))	115507	66.46
	1 = Yes (IMFNDEVER=1)	225	0.13

RECODED EMERGING ISSUES

The following recoded variable, ANYNEDFLAG, was created starting with the 2022 NSDUH to include data from the new questions in the Emerging Issues section about the use of a needle to inject illegally made fentanyl. ANYNEDFLAG (ever used a needle to inject heroin, cocaine, methamphetamine, illegally made fentanyl, or some other drug) replaces ANYNEDEVER (ever used a needle to inject heroin, cocaine, methamphetamine, or some other drug) that appeared in the Recoded Special Drugs section in 2021.

<u>ANYNEDFLAG</u>	Len : 1	RC-EVER USED A NEEDLE TO INJECT DRUGS		
			Freq	Pct
	.	= Unknown (Otherwise).....	513	0.30
	-9	= Data not collected for this year.....	58034	33.39
	0	= No (OTDGNEDL=2,4 and all other source variables=0).....	113377	65.23
	1	= Yes (Any source variable=1).....	1884	1.08

<u>ANYNEDYR</u>	Len : 1	RC- USED A NEEDLE TO INJECT DRUGS - PAST YEAR		
			Freq	Pct
	.	= Unknown (Otherwise).....	516	0.30
	-9	= Data not collected for this year.....	58034	33.39
	0	= No (OTDGNDLRC=3,13,81,91 and all other source variables=0).....	114859	66.08
	1	= Yes (OTDGNDLRC=1,2,11,12 or any other source variable=1).....	399	0.23

<u>FPIMFANYR</u>	Len : 1	RC-FENTANYL PRODUCTS INCLUDING IMF - ANY PAST YEAR USE		
			Freq	Pct
	-9	= Data not collected for this year.....	58034	33.39
	0	= Did not use in the past year (Otherwise).....	114533	65.90
	1	= Used within the past year (IRFENTANYR=1 or IMFYR=1).....	1241	0.71

<u>FPIMFNMYR</u>	Len : 1	RC-FENTANYL PRODUCTS INCLUDING IMF - PAST YEAR MISUSE		
			Freq	Pct
	-9	= Data not collected for this year.....	58034	33.39
	0	= Did not misuse in the past year (Otherwise).....	115377	66.38
	1	= Misused within the past year (IRFENTNMYR=1 or IMFYR=1).....	397	0.23

<u>OPIIMFNMYR</u>	Len : 1	RC-OPIOIDS INCLUDING IMF - PAST YEAR MISUSE		
			Freq	Pct
	-9	= Data not collected for this year.....	58034	33.39
	0	= Did not misuse in the past year (Otherwise).....	112058	64.47
	1	= Misused within the past year (OPINMYR=1 or IMFYR=1).....	3716	2.14

<u>OPIIMFNMMN</u>	Len : 1	RC-OPIOIDS INCLUDING IMF - PAST MONTH MISUSE		
			Freq	Pct
	-9	= Data not collected for this year.....	58034	33.39
	0	= Did not misuse in the past month (Otherwise).....	114607	65.94
	1	= Misused within the past month (OPINMMON=1 or IMFMON=1).....	1167	0.67

<u>ILIMFOTHFG</u>	Len : 1	RC-ILLICIT DRUG, IMF, OR OTHER SUB - EVER USED		
			Freq	Pct
	-9	= Data not collected for this year.....	58034	33.39
	0	= Never used (All source variables=0).....	53226	30.62
	1	= Ever used (Any source variable=1).....	62548	35.99

<u>ILIMFOTHYR</u>	Len : 1	RC-ILLICIT DRUG, IMF, OR OTHER SUB - PAST YEAR USE		
			Freq	Pct
	-9	= Data not collected for this year.....	58034	33.39
	0	= Did not use in the past year (All source variables=0).....	76584	44.06
	1	= Used within the past year (Any source variable=1).....	39190	22.55

<u>ILIMFOTHMN</u>	Len : 1	RC-ILLICIT DRUG, IMF, OR OTHER SUB - PAST MONTH USE		
			Freq	Pct
	-9	= Data not collected for this year.....	58034	33.39
	0	= Did not use in the past month (All source variables=0).....	90236	51.92
	1	= Used in the past month (Any source variable=1).....	25538	14.69

COVID-19

Since the beginning of the COVID-19 pandemic, how much, if at all, has COVID-19 negatively affected your emotional or mental health?

CONEGMH

Len : 2 HOW COVID-19 NEGATIVELY AFFECTED MENTAL HEALTH

	Freq	Pct
1 = Not at all	63100	36.30
2 = A little	46771	26.91
3 = Some	31600	18.18
4 = Quite a bit	16683	9.60
5 = A lot	9140	5.26
85 = BAD DATA Logically assigned	118	0.07
94 = DON'T KNOW	893	0.51
97 = REFUSED	859	0.49
98 = BLANK (NO ANSWER)	4644	2.67

How much, if at all, has the COVID-19 pandemic affected the amount of alcohol you drink?

COALCUSE

Len : 2 HOW COVID-19 AFFECTED AMOUNT OF ALCOHOL DRANK

	Freq	Pct
1 = I drink much less than before the COVID-19 pandemic	19623	11.29
2 = I drink a little less than before the COVID-19 pandemic	7289	4.19
3 = I drink about the same as before the COVID-19 pandemic	55377	31.86
4 = I drink a little more than before the COVID-19 pandemic	10122	5.82
5 = I drink much more than before the COVID-19 pandemic	3217	1.85
85 = BAD DATA Logically assigned	41	0.02
91 = NEVER USED ALCOHOL	49983	28.76
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS	20884	12.02
94 = DON'T KNOW	2038	1.17
97 = REFUSED	1379	0.79
98 = BLANK (NO ANSWER)	3855	2.22

How much, if at all, has the COVID-19 pandemic affected your drug use other than alcohol?

By drugs we mean cannabis, which includes marijuana or any cannabis product, cocaine, methamphetamine, heroin, fentanyl, hallucinogens, such as LSD, and prescription medications including benzodiazepines such as Xanax and Ativan, stimulants such as Ritalin and Adderall, and opioids such as hydrocodone or oxycodone.

CODRGUSE

Len : 2 HOW COVID-19 AFFECTED DRUG USE

	Freq	Pct
1 = I use much less than before the COVID-19 pandemic	20366	11.72
2 = I use a little less than before the COVID-19 pandemic	2944	1.69
3 = I use about the same as before the COVID-19 pandemic	35438	20.39
4 = I use a little more than before the COVID-19 pandemic	5180	2.98
5 = I use much more than before the COVID-19 pandemic	3083	1.77
83 = DID NOT USE DRUGS IN THE PAST 12 MOS Logically assigned	702	0.40
85 = BAD DATA Logically assigned	98	0.06
91 = NEVER USED DRUGS	53504	30.78
93 = DID NOT USE DRUGS IN THE PAST 12 MOS	38810	22.33
94 = DON'T KNOW	5040	2.90
97 = REFUSED	3714	2.14
98 = BLANK (NO ANSWER)	4929	2.84

How often have you had serious financial worries because of the COVID-19 pandemic?

COFINANC

Len : 2 HOW OFTEN HAD SERIOUS FINANCIAL WORRIES DUE TO COVID-19

	Freq	Pct
1 = All the time	14704	8.46
2 = Nearly all the time	9844	5.66
3 = Some of the time	36679	21.10
4 = Rarely	36530	21.02
5 = Never	68492	39.41
85 = BAD DATA Logically assigned	118	0.07
94 = DON'T KNOW	1578	0.91
97 = REFUSED	1139	0.66
98 = BLANK (NO ANSWER)	4724	2.72

COVID-19

Because of the COVID-19 pandemic in the U.S., did you experience any of the following in your access to mental health treatment?

Appointments moved from in-person to telehealth?

[COMHTELE](#)

Len : 2 MENTAL HLTH APPTS MOVED TO TELEHEALTH DUE TO COVID-19

	Freq	Pct
1 = Yes.....	33426	19.23
2 = No.....	58910	33.89
3 = Does not apply.....	73753	42.43
85 = BAD DATA Logically assigned.....	117	0.07
94 = DON'T KNOW.....	1680	0.97
97 = REFUSED.....	1151	0.66
98 = BLANK (NO ANSWER).....	4771	2.74

Delays or cancellations in appointments?

[COMHAPTDL](#)

Len : 2 DELAYS/CANCELLATIONS IN MENTAL HLTH APPTS DUE TO COVID-19

	Freq	Pct
1 = Yes.....	29421	16.93
2 = No.....	66164	38.07
3 = Does not apply.....	70639	40.64
85 = BAD DATA Logically assigned.....	117	0.07
94 = DON'T KNOW.....	1609	0.93
97 = REFUSED.....	1086	0.62
98 = BLANK (NO ANSWER).....	4772	2.75

Delays in getting prescriptions?

[COMHRXDL](#)

Len : 2 DELAYS GETTING MENTAL HLTH PRESCRIPTIONS DUE TO COVID-19

	Freq	Pct
1 = Yes.....	12307	7.08
2 = No.....	79212	45.57
3 = Does not apply.....	74619	42.93
85 = BAD DATA Logically assigned.....	117	0.07
94 = DON'T KNOW.....	1681	0.97
97 = REFUSED.....	1100	0.63
98 = BLANK (NO ANSWER).....	4772	2.75

Unable to access needed care resulting in moderate to severe impact on health?

[COMHSVHLT](#)

Len : 2 LACK OF MNTL HLTH CARE CAUSED IMPACT TO HLTH DUE TO COVID-19

	Freq	Pct
1 = Yes.....	8312	4.78
2 = No.....	81659	46.98
3 = Does not apply.....	76043	43.75
85 = BAD DATA Logically assigned.....	116	0.07
94 = DON'T KNOW.....	1771	1.02
97 = REFUSED.....	1135	0.65
98 = BLANK (NO ANSWER).....	4772	2.75

Because of the COVID-19 pandemic in the U.S., did you experience any of the following in your access to substance use treatment?

Appointments moved from in-person to telehealth?

[COSUTELE](#)

Len : 2 SUB USE TRMT APPTS MOVED TO TELEHEALTH DUE TO COVID-19

	Freq	Pct
1 = Yes.....	11301	6.50
2 = No.....	56527	32.52
3 = Does not apply.....	98188	56.49
85 = BAD DATA Logically assigned.....	116	0.07
94 = DON'T KNOW.....	1738	1.00
97 = REFUSED.....	1116	0.64
98 = BLANK (NO ANSWER).....	4822	2.77

COVID-19

Delays or cancellations in appointments?

[COSUAPTDL](#)

Len : 2 DELAYS/CANCELLATIONS IN SUB USE TRMT APPTS DUE TO COVID-19

	Freq	Pct
1 = Yes.....	10677	6.14
2 = No.....	58267	33.52
3 = Does not apply.....	97119	55.88
85 = BAD DATA Logically assigned.....	116	0.07
94 = DON'T KNOW.....	1708	0.98
97 = REFUSED.....	1100	0.63
98 = BLANK (NO ANSWER).....	4821	2.77

Delays in getting prescriptions?

[COSURXDL](#)

Len : 2 DELAYS GETTING SUB USE TRMT PRESCRIPTIONS DUE TO COVID-19

	Freq	Pct
1 = Yes.....	5563	3.20
2 = No.....	62253	35.82
3 = Does not apply.....	98222	56.51
85 = BAD DATA Logically assigned.....	116	0.07
94 = DON'T KNOW.....	1729	0.99
97 = REFUSED.....	1104	0.64
98 = BLANK (NO ANSWER).....	4821	2.77

Unable to access needed care resulting in moderate to severe impact on health?

[COSUSVHLT](#)

Len : 2 LACK OF SUB USE TRMT CAUSED IMPACT TO HLTH DUE TO COVID-19

	Freq	Pct
1 = Yes.....	3971	2.28
2 = No.....	62933	36.21
3 = Does not apply.....	99076	57.00
85 = BAD DATA Logically assigned.....	116	0.07
94 = DON'T KNOW.....	1752	1.01
97 = REFUSED.....	1139	0.66
98 = BLANK (NO ANSWER).....	4821	2.77

Because of the COVID-19 pandemic in the U.S., did you experience any of the following in your access to medical care?

Appointments moved from in-person to telehealth?

[COHCTELE](#)

Len : 2 MEDICAL APPTS MOVED TO TELEHEALTH DUE TO COVID-19

	Freq	Pct
1 = Yes.....	45965	26.45
2 = No.....	74811	43.04
3 = Does not apply.....	45316	26.07
85 = BAD DATA Logically assigned.....	116	0.07
94 = DON'T KNOW.....	1708	0.98
97 = REFUSED.....	1043	0.60
98 = BLANK (NO ANSWER).....	4849	2.79

Delays or cancellations in appointments?

[COHCAPTDL](#)

Len : 2 DELAYS/CANCELLATIONS IN MEDICAL APPTS DUE TO COVID-19

	Freq	Pct
1 = Yes.....	39065	22.48
2 = No.....	81739	47.03
3 = Does not apply.....	45228	26.02
85 = BAD DATA Logically assigned.....	116	0.07
94 = DON'T KNOW.....	1770	1.02
97 = REFUSED.....	1040	0.60
98 = BLANK (NO ANSWER).....	4850	2.79

COVID-19

Delays in getting prescriptions?

[COHCRXDL](#)

Len : 2 DELAYS GETTING MEDICAL PRESCRIPTIONS DUE TO COVID-19

	Freq	Pct
1 = Yes.....	15286	8.79
2 = No.....	99962	57.51
3 = Does not apply.....	50797	29.23
85 = BAD DATA Logically assigned.....	116	0.07
94 = DON'T KNOW.....	1750	1.01
97 = REFUSED.....	1045	0.60
98 = BLANK (NO ANSWER).....	4852	2.79

Unable to access needed care resulting in moderate to severe impact on health?

[COHCSVHLT](#)

Len : 2 LACK OF MED CARE CAUSED IMPACT TO HLTH DUE TO COVID-19

	Freq	Pct
1 = Yes.....	8832	5.08
2 = No.....	103338	59.46
3 = Does not apply.....	53796	30.95
85 = BAD DATA Logically assigned.....	116	0.07
94 = DON'T KNOW.....	1803	1.04
97 = REFUSED.....	1071	0.62
98 = BLANK (NO ANSWER).....	4852	2.79

RECODED COVID-19

RECODED COVID-19

<u>COCLNEGMH</u>	Len : 1 RC-COLLAPSED HOW COVID-19 NEGATIVELY AFFECTED MENTAL HLTH		
	. = Unknown (Otherwise).....	Freq	Pct
	1 = Not at all (CONEGMH=1).....	6514	3.75
	2 = A little or some (CONEGMH=2,3).....	63100	36.30
	3 = Quite a bit or a lot (CONEGMH=4,5).....	78371	45.09
		25823	14.86
<u>COCLALCUSE</u>	Len : 1 RC-COLLAPSED HOW COVID-19 AFFECTED AMOUNT ALCOHOL DRANK		
	. = Unknown/No PY Alcohol Use (Otherwise).....	Freq	Pct
	1 = Drink much less or little less (COALCUSE=1,2).....	78180	44.98
	2 = Drink about the same (COALCUSE=3).....	26912	15.48
	3 = Drink a little more or much more (COALCUSE=4,5).....	55377	31.86
		13339	7.67
<u>COCLDRGUSE</u>	Len : 1 RC-COLLAPSED HOW COVID-19 AFFECTED DRUG USE		
	. = Unknown/No PY Drug Use (Otherwise).....	Freq	Pct
	1 = Use much less or little less (CODRGUSE=1,2).....	106797	61.45
	2 = Use about the same (CODRGUSE=3).....	23310	13.41
	3 = Use little more or much more (CODRGUSE=4,5).....	35438	20.39
		8263	4.75
<u>COCLFINANC</u>	Len : 1 RC-COLLAPSE HOW OFTEN SERIOUS FINANCIAL WORRIES DUE COVID		
	. = Unknown (Otherwise).....	Freq	Pct
	1 = All or nearly all the time (COFINANC=1,2).....	7559	4.35
	2 = Some of the time or rarely (COFINANC=3,4).....	24548	14.12
	3 = Never (COFINANC=5).....	73209	42.12
		68492	39.41
<u>COMHTELE2</u>	Len : 1 RC-MENTAL HEALTH APPTS MOVED TO TELEHEALTH DUE COVID-19		
	. = Unknown (Otherwise).....	Freq	Pct
	1 = Yes (COMHTELE=1).....	7719	4.44
	2 = No (COMHTELE=2).....	33426	19.23
	3 = Does not apply (COMHTELE=3).....	58910	33.89
		73753	42.43
<u>COMHAPTDL2</u>	Len : 1 RC-DELAYS/CANCELLATIONS IN MENTAL HLTH APPTS DUE COVID-19		
	. = Unknown (Otherwise).....	Freq	Pct
	1 = Yes (COMHAPTDL=1).....	7584	4.36
	2 = No (COMHAPTDL=2).....	29421	16.93
	3 = Does not apply (COMHAPTDL=3).....	66164	38.07
		70639	40.64
<u>COMHRXDL2</u>	Len : 1 RC-DELAYS GETTING MENTAL HLTH PRESCRIPTIONS DUE COVID-19		
	. = Unknown (Otherwise).....	Freq	Pct
	1 = Yes (COMHRXDL=1).....	7670	4.41
	2 = No (COMHRXDL=2).....	12307	7.08
	3 = Does not apply (COMHRXDL=3).....	79212	45.57
		74619	42.93
<u>COMHSVHLT2</u>	Len : 1 RC-LACK MNLT HLTH CARE CAUSED IMPACT TO HLTH DUE COVID-19		
	. = Unknown (Otherwise).....	Freq	Pct
	1 = Yes (COMHSVHLT=1).....	7794	4.48
	2 = No (COMHSVHLT=2).....	8312	4.78
	3 = Does not apply (COMHSVHLT=3).....	81659	46.98
		76043	43.75
<u>COSUTELE2</u>	Len : 1 RC-SUB USE TRT APPTS MOVED TO TELEHEALTH DUE TO COVID-19		
	. = Unknown (Otherwise).....	Freq	Pct
	1 = Yes (COSUTELE=1).....	7792	4.48
	2 = No (COSUTELE=2).....	11301	6.50
	3 = Does not apply (COSUTELE=3).....	56527	32.52
		98188	56.49

RECODED COVID-19

<u>COSUAPTDL2</u>	Len : 1 RC-DELAYS/CANCELLATIONS IN SUB USE TRT APPTS DUE COVID-19		
	.	Freq	Pct
	= Unknown (Otherwise).....	7745	4.46
	1 = Yes (COSUAPTDL=1).....	10677	6.14
	2 = No (COSUAPTDL=2).....	58267	33.52
	3 = Does not apply (COSUAPTDL=3).....	97119	55.88
<u>COSURXDL2</u>	Len : 1 RC-DELAYS GETTING SUB USE TRT PRESCRIPTIONS DUE COVID-19		
	.	Freq	Pct
	= Unknown (Otherwise).....	7770	4.47
	1 = Yes (COSURXDL=1).....	5563	3.20
	2 = No (COSURXDL=2).....	62253	35.82
	3 = Does not apply (COSURXDL=3).....	98222	56.51
<u>COSUSVHLT2</u>	Len : 1 RC-LACK OF SUB USE TRT CAUSED IMPACT TO HLTH DUE COVID-19		
	.	Freq	Pct
	= Unknown (Otherwise).....	7828	4.50
	1 = Yes (COSUSVHLT=1).....	3971	2.28
	2 = No (COSUSVHLT=2).....	62933	36.21
	3 = Does not apply (COSUSVHLT=3).....	99076	57.00
<u>COHCTELE2</u>	Len : 1 RC-MED CARE APPOINTMENTS MOVED TO TELEHEALTH DUE COVID-19		
	.	Freq	Pct
	= Unknown (Otherwise).....	7716	4.44
	1 = Yes (COHCTELE=1).....	45965	26.45
	2 = No (COHCTELE=2).....	74811	43.04
	3 = Does not apply (COHCTELE=3).....	45316	26.07
<u>COHCAPTDL2</u>	Len : 1 RC-DELAYS/CANCELLATIONS IN MED CARE APPTS DUE TO COVID-19		
	.	Freq	Pct
	= Unknown (Otherwise).....	7776	4.47
	1 = Yes (COHCAPTDL=1).....	39065	22.48
	2 = No (COHCAPTDL=2).....	81739	47.03
	3 = Does not apply (COHCAPTDL=3).....	45228	26.02
<u>COHCRXDL2</u>	Len : 1 RC-DELAYS GETTING MEDICAL CARE PRESCRIPTIONS DUE COVID-19		
	.	Freq	Pct
	= Unknown (Otherwise).....	7763	4.47
	1 = Yes (COHCRXDL=1).....	15286	8.79
	2 = No (COHCRXDL=2).....	99962	57.51
	3 = Does not apply (COHCRXDL=3).....	50797	29.23
<u>COHCSVHLT2</u>	Len : 1 RC-LACK OF MED CARE CAUSED IMPACT TO HEALTH DUE COVID-19		
	.	Freq	Pct
	= Unknown (Otherwise).....	7842	4.51
	1 = Yes (COHCSVHLT=1).....	8832	5.08
	2 = No (COHCSVHLT=2).....	103338	59.46
	3 = Does not apply (COHCSVHLT=3).....	53796	30.95

INTERVIEW INFORMATION

INTERVIEW INFORMATION

LANGVER

Len : 1 LANGUAGE VERSION

	Freq	Pct
1 = English.....	167795	96.54
2 = Spanish	6013	3.46

GQTYPE2

Len : 1 TYPE OF GROUP QUARTER

	Freq	Pct
= Not a Group Quarter.....	173577	99.87
C = College Dorm.....	100	0.06
O = Other.....	131	0.08

INDEX

INDEX

AALTMDE	471	ADWRGROW	456	ANYNEDYR	528
ACOUNMDE	471	ADWRHRS	452	AOMDMDE	470
ACTD2001	9	ADWRIMP	453	AOMHMDE	471
ACTD7590	9	ADWRJINO	458	APDRGMON	403
ACTD9001	9	ADWRJITT	458	APPDRGMON2	406
ACTDEVER	8	ADWRLOSE	456	APSY1MDE	470
ACTDPRIV	9	ADWRLSIN	455	APSY2MDE	470
ACTDVIET	9	ADWRLSL2	457	ARELMDE	471
AD_MDEA1	459	ADWRNOGD	459	ARGUPAR	425
AD_MDEA2	459	ADWRPLSR	455	ARXMDEYR	470
AD_MDEA3	459	ADWRPREG	456	ASDSHOM2	468
AD_MDEA4	460	ADWRPROB	454	ASDSREL2	468
AD_MDEA5	460	ADWRSLEP	457	ASDSSOC2	468
AD_MDEA6	460	ADWRSLNO	458	ASDSWRK2	468
AD_MDEA7	460	ADWRSLOW	457	ASOCMDE	470
AD_MDEA8	460	ADWRSMOR	457	ASTHMAAGE	518
ADCOUNS	465	ADWRTHOT	458	ASTHMAEVR	513
ADDPDISC	451	ADWRWRTH	459	ASTHMANOW	518
ADDPLSIN	451	AGE3	8	ATXMDEYR	470
ADDPPIROB	453	AHBCHMDE	471	AVGGRADE	424
ADDP2WK	452	AHLTMDE	471	BKARSON	43
ADDPREV	451	AIIND102	7	BKBURGL	42
ADDSCEV	451	AIRDUSEVER	223	BKDRUG	43
ADDSLSIN	452	AIRDUSTER	132	BKDRUNK	43
ADFAMDOC	464	AKSSLR6WRST	446	BKDRVINF	43
ADHERBAL	466	AL30EST	70	BKFRAUD	44
ADLOSEV	451	ALBSTWAY	69	BKLARCNY	41
ADLSI2WK	452	ALCAGLST	369	BKMVTHFT	41
ADNURSE	465	ALCBNG30D	71	BKOTH	44
ADOCMDE	470	ALCDAYS	70	BKOTHOF2	45
ADOTHDOC	464	ALCEVER	67	BKPOSTOB	43
ADOTHHLP	466	ALCFLAG	209	BKROB	42
ADOTHMHP	465	ALCMDAYS	239	BKSEXNR	44
ADPB2WK	462	ALCMFU	68	BKSMASLT	42
ADPBAGE	461	ALCMLU	370	BKSRVIOL	42
ADPBDLYA	461	ALCMON	209	BLNT30C1	101
ADPBINTF	461	ALCNUMDKPM	241	BLNT30C2	101
ADPBNUM	462	ALCREC	68	BLNT30DY	100
ADPBRMBR	461	ALCTRY	67	BLNTAGE	99
ADPSDAYS	464	ALCUS30D	70	BLNTEVER	99
ADPSHMG1	462	ALCYDAYS	237	BLNTMFU	100
ADPSRELS	463	ALCYFU	67	BLNTNOMJ	102
ADPSROC	463	ALCYLU	369	BLNTREC	100
ADPSWORK	463	ALCYR	209	BLNTYFU	99
ADPSYCH	465	ALCYRBFR	379	BLRECF2	100
ADPSYMD	465	ALCYRTOT	68	BMI2	520
ADRELIG	466	ALDAYPMO	69	BNGDRKMON	220
ADRX12MO	466	ALDAYPWK	69	BNGDRMDAYS	240
ADRXHLP	467	ALDAYPYR	69	BOOKED	41
ADRXNOW	466	ALDYSFG	70	BZOANYR	216
ADSEEDOC	464	ALFQFLG	68	BZONMYR	218
ADSMMDDEA	460	ALTOTFG	68	CABINGAGE	79
ADSOCWRK	465	AMDEIMP	468	CABINGEVR	79
ADSUITPACOM	450	AMDELT	467	CABINGFLG	79
ADSUITPAYR	449	AMDETXX	470	CABINGMFU	80
ADTMTHLP	467	AMDEYR	468	CABINGYFU	79
ADTMTNOW	466	AMIPY	448	CABLADDER	514
ADWRAGE	454	AMIRSUD5ANY	449	CABOLEULYM	514
ADWRCHR	453	AMISUD5ANY	449	CABPLACE	75
ADWRCONC	458	AMISUD5ANYO	449	CABREAST	514
ADWRDCSN	459	AMYLNIEVER	222	CABUNDAG	75
ADWRDEPR	454	AMYLNT	130	CABUYFRE	74
ADWRDIET	456	ANALWT2_C1	4	CABUYWHO	75
ADWRDISC	454	ANALWT2_C2	4	CACERVIX	514
ADWRDST	452	ANALWT2_C3	4	CACOLNRECT	514
ADWRELES	455	ANURSMDE	471	CADRBAR	73
ADWREMR	455	ANYEDUC3	428	CADRCAR	72
ADWRENRG	457	ANYHLT2	36	CADREVNT	73
ADWRGAIN	455	ANYNDLREC	270	CADRHOME	72
ADWRGNL2	456	ANYNEDFLAG	528	CADRKOCN	78

INDEX

CADRKCOCN2	84	CHMNDLREC	270	COCMFU	103
CADRKDRUG	77	CI30EST	58	COCMLU	371
CADRKHALL	78	CIG100LF	53	COCMON	212
CADRKHALL2	84	CIG1PACK	240	COCNEDEVER	270
CADRKHERN	78	CIG30AV	51	COCNEEDL	258
CADRKHERN2	84	CIG30USE	50	COCREC	104
CADRKINHL	78	CIGAGE	52	COCUS30A	105
CADRKINHL2	84	CIGAGLST	365	COCYDAYS	237
CADRKMARJ	77	CIGAREVR	56	COCYFU	103
CADRKMARJ2	83	CIGARMFU	57	COCYLU	370
CADRKMETH	78	CIGARMLU	369	COCYR	212
CADRKMETH2	84	CIGARREC	58	COCYRBFR	380
CADRLAST	72	CIGARTRY	57	COCYRTOT	104
CADROTH	74	CIGARYFU	57	CODRGUSE	529
CADROTHM	73	CIGARYLU	368	COFINANC	529
CADROTS2	74	CIGAVGD	241	COHCAPTDL	531
CADRPEOP	72	CIGAVGM	241	COHCAPTDL2	534
CADRPUBL	73	CIGAVOID	61	COHCRXDL	532
CADRSCHL	73	CIGCRAGP	60	COHCRXDL2	534
CAESOPSTOM	515	CIGCRAVE	60	COHCSVHLT	532
CAFRESP2	77	CIGDLLST	366	COHCSVHLT2	534
CAFREWHO	76	CIGDLMFU	52	COHCTELE	531
CAGALLIVPAN	515	CIGDLMLU	367	COHCTELE2	534
CAGVMONY	75	CIGDLYFU	52	COLDMEDS	252
CAGVWHO	76	CIGDLYLU	366	COLDREC	252
CAIDCHIP	30	CIGDLYMO	52	COLDYR1	253
CAKIDNEY	515	CIGEVER	49	COLDYR2	255
CALARYLUNG	515	CIGFLAG	207	COLDYR3	256
CAMELANOM	515	CIGFNLKE	61	COLDYR4	257
CAMHPROB	521	CIGFNSMK	61	COLDYR5	257
CAMHPROB2	526	CIGINCRS	64	COMBATPY	9
CAMHRCVR	521	CIGINCTL	61	COMHAPTDL	530
CAMOUTTHRO	515	CIGINFLU	63	COMHAPTDL2	533
CANCEREVR	513	CIGIRTL	60	COMHRXDL	530
CANCERYR	517	CIGLOTMR	64	COMHRXDL2	533
CAOTHER2	514	CIGMDAYS	238	COMHSVHLT	530
CAOVARY	516	CIGMENTH30	51	COMHSVHLT2	533
CAPROTEST	516	CIGMFU	50	COMHTELE	530
CASKINDK	516	CIGMLU	366	COMHTELE2	533
CASKINOTH	516	CIGMON	207	CONDLREC	258
CASUPROB	521	CIGNMCHG	63	CONEGMH	529
CASUPROB2	526	CIGNOINF	64	COPDAGE	518
CASURCVR	521	CIGPDAY	240	COPDEVER	512
CATAG2	13	CIGPLANE	62	COSUAPTDL	531
CATAG3	13	CIGREC	50	COSUAPTDL2	534
CATAG6	13	CIGREGDY	62	COSUIPLNYR	437
CATAG7	13	CIGREGNM	63	COSUTHNK	437
CATAGE	13	CIGREGWK	62	COSURXDL	531
CATHYROID	516	CIGRNOUT	62	COSURXDL2	534
CAUTERUS	516	CIGROLL30	51	COSUSVHLT	531
CBDHMPEVR	85	CIGSATS	64	COSUSVHLT2	534
CBDHMPFLAG	209	CIGSVLHR	63	COSUTELE	530
CBDHMPMON	209	CIGTRY	49	COSUTELE2	533
CBDHMPREC	85	CIGWAKE	65	COUTYP4	5
CBDHMPYR	209	CIGYFU	49	CR30EST	108
CC30EST	105	CIGYLU	365	CRAKREC	107
CCBSTWAY	104	CIGYR	207	CRBSTWAY	107
CCDAYPMO	105	CIGYRBFR	379	CRDAYPMO	108
CCDAYPWK	105	CIRROSAGE	518	CRDAYPWK	108
CCDAYPYR	105	CIRROSEVR	512	CRDAYPYR	107
CCFQFLG	104	CLEFLU	130	CRFQFLG	107
CCTOTFG	104	CLEFLUEVER	222	CRKAGE	106
CDCGMO	220	CNSANYR	216	CRKAGLST	371
CDNOCGMO	220	CNSNMMON	219	CRKEVER	106
CDUFLAG	220	CNSNMYR	219	CRKFLAG	212
CELLNOTCL	37	COALCUSE	529	CRKMDAYS	239
CELLWRKNG	37	COCAGE	103	CRKMFU	106
CG30EST	51	COCAGLST	370	CRKMLU	372
CGR30USE	58	COCEVER	103	CRKMON	212
CGRAGLST	368	COCFLAG	212	CRKUS30A	108
CGRFLAG	207	COCLALCUSE	533	CRKYDAYS	237
CGRMDAYS	238	COCLDRGUSE	533	CRKYFU	106
CGRMON	207	COCLFINANC	533	CRKYL	371
CGRYR	207	COCLNEGMI	533	CRKYR	212
CHAMPUS	30	COCMDAYS	239	CRKYRTOT	107

INDEX

CRTOTFG	107	EDUSKPCOM	17	GLUEEVER	222
DAMTFXFLAG	214	EDUSKPEST	16	GNNDCLEN	268
DAMTFXMON	214	EDUSKPMON	16	GNNDGET2	268
DAMTFXREC	129	EIBINGAGE	80	GNNDLSH1	268
DAMTFXYR	214	EIBINGMFU	80	GNNDLSH2	268
DCIGMON	220	EIBINGYFU	80	GNNDREUS	267
DIABETEAG	517	ENRLCOLLFT2	19	GOVTPROG	40
DIABETEVR	512	ENRLCOLLST2	19	GOTYPE2	535
DIFGETCOC	403	ETHER	131	GRPCNSL2	427
DIFGETCRK	403	ETHEREVER	222	GRPHLTIN	31
DIFGETHER	403	FELTMARKR	131	GRSKBNGDLY	405
DIFGETLSD	402	FENTANYR	143	GRSKBNGWK	406
DIFGETMRJ	402	FENTNMYR	152	GRSKCIGPKD	405
DIFOBTBCC	406	FILEDATE	3	GRSKCOCMON	405
DIFOBTBCK	406	FLTMRKEVER	223	GRSKCOCWK	405
DIFOBTHER	406	FLVVAPEVR	522	GRSKHERTRY	405
DIFOBTLSD	406	FLVVAPFLAG	526	GRSKHERWK	405
DIFOBTMRJ	406	FLVVAPMON	526	GRSKLSDTRY	405
DMTAMTFXY	113	FLVVAPREC	522	GRSKLSDWK	405
DRPRVME3	428	FLVVAPYR	526	GRSKMRJMON	405
DRVINAGE	13	FPMFANYR	528	GRSKMRJWK	405
DRVINALCO	46	FPMFNMYYR	528	HALFQFLG	123
DRVINALCO2	48	FRDADLY2	427	HALLAGLST	373
DRVINALDRG	48	FRDMEVR2	427	HALLDYPMO	124
DRVINALON	47	FRDMJMON	427	HALLDYPWK	124
DRVINCOCN	46	FRDPCIG2	426	HALLDYSYR	124
DRVINDETAG	13	FTNDDEPND	65	HALLEASWY	124
DRVINDRG	48	FUALC18	242	HALLMOLST	374
DRVINDROTMI	48	FUALC21	242	HALLNDAYPM	239
DRVINHALL	46	FUCD218	241	HALLNDAYYR	238
DRVINHERN	46	FUCD221	241	HALLUC30E	125
DRVININHL	47	FUCGR18	241	HALLUC30N	125
DRVINMARJ	46	FUCGR21	241	HALLUCAGE	122
DRVINMARJ2	48	FUCIG18	241	HALLUCEVR	122
DRVINMETH	47	FUCIG21	241	HALLUCFLAG	213
DSTCHR12	432	FUCOC18	242	HALLUCMFU	123
DSTCHR30	430	FUCOC21	242	HALLUCMON	213
DSTEFF12	432	FUCRK18	242	HALLUCOT1	115
DSTEFF30	431	FUCRK21	242	HALLUCOT2	118
DSTHOP12	432	FUECSTMO18	243	HALLUCOT3	120
DSTHOP30	430	FUECSTMO21	243	HALLUCOT4	121
DSTNGD12	433	FUHALLUC18	243	HALLUCOT5	122
DSTNGD30	431	FUHALLUC21	243	HALLUCOTH	114
DSTNRV12	431	FUHER18	243	HALLUCREC	123
DSTNRV30	430	FUHER21	243	HALLUCYFQ	123
DSTRST12	432	FUINHAL18	243	HALLUCYFU	122
DSTRST30	430	FUINHAL21	243	HALLUCYR	213
DSTWORST	431	FULSD18	243	HALLYRLST	373
ECSTMOAGE	127	FULSD21	243	HALTOTFG	123
ECSTMOAGL	376	FUMETHAM18	244	HEALTH	10
ECSTMOFLAG	213	FUMETHAM21	244	HEALTH2	14
ECSTMOLLY	113	FUMJ18	242	HEOTNDL	260
ECSTMOMFU	128	FUMJ21	242	HEOTOTH	260
ECSTMOMLU	377	FUNICVAP18	242	HEOTSMK	259
ECSTMOMON	213	FUNICVAP21	242	HEOTSNF	260
ECSTMOREC	128	FUPCP18	243	HEOTSP	260
ECSTMORYFU	127	FUPCP21	243	HEPBCAGE	518
ECSTMORYLU	376	FUPNRNM18	244	HEPBCEVER	512
ECSTMORYR	213	FUPNRNM21	244	HER30USE	111
EDFAM18	27	FUSEDNM18	244	HERAGE	109
EDUD5PNRMIS	349	FUSEDNM21	244	HERAGLST	372
EDUD5PNRUNM	350	FUSMKLSS18	242	HEREVER	109
EDUD5SEDMIS	350	FUSMKLSS21	242	HERFLAG	212
EDUD5SEDUNM	351	FUSTMNM18	244	HERMDAYS	239
EDUD5STMMIS	350	FUSTMNM21	244	HERMFU	109
EDUD5STMUNM	350	FUTRQNM18	244	HERMLU	373
EDUD5TRQMIS	350	FUTRQNM21	244	HERMON	212
EDUD5TRQUNM	350	GAS	130	HERNEDEVER	270
EDUFULPAR	15	GASEVER	222	HERNEEDL	259
EDUHIGHCAT	14	GHB	258	HERPNRYR	219
EDUSCHGRD2	15	GHBFLAG	271	HERREC	110
EDUSCHLGO	15	GHBMON	271	HERSMOEVER	270
EDUSCKCOM	16	GHBREC	258	HERSMOKE	258
EDUSCKEST	16	GHBYSR	271	HERSNEVER	271
EDUSCKMON	15	GLUE	130	HERSNIFF	259

INDEX

HERYDAYS	238	I12WRKSTAT	26	IIHH65_2	28
HERYFU	109	I1ALCAGE	200	IIHHSIZ2	27
HERYLU	372	I1ALCBNG30D	194	I1IMFREC	525
HERYR	212	I1ALCFM	194	I1IMPCONCN	442
HERYRTOT	110	I1ALCFY	190	I1IMPGOUT	442
HIGHBPAGE	519	I1ALCRC	178	I1IMPGOUTM	442
HIGHBPPEVR	513	I1ALCYFU	200	I1IMPHHLD	443
HIGHBPMED	519	I1AMDEIMP	469	I1IMPHHLDM	444
HIVAIDSAG	519	I1AMDELT	469	I1IMPPEOP	443
HIVAIDSEV	513	I1AMDEYR	469	I1IMPPEOPM	443
HLCALL99	36	I1BZOANYR	188	I1IMPREMEM	442
HLCALLFG	36	I1BZONMYR	189	I1IMPRES	444
HLCLAST	32	I1CBDHMPREC	179	I1IMPRESPM	444
HLCNOTMO	32	I1CD2YFU	198	I1IMPSOC	443
HLCNOTYR	32	I1CDUAGE	198	I1IMPSOCM	443
HLOSRSN	33	I1CGRAGE	198	I1IMPWORK	444
HLNVCOST	33	I1CGRFM	193	I1INHAL30N	196
HLNVNEED	33	I1CGRRC	177	I1INHALAGE	203
HLNVOFFR	33	I1CGRYFU	199	I1INHALREC	186
HLNVREF	33	I1CHMPUS	35	I1INHAILYFU	192
HLNVSOR	34	I1CIGAGE	198	I1INHAILYFU	203
HLTINALC	31	I1CIGFM	193	I1INSUR4	36
HLTINDRG	31	I1CIGRC	177	I1KETMINREC	185
HLTINMNT	31	I1CIGYFU	198	I1K117_2	27
HLTINNOS	32	I1COCAGE	200	I1KRATREC	524
HPALCAMT	510	I1COCFM	195	I1LSDAGE	202
HPALCCUT	510	I1COCFY	190	I1LSDRC	184
HPALCFRO	510	I1COCRC	183	I1LSDYFU	202
HPALCNOT	511	I1COCYFU	201	I1MARIT	12
HPALCPRB	510	I1COSUIPLNYR	445	I1MCDCHP	35
HPALCTX	511	I1COSUITHNK	445	I1MEDICR	35
HPDRGTALK	511	I1COSUITRYR	445	I1METHAM30N	196
HPQTT0B	509	I1CRKAGE	201	I1METHAMAGE	203
HPUSEALC	509	I1CRKFM	195	I1METHAMREC	186
HPUSEDRG	509	I1CRKFY	191	I1METHAMYFU	192
HPUSET0B	508	I1CRKRRC	183	I1METHAMYFU	203
HR30EST	111	I1CRKYFU	201	I1MHTERED	498
HRBSTWAY	110	I1DAMTFXREC	185	I1MHTINHOSP	498
HRDAYPMO	111	I1DSTCHR12	441	I1MHTINOPL	499
HRDAYPWK	111	I1DSTCHR30	439	I1MHTINRHAB	499
HRDAYPYR	110	I1DSTEFF12	441	I1MHTINRSMH	498
HRFQFLG	110	I1DSTEFF30	440	I1MHTOUTDOC	500
HRNDLREC	260	I1DSTHOP12	441	I1MHTOUTHOSP	500
HRSMKREC	259	I1DSTHOP30	439	I1MHTOUTMHCR	499
HRSNFREC	259	I1DSTNGD12	441	I1MHTOUTOPL	500
HRTCONDAG	517	I1DSTNGD30	440	I1MHTOUTRHAB	499
HRTCONDEV	512	I1DSTNRV12	440	I1MHTOUTSCHL	500
HRTCONDYR	517	I1DSTNRV30	439	I1MHTOUTTHRP	499
HRTOTFG	110	I1DSTRST12	441	I1MHTPEERSPC	501
HTANSWER	506	I1DSTRST30	439	I1MHTPHVID	501
HTINCHE2	506	I1DSTWORST	440	I1MHTRXMED	500
HVDYDRKMON	220	I1ECSTMOAGE	203	I1MHTSUPPGRP	498
IFATHER	27	I1ECSTMOREC	185	I1MJAGE	200
I12ALCFM	194	I1ECSTM0YFU	203	I1MJFM	194
I12ALCFY	190	I1EDUHHIGHST2	12	I1MJFY	190
I12ALCRC	179	I1FAMIN3	39	I1MJMONDAB	182
I12CGRFM	193	I1FAMPMT	38	I1MJMONEAT	182
I12CGRRC	177	I1FAMSOC	38	I1MJMONMOUTH	182
I12CIGFM	193	I1FAMSSI	38	I1MJMONPILL	183
I12CIGRC	177	I1FAMSVC	38	I1MJMONSKIN	183
I12COCFM	195	I1FENTANYR	187	I1MJMONSMOKE	181
I12COCFY	191	I1FENTNMYR	188	I1MJMONVAPE	182
I12COCRC	183	I1FLVVAPREC	524	I1MJRC	179
I12CRKFM	195	I1FSTAMP	38	I1MJYFU	200
I12CRKFY	191	I1GHBREC	269	I1MJYRDAB	180
I12CRKRRC	184	I1HALLUC30N	196	I1MJYREAT	180
I12HERFM	196	I1HALLUCAGE	201	I1MJYRMOUTH	180
I12HERFY	191	I1HALLUCREC	184	I1MJYROTHER	181
I12HERRC	184	I1HALLUCYFU	191	I1MJYRPILL	181
I12LSDRC	184	I1HALLUCYFU	202	I1MJYRSKIN	181
I12MJFM	195	I1HERAGE	201	I1MJYRSMOKE	179
I12MJFY	190	I1HERFM	195	I1MJYRVAPE	180
I12MJRC	179	I1HERFY	191	I1NICVAP30N	194
I12PCPRC	185	I1HERRC	184	I1NICVAPAGE	199
I12WRKST18	26	I1HERYFU	201	I1NICVAPREC	178

INDEX

IINICVAPYFU	199	IISUTPHVID	393	INHALOT5	136
IINPCOLDREC	269	IISUTRXALC	393	INHALOTH	132
IIOTHHLT	35	IISUTRXDRG	393	INHALREC	137
IIOXCNANYR	187	IISUTSUPGRP	390	INHLYFQ	138
IIOXCNNMYR	188	IISYNMRJREC	524	INHLYFU	137
IIPCAGE	202	IISYNSTMREC	524	INHLYR	214
IIPCPRC	185	IITRQANYREC	187	INHDPYPMO	138
IIPCIFYFU	202	IITRQNM30FQ	197	INHDPYWK	139
IIPINC3	39	IITRONMAGE	205	INHDSYSR	138
IIPILF	177	IITRONMINIT	204	INHEASWY	138
IIPIPMN	178	IITRONMREC	188	INHFOFLG	138
IIPMNICDEP	66	IITRONMYFU	205	INHLAGLST	377
IIPNRANYREC	186	IUD5PNRMIS	354	INHLMLST	378
IIPNRNM30FQ	196	IUD5PNRUNM	354	INHLYRLST	377
IIPNRNMAGE	205	IUD5SEDMIS	355	INHNDAYPM	239
IIPNRNMINIT	204	IUD5SEDUNM	355	INHNDAYYR	238
IIPNRNMREC	188	IUD5STMMIS	355	INHOSPYR	507
IIPNRNMIFYFU	205	IUD5STMUNM	355	INHOTOTFG	138
IIPRVHLT	35	IUD5TRQMIS	354	IRALCAGE	200
IIPYSEV5ALC	356	IUD5TRQUNM	354	IRALCBNG30D	194
IIPYSEV5COC	356	IIWELMOS	38	IRALCFM	194
IIPYSEV5HAL	357	IIWRKSTAT	26	IRALCFY	190
IIPYSEV5HER	356	IIWRKSTAT18	26	IRALCRC	178
IIPYSEV5INH	357	ILIMFOTHFG	528	IRALCYFU	200
IIPYSEV5MRJ	356	ILIMFOTHMN	528	IRAMDEIMP	469
IIPYSEV5MTH	357	ILIMFOTHYR	528	IRAMDELT	469
IIPYUD5ALC	352	ILLALCFLG	221	IRAMDEYR	469
IIPYUD5COC	352	ILLALCMON	221	IRBZOANYR	187
IIPYUD5HAL	353	ILLANDALC	221	IRBZONMYR	189
IIPYUD5HER	353	ILLEMFLAG	220	IRCBDHMPREC	179
IIPYUD5INH	353	ILLEMMON	220	IRCD2YFU	198
IIPYUD5MRJ	352	ILLEMYR	220	IRCDUAGE	198
IIPYUD5MTH	353	ILLFLAG	219	IRCGRAGE	198
IISALVIAREC	186	ILLMON	219	IRCGRFM	193
IISEDANYREC	187	ILLORALC	221	IRCGRRC	177
IISEDNM30FQ	197	ILLYR	219	IRCGRYFU	199
IISEDNMAGE	206	ILTOBALCFG	220	IRCHMPUS	35
IISEDNMINIT	204	ILTOBALCMN	221	IRCIGAGE	198
IISEDNMREC	189	ILTOBALCYR	221	IRCIGFM	193
IISEDNMYFU	206	ILTOBVAPALC	221	IRCIGRC	177
IISEVPNRMIS	357	IMFEVER	523	IRCIGYFU	198
IISEVPNRUNM	358	IMFFLAG	527	IRCOCAGE	200
IISEVSEDMIS	359	IMFMON	527	IRCOCFM	195
IISEVSEDUNM	359	IMFNDLEVER	523	IRCOCFY	190
IISEVSTMMIS	358	IMFNEDFLAG	527	IRCOCRC	183
IISEVSTMUNM	359	IMFYR	527	IRCOCYFU	200
IISEVTRQMIS	358	IMOTHER	27	IRCOSUPLNYR	445
IISEVTRQUNM	358	IMPCONCN	433	IRCOSUITHNK	445
IISMKLSS30N	193	IMPDYFRQ	436	IRCOSUITRYR	445
IISMKLSSREC	178	IMPGOUT	433	IRCRKAGE	201
IISMKLSSSTRY	199	IMPGOUTM	434	IRCRKFM	195
IISMKLSSIFYFU	199	IMPHHLD	435	IRCRKFY	191
IISTMANYREC	187	IMPHHLDLM	435	IRCRKRC	183
IISTMNM30FQ	197	IMPPEOP	434	IRCRKYFU	201
IISTMNMAGE	206	IMPPEOPM	434	IRDAMTFXREC	185
IISTMNMINIT	204	IMPREMEM	433	IRDSTCHR12	441
IISTMNMREC	189	IMPRES	435	IRDSTCHR30	439
IISTMNMIFYFU	206	IMPRESM	435	IRDSTEFF12	441
IISUICTHNK	444	IMPSOC	434	IRDSTEFF30	440
IISUIPLANYR	445	IMPSOCM	434	IRDSTHOP12	440
IISUITRYR	445	IMPWEEKS	436	IRDSTHOP30	439
IISUTDETOX	393	IMPWORK	436	IRDSTNGD12	441
IISUTERED	390	IMPYDAYS	436	IRDSTNGD30	440
IISUTINHOSP	390	INCOME	40	IRDSTNRV12	440
IISUTINOPL	391	INHAL30ES	139	IRDSTNRV30	439
IISUTINRHAB	390	INHAL30N	139	IRDSTRST12	441
IISUTINRSMH	391	INHALAGE	137	IRDSTRST30	439
IISUTOUTDOC	392	INHALEVER	136	IRDSTWORST	440
IISUTOUTHOSP	392	INHALFLAG	214	IRECSTMOAGE	202
IISUTOUTMHCR	391	INHALMFU	137	IRECSTMOREC	185
IISUTOUTOPL	392	INHALMON	214	IRECSTMOYFU	203
IISUTOUTRHAB	391	INHALOT1	133	IREDUHIGHST2	12
IISUTOUTSCHL	392	INHALOT2	135	IRFAMIN3	39
IISUTOUTTHRP	391	INHALOT3	136	IRFAMPMT	38
IISUTPEERSPC	393	INHALOT4	136	IRFAMSOC	38

INDEX

IRFAMSSI	38	IRMJMONPILL	183	IRSTMNMVYFU	206
IRFAMSVC	38	IRMJMNSKIN	183	IRSUICTHNC	444
IRFENTANYR	187	IRMJMNSMOKE	181	IRSUIPLANR	445
IRFENTNMYR	188	IRMJMONVAPE	182	IRSUITRYR	445
IRFLVVAPREC	524	IRMJRC	179	IRSUTDETOX	393
IRFSTAMP	38	IRMJYFU	200	IRSUTERED	390
IRGHBREC	269	IRMJYRDAB	180	IRSUTINHOSP	390
IRHALLUC30N	196	IRMJYREAT	180	IRSUTINOPL	391
IRHALLUCAGE	201	IRMJYRMOUTH	180	IRSUTINRHAB	390
IRHALLUCREC	184	IRMJYROTHER	181	IRSUTINRSMH	390
IRHALLUCYFQ	191	IRMJYRPILL	181	IRSUTOUTDOC	392
IRHALLUCYFU	202	IRMJYRSKIN	181	IRSUTOUTHOSP	392
IRHERAGE	201	IRMJYRSMOKE	179	IRSUTOUTMHCR	391
IRHERFM	195	IRMJYRVAPE	180	IRSUTOUTOPL	392
IRHERFY	191	IRNICVAP30N	193	IRSUTOUTRHAB	391
IRHERRC	184	IRNICVAPAGE	199	IRSUTOUTSCHL	392
IRHERYFU	201	IRNICVAPREC	178	IRSUTOUTTHRP	391
IRHH65_2	28	IRNICVAPYFU	199	IRSUTPEERSPC	393
IRHHSIZ2	27	IRNPCOLDREC	269	IRSUTPHVID	393
IRIMFREC	524	IROTHHLT	35	IRSUTRXALC	392
IRIMPCONCN	442	IROXCENANYR	187	IRSUTRXDRG	393
IRIMPGOUT	442	IROXCNNMYR	188	IRSUTSUPPGRP	390
IRIMPGOUTM	442	IRPCPAGE	202	IRSYNMRJREC	524
IRIMPHHLD	443	IRPCPRC	185	IRSYNSTMREC	524
IRIMPHHLDM	444	IRPCPYFU	202	IRTRQANYREC	187
IRIMPPEOP	442	IRPINC3	39	IRTRQNM30FQ	197
IRIMPPEOPM	443	IRPIPLF	177	IRTRQNMAGE	205
IRIMPREMEM	442	IRPIPMN	178	IRTRQNMINIT	204
IRIMPRESM	444	IRPMNICDEP	66	IRTRQNMREC	188
IRIMPSOC	443	IRPNRANYREC	186	IRTRQNMVYFU	205
IRIMPSOCM	443	IRPNRNM30FQ	196	IRUD5PNRMIS	354
IRIMPWORK	444	IRPNRNMAGE	205	IRUD5PNRUNM	354
IRINHAL30N	196	IRPNRNMINIT	204	IRUD5SEDNIS	355
IRINHALAGE	203	IRPNRNMREC	188	IRUD5SEDNUM	355
IRINHALREC	186	IRPNRNMVYFU	205	IRUD5STMMIS	354
IRINHALYFQ	192	IRPRVHLT	35	IRUD5STMUNM	355
IRINHALYFU	203	IRPYSEV5ALC	355	IRUD5TRQMIS	354
IRINSUR4	36	IRPYSEV5COC	356	IRUD5TRQUNM	354
IRKETMINREC	185	IRPYSEV5SHAL	357	IRWELMOS	38
IRKI17_2	27	IRPYSEV5SHER	356	IRWRKSTAT	26
IRKRATREC	524	IRPYSEV5INH	357	IRWRKSTAT18	26
IRLSDAGE	202	IRPYSEV5MRJ	356	KETMINESK	113
IRLSDRC	184	IRPYSEV5MTH	357	KETMINFLAG	214
IRLSDYFU	202	IRPYUD5ALC	352	KETMINMON	214
IRMARIT	12	IRPYUD5COC	352	KETMINREC	128
IRMCDCHP	35	IRPYUD5HAL	353	KETMINYR	214
IRMEDICR	35	IRPYUD5HER	353	KIDNYDSAG	518
IRMETHAM30N	196	IRPYUD5INH	353	KIDNYDSEV	513
IRMETHAMAGE	203	IRPYUD5MRJ	352	KRATEVER	521
IRMETHAMREC	186	IRPYUD5MTH	353	KRATOMFLAG	526
IRMETHAMYFQ	192	IRSALVIAREC	186	KRATOMMON	526
IRMETHAMYFU	203	IRSEDANYREC	187	KRATOMYR	526
IRMHTERED	498	IRSEDNM30FQ	197	KRATREC	522
IRMHTINHOSP	498	IRSEDNMAGE	206	KSSLR6MAX	446
IRMHTINOPL	499	IRSEDNMINIT	204	KSSLR6MON	446
IRMHTINRHAB	498	IRSEDNMREC	189	KSSLR6MONED	437
IRMHTINRSMH	498	IRSEDNMVYFU	206	KSSLR6YR	446
IRMHTOUTDOC	499	IRSEVPNRMIS	357	KSSLR6YRED	437
IRMHTOUTHOSP	500	IRSEVPNRUNM	358	LANGVER	535
IRMHTOUTMHCR	499	IRSEVSEDMIS	359	LGAS	131
IRMHTOUTOPL	500	IRSEVSEDUNM	359	LGASEVER	222
IRMHTOUTRHAB	499	IRSEVSTMMIS	358	LMIPY	448
IRMHTOUTSCHL	500	IRSEVSTMUNM	359	LMMIPY	448
IRMHTOUTTHRP	499	IRSEVTRQMIS	358	LMMISUD5ANY	449
IRMHTPEERSPC	501	IRSEVTRQUNM	358	LSD	112
IRMHTPHVID	500	IRSEX	12	LSDAGE	125
IRMHTRXMED	500	IRSMKLSS30N	193	LSDAGLST	374
IRMHTSUPPGRP	498	IRSMKLSSREC	178	LSDFLAG	213
IRMJAGE	200	IRSMKLSSTRY	199	LSDMFU	126
IRMJFM	194	IRSMKLSSYFU	199	LSDMLU	375
IRMJFY	190	IRSTMANVYREC	187	LSDMON	213
IRMJMONDAB	182	IRSTMNM30FQ	197	LSDREC	126
IRMJMONEAT	182	IRSTMNMAGE	206	LSDYFU	125
IRMJMONMOUTH	182	IRSTMNMINIT	204	LSDYLU	374
		IRSTMNMREC	189	LSDYR	213

INDEX

LVLDIFCARE2	11	MHTUNNOHLP	496	MKMFREEYR	93
LVLDIFCOMM2	11	MHTUNNOOPN	494	MKMGREWYR	93
LVLDIFHEAR2	11	MHTUNPRIV	495	MKMLOOGMCOM2	97
LVLDIFMEM2	11	MHTUNPROBS	494	MKMLOOOUNCE	98
LVLDIFSEE2	10	MHTUNPTHNK	495	MKMOTHWAYYR	94
LVLDIFWALK2	11	MHTUNSTART	495	MKMSELLMRJ	98
MAIN102	6	MHTUNTIME	495	MKMTRADEYR	93
MDEIMPY	492	MHTUNWHER	494	MMIPY	448
MEDICARE	30	MICATPY	448	MOVSNPYR2	10
MEDMJPA2	92	MILSTAT	8	MR30EST	88
MEFQFLG	141	MILTCHLDR	17	MRBSTWAY	87
MESC	112	MILTFAMLY	17	MRDAYPMO	88
MESCEVER	222	MILTPARNT	17	MRDAYPWK	88
METHAGLST	378	MILTSIBLN	18	MRDAYPYR	87
METHAM30E	142	MILTSPPAR	17	MRJAGLST	364
METHAM30N	142	MJAGE	85	MRJFLAG	209
METHAMAGE	140	MJALLMEDYR	92	MRJMDAYS	239
METHAMEVR	140	MJANYMEDYR	92	MRJMLU	365
METHAMFLAG	215	MJCMOTHMON	212	MRJMON	210
METHAMMFU	140	MJCMOTHYR	211	MRJMONVAP2	211
METHAMMON	215	MJDABMON	211	MRJYDAYS	237
METHAMREC	141	MJDABYR	210	MRJYLU	364
METHAMYFQ	141	MJDAY30A	88	MRJYR	210
METHAMYFU	140	MJEATMON	211	MRJYRBFER	364
METHAMYR	215	MJEATYR	210	MRTOTFG	87
METHDYPMO	142	MJEVER	85	MTHNEDEVER	270
METHDYPWK	142	MJFQFLG	87	MXMJPNLT	47
METHDYSYR	141	MJMFU	86	NDSSDEPND	65
METHEASWY	141	MJMONDAB	91	NEWRACE2	14
METHMOLST	379	MJMONEAT	91	NICVAP30N	54
METHNDAYPM	240	MJMONMOUTH	91	NICVAPAGE	53
METHNDAYYR	238	MJMONPILL	92	NICVAPEVER	53
METHNDLRC	261	MJMONSKIN	91	NICVAPFLAG	208
METHNEEDL	261	MJMONSMOKE	90	NICVAPMFU	54
METHYRLST	378	MJMONVAPE	91	NICVAPMON	208
METOTFG	141	MJMTHMON	211	NICVAPREC	54
MHNTCARE	505	MJMTHYR	210	NICVAPYFU	53
MHNTCONSO	504	MJONLYFLAG	219	NICVAPYR	208
MHNTCOST	503	MJONLYMON	219	NICVPMDAYS	239
MHNTENFCV	503	MJONLYYR	219	NITOXID	131
MHNTFFLKE	504	MJOTHYR	211	NITOXIEVER	222
MHNTFORCE	505	MJPLLMON	212	NMERTMT2	507
MHNTHNDL	504	MJPLLYR	210	NMNGTHS2	507
MHNTINSCV	503	MJREC	86	NMVSOEST	508
MHNTMEDS	505	MJSKNMON	212	NMVSOPT2	508
MHNTNOFND	503	MJSKNYR	210	NOBOOKY2	41
MHNTNOHLP	505	MJSMKMON	211	NOMARR2	10
MHNTNOOPN	504	MJSMKYR	210	NONABOVEV	513
MHNTPRIV	504	MJVAPMON	211	NPCOLDFLAG	271
MHNTPROBS	504	MJVAPYR	210	NPCOLDMON	271
MHNTPTHNK	504	MJYFU	86	NPCOLDYR	271
MHNTSTART	504	MJYRDAB	89	NRCH17 2	27
MHNTTIME	504	MJYREAT	89	OPIANYR	216
MHNTWHER	503	MJYRMOUTH	89	OPIIMFNMNMN	528
MHTINOTHPY	502	MJYROTHER	90	OPIIMFNMYR	528
MHTINPPY	502	MJYRPILL	90	OPINMMON	219
MHTNSEEKPY	503	MJYRSKIN	90	OPINMYR	219
MHTOUTNDOC	502	MJYRSMOKE	89	OTCFLAG	257
MHTOUTOTPY	502	MJYRTOT	87	OTDGNDLA	262
MHTOUTPPY	502	MJYRVAPE	89	OTDGNDLB	264
MHTRTOTHPY	502	MKMAMTPDCOM2	94	OTDGNDLCL	265
MHTRTPY	502	MKMBGHT30N2	94	OTDGNDLCLD	266
MHTSEEKTX	493	MKMBGHTDAB	96	OTDGNDLCL	267
MHTSHLDTX	493	MKMBGHTDISP	95	OTDGNDLRCL	267
MHTSKTHPY	503	MKMBGHTDRPS	96	OTDGNEDL	261
MHTUNCARE	497	MKMBGHTEDBLE	96	OTHAEREVER	223
MHTUNCONSO	495	MKMBGHTJNT	95	OTHAEROS	132
MHTUNCOST	493	MKMBGHTKNW	95	OTHINS	36
MHTUNENFCV	494	MKMBGHTLOO	95	OTHRPNRANY	225
MHTUNFFLKE	496	MKMBGHTLTN	97	OTHRPNRMIS	232
MHTUNFORCE	496	MKMBGHTOTH	97	OTHRSEDANY	230
MHTUNHNDL	496	MKMBGHTPILL	97	OTHRSEDMIS2	237
MHTUNINSCV	493	MKMBGHTREC	94	OTHRSTMANY	228
MHTUNMED	496	MKMBGHTVAPE	96	OTHRSTMIS	236
MHTUNNOFND	494	MKMBGHTYR	93	OTHRTRQANY	227

INDEX

OTHRTRQMIS	234
OXCNNYYR	143
OXCNNMAGE	144
OXCNNMMFU	145
OXCNNMYFU	144
OXCNNMYR	144
OXYCNNYYR	215
OXYCNNMYR	217
PARCHKHW	424
PARHLPHW	424
PARLMTSN	425
PAROL	48
PAROLREL	45
PCP	112
PCPAGE	126
PCPAGLST	375
PCPFLAG	213
PCPMFU	127
PCPMLU	376
PCPMON	213
PCPREC	127
PCPYFU	126
PCPYLU	375
PCPYR	213
PDEN10	5
PEYOTE	112
PEYOTEEVER	221
PIPE30DY	59
PIPEVER	58
PIPFLAG	207
PIPMON	207
PMNICDEP	65
PNRANYFLAG	215
PNRANYLIF	143
PNRANYREC	143
PNRANYR	215
PNRMAINRSN	245
PNRNDAYPM	240
PNRNM30AL	147
PNRNM30D	146
PNRNM30ES	147
PNRNM30FQ	146
PNRNMAGE	146
PNRNMFLAG	217
PNRNMINIT	145
PNRNMLASI	149
PNRNMMLIF	144
PNRNMFMFU	146
PNRNMFMON	217
PNRNMREC	145
PNRNMRYFU	146
PNRNMRYR	217
PNRNORXFG	152
PNRRSDGFX	151
PNRRSEMOT	150
PNRRSEXT	150
PNRRSHIGH	150
PNRRSHOOK	151
PNRRSMAN	152
PNRRSOTRS2	151
PNRRSPAIN	149
PNRRSRELX	150
PNRRSSLEP	150
PNRRSSOR	151
PNRWYGAMT	147
PNRWYLNGR	148
PNRWYNORX	147
PNRWYOFTN	148
PNRWYOTWY	148
POVERTY3	40
PRALDLV2	426
PRBSOLV2	427
PRCHORE2	424
PREG	520
PREG2	520

PREGAGE2	13
PREGNANT	506
PREGPGM2	428
PREVIOL2	427
PRGDJOB2	425
PRLMTTV2	425
PRMJEV2	426
PRMJMO	426
PROB	48
PROBATON	45
PRPKCIG2	426
PRPROUD2	425
PRTALK3	427
PRVDRGO2	427
PRVHLTIN	31
PRXRETRY	29
PRXYDATA	29
PSILCY	113
PSILCYEVER	222
PSYANYFLAG	216
PSYANYR	216
PSYCHFLAG	218
PSYCHMON	218
PSYCHYR	218
PYUDSALC	348
PYUD5COC	348
PYUD5HAL	349
PYUD5HER	349
PYUD5INH	349
PYUD5MRJ	348
PYUD5MTH	349
QUESTID2	3
RCVMHTNSUT	505
RCVSUTAMHT	505
RCVSUTNMHT	505
RCVSUTOMHT	505
RCVYMHPRB	526
RCVYSUBPRB	526
RKFPDBLT	404
RKFPBLT	404
RLGATTD	428
RLGDCSN	428
RLGERND	428
RLGIMPT	428
RSKBNGDLY	402
RSKBNGWK	402
RSKCIGPKD	400
RSKCOCMON	401
RSKCOCWK	401
RSKHERTRY	401
RSKHERWK	401
RSKLSDRY	400
RSKLSDWK	401
RSKMRJMON	400
RSKMRJWK	400
RSKYFQDGR	403
RSKYFQTES	404
RSNMJRMO	101
RSNOMRJ	101
RXALPRANY	226
RXALPRMIS	233
RXAMMEANY	227
RXAMMEMIS	235
RXAMPHANY	227
RXAMPHMIS	235
RXANORANY	228
RXANORMIS	235
RXBARBANY	230
RXBARBMIS	237
RXBUPRANY	224
RXBUPRMIS	231
RXBZOSANY	229
RXBZOSMIS	236
RXBZOTANY	225
RXBZOTMIS	233

RXCLONANY	226
RXCLONMIS	233
RXCODEANY	224
RXCODEMIS	231
RXCYCLANY	227
RXCYCLMIS	234
RXDEMEANY	225
RXDEMEMIS	232
RXDIAZANY	226
RXDIAZMIS	233
RXESZOANY	229
RXESZOMIS	236
RXFLURANY	230
RXHYDCANY	223
RXHYDCMIS	230
RXHYDMANY	225
RXHYDMMIS	232
RXLORAANY	226
RXLORAMIS	233
RXMORPANY	224
RXMORPMIS	231
RXMRLXANY	226
RXMRLXMIS	234
RXMTDNANY	225
RXMTDNMIS	232
RXMTHPANY	228
RXMTHPMIS	235
RXOXCOANY	223
RXOXCOMIS	230
RXOXYMANY	224
RXOXYMMIS	231
RXPROVANY	228
RXPROVMIS	236
RXSOMAANY	227
RXSOMAMIS	234
RXTEMAANY	229
RXTRAMANY	224
RXTRAMMIS	231
RXTRIAANY	229
RXZALEANY	229
RXZOHYANY	223
RXZOHYMIS	230
RXZOLPANY	228
RXZOLPMIS	236
SALVIADIV	113
SALVIAFLAG	214
SALVIAMON	214
SALVIAREC	129
SALVIAYR	214
SCHFELT	424
SEDANYFLAG	216
SEDANYLIF	170
SEDANYREC	170
SEDANYR	216
SEDMAINRSN	248
SEDNDAYPM	240
SEDNM30AL	173
SEDNM30D	172
SEDNM30ES	172
SEDNM30FQ	172
SEDNMAGE	171
SEDNMFLAG	218
SEDNMINIT	171
SEDNMLAST	174
SEDNMMLIF	171
SEDNMFMFU	172
SEDNMFMON	218
SEDNMREC	171
SEDNMRYFU	172
SEDNMRYR	218
SEDNORXFG	176
SEDRSDGFX	175
SEDRSEMOT	175
SEDRSEXT	174
SEDRSHIGH	175

INDEX

SEDRSHOOK	175	STMNDLYR	165	SUTOUTNDOC	394
SEDRSMAN	176	STMNM30AL	164	SUTOUTODG	384
SEDRSOTRS2	176	STMNM30D	163	SUTOUTOPPY	395
SEDRSRELX	174	STMNM30ES	164	SUTOUTPNR	383
SEDRSSLEP	175	STMNM30FQ	163	SUTOUTPNRPY	395
SEDRSSOR	175	STMNMAGE	162	SUTOUTPPY	394
SEDWYGAMT	173	STMNMFLAG	217	SUTOUTPSYPY	395
SEDWYLNGR	173	STMNMINIT	162	SUTOUTSED	384
SEDWYNORX	173	STMNMLAS1	166	SUTOUTSEDPY	395
SEDWYOFTN	173	STMNMLIF	162	SUTOUTSTM	383
SEDWYOTWY	174	STMNMMFU	163	SUTOUTSTMPY	395
SERVICE	8	STMNMMON	217	SUTOUTTQSDPY	395
SEVYRPNRANY	362	STMNMREC	162	SUTOUTTRQ	384
SEVYRSEDANY	362	STMNMYFU	163	SUTOUTTROPY	395
SEVYRSTMANY	362	STMNMYR	217	SUTOUTUNSPPY	396
SEVYRTRQANY	362	STMNORXFG	169	SUTPEERADB	385
SEXAGE	14	STMRSALRT	167	SUTPHVIADB	385
SEXATRACT	7	STMRSCONC	166	SUTPHVIALC	396
SEXIDENT	7	STMRSDGFX	167	SUTPHVIDRG	396
SEXRACE	14	STMRSXPT	167	SUTRTALCPY	397
SMIPPPY	447	STMRSHIGH	167	SUTRTDRALPY	397
SMIPY	447	STMRSHOOK	168	SUTRTDRGPY	396
SMIRSUD5ANY	449	STMRSMAIN	169	SUTRTOTHPY	397
SMISUD5ANY	449	STMRSOTRS2	168	SUTRTPY	396
SMISUD5ANYO	449	STMRSSOR	168	SUTRTUNSPPY	397
SMKAGLAST	367	STMRSSTDY	167	SUTSKTHPY	397
SMKLSMDAYS	238	STMRSWGHT	166	SUTSUPPADB	381
SMKLS30E	56	STMWYGAMT	164	SUTUNCARE	389
SMKLS30N	56	STMWYLNGR	165	SUTUNCONSO	387
SMKLSSEVR	55	STMWYNORX	164	SUTUNCOST	385
SMKLSFLAG	207	STMWYOFTN	165	SUTUNENFCV	386
SMKLSMFU	55	STMWYOTWY	165	SUTUNFFLKE	388
SMKLSMON	207	STNDALC	424	SUTUNFORCE	388
SMKLSREC	56	STNDDNK	424	SUTUNHNDL	388
SMKLSSTRY	55	STNDSICG	424	SUTUNINSCV	386
SMKLS5YFU	55	STNDSMJ	424	SUTUNNOFND	386
SMKLS5YR	207	SUICTHNC	436	SUTUNNOHLP	389
SMKMOLAST	368	SUIPLANYR	437	SUTUNNOOPN	386
SMKYRLAST	367	SUNTARE	399	SUTUNPRIV	387
SMMIPY	448	SUNTCONSO	399	SUTUNPROBS	387
SNFAMJEV	407	SUNTFCST	397	SUTUNPTHNC	387
SNRLDCSN	408	SUNTENCV	398	SUTUNQUIT	388
SNRLFRND	408	SUNTFFLKE	399	SUTUNSTART	388
SNRLGIMP	408	SUNTFCRE	399	SUTUNTIME	387
SNRLGSVC	408	SUNTHNDL	399	SUTUNWHER	386
SNYATTAK	407	SUNTINSCV	398	SVBZOANYR	170
SNYSELL	407	SUNTNOFND	398	SVBZONMYR	176
SNYSTOLE	407	SUNTNOHLP	399	SVYRCNSANY	362
SOLVENEVER	222	SUNTNOOPN	398	SVYRDUDANY	363
SOLVENT	131	SUNTPRIV	398	SVYROPIANY	362
SPAINTER	223	SUNTPROBS	398	SVYRPSYANY	362
SPDPSTMON	446	SUNTPTHNC	398	SVYRSUDANY	363
SPDPSTYR	446	SUNTQUIT	399	SVYRTQSDANY	362
SPEAKENGL	10	SUNTSTART	399	SYNMRJEVR	522
SPPAINT	132	SUNTTIME	398	SYNMRJFLAG	527
SRCCLFRPNR	251	SUNTWHER	398	SYNMRJMON	527
SRCCLFRSED	251	SUTINPPY	394	SYNMRJREC	522
SRCCLFRSTM	251	SUTNEEDPY	397	SYNMRJYR	527
SRCCLFRTRQ	251	SUTOUTALC	381	SYNSTMEVR	523
SRCFRPNRNM	250	SUTOUTALCPY	394	SYNSTMFLAG	527
SRCFRSEDNM	251	SUTOUTCNSPY	395	SYNSTMMON	527
SRCFRSTMNM	250	SUTOUTCOC	382	SYNSTMREC	523
SRCFRTRQNM	250	SUTOUTCOCPY	394	SYNSTMYR	527
SRCPNRNM2	249	SUTOUTDRALPY	396	TALKPROB	427
SRCSEDNM2	249	SUTOUTDRGPY	396	TCHJOB	424
SRCSTMNM2	249	SUTOUTHALL	382	TELEAPTYR	508
SRCTRQNM2	249	SUTOUTHALPY	394	TELEAPTYR2	520
STDANYR	511	SUTOUTHER	382	TOBALCFLG	221
STMANYFLAG	215	SUTOUTHERPY	394	TOBALCMN	221
STMANYLIF	161	SUTOUTINHL	382	TOBALCYR	221
STMANYREC	161	SUTOUTINHPY	395	TOBCIGONL	208
STMANYR	215	SUTOUTMETH	383	TOBCIGVAP2	209
STMMAINRSN	247	SUTOUTMRJ	381	TOBFLAG	208
STMNDAYPM	240	SUTOUTMRJPY	394	TOBMON	208
STMNDLREC	165	SUTOUTMTHPY	395	TOBVAPONL2	209

INDEX

TOBVNICFLAG	208	UD5PSYANY	360	UDHASTOPACT	305
TOBVNICMON	209	UD5TRQSDANY	360	UDHASTRURGE	303
TOBVNICYR	208	UDALAVOIDWD	279	UDHATIMEGET	303
TOBYR	208	UDALAVWALCO	279	UDHATIMEUSE	302
TQSDANYFLG	216	UDALAVWOTH	279	UDHATRYSTOP	304
TQSDANYR	216	UDALAVWSVTR	279	UDHAWANTBAD	303
TQSDNMFLAG	218	UDALBLCKCTD	275	UDHAWORKPRB	306
TQSDNMMON	218	UDALBLCKOUT	275	UDHAWSHSTOP	304
TQSDNMYR	218	UDALFMLYCTD	277	UDHEAVOIDWD	301
TRBZOANYR	153	UDALFMLYPRB	276	UDHEAVWHERN	302
TRBZONMYR	160	UDALGETHURT	277	UDHEAVWOTH	302
TRIMEST	520	UDALHLTHCTD	274	UDHEAVWP NRL	302
TRQANYFLAG	215	UDALHLTHPRB	274	UDHEFMLYCTD	299
TRQANYLIF	153	UDALLESSEFF	273	UDHEFMLYPRB	299
TRQANYREC	153	UDALLRGAMTS	272	UDHEGETHURT	299
TRQANYR	215	UDALMNTLCTD	275	UDHEHLTHCTD	298
TRQMAINRSN	246	UDALMNTLPRB	275	UDHEHLTHPRB	297
TRQNDAYPM	240	UDALNEEDMOR	273	UDHELESSEFF	297
TRQNM30AL	156	UDALNOTSTOP	274	UDHELRGAMTS	296
TRQNM30D	155	UDALSTOPACT	276	UDHEMNTLCTD	298
TRQNM30ES	155	UDALSTRURGE	273	UDHEMNTLPRB	298
TRQNM30FQ	155	UDALTIMEGET	272	UDHENEEDMOR	296
TRQNMAGE	154	UDALTIMEUSE	272	UDHENOTSTOP	297
TRQNMFLAG	217	UDALTRYSTOP	273	UDHESTOPACT	298
TRQNMINT	154	UDALWANTBAD	272	UDHESTRURGE	296
TRQNMLAS1	157	UDALWDFLANX	278	UDHETIMEGET	296
TRQNMLIF	154	UDALWDHALUC	278	UDHETIMEUSE	295
TRQNMMFU	155	UDALWDSITST	278	UDHETRYSTOP	297
TRQNMMON	217	UDALWDSLEEP	278	UDHEWANTBAD	296
TRQNMREC	154	UDALWDSWEAT	277	UDHEWDCRAMP	300
TRQNMRFU	155	UDALWDTRMBL	277	UDHEWDDIARR	301
TRQNMRY	217	UDALWDVOMIT	278	UDHEWDFEVER	301
TRQNORXFG	159	UDALWORKPRB	276	UDHEWDFLBU	300
TRQRSDGFX	158	UDALWSHSTOP	274	UDHEWDRUNNY	300
TRQRSEMOT	158	UDCCA VOIDWD	294	UDHEWDSLEEP	301
TRQRSEXPT	157	UDCCA VWCOCN	294	UDHEWDSWEAT	300
TRQRSHIGH	158	UDCCA VWMETH	295	UDHEWDVOMIT	300
TRQRSHOOK	158	UDCCA VWOTH	295	UDHEWDYAWNS	301
TRQRSMAN	159	UDCCA VWSTRIM	295	UDHEWORKPRB	299
TRQRSOTRS2	159	UDCCFMLYCTD	292	UDHEWSHSTOP	297
TRQRSRELX	157	UDCCFMLYPRB	292	UDINFMLYCTD	310
TRQRSSEP	158	UDCCGETHURT	292	UDINFMLYPRB	310
TRQRSOR	159	UDCCHLTHCTD	291	UDINGETHURT	311
TRQWYGAMT	156	UDCCHLTHPRB	290	UDINHLTHCTD	309
TRQWYLNGR	156	UDCCLESSEFF	290	UDINHLTHPRB	309
TRQWYNORX	156	UDCCLRGAMTS	289	UDINLESSEFF	308
TRQWYOTN	156	UDCCMNTLCTD	291	UDINLRGAMTS	307
TRQWYOTWY	157	UDCCMNTLPRB	291	UDINMNTLCTD	309
UADBAR	81	UDCCNEEDMOR	289	UDINMNTLPRB	309
UADBUND	83	UDCCNOTSTOP	290	UDINNEEDMOR	308
UADBWHO	82	UDCCSTOPACT	291	UDINNOTSTOP	308
UADCAG	83	UDCCSTRURGE	289	UDINSTOPACT	310
UADCAR	81	UDCCTIMEGET	289	UDINSTRURGE	307
UADEVNT	81	UDCCTIMEUSE	288	UDINTIMEGET	307
UADFRD	83	UDCCTRYSTOP	290	UDINTIMEUSE	307
UADFWHO	83	UDCCWANTBAD	289	UDINTRYSTOP	308
UADHOME	81	UDCCWDDREAM	293	UDINWANTBAD	307
UADMONY	82	UDCCWDFLBU	293	UDINWORKPRB	310
UADOTHM	81	UDCCWDHNGRY	294	UDINWSHSTOP	308
UADOTSP2	82	UDCCWDSITST	294	UDMEAVOIDWD	316
UADPAID	82	UDCCWDSLEEP	293	UDMEAVWCOCN	317
UADPEOP	81	UDCCWDTIRED	293	UDMEAVWMETH	316
UADPLACE	82	UDCCWORKPRB	292	UDMEAVWOTH	317
UADPUBL	81	UDCCWSHSTOP	290	UDMEAVWSTRIM	317
UADROTH	82	UDHAFMLYCTD	306	UDMEFMLYCTD	314
UADSCHL	81	UDHAFMLYPRB	306	UDMEFMLYPRB	314
UD5ALNILANY	361	UDHAGETHURT	306	UDMEGETHURT	315
UD5CNSANY	360	UDHAHLTHCTD	305	UDMEHLTHCTD	313
UD5HRPNRANY	360	UDHAHLTHPRB	304	UDMEHLTHPRB	313
UD5IEMANY	360	UDHALESSEFF	304	UDMELESSEFF	312
UD5ILAALANY	361	UDHALRGAMTS	303	UDMELRGAMTS	311
UD5ILALANY	361	UDHAMNTLCTD	305	UDMEMNTLCTD	313
UD5ILLANY	360	UDHAMNTLPRB	305	UDMEMNTLPRB	313
UD5ILNALANY	361	UDHANEEDMOR	303	UDMENEEDMOR	312
UD5OPIANY	360	UDHANOTSTOP	304	UDMENOTSTOP	312

INDEX

UDMESTOPACT	314	UDPRWDSWEAT	323	UDTRLRGAMTS	326
UDMESTRURGE	312	UDPRWDVOMIT	323	UDTRMNTLCTD	329
UDMETIMEGET	311	UDPRWDYAWNS	324	UDTRMNTLPRB	328
UDMETIMEUSE	311	UDPRWORKPRB	321	UDTRNEEDMOR	327
UDMETRYSTOP	312	UDPRWSHSTOP	320	UDTRNOTSTOP	327
UDMEWANTBAD	311	UDSTAVOIDWD	339	UDTRSTOPACT	329
UDMEWDDREAM	315	UDSTAVWCOCN	340	UDTRSTRURGE	326
UDMEWDFLBLU	315	UDSTAVWMETH	340	UDTRTIMEGET	326
UDMEWDHNGRY	316	UDSTAVWOTHR	340	UDTRTIMEUSE	325
UDMEWDSITST	316	UDSTAVWSTIM	339	UDTRTRYSTOP	327
UDMEWDSLEEP	315	UDSTFMLYCTD	337	UDTRWANTBAD	326
UDMEWDTIRED	315	UDSTFMLYPRB	337	UDTRWDFLANX	332
UDMEWORKPRB	314	UDSTGETHURT	337	UDTRWDHALUC	331
UDMEWSHSTOP	313	UDSTHLTHCTD	336	UDTRWDSITST	331
UDMJAVOIDWD	288	UDSTHLTHPRB	335	UDTRWDSLEEP	331
UDMJAVWMARJ	288	UDSTLESSEFF	334	UDTRWDSWEAT	330
UDMJAVWOTHR	288	UDSTLRGAMTS	333	UDTRWDTRMBL	331
UDMJFMLYCTD	284	UDSTMNTLCTD	336	UDTRWDVOMIT	331
UDMJFMLYPRB	284	UDSTMNTLPRB	336	UDTRWORKPRB	329
UDMJGETHURT	284	UDSTNEEDMOR	334	UDTRWSHSTOP	328
UDMJHLTHCTD	282	UDSTNOTSTOP	335	UDYR5PNRANY	361
UDMJHLTHPRB	282	UDSTSTOPACT	336	UDYR5SEDANY	361
UDMJLESSEFF	281	UDSTSTRURGE	334	UDYR5STMANY	361
UDMJLRGAMTS	280	UDSTTIMEGET	333	UDYR5TRQANY	361
UDMJMNTLCTD	283	UDSTTIMEUSE	333	VEREP	4
UDMJMNTLPRB	283	UDSTTRYSTOP	335	VESTR C	4
UDMJNEEDMOR	281	UDSTWANTBAD	334	WHODASDAED	438
UDMJNOTSTOP	282	UDSTWDDREAM	338	WHODASDASC	447
UDMJSTOPACT	283	UDSTWDFLBLU	338	WHODASSCED	438
UDMJSTRURGE	281	UDSTWDHNGRY	339	WHODASTOTSC	447
UDMJTIMEGET	280	UDSTWDSITST	339	WRK35WKUS	20
UDMJTIMEUSE	280	UDSTWDSLEEP	338	WRKDHRSWK2	20
UDMJTRYSTOP	281	UDSTWDTIRED	338	WRKDPSTWK	20
UDMJWANTBAD	280	UDSTWORKPRB	337	WRKDPSTYR	21
UDMJWDANGRY	285	UDSTWSHSTOP	335	WRKDRGALB	23
UDMJWDAPPET	285	UDSVAVOIDWD	347	WRKDRGEDU	23
UDMJWDCHILL	287	UDSVAVWALCO	347	WRKDRGHLP	24
UDMJWDDEPRS	286	UDSVAVWOTHR	348	WRKDRGPOL	23
UDMJWDFEVER	287	UDSVAVWSVTR	347	WRKEFFORT	21
UDMJWDFLANX	285	UDSVFMLYCTD	345	WRKHADJOB	20
UDMJWDHEDAC	287	UDSVFMLYPRB	345	WRKLASTYR2	22
UDMJWDSHAKE	286	UDSVGETHURT	345	WRKNJBPYR	22
UDMJWDSITST	286	UDSVHLTHCTD	343	WRKNJBWKS	22
UDMJWDSLEEP	285	UDSVHLTHPRB	343	WRKNUMJOB2	22
UDMJWDSTMCH	286	UDSVLESSEFF	342	WRKOKPREH	25
UDMJWDSWEAT	287	UDSVLRGAMTS	341	WRKOKRAND	25
UDMJWORKPRB	284	UDSVMNTLCTD	344	WRKRSNJOB	21
UDMJWSHSTOP	282	UDSVMNTLPRB	343	WRKRSNNOT	21
UDPRAVOIDWD	324	UDSVNEEDMOR	342	WRKSELFEM	22
UDPRAVWHERN	325	UDSVNOTSTOP	342	WRKSICKMO	23
UDPRAVWOTHR	325	UDSVSTOPACT	344	WRKSKIPMO	23
UDPRAVWP NRL	325	UDSVSTRURGE	341	WRKSTATWK2	20
UDPRFMLYCTD	322	UDSVTIMEGET	341	WRKTST1ST	25
UDPRFMLYPRB	322	UDSVTIMEUSE	340	WRKTSTALC	24
UDPRGETHURT	322	UDSVTRYSTOP	342	WRKTSTD RG	24
UDPRHLTHCTD	320	UDSVWANTBAD	341	WRKTSTHIR	24
UDPRHLTHPRB	320	UDSVWDFLANX	347	WRKTSTRDM	24
UDPRLESSEFF	319	UDSVWDHALUC	346	WTANSWER	507
UDPRLRGAMTS	318	UDSVWDSITST	346	WTPOUND2	507
UDPRMNTLCTD	321	UDSVWDSLEEP	346	YALTMDE	491
UDPRMNTLPRB	320	UDSVWDSWEAT	345	YCOUNMDE	490
UDPRNEEDMOR	319	UDSVWDTRMBL	346	YDOCMDE	489
UDPRNOTSTOP	319	UDSVWDVOMIT	346	YEAR	3
UDPRSTOPACT	321	UDSVWORKPRB	344	YEATNDYR	409
UDPRSTRURGE	318	UDSVWSHSTOP	343	YECIGFRNDOF2	411
UDPRTIMEGET	318	UDTRAVOIDWD	332	YECIGNEXTYR2	411
UDPRTIMEUSE	317	UDTRAVWALCO	332	YECOMACT	420
UDPRTRYSTOP	319	UDTRAVWOTHR	333	YEDECLAS	421
UDPRWANTBAD	318	UDTRAVWSVTR	332	YEDERGLR	421
UDPRWDCRAMP	323	UDTRFMLYCTD	330	YEDESPCL	421
UDPRWDDIARR	323	UDTRFMLYPRB	330	YEDGPRGP	419
UDPRWDFEVER	324	UDTRGETHURT	330	YEFAIACT	420
UDPRWDFLBLU	322	UDTRHLTHCTD	328	YEFALDLY	418
UDPRWDRUNNY	323	UDTRHLTHPRB	328	YEFMJEVR	417
UDPRWDSLEEP	324	UDTRLESSEFF	327	YEFMJMO	417

INDEX

YEFKPCIG	417	YO_MDEA2	480	YOWRPLSR	475
YEGALDLY	417	YO_MDEA3	480	YOWRPREG	476
YEGMJEV	416	YO_MDEA4	480	YOWRPROB	474
YEGMJMO	417	YO_MDEA5	481	YOWRSLEP	478
YEGPKCIG	416	YO_MDEA6	481	YOWRSLNO	478
YEHMSLYR	409	YO_MDEA7	481	YOWRSLOW	478
YELSTGRD	410	YO_MDEA8	481	YOWRSMOR	478
YEOTHACT	421	YOATTAK2	426	YOWRTHOT	479
YEPALDLY	416	YOCOUNS	486	YOWRWRTH	480
YEPCHKHW	412	YODPDISC	472	YPSY1MDE	489
YEPCHORE	413	YODPLSIN	472	YPSY2MDE	490
YEPGDJOB	413	YODPPROB	474	YRELMDE	490
YEPHLPHW	412	YODPR2WK	473	YRXMDEYR	489
YEPLMTSN	413	YODPREV	472	YSDSHOME	491
YEPLMTTV	413	YODSCEV	472	YSDSOVRL	492
YEPMJEV	416	YODSLSIN	473	YSDSREL	491
YEPMJMO	416	YODSMDE	481	YSDSSOC	492
YEPKPCIG	415	YOFAMDOC	485	YSDSWRK	491
YEPPROUD	413	YOFIGHT2	425	YSOCMDE	490
YEPBBSLV	419	YOGRPFT2	425	YTHACT2	428
YEPRGSTD	420	YOHERBAL	486	YTXMDEYR	489
YEPRTDNG	419	YOHGUN2	425	YUCOSUPLN	423
YEPVNTYR	421	YOLOSEV	472	YUCOSUPLN2	429
YERLDCSN	422	YOLS12WK	473	YUCOSUITHK	423
YERLFRND	422	YOMDMDE	489	YUCOSUITHK2	429
YERLGIMP	422	YOMHMDE	490	YUSUPLN	423
YERLGSVC	422	YONURSE	486	YUSUPLNRY	429
YESCHACT	420	YOOTHDOC	485	YUSUITHK	423
YESCHFLT	409	YOOTHHLP	486	YUSUITHKYR	428
YESCHIMP	410	YOOTHMHP	486		
YESCHINT	410	YOPB2WK	482		
YESCHWRK	409	YOPBAGE	482		
YESLFHLP	420	YOPBDLYA	482		
YESTSALC	412	YOPBINTF	481		
YESTSCIG	411	YOPBNUM	482		
YESTSDNK	412	YOPBRMBR	482		
YESTSMJ	411	YOPSDAYS	484		
YETCGJOB	410	YOPSHMGT	483		
YETLKBGF	418	YOPSRELS	484		
YETLKNON	418	YOPSSOC	484		
YETLKOTA	418	YOPSWORK	483		
YETLKPAR	418	YOPSYCH	485		
YETLKSOP	419	YOPSYMD	485		
YEVIOPRV	419	YORELIG	486		
YEYARGUP	414	YORX12MO	487		
YEYATTAK	415	YORXHLP	487		
YEYFGTGP	414	YORXNOW	487		
YEYFGTSW	414	YOSEEDOC	485		
YEYHGUN	414	YOSELL2	425		
YEYSELL	415	YOSOCWRK	486		
YEYSTOLE	415	YOSTOLE2	425		
YFLADLY2	426	YOTMTHLP	487		
YFLMJMO	426	YOTMTNOW	487		
YFLPKCG2	426	YOWRAGE	475		
YFLTMRJ2	426	YOWRCHR	474		
YHBCHMDE	490	YOWRCONC	479		
YHLTMDE	490	YOWRDCSN	479		
YMDEAUD5YR	488	YOWRDEPR	475		
YMDEHARX	491	YOWRDIET	477		
YMDEHPO	491	YOWRDISC	475		
YMDEHPRX	491	YOWRDIET	477		
YMDEIMAD5YR	492	YOWRDISC	475		
YMDELT	488	YOWRDST	473		
YMDERSUD5ANY	489	YOWRELES	476		
YMDERXO2	491	YOWREMOR	476		
YMDERSUD5ANYO	489	YOWRENRG	478		
YMDETXR	489	YOWRGAIN	476		
YMDETXR	489	YOWRGNL2	477		
YMDYR	488	YOWRGROW	476		
YMIMISYANY	492	YOWRHRS	473		
YMIMR5YANY	492	YOWRIMP	474		
YMIMS5YANY	492	YOWRJINO	479		
YMIUD5YANY	488	YOWRJITT	479		
YMSUD5YANY	488	YOWRLOSE	477		
YNURSMDE	490	YOWRLSIN	475		
YO_MDEA1	480	YOWRLSL2	477		
		YOWRNOGD	480		

INDEX