Telecom Feature Dictionary & Schema Reference

COMPLETE 100-COLUMN DATA CATALOG FOR COMPANY A CHURN ANALYTICS

Dataset Governance & Confidentiality Notice

Dataset Source: Historical subscriber logs provided by Company A (Anonymous Telecommunications Provider).
Confidentiality Constraint: To preserve strict data privacy policies, explicit identifiers and unreleased column explanations are anonymized/encoded. Business analysis proceeds under these structural constraints.

1. DATASET OVERVIEW & ARCHITECTURE

The underlying database comprises a large-scale relational schema totaling **approximately 100,000 records × 100 columns**. The data is partitioned across two primary tabular structures: **Customer Information (`Client.csv`)** containing demographic and device profiles, and **Usage History (`Record.csv`)** capturing monthly usage metrics, revenue signals, and churn instances. Both tables are linked via `Customer_ID`.

2. FEATURE SCHEMA & COLUMN DESCRIPTIONS (PART 1 / 4)

#	Column Name	Explanation of the Content
1	`rev_Mean`	Mean monthly revenue (charge amount)
2	`mou_Mean`	Mean number of monthly minutes of use
3	`totmrc_Mean`	Mean total monthly recurring charge
4	`da_Mean`	Mean number of directory assisted calls
5	`ovrmou_Mean`	Mean overage minutes of use
6	`ovrrev_Mean`	Mean overage revenue
7	`vceovr_Mean`	Mean revenue of voice overage
8	`datovr_Mean`	Mean revenue of data overage
9	`roam_Mean`	Mean number of roaming calls
10	`change_mou`	Percentage change in monthly minutes of use vs previous three month average
11	`change_rev`	Percentage change in monthly revenue vs previous three month average
12	`drop_vce_Mean`	Mean number of dropped (failed) voice calls
13	`drop_dat_Mean`	Mean number of dropped (failed) data calls
14	`blck_vce_Mean`	Mean number of blocked (failed) voice calls
15	`blck_dat_Mean`	Mean number of blocked (failed) data calls
16	`unan_vce_Mean`	Mean number of unanswered voice calls
17	`unan_dat_Mean`	Mean number of unanswered data calls
18	`plcd_vce_Mean`	Mean number of attempted voice calls placed

2. FEATURE SCHEMA & COLUMN DESCRIPTIONS (PART 2 / 4)

#	Column Name	Explanation of the Content
19	`plcd_dat_Mean`	Mean number of attempted data calls placed
20	`recv_vce_Mean`	Mean number of received voice calls
21	`recv_sms_Mean`	Unexplained field / Reserved feature (NaN)
22	`comp_vce_Mean`	Mean number of completed voice calls
23	`comp_dat_Mean`	Mean number of completed data calls
24	`custcare_Mean`	Mean number of customer care calls
25	`ccrndmou_Mean`	Mean rounded minutes of use of customer care calls
26	`cc_mou_Mean`	Mean unrounded minutes of use of customer care (see CUSTCARE_MEAN) calls
27	`inonemin_Mean`	Mean number of inbound calls less than one minute
28	`threeway_Mean`	Mean number of three way calls
29	`mou_cvce_Mean`	Mean unrounded minutes of use of completed voice calls
30	`mou_cdat_Mean`	Mean unrounded minutes of use of completed data calls
31	`mou_rvce_Mean`	Mean unrounded minutes of use of received voice calls
32	`owylis_vce_Mean`	Mean number of outbound wireless to wireless voice calls
33	`mouowylisv_Mean`	Mean unrounded minutes of use of outbound wireless to wireless voice calls
34	`iwylis_vce_Mean`	Unexplained field / Reserved feature (NaN)
35	`mouiwylisv_Mean`	Mean unrounded minutes of use of inbound wireless to wireless voice calls
36	`peak_vce_Mean`	Mean number of inbound and outbound peak voice calls
37	`peak_dat_Mean`	Mean number of peak data calls
38	`mou_peav_Mean`	Mean unrounded minutes of use of peak voice calls
39	`mou_pead_Mean`	Mean unrounded minutes of use of peak data calls
40	`opk_vce_Mean`	Mean number of off-peak voice calls
41	`opk_dat_Mean`	Mean number of off-peak data calls
42	`mou_opkv_Mean`	Mean unrounded minutes of use of off-peak voice calls
43	`mou_opkd_Mean`	Mean unrounded minutes of use of off-peak data calls
44	`drop_blk_Mean`	Mean number of dropped or blocked calls
45	`attempt_Mean`	Mean number of attempted calls
46	`complete_Mean`	Mean number of completed calls
47	`callfwdv_Mean`	Mean number of call forwarding calls
48	`callwait_Mean`	Mean number of call waiting calls

2. FEATURE SCHEMA & COLUMN DESCRIPTIONS (PART 3 / 4)

#	Column Name	Explanation of the Content
49	`churn`	Instance of churn between 31-60 days after observation date (Target)
50	`months`	Total number of months in service
51	`uniqsubs`	Number of unique subscribers in the household
52	`actvsubs`	Number of active subscribers in household
53	`new_cell`	New cell phone user
54	`crclscod`	Credit class code
55	`asl_flag`	Account spending limit
56	`totcalls`	Total number of calls over the life of the customer
57	`totmou`	Total minutes of use over the life of the customer
58	`totrev`	Total revenue
59	`adjrev`	Billing adjusted total revenue over the life of the customer
60	`adjmou`	Billing adjusted total minutes of use over the life of the customer
61	`adjqty`	Billing adjusted total number of calls over the life of the customer
62	`avgrev`	Average monthly revenue over the life of the customer
63	`avgmou`	Average monthly minutes of use over the life of the customer
64	`avgqty`	Average monthly number of calls over the life of the customer
65	`avg3mou`	Average monthly minutes of use over the previous three months
66	`avg3qty`	Average monthly number of calls over the previous three months
67	`avg3rev`	Average monthly revenue over the previous three months
68	`avg6mou`	Average monthly minutes of use over the previous six months
69	`avg6qty`	Average monthly number of calls over the previous six months
70	`avg6rev`	Average monthly revenue over the previous six months
71	`prizm_social_one`	Social group letter only
72	`area`	Geographic area
73	`dualband`	Dualband capability indicator
74	`refurb_new`	Handset: refurbished or new
75	`hnd_price`	Current handset price
76	`phones`	Number of handsets issued
77	`models`	Number of models issued
78	`hnd_webcap`	Handset web capability

2. FEATURE SCHEMA & COLUMN DESCRIPTIONS (PART 4 / 4)

#	Column Name	Explanation of the Content
79	`truck`	Truck indicator
80	`rv`	RV indicator
81	`ownrent`	Home owner/renter status
82	`lor`	Length of residence
83	`dwlltype`	Dwelling Unit type
84	`marital`	Marital Status
85	`adults`	Number of adults in household
86	`infobase`	InfoBase match
87	`income`	Estimated income
88	`numbcars`	Known number of vehicles
89	`HHstatin`	Premier household status indicator
90	`dwllsize`	Dwelling size
91	`forgntvl`	Foreign travel dummy variable
92	`ethnic`	Ethnicity roll-up code
93	`kid0_2`	Child 0 - 2 years of age in household
94	`kid3_5`	Child 3 - 5 years of age in household
95	`kid6_10`	Child 6 - 10 years of age in household
96	`kid11_15`	Child 11 - 15 years of age in household
97	`kid16_17`	Child 16 - 17 years of age in household
98	`creditcd`	Credit card indicator
99	`eqpdays`	Number of days (age) of current equipment
100	`Customer_ID`	Unique customer identifier (Primary / Foreign Join Key)

3. DATA INTEGRITY & USAGE SUMMARY

All 100 attributes present in the dataset have been explicitly indexed above without repetition. Features spanning `rev_Mean` to `eqpdays` represent behavioral interactions, billing stats, demographic attributes, and device tenure used by the downstream machine learning pipeline to model `churn` risk.