Software Test Plan – OpenCart Demo Store

Official Project Testing Plan Defining Objectives, Scope, Responsibilities, Entry & Exit Criteria, Environment, Tools, and Application Modules

Legacy Team

Group code : ALX5_SWD6_S2

Team Members

- **Ahmed Mostafa** — Team Leader
- **Fares Ahmed** — Team Member
- **Mario Zakria** — Team Member
- **Andrew Sameh** — Team Member

Document Field	Specification	Project Field	Specification
Document Title	Software Test Plan – OpenCart Demo Store	**Project / AUT**	OpenCart Demo Store
Team Name	Legacy Team	**Group Code**	ALX5_SWD6_S2
Document Version	1.0	**Website URL**	https://demo.opencart.com/
Date	October 2026	**Document Status**	Version 1.0 – Formal Test Plan

Table of Contents & Document Control

This Software Test Plan defines the formal testing strategy, functional scope, operational boundaries, team responsibilities, entry/exit criteria, tooling infrastructure, and target application modules for verifying the **OpenCart Demo Store** (https://demo.opencart.com/) alongside a self-hosted local OpenCart environment. All activities described herein represent the planned testing framework established prior to and during test execution.

Section	Section Title	Core Focus
Section 1	Testing Objectives — Verifying Core OpenCart E-Commerce Workflows	Functional, API, SQL & Risk Goals
Section 2	Testing Scope — In-Scope Modules and Planned QA Activities	15 Modules & 9 Testing Activities
Section 3	Out of Scope — Project Boundaries, Safety, and Access Exclusions	8 Excluded Activities & Rationale
Section 4	Responsibilities — Role Allocation Across Legacy Team	Team Matrix & Proposed Deliverables
Section 5	Exit Criteria — Conditions Required to Conclude Testing	Completion & Reporting Standards
Section 6	Entry Criteria (Acceptance) — Prerequisites for Test Execution	Localhost Setup & Readiness Checks
Section 7	Test Environment and Tools — Infrastructure and QA Tooling	Jira, Excel, Selenium, Postman, SQL
Section 8	Application Modules — Functional Mapping and Testing Focus	10 Core OpenCart Storefront Modules

Document Control Metadata

Version	Release Date	Prepared By	Description of Release
1.0	October 2026	Legacy Team (ALX5_SWD6_S2)	Initial formal release of the Software Test Plan for the OpenCart Demo Store project testing cycle.

1. Testing Objectives — Verifying Core OpenCart E-Commerce Workflows

The primary purpose of this Software Test Plan is to establish a rigorous, repeatable, and transparent quality assurance framework for evaluating the **OpenCart Demo Store** (https://demo.opencart.com/)

and its self-hosted local deployment. The objectives are specifically tailored to verify storefront behavior, validate user-facing and technical workflows, and account for environment boundaries.

Specifically, the testing objectives for the OpenCart Demo Store are to:

- **Verify Core E-Commerce Functionalities:** Verify that the main e-commerce functionalities of the OpenCart Demo Store behave according to their expected functional requirements across browsing, catalog navigation, cart management, and account workflows.
- **Identify, Document, and Track Defects:** Systematically identify, document, classify, and track software defects discovered during test execution using structured defect reports in Jira.
- **Verify Storefront and Customer Modules:** Verify the end-to-end functionality of customer accounts (registration, login, logout, password recovery), product search, product details, shopping cart, wishlist, product comparison, and checkout workflows where available in the test environment.
- **Validate Input Fields, Form Validation, and Error Handling:** Validate mandatory and optional input fields, boundary conditions, client-side and server-side form validation rules, and system error handling across storefront forms (registration, login, contact, cart quantities, and checkout inputs).
- **Evaluate Usability and Browser Compatibility:** Evaluate basic user interface (UI) consistency, storefront usability, visual alignment, and browser compatibility within the designated test environment.
- **Plan Conditional API Testing via Postman:** Plan and structure API testing using Postman where relevant OpenCart storefront or web service endpoints are accessible and verifiable.
- **Plan Conditional Database Validation via SQL:** Plan database validation using SQL queries where authorized database access (such as the self-hosted local OpenCart MySQL instance) is available to the testing team.
- **Identify Testing Risks and Technical Limitations:** Proactively identify, document, and mitigate potential risks and environment limitations affecting testing (such as public demo resets, shared data modifications, security shields, or restricted public backend access).
- **Establish a Structured QA Process:** Establish a structured, ISTQB-aligned testing process with clear team responsibilities, standardized test artifacts, and measurable entry and exit completion criteria.

2. Testing Scope — In-Scope Modules and Planned QA Activities

This section defines the functional storefront modules and quality assurance testing activities planned for the OpenCart Demo Store testing cycle. **Scope Governance Note:** The final executable scope depends directly on the features accessible in the demo and self-hosted local environments and the level of technical access available to Legacy Team.

2.1 Functional Scope

The following fifteen (15) functional modules of the OpenCart Demo Store are planned for inclusion in this testing cycle, subject to their actual runtime availability in the test environment:

1. **Home Page and Navigation:** Top utility bar, header branding, main category navigation bar, promotional hero sliders, featured product carousels, footer informational links, and breadcrumb hierarchy.
2. **Customer Registration:** New customer account creation form, personal details input, password complexity rules, privacy policy consent checkbox, newsletter subscription toggle, and duplicate email validation.
3. **Customer Login and Logout:** Returning customer authentication using registered credentials, invalid credential handling, My Account dashboard redirection, and secure session termination upon logout.
4. **Forgot Password:** Password reset request workflow, registered email verification, validation messaging for unregistered addresses, and recovery confirmation prompts.
5. **Product Search:** Header search bar keyword queries, search results page rendering, search within product descriptions, category-filtered search, and empty/special-character query handling.
6. **Product Categories:** Desktops, Laptops & Notebooks, Components, Tablets, Software, Phones & PDAs, Cameras, and MP3 Players category pages, subcategory filtering, product sorting (name, price, rating, model), and pagination/display limit controls.
7. **Product Details:** Individual product specification views, thumbnail image galleries, pricing and tax display, stock availability indicators, required product options (size, color, delivery date), quantity input, and customer review tabs.
8. **Shopping Cart:** Adding single and multiple products, header mini-cart dropdown preview, full shopping cart summary page, quantity updates, item removal, coupon/gift voucher fields, and subtotal/total recalculation.
9. **Wishlist:** Adding products to the customer wishlist from category listings or product detail pages, authentication prompts for guest users, wishlist table viewing, moving items to the cart, and removing saved items.
10. **Product Comparison:** Selecting up to four products for side-by-side comparison, comparison notification banners, attribute/price/availability comparison matrix rendering, and direct cart addition or removal from the comparison view.
11. **Currency Selection:** Header currency switcher dropdown (Euro, Pound Sterling, US Dollar), dynamic price symbol and numeric conversion updates across catalog pages, product views, and shopping cart totals.
12. **Contact Us:** Store contact information display and customer inquiry submission form (Your Name, E-Mail Address, Enquiry text validation, and submission confirmation).
13. **Checkout Process:** Multi-step checkout workflow (Checkout Options, Billing Details, Delivery Details, Delivery Method, Payment Method, and Confirm Order steps) to the extent accessible without executing real financial transactions.
14. **Form Validation:** Mandatory field enforcement, email format syntax checks, character length boundaries, numeric quantity validation, and clarity of inline validation error messages across all user-input forms.

5. **Session Handling:** Persistence of shopping cart contents, selected currency, comparison list, and authenticated user state across page transitions, browser refreshes, and logout events.

2.2 Testing Activities

To verify the functional modules above thoroughly, Legacy Team plans to execute the following nine (9) testing activities:

- **Manual Functional Testing:** Step-by-step manual verification of in-scope OpenCart storefront features against expected e-commerce behavior using structured test cases.
- **Positive and Negative Testing:** Executing valid workflows (happy paths) with expected inputs alongside negative test scenarios using invalid, boundary, malformed, or missing inputs to verify system resilience and error handling.
- **UI and Usability Testing:** Inspecting visual layout consistency, typography, interactive button states, navigation intuitiveness, broken links/images, and responsiveness of user feedback banners.
- **Basic Browser Compatibility Testing:** Verifying that core storefront layouts, navigation menus, and interactive forms render and operate consistently in Google Chrome (with additional supported browsers checked where practical).
- **Test Case Design and Execution:** Authoring structured manual test cases in Microsoft Excel—complete with test IDs, preconditions, test steps, test data, and expected results—and recording actual results during execution.
- **Defect Reporting and Tracking:** Logging discovered deviations in Jira with clear reproduction steps, environment details, severity/priority classifications, and supporting evidence.
- **Selenium Automation for Selected Scenarios:** Developing and executing automated browser scripts using Selenium WebDriver for selected stable, repeatable storefront workflows (conditional on framework configuration and environment stability).
- **API Testing Using Postman:** Designing and sending HTTP requests in Postman to validate status codes, response payloads, and error handling when accessible OpenCart endpoints are available.
- **SQL Database Testing:** Executing SQL verification queries to validate backend data persistence and relational integrity when authorized database access (such as the local self-hosted MySQL database) is available to the team.

3. Out of Scope — Project Boundaries, Safety, and Access Exclusions

To maintain strict project boundaries, respect public environment policies, and prevent unauthorized or disruptive testing activities, specific operations are explicitly excluded from this testing cycle. No feature of the OpenCart Demo Store is claimed to be permanently unavailable prior to verification; rather, exclusions are governed by safety rules, project scope limits, and technical authorization boundaries.

Excluded Activity / Area	Exclusion Category	Justification (Project Boundaries, Access & Safety)
1. Real Purchases and Financial Transactions	Safety & Financial Boundary	The OpenCart Demo Store is a non-commercial demonstration platform. Submitting real credit card data, banking details, or live payment gateway transactions is strictly excluded for financial safety and data privacy.
2. Testing Against a Production Environment	Environment Boundary	All testing is confined strictly to the designated demonstration environment (https://demo.opencart.com/) and the team's authorized local self-hosted instance. Testing live commercial merchants or production OpenCart deployments is outside project authorization.
3. Destructive Testing	Environment Safety	Any testing intended to corrupt storefront catalogs, wipe shared demo records, deface UI content, or degrade service availability for other public demo users is prohibited to preserve shared environment integrity.
4. Advanced Penetration Testing and Exploitation	Security & Legal Boundary	Active vulnerability exploitation, automated security scanning, SQL injection attacks, and cross-site scripting (XSS) exploitation against a third-party public host are excluded due to legal, ethical, and authorization constraints.
5. Performance, Stress, and Load Testing	Infrastructure Safety	High-concurrency load generation, stress testing, and endurance benchmarking are excluded to avoid overwhelming the public demo web server, triggering anti-DDoS protections, or causing service disruption.
6. Backend Code Testing (White-Box Testing)	Scope Boundary	Unit testing, static code analysis, and internal PHP code modification/debugging are excluded from this black-box and grey-box QA testing cycle.
7. Unavailable Third-Party Integrations	Environment Limitation	External payment processors, live shipping carrier rate calculators, and third-party ERP/CRM plugins that are disabled or unconfigured in the demo storefront cannot be validated end-to-end.
8. Functionality Inaccessible During the Testing Period	Runtime Availability Limitation	Any storefront feature, administrative panel, or checkout step that is restricted by human verification prompts (e.g., anti-bot challenges), temporary server downtime, or demo configuration locks during the testing window is excluded if access cannot be established.

4. Responsibilities — Role Allocation Across Legacy Team

The testing effort for the OpenCart Demo Store is distributed across the four members of **Legacy Team** (Group code : ALX5_SWD6_S2). All assignments documented in this section represent **proposed responsibilities** for the planned testing cycle rather than claims of completed work. Furthermore, all activities involving Selenium test automation, Postman API testing, and SQL database validation remain conditional on the required local setup, endpoint availability, and authorized database access.

Individual Role Descriptions

- **Ahmed Mostafa — Team Leader:** Coordinates overall testing activities; prepares and maintains the formal Software Test Plan; reviews the testing scope, objectives, and approach; distributes tasks in Jira and monitors team progress; reviews manual test cases and logged defect reports for quality and accuracy; ensures consistency across all testing documentation; and consolidates team findings to review the final Test Summary Report.
- **Fares Ahmed — Team Member:** Contributes to defining the testing scope and objectives; designs and organizes structured manual test cases in Microsoft Excel; executes manual testing across assigned functional modules; documents detailed preconditions, test steps, test data, expected results, and actual results; and reports defects identified during test execution.
- **Mario Zakria — Team Member:** Contributes to test environment preparation (including setting up the self-hosted OpenCart environment on a local machine); plans and performs API testing using Postman when relevant endpoints are accessible; assists with defect investigation, root-cause isolation, and documentation; supports SQL database validation on the authorized local database; and documents technical limitations affecting API or database testing.
- **Andrew Sameh — Team Member:** Identifies suitable, stable, and repeatable storefront scenarios for Selenium automation; develops or supports automation scripts where feasible; conducts basic browser compatibility checks across supported views; reviews test documentation and execution results; and reports automation limitations and runtime execution issues.

Team Responsibility Matrix

Team Member	Role	Proposed Responsibilities	Expected Deliverables
Ahmed Mostafa	Team Leader	• Coordinate overall testing activities, distribute tasks in Jira, and monitor progress. • Prepare and maintain the Software Test Plan; review scope, objectives, and methodology. • Review manual test cases, defect reports, and consistency across QA documentation. • Consolidate team findings and review the final testing report.	• Approved Software Test Plan (v1.0). • Jira Task Assignment & Tracking Board. • Reviewed Test Case & Defect Logs. • Final Test Summary Report.

Team Member	Role	Proposed Responsibilities	Expected Deliverables
Fares Ahmed	Team Member	• Contribute to defining testing scope and objectives. • Design and organize manual test cases in Microsoft Excel. • Execute manual testing for assigned functional modules. • Document preconditions, test steps, test data, expected results, and actual results. • Report defects identified during manual test execution.	• Microsoft Excel Test Case Workbook. • Executed Functional Test Logs. • Documented Defect Reports in Jira.
Mario Zakria	Team Member	• Contribute to test environment preparation and local self-hosted setup. • Plan and perform API testing using Postman when relevant endpoints are accessible. • Assist with defect investigation and documentation. • Support SQL database validation where authorized database access is available. • Document technical limitations affecting API or database testing.	• Environment Readiness Notes. • Conditional Postman API Test Collection / Logs. • Conditional SQL Verification Queries. • Technical Limitations & Investigation Log.
Andrew Sameh	Team Member	• Identify suitable scenarios for Selenium automation. • Develop or support Selenium automation scripts where feasible. • Perform basic browser compatibility checks. • Review test documentation and testing results. • Report automation limitations and execution issues.	• Candidate Automation Scenario List. • Conditional Selenium Test Scripts & Execution Logs. • Browser Compatibility Check Notes. • Automation Limitations Report.

5. Exit Criteria — Conditions Required to Conclude Testing

Exit criteria define the measurable conditions that must be satisfied before the formal testing cycle for the OpenCart Demo Store can be declared complete. No test results, defect counts, or pass percentages are assumed or fabricated in advance; actual metrics will be recorded strictly from verified test execution.

The testing cycle will conclude when all of the following conditions are met:

- **Test Case Execution Accounting:** All planned test cases have been executed, or the remaining status (e.g., *Blocked* or *Not Run*) and explicit technical reasons for non-execution are formally documented in the Excel Test Case Workbook.

- **Actual Results Recorded:** Clear, accurate actual results and execution statuses (*Pass*, *Fail*, *Blocked*, or *Not Run*) are recorded for every executed test case.
- **Failure Investigation:** All failed test cases have been investigated to distinguish genuine software defects from test data issues or environment constraints.
- **Defect Documentation and Tracking:** All identified defects are formally documented, classified by severity and priority, and tracked within Jira.
- **Blocked and Not Run Justification:** Every test case marked as *Blocked* or *Not Run* (for example, due to inaccessible checkout steps, anti-bot protections, unavailable API endpoints, or environment restrictions) has a documented technical justification.
- **Risk and Unresolved Defect Register:** All known operational risks, environment limitations, and unresolved defects remaining at the end of the cycle are documented.
- **Leadership Documentation Review:** All test cases, execution logs, and defect reports have been reviewed and verified for consistency by the Team Leader (Ahmed Mostafa).
- **Final Test Summary Report Preparation:** A comprehensive Final Test Summary Report consolidating execution coverage, findings, limitations, and quality recommendations has been prepared.

Important Closure Principle: Completing the testing cycle does *not* mean that identified defects have been fixed or resolved, as source code bug fixing is outside the scope of this QA testing cycle. Rather, concluding the cycle requires that the application's quality state, remaining defects, and operational risks are thoroughly documented and communicated clearly.

6. Entry Criteria (Acceptance) — Prerequisites for Test Execution

Entry criteria define the essential prerequisites that must be fulfilled before active test execution begins. The criteria listed below represent **proposed entry criteria** established during test planning and must be verified by the team prior to initiating formal test execution:

- **Demo Website Accessibility:** The OpenCart Demo Store (https://demo.opencart.com/) is online, reachable via standard HTTP/HTTPS requests, and navigable from the team's testing machines.
- **Self-Hosted Environment Setup on Local Machine:** A self-hosted OpenCart environment has been set up and configured on a local machine (localhost via Apache, PHP, and MySQL/MariaDB) using the official open-source OpenCart release to enable authorized backend administration, API key generation for Postman, and direct SQL database validation.
- **Scope and Objectives Alignment:** Testing objectives, in-scope modules, and out-of-scope boundaries defined in this Test Plan have been reviewed and agreed upon by Legacy Team.
- **Test Environment Availability:** Team workstations running Windows 10/11 and Google Chrome are operational and ready for test execution.
- **Test Case Preparation and Review:** Baseline manual test cases have been drafted in Microsoft Excel and reviewed by the Team Leader for clarity, traceability, and coverage.
- **Test Data Identification:** Suitable non-sensitive, synthetic test data (such as test customer profiles, sample search keywords, product quantities, and boundary strings) has been identified

and prepared.

- **Browser and Tooling Access:** Required access to Google Chrome, Microsoft Excel, and Jira is available to all assigned team members, with Selenium, Postman, and SQL client tools installed where conditional testing is planned.
- **Clear Expected Behavior:** Expected functional behavior for the selected OpenCart storefront scenarios is sufficiently understood based on standard e-commerce conventions and observable storefront specifications.
- **Test Accounts and Permissions:** Required test customer accounts, local administrator credentials, and tool permissions are available where applicable.
- **Assigned Team Responsibilities:** Individual testing tasks and module assignments have been clearly allocated among Ahmed Mostafa, Fares Ahmed, Mario Zakria, and Andrew Sameh.
- **Documented Demo Environment Limitations:** Known initial limitations of the public demo environment (such as shared public state, lack of remote server control, or potential security gates) have been documented so testers can accurately classify blocked scenarios or route technical tests to the local self-hosted instance.

7. Test Environment and Tools — Infrastructure and QA Tooling

This section specifies the hardware, operating system, browser configuration, and quality assurance tools planned for the OpenCart Demo Store testing cycle. A strict distinction is maintained between **tools planned for use** during the planning phase and **tools actually used** during execution, as certain technical tools depend on runtime access and local environment configuration.

7.1 Jira — Task and Defect Management

Jira is designated as the primary project management and defect tracking platform for Legacy Team. Planned usage includes:

- Managing testing tasks, milestones, and sprint/cycle workflows across the team.
- Assigning and tracking individual responsibilities for test design, execution, and review.
- Monitoring overall task progress and identifying execution bottlenecks.
- Recording and tracking software defects with standardized fields (Summary, Steps to Reproduce, Expected vs. Actual Result, Severity, Priority, Environment, and Attachments).
- Updating issue lifecycle statuses (e.g., *To Do*, *In Progress*, *Open*, *Blocked*, *Closed*).
- Following up on defect investigation, classification, and documentation.

7.2 Microsoft Excel — Test Case Documentation

Microsoft Excel serves as the central repository for test case authoring and execution logging. Planned usage includes:

- Creating and organizing modular test suites mapped to OpenCart functional areas.
- Recording structured attributes including Test Case ID, Module, Test Scenario, Preconditions, Test Steps, and Test Data.

- Documenting clear Expected Results prior to execution and recording Actual Results during test runs.
- Recording execution status (*Pass*, *Fail*, *Blocked*, *Not Run*) and linking failed cases to corresponding Jira defect IDs.
- Maintaining version-controlled test case documentation throughout the testing lifecycle.

7.3 Selenium — Test Automation

Selenium WebDriver is planned for browser-based functional test automation where practical. Planned usage includes:

- Automating suitable, stable, and repetitive browser-based test scenarios (such as catalog search, currency switching, or product navigation).
- Executing repeatable automated user journeys across the storefront.
- Reducing repetitive manual testing effort on stable UI workflows.
- Verifying selected workflows across supported browsers where practical.

Dependency Notice: Actual execution of Selenium automation depends on local framework setup, selected programming language bindings, WebDriver/browser version alignment, and the runtime stability of the target storefront (including absence of anti-bot challenges that block automated browsers).

7.4 Postman — API Testing

Postman is planned for evaluating HTTP web service and API communications where applicable. Planned usage includes:

- Sending structured HTTP/HTTPS requests (`GET`, `POST`, etc.) to accessible endpoints on the storefront or local self-hosted OpenCart instance.
- Verifying HTTP response status codes (e.g., `200 OK`, `400 Bad Request`, `401 Unauthorized`, `404 Not Found`).
- Checking response payload structures (JSON/HTML), headers, and response times.
- Validating API error handling and parameter validation on accessible endpoints where available.

Dependency Notice: While the public OpenCart Demo Store (https://demo.opencart.com/) restricts administrative API key generation, setting up the self-hosted OpenCart environment on a local machine allows the team to generate an authorized API key under `System → Users → APIs` and test core OpenCart API endpoints in Postman.

7.5 SQL — Database Testing

SQL is planned conditionally for backend relational data verification using the authorized self-hosted local OpenCart MySQL database. Planned usage includes:

- Verifying stored data accuracy following storefront actions (e.g., customer registration records in `oc_customer` or cart entries in `oc_cart`).

- Checking relational data consistency across tables (such as products, categories, customers, and orders).
- Validating relevant database CRUD operations (`SELECT` verification queries).
- Supporting backend data verification for defect investigation.

Authorization Notice: Direct database access to the public OpenCart Demo Store is unavailable. All SQL database testing is conducted strictly against the team's authorized self-hosted local OpenCart database instance (`localhost` / phpMyAdmin or SQL client).

7.6 General Test Environment

The baseline hardware and software test environment for executing storefront testing includes:

- **Application Under Test (AUT):** OpenCart Demo Store (Public Demo & Self-Hosted Localhost Instance)
- **Website URL:** https://demo.opencart.com/ (and `http://localhost/opencart/` for local API/SQL verification)
- **Operating System:** Microsoft Windows 10 / Windows 11 (exact OS build version to be recorded by each tester during execution).
- **Primary Web Browser:** Google Chrome (exact browser release version to be recorded during test execution).
- **Testing Approach:** Manual Functional Testing as the primary verification method, supported by Selenium Automation, Postman API Testing, and SQL Database Testing where feasible and authorized.

Test Environment and Tooling Summary Matrix

The table below summarizes all environment components and tools, explicitly distinguishing between their **Planned Usage** (defined in this Test Plan) and the operational conditions governing whether they are **Actually Used** during test execution:

Environment Component / Tool	Purpose	Planned Usage (Planned vs. Actual Distinction)	Dependencies and Limitations
OpenCart Demo & Localhost Instance (demo.opencart.com)	Application Under Test (AUT)	**Planned:** Public demo and local self-hosted storefront for manual, UI, automated, API, and SQL tests. **Actual Use:** Verified at execution start.	Public demo is subject to resets and anti-bot filters; local self-hosted environment requires local Apache/PHP/MySQL setup.

Environment Component / Tool	Purpose	Planned Usage (Planned vs. Actual Distinction)	Dependencies and Limitations
Windows 10 / 11 & Google Chrome	Client OS & Primary Browser Environment	**Planned:** Primary desktop execution platform for rendering and interacting with the storefront. **Actual Use:** Exact OS and Chrome versions recorded in test logs.	Requires stable connectivity; browser extensions or ad-blockers must be disabled to prevent false UI defects.
Jira	Task & Defect Management	**Planned:** Core tool for task distribution, progress tracking, and defect lifecycle logging. **Actual Use:** Used continuously throughout planning and execution.	Requires active workspace access for all four Legacy Team members and standardized defect templates.
Microsoft Excel	Test Case Documentation & Execution Log	**Planned:** Primary repository for designing test cases, test data, expected results, and logging actual execution statuses. **Actual Use:** Used for all manual test suites.	Requires consistent version control and Team Leader review to prevent duplicate or out-of-sync test sheets.
Selenium WebDriver	Browser Test Automation	**Planned:** Conditional automation of selected stable, repeatable UI scenarios. **Actual Use:** Executed only if environment and selectors remain stable.	Depends on local IDE/driver configuration, language runtime, and absence of CAPTCHA/Cloudflare blocks.
Postman	API Testing	**Planned:** Conditional verification of HTTP status codes, payload structure, and error handling. **Actual Use:** Executed against accessible demo or local self-hosted endpoints.	Core API testing requires generating an API key and whitelisting the tester IP in the local self-hosted OpenCart admin panel.

Environment Component / Tool	Purpose	Planned Usage (Planned vs. Actual Distinction)	Dependencies and Limitations
SQL Client / MySQL (Localhost)	Backend Database Validation	**Planned:** Conditional verification of stored records and relational data consistency. **Actual Use:** Executed strictly on the authorized local self-hosted MySQL database.	Public demo database is inaccessible; SQL testing depends on the local self-hosted OpenCart database setup.

8. Application Modules — Functional Mapping and Testing Focus

The concise matrix below maps the ten (10) main storefront modules of the OpenCart Demo Store to their core functionality and planned quality assurance focus areas, subject to runtime accessibility in the test environment:

Module	Main Functionality	Planned Testing Focus
1. Customer Account	Handles new user registration, customer login/logout, password recovery, and account profile management.	Verify valid registration/login flows, mandatory field validation, duplicate email rejection, password reset prompts, and session state transitions.
2. Product Catalog	Displays categorized merchandise, subcategory hierarchies, product detail pages, images, pricing, and specifications.	Verify category filtering, product sorting controls, pagination limits, option validation on product detail views, and price/tax accuracy.
3. Product Search	Provides keyword-based product lookup via the header search bar and advanced search criteria page.	Verify exact and partial keyword matches, subcategory/description search toggles, empty query handling, and "no results" messaging.
4. Shopping Cart	Manages selected items, quantities, promotional codes, and order subtotals prior to checkout.	Verify item addition from multiple views, quantity updates, item removal, invalid/zero quantity handling, and dynamic total recalculation.
5. Wishlist	Allows authenticated customers to bookmark products for future viewing or cart transfer.	Verify adding items to wishlist, guest login redirection prompts, duplicate item handling, moving items to cart, and removing saved items.
6. Product Comparison	Enables side-by-side comparison of product specifications, prices, models, and stock availability.	Verify adding multiple products to compare, comparison matrix accuracy, maximum item limits, and direct cart addition or removal.

Module	Main Functionality	Planned Testing Focus
7. Checkout	Guides users through billing/shipping addresses, delivery methods, payment selection, and order confirmation.	Verify step-by-step progression, address form validation, shipping/payment radio selection, and order summary accuracy without real payments.
8. Contact Us	Displays store location/contact details and provides a web form for submitting customer inquiries.	Verify mandatory field validation (Name, Email syntax, Enquiry length boundaries) and successful form submission confirmation behavior.
9. Currency Selection	Switches storefront display currency between US Dollar ($), Euro (€), and Pound Sterling (£).	Verify currency dropdown selection, immediate symbol/price updates across catalog and cart views, and currency persistence across pages.
10. Navigation	Provides global header menus, category dropdowns, breadcrumb trails, and footer informational links.	Verify menu link accuracy, breadcrumb hierarchy correctness, logo home redirection, and absence of broken links across storefront pages.