Feces report

awalife

No.: 251022001 LIS: Doctor: Admin Sample : Feces(150ul) Owner: Weight:kg Pet name : ca Species: Dog Gender : M Pet age: Y M Color:Yellow

Smell:Smelly

1.96/ug

0.00/ug

0.00/ug

0.26/ug

0.26/ug

0.00/ug

0.05/ug

0.87/ug

		Parameters		
Detection items	Result/Unit	Result/Unit	Reference	Negative Positive
1.Parasite egg				
1-1.Ascaris(ALE#)	0.00	0.00/LPF	0-0	<u>&</u>
1-2.Hookworm(ANE#)	0.00	0.00/LPF	0-0	<u> </u>
1-3.Tapeworm(CEE#)	0.00	0.00/LPF	0-0	<u> </u>
1-4.Dipylidium caninum(DIP#)	0.00	0.00/LPF	0-0	•
1-5.Spirometra (SPI#)	0.00	0.00/LPF	0-0	<u> </u>
1-6.Alaria alata(TRE#)	0.00	0.00/LPF	0-0	•
2.Intestinal protozoa.				
2-1.Trichomonas(TRI#)	0.00	0.00/LPF	0-0	<u> </u>
2-2.Giardia (GIA#)	3.00	0.32/LPF	0-0	<u> </u>
2-3.Giardia Trophozoite (GIAT#)	3.00	0.32/LPF	0-0	<u> </u>
2-4.Giardia Cyst (GIAC#)	0.00	0.00/LPF	0-0	<u> </u>
2-5.Isosporium coccidia(COD#)	0.00	0.00/LPF	0-0	&
2-6.Isosporium coccidia 0(COD0#)	0.00	0.00/LPF	0-0	<u> </u>
2-7.Isosporium coccidia 1(COD1#)	0.00	0.00/LPF	0-0	<u> </u>
2-8.Isosporium coccidia 2(COD2#)	0.00	0.00/LPF	0-0	<u> </u>
				Low Normal High
3.Germ				
3-1.Cocci(COS#)	354.47/ug	68.99/HPF	145-729/ug	<u> </u>
3-2.Rods(BACI#)	3946.32/ug	768.07/HPF	510-13904/ug	
3-3.Brevibacterium(SBAC#)	3196.48/ug	622.13/HPF	321-12462/ug	<u> </u>
3-4.Crude bacilli(CBAC#)	518.18/ug	100.85/HPF	15-1650/ug	<u> </u>
3-5.Thin bacilli (TBAC#)	231.66/ug	45.09/HPF	0-2500/ug	₾
3-6.Cocci/Rods(C/B)	0.090	0.090	0.017-0.156	•
3-7.Campylobacter(CAM#)	0.00/ug	0.00/HPF	0-30/ug	<u> </u>
3-8.Bacillus(BAC#)	13.14/ug	2.56/HPF	0-40/ug	⊗
3-9.Serpentine spirochete(SS1#)	0.00/ug	0.00/HPF	0-0/ug	<u> </u>
5 515ci pentine spirochete(551#/	0.00/ug	0.00/1111	o o, a.g	

Diagnostic Recommendation

0.38/HPF

0.00/HPF

0.00/HPF

0.05/HPF

0.05/HPF

0.00/HPF

0.04/HPF

0.08/HPF

0-150/ug

0-5/ug

0-0/ug

0-12/ug

0-9/ug

0-1/ug

0-0/ug

0.00-0.50/ug

0

Ø

0

- 1 [Soft stool] It is common in intestinal mucosal secretion, intestinal peristalsis, various infectious / non-infectious inflammation, food intolerance and so on.
- 2 [Smelly] The smell of feces is normal.
- 3 [AF#>0.5] It is common in high meat diet, dyspepsia, intestinal peristalsis, diarrhea, decreased pancreatic exocrine function, reduced trypsin secretion and so on.

Combined diagnosis:

3-11.Yeast(YEA#)

4-3.Epithelial cells(EPC#)

5-1.Starch granule(STA#)

5-2.Lipid drop(LFAT#)

5-3.Plant fiber(PLA#)

5-4.Muscle fiber(AF#)

4-1.RBC#

4-2.WBC#

5. Digestive function


4.Cells

Texture:Soft stool

1、 [GIA#<6、GIA#>0] Suspected Giardia infection. The quantity is small, it is recommended to confirm by manual microscopic examination.

BVTY SolpetFecal Morphology Report





BVTY SolpetFecal Morphology Report



