PHÒNG KHÁM THÚ Y SUNVET

Test Report of Urine Morphological Analysis

Pet Name: Vang Meo
Gender:
Case No.: 2603190001

Owner Tel.:
Species: Feline
Test Time: 2026-03-19 10:27

Owner Name:
Age:

Color: Yellow

Transparency: Clear & transparent

Treatment: Centrifuge

Test Results

Test Item		Test Result	Reference Range	Unit	Negative | Positive
01 Cast	HYA#	0.0	0.00-1.00	/LPF	-
	RBC-C#	0.0	0.00-0.00	/LPF	-
	LC#	0.0	0.00-0.00	/LPF	-
	RTC#	0.0	0.00-0.00	/LPF	-
	GRA#	0.0	0.00-0.00	/LPF	-
	WAC#	0.0	0.00-0.00	/LPF	-
	FC#	0.0	0.00-0.00	/LPF	-
	BC#	0.0	0.00-0.00	/LPF	-
02 Crystal	MAP#	0.0	0.00-0.30	/HPF	-
	COMC#	0.0	0.00-0.00	/HPF	-
	COD#	0.0	0.00-0.30	/HPF	-
	CP#	0.0	0.00-0.00	/HPF	-
	UAC#	0.0	0.00-0.00	/HPF	-
	CYSC#	0.0	0.00-0.00	/HPF	-
	CC#	0.0	0.00-0.00	/HPF	-
	BilC#	0.0	0.00-0.00	/HPF	-
	AUC#	0.0	0.00-0.30	/HPF	-
03 Cell	RBC#	0.01	0.00-5.00	/HPF	-
	WBC#	0.01	0.00-5.00	/HPF	-
	RTE#	0.0	0.00-0.00	/LPF	-
	SEC#	0.0	0.00-2.00	/LPF	-
	TEC#	0.0	0.00-2.00	/LPF	-
	SPE#	0.0	0.00-0.00	/HPF	-
04 Pathogenic microbes	COS#	0.0	0.00-0.00	/HPF	-
	BAC#	0.0	0.00-0.00	/HPF	-
	SAC#	0.0	0.00-0.00	/HPF	-
	FUN#	0.0	0.00-0.00	/HPF	-
05 Others	FAT#	0.0	0.00-5.00	/HPF	-
	PHL#	0.0	0.00-1.00	/LPF	-

NEOVET DX

This test result is valid for this sample and is only used as a diagnostic reference for clinicians.

PHÒNG KHÁM THÚ Y SUNVET

Test Report of Urine Morphological Analysis

Pet Name: Vang Meo **Case No.:** 2603190001 **Test Time:** 2026-03-19 10:27

Distribution Image of Urinary Sediment



RBC

15m

Concentration: 0.01 /HPF

WBC

15m



Concentration: 0.01 /HPF

NEOVET DX

This test result is valid for this sample and is only used as a diagnostic reference for clinicians.

PHÒNG KHÁM THÚ Y SUNVET

Test Report of Urine Morphological Analysis

Pet Name: Vang Meo **Case No.:** 2603190001 **Test Time:** 2026-03-19 10:27

Clinical Significance

1. [Yellow] Common in normal urine samples.

Testing Physician: **Chief Physician:** **Hospital Tel.:** 028 2210 9936 **Report Date:** 2026-03-19

Hospital Address: 126 Nguyn Chí Thanh, P.Vn Lài, Tp.H Chí Minh

NEOVET DX

This test result is valid for this sample and is only used as a diagnostic reference for clinicians.