

Client: (PE260531001)

Patient Name: LUI LUI

Species: Canine

Breed: French Bulldog

Gender: Female/Spayed


Weight: 13.50 kgs

Age: 8 Years


Doctor: DVM. DIEP NGOC TRUC

Test	Results	Reference Interval	LOW	NORMAL	HIGH
ProCyte Dx (May 31, 2026 11:23 AM)					
RBC	7.65 M/ μ L	5.65 - 8.87			
HCT	47.4 %	37.3 - 61.7			
HGB	16.9 g/dL	13.1 - 20.5			
MCV	62.0 fL	61.6 - 73.5			
MCH	22.1 pg	21.2 - 25.9			
MCHC	35.7 g/dL	32.0 - 37.9			
RDW	18.8 %	13.6 - 21.7			
%RETIC	0.5 %				
RETIC	36.7 K/ μ L	10.0 - 110.0			
RETIC-HGB	22.5 pg	22.3 - 29.6			
WBC	10.05 K/ μ L	5.05 - 16.76			
%NEU	68.5 %				
%LYM	21.4 %				
%MONO	5.0 %				
%EOS	5.1 %				
%BASO	0.0 %				
NEU	6.89 K/ μ L	2.95 - 11.64			
LYM	2.15 K/ μ L	1.05 - 5.10			
MONO	0.50 K/ μ L	0.16 - 1.12			
EOS	0.51 K/ μ L	0.06 - 1.23			
BASO	0.00 K/ μ L	0.00 - 0.10			
PLT	381 K/ μ L	148 - 484			
MPV	10.3 fL	8.7 - 13.2			
PDW	9.3 fL	9.1 - 19.4			
PCT	0.39 %	0.14 - 0.46			

RBC Run



WBC Run



Client: (PE260531001)
 Patient Name: LUI LUI
 Species: Canine
 Breed: French Bulldog

Gender: Female/Spayed
 Weight: 13.50 kgs
 Age: 8 Years
 Doctor: DVM. DIEP NGOC TRUC

Test	Results	Reference Interval	LOW	NORMAL	HIGH
Catalyst One (May 31, 2026 1:13 PM)					
GLU	93 mg/dL	70 - 143			
CREA	1.0 mg/dL	0.5 - 1.8			
BUN	9 mg/dL	7 - 27			
BUN/CREA	9				
PHOS	3.2 mg/dL	2.5 - 6.8			
CA	9.6 mg/dL	7.9 - 12.0			
TP	7.3 g/dL	5.2 - 8.2			
ALB	3.4 g/dL	2.2 - 3.9			
GLOB	3.8 g/dL	2.5 - 4.5			
ALB/GLOB	0.9				
ALT	< 10 U/L	10 - 125			
ALKP	71 U/L	23 - 212			
GGT	0 U/L	0 - 11			
TBIL	0.3 mg/dL	0.0 - 0.9			
CHOL	186 mg/dL	110 - 320			
AMYL	1361 U/L	500 - 1500			
LIPA	839 U/L	200 - 1800			
Na	153 mmol/L	144 - 160			
K	5.0 mmol/L	3.5 - 5.8			
Na/K	31				
Cl	110 mmol/L	109 - 122			
Osm Calc	302 mmol/kg				
TT4	3.6 µg/dL	1.0 - 4.0			

Diagnostic Interpretation for TT4

< 1.0 µg/dL	Low
1.0 - 2.0 µg/dL	Low Normal
1.0 - 4.0 µg/dL	Normal
> 4.0 µg/dL	High
2.1 - 5.4 µg/dL	Therapeutic

Dogs with no clinical signs of hypothyroidism and results within the normal reference range are likely euthyroid. Dogs with low T4 concentrations may be hypothyroid or "euthyroid sick". Occasionally, hypothyroid dogs can have T4 concentrations that are low normal. Dogs with clinical signs of hypothyroidism and low or low normal T4 concentrations may be evaluated further by submission of freeT4 (fT4) and canine TSH. A high T4 concentration in a clinically normal dog is likely a variation of normal; however elevations may occur secondary to thyroid auto antibodies or rarely thyroid neoplasia. For dogs on thyroid supplement, acceptable 4-6 hour post pill total T4 concentrations generally fall within the higher end or slightly above the reference range.

SNAP Pro (May 31, 2026 1:26 PM)

AP_spp	Negative
EH_spp	Negative
HW	Negative
Lyme	Negative