**How to Configure / How to Install **

After downloading the file from themeforest, You will find StoryHub.zip file.Then unzip StoryHub.zip file and run the following commands.

We have 4 different Blog demos. They are

- 1. Agency Blog
- 2. Personal Blog
- 3. Personal Blog minimal
- 4. Image Blog
- 5. Minimal Photography Blog

If you want to run Agency Blog on Gatsby Js server, then

- 1. yarn on Storyhub folder.
- 2. yarn agency-dev on Storyhub folder.

Then , please go to address localhost:8000 on your browser and You will find Agency blog. Similarly ,

If you want to run Personal Blog on Gatsby Js server , then

- 1. yarn on Storyhub folder.
- 2. yarn personal-dev on Storyhub folder.

Then, please go to address localhost:8000 on your browser and You will find personal blog.

If you want to run Personal Blog Minimal on Gatsby Js server, then

- 1. yarn on Storyhub folder.
- 2. yarn minimal-dev on Storyhub folder.

Then , please go to address localhost:8000 on your browser and You will find personal blog minimal demo.

If you want to run Image Blog on Gatsby Js server, then

- 1. yarn on Storyhub folder.
- 2. yarn image-dev on Storyhub folder.

Then , please go to address localhost:8000 on your browser and You will find Image blog.

If you want to run Minimal Photography blog on Gatsby Js server, then

- 1. yarn on Storyhub folder.
- 2. yarn photography-dev on Storyhub folder.

Then , please go to address localhost:8000 on your browser and You will find Minimal Photography blog.

If you want to run Personal blog lite on Gatsby Js server , then

- 1. yarn on Storyhub folder.
- 2. yarn lite-dev on Storyhub folder.

Then , please go to address localhost:8000 on your browser and You will find Minimal Photography blog.

Stack We Used

- 1. Lerna (A tool for managing JavaScript projects with multiple packages. https://lernajs.io)
- 2. Yarn Workspace.
- 3. React Js.

- 4. Typescript.
- 5. Gatsby Js.
- 6. GraphQI.
- 7. Styled System and Styled Components

Folder Structure

Go to Storyhub - > packages folder .

After entering to packages folder, You will find some other folders.

- 1. agency-blog
- 2. components
- 3. personal-blog-minimal
- 4. personal-blog
- 5. image-blog
- 5. Minimal-photography
- 6. Minimal-photography-blog
- 7. Personal-blog-lite

components

If you are familiar with react architecture, then you are familiar with components. Components are reusable codes that you will use throughout your project. Here in components folder, we wrote some custom components which are used in our Blog templates. All the codes are written in Typescript. We have styled our components with the styled components (https://www.styled-components.com/).

Under the packages -> reusecore folder, you will find some basic components like Text, Heading, Image, Input etc. We have written these components to make the developer's life easy. By using these basic components, you can write custom components according to your need. In the common -> components folder, we have done the same things. We have written some custom components for our landing pages by using these reusecore components.

agency-blog, personal-blog, personal-blog-minimal, image-blog, minimal-photography-blog

The main Gatsby Structure are done in these folder. Each folder(agency-blog/personal-blog/personal-blog-minimal) is a separate gatsby project. For details, You can follow the gatsby doc (https://www.gatsbyjs.org/docs/)

agency-blog

You will find the main gatsby structure in this folder. We will discuss the main folder structure and their usage.

content

In Content folder you will find two folder. 'assets' and 'blog'

1.assets

You will find all the assets like images, videos in this folder.

2. Blog

You will find blog posts in this folder. Each folder like(installing-Multiple-Versions, art-of-perception) is a single post. You will find an `index.md` file in each folder. In this `index.md` file, you can write your post(We have a detailed section about how to write a post). You can keep your images related in your post in this folder.

src

Inside the 'src' folder, you will find some folders like components, containers, images, pages, templates, theme.

Components

In the src->component folder, you will find the component which is needed only for this

agency-blog template. All the codes are written in Typescript Containers.

In the src->containers folder, we have written all of our codes part by part. You will also find

the style.js file . All the codes are written in Typescript.

Pages

In the src->pages folder, you will find the routes of all of the pages used in this template like

index.tsx, 404.tsx etc.

Templates

All the page templates are written in this fold

Theme

colors.tsx: in this file, you can keep all of the custom colors for your specific landing pages.

customeVariant.tsx: For writing custom variants. index.tsx: all of the style props.

We have used styled system for this folder structure (https://github.com/jxnblk/styled-system).

You can also follow this article for clearing your concept https://varun.ca/styled-system/.

The other templates like personal-blog, personal-blog-minimal are built with same structures.

How to write a blog post

To write a blog post, please go to packages -> (agency-blog/personal-blog/

personal-blog-minimal) -> content -> blog folder and create a folder with a name

like(art-of-perfection). Then create a md file named index.md and then write your post in this

format

title: Sharing content that makes other people engage

date: '2019-01-01T23:46:37.121Z'

cover: './preview.png'

tags: ['markdown', 'test', 'unity']

slug: 'sharing-content-that-makes-other'

(Post details Start)Technology companies can do more, but as long as these trends continue, there will be incentives for companies to exploit them for profit. Both technology companies and libraries need to recognize that a core aspect of the problem is social in nature. The most obvious tool that libraries have at their disposal is the promotion of information literacy.(Post details End).

Instagram Token

To add instagram token, please go to packages -> (agency-blog/personal-blog/personal-blog-minimal) -> gatsby-config.js-> go to 'resolve:gatsby-source-instagram' and put your instagram username,access,id token there. For further info, please check this link https://www.gatsbyjs.org/packages/gatsby-source-instagram

Disgus Name

To add Disqus token, please go to packages -> (agency-blog/personal-blog/personal-blog-minimal) -> env.development and packages -> (agency-blog/personal-blog/personal-blog-minimal) env.production and put your Disqus name there.

Mailchimp Integration

To add mailchimp integration, please go to packages -> (agency-blog/personal-blog/personal-blog-minimal) -> gatsby-config.js-> go to 'resolve:gatsby-plugin-mailchimp' and put your endpoint there. For further info, please check this link https://www.gatsbyjs.org/packages/gatsby-plugin-mailchimp