

## 1. Api get list products

- **Description**

URI: <https://www.baokim.vn/promotion/list-products>

Method: GET

- **Parameter**

Param Name	Type	Required?	Description
merchant_id	int	Y	Merchant code
category_id	int	Y	Category id
...	...	...	...

- **Result**

- **HTTP Status code = 200 (json format)**

```
{
  "data": [
    {
      "id": 1234,
      "name": "hello product",
      "price": "1000.00",
    },
    {
      "id": 4321,
      "name": "test products",
      "price": "213.00",
    },
  ],
}
```

- HTTP Status code != 200 (json format)

```
{
  error: "Message thông báo giao dịch lỗi"
}
```

## 2. Api POST Receiver info

- **Description**

URI : <https://www.baokim.vn/promotion/send-receiver-info>

Method: POST

- **Parameter**

Param Name	Type	Required?	Description
receiver_name	String	Y	Name of receiver
receiver_email	String	Y	Email of receiver
receiver_phone	String	Y	Receiver phone number
receiver_address	String	Y	Receiver Address
product_id	Int	Y	Product id
amount	Int	Y	Amount
.....	...	...	...

- **Result**

- HTTP Status code = 200: (json format)

```
{ success: "message successful" }
```

- HTTP Status code != 200 (json format)

```
{ error: "Message alert error" }
```

## 3. API Check order status

- **Description**

URI: <https://www.baokim.vn/promotion/orderStatus>

Method: POST

- **Parameter**

Param Name	Type	Required?	Description
------------	------	-----------	-------------

id	int	Y	Order ID
----	-----	---	----------

- **Result**

○ **HTTP Status code = 200: (json format)**

```
{
  "data": {
    "code": 1,
    "message": "Money sent"
  }
}

=====

{
  "data": {
    "code": 2,
    "message": "Money not yet been sent"
  }
}
```

```
}

=====

{
  "data": {
    "code": 3,
    "message": "Gift sent"
  }
}
```

- **HTTP Status code != 200 (json format)**

```
{ error: "Message alert error" }
```

#### **4. HTTP User for Test**

URI test: <http://kiemthu.baokim.vn>

URI live: <https://www.baokim.vn>

Account call api: test\_only

Password: 1234