## marsrover in MarsRover.app.test: 32 total, 32 passed

419 ms

## Collapse | Expand

UserInterfaceTest		314 ms
Happy path. Given an correct formated input, which valid options the system updated the Rovers coordinates		314 ms
[1] 5,5,1,2,N,LMLMLMLMM,3,3,E,MMRMMRMRRM, 1,3,N,5,1,E	passed	233 ms
[2] 10.10.0.0.E.L. 0.0.N	passed	10 ms

[2] 10,10,0,0,E,L, 0,0,N	passed	10 ms
[3] 10,10,0,0,N,L, 0,0,W	passed	6 ms
[4] 10,10,0,0,W,L, 0,0,S	passed	4 ms
[5] 10,10,0,0,S,L, 0,0,E	passed	38 ms
[6] 10,10,0,0,E,R, 0,0,S	passed	2 ms
[7] 10,10,0,0,S,R, 0,0,W	passed	2 ms
[8] 10,10,0,0,W,R, 0,0,N	passed	7 ms
[9] 10,10,0,0,N,R, 0,0,E	passed	2 ms
[10] 10,10,0,0,N,MMMMM, 0,5,N	passed	4 ms
[11] 10,10,0,0,E,MMMMM, 5,0,E	passed	2 ms
[12] 10,10,1,2,N,LMLMLMMM, 1,3,N	passed	2 ms
[13] 10,10,3,3,E,MMRMMRMRRM, 5,1,E	passed	2 ms

52 ms

Collanse | Expand

	Ooliapse   Ex	Collapse   Expand	
[2] 10,10,0,0,E,L, 0,0,N	passed	2 ms	
[3] 10,10,0,0,N,L, 0,0,W	passed	3 ms	
[4] 10,10,0,0,W,L, 0,0,S	passed	1 ms	
[5] 10,10,0,0,S,L, 0,0,E	passed	3 ms	
[6] 10,10,0,0,E,R, 0,0,S	passed	3 ms	
[7] 10,10,0,0,S,R, 0,0,W	passed	2 ms	
[8] 10,10,0,0,W,R, 0,0,N	passed	2 ms	
[9] 10,10,0,0,N,R, 0,0,E	passed	2 ms	
[10] 10,10,0,0,N,MMMMM, 0,5,N	passed	2 ms	
[11] 10,10,0,0,E,MMMMM, 5,0,E	passed	2 ms	
[12] 10,10,1,2,N,LMLMLMMM, 1,3,N	passed	2 ms	
[13] 10,10,3,3,E,MMRMMRMRRM, 5,1,E	passed	1 ms	

When getting an input with the intial speficication format, we get an explorer system

[1] 5,5,1,2,N,LMLMLMMM,3,3,E,MMRMMRMRRM, 2	passed	44 ms
[2] 5,5,1,2,N,LMLMLMMM, 1	passed	6 ms

## marsrover in MarsRover.app.test: 32 total, 32 passed

419 ms

	Collapse   Expand		
[2] 5,5,1,2,N,LMLMLMMM,1,2,N,LMLMLMMM	passed	2 ms	
When introducing incorrect info, the system throws an exception		3 ms	
[1] 1,2,N,LMLMLMM	passed	3 ms	

Generated by IntelliJ IDEA on 04/06/2021, 12:07