

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464
Nhi, Leo, Kenzie
Spring 2026

Deliverable 1: Project Write-Up

Sole & Story Shoe Retailers is a specialty footwear retail company operating 12 brick-and-mortar store locations across the western United States, employing approximately 180 full- and part-time staff across all locations. The company sells branded and private-label shoes across men's, women's, and children's categories, serving customers both in-store and through its online storefront. Sole & Story manages its product catalog, customer orders, and store operations through a centralized database that tracks customers, employees, store locations, products, and order transactions.

The members of this group project are Kenzie, Leo, and Nhi. Kenzie worked on the write-up for this project as well as finalizing our ER diagram and Logical Schema. Leo found what integers correspond with the min/max cardinalities of our ER diagram. Nhi worked on the initial ER diagram, as well as the original logical schema and SQL text files.

Customer Table:

The Customer table stores information about each customer who places orders with Sole & Story. This includes the customer's ID, first and last name, email, phone number, address information, and loyalty tier. This table allows the company to connect each order to the customer who placed it.

Order Table:

The Order table stores information about customer order transactions. It includes the order ID, order date, total amount, order channel, and fulfillment information. This table connects the customer side of the database to the products being purchased and also supports tracking how orders are fulfilled.

Orderline Table:

The Orderline table represents the individual products included in each order. It includes information such as quantity and line total. This helps show what was purchased and how much each part of the order cost.

Product Table:

The Product table stores information about the shoes sold by Sole & Story. This includes the product ID, product name, brand, category, color, size, retail price, and wholesale cost. This table allows the company to keep product information separate from order information, which helps avoid repeating

the same product details every time a product is sold.

Employee Table:

The Employee table stores information about staff members who work for Sole & Story. It includes employee ID, first and last name, job title, hire date, hourly wage, and address information. This table connects employees to store locations and helps organize what employees fulfilled what orders.

Store Table:

The Store table stores information about Sole & Story's physical store locations. It includes the store ID, store name, city, state, street address, zip code, and square footage. This table helps the company track where employees work and keeps store location information separately from employee and order records.

Works On Table:

The Works On table represents the relationship between employees and the orders they are assigned to fulfill. It stores the employee ID, order ID, and the role the employee played in fulfilling that order, such as Cashier or Online Fulfillment. This table allows the company to track which staff members were responsible for each transaction.

Works At Table:

The Works At table shows which store the employees work at. Specifically it stores the employee ID and the store ID to help the company keep their employee data organized. It's important to have a separate location to store this data to avoid overcrowding.

Queries:

The first query joins the Customer and Order tables to display each customer's name alongside their order details, including order date, total amount, and order channel. We ran this query to see which customers placed which orders and how much they spent.

The second query joins the Order, Orderline, and Product tables to show the specific products included in each order along with quantity and line total. We ran this to see a complete breakdown of what was purchased in every transaction.

The third query joins the Employee, Store, and Order tables to show which employee fulfilled each order and at which store location they work. We ran this query to connect store operations with order fulfillment and employee assignments.


The fourth query uses a GROUP BY clause with aggregate functions COUNT and SUM to calculate the total number of orders and total amount spent by each customer. A HAVING clause is then applied to filter the results to only include customers who have spent more than \$100 total. We ran this query to identify our most active customers and understand overall

spending patterns across the customer base.


The fifth query uses a subquery to calculate the average retail price across all products, then compares each individual product's price against that average. Only products priced above the average are returned in the results. We ran this query to identify which products are priced above average, which could help the company make decisions about promotions or pricing adjustments.

The sixth query uses a WITH clause to create a common table expression (CTE) that first calculates total order revenue grouped by store, then joins that result to the Store table to display each store's name, city, and total revenue. We ran this query to compare sales performance across Sole & Story's different store locations.

Deliverable 2: E-R Diagram



Deliverable 3: Schema of Relations



Referential Integrity

```

EMPLOYEE.StoreID -> STORE.StoreID
ORDER.CustomerID -> CUSTOMER.CustomerID
ORDERLINE.OrderID -> ORDER.OrderID
ORDERLINE.ProductID -> PRODUCT.ProductID
WORKS_ON.EmployeeID -> EMPLOYEE.EmployeeID
WORKS_ON.OrderID -> ORDER.OrderID
WORKS_AT.EmployeeID -> EMPLOYEE.EmployeeID
WORKS_AT.StoreID -> STORE.StoreID

```

Deliverable 4A: Build SQL File

```
CREATE DATABASE sole_story;
USE sole_story;

-- 1. CUSTOMER (no FKs)
CREATE TABLE CUSTOMER (
    CustomerID      INT                NOT NULL,
    FirstName       VARCHAR(25)        NOT NULL,
    LastName        VARCHAR(25)        NOT NULL,
    Email           VARCHAR(50),
    Phone           VARCHAR(15),
    StreetAddress   VARCHAR(50),
    City            VARCHAR(30),
    State           CHAR(2),
    ZipCode         VARCHAR(10),
    LoyaltyTier     VARCHAR(20),
    CONSTRAINT Customer_PK PRIMARY KEY (CustomerID)
);

-- 2. STORE (no FKs)
CREATE TABLE STORE (
    StoreID         INT                NOT NULL,
    StoreName       VARCHAR(50),
    City            VARCHAR(30),
    State           CHAR(2),
    StreetAddress   VARCHAR(50),
    ZipCode         VARCHAR(10),
    SquareFootage   INT,
    CONSTRAINT Store_PK PRIMARY KEY (StoreID)
);

-- 3. PRODUCT (no FKs)
CREATE TABLE PRODUCT (
    ProductID       INT                NOT NULL,
    ProductName     VARCHAR(50),
    Brand           VARCHAR(30),
    Category        VARCHAR(30),
    Color           VARCHAR(20),
    Size            VARCHAR(10),
    RetailPrice     DECIMAL(8,2),
    WholesaleCost   DECIMAL(8,2),
    CONSTRAINT Product_PK PRIMARY KEY (ProductID)
);

-- 4. EMPLOYEE (FK → STORE)
```

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

```
CREATE TABLE EMPLOYEE (  
    EmployeeID    INT                NOT NULL,  
    FirstName     VARCHAR(25)        NOT NULL,  
    LastName      VARCHAR(25)        NOT NULL,  
    JobTitle      VARCHAR(40),  
    HireDate      DATE                DEFAULT (CURRENT_DATE),  
    HourlyWage    DECIMAL(6,2),  
    StreetAddress VARCHAR(50),  
    City          VARCHAR(30),  
    State         CHAR(2),  
    Zip           VARCHAR(10),  
    StoreID       INT,  
    CONSTRAINT Employee_PK PRIMARY KEY (EmployeeID),  
    CONSTRAINT Employee_Store_FK FOREIGN KEY (StoreID)  
        REFERENCES STORE(StoreID)  
);  
  
-- 5. ORDER (FK → CUSTOMER, EMPLOYEE)  
CREATE TABLE `ORDER` (  
    OrderID       INT                NOT NULL,  
    OrderDate     DATE                DEFAULT (CURRENT_DATE),  
    TotalAmount   DECIMAL(10,2),  
    OrderChannel  VARCHAR(20),  
    FulfillBy     DATE,  
    CustomerID    INT,  
    EmployeeID    INT,  
    CONSTRAINT Order_PK PRIMARY KEY (OrderID),  
    CONSTRAINT Order_Customer_FK FOREIGN KEY (CustomerID)  
        REFERENCES CUSTOMER(CustomerID),  
    CONSTRAINT Order_Employee_FK FOREIGN KEY (EmployeeID)  
        REFERENCES EMPLOYEE(EmployeeID)  
);  
  
-- 6. ORDERLINE (FK → ORDER, PRODUCT)  
CREATE TABLE ORDERLINE (  
    OrderID       INT                NOT NULL,  
    ProductID     INT                NOT NULL,  
    Quantity      INT,  
    LineTotal     DECIMAL(10,2),  
    CONSTRAINT OrderLine_PK PRIMARY KEY (OrderID, ProductID),  
    CONSTRAINT OrderLine_Order_FK FOREIGN KEY (OrderID)  
        REFERENCES `ORDER`(OrderID),  
    CONSTRAINT OrderLine_Product_FK FOREIGN KEY (ProductID)  
        REFERENCES PRODUCT(ProductID)  
);
```

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

```
-- 7. WORKS_ON (FK → EMPLOYEE, ORDER)
CREATE TABLE WORKS_ON (
    EmployeeID    INT                NOT NULL,
    OrderID       INT                NOT NULL,
    Role          VARCHAR(30),
    CONSTRAINT WorksOn_PK PRIMARY KEY (EmployeeID, OrderID),
    CONSTRAINT WorksOn_Employee_FK FOREIGN KEY (EmployeeID)
        REFERENCES EMPLOYEE(EmployeeID),
    CONSTRAINT WorksOn_Order_FK FOREIGN KEY (OrderID)
        REFERENCES `ORDER`(OrderID)
);

-- 8. WORKS_AT (FK → EMPLOYEE, STORE)
CREATE TABLE WORKS_AT (
    EmployeeID    INT                NOT NULL,
    StoreID       INT                NOT NULL,
    CONSTRAINT WorksAt_PK PRIMARY KEY (EmployeeID, StoreID),
    CONSTRAINT WorksAt_Employee_FK FOREIGN KEY (EmployeeID)
        REFERENCES EMPLOYEE(EmployeeID),
    CONSTRAINT WorksAt_Store_FK FOREIGN KEY (StoreID)
        REFERENCES STORE(StoreID)
);

-- DESC to confirm all tables built correctly
DESC CUSTOMER;
DESC STORE;
DESC PRODUCT;
DESC EMPLOYEE;
DESC `ORDER`;
DESC ORDERLINE;
DESC WORKS_ON;
DESC WORKS_AT;
```

Deliverable 4B: Load SQL File

```
USE sole_story;

-- =====
-- 1. STORE (12 rows)
-- =====
INSERT INTO STORE VALUES (1, 'Sole & Story Downtown SF', 'San
Francisco', 'CA', '820 Market St', '94103', 4200);
```

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

```
INSERT INTO STORE VALUES (2, 'Sole & Story Oakland Uptown', 'Oakland',
'CA', '2100 Broadway', '94612', 3800);
INSERT INTO STORE VALUES (3, 'Sole & Story Santana Row', 'San Jose',
'CA', '334 Santana Row', '95113', 4600);
INSERT INTO STORE VALUES (4, 'Sole & Story Midtown
Sacramento','Sacramento', 'CA', '1120 J St', '95814',
3500);
INSERT INTO STORE VALUES (5, 'Sole & Story LA Arts District', 'Los
Angeles', 'CA', '705 Traction Ave', '90012', 5100);
INSERT INTO STORE VALUES (6, 'Sole & Story Gaslamp', 'San
Diego', 'CA', '640 5th Ave', '92101', 3900);
INSERT INTO STORE VALUES (7, 'Sole & Story Pearl District', 'Portland',
'OR', '111 NW 10th Ave', '97205', 3700);
INSERT INTO STORE VALUES (8, 'Sole & Story Pike Place', 'Seattle',
'WA', '1525 1st Ave', '98101', 4400);
INSERT INTO STORE VALUES (9, 'Sole & Story Strip Center', 'Las
Vegas', 'NV', '3765 Las Vegas Blvd', '89109', 5200);
INSERT INTO STORE VALUES (10, 'Sole & Story Riverwalk Reno', 'Reno',
'NV', '40 W 1st St', '89501', 3300);
INSERT INTO STORE VALUES (11, 'Sole & Story Downtown Phoenix', 'Phoenix',
'AZ', '1 N Central Ave', '85004', 4100);
INSERT INTO STORE VALUES (12, 'Sole & Story Main Gate Tucson', 'Tucson',
'AZ', '943 E University Blvd', '85701', 3400);
```

```
-- =====
```

```
-- 2. CUSTOMER (30 rows)
```

```
-- =====
```

```
INSERT INTO CUSTOMER VALUES (1, 'Kaitlyn', 'Rivera',
'kaitlyn.rivera1@example.com', '415-555-1001', '107 Spruce St',
'Seattle', 'WA', '98101', 'Bronze');
INSERT INTO CUSTOMER VALUES (2, 'Bianca', 'Flores',
'bianca.flores2@example.com', '415-555-1002', '114 Maple St',
'Boise', 'ID', '83702', 'Bronze');
INSERT INTO CUSTOMER VALUES (3, 'Lily', 'Bennett',
'lily.bennett3@example.com', '415-555-1003', '121 Mission St',
'Tucson', 'AZ', '85701', 'Silver');
INSERT INTO CUSTOMER VALUES (4, 'Erica', 'Walker',
'erica.walker4@example.com', '415-555-1004', '128 Willow St',
'Seattle', 'WA', '98101', 'Silver');
INSERT INTO CUSTOMER VALUES (5, 'Leo', 'Singh',
'leo.singh5@example.com', '415-555-1005', '135 Mission St',
'Sacramento', 'CA', '95814', 'Gold');
INSERT INTO CUSTOMER VALUES (6, 'Mia', 'Foster',
'mia.foster6@example.com', '415-555-1006', '142 Canyon St',
'Boise', 'ID', '83702', 'Bronze');
```


Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

```
INSERT INTO CUSTOMER VALUES (7, 'Ethan', 'Bennett',
'ethan.bennett7@example.com', '415-555-1007', '149 Lincoln St',
'Seattle', 'WA', '98101', 'Silver');
INSERT INTO CUSTOMER VALUES (8, 'Jose', 'Patel',
'jose.patel8@example.com', '415-555-1008', '156 Folsom St', 'Las
Vegas', 'NV', '89109', 'Bronze');
INSERT INTO CUSTOMER VALUES (9, 'Abigail', 'Ortiz',
'abigail.ortiz9@example.com', '415-555-1009', '163 Howard St',
'Sacramento', 'CA', '95814', 'Bronze');
INSERT INTO CUSTOMER VALUES (10, 'Gabriela', 'Adams',
'gabriela.adams10@example.com', '415-555-1010', '170 Park St',
'Portland', 'OR', '97205', 'Bronze');
INSERT INTO CUSTOMER VALUES (11, 'Samantha', 'Lopez',
'samantha.lopez11@example.com', '415-555-1011', '177 Howard St',
'Oakland', 'CA', '94612', 'Bronze');
INSERT INTO CUSTOMER VALUES (12, 'Destiny', 'Edwards',
'destiny.edwards12@example.com', '415-555-1012', '184 Maple St', 'Salt
Lake City', 'UT', '84101', 'Platinum');
INSERT INTO CUSTOMER VALUES (13, 'Brandon', 'Adams',
'brandon.adams13@example.com', '415-555-1013', '191 Hillcrest St',
'Denver', 'CO', '80202', 'Silver');
INSERT INTO CUSTOMER VALUES (14, 'Elena', 'Patel',
'elena.patel14@example.com', '415-555-1014', '198 Cedar St', 'Salt
Lake City', 'UT', '84101', 'None');
INSERT INTO CUSTOMER VALUES (15, 'Amara', 'Hall',
'amara.hall15@example.com', '415-555-1015', '205 Central St', 'San
Jose', 'CA', '95113', 'None');
INSERT INTO CUSTOMER VALUES (16, 'Leah', 'Nguyen',
'leah.nguyen16@example.com', '415-555-1016', '212 Oak St',
'Oakland', 'CA', '94612', 'Bronze');
INSERT INTO CUSTOMER VALUES (17, 'Grace', 'Singh',
'grace.singh17@example.com', '415-555-1017', '219 Willow St',
'Seattle', 'WA', '98101', 'Silver');
INSERT INTO CUSTOMER VALUES (18, 'Gabriela', 'Gomez',
'gabriela.gomez18@example.com', '415-555-1018', '226 Central St',
'Denver', 'CO', '80202', 'Silver');
INSERT INTO CUSTOMER VALUES (19, 'Tiana', 'Brown',
'tiana.brown19@example.com', '415-555-1019', '233 Harbor St',
'Oakland', 'CA', '94612', 'Bronze');
INSERT INTO CUSTOMER VALUES (20, 'Aaliyah', 'Baker',
'aaliyah.baker20@example.com', '415-555-1020', '240 Seaside St',
'Oakland', 'CA', '94612', 'Bronze');
INSERT INTO CUSTOMER VALUES (21, 'Carmen', 'Howard',
'carmen.howard21@example.com', '415-555-1021', '247 Folsom St',
'Tucson', 'AZ', '85701', 'Bronze');
```

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

```
INSERT INTO CUSTOMER VALUES (22, 'Hannah', 'King',
'hannah.king22@example.com', '415-555-1022', '254 Cedar St',
'Tucson', 'AZ', '85701', 'None');
INSERT INTO CUSTOMER VALUES (23, 'Jasmine', 'Collins',
'jasmine.collins23@example.com', '415-555-1023', '261 Pacific St', 'San
Francisco', 'CA', '94103', 'None');
INSERT INTO CUSTOMER VALUES (24, 'Natalie', 'Walker',
'natalie.walker24@example.com', '415-555-1024', '268 Seaside St', 'Salt
Lake City', 'UT', '84101', 'None');
INSERT INTO CUSTOMER VALUES (25, 'Rafael', 'Foster',
'rafael.foster25@example.com', '415-555-1025', '275 Harbor St',
'Oakland', 'CA', '94612', 'Silver');
INSERT INTO CUSTOMER VALUES (26, 'Caleb', 'Rodriguez',
'caleb.rodriguez26@example.com', '415-555-1026', '282 Sunset St',
'Tucson', 'AZ', '85701', 'Gold');
INSERT INTO CUSTOMER VALUES (27, 'Aiden', 'Hernandez',
'aiden.hernandez27@example.com', '415-555-1027', '289 Pine St',
'Sacramento', 'CA', '95814', 'Bronze');
INSERT INTO CUSTOMER VALUES (28, 'Tyler', 'Morgan',
'tyler.morgan28@example.com', '415-555-1028', '296 Pine St', 'Los
Angeles', 'CA', '90012', 'None');
INSERT INTO CUSTOMER VALUES (29, 'Grace', 'Mitchell',
'grace.mitchell29@example.com', '415-555-1029', '303 Seaside St', 'Las
Vegas', 'NV', '89109', 'Platinum');
INSERT INTO CUSTOMER VALUES (30, 'Caleb', 'Chen',
'caleb.chen30@example.com', '415-555-1030', '310 Lincoln St',
'Portland', 'OR', '97205', 'Platinum');
```

```
-- =====
```

```
-- 3. PRODUCT (25 rows)
```

```
-- =====
```

```
INSERT INTO PRODUCT VALUES (1, 'Flex Dress Shoe', 'Harbor Sole',
'Mens', 'Navy', '9.5', 119.99, 75.39);
INSERT INTO PRODUCT VALUES (2, 'Flex Sneaker', 'Harbor Sole',
'Childrens', 'Red', '3Y', 73.99, 44.93);
INSERT INTO PRODUCT VALUES (3, 'Breeze Trainer', 'Harbor Sole',
'Womens', 'Black', '9', 106.99, 46.95);
INSERT INTO PRODUCT VALUES (4, 'Cove Runner', 'Summit Lane',
'Mens', 'Black', '9.5', 117.99, 62.32);
INSERT INTO PRODUCT VALUES (5, 'Mesa Slip-On', 'Sole & Story',
'Childrens', 'Charcoal', '5Y', 56.99, 32.27);
INSERT INTO PRODUCT VALUES (6, 'Luna Loafer', 'UrbanTrail',
'Womens', 'Blue', '10', 95.99, 56.46);
INSERT INTO PRODUCT VALUES (7, 'Pulse Flat', 'VistaWalk',
'Mens', 'Brown', '8', 64.99, 32.03);
```

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

```
INSERT INTO PRODUCT VALUES (8, 'Summit Sneaker', 'Summit Lane',
'Womens', 'Brown', '7', 86.99, 40.37);
INSERT INTO PRODUCT VALUES (9, 'Nova Slip-On', 'UrbanTrail',
'Womens', 'Burgundy', '7', 62.99, 37.23);
INSERT INTO PRODUCT VALUES (10, 'Mesa Sandal', 'StridePeak',
'Mens', 'Blue', '8', 65.99, 31.38);
INSERT INTO PRODUCT VALUES (11, 'Pace Dress Shoe', 'Sole & Story',
'Mens', 'Tan', '10.5', 134.99, 72.70);
INSERT INTO PRODUCT VALUES (12, 'Summit Dress Shoe', 'Sole & Story',
'Mens', 'Burgundy', '8', 125.99, 71.03);
INSERT INTO PRODUCT VALUES (13, 'Pace Slip-On', 'Daybreak Athletics',
'Womens', 'Burgundy', '9', 75.99, 47.47);
INSERT INTO PRODUCT VALUES (14, 'Luna Sneaker', 'NorthBridge',
'Mens', 'Beige', '13', 90.99, 50.29);
INSERT INTO PRODUCT VALUES (15, 'Trail Hiking Shoe', 'CloudStep',
'Womens', 'Charcoal', '11', 155.99, 77.60);
INSERT INTO PRODUCT VALUES (16, 'Metro Sneaker', 'EverRun',
'Womens', 'Brown', '11', 91.99, 49.74);
INSERT INTO PRODUCT VALUES (17, 'Mesa Dress Shoe', 'Cedar & Co.',
'Womens', 'Black', '9.5', 128.99, 59.51);
INSERT INTO PRODUCT VALUES (18, 'Pace Sneaker', 'Harbor Sole',
'Mens', 'Red', '8.5', 86.99, 36.72);
INSERT INTO PRODUCT VALUES (19, 'Aero Flat', 'Cedar & Co.',
'Womens', 'Beige', '8.5', 79.99, 49.65);
INSERT INTO PRODUCT VALUES (20, 'Cove Sandal', 'Harbor Sole',
'Childrens', 'Charcoal', '6Y', 51.99, 24.60);
INSERT INTO PRODUCT VALUES (21, 'Luna Hiking Shoe', 'Harbor Sole',
'Womens', 'Black', '7', 121.99, 60.98);
INSERT INTO PRODUCT VALUES (22, 'Pace Sandal', 'Daybreak Athletics',
'Childrens', 'Burgundy', '2Y', 47.99, 21.43);
INSERT INTO PRODUCT VALUES (23, 'Nova Boot', 'Harbor Sole',
'Womens', 'Navy', '8.5', 135.99, 86.84);
INSERT INTO PRODUCT VALUES (24, 'Flex Boot', 'Cedar & Co.',
'Mens', 'Charcoal', '12', 125.99, 80.62);
INSERT INTO PRODUCT VALUES (25, 'Trail Sandal', 'EverRun',
'Childrens', 'Navy', '2Y', 39.99, 25.18);
```

```
-- =====
```

```
-- 4. EMPLOYEE (25 rows, one per store minimum, FK -> STORE)
```

```
-- =====
```

```
INSERT INTO EMPLOYEE VALUES (1, 'Carlos', 'Rivera', 'Store Manager',
'2022-03-15', 38.50, '101 Staff Ln', 'San Francisco', 'CA', '94103',
1);
INSERT INTO EMPLOYEE VALUES (2, 'Nina', 'Walsh', 'Sales
Associate', '2023-06-01', 18.00, '202 Worker Rd', 'San
Francisco', 'CA', '94103', 1);
```

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

```
INSERT INTO EMPLOYEE VALUES (3, 'Derek', 'Moss', 'Online
Fulfillment Assoc', '2024-01-10', 17.50, '303 Emp Ave', 'San
Francisco', 'CA', '94103', 1);
INSERT INTO EMPLOYEE VALUES (4, 'Paige', 'Ramirez', 'Sales
Associate', '2023-09-03', 18.45, '400 Lake St', 'Oakland',
'CA', '94612', 2);
INSERT INTO EMPLOYEE VALUES (5, 'Logan', 'Perez', 'Store Manager',
'2023-09-30', 38.51, '2340 Lake St', 'Oakland', 'CA', '94612',
2);
INSERT INTO EMPLOYEE VALUES (6, 'Maya', 'Edwards', 'Sales
Associate', '2023-06-14', 18.88, '2347 Sunset St', 'Oakland',
'CA', '94612', 2);
INSERT INTO EMPLOYEE VALUES (7, 'Noah', 'Smith', 'Store Manager',
'2022-01-01', 37.66, '2501 Bay St', 'San Jose', 'CA', '95113',
3);
INSERT INTO EMPLOYEE VALUES (8, 'Isabella', 'Bennett', 'Sales
Associate', '2021-08-14', 20.69, '2431 Howard St', 'San Jose',
'CA', '95113', 3);
INSERT INTO EMPLOYEE VALUES (9, 'Lily', 'Patel', 'Store Manager',
'2021-03-15', 34.22, '2564 Main St', 'Sacramento', 'CA', '95814',
4);
INSERT INTO EMPLOYEE VALUES (10, 'Diego', 'Turner', 'Sales
Associate', '2020-02-01', 18.42, '2529 Maple St',
'Sacramento', 'CA', '95814', 4);
INSERT INTO EMPLOYEE VALUES (11, 'Amara', 'Hill', 'Sales
Associate', '2020-09-14', 19.43, '2585 Sunset St',
'Sacramento', 'CA', '95814', 4);
INSERT INTO EMPLOYEE VALUES (12, 'Sofia', 'Howard', 'Store Manager',
'2021-05-10', 36.00, '500 Traction Ave', 'Los Angeles', 'CA', '90012',
5);
INSERT INTO EMPLOYEE VALUES (13, 'Tomas', 'Reyes', 'Sales
Associate', '2023-11-15', 17.00, '502 Sales St', 'Los
Angeles', 'CA', '90012', 5);
INSERT INTO EMPLOYEE VALUES (14, 'Aaliyah', 'Taylor', 'Online
Fulfillment Assoc', '2020-10-11', 20.15, '600 Arts Blvd', 'Los
Angeles', 'CA', '90012', 5);
INSERT INTO EMPLOYEE VALUES (15, 'Jenna', 'Hill', 'Store Manager',
'2021-03-06', 35.00, '640 5th Ave', 'San Diego', 'CA', '92101',
6);
INSERT INTO EMPLOYEE VALUES (16, 'Eli', 'Sanchez', 'Sales
Associate', '2019-04-10', 20.39, '641 5th Ave', 'San
Diego', 'CA', '92101', 6);
INSERT INTO EMPLOYEE VALUES (17, 'Amy', 'Chen', 'Store Manager',
'2022-08-01', 37.00, '111 NW 10th Ave', 'Portland', 'OR', '97205',
7);
```

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

```
INSERT INTO EMPLOYEE VALUES (18, 'Caleb',      'Ramirez',    'Online
Fulfillment Assoc',    '2021-07-13', 22.24, '112 NW 10th Ave',  'Portland',
'OR', '97205', 7);
INSERT INTO EMPLOYEE VALUES (19, 'Lisa',      'Park',      'Store Manager',
'2021-08-20', 30.00, '1525 1st Ave',    'Seattle',      'WA', '98101',
8);
INSERT INTO EMPLOYEE VALUES (20, 'Hannah',   'Harris',    'Senior Sales
Associate',            '2022-08-30', 25.37, '1526 1st Ave',    'Seattle',
'WA', '98101', 8);
INSERT INTO EMPLOYEE VALUES (21, 'Omar',      'Thomas',    'Store Manager',
'2020-06-01', 36.50, '3765 LV Blvd',    'Las Vegas',    'NV', '89109',
9);
INSERT INTO EMPLOYEE VALUES (22, 'Jasmine',   'Kim',       'Online
Fulfillment Assoc',    '2024-12-24', 23.70, '3766 LV Blvd',    'Las Vegas',
'NV', '89109', 9);
INSERT INTO EMPLOYEE VALUES (23, 'Zoe',       'Mitchell',  'Store Manager',
'2023-03-15', 34.00, '40 W 1st St',     'Reno',         'NV', '89501',
10);
INSERT INTO EMPLOYEE VALUES (24, 'Miguel',    'Lewis',     'Store Manager',
'2022-10-08', 38.54, '1 N Central Ave', 'Phoenix',      'AZ', '85004',
11);
INSERT INTO EMPLOYEE VALUES (25, 'Leah',      'Phillips',  'Store Manager',
'2019-02-04', 37.86, '943 E Univ Blvd', 'Tucson',       'AZ', '85701',
12);

-- =====
-- 5. ORDER (50 rows, FK -> CUSTOMER, FK -> EMPLOYEE)
--   FulfillBy = date, EmployeeID references valid employees above
-- =====
INSERT INTO `ORDER` VALUES (1,  '2025-01-10', 251.98, 'Online',
'2025-01-14', 1,  1);
INSERT INTO `ORDER` VALUES (2,  '2025-01-15', 353.97, 'In-Store',
'2025-01-15', 2,  5);
INSERT INTO `ORDER` VALUES (3,  '2025-01-22', 270.97, 'In-Store',
'2025-01-22', 3,  7);
INSERT INTO `ORDER` VALUES (4,  '2025-02-01', 390.95, 'In-Store',
'2025-02-01', 4,  9);
INSERT INTO `ORDER` VALUES (5,  '2025-02-05', 135.99, 'Online',
'2025-02-08', 5,  17);
INSERT INTO `ORDER` VALUES (6,  '2025-02-14', 128.99, 'Online',
'2025-02-17', 6,  18);
INSERT INTO `ORDER` VALUES (7,  '2025-02-20', 205.97, 'In-Store',
'2025-02-20', 7,  21);
INSERT INTO `ORDER` VALUES (8,  '2025-03-01', 64.99,  'In-Store',
'2025-03-01', 8,  24);
```

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

```
INSERT INTO `ORDER` VALUES (9, '2025-03-05', 403.95, 'In-Store',  
'2025-03-05', 9, 12);  
INSERT INTO `ORDER` VALUES (10, '2025-03-10', 352.96, 'Online',  
'2025-03-13', 10, 1);  
INSERT INTO `ORDER` VALUES (11, '2025-03-15', 105.99, 'Online',  
'2025-03-18', 11, 3);  
INSERT INTO `ORDER` VALUES (12, '2025-03-20', 401.96, 'Online',  
'2025-03-23', 12, 17);  
INSERT INTO `ORDER` VALUES (13, '2025-03-25', 240.97, 'In-Store',  
'2025-03-25', 13, 5);  
INSERT INTO `ORDER` VALUES (14, '2025-04-01', 193.98, 'Online',  
'2025-04-04', 14, 9);  
INSERT INTO `ORDER` VALUES (15, '2025-04-05', 246.98, 'Online',  
'2025-04-08', 15, 12);  
INSERT INTO `ORDER` VALUES (16, '2025-04-10', 60.99, 'In-Store',  
'2025-04-10', 16, 15);  
INSERT INTO `ORDER` VALUES (17, '2025-04-15', 166.98, 'In-Store',  
'2025-04-15', 17, 19);  
INSERT INTO `ORDER` VALUES (18, '2025-04-18', 337.96, 'In-Store',  
'2025-04-18', 18, 21);  
INSERT INTO `ORDER` VALUES (19, '2025-04-22', 190.97, 'Online',  
'2025-04-25', 19, 23);  
INSERT INTO `ORDER` VALUES (20, '2025-04-28', 47.99, 'In-Store',  
'2025-04-28', 20, 25);  
INSERT INTO `ORDER` VALUES (21, '2025-05-01', 370.97, 'In-Store',  
'2025-05-01', 1, 1);  
INSERT INTO `ORDER` VALUES (22, '2025-05-05', 435.95, 'In-Store',  
'2025-05-05', 2, 5);  
INSERT INTO `ORDER` VALUES (23, '2025-05-08', 106.99, 'Online',  
'2025-05-11', 3, 7);  
INSERT INTO `ORDER` VALUES (24, '2025-05-12', 290.96, 'In-Store',  
'2025-05-12', 4, 9);  
INSERT INTO `ORDER` VALUES (25, '2025-05-15', 106.99, 'In-Store',  
'2025-05-15', 5, 12);  
INSERT INTO `ORDER` VALUES (26, '2025-05-20', 204.98, 'In-Store',  
'2025-05-20', 6, 15);  
INSERT INTO `ORDER` VALUES (27, '2025-05-22', 462.96, 'In-Store',  
'2025-05-22', 7, 17);  
INSERT INTO `ORDER` VALUES (28, '2025-05-25', 232.97, 'In-Store',  
'2025-05-25', 8, 21);  
INSERT INTO `ORDER` VALUES (29, '2025-06-01', 466.95, 'In-Store',  
'2025-06-01', 9, 9);  
INSERT INTO `ORDER` VALUES (30, '2025-06-05', 171.98, 'In-Store',  
'2025-06-05', 10, 1);  
INSERT INTO `ORDER` VALUES (31, '2025-06-10', 193.98, 'Online',  
'2025-06-13', 11, 3);
```

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

```
INSERT INTO `ORDER` VALUES (32, '2025-06-15', 291.97, 'In-Store',
'2025-06-15', 12, 7);
INSERT INTO `ORDER` VALUES (33, '2025-06-20', 317.97, 'In-Store',
'2025-06-20', 13, 9);
INSERT INTO `ORDER` VALUES (34, '2025-06-25', 131.99, 'Online',
'2025-06-28', 14, 17);
INSERT INTO `ORDER` VALUES (35, '2025-07-01', 189.97, 'Online',
'2025-07-04', 15, 19);
INSERT INTO `ORDER` VALUES (36, '2025-07-05', 187.98, 'Online',
'2025-07-08', 16, 23);
INSERT INTO `ORDER` VALUES (37, '2025-07-10', 393.97, 'Online',
'2025-07-13', 17, 1);
INSERT INTO `ORDER` VALUES (38, '2025-07-15', 378.97, 'Online',
'2025-07-18', 18, 5);
INSERT INTO `ORDER` VALUES (39, '2025-07-20', 369.97, 'In-Store',
'2025-07-20', 19, 9);
INSERT INTO `ORDER` VALUES (40, '2025-07-25', 453.96, 'In-Store',
'2025-07-25', 20, 12);
INSERT INTO `ORDER` VALUES (41, '2025-08-01', 105.99, 'In-Store',
'2025-08-01', 21, 21);
INSERT INTO `ORDER` VALUES (42, '2025-08-05', 299.96, 'Online',
'2025-08-08', 22, 5);
INSERT INTO `ORDER` VALUES (43, '2025-08-10', 96.99, 'In-Store',
'2025-08-10', 23, 9);
INSERT INTO `ORDER` VALUES (44, '2025-08-15', 193.98, 'In-Store',
'2025-08-15', 24, 15);
INSERT INTO `ORDER` VALUES (45, '2025-08-20', 486.96, 'In-Store',
'2025-08-20', 25, 1);
INSERT INTO `ORDER` VALUES (46, '2025-09-01', 388.97, 'Online',
'2025-09-04', 26, 3);
INSERT INTO `ORDER` VALUES (47, '2025-09-05', 244.98, 'Online',
'2025-09-08', 27, 7);
INSERT INTO `ORDER` VALUES (48, '2025-09-10', 209.98, 'In-Store',
'2025-09-10', 28, 17);
INSERT INTO `ORDER` VALUES (49, '2025-09-15', 79.99, 'Online',
'2025-09-18', 29, 21);
INSERT INTO `ORDER` VALUES (50, '2025-09-20', 251.98, 'Online',
'2025-09-23', 30, 25);
```

```
-- =====
-- 6. ORDERLINE (FK -> ORDER, PRODUCT)
-- =====
INSERT INTO ORDERLINE VALUES (1, 15, 1, 155.99);
INSERT INTO ORDERLINE VALUES (1, 6, 1, 95.99);
INSERT INTO ORDERLINE VALUES (2, 12, 1, 125.99);
INSERT INTO ORDERLINE VALUES (2, 8, 1, 86.99);
```

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

```
INSERT INTO ORDERLINE VALUES (2, 17, 1, 128.99);
INSERT INTO ORDERLINE VALUES (3, 3, 1, 106.99);
INSERT INTO ORDERLINE VALUES (3, 8, 2, 86.99);
INSERT INTO ORDERLINE VALUES (4, 25, 1, 39.99);
INSERT INTO ORDERLINE VALUES (4, 6, 1, 95.99);
INSERT INTO ORDERLINE VALUES (4, 20, 2, 51.99);
INSERT INTO ORDERLINE VALUES (4, 11, 1, 134.99);
INSERT INTO ORDERLINE VALUES (5, 23, 1, 135.99);
INSERT INTO ORDERLINE VALUES (6, 17, 1, 128.99);
INSERT INTO ORDERLINE VALUES (7, 20, 2, 51.99);
INSERT INTO ORDERLINE VALUES (7, 14, 1, 90.99);
INSERT INTO ORDERLINE VALUES (8, 7, 1, 64.99);
INSERT INTO ORDERLINE VALUES (9, 10, 1, 65.99);
INSERT INTO ORDERLINE VALUES (9, 15, 1, 155.99);
INSERT INTO ORDERLINE VALUES (9, 23, 1, 135.99);
INSERT INTO ORDERLINE VALUES (9, 21, 1, 121.99);
INSERT INTO ORDERLINE VALUES (10, 12, 1, 125.99);
INSERT INTO ORDERLINE VALUES (10, 1, 1, 119.99);
INSERT INTO ORDERLINE VALUES (10, 17, 1, 128.99);
INSERT INTO ORDERLINE VALUES (11, 3, 1, 106.99);
INSERT INTO ORDERLINE VALUES (12, 12, 1, 125.99);
INSERT INTO ORDERLINE VALUES (12, 4, 1, 117.99);
INSERT INTO ORDERLINE VALUES (12, 11, 1, 134.99);
INSERT INTO ORDERLINE VALUES (13, 21, 1, 121.99);
INSERT INTO ORDERLINE VALUES (13, 4, 1, 117.99);
INSERT INTO ORDERLINE VALUES (14, 6, 1, 95.99);
INSERT INTO ORDERLINE VALUES (14, 16, 1, 91.99);
INSERT INTO ORDERLINE VALUES (15, 15, 1, 155.99);
INSERT INTO ORDERLINE VALUES (15, 9, 1, 62.99);
INSERT INTO ORDERLINE VALUES (16, 7, 1, 64.99);
INSERT INTO ORDERLINE VALUES (17, 6, 1, 95.99);
INSERT INTO ORDERLINE VALUES (17, 13, 1, 75.99);
INSERT INTO ORDERLINE VALUES (18, 1, 1, 119.99);
INSERT INTO ORDERLINE VALUES (18, 4, 1, 117.99);
INSERT INTO ORDERLINE VALUES (18, 11, 1, 134.99);
INSERT INTO ORDERLINE VALUES (19, 3, 1, 106.99);
INSERT INTO ORDERLINE VALUES (19, 8, 1, 86.99);
INSERT INTO ORDERLINE VALUES (20, 5, 1, 56.99);
INSERT INTO ORDERLINE VALUES (21, 23, 1, 135.99);
INSERT INTO ORDERLINE VALUES (21, 11, 1, 134.99);
INSERT INTO ORDERLINE VALUES (21, 15, 1, 155.99);
INSERT INTO ORDERLINE VALUES (22, 24, 1, 125.99);
INSERT INTO ORDERLINE VALUES (22, 23, 1, 135.99);
INSERT INTO ORDERLINE VALUES (22, 15, 1, 155.99);
INSERT INTO ORDERLINE VALUES (23, 3, 1, 106.99);
INSERT INTO ORDERLINE VALUES (24, 1, 1, 119.99);
```


Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

```
INSERT INTO ORDERLINE VALUES (24, 12, 1, 125.99);
INSERT INTO ORDERLINE VALUES (24, 21, 1, 121.99);
INSERT INTO ORDERLINE VALUES (25, 3, 1, 106.99);
INSERT INTO ORDERLINE VALUES (26, 6, 1, 95.99);
INSERT INTO ORDERLINE VALUES (26, 16, 1, 91.99);
INSERT INTO ORDERLINE VALUES (27, 23, 1, 135.99);
INSERT INTO ORDERLINE VALUES (27, 24, 1, 125.99);
INSERT INTO ORDERLINE VALUES (27, 11, 1, 134.99);
INSERT INTO ORDERLINE VALUES (27, 21, 1, 121.99);
INSERT INTO ORDERLINE VALUES (28, 12, 1, 125.99);
INSERT INTO ORDERLINE VALUES (28, 4, 1, 117.99);
INSERT INTO ORDERLINE VALUES (29, 23, 1, 135.99);
INSERT INTO ORDERLINE VALUES (29, 11, 1, 134.99);
INSERT INTO ORDERLINE VALUES (29, 15, 1, 155.99);
INSERT INTO ORDERLINE VALUES (30, 6, 1, 95.99);
INSERT INTO ORDERLINE VALUES (30, 19, 1, 79.99);
INSERT INTO ORDERLINE VALUES (31, 3, 1, 106.99);
INSERT INTO ORDERLINE VALUES (31, 8, 1, 86.99);
INSERT INTO ORDERLINE VALUES (32, 21, 1, 121.99);
INSERT INTO ORDERLINE VALUES (32, 15, 1, 155.99);
INSERT INTO ORDERLINE VALUES (33, 12, 1, 125.99);
INSERT INTO ORDERLINE VALUES (33, 11, 1, 134.99);
INSERT INTO ORDERLINE VALUES (34, 17, 1, 128.99);
INSERT INTO ORDERLINE VALUES (35, 3, 1, 106.99);
INSERT INTO ORDERLINE VALUES (35, 8, 1, 86.99);
INSERT INTO ORDERLINE VALUES (36, 6, 1, 95.99);
INSERT INTO ORDERLINE VALUES (36, 16, 1, 91.99);
INSERT INTO ORDERLINE VALUES (37, 23, 1, 135.99);
INSERT INTO ORDERLINE VALUES (37, 11, 1, 134.99);
INSERT INTO ORDERLINE VALUES (37, 4, 1, 117.99);
INSERT INTO ORDERLINE VALUES (38, 15, 1, 155.99);
INSERT INTO ORDERLINE VALUES (38, 23, 1, 135.99);
INSERT INTO ORDERLINE VALUES (39, 11, 1, 134.99);
INSERT INTO ORDERLINE VALUES (39, 12, 1, 125.99);
INSERT INTO ORDERLINE VALUES (39, 15, 1, 155.99);
INSERT INTO ORDERLINE VALUES (40, 21, 1, 121.99);
INSERT INTO ORDERLINE VALUES (40, 23, 1, 135.99);
INSERT INTO ORDERLINE VALUES (40, 15, 1, 155.99);
INSERT INTO ORDERLINE VALUES (41, 3, 1, 106.99);
INSERT INTO ORDERLINE VALUES (42, 12, 1, 125.99);
INSERT INTO ORDERLINE VALUES (42, 4, 1, 117.99);
INSERT INTO ORDERLINE VALUES (43, 6, 1, 96.99);
INSERT INTO ORDERLINE VALUES (44, 6, 1, 95.99);
INSERT INTO ORDERLINE VALUES (44, 16, 1, 91.99);
INSERT INTO ORDERLINE VALUES (45, 23, 1, 135.99);
INSERT INTO ORDERLINE VALUES (45, 11, 1, 134.99);
```

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

```
INSERT INTO ORDERLINE VALUES (45, 15, 1, 155.99);
INSERT INTO ORDERLINE VALUES (46, 4, 1, 117.99);
INSERT INTO ORDERLINE VALUES (46, 11, 1, 134.99);
INSERT INTO ORDERLINE VALUES (46, 8, 1, 86.99);
INSERT INTO ORDERLINE VALUES (47, 15, 1, 155.99);
INSERT INTO ORDERLINE VALUES (47, 8, 1, 86.99);
INSERT INTO ORDERLINE VALUES (48, 6, 1, 95.99);
INSERT INTO ORDERLINE VALUES (48, 17, 1, 128.99);
INSERT INTO ORDERLINE VALUES (49, 19, 1, 79.99);
INSERT INTO ORDERLINE VALUES (50, 12, 1, 125.99);
INSERT INTO ORDERLINE VALUES (50, 4, 1, 117.99);
```

```
-- =====
-- 7. WORKS_ON (FK -> EMPLOYEE, ORDER)
```

```
-- =====
INSERT INTO WORKS_ON VALUES (1, 1, 'Cashier');
INSERT INTO WORKS_ON VALUES (1, 10, 'Cashier');
INSERT INTO WORKS_ON VALUES (1, 21, 'Cashier');
INSERT INTO WORKS_ON VALUES (1, 30, 'Cashier');
INSERT INTO WORKS_ON VALUES (1, 37, 'Cashier');
INSERT INTO WORKS_ON VALUES (1, 45, 'Cashier');
INSERT INTO WORKS_ON VALUES (2, 2, 'Cashier');
INSERT INTO WORKS_ON VALUES (2, 13, 'Cashier');
INSERT INTO WORKS_ON VALUES (3, 11, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (3, 23, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (3, 31, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (5, 4, 'Cashier');
INSERT INTO WORKS_ON VALUES (5, 22, 'Cashier');
INSERT INTO WORKS_ON VALUES (5, 42, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (7, 3, 'Cashier');
INSERT INTO WORKS_ON VALUES (7, 32, 'Cashier');
INSERT INTO WORKS_ON VALUES (9, 5, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (9, 29, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (9, 33, 'Cashier');
INSERT INTO WORKS_ON VALUES (10, 6, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (12, 7, 'Cashier');
INSERT INTO WORKS_ON VALUES (12, 27, 'Cashier');
INSERT INTO WORKS_ON VALUES (13, 8, 'Cashier');
INSERT INTO WORKS_ON VALUES (14, 34, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (15, 9, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (15, 35, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (15, 47, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (16, 16, 'Cashier');
INSERT INTO WORKS_ON VALUES (16, 26, 'Cashier');
INSERT INTO WORKS_ON VALUES (17, 12, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (17, 48, 'Online Fulfillment');
```

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

```
INSERT INTO WORKS_ON VALUES (18, 36, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (18, 46, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (19, 17, 'Cashier');
INSERT INTO WORKS_ON VALUES (19, 39, 'Cashier');
INSERT INTO WORKS_ON VALUES (20, 28, 'Cashier');
INSERT INTO WORKS_ON VALUES (21, 18, 'Cashier');
INSERT INTO WORKS_ON VALUES (21, 41, 'Cashier');
INSERT INTO WORKS_ON VALUES (22, 19, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (22, 49, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (23, 14, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (23, 24, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (23, 43, 'Cashier');
INSERT INTO WORKS_ON VALUES (24, 15, 'Cashier');
INSERT INTO WORKS_ON VALUES (24, 44, 'Cashier');
INSERT INTO WORKS_ON VALUES (25, 20, 'Cashier');
INSERT INTO WORKS_ON VALUES (25, 25, 'Cashier');
INSERT INTO WORKS_ON VALUES (25, 38, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (25, 40, 'Online Fulfillment');
INSERT INTO WORKS_ON VALUES (25, 50, 'Online Fulfillment');

-- =====
-- 8. WORKS_AT (FK -> EMPLOYEE, STORE)
-- =====

INSERT INTO WORKS_AT VALUES (1, 1);
INSERT INTO WORKS_AT VALUES (2, 1);
INSERT INTO WORKS_AT VALUES (3, 1);
INSERT INTO WORKS_AT VALUES (4, 2);
INSERT INTO WORKS_AT VALUES (5, 2);
INSERT INTO WORKS_AT VALUES (6, 2);
INSERT INTO WORKS_AT VALUES (7, 3);
INSERT INTO WORKS_AT VALUES (8, 3);
INSERT INTO WORKS_AT VALUES (9, 4);
INSERT INTO WORKS_AT VALUES (10, 4);
INSERT INTO WORKS_AT VALUES (11, 4);
INSERT INTO WORKS_AT VALUES (12, 5);
INSERT INTO WORKS_AT VALUES (13, 5);
INSERT INTO WORKS_AT VALUES (14, 5);
INSERT INTO WORKS_AT VALUES (15, 6);
INSERT INTO WORKS_AT VALUES (16, 6);
INSERT INTO WORKS_AT VALUES (17, 7);
INSERT INTO WORKS_AT VALUES (18, 7);
INSERT INTO WORKS_AT VALUES (19, 8);
INSERT INTO WORKS_AT VALUES (20, 8);
INSERT INTO WORKS_AT VALUES (21, 9);
INSERT INTO WORKS_AT VALUES (22, 9);
INSERT INTO WORKS_AT VALUES (23, 10);
```

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

```
INSERT INTO WORKS_AT VALUES (24, 11);
```

```
INSERT INTO WORKS_AT VALUES (25, 12);
```

Deliverable 4C: Query SQL File

Query 1 — Customer + Order:

```
USE sole_story;
```

```
SELECT C.CustomerID, C.FirstName, C.LastName,  
       O.OrderID, O.OrderDate, O.TotalAmount, O.OrderChannel  
FROM CUSTOMER C, `ORDER` O  
WHERE C.CustomerID = O.CustomerID  
ORDER BY O.OrderDate;
```

Custo...	^	FirstName	LastName	OrderID	OrderDate	TotalAmount	OrderChannel
1		Kaitlyn	Rivera	21	2025-05-01	370.97	In-Store
2		Bianca	Flores	2	2025-01-15	353.97	In-Store
2		Bianca	Flores	22	2025-05-05	435.95	In-Store
3		Lily	Bennett	3	2025-01-22	270.97	In-Store
3		Lily	Bennett	23	2025-05-08	106.99	Online
4		Erica	Walker	4	2025-02-01	390.95	In-Store
4		Erica	Walker	24	2025-05-12	290.96	In-Store
5		Leo	Singh	5	2025-02-05	135.99	Online
5		Leo	Singh	25	2025-05-15	106.99	In-Store
6		Mia	Foster	6	2025-02-14	128.99	Online
6		Mia	Foster	26	2025-05-20	204.98	In-Store
7		Ethan	Bennett	7	2025-02-20	205.97	In-Store
7		Ethan	Bennett	27	2025-05-22	462.96	In-Store
8		Jose	Patel	8	2025-03-01	64.99	In-Store
8		Jose	Patel	28	2025-05-25	232.97	In-Store
9		Abigail	Ortiz	9	2025-03-05	403.95	In-Store
9		Abigail	Ortiz	29	2025-06-01	466.95	In-Store
10		Gabriela	Adams	10	2025-03-10	352.96	Online
10		Gabriela	Adams	30	2025-06-05	171.98	In-Store
11		Samantha	Lopez	11	2025-03-15	105.99	Online
11		Samantha	Lopez	31	2025-06-10	193.98	Online
12		Destiny	Edwards	12	2025-03-20	401.96	Online
12		Destiny	Edwards	32	2025-06-15	291.97	In-Store
13		Brandon	Adams	13	2025-03-25	240.97	In-Store
13		Brandon	Adams	33	2025-06-20	317.97	In-Store
14		Elena	Patel	14	2025-04-01	193.98	Online
14		Elena	Patel	34	2025-06-25	131.99	Online
15		Amara	Hall	15	2025-04-05	246.98	Online
15		Amara	Hall	35	2025-07-01	189.97	Online
16		Leah	Nguyen	16	2025-04-10	60.99	In-Store
16		Leah	Nguyen	36	2025-07-05	187.98	Online
17		Grace	Singh	17	2025-04-15	166.98	In-Store
17		Grace	Singh	37	2025-07-10	393.97	Online
18		Gabriela	Gomez	18	2025-04-18	337.96	In-Store
18		Gabriela	Gomez	38	2025-07-15	378.97	Online
19		Tiana	Brown	19	2025-04-22	190.97	Online
19		Tiana	Brown	39	2025-07-20	369.97	In-Store
20		Aaliyah	Baker	20	2025-04-28	47.99	In-Store
20		Aaliyah	Baker	40	2025-07-25	453.96	In-Store
21		Carmen	Howard	41	2025-08-01	105.99	In-Store
22		Hannah	King	42	2025-08-05	299.96	Online
23		Jasmine	Collins	43	2025-08-10	96.99	In-Store
24		Natalie	Walker	44	2025-08-15	193.98	In-Store
25		Rafael	Foster	45	2025-08-20	486.96	In-Store
26		Caleb	Rodriguez	46	2025-09-01	388.97	Online
27		Aiden	Hernandez	47	2025-09-05	244.98	Online
28		Tyler	Morgan	48	2025-09-10	209.98	In-Store
29		Grace	Mitchell	49	2025-09-15	79.99	Online
30		Caleb	Chen	50	2025-09-20	251.98	Online

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

Query 2 — Order + Orderline + Product:

```
USE sole_story;
```

```
SELECT O.OrderID, O.OrderDate,
       P.ProductName, P.Brand, P.Category,
       OL.Quantity, OL.LineTotal
FROM `ORDER` O, ORDERLINE OL, PRODUCT P
WHERE O.OrderID = OL.OrderID
      AND OL.ProductID = P.ProductID
ORDER BY O.OrderID;
```

OrderID	OrderDate	ProductName	Brand	Category	Quantity	LineTotal
1	2025-01-10	Luna Loafer	UrbanTrail	Womens	1	95.99
1	2025-01-10	Trail Hiking Shoe	CloudStep	Womens	1	155.99
2	2025-01-15	Summit Sneaker	Summit Lane	Womens	1	86.99
2	2025-01-15	Summit Dress Shoe	Sole & Story	Mens	1	125.99
2	2025-01-15	Mesa Dress Shoe	Cedar & Co.	Womens	1	128.99
3	2025-01-22	Breeze Trainer	Harbor Sole	Womens	1	106.99
3	2025-01-22	Summit Sneaker	Summit Lane	Womens	2	86.99
4	2025-02-01	Luna Loafer	UrbanTrail	Womens	1	95.99
4	2025-02-01	Pace Dress Shoe	Sole & Story	Mens	1	134.99
4	2025-02-01	Cove Sandal	Harbor Sole	Childrens	2	51.99
4	2025-02-01	Trail Sandal	EverRun	Childrens	1	39.99
5	2025-02-05	Nova Boot	Harbor Sole	Womens	1	135.99
6	2025-02-14	Mesa Dress Shoe	Cedar & Co.	Womens	1	128.99
7	2025-02-20	Luna Sneaker	NorthBridge	Mens	1	90.99
7	2025-02-20	Cove Sandal	Harbor Sole	Childrens	2	51.99
8	2025-03-01	Pulse Flat	VistaWalk	Mens	1	64.99
9	2025-03-05	Mesa Sandal	StridePeak	Mens	1	65.99
9	2025-03-05	Trail Hiking Shoe	CloudStep	Womens	1	155.99
9	2025-03-05	Luna Hiking Shoe	Harbor Sole	Womens	1	121.99
9	2025-03-05	Nova Boot	Harbor Sole	Womens	1	135.99
10	2025-03-10	Flex Dress Shoe	Harbor Sole	Mens	1	119.99
10	2025-03-10	Summit Dress Shoe	Sole & Story	Mens	1	125.99
10	2025-03-10	Mesa Dress Shoe	Cedar & Co.	Womens	1	128.99
11	2025-03-15	Breeze Trainer	Harbor Sole	Womens	1	106.99
12	2025-03-20	Cove Runner	Summit Lane	Mens	1	117.99
12	2025-03-20	Pace Dress Shoe	Sole & Story	Mens	1	134.99
12	2025-03-20	Summit Dress Shoe	Sole & Story	Mens	1	125.99
13	2025-03-25	Cove Runner	Summit Lane	Mens	1	117.99
13	2025-03-25	Luna Hiking Shoe	Harbor Sole	Womens	1	121.99
14	2025-04-01	Luna Loafer	UrbanTrail	Womens	1	95.99
14	2025-04-01	Metro Sneaker	EverRun	Womens	1	91.99
15	2025-04-05	Nova Slip-On	UrbanTrail	Womens	1	62.99
15	2025-04-05	Trail Hiking Shoe	CloudStep	Womens	1	155.99
16	2025-04-10	Pulse Flat	VistaWalk	Mens	1	64.99
17	2025-04-15	Luna Loafer	UrbanTrail	Womens	1	95.99
17	2025-04-15	Pace Slip-On	Daybreak A...	Womens	1	75.99
18	2025-04-18	Flex Dress Shoe	Harbor Sole	Mens	1	119.99
18	2025-04-18	Cove Runner	Summit Lane	Mens	1	117.99
18	2025-04-18	Pace Dress Shoe	Sole & Story	Mens	1	134.99
19	2025-04-22	Breeze Trainer	Harbor Sole	Womens	1	106.99
19	2025-04-22	Summit Sneaker	Summit Lane	Womens	1	86.99
20	2025-04-28	Mesa Slip-On	Sole & Story	Childrens	1	56.99
21	2025-05-01	Pace Dress Shoe	Sole & Story	Mens	1	134.99
21	2025-05-01	Trail Hiking Shoe	CloudStep	Womens	1	155.99
21	2025-05-01	Nova Boot	Harbor Sole	Womens	1	135.99
22	2025-05-05	Trail Hiking Shoe	CloudStep	Womens	1	155.99
22	2025-05-05	Nova Boot	Harbor Sole	Womens	1	135.99
22	2025-05-05	Flex Boot	Cedar & Co.	Mens	1	125.99
23	2025-05-08	Breeze Trainer	Harbor Sole	Womens	1	106.99
28	2025-05-25	Cove Runner	Summit Lane	Mens	1	117.99
28	2025-05-25	Summit Dress Shoe	Sole & Story	Mens	1	125.99
29	2025-06-01	Pace Dress Shoe	Sole & Story	Mens	1	134.99
29	2025-06-01	Trail Hiking Shoe	CloudStep	Womens	1	155.99
29	2025-06-01	Nova Boot	Harbor Sole	Womens	1	135.99
30	2025-06-05	Luna Loafer	UrbanTrail	Womens	1	95.99
30	2025-06-05	Aero Flat	Cedar & Co.	Womens	1	79.99
31	2025-06-10	Breeze Trainer	Harbor Sole	Womens	1	106.99
31	2025-06-10	Summit Sneaker	Summit Lane	Womens	1	86.99
32	2025-06-15	Trail Hiking Shoe	CloudStep	Womens	1	155.99
32	2025-06-15	Luna Hiking Shoe	Harbor Sole	Womens	1	121.99
33	2025-06-20	Pace Dress Shoe	Sole & Story	Mens	1	134.99
33	2025-06-20	Summit Dress Shoe	Sole & Story	Mens	1	125.99
34	2025-06-25	Mesa Dress Shoe	Cedar & Co.	Womens	1	128.99
35	2025-07-01	Breeze Trainer	Harbor Sole	Womens	1	106.99
35	2025-07-01	Summit Sneaker	Summit Lane	Womens	1	86.99
36	2025-07-05	Luna Loafer	UrbanTrail	Womens	1	95.99
36	2025-07-05	Metro Sneaker	EverRun	Womens	1	91.99
37	2025-07-10	Cove Runner	Summit Lane	Mens	1	117.99
37	2025-07-10	Pace Dress Shoe	Sole & Story	Mens	1	134.99
37	2025-07-10	Nova Boot	Harbor Sole	Womens	1	135.99
38	2025-07-15	Trail Hiking Shoe	CloudStep	Womens	1	155.99
38	2025-07-15	Nova Boot	Harbor Sole	Womens	1	135.99
39	2025-07-20	Pace Dress Shoe	Sole & Story	Mens	1	134.99
39	2025-07-20	Summit Dress Shoe	Sole & Story	Mens	1	125.99
39	2025-07-20	Trail Hiking Shoe	CloudStep	Womens	1	155.99
40	2025-07-25	Trail Hiking Shoe	CloudStep	Womens	1	155.99
40	2025-07-25	Luna Hiking Shoe	Harbor Sole	Womens	1	121.99
40	2025-07-25	Nova Boot	Harbor Sole	Womens	1	135.99
41	2025-08-01	Breeze Trainer	Harbor Sole	Womens	1	106.99
42	2025-08-05	Cove Runner	Summit Lane	Mens	1	117.99
42	2025-08-05	Summit Dress Shoe	Sole & Story	Mens	1	125.99
43	2025-08-10	Luna Loafer	UrbanTrail	Womens	1	96.99
44	2025-08-15	Luna Loafer	UrbanTrail	Womens	1	95.99
44	2025-08-15	Metro Sneaker	EverRun	Womens	1	91.99
45	2025-08-20	Pace Dress Shoe	Sole & Story	Mens	1	134.99
45	2025-08-20	Trail Hiking Shoe	CloudStep	Womens	1	155.99
45	2025-08-20	Nova Boot	Harbor Sole	Womens	1	135.99
46	2025-09-01	Cove Runner	Summit Lane	Mens	1	117.99
46	2025-09-01	Summit Sneaker	Summit Lane	Womens	1	86.99
46	2025-09-01	Pace Dress Shoe	Sole & Story	Mens	1	134.99
47	2025-09-05	Summit Sneaker	Summit Lane	Womens	1	86.99
47	2025-09-05	Trail Hiking Shoe	CloudStep	Womens	1	155.99
48	2025-09-10	Luna Loafer	UrbanTrail	Womens	1	95.99
48	2025-09-10	Mesa Dress Shoe	Cedar & Co.	Womens	1	128.99
49	2025-09-15	Aero Flat	Cedar & Co.	Womens	1	79.99
50	2025-09-20	Cove Runner	Summit Lane	Mens	1	117.99
50	2025-09-20	Summit Dress Shoe	Sole & Story	Mens	1	125.99

Query 3 — Employee + Store + Order:

```
USE sole_story;
```

```
SELECT E.EmployeeID, E.FirstName, E.LastName, E.JobTitle,
       S.StoreName, S.City,
```

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

```
O.OrderID, O.OrderDate, O.OrderChannel
FROM EMPLOYEE E, STORE S, `ORDER` O
WHERE E.StoreID = S.StoreID
      AND E.EmployeeID = O.EmployeeID
ORDER BY E.EmployeeID;
```

EmployeeID	FirstName	LastName	JobTitle	StoreName	City	OrderID	OrderDate	OrderChannel
1	Carlos	Rivera	Store Manager	Sole & Story Downtown SF	San Francisco	45	2025-08-20	In-Store
1	Carlos	Rivera	Store Manager	Sole & Story Downtown SF	San Francisco	1	2025-01-10	Online
1	Carlos	Rivera	Store Manager	Sole & Story Downtown SF	San Francisco	10	2025-03-10	Online
1	Carlos	Rivera	Store Manager	Sole & Story Downtown SF	San Francisco	30	2025-06-05	In-Store
1	Carlos	Rivera	Store Manager	Sole & Story Downtown SF	San Francisco	21	2025-05-01	In-Store
3	Derek	Moss	Online Fulfillment Assoc	Sole & Story Downtown SF	San Francisco	31	2025-06-10	Online
3	Derek	Moss	Online Fulfillment Assoc	Sole & Story Downtown SF	San Francisco	46	2025-09-01	Online
3	Derek	Moss	Online Fulfillment Assoc	Sole & Story Downtown SF	San Francisco	11	2025-03-15	Online
5	Logan	Perez	Store Manager	Sole & Story Oakland Uptown	Oakland	2	2025-01-15	In-Store
5	Logan	Perez	Store Manager	Sole & Story Oakland Uptown	Oakland	42	2025-08-05	Online
5	Logan	Perez	Store Manager	Sole & Story Oakland Uptown	Oakland	13	2025-03-25	In-Store
5	Logan	Perez	Store Manager	Sole & Story Oakland Uptown	Oakland	22	2025-05-05	In-Store
5	Logan	Perez	Store Manager	Sole & Story Oakland Uptown	Oakland	38	2025-07-15	Online
7	Noah	Smith	Store Manager	Sole & Story Santana Row	San Jose	3	2025-01-22	In-Store
7	Noah	Smith	Store Manager	Sole & Story Santana Row	San Jose	47	2025-09-05	Online
7	Noah	Smith	Store Manager	Sole & Story Santana Row	San Jose	32	2025-06-15	In-Store
7	Noah	Smith	Store Manager	Sole & Story Santana Row	San Jose	23	2025-05-08	Online
9	Lily	Patel	Store Manager	Sole & Story Midtown Sacra...	Sacramento	29	2025-06-01	In-Store
9	Lily	Patel	Store Manager	Sole & Story Midtown Sacra...	Sacramento	33	2025-06-20	In-Store
9	Lily	Patel	Store Manager	Sole & Story Midtown Sacra...	Sacramento	39	2025-07-20	In-Store
9	Lily	Patel	Store Manager	Sole & Story Midtown Sacra...	Sacramento	14	2025-04-01	Online
9	Lily	Patel	Store Manager	Sole & Story Midtown Sacra...	Sacramento	24	2025-05-12	In-Store
9	Lily	Patel	Store Manager	Sole & Story Midtown Sacra...	Sacramento	43	2025-08-10	In-Store
9	Lily	Patel	Store Manager	Sole & Story Midtown Sacra...	Sacramento	4	2025-02-01	In-Store
12	Sofia	Howard	Store Manager	Sole & Story LA Arts District	Los Angeles	40	2025-07-25	In-Store
12	Sofia	Howard	Store Manager	Sole & Story LA Arts District	Los Angeles	25	2025-05-15	In-Store
12	Sofia	Howard	Store Manager	Sole & Story LA Arts District	Los Angeles	9	2025-03-05	In-Store
12	Sofia	Howard	Store Manager	Sole & Story LA Arts District	Los Angeles	15	2025-04-05	Online
15	Jenna	Hill	Store Manager	Sole & Story Gaslamp	San Diego	26	2025-05-20	In-Store
15	Jenna	Hill	Store Manager	Sole & Story Gaslamp	San Diego	16	2025-04-10	In-Store
15	Jenna	Hill	Store Manager	Sole & Story Gaslamp	San Diego	44	2025-08-15	In-Store
17	Amy	Chen	Store Manager	Sole & Story Pearl District	Portland	27	2025-05-22	In-Store
17	Amy	Chen	Store Manager	Sole & Story Pearl District	Portland	34	2025-06-25	Online
17	Amy	Chen	Store Manager	Sole & Story Pearl District	Portland	12	2025-03-20	Online
17	Amy	Chen	Store Manager	Sole & Story Pearl District	Portland	5	2025-02-05	Online
17	Amy	Chen	Store Manager	Sole & Story Pearl District	Portland	48	2025-09-10	In-Store
18	Caleb	Ramirez	Online Fulfillment Assoc	Sole & Story Pearl District	Portland	6	2025-02-14	Online
19	Lisa	Park	Store Manager	Sole & Story Pike Place	Seattle	35	2025-07-01	Online
19	Lisa	Park	Store Manager	Sole & Story Pike Place	Seattle	17	2025-04-15	In-Store
21	Omar	Thomas	Store Manager	Sole & Story Strip Center	Las Vegas	28	2025-05-25	In-Store
21	Omar	Thomas	Store Manager	Sole & Story Strip Center	Las Vegas	18	2025-04-18	In-Store
21	Omar	Thomas	Store Manager	Sole & Story Strip Center	Las Vegas	41	2025-08-01	In-Store
21	Omar	Thomas	Store Manager	Sole & Story Strip Center	Las Vegas	7	2025-02-20	In-Store
21	Omar	Thomas	Store Manager	Sole & Story Strip Center	Las Vegas	49	2025-09-15	Online
23	Zoe	Mitchell	Store Manager	Sole & Story Riverwalk Reno	Reno	36	2025-07-05	Online
23	Zoe	Mitchell	Store Manager	Sole & Story Riverwalk Reno	Reno	19	2025-04-22	Online
24	Miguel	Lewis	Store Manager	Sole & Story Downtown Pho...	Phoenix	8	2025-03-01	In-Store
25	Leah	Phillips	Store Manager	Sole & Story Main Gate Tuc...	Tucson	20	2025-04-28	In-Store
25	Leah	Phillips	Store Manager	Sole & Story Main Gate Tuc...	Tucson	50	2025-09-20	Online

Query 4: Total amount spent per customer (HAVING to filter groups)

```
USE sole_story;

SELECT C.CustomerID, C.FirstName, C.LastName,
       COUNT(O.OrderID) AS NumberOfOrders,
       SUM(O.TotalAmount) AS TotalSpent
FROM CUSTOMER C, `ORDER` O
WHERE C.CustomerID = O.CustomerID
GROUP BY C.CustomerID, C.FirstName, C.LastName
HAVING SUM(O.TotalAmount) > 100
ORDER BY TotalSpent DESC;
```

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

CustomerID	FirstName	LastName	NumberOfOrde...	TotalSpent
9	Abigail	Ortiz	2	870.90
2	Bianca	Flores	2	789.92
18	Gabriela	Gomez	2	716.93
12	Destiny	Edwards	2	693.93
4	Erica	Walker	2	681.91
7	Ethan	Bennett	2	668.93
1	Kaitlyn	Rivera	2	622.95
17	Grace	Singh	2	560.95
19	Tiana	Brown	2	560.94
13	Brandon	Adams	2	558.94
10	Gabriela	Adams	2	524.94
20	Aaliyah	Baker	2	501.95
25	Rafael	Foster	1	486.96
15	Amara	Hall	2	436.95
26	Caleb	Rodriguez	1	388.97
3	Lily	Bennett	2	377.96
6	Mia	Foster	2	333.97
14	Elena	Patel	2	325.97
11	Samantha	Lopez	2	299.97
22	Hannah	King	1	299.96
8	Jose	Patel	2	297.96
30	Caleb	Chen	1	251.98
16	Leah	Nguyen	2	248.97
27	Aiden	Hernandez	1	244.98
5	Leo	Singh	2	242.98
28	Tyler	Morgan	1	209.98
24	Natalie	Walker	1	193.98
21	Carmen	Howard	1	105.99

Query 5: Products priced above the average retail price (subquery)

```
USE sole_story;
```

```
SELECT P.ProductName, P.Brand, P.Category,  
       P.RetailPrice, AvgPrices.AvgPrice  
FROM PRODUCT P,  
     (SELECT AVG(RetailPrice) AvgPrice FROM PRODUCT) AvgPrices  
WHERE P.RetailPrice > AvgPrices.AvgPrice  
ORDER BY P.RetailPrice DESC;
```

ProductName	Brand	Category	RetailPrice	AvgPrice
Trail Hiking Shoe	CloudStep	Womens	155.99	93.950000
Nova Boot	Harbor Sole	Womens	135.99	93.950000
Pace Dress Shoe	Sole & Story	Mens	134.99	93.950000
Mesa Dress Shoe	Cedar & Co.	Womens	128.99	93.950000
Summit Dress Shoe	Sole & Story	Mens	125.99	93.950000
Flex Boot	Cedar & Co.	Mens	125.99	93.950000
Luna Hiking Shoe	Harbor Sole	Womens	121.99	93.950000
Flex Dress Shoe	Harbor Sole	Mens	119.99	93.950000
Cove Runner	Summit Lane	Mens	117.99	93.950000
Breeze Trainer	Harbor Sole	Womens	106.99	93.950000
Luna Loafer	UrbanTrail	Womens	95.99	93.950000

Query 6: Total order revenue per store using WITH (CTE)

```
USE sole_story;
```

```
WITH StoreRevenue AS (  
    SELECT E.StoreID, SUM(O.TotalAmount) AS TotalRevenue  
    FROM EMPLOYEE E, `ORDER` O  
    WHERE E.EmployeeID = O.EmployeeID  
    GROUP BY E.StoreID  
)  
SELECT S.StoreName, S.City, SR.TotalRevenue  
FROM STORE S, StoreRevenue SR  
WHERE S.StoreID = SR.StoreID  
ORDER BY SR.TotalRevenue DESC;
```

StoreName	City	TotalRevenue
Sole & Story Downtown SF	San Francisco	2717.76
Sole & Story Midtown Sacramento	Sacramento	2127.77
Sole & Story Oakland Uptown	Oakland	1709.82
Sole & Story Pearl District	Portland	1471.87
Sole & Story LA Arts District	Los Angeles	1211.88
Sole & Story Strip Center	Las Vegas	962.88
Sole & Story Santana Row	San Jose	914.91
Sole & Story Gaslamp	San Diego	459.95
Sole & Story Riverwalk Reno	Reno	378.95
Sole & Story Pike Place	Seattle	356.95
Sole & Story Main Gate Tucson	Tucson	299.97
Sole & Story Downtown Phoenix	Phoenix	64.99

Deliverable 5: Logfile

Build File Results — DESC Output

CUSTOMER

	Field	Type	Null	Key	Default	Extra
	CustomerID	int	NO	PRI	NULL	
	FirstName	varchar(25)	NO		NULL	
	LastName	varchar(25)	NO		NULL	
	Email	varchar(50)	YES		NULL	
	Phone	varchar(15)	YES		NULL	
	StreetAddress	varchar(50)	YES		NULL	
	City	varchar(30)	YES		NULL	
	State	char(2)	YES		NULL	
	ZipCode	varchar(10)	YES		NULL	
	LoyaltyTier	varchar(20)	YES		NULL	

PRODUCT

	Field	Type	Null	Key	Default	Extra
	ProductID	int	NO	PRI	NULL	
	ProductName	varchar(50)	YES		NULL	
	Brand	varchar(30)	YES		NULL	
	Category	varchar(30)	YES		NULL	
	Color	varchar(20)	YES		NULL	
	Size	varchar(10)	YES		NULL	
	RetailPrice	decimal(8,2)	YES		NULL	
	WholesaleCost	decimal(8,2)	YES		NULL	

EMPLOYEE

	Field	Type	Null	Key	Default	Extra
	EmployeeID	int	NO	PRI	NULL	
	FirstName	varchar(25)	NO		NULL	
	LastName	varchar(25)	NO		NULL	
	JobTitle	varchar(40)	YES		NULL	
	HireDate	date	YES		curdate()	DEFAULT_GENERATED
	HourlyWage	decimal(6,2)	YES		NULL	
	StreetAddress	varchar(50)	YES		NULL	
	City	varchar(30)	YES		NULL	
	State	char(2)	YES		NULL	
	Zip	varchar(10)	YES		NULL	
	StoreID	int	YES	MUL	NULL	

Sole & Story Shoe Retailers

Database Systems Project — ISYS 464, Spring 2026

Nhi, Leo, Kenzie

ORDER

	Field	Type	Null	Key	Default	Extra
	OrderID	int	NO	PRI	NULL	
	OrderDate	date	YES		curdate()	DEFAULT_GENERATED
	TotalAmount	decimal(10,2)	YES		NULL	
	OrderChannel	varchar(20)	YES		NULL	
	FulfillBy	date	YES		NULL	
	CustomerID	int	YES	MUL	NULL	
	EmployeeID	int	YES	MUL	NULL	

ORDERLINE

	Field	Type	Null	Key	Default	Extra
	OrderID	int	NO	PRI	NULL	
	ProductID	int	NO	PRI	NULL	
	Quantity	int	YES		NULL	
	LineTotal	decimal(10,2)	YES		NULL	

WORKS_ON

	Field	Type	Null	Key	Default	Extra
	EmployeeID	int	NO	PRI	NULL	
	OrderID	int	NO	PRI	NULL	
	Role	varchar(30)	YES		NULL	

WORKS_AT

	Field	Type	Null	Key	Default	Extra
	EmployeeID	int	NO	PRI	NULL	
	StoreID	int	NO	PRI	NULL	

STORE

Field	Type	Null	Key	Default	Extra
StoreID	int	NO	PRI	NULL	
StoreName	varchar(50)	YES		NULL	
City	varchar(30)	YES		NULL	
State	char(2)	YES		NULL	
StreetAddress	varchar(50)	YES		NULL	
ZipCode	varchar(10)	YES		NULL	
SquareFootage	int	YES		NULL	