Index

A

Adhesion
  adsorption, 401
  concepts of, 401
  diffusion, 401
  electrostatic, 401
  mechanical, 401
  mechanisms, 401
Admixed alloy particles, 288
Air abrasion techniques, 188–189
Air-borne contamination
  aerosols, 111
  mists, 111
  spatter, 111
Air-driven handpiece, 187
All-ceramic crowns
  evolution of, 168
    PJC, 168–169
    used in restorative dentistry, 168
Alveolar bone, 246
Amalgams
  bonded, 293
  carving and finishing of restoration, 293
  clinical considerations, 293–296
    compressive strengths, 293
  condensation, 292
  creep, 296
  crevice corrosion, 294
  dispensing of
    mercury/alloy ratio, 291
  galvanic corrosion, 294
  high-copper, 290, 291
  high-copper admixed alloys, 291
  local galvanic corrosion, 294
  low-copper, 290, 291
  phases of, 290
  properties, 301
  replacement of restorations in, 299
  setting reaction of, 289–290
  stress corrosion, 294–296
  tarnish and corrosion, 293–294
  trituration, 292
Amalgam alloy
  clinical recommendations for choosing, 289
Amalgam creep, 296
Amalgam foundations
  tooth preparation for, 392–393
Amalgam restorations
  advantages, 304
  class I amalgam preparations
    desensitizer placement, 328, 329
    finishing and polishing of, 329–331
    insertion and carving, 329, 330
    matrix placement, 328–329
  class I occlusolingual and occlusofacial, 331–336
    contouring and finishing, 335
    desensitizer placement, 334
    initial tooth preparation, 331–334
    insertion of, 335
    matrix placement, 335
  clinical technique for class I, 318
  clinical technique for class II, 336–338
    initial procedures, 336–337
  concepts guiding preparation for, 305
  contraindications, 304
  disadvantages, 304–305
  final tooth preparation
    debridement and inspection, 311
    removal of, 310
    resistance and retention form, 311
  foundation, 304
  indications of, 303
  initial clinical procedures, 305, 319
  initial tooth preparation
    convenience form, 310
    outline form, 306–308
    resistance form, 308–309
    retention form, 309
  isolation factors, 303
  isolation of operating site, 305
  local anaesthesia, 305
  occlusal factors, 303
  operator ability and commitment factors, 303
  preoperative considerations, 305
  preparation designs
    carving, 313–315
    evaluation of, 315–316
    finishing and polishing of, 316–318
    insertion of, 312
    matrix placement, 311
    mixing, 311–312
    post-carve, 315
    pre-carve burnishing, 312–313
    repairing, 318
    types of, 311
  principles for preparation, 306
  restorative factors, 301–303
  restorative technique for class II
    burnishing matrix band, 357–359
    carving of occlusal portion, 368
    condensation and carving, 366–368
    desensitizer placement, 356
    matrix placement, 356
    pre-contoured sectional matrix strips, 366
    quadrant dentistry, 370
    removal of the matrix band, 368–369
    rigid-material supported sectional matrix, 364–366
    round *versus* triangular wedge, 362–364
    universal matrix, 357
    wedging techniques, 361–362
  tooth preparation for class I
    clinical technique, 320–325
    final tooth preparation, 325–327
    initial, 319–320
  tooth preparation for class II, 337–338, 351
    initial, 338–349
    mesio-occluso-distal, 644
    moderate mesio-occluso-distal, 352–353, 644
    modifications for proximal surfaces, 354–356
    occlusal extensions, 352
    proximal extensions, 352
  variations in tooth preparation
    box-only, 351
    mandibular first premolar, 349–350
    maxillary first molar, 350
    maxillary first premolar, 350–351
Argon-ion lasers, 475
Artistic elements
  colour
    clinical considerations of, 564–565
  cosmetic contouring, 559–560
  illusions of shape, 560–561
  position and alignment, 563–564
  proportionality, 562–563
  shape, 559
  surface texture, 564
  symmetry, 562
  translucency, 565–566
    clinical considerations, 566
Aseptic techniques
  disinfection, 114
  before sterilization, 115
Atraumatic restorative treatment (ART), 152
Automatrix, 394–396

B

Balance, 180
Bases, 145
  clinical considerations
    kind of final restoration, 147–149
    remaining dentin thickness, 146–147
  composition, structure and properties, 146
  types of, 145
Binder, 161

Blade
chisel, 181
Bleaching treatments, 574
classification of, 575
mechanism of
nonvital, 575–577
Boiling water, 119
Bulk-fill resin materials, 440

C

CAD/CAM restorations
crowns, 613
inlay and onlay, 613–615
tooth preparation principles for, 612–613
Calcium and phosphate
compounds, 72–73
Captek system, 169
Cardiovascular system
local anaesthesia
clinical considerations, 125–126
Caries management by risk assessment (CAMBRA), 31, 32
assessment of caries lesion activity
dental clinical analysis, 57
primary analysis, 57
salivary analysis, 57–58
supplemental analysis, 58
definitions, 55–56
identification
risk factors, 56–57
risk indicators, 57
Cast gold restorations, 162–163
Cast metal restoration
advantages
biocompatibility, 633
control, 633
low wear, 633
strength, 633
alloys, 632
contraindications
high caries rate, 633
small restorations, 633
young patients, 633
dental rehabilitation, 633
disadvantages
cost, 634
number of appointments, 633
splitting forces, 634
technique sensitivity, 634
temporary restorations, 634
endodontically treated teeth, 633
indications
endodontically treated teeth, 632
large, 632
superior contact and contour, 632
posterior diastema closure, 633
preoperative procedures
anaesthesia, 634
occlusion, 634
removable prosthodontic abutment, 633
tooth preparation for class II, 634
armamentarium, 635
clinical steps in, 636
final, 638–644
initial, 636–638
proximal box, 638
Cementum, 11, 246
chemical composition, 11
thickness, 12
types of
acellular, 11
cellular, 11
Central nervous system (CNS)
local anaesthesia
clinical considerations, 126–127
Ceramco, 169
Cerestore, 169
Chairside CAD/CAM system, 622
accuracy of digital impressions, 627
adhesive ceramics
feldspathic porcelain, 622–623
leucite-reinforced glass ceramic, 623
clinical longevity of, 628–629
clinical workflow, 615–622
composite materials
brilliant crios (Coltene), 626
paradigm MZ100 (3M), 626
full contour zirconia
CEREC zirconia, 627
Telio, 627
higher strength glass ceramic
Celtra duo, 625
IPS e.maxCAD, 623, 624
NICE, 625
research relative to, 627–628
resilient ceramics
Cerasmart (GC America), 626
Enamic (Vita), 626
Lava ultimate (3M), 625–626
restorative material options for, 622
Chemical agents
chlorhexidine (CHX), 71–72
CPP–ACP remineralizing compound, 72
xylitol, 72
Chemical vapour pressure sterilization
advantages of, 118
disadvantages of, 117
Class I direct composite restorations
initial clinical procedures
isolation of, 499
local anaesthesia, 499
operating site, 499
shade selection, 499
restorative technique
finishing and polishing, 506
insertion, 502–506
placement, 502
tooth preparation
moderate to large, 500–502
small to moderate, 499–500
Class III amalgam restorations
condensation and carving, e11
desensitizer placement, e8–e10
finishing and polishing, e11
initial procedures, e3
matrix placement, e10–e11
tooth preparation, e3
final, e5–e8
initial, e4–e5
Class IV amalgam restorations
desensitizer placement, e17
initial procedures, e11–e12
insertion and carving, e17–e19
matrix placement, e17
tooth preparation, e11–e12
final, e14
initial, e13–e14
large, e14–e16
Class II direct composite restorations
initial clinical procedures, 506
restorative technique
finishing and polishing, 512–514
insertion and light activation, 511–512
matrix application, 510
placement of adhesive, 511
role of wedges, 510–511
tooth preparation, 506–510
Class III direct composite restorations
initial clinical procedures, 516
restorative technique
adhesive placement, 524
finishing and polishing, 525–527
insertion and light activation, 524–525
matrix application, 522–524
tooth preparation, 516–521
Class IV direct composite restorations
initial clinical procedures, 527
restorative technique, 528
adhesive placement, 530
finishing and polishing of, 532
insertion and light activation, 530–532
matrix application, 528–530
tooth preparation
large defect, 527
minor defect, 527–528
Class V direct composite restorations
initial clinical procedures, 532
restorative technique
adhesive placement of, 538
finishing and polishing of, 538–539
insertion and light activation of, 538
tooth preparation, 532–533
large lesions, 536–538
small or moderate lesions, 533–536
Class VI direct composite restorations, 539
Coated abrasive instruments, 199–200
Coefficient of thermal expansion (CTE), 408
Colour, 445
appearance of teeth
dentin, 449
enamel, 449–450
deficiency, 446
dimensions
chroma, 447
fluorescence, 448
gloss, 448
hue, 446
iridescence, 448
opalescence, 448
translucency, 447–448
value, 446–447
effects and blending
blending effect, 448
chromatic induction, 448
complementary afterimage, 448–449
contrast and assimilation, 448
perception of, 445
properties of restorative materials
compatibility, 450
interactions, 450–451
stability, 450

vision, 445
rods and cones, 445–446
Colour-matching tools
bleaching mishap, 463–464
commercial shade guides
acrylics, 453
ceramic based, 451–452
custom shade guides, 453
polymer resin based, 452–453
dental shade guides, 451
improving shade-matching skills
available colour education, 462–463
instruments, 453–456
photography, 456–457
visual shade-matching method
five preshade-matching steps, 459–462
three preshade-matching steps, 457–458
Composite resin materials, 435
classification of, 437
filler particle size, 438–439
polymerization reaction initiation, 437–438
recently introduced, 440
viscosity, 440
components of, 436
composition of, 435–436
manipulative variables with, 441–442
Composite restorations, 495
advantages, 496
disadvantages, 496–497
indications and contraindications, 495–496
problems, 541
contouring, 543
incorrect shade, 543
postoperative sensitivity, 543
voids, 542
weak and missing proximal contacts, 542
white line adjacent, 541–542
Complex amalgam restorations
tooth preparation for
cusp coverage complex, 377–379
pin-retained, 381–392
slot-retained, 379–380
Complex posterior restorations
advantages
appointment time, 376
conservation of tooth structure, 376
reduced cost, 377
resistance and retention forms, 376
contraindications, 376
disadvantages
resistance form, 377
tooth anatomy, 377
indications, 375–376
Composite resin cements, 142
Condensation, 292
Configuration factor (C-factor), 407
Conservative composite restorations
clinical technique, 497–499
concept, 497
Convenience form, 274–275
Cotton roll isolation and cellulose wafers, 232–233
Cross-contamination
rules to prevent, 114
Curing light
evaluation of light output from, 482
handheld dental radiometers, 483
monitoring, 482–483
Custom trays, 161
Cutting mechanisms, 200–201
abrasive cutting, 201–202
bladed cutting, 201
evaluation of, 201
hazards with, 202
pulpal precautions, 202–203
precautions
ear, 204
eye, 203–204
inhalation, 204
soft tissue, 203
recommendations, 202

D

Debridement and inspection, 279–280
Defective restorative material
removal of, 275
dentin, 275–276
Demineralization–remineralization balance, 25, 27
modified Keyes–Jordan diagram, 26
Dental biomaterials, 131
biologic properties, 139–140
bond strength testing, 139
contemporary ceramic materials, 172–175
creep, 134
direct restorative materials
composite resins, 140
dental cements, 140–143
silver amalgam, 140
elastic modulus, 136–137
electrical properties
corrosion, 134–135
galvanism, 134
tarnish, 134
gold alloys, 162
types, 162–163
hardness testing, 139
load-to-failure testing *versus* fatigue testing, 137–138
mechanical properties, 136
optical properties, 135–136
physical and mechanical properties
amalgam restorations, 132
dimensional change, 132
evidence-based medicine pyramid, 132
fractured porcelain veneer, 132
percolation, 133
thermal coefficient of expansion (COE), 132–133
solubility, 135
thermal conductivity, 133–134
wettability, 138
porcelain bonding alloys
alterations, 163
biocompatibility, 167
bonding to porcelain, 166–167
classification, 164
composition, 164–165
economic considerations, 167–168
fit of castings, 165–166
strength of, 165
Dental burs, 191
additional features, 195–196
blade design, 196–197
classification systems, 192
historical development of
carbide, 192
steel, 192
modifications in, 193–195
shapes, 192–193
sizes, 193
Dental caries, 25
clinical considerations for removal
firm dentin to, 73–74
SCR to soft dentin, 74–76
clinical considerations in prevention
calcium and phosphate compounds, 72–73
chemical agents, 71–72
diet, 60, 62
fluorides, 62–65
general health, 60
immunization, 73
oral hygiene, 62
probiotics, 73
restorations, 73
saliva, 69–71
sealants, 66–69
enamel caries, 42–43
caries lesion progression, 45
non-cavitated, 42–43
zones of, 43–45
etiology of, 27
biofilm, 27–30
clinical characteristics of, 35–37
diet and caries, 33–34
saliva, 34–35
tooth habitats, 30–33
management and strategies for prevention, 60
medical model
methods of treatment by, 61
pits and fissures, 37–39
risk assessment and management
CAMBRA, 31–32
classification of patients, 58–60
medical model, based on, 55
surgical *versus* medical model of, 55
root, 41–42
smooth surface, 39–41
Dental cements, 140
base, 145–146
clinical applications of, 142
composite, 142
final properties of, 142–143
GIs, 149–150
adhesive dentistry, 153
clinical applications of, 152–153
types of, 150–152
glass ionomers (GIs), 141
indirect restorative materials
impression materials, 153–161
liners, 144–145
polycarboxylate, 140–141
pulpal protection, 143–144
RMGI, 142
zinc phosphate, 140–141
Dental control unit water systems, 121
Dental curing lights
argon-ion lasers, 475
LED technology, 475–477
first-generation, 477
second-generation, 477–479
PAC lights, 474

Dental curing lights (*cont.*)
QTH, 472–473
third-generation LED lights, 479–480
batteries, 480
budget curing lights, 480
Dental mercury
hygiene recommendations, 297
Dentin hypersensitivity, 239
clinical features, 240–241
definition, 239
direct innervation theory, 239
etiology, 239
hydrodynamic theory, 239–240
management of
clinical, 241–242
diagnosis, 241
odontoblast receptor theory, 239
treatment strategies for, 241–242
Dentin, 7
chemical composition, 10
dentinal permeability, 11
dentinogenesis, 7
enamel spindles, 8
hydrodynamic theory, 10–11
physical properties, 10
predentin, 8
sclerotic, 10
secondary, 8
tertiary, 8–10
tubules, 8
Dentin adhesion, 404
challenges in bonding
adhesion of resins to dentin, strategies for, 405
composition of enamel and dentin, 406
smear layer, 407
stresses at resin–dentin interface, 407–408
substrate, 404, 406–407
Dentin bonding system
adhesion to root canal dentin
restorative technique, 422
substrate for, 421–422
biocompatibility
adhesive systems, role of, 420
phosphoric acid etching, role of, 420
desensitization, 421
etch-and-rinse technique
one-step, 415
three-step, 409–410
two-step, 411–415
universal, 415
incompatibility issues, 420–421
indirect adhesive restorations
glass–matrix ceramics, 422–423
polycrystalline ceramics, 423
resin–matrix ceramics, 424
microleakage, 419
moist *versus* dry dentin surfaces
adhesive application, 417
air drying of, 416
etch-and-rinse strategy, 417
moist bonding technique, 416
nanoleakage, 419–420
role of proteins, 418
dentin phosphoprotein, 419
matrix metalloproteinases, 418
role of water, 417–418
Dentin bonding systems
beginning, 408
first generation (1965), 408–409
related abbreviations, 409
second generation (1978), 409
third generation (1984), 409
Dentin caries lesions
clinical symptoms, 46
dentinal reaction to, 46–47
pulpal necrosis, 48
reparative, 47–48
sclerotic, 47
progression of, 45–46
reaction to, 46
Diamond abrasive instruments
classification, 198
construction, 197
head shapes and sizes, 198–199
particle factors, 199
terminology, 197–198
Dicor, 169
Diet
caries management and protocols, 60, 62
Digital dentistry in operative dentistry
chairside CAD/CAM system, 611–612
clinical application, 610–611
Direct and indirect contamination, 111
Direct gold restorations
compaction of
E-Z Gold for, 673–674
gold foil for, 673
principles, 672–673
contraindications, 670
indications, 670
principles of manipulation of, 671–672
cohesion and degassing, 672
principles of tooth preparation, 674
convenience form, 676
outline form, 674–675
resistance form, 675
retention form, 675–676
types of
gold foil, 670–671
powdered, 671
Direct veneer technique, 587
clinical technique, 587–588
full
clinical technique, 588–589
Discoloured teeth
bleaching treatment
classification of, 575
mechanism of, 575–577
bleaching treatments, 574–575
conservative treatments for
extrinsic discolourations, 572–573
intrinsic discolourations, 573–574
Disposal of clinical waste
needle, 114
Double wedging technique, 362
Dry heat sterilization
advantages of, 118
conventional dry heat ovens, 118
disadvantages of, 119
short-cycle, high-temperature heat ovens, 118
Drugs, 236
Dual-cure composite resin materials, 437, 438

E

Elastomeric impression materials, 161
Electric motor-driven handpiece, 187
rotary speed ranges, 188
Enamel, 2
chemical composition, 3
structure of
apatite crystallites, 3
dentinoenamel junction, 5
gnarled enamel, 3–4
Hunter–Schreger bands, 4
lamellae, 4
maturation, 6
Nasmyth's membrane, 5
pit and fissure, 5, 6
prismless enamel, 5
striae of Retzius, 4–5
translucency of, 6
tufts, 4
Enamel adhesion, 402–404
resin microtag mechanism of, 403
Ethyl-silicate investments, 162
ETOX sterilization, 119
Evidence-based dentistry, 83
Extensive class II direct composite restorations
restorative technique, 515–516
tooth preparation, 514–515
External wall finishing, 278–279
design of the cavosurface angle, 279–280

F

Finishing and polishing instruments
classification, 199–200
materials, 200
Flowable composite resin materials, 440
Foil reinforced, 169
Free radical addition polymerization, 465
activation and initiation, 465
propagation, 465
termination, 466–467

G

General health
caries management and protocols, 60
Gingiva
attached, 245, 246
free, 245, 246
interdental, 245
Gingival display, 246, 247
Glass ionomer restorative materials (GIs), 149–150
clinical applications of
cavity liners, 152–153
restorative materials, 152
clinical technique for, 540
repairing, 540–541
types of
ART, 152
conventional, 150
Giomers, 152
polyacid-modified composites, 152
reinforced, 151
resin-modified, 150–151

Glass–matrix ceramics
clinical technique, 422
sandblasting, 423
silane containing universal one bottle adhesives, 422–423
Gold alloys
types, 162–163
Grotthuss–Draper law, 468

H

Hand instruments, 179
applications, 183
balance, 180
bevel, 181–183
blade, 179
chisels, 182, 183–184
classification of, 180
contemporary powered
air abrasion, 188–189
lasers, 189–190
rotary-powered, 186–188
designs, 180
discoid–cleoid, 184
excavators, 182, 183
files, 184
formulas, 181
handles, 180
knives, 184
names, 180–181
rotary cutting instruments
dental burs, 191–197
design characteristics, 190–191
diamond abrasive instruments, 197–199
shanks, 179–180
spoon excavators, 182
techniques
inverted pen grasp, 185
modified palm-and-thumb grasp, 185–186
modified pen grasp, 184–185
palm-and-thumb grasp, 185
rests, 186
High-copper amalgam, 287
High-volume evacuators and saliva ejectors, 234–235
Human teeth, 1
canines, 1
incisors, 1
maxillary and mandibular teeth, 2
molars, 2
premolars, 2
structures
cementum, 11–12
enamel, 2–5
pulp–dentin complex, 6–11
Hybrid composite resin materials, 439

I

Immunization, 73
Impression materials, 153
classification of, 154
ideal properties of
accuracy, 154
dimensional stability, 154–155
economic factors, 157
flow and flexibility, 155–156
hydrophilicity, 156–157
patient comfort, 157
shelf life, 157
workability, 156
principles of
adequate mixing, 159
adhesion of the impression material, 158
control of bulk, 157–158
disinfection, 159
impression materials, 159
polyvinyl siloxane impression materials and latex, 159–160
putty-wash impression techniques, 160–161
viscosity control, 158–159
In-ceram system, 170
Indirect restorative materials
casting investments
ethyl-silicate investments, 162
gypsum-bonded investments, 161–162
phosphate-bonded investments, 162
impression materials, 153
classification of, 154
principles of manipulation, 157–161
properties of, 154–157
Indirect veneer techniques, 589–590
etched porcelain
clinical procedures, 593–602
tooth preparation, 591–593
existing metal restorations for, 603–607
metal restorations for, 603
no-prep, 590–591
pressed ceramic veneers, 602
provisionalization, 603
Infection control, 121
concepts for transporting impressions, 121–122
Initial composite resin materials, 437
Initial depth and outline form, 271–272
features of, 272
principles, 272
Inlay tooth preparations
cementation, 666–668
final impression, 658–661
modifications in
class II preparation for, 647
concept, 647
enhancement of resistance, 652–654
esthetic reasons, 644–645
facial groove, 645–647
full cast metal onlays, 648–652
partial onlay, 647
restorative techniques for
custom temporary, 655–658
interocclusal record, 654–655
stages of laboratory fabrication of, 655
trying-in, 664–667
wax patterns, 662–664
working casts and dies, 662
Instrument containment, 116
Instrument recycling
do's and don'ts of, 116
Intra-oral scanner, 610
Inverted pen grasp, 185
IPS e.max, 170
IPS Empress, 170
IPS Empress II, 170

L

Laser equipment, 189
clinical limitations, 190
hard tissue, 190
types, 190
Lathe-cut alloy, 287
LED technology
first-generation, 477
second-generation, 477–479
Leucite-reinforced IPS Empress system, 172–173
Light-cure materials, 437
Light curing of restorative resins
distance to target, 484
factors affecting light delivery, 483–484
health-related issues
blue light hazard, 488–489
EM risk from, 489
soft tissue damage, 486–488
infection control, 484–486
light guide tip design, 484
photoinitiator molecule, 468–470
recommendation, 490–491
teaching, 490
UV *versus* blue light, 470
Liners
cavity, 144–145
clinical considerations
kind of final restoration, 147–149
remaining dentin thickness, 146–147
film, 144
local anaesthesia
administration
analgesia, 130
emergency procedures, 130
principles, 127–130
Lithium disilicate–reinforced IPS e.max, 173
Local anaesthesia
benefits of, 127
Low-shrinkage composite resin materials, 440

M

Macro-abrasion
clinical procedure, 584
Matrixes, 311
classification of, 312
Metal-ceramic restorations, 175
Micro-abrasion
clinical considerations, 582
Micro-abrasion and macro-abrasion, 582
Microfilled composite resin materials, 438–439
Mirror and evacuator tip retraction, 236
Modified palm-and-thumb grasp, 185–186
Modified pen grasp, 184–185
Modifier, 161–162
Moulded abrasive instruments, 199
Mouth props, 236

N

New amalgam alloys, 287, 289
Non-carious cervical lesions (NCCLs), 534–535
abfraction
clinical features, 550–551
etiology, 550
mechanism of, 550
treatment of, 551–552

Non-carious cervical lesions (NCCLs) (*cont.*)
abrasion
clinical features, 550
etiology, 549–550
treatment of, 551–552
attrition
treatment of, 551–552
erosion
treatment of, 551–552
mucogingival surgery, 553–556
role of
masticatory forces, 552
sclerotic dentin, 552
type of adhesives, 553
type of composite, 552–553
Non-carious lesions
attrition
clinical features, 549
etiology, 549
clinical features, 547–549
erosion
classification, 547
Nonvital bleaching, 575
in-office technique
concept, 575
walking bleach technique
clinical considerations, 576–577
clinical procedure, 576
concept, 576

O

Occlusal loading, 408
Operating field isolation
hole size and position, 215–216, 217
placement, 216
moisture control, 210–211
local anesthetics, 211
patient safety, 211
retraction and access, 211
Operating positions, 207
direct rear position, 208
right, 208
right front, 207–208
right rear, 208
Oral hygiene
caries management and protocols, 62

P

Packable composite resin materials, 440
Pain control
clinical considerations
patient factors, 125–127
local anaesthesia, 125
administration, 127–130
benefits of, 127
Palm-and-thumb grasp, 185
Patient and operator positions
chair and patient, 207, 208–209
Patient assessment
considerations, 83–84
chief complaints, 84
dental history, 84
medical history, 84
examination, 84
additional defects for, 100–102
amalgam restorations, 97–99
caries for, 86–96
composite restorations, 100
esthetic appearance, 85
implant-supported restorations, 100
indirect metal restorations, 100
occlusion, 85–86
preparation for, 86
prognosis, 102–103
proximal surface caries, 96
root surface caries, 97
smooth surface caries, 96–97
steps in, 84
Periodontal ligament (PDL), 246, 247
Periodontally involved teeth, 678
conservative bridges, 682–683
all-porcelain pontic, 689–691
denture tooth pontic, 685–687
natural tooth pontic, 683–685
porcelain-fused-to-metal pontic, 687–688
orthodontic treatment, 678–681
partially avulsed teeth, 681–682
techniques for splinting, 678–679
Personal barrier protection
gloves, 112, 113
hair protection, 113
handwashing, 112
masks, 113
protective eyewear, 113
protective overgarments, 113–114
Pertinent material qualities, e1
advantages, e2–e3
contraindications, e2
disadvantages, e3
indications, e2
Phosphate-bonded investments, 162
Photoinitiation and free radical generation
mechanism of, 469
Piggy-back wedging technique, 362
Pin-retained amalgam
advantages, 381
considerations for use of slots, 392
definition, 381
disadvantages, 381
factors affecting, 383
failure of, 391–392
indications, 381
pin design, 387–390
pin insertion, 390–391
pin placement factors, 383–386
pinhole preparation technique, 386–387
types of, 381–383
Pit-and-fissure sealants
clinical technique for, 497
Planck–Einstein relationship, 468
Plasm-Arc (PAC) lights, 474
example of, 475
Polycrystalline ceramics, 423
Polymerization
stress development during, 480–481
soft-start exposures, 481–482
Polymerization shrinkage stress, 407–408
Polymerization strategies for dentistry
EM energy, 468
light-cured, 467
radiometric terminology, 467–468
self-curing
paste–paste, resin-based composite, 467
Polymethyl methacrylate (PMMA), 435
Porcelain bonding alloys
alterations, 163
biocompatibility, 167
bond to porcelain
chemical, 167
compression, 167
mechanical, 166–167
classification, 164
composition
base metal, 164–165
noble, 164
economic considerations, 167–168
fit of castings
castability, 165–166
distortion of metal, 166
shrinkage, 166
strength of
high gold, 165
high noble and palladium-based, 165
nickel-chrome-beryllium, 165
Porcelain jacket crown (PJC), 168–169
aluminous core, 169
Porcelain-fused-to-metal crowns, 168
Powered cutting equipment
rotary, e26–e28
evolution of, e27
Pre-contoured bands, 357
Preoperative considerations
instrument exchanges, 210
magnification and headlamp illumination, 210
operating stools, 209–210
patient and dental team
positions, 207–208
Preventive resin restoration, 497
Primary resistance form, 272
amalgam restoration for, 274
cast metal intra-coronal restorations for, 274
composite restorations for, 274
principles, 272–274
Procera Allceram, 170
Probiotics, 73
Pulp, 6
cavity size, 7
functions, 6–7
Pulpal necrosis, 48
zones of
firm, 48–49
hard, 48
soft, 49
Pulp protection
base, 277
liners, 276–277

Q

Quartz–tungsten–halogen (QTH) lights, 472
emission spectrum from, 474
examples of, 473
internal components of, 473
mechanism of, 472

R

Radiometric terminology
emission from dental curing lights, 466
Rampant caries, 26, 37, 49
Refractory, 161
Reparative dentin, 32, 47–48

Resin-based composite
polymerization, factors affecting
depth of cure, 470
exposure time, 471
interaction, 471–472
matching resin, 472
thickness of restorative material, 471
Resin–matrix ceramics, 424
Resin-modified glass ionomer (RMGI) cements, 142
Restorations, 73
Restorative dentistry
challenges in
biologic width, 252–253
cemental tear, 251
cervical enamel projections (CEPs), 250–251
enamel pearls, 250
furcation involvement, 248–250
gingival biotypes, 248
importance of maintenance therapy, 248
occlusion, 252
open proximal contacts, 250
palato-radicular grooves, 251–252
periodontal disease, 247–248
tooth position, 252
crown lengthening, 253–255
distal wedge, 257
gingivectomy, 255
altered passive eruption, 256, 257
inadequate retention, 256
subgingival caries, 255, 256
tooth fracture, 256
periodontium relevant for
alveolar processes, 246
cementum, 246
display, 246–247
gingiva, 245, 246
periodontal ligament (PDL), 246
trends in, 401–402
Restorative technique
complex amalgam preparations for
desensitizer placement, 393
insertion, contouring and finishing, 396–398
matrix placement, 393–396
Restorative treatment
effect on periodontium
biologic width violation, 257–258
materials, 258
restorations and margins, 258–259
retraction cord and impressions, 259–260
Rests
indirect, 186
intra-arch hard tissue, 186
soft tissue, 186
Retraction cord, 235–236
Root caries, 49–50
clinical protocol, 51–55
etiology, 51
risk factors, 51
Rotary cutting instruments
design characteristics, 190
head, 191
neck, 191
shank, 190–191
Rotary-powered cutting equipment, 186–187
air-driven handpiece, 187
electric motor-driven handpiece, 187–188
Rubber dam isolation
advantages, 211–212
application of, 216, 219–225
cervical retainer placement, 226–229
fixed bridge, 229
off-centre arch form, 231
substitution of retainer with matrix, 229–230
variations with patient age, 230–231
disadvantages, 212
errors in application and removal
distance between holes, 231–232
inappropriate retainer, 232
incorrect arch form, 232
incorrect technique for cutting septa, 232
off-centre arch form, 231
sharp tips on a no. 212 retainer, 232
tissue trauma from retainer, 232
torn dam, 232
guidelines for positioning, 217
hole size and position, 215–216
placement, 216
materials and instruments
anchors, 215
forceps, 215
frame, 212
lubricant, 215
material, 212
napkin, 215
punch, 214–215
retainer, 212–214
removal of, 225–226

S

Saliva, 69–71
Sealants
advantages, 67
clinical technique, 67–69
concept, 66
indications, 67
materials employed, 67
mechanism of action, 66–67
Sclerotic dentin, 47
Secondary retention and resistance forms, 277
mechanical features, 277–278
Sharpening hand instruments
handpiece stones, e22–e23
mechanical sharpeners, e22
principles of, e23–e25
sharpness test, e25
sterilization and storage of, e25
effects of, e25–e26
stones, e21–e22
Silicate cement, 435
Silorane composites, 440
Silver amalgam, 285, 297
advantages of, 286
classification of, 286
amalgam alloy particle geometry, based on, 287–288
copper content, based on, 287
new amalgam alloys, 289
zinc content, based on, 288–289
clinical recommendations, 297–299
history of, 285–286
Single wedge technique, 361–362
Spherical alloy particles, 288
Stark–Einstein law, 468
Steam pressure sterilization
advantages of, 117
disadvantages of, 117
Sterilization, 116–117
boiling water, 119
chemical vapour
advantages of, 118
disadvantages of, 117
dry heat
advantages of, 118
disadvantages of, 119
ETOX, 119
liquid sterilants, 120
monitors of
biologic, 120
chemical indicator strips, 120
documentation log, 120–121
external indicators, 120
mechanical, 120
new methods of, 119
steam pressure
advantages of, 117
disadvantages of, 117

T

Teeth
alignment and dental arches
central fossa occlusal line, 16
central groove, 16
facial occlusal line, 16
fossae, 16
maximum inter-cuspation, 16–18
anteroposterior interarch relationships, 18
contours, 12
embrasures, 14
functions, 12
interarch tooth relationships, 18
periodontium, 14–15
attachment apparatus, 16
gingival unit, 15–16
occlusion, 16
posterior cusp characteristics
functional cusps, 18, 23
inner incline ridge, 18
mesial and distal cusp ridges, 18
nonfunctional cusps, 23
outer incline ridge, 18
proximal contact area, 12–14
Throat shields, 234
Tooth contours and contacts
conservative alterations of
correction of diastemas, 569–572
embrasures, 568
shape of, 566–568
Tetracycline-stained teeth, 581–582
Tooth preparation
additional concepts in, 280–281
adhesive amalgam restorations, 281–282
angles, 268
classes of, 266
classification of, 265–266
desensitization, 282
disinfection, 282
factors to consider before and during, 264
intra-coronal and extra-coronal, 265
objectives, 263

Tooth preparation (*cont.*)
occlusal contact identification, 270–271
principles of, 263–265
simple, compound and complex, 267
stabilization, 282–283
stages and procedural steps, 268–270
steps
convenience form, 274–275
external wall finishing, 278–280
initial depth and outline form, 271–272
primary resistance form, 272–273
pulp protection, 276–277
removal of defective restorative material, 275–276
terminology, 267
tunnel, 281
walls
external, 267–268
internal, 267
pulpal, 267
Treatment planning
amalgam restorations, 107
considerations for older patients, 108–109
direct composite restorations, 107
endodontics, 105
esthetic concerns, 108
general considerations, 103
indirect composite restorations, 107–108
indirect tooth coloured restorations, 108
interdisciplinary considerations, 105
oral surgery, 106
orthodontics, 106
periodontics, 105–106
prosthodontics
fixed/ removable/implant, 106
repair and recontour, 107
replacement, 107
root-surface caries, 106
root-surface sensitivity, 106–107
treatment plan, 103–104
remineralization *versus* operative therapies, 104
sequencing/phasing, 104–105
Trituration
amalgamator, 292
Type I photoinitiators, 469
Type II photoinitiators, 470

U

Ultrasonic cleaners and solutions, 115–116
Uncontoured bands, 357
Universal matrix, 393–394

V

Veneers
clinical considerations, 585
patient factors, 585
clinical limitations, 587
extent of preparation depth, 585, 586
indirect *versus* direct, 585
location of gingival margin of, 586
preparation designs, 586
repairs of, 607–608
types of, 584
Vital bleaching, 577
clinical considerations, 578
dentist-prescribed
clinical technique, 579–580
in-office, 578–579
indications for, 578

W

Water-based impression materials, 161
Wedge wedging technique, 362
Willi Glass crown, 170

Z

Zinc-containing alloy, 288
Zinc-free alloy, 289
zirconia, 171
Zirconia-based systems, 173–174