Index

A
A fibers, 523, 529, 532, 523f, 523t
AAE. *See* American Association of Endodontists
AAOS. *See* American Academy of Orthopaedic Surgeons
A-beta fibers, 116
Abscess
  acute apical, 30
    description of, 600
    pulpal necrosis with, 741–742
  in apical periodontitis, 631, 631f
  chronic apical, 30
  management of, 747, 748f
  periapical, 631f
  swelling with, 741–742, 742f
Abutment teeth
  endodontic disease of, 351–352, 352f
  root-treated teeth used as, 683
  survival rates for, 692
Access cavity preparation
  access cavity, incisal wall of, 206–207
  angulations that affect, 211
  anterior teeth, 205–207
    coronal flaring of orifice, 206, 206f
    external outline form, 205
    lingual shoulder removal, 206, 206f
    pulp chamber roof penetration and removal, 205–206, 205f
    restorative margin refinement and smoothing, 207
    straight-line access determination, 206–207, 207f
  in calcified canal teeth, 210, 210f, 211f
  cervical dentin bulge removal, 209, 209f
  challenging cases for, 210–211
  coronal, 354–357, 355f, 356f
  in crowded teeth, 210–211, 212f
  errors in, 774f
  illumination for, 202–205
  inadequate, complications of, 385
  instrumentation for, 260, 260f, 261f
    access cavity wall preparations for, 202
    burs, 202–205, 204f, 260
    endodontic explorer, 205, 211f
    endodontic spoon, 205
    illumination, 202
    magnification, 202
    ultrasonic unit and tips, 205
  lingual surface for, 201
  magnification for, 202
  mandibular incisors
    central, 218, 223f
    lateral, 218, 223f
  mandibular molars
    first, 221–223, 229f
    second, 223, 230f, 231f
    third, 223
  mandibular premolars
    first, 208f, 221, 227f
    second, 221, 228f
  maxillary canine, 212, 215f
  maxillary incisors
    central, 212, 212f, 213f
    lateral, 212, 214f
  maxillary molars
    first, 217–218, 218f
    second, 218, 219f, 220f
    third, 218, 221f, 222f
  maxillary premolars
    first, 212, 216f
    second, 217, 217f
  minimally invasive, 202, 203f, 204f
  objectives of, 201
  occlusal surface for, 201, 202f
  posterior teeth
    cervical dentin bulge removal, 209, 209f
Access cavity preparation *(continued)*
    coronal flaring of orifice, 209, 209f
    external outline form, 207–208, 207f, 208f
    mandibular first premolars, 208f
    pulp chamber roof penetration, 208–209
    straight-line access determination, 209
    visual inspection of pulp chamber floor, 209, 209f
  pulp chamber roof penetration and removal
    in anterior teeth, 205–207, 205f
    in posterior teeth, 208–209
  restorative margin refinement and smoothing, in anterior teeth, 207
  in rotated teeth, 210–211
  steps involved in, 201–202
    access cavity wall preparation, 202
    cementoenamel junction evaluation, 201
    lingual surface, 201, 202f
    occlusal tooth evaluation, 201
    removal of defective restorations and caries before pulp chamber entry, 201, 202f
  straight-line
    in anterior teeth, 206–207, 207f
    description of, 201, 201f
    in posterior teeth, 209
Accessory canals
  apical, 439f
  description of, 194, 195f
  illustration of, 439f
  in mandibular first molars, 194, 196f
Acellular afibrillar cementum, 619
Acetaminophen, 179
  analgesic uses of, 179
  nonsteroidal anti-inflammatory drugs and, 183–184
  in pregnancy, 143
Actinomyces, in periapical granuloma, 661f
Acute apical abscess, 30
  description of, 600, 602f
  pulpal necrosis with, 741–742
Acute apical periodontitis, 627–631
  apical bone destruction in, 630–631
  clinical features of, 631
  description of, 627
  macrophages in, 628–629
  natural killer cells in, 629
  outcomes of, 631
  polymorphonuclear neutrophilic leukocytes in, 628
Acute endodontic pathosis, 154f
Acute inflammation, 653
Acute osteomyelitis, 96
Adaptive immune response, 624–625, 626f, 631–632
Adaptive immunity, 623t, 624
Adaptive prior image constrained compressed sensing algorithms, 59
A-delta fibers, 116–117
Adhesive systems, 891, 913
Afferent neurons, 522
Aging
  pulp changes caused by, 548
Air emphysema, 798, 799f
Allergic reactions
  to latex, 164
  to local anesthetics, 165
  sulfite-induced, 165
Allodynia, 125–126, 530–531, 531t, 536
Allograft, 460t
Alloys
  nickel titanium, 245–248, 248f
  of root canal instruments, 245–248
Alternating wall contact points (ACP), 256
Alveolar bone, 620
Alveolar nerve blocks
  anterior middle superior, 176, 176f
  palatal-anterior superior, 176, 176f
Alveolar process, 620
Amalgam core, 878, 879, 886t, 893f, 894
Amalgam restorations, 929
Ameloblastoma, 82–83
  radiographic features of, 82–83, 85f
American Academy of Oral and Maxillofacial Radiology (AAOMR), 44–45, 69
American Academy of Oral Medicine, 139
American Academy of Orthopaedic Surgeons (AAOS), 146
American Association of Endodontists (AAE), 44–45, 69
  Case Difficulty Assessment Form and Guidelines, 739, 740f
  description of, 141, 627
American Board of Endodontists, 627
American College of Radiology (ACR), 37
American Society of Anesthesiologists (ASA)
  Physical Status Classification system of, 139–140, 140b
  surgical risk system, 420
AMPA/kainate antagonist, 535
Anachoresis, 587
Analgesics
  flexible strategy for, 183f
  nonnarcotic
    acetaminophen, 179
    alternatives, 179
    drug interactions with, 179, 179t
    efficacy of, 178t
    limitations of, 179
    nonsteroidal anti-inflammatory drugs, 176–177
    overview of, 176–179
    types of, 177t
  opioid
    description of, 179–180, 180t
    nonsteroidal anti-inflammatory drugs and, 183–184
  pain management using, 751
Anastomoses, root canal, 196–198
Anesthesia
  for endodontics
    infiltrations, 175
    intraligamentary, 173–175
    intrapulpal, 175
    intraseptal, 174–175
    local, 176
  future directions for, 176
  for incision and drainage procedures, 168
  intraligamentary
    amount of solution delivered, 174
    anesthetic solutions for, 174
    back pressure for, 174
    description of, 173–175
    discomfort during, 174
    duration of, 173
    endodontic uses of, 175
    indications for, 175
    mechanism of action, 174
    onset of, 173
    periodontal safety with, 174
    postoperative discomfort with, 174
    pulpal safety with, 174
    selective, 174
    success of, 173
    systemic effects of, 174
  intraosseous, 170f
    bupivacaine for, 172
    description of, 170–173
    discomfort associated with, 173
    duration of, 170, 170f, 172, 172f
    failure of, 172–173
    heart rate increase after, 173
    injection pain with, 172–173
    injection site locations, 172–173

Page numbers followed by *f*, *t*, or *b* indicate figures, tables, or boxes, respectively.

Anesthesia *(continued)*
lidocaine levels in plasma after, 173, 173f
for mandibular posterior teeth, 172
medical considerations for, 173
onset of, 172
perforator breakage with, 172–173
for postoperative discomfort, 173
repeating of, 172
Stabident system for, 170–171, 170f
success with, 172, 172f
systemic effects of, 173
X-Tip delivery system for, 171, 171f, 172–173
intrapulpal, 565
local. *see* Local anesthesia/anesthetics
for mandibular anterior teeth, 173–174
for mandibular first molars, 169f
for mandibular posterior teeth, 172
maxillary, 175, 175f
for maxillary anterior teeth, 174
for maxillary molars, 175f
noncontinuous, 167
pulpal
articaine for, 169
confirming of, 166, 166f
inferior alveolar nerve block for, 167, 167f
maxillary, 176
for pulpal necrosis teeth, 174
selective, 20
summary for, 176
Angiogenesis, in wound healing, 417
Anterior middle superior alveolar nerve block, 176, 176f
Anterior teeth. *see also specific anterior teeth*
access cavity preparation in, 205–207
coronal flaring of orifice, 206, 206f
external outline form, 205
lingual shoulder removal, 206, 206f
pulp chamber roof penetration and removal, 205–206, 205f
restorative margin refinement and smoothing, 207
straight-line access determination, 206–207, 207f
structurally compromised, 886
structurally sound, 882
Antibacterial nanoparticles, 288–289
Antibiotics
bacterial resistance to, 749
definition of, 749
description of, 181–182
endodontic infections treated with, 749–751
overprescribing of, 181
prophylactic administration of
description of, 181
before periradicular surgery, 420–421, 429
selection of, 751
systemic, 840–841
Anticoagulants
heparin, 421
novel oral, 421
periradicular surgery in patients receiving, 421
Antigen-presenting cells, 518
Antiresorptive agent-induced osteonecrosis of the jaw (ARONJ), 418–419
Anxiety, 157–159
Apex locators, 263
Apexification
bioceramic barrier, 821–824, 822f, 823f
biologic consequences of, 820
calcium hydroxide for, 491–493, 821, 821f, 822f
dentinal wall reinforcement, 822
disadvantages, 488
hard tissue apical barrier, 820–821, 821f
of immature teeth, 820–824, 820f, 821f, 822f, 823f
indications for, 820
mature tooth, 824
mineral trioxide aggregate, 822f
versus revascularization, 491–493
Apical abscess
acute, 30
description of, 600, 602f
pulpal necrosis with, 741–742
chronic, 30, 854–856
Apical barrier
hard tissue, 820–821, 821f
mineral trioxide aggregate as, 822f
Apical constriction
description of, 199–201, 200f
root canal procedure termination at, 200–201
Apical cysts, 636, 639f, 644
Apical diameter, 263–264
Apical foramen
cementum extension into, 199
description of, 199
diameter of, 199
in maxillary anterior teeth, 199
odontoblasts, 513
pulpal and periodontal disease and, 940
Apical fractures, 442–443
Apical granuloma, 631–632
Apical inflammation, 621
Apical lesion, 346f
Apical papilla, 477–478, 478f
Apical pathosis, 238f
Apical periodontitis, 621
abscess in, 631, 631f
acute
apical bone destruction in, 630–631
clinical features of, 631
description of, 627
macrophages in, 628–629
natural killer cells in, 629
outcomes of, 631
polymorphonuclear neutrophilic leukocytes in, 628
after pulpal necrosis, 630–631
asymptomatic
bacteria in, 635, 636f
bone resorption in, 634
cell biology of, 632–634, 636
clinical features of, 635–636
condensing osteitis associated with, 639
cyst formation with, 636–639, 644
description of, 30
epithelial cell rests of Malassez in, 633, 634f
external root resorption in, 635
fibroblasts in, 634
histopathology of, 634–635, 635f
inflammatory mediators in, 634, 637
lymphocytes in, 632
macrophages in, 632
osteoclasts in, 632–633
outcomes of, 636, 637–639
periapical bone destruction in, 632
radicular cysts with, 636, 638f, 644
reactive bone formation with, 639
bacteria in, 586, 587–588, 608
as biofilm-related disease, 594–595
caries as cause of, 621
cell biology of
cemental changes in, 634–635
cholesterol crystals in, 634
dendritic, 632
endothelial cells, 628
epithelial cell rests of Malassez, 633, 634f
fibroblasts, 634
lymphocytes, 632, 634
macrophages, 628–629, 632, 634
mast cells, 627–628
natural killer cells, 629
osteoclasts, 632–633
platelets, 629
polymorphonuclear neutrophilic leukocytes, 628
chronic
asymptomatic, 622
cysts associated with, 636–639, 637f, 638f
inflammatory mediators in, 637
nerve fibers in, 635f
clinical features of, 631
definition of, 585
development of, 627
diabetes mellitus and, 640
endogenous factors, 620
etiology of, 620–621
exogenous factors, 620
extraradicular infections as cause of, 608–610
genetic risk factors for, 640–642
healing of, 154, 306–307
histopathology of, 627, 630–631, 634–635
illustration of, 589f
as infectious disease, 585–586
inflammatory mediators, 629–630, 630t, 634
intraradicular infection as cause of, 599f
lesion associated with, 599–600
microbial causation of, 599
microbiologic problem for, 148–151
microorganisms that cause, 586
multifactorial nature of, 590
nonsurgical therapy for, 413–414
Apical periodontitis *(continued)*
outcomes of, 631, 637–639
pathobiology of, 619–650
pathogenesis of, 622–625
adaptive/specific immune response, 624–625, 626f
innate immune response in, 623–624, 623t
neurogenic inflammation, 625, 626f
periradicular surgery for, 412, 419
periradicular tissue responses, 620
persistent
genetic risk factors for, 640–642
systemic disease risk factors for, 641–642
pocket cyst in, 636, 637f, 638f
posttreatment, 348, 605f
cone-beam computed tomography diagnosis of, 348
prevalence of, 620
prevention of, 655–656
pulpal infection as cause of, 621
radiographs of, 382f, 626
risk factors for, 640–642
symptomatic, 19
description of, 601–603
herpesviruses in, 604
histopathology of, 630–631
inflammatory mediators in, 623t, 629–630
pulpal necrosis with, 739–741
trephination for, 739–740
systemic diseases associated with, 640
wound healing of
cytokines in, 642–643, 642t
description of, 642–644
diabetes mellitus effects on, 644
factors that affect, 644
growth factors in, 642–643, 642t
periapical, 642–643
Apical surgery
nonsurgical retreatment *versus,* 352–353
periapical healing following, 660t, 696–697t, 698f
in silver point cases, 384, 384f
Apical tissue, 30
Apicomarginal defect, 452
Apoptosis, 623–624
Arachidonic acid metabolism, 629
Archaea, 604
Argyrophilic collagen fibers, 517–518
Articadent, 175
Articaine
with 1:100, 000 epinephrine, for inferior alveolar nerve block, 175
for endodontics, 174
supplemental infiltrations of, 170
As low as reasonably achievable (ALARA) principle, 59, 68, 69–70, 348
Asians
mandibular second molar root configurations in, 195–196, 198f
maxillary first premolars in, 212
Aspergillosis, maxillary sinus, 785f
Aspirin
analgesic use of, 751
description of, 141
discontinuation of, before periradicular surgery, 421–422
opioid analgesics and, 183–184
Asymptomatic apical periodontitis
bacteria in, 635, 636f
bone resorption in, 634
cell biology of, 632–634, 636
clinical features of, 635–636
condensing osteitis associated with, 639
cyst formation with, 636–639, 644
description of, 30
epithelial cell rests of Malassez in, 633, 634f
external root resorption in, 635
fibroblasts in, 634
histopathology of, 634–635, 635f
inflammatory mediators in, 634, 637
lymphocytes in, 632
macrophages in, 632
osteoclasts in, 632–633
outcomes of, 636, 637–639
periapical bone destruction in, 632
radicular cysts with, 636, 638f, 644
reactive bone formation with, 639
Asymptomatic irreversible pulpitis, 29
Asymptomatic vital teeth, pulp anesthesia determinations in, 166, 166f

ATD Automatic Crown & Bridge Remover, 356–357
Atypical facial pain, 126–128
Atypical odontalgia, 45, 121, 126–128
Austenite, 246, 249f
Autogenous graft, 460t
Autonomic nervous system, 118
Avulsed teeth
  clinical management of, 838
    at accident site, 838
    in dental office, 838
  consequences of, 837–838
  description of, 809
  diagnosis and treatment planning for, 838–839
  pulpal necrosis caused by, 838
  replantation, 837
  root preparation, 839–840
  socket preparation in, 840
  treatment of, 838

B

Bacteremia, periradicular surgery and, 420–421
Bacteria. *see also* Microorganisms
  antibiotic-resistant, 749–750
  in apical periodontitis, 586, 587–588, 608
    asymptomatic, 635, 636f
  biofilm, 587–588, 589f, 590, 592f
  in caries, 587
  in dentinal tubules, 575, 586
  host defenses against, 588–589
  intraradicular infection caused by, 599, 600f, 601f, 602f
  multidrug-resistant, 749–750
  nutrient sources for, 603
  during obturation, 605–606
  phagocytosis of, 636f
  root canal infection caused by, 603
  structure of, 589–590, 590f
Bacterial endocarditis
  description of, 141
  periradicular surgery in patients with, 420–421
Balanced force technique, for canal enlargement/preparation, 267, 267f
Barbed broaches, 251, 251f
Batt tips, 241–242, 245f
B-cell antigen receptors, 624
Behavioral disorders, 146
Bioactive glass, 288
Bioactive protein graft, 460t
BioAggregate, 916
Biocalex 6.9, 379, 379f
Bioceramics. *see also* Mineral trioxide aggregate
  direct pulp capping with, pulp reactions to, 571–572
  pulp capping uses of, 816–817
  as root-end filling materials, 447
Biodentine, 904–905
Biofilms
  antimicrobial resistance of, 594
  apical periodontitis associated with, 594–595
  bacterial interactions with, 593–594, 594f
  community lifestyle of, 594
  definition of, 593–594
  description of, 587–588, 590
  extracellular polymeric substance in, 593–594
  extraradicular, 595, 609–610, 610f
  illustration of, 589f, 592f
  infections and, 595
  intraradicular, 594
  microcolonies in, 594
  in root canal system, 620
Biologic debridement, 643–644
Biopsy, in periradicular surgery, 436–437
BioPure MTAD, 280, 280f
BioRaCe instrument, 256
Bisphosphonates
  indications for, 419
  medication-related osteonecrosis of the jaw caused by, 144, 644
  osteonecrosis of the jaw caused by, 418–419
  wound healing affected by, 418–419
Bite test, 19–20, 20f
Bitewing radiograph, 918f
Biting force, 882
Bleeding, after periradicular surgery, 461–462
Blood clots
  formation of, 416
  prevention of, 818. *see also* Anticoagulants
Blood pressure
  elevated, 141
  measurement of, 3
Bone
  burs for removal of, 436
  glucocorticoids effect on, 419
  heating effects on, 436
  homeostasis of, 419–420
  loss of, vertical root fracture-associated, 862, 862f, 863f
  regeneration of, 642–643
  resorption of
    in asymptomatic apical periodontitis, 634
    inflammation-induced, 623
    nonsteroidal anti-inflammatory drugs effect on, 420
    osteoclasts as cause of, 632–633, 633f
Bone formation
  lamellar, 418
  phases of, 418
  woven, 418
Bone grafts, 460t
Bone marrow stem cells, 477, 478f
Bone morphogenetic protein (BMP), 458, 914–915
Bone sialoprotein, 481
Bone wax, for hemostasis, 438
Bony resorption, external cervical resorption, 62
Bradykinin, 532, 629
Brasseler Endo Extractor Kit, 390f
Breastfeeding
  concerns for, 143
  drug used during, 143b
Buccal space, 743–746, 744f
  infection of, 10, 10f
  swelling of, 10f
Buccal vestibular space, 743, 744f
Buccinator muscle, 743
Bupivacaine
  intraosseous anesthesia using, 172
  local anesthesia using, 164, 168, 168f
Burs
  access cavity preparation using, 202–205, 204f
  bone removal using, 436
  diamond, 202–205, 204f, 260
  Extendo, 204f
  fissure carbide, 202–205, 204f
  Gates-Glidden, 206, 251–252, 251f
  Mueller, 204f
  root canal system cleaning and shaping using, 251
  root-end surface preparation in periradicular surgery using, 441
  round carbide, 202–205, 204f
  round diamond, 202–205, 204f
  transmetal, 204f, 205
  types of, 202–205, 204f

C

C fibers, 30, 117, 523f, 526, 529, 532
C+ files, for gutta-percha removal, 369f
Calamus flow obturation delivery system, 331
Calcific metamorphosis, 547, 547f
Calcifications
  pulpal, 545–548, 545f, 546f, 548f
  root canal
    access cavity preparation in, 210, 210f, 211f
    cone-beam computed tomography of, 53–54
    removal of calcified material, 210
Calcifying odontogenic cysts, 637
Calcitonin gene-related peptide (CGRP), 523f, 524f, 525f, 527, 532f, 561, 621, 642t
Calcium hydroxide, 281–283
  apexification using, 491–493, 821, 821f, 822f
  application of, 282f
  chlorhexidine with, 281–283
  clinical protocol of, 282
  direct pulp capping using, 907–908
  disadvantages of, 816
  Enterococcus faecalis resistance to, 608
  inflammatory response caused by, 571f
  as intracanal medicant, 739
Calcium hydroxide *(continued)*
  limitations of, 282
  partial pulpotomy, 817f
  pH of, 816, 833f
  pulp irritation caused by, 570
  sodium hypochlorite and, 729–731
  uses of, 282
  vital pulp therapy use of, 816, 816f, 912
    direct pulp capping with, 919
    pulpotomy with, 919–921
Calcium silicate cements, 906, 916–917
Calcium sodium phosphosilicate bioactive glass, 563
Calcium sulfate, 821
  for hemostasis, 438
Camphorated paramonochlorophenol $Ca(OH)_2$, 283
Canal orifice, methylene blue dye in, 364f
Canal transportation, 291
Candida albicans, 608
Canine space, 744f, 746
  infection of, 9–10, 9f
  swelling of, 9f
Capillary plexuses, 417
Capsaicin, 527
Carbamide peroxide
  for vital bleaching, 575
Carbocaine, 175
  with Neo-Cobefrin, 175
Carbon dioxide, for cold testing of pulp, 16, 16f
Cardiac pain, 128
Cardiovascular disease, 140–141
Cardiovascular reactions, 164
Caries
  apical periodontitis caused by, 621
  bacteria in, 587, 904
  deep
    in mandibular first molars, 903f, 915f
    radiographs of, 916f, 920f
  dendritic cell accumulation caused by, 559, 559f
  dyes for detecting, 919
  humoral immune response to, 560
  inflammatory response to, 559, 559f
  lasers for prevention, diagnosis, and treatment of, 573–574, 573f, 574f
  proliferative response to, 561f
  pulp exposure caused by
    description of, 562
    direct pulp capping for, 571–572
    disinfectants effect on, 572
    hemostatic agents effect on, 572
    illustration of, 562f, 589f
  pulpal reactions to, 557–560, 558f, 559f, 560f, 561f, 904, 905f
  radiation therapy and, 642
  remaining dentin thickness (RDT) after progression of, 568
  removal of, 925–926
    before access cavity preparation, 201, 202f
  Sjögren syndrome and, 642
Carotid space, 746
Carrier-based gutta-percha, 331–334, 332f, 333f
Case Difficulty Assessment Form and Guidelines, 739, 740f
Case selection
  description of, 139
  factors that affect, 156–159, 156f, 158f
Cast core, 879
Cast gold post and core, 894–898, 897f
  direct technique for, 896
  indirect technique for, 896–898
Cast posts, 357–358, 879, 886t
Cautery, in periradicular surgery, 439
Cavernous sinus thrombosis, 746
Cavity preparation, pulp irritation caused by, 570
CBCT. *see* Cone-beam computed tomography
$CD4^+$ T cells, 146, 624
$CD8^+$ T cells, 624
CD14, 478–480
CEJ. *see* Cementoenamel junction
Cell homing, 485–486
Cellulitis
  description of, 741
  management of, 747, 747f
Cement(s)
  calcium silicate, 906, 916–917
  glass ionomer
    luting, 879
    resin-modified, 879, 913–914
    as root-end filling material, 445
  luting, 879–881

Cement(s) *(continued)*
polycarboxylate, 879
resin-based, 879–881
self-adhesive, 881
traditional, 879
zinc phosphate, 879
Cemental tear, 947f
Cementoblasts, in hard-tissue healing, 418
Cementodentinal junction, description of, 199
Cementoenamel junction (CEJ)
anatomy of, 717
evaluation of, 201
Cementogenesis, 418
Cementoma, 22f
Cementum
acellular afibrillar, 619
apical foramen extension of, 199
definition of, 619
formation of, 656f
growth factors in, 619, 643
resorption of, 633
in root resorption, 643
Central core theory, 167f
Central giant cell lesion, 83–84, 85f
radiographic features of, 84, 85f
Central nervous system, 117–118
Central neuropathy, 127
Central sensitization, 118, 119b, 126–127, 533
Ceramic graft, 460t
Ceramic onlays and overlays, 874, 885t, 891f
Ceramic post, 886t
Cervical dentin
bulges of, 209, 209f
root canal cleaning and shaping objectives for, 238–239
Cervical fasciitis, 748–749
Cervical pulpotomy, 819
Cervical spaces, 744f, 746
Cervicofacial subcutaneous emphysema, 798–799, 799f
C-factor, 872–874, 885
c-fos, 534
Charge-coupled device, 34
Chemokines
cells producing, 559
description of, 629–630
Chemomechanical debridement, 717, 729–731
Chemotherapy, wound healing affected by, 144
Chief complaint, 131
diagnostic use of, 3
investigating of, 3
Chlorhexidine
allergic reactions to, 278
antibacterial efficacy of, 277
cytotoxicity of, 277
as decalcifying agent, 278
as endodontic irrigant, 277
history of, 276
indications for, 429
mixed with calcium hydroxide, 283
mode of action of, 276
molecular structure of, 276, 276f
before periradicular surgery, 429
sodium hypochlorite and, 277f
substantivity of, 276–277
Chloroform, for gutta-percha removal, 368–369, 368f, 785
Chondroitin sulfate, 520
Chronic apical abscess, 30
Chronic apical periodontitis
asymptomatic, 622
cysts associated with, 636–639, 637f, 638f
inflammatory mediators in, 637
nerve fibers in, 635f
Chronic continuous dentoalveolar pain disorder, 45
Chronic inflammation, 653
Chronic osteomyelitis, 96, 97f
Chronic pain, 132–134
Citanest Forte, 175
Citanest plain, 175
Citric acid
root-end surface modification using, 441
smear layer removal using, 441
Claims
Clinical decision making
for periradicular surgery, 414–415
shared approach to, 414
Clot formation, 416
Cluster headaches, 123
CO_2 lasers, 572–573
Coaggregation, 604
Codeine, 180, 184
Cold testing, of pulp, 16, 527
Collagen, 459t
in dentin, 481
odontoblast synthesis of, 515–516
procollagen, 521
in pulpal interstitium, 520
as scaffold, 484
synthesis of, 521
in wound healing, 417
Collagen fibers, in pulp, 521, 521f
Collagen fibrils, 517
Collagen-based hemostasis products, 437, 438f
Colloid osmotic pressure, 539–540
Colony-stimulating factor, 642t
Combination graft, 460t
Comminution injures, 55–59
Communities, of microorganisms, 593–594, 593f
Complement cascade, 629
Complementary metal oxide semiconductor, 34, 35f
Complete pulpotomy, 910–911, 911f
Complicated crown fractures, 814–815, 814f, 815f
biologic consequence of, 815
incidence of, 815
treatment of, 815–816
concomitant attachment damage, 815
restorative plan, 815–816
stage of development of tooth, 815
time between trauma and treatment, 815
Composite resin core, 878, 885t, 886t, 894f, 895f, 896f
Composite resins
polymerization of, shrinkage during, 568
as root-end filling material, 445–446
Computed radiography, 35–36
Computed tomography (CT)
cone-beam computed tomography *versus,* 425–426
cone-beam volumetric, 38
history of, 38
micro-, 38
multidetector, 38
Concussion, 828
Condensing osteitis, 84–86, 639
radiographic features of, 86, 86f
Cone-beam computed tomography (CBCT)
American Association of Endodontists/American Academy of Oral and Maxillofacial Radiology position statement on, 69–73
anatomic landmarks on, 55f
for anatomy, 45–48, 48f
apical periodontitis diagnosis using, 348
classification of, 426
computed tomography *versus,* 425–426
dental anomalies diagnosed using, 45–48
description of, 34, 38
diagnostic uses of, 40–42, 42f, 43f, 70, 425f
differential diagnosis of, 45, 46–47f, 47f
endodontic treatment applications of
complications
calcified canals, 53–54
dentoalveolar trauma, 54–59, 59f, 60f
external root resorption, 61, 62f
internal root resorption, 61
intraoperative or postoperative assessment, 50–54
overextended root canal obturation material, 51–53
perforations, 54
separated endodontic instruments, 53, 53f
failure of treatment, 48–50, 50f
outcome assessments, 428
external cervical resorption evaluations, 720f, 722–723, 722–723f
external inflammatory resorption evaluations, 716
field of view, 40–44, 41f, 69
full, 426
future of, 66–67
healing assessments, 62
imaging software, 42
imaging tasks improved by, 44–50
implant site assessments using, 65
of inferior alveolar nerve injury, 792–794
initial treatment and, 70
internal root resorption evaluations, 729
interpretation of, 70
Intersocietal Accreditation Commission for, 68
intraoperative treatment, 70
limited, 426
mechanism of action, 426
for morphology, 45–48, 48f
Cone-beam computed tomography *(continued)*
nonsurgical treatment and, 71
outcomes assessment using, 62–65, 63f, 64f, 71–73
patient characteristics, 42, 43f, 44f
periradicular surgery applications of
computed tomography *versus,* 425–426
description of, 425–428, 657
mandibular canal identification, 423
maxillary sinus identification, 423
mechanism of action, 426
scan times with, 426
postoperative treatment, 70
posttreatment disease applications of, 426–428, 427f, 428f
preoperative treatment, 70
presurgical treatment planning by, 54–62, 55f
principles of, 23–25, 23f, 24f, 25f, 26f, 38–44
radiation source for, 24, 24f
recommendations for, 70–73
risks associated with, 428
root canal imaging using, 48, 49f, 192–193
root fracture diagnosis using, 55, 349, 413
root perforations detected using, 54, 731–733
spatial resolution requirements, 44, 44f
special conditions and, 71
surgical treatment and, 71
traumatic dental injury evaluations, 811–812, 813f
treatment planning uses of, 733–734
two-dimensional radiographs and, 24, 25f, 26f
vertical root fracture diagnosis using, 50, 51f, 413, 863
voxel sizes, 39–40, 44
voxels, 39–40, 39f, 40f, 41f
Cone-beam volumetric computed tomography, 38
imaging tasks improved by, 44–50
Connective tissue, 520
Conscious sedation, for periradicular surgery, 429
CONSORT, 740–741
Consultation letter, 139, 140f
Continuous wave obturation, 327–329, 329f
Contrast resolution, 36
Core
amalgam, 878, 879, 886t, 893f, 894
cast gold, 894–898, 897f
characteristics of, 878–879
clinical procedures for, 888f, 889f, 890f, 891f, 892f, 893f, 894–898, 894f, 895f, 896f
composite resin, 878, 885t, 894f, 895f, 896f
glass ionomer, 879
materials used in, 878–879
modified glass ionomer, 879
Coronal access cavity preparation, 354–357, 355f, 356f
Coronal modification, 260–262, 261f, 262f
Coronal pulp
inflammation, 908
odontoblast layer of, 513
Coronal restorations, 682
Coronal root fractures, 826, 829f
Coronally located sinus tracts, 856f, 860
Corticosteroids
description of, 180–181
endodontic pain managed with, 180
intracanal administration of, 180
systemic administration of, 180–181
COX-1, 176–177, 420, 531–532
COX-2, 176–177, 420, 531–532
COX-2 inhibitors
description of, 177
prothrombic adverse effects of, 177
COX-inhibiting nitric oxide donators, 184
Crack(s)
craze lines, 25–26
cusps, 849–851
definition of, 848
diagnostic challenges for, 848–849
emergency management of, 752, 752f, 753f
optical coherence tomography of, 25–26
propagation of, 849
split tooth/roots, 26
staining and transillumination to detect, 20, 21f, 752, 850, 850f
types of, 25–26
unobserved trauma as cause of, 848
Cracked tooth
clinical manifestations of, 851–852
definition of, 851
diagnosis of, 851–853
etiology of, 853
masticatory forces as cause of, 853

treatment planning for, 853
Cracked tooth syndrome, 26, 752
Craze lines, 25–26
Crowded teeth, access cavity preparation in, 210–211, 212f
Crown
design of, 866
electric pulp testing in patients with, 18
fatigue failure of, 876
full, 874–879
preparation for
dentinal tubule exposure during, 569, 569f
description of, 898
provisional, 898
removal of, instruments for, 356–357
Crown fractures
description of, 809
pulpal necrosis secondary to, 815, 815f
vital pulp therapy for
pulp capping, 817
requirements for, 816–817, 816f, 817f
Crown infraction, 814
Crown-down technique, for canal enlargement/preparation, 266–267
Crown-root fractures, 809, 824
CS 9300 3D Extraoral Imaging System, 42, 43f
C-terminal cross-linking telopeptide of type 1 collagen (CTXX), 419
C-terminal telopeptide of type 1 collagen chain test, 145
Curettage, in periradicular surgery, 436–437
Cuspal flexure, 577
Cusps
cracked, 849–851
clinical manifestation of, 849
definition of, 849
diagnosis of, 849–850
etiology of, 850
treatment planning for, 850–851
fractured, 849–851, 851f
treatment planning for, 851
Cvek pulpotomy, 817, 818f, 908
CXCL12, 559
CXCL14, 559
Cyclic fatigue, 760
Cyclooxygenase (COX), 419–420
Cyclooxygenase-2 inhibitors, wound healing affected by, 420
CYP2D6, 184
Cysts
apical, 636, 639f, 644
lateral periodontal, 103–105, 106f
lateral radicular, 103, 105f
nasopalatine duct, 105–106, 107f
periapical, 101–103, 102f, 103f, 104f, 345
Cytokines
biomineralization induced by, 914–915
description of, 532, 904
in osteoclast progenitor cell differentiation, 632–633
in pulpal inflammation, 541
in wound healing, 416, 642–643, 642t
Cytolysin, 624
Cytolytic T lymphocytes, 624

D

Danger space, 744f, 746
"Danger zones," 266
Deafferentation, 533–534, 534f
Debridement, 643–644, 717
Deep caries
in mandibular first molars, 903f, 915f
radiographs of, 916f, 920f
Deep pain, 131
Deep temporal space, 744f, 746
Denaturing gradient gel electrophoresis, 597
Dendritic cells
in asymptomatic apical periodontitis, 632
in dental pulp, 713
description of, 518, 519f, 559, 624
mononuclear, 713
Dens evaginatus, 930f
Dens invaginatus, 45–48, 49f
Dental anxiety, 157–159
Dental artery, 537
Dental follicle stem cells, 477, 478f
Dental implants
after tooth extraction, 351–352
osseointegrated, 578
periradicular lesions effect on success of, 578
Dental implants *(continued)*
placement of, 71
prosthetic, treatment planning affected by, 146
pulp reactions to placement and function of, 578
single-tooth, 154
site assessments for, using cone-beam computed tomography, 65
survival rates for, 155
treatment planning and, 154–156
Dental injection needle, for root canal obstruction removal, 388, 389f
Dental injury, traumatic. *see* Traumatic dental injury
Dental operating microscope, 193, 194f
Dental pain, 3–6
Dental pulp stem cells, 480
Dental resorption, 711
Dental trauma. *see* Traumatic dental injury
Dentin
age-related changes of, 548
carious, 906
cervical
bulges of, 209, 209f
root canal cleaning and shaping objectives for, 238–239
collagen fibers in, 481
compositions of, 481
cracks in, 578
in endodontically treated teeth, 871
fibrodentin, 558, 559f
hypersensitivity of
dentinal fluid blockage as cause of, 578
description of, 530, 563, 564f
lasers for, 574
periodontal scaling as cause of, 575
root planning as cause of, 575
intertubular, 871
nonvital, 871
in nonvital teeth, 871
peritubular, 569, 569f, 871
permeability of
dentin sclerosis, 558
description of, 586–587
illustration of, 587f
pulp irritation affected by, 569
variability in, 570
primary, 542
probing of, 529–530
radicular, 865, 865f
reactionary, 542, 558, 558f
remaining thickness of, 568, 814, 865–866
reparative, 193, 194f, 530, 542, 543f, 544–545, 544f, 559f, 904–906
resin-based luting cement adhesion to, 880
resorption of, 633
secondary, 542, 548
sensitivity of, 528–530
tertiary
description of, 542
formation of, 558, 904–905
transparent, 871
ultimate tensile strength of, 871
vital, 871
Dentin matrix, growth factors in, 483t
Dentin phosphoprotein, 481
Dentin sclerosis
definition of, 558
description of, 578, 871
illustration of, 558f
Dentin sialoprotein (DSP), 480–481
Dentinal bridge, 571f
Dentinal fluid, 577–578
Dentinal pain, 529–530
Dentinal tubules
A-delta fibers in, 117
anatomy of, 529, 586–587
bacterial infiltration through, 575
cocci bacteria in, 592f
Enterococcus faecalis in, 606, 608f
exposure of
in crown fracture, 815
during crown preparation, 569, 569f
fluid movement through, 28, 29f, 528f, 529f
hypersensitivity and, 563, 564f
infection of, 590, 592f
irrigant penetration in, 278f
odontoblast displacement into, 530, 530f
Dentinogenesis
odontoblasts in, 514
reparative, 558
tertiary, 557
Dentin-pulp complex. *see* Pulp-dentin complex
Dentoalveolar ankylosis, 830
Dentoalveolar trauma, to primary dentition, 842
Dentoenamel junction (DEJ), 516
DENTSPLY, 773–778
Dermatan sulfate, 520
Desiccation, 567, 570
Detector quantum efficiency (DQE), 68
Detergents, irrigants and, 279–280
Dexamethasone, for endodontic pain, 181
DGGE. *See* Denaturing gradient gel electrophoresis
Diabetes mellitus
apical periodontitis and, 640
hyperglycemia associated with, 641–642
oral infection risks, 142
pathophysiology of, 142
prevalence, 142
tooth survival after root canal treatment affected by, 686–689
treatment planning affected by, 142
wound healing affected by, 644
DIAGNOdent, 573
Diagnosis, 1–33
art and science of, 2–9
chief complaint, 3, 4f, 5f
dental history, 6–9, 7f, 8f
medical history, 3–6, 6b
data gathering, 2
definition of, 2
examination for. *see* Examination
imaging for. *see* Imaging
referred pain effects on, 30–31
stages of, 2
Diaket, 445
Diamond burs, 202–205, 204f
DICOM. *see* Digital imaging and communications in medicine
Differential diagnosis, 3
Difluorodichloromethane, 809–810, 810f
Digital imaging and communications in medicine (DICOM), 37, 63
Digital subtraction radiography, 38
Dihydroxyphenylalanine (DOPA), 539
1, 25-Dihydroxyvitamin D3, 483
Diphenhydramine, 168–169
Direct composite restorations, 872–874, 888f, 889f
Direct digital radiography, 36
Direct pulp capping, 907–908
with bioceramics, pulp reactions to, 571–572
calcium hydroxide for, 907–908
cariogenic bacteria survival after, 919
definition of, 904
hemostatic agents for, 572
of mandibular molars, 922f
mineral trioxide aggregate for, 919, 920f, 921f, 922f, 923f
mineral trioxide aggregate (MTA) for, 572
outcomes of, 659–660, 666–668t, 669f
partial pulpotomy *versus*, 907–908
Discoloration, tooth, 872, 874f
Disease, types of, 653
Disinfectants, pulp reactions to, 572
Disinfection
description of, 395–397
irrigants. *see* Irrigants
irrigation. *see* Irrigation
in root canal system cleaning and shaping
of immature tooth, 820
intracanal medications for, 281–284
bioactive glass, 288
calcium hydroxide. *see* Calcium hydroxide
chlorhexidine as, 282–283
formaldehyde, 283–284
halogens, 284
lubricants, 284
phenolic preparations, 283
steroids, 284
syringe delivery for, 284–285
triple-antibiotic paste, 284
manually activated techniques for, 285
photoactivation, 285
Displacement trauma, 924
Distobuccal angle, 217–218
Doping, 35–36
Dose considerations, in cone-beam computed tomography, 69–70
Drugs
in pregnancy, 142–143, 143b
vasoconstrictor interactions, 166t
Dyract, 446

Dystrophic calcification, 546–547

E

Easy Pneumatic Crown and Bridge Remover, 356–357
Ecosystem, 593, 603–604, 603f
EDTA. *see* Ethylenediamine tetra-acetic acid
Effective dose, 426
Efferent neurons, 522
Eggler Post Remover, 363, 364f
EGPR-L/R/U/D hand instruments, 788
Elastic fibers, 521
Elastin fibers, 521
Electric motors, for rotary instruments, 258–259
Electric pulp testing
  description of, 527
  pulp anesthesia determinations using, 166, 167f
  pulp vitality tests using, 17–19, 18b, 18f, 163, 562
Electronic speckle-pattern interferometry, 875
Electronic standards, 37
Electropolishing, 247–248
Electrosurgery, 439
Elements obturation unit, 331, 331f
Embryonic stem cells, 477
Enamel
  cracks in, 587–588
  penetration of, 208
Endo Bender pliers, 394–395
EndoActivator system, 285, 285f
Endobender Pliers, 395f
Endocal 10, 379
Endocarditis
  bacterial
    description, 141
    periradicular surgery in patients with, 420–421
  infective, 141
Endocrown, 874, 885t, 892f
Endodontic emergencies
  abscess, 747, 748f
  analgesics for, 751
  cellulitis, 747, 747f
  classifications of, 737, 738f
  cracked teeth, 752, 752f, 753f
  fascial space infections as, 742–746, 744f
  flare-ups, 752
  fractured teeth, 752, 752f, 753f
  incision for drainage, 748–749, 749f
  irreversible pulpitis, 738–739
  laboratory diagnostic adjuncts, 751
  leaving teeth open, 749, 750f
  management of, 737–742
  reversible pulpitis, 738
  symptomatic teeth with previous endodontic treatment, 749
  in vital pulp, 738
Endodontic explorer, 205, 211f
Endodontic infections
  acute apical abscesses as, 600, 602f
  antibiotics for, 749–751
  apical periodontitis. *see* Apical periodontitis
  culture analyses of, 595–596
  extraradicular, 639–640
  intraradicular, 597–598
  microbiology of, 585–618
  microorganisms that cause
    Archaea, 604
    ecology of, 603–604, 603f
    fungi, 604, 608
    geographic influence on, 603
    viruses, 604–605
  molecular biology methods for studying of, 596–597, 596f
  persistent/secondary
    bacteria at root obturation stage, 605–606
    definition of, 605
    treatment failure and, 605
  primary, 604
  pulpal exposure as cause of, 587
  pulpal necrosis caused by, 588
  types of, 597–598
Endodontic instruments
  fracture of, 760
    cyclic fatigue as cause of, 760
    torsional fatigue as cause of, 760
Endodontic lesions
  cone-beam computed tomography of, 45
  differential diagnosis of, 45
  primary, 942, 942f, 943f
Endodontic microsurgery, 65
Endodontic pain
  dexamethasone for, 181
  management of, 182–184, 182b
Endodontic pathosis, lesions that mimic, 78–114
  importance of differential diagnosis, 78, 79f
  limits of pulp testing, 78, 79f
  limits of radiology, 78–79, 80f
Endodontic spoon, 205
Endodontic surgery, 403, 403f
  guided tissue regeneration and, 452–460
  healing after, 152
  indications for, 151, 151f
  outcome of, 154–155
  referral for, 157
  traditional root-end surgery *versus,* 152
Endodontic treatment
  extraoral time less than 60 minutes, 841
  extraoral time more than 60 minutes, 841–842
  failure of, 48–50, 50f
  goal of, 585
  traumatic dental injury, 841
Endodontically treated teeth
  aesthetic changes in, 872
  clinical implications in, 871t
  dentin structure in, 871
  discoloration of, 872, 874f
  features of, 870–872
  fracture resistance of, 871–872, 873f
  periodontal evaluation, 881
  pretreatment evaluation in, 881–887
  provisional crowns, 898
  restorations
    adhesive systems, 891
    aesthetic evaluation and requirements, 882
    biomechanical evaluation, 881–882
    clinical procedures, 887–898, 888f, 889f, 890f, 891f, 892f, 893f, 894f, 895f, 896f
    direct composite, 872–874, 888f, 889f
    endocrown, 874, 885t, 892f
    ferrule, 872
    foundation, 875–876, 894–898
    full crowns, 874–879
    indirect, 874
    luting cements used with, 879–881
    onlays and overlays, 874, 885t, 891f
    partial, 891–894
    periodontal evaluation, 881
    post and core, 875, 879, 895f, 896f, 897f
    pretreatment evaluation, 881–882, 881f, 885t
    provisional crowns, 898
    resin composite, 872–874
    in structurally compromised anterior teeth, 886
    in structurally compromised posterior teeth, 887
    in structurally sound anterior teeth, 882
    tooth preparation for, 887
    veneer, 885t, 890f
  tissue modifications in, 871t
  tooth stiffness of, 871–872, 873f
  treatment strategy in, 881–887
  vertical root fractures in, 854, 861
Endodontics
  anesthesia for
    infiltrations, 175
    intraligamentary, 173–175
    intrapulpal, 175
    intraseptal, 174–175
    local, 176
  anxiety effects on, 157–159
  case selection for, 156–159, 156f, 158f
  description of, 31
  factors that affect, 156–159, 156f, 158f
Endogenous opioid peptides (EOPs), 536
Endo-Perio, 939–956
EndoSequence Root Repair Manual (ERRM), 447
EndoSequence rotary instrument, 256
Endosolv-E, 372f, 378
Endosolv-R, 372f, 378
Endothelial adhesion molecules, 630t
Endothelial cells
  in apical periodontitis, 628
  in wound healing, 417
Engine-driven instruments, for gutta-percha removal, 369–371
Enterococcus faecalis
  calcium hydroxide resistance of, 608
  in dentinal tubules, 606, 608f
  description of, 412, 677, 783, 786–788, 917
  in root canals, 621
  root canal-treated teeth, 606, 607–608f, 608f
  sodium hypochlorite for, 274
Epidermal growth factor, 642t
Epinephrine
  in cardiovascular disease patients, 141
  cardiovascular effects of, 164
  hemostatic uses of, 438–439
Epinephrine pellets, 438–439
Epiphany Obturation System, 372f
Epithelial cell rests of Malassez
  in asymptomatic apical periodontitis, 633, 634f
  description of, 345, 620
Epithelial cells, 416
Epithelial stem cells, 477
Equivalent dose, 426
Er:YAG laser, 573–574, 574f
Ethylenediamine tetra-acetic acid (EDTA)
  description of, 278–279
  endodontic applications of, 279, 279f
  history of, 278
  mode of action of, 278–279
  root-end surface modification using, 441
  smear layer removal using, 441
  sodium hypochlorite and, 279
Eucalyptol, for gutta-percha removal, 368–369, 368f
Eugenol, 880
Examination
  bite test, 19–20
  extraoral, 9–10, 9f, 10f, 11f, 12f
  intraoral. *see* Intraoral examination
  periodontal, 15
  pulp testing. *see* Pulp testing
Excisional dentoalveolar wound, 417–418
Exostoses, 91, 92f
Explorer, endodontic, 205, 211f
Extendo bur, 204f
External cervical resorption, 61–62
  clinical features of, 719–720, 720f, 721f
  cone-beam computed tomography of, 722–723, 720f, 722–723f
  definition of, 717
  etiology of, 717
  histologic appearance of, 717, 718f, 719f
  internal root resorption *versus,* 729, 730–731f
  management of, 723–727
  nonsurgical treatment of, 727
  pathogenesis of, 717
  predisposing factors for, 717
  radiographic features of, 718f, 719f, 720–723, 720f, 721f, 722–723f, 724–725f
  three-dimensional classification of, 726t
  treatment of, 723
External inflammatory resorption, 61
  apical, 714f, 715f
  clinical features of, 716
  cone-beam computed tomography of, 716
  diagnosis of, 713
  etiology of, 713–716
  follow-up of, 717
  histologic appearance of, 716
  illustration of, 714f, 715f
  imaging of, 716
  luxation as cause of, 713
  management of, 716–717
  pathogenesis of, 713–716
  prevalence of, 713
  prognosis for, 717
  progression of, 716
  radiographic features of, 713, 716
  surface resorption *versus,* 716
  treatment of, 713
  vitality testing for, 836
External replacement resorption, 61
External root resorption, 711–736
  apical neurovascular supply damage caused by, 831–833, 831f, 832f, 833f
  in asymptomatic apical periodontitis, 635
  cervical. *see* External cervical resorption
  cone-beam computed tomography of, 61, 62f
  description of, 830
  diagnostic features of, 835–837
  external root surface injury as cause of, 830–831
    diffuse, 830, 831f
    localized, 830, 830f
  general histologic features of, 711–713
  inflammatory. *see* External inflammatory resorption
  inflammatory stimulus in root canal and, 831
  luxation injury as cause of, 830–833

pink spots associated with, 836–837, 837f
pulpal space infection as cause of, 831–832, 831f, 832f
radiographic features of, 835–836, 835f, 836f
Extracellular matrix
connective tissue in, 520
glycoproteins of, 520
of periodontal ligament, 619–620
Extracellular polymeric substance, 593–594
Extraction-replantation, 403, 404f
Extractor System, 381–383, 383f
Extraoral examination, 9–10, 9f, 10f, 11f, 12f
Extraradicular biofilm, 595
Extraradicular endodontic infection, 639–640
Extraradicular infections, 345
description of, 597–598, 608–610
development of, 608–609
posttreatment disease caused by, 352
Extrusive luxation, 828

F

Facial pain, 115
Facial root fractures, 826f
Facial swelling
buccal space, 10, 10f
canine space, 9–10, 9f
examination, 9–10, 9f, 10f, 11f, 12f
odontogenic causes of, 9
submental space, 10, 11f
Factitious pain, 129
Famotidine, 179
Fascial spaces
anatomy of, 743, 744f
infections of, 742–746, 744f
Fatigue failure, 876
Fatigue root fracture, 853
Ferric sulfate, for hemostasis, 438
Ferrule, 872
Fetal hypoxia, 143
Fiber posts, 877–878, 887
Fiber-reinforced composite post, 364–365
Fibroblast(s)
in asymptomatic apical periodontitis, 634
in cell-rich zone, 517
description of, 517–518, 517f
in wound healing, 416–417
Fibroblast growth factor, 642t
Fibrodentin, 544, 558, 559f
Fibrogenesis, 417
Fibronectin, 520
Field of view, of cone-beam computed tomography, 40–44, 41f, 69
File(s)
flute of, 242–243, 245f
GT, 255
GTX, 255
K-, 211f, 250
LightSpeed, 254, 268
nickel-titanium rotary, 237f, 241, 245–248, 246f, 260b
patency, 262
pitch of, 243
Profile Vortex, 256
RaCe, 256
self-adjusting, 252, 254f, 257
separated, 388f, 390f, 762–764, 763f
stainless steel, 245, 248f
ultrasonically activated, 379, 379f
Finger spreader, 325f, 326
Fissure carbide burs, 202–205, 204f
Fistula, 11
Fixed partial dentures, after tooth extraction, 351–352
Flare-ups, 752
Flexible probes, 860, 861f
Flexural fracture, of instruments, 289
Florid cemento-osseous dysplasia, 93–94, 93f
Flute of file, 242–243, 245f
Focal cemento-osseous dysplasia, 105, 107f
Forceps, for crown removal, 374
Foreign bodies
in open teeth, 749, 750f
periapical infection caused by, 621
Foreign body reaction, 345
definition of, 632
posttreatment disease caused by, 352
Formaldehyde, 283–284
Formocresol
dentin tensile strength affected by, 871
description of, 283–284
Formocresol pulpotomy, 919–920
Foundation restorations *(continued)*
Foundation restorations
cast post and core as, 879, 898
direct, 877–879
under full crowns, 894–898, 897f
general considerations for, 875–876
indirect, 879
luting cements. *see* Luting cements
FracFinder, 19–20
Fracture(s)
crown. *see* Crown fractures
crown-root, 809, 824
definition of, 848
diagnostic challenges for, 848–849
magnification to detect, 850
mechanics of, 849
pulpal necrosis induced by, 852f
root. *see* Root fracture
symptoms of, 26
transillumination for detection of, 20, 21f
treatment of, 26
unobserved trauma as cause of, 848
vertical root. *see* Vertical root fractures
Fractured cusps, 851, 851f
Full coverage restoration, 153–154
Full crowns
for endodontically treated teeth, 874–879
foundation restoration underneath, 894–898, 897f
Full pulpotomy, 672t, 819
Full-thickness flap, in periradicular surgery, 435f
Functional retention, 657
Fungal cells, 590, 591f
Fungi, 604, 608
Furanocoumarins, 536–537
Furcal perforations, 400f
Furcation canals, 194, 196f
incidence of, 940t
Furcation defects
case example of, 453f
cleaning of, 397
repair of, 397

G

G protein-coupled receptors, 163
Gap junctions, 512–513
Gates-Glidden burs, 206, 251–252, 251f
description of, 206
silver point removal using, 381–383
Gates-Glidden drills
description of, 251–252, 251f
gutta-percha removal using, 367–368
radicular access using, 387
Gelfoam, 438
Genetic polymorphisms, 640
GentleWave system, 287, 287f, 392f
Geristore, 398, 399f, 446
Glass ionomer(s)
core, 879
resin-modified, 879
Glass ionomer cements
luting, 879
pulp reactions to, 571
as root-end filling materials, 445
Glass ionomer-based endodontic sealer
description of, 681
gutta-percha and, 369
Glial cell, 536
Glial cell line-derived neurotrophic factor (GDNF), 532–533
Glide path, 262
Glucocorticoids, 419
Glycoproteins, 520
Glycosaminoglycan (GAG), 520
Gonon Post Removing System, 359–362
Granulation tissue, in wound healing, 416
Granuloma
definition of, 631–632
periapical, 631–632
Granulomatous inflammation, 631–632
Granzymes, 624
Greater palatine foramen, 424f
Greater Taper nickel-titanium hand files, 394–395
Growth factors
in cementum, 619, 643
in dentin matrix, 483t
differentiation of odontoblastic-like cells, 483t
sequestration, 481
in wound healing, 642t, 643
GT file, 255, 394–395
GT obturator, 331–333, 332f
GTR. *see* Guided tissue regeneration
GTX file, 255
Guided bone regeneration (GBR), 951
Guided tissue regeneration (GTR), 951
case examples of, 452f, 453f, 454f, 455f, 456f, 457f, 458f, 459f
membranes used in, 454, 458, 458f, 459f, 459t, 460t
in periradicular surgery, 452–460, 452f, 453f, 454f, 455f, 456f, 457f, 458f, 459f
GuttaCore, 333, 375
Gutta-percha, 304, 321–322, 321f, 322f
advantages of, 367–368
carrier-based, 331–334, 332f, 333f
glass ionomer-based endodontic sealer used with, 369
heat application to, 367–368
heated, for pulp testing, 17
lateral compaction of, 326
modified, 375
nanodiamond-embedded, 336
NiTi files for removal of, 786–788, 788–789f, 790f
obturation use of, 375, 731
overextended, removal of, 369, 370f, 785–786
removal of, 785, 786f, 787f
during nonsurgical retreatment, 367–371, 367f
rotary systems for removal of, 369–371, 370f
solvent techniques for, 334
solvents used to remove, 368–369, 368f
warm vertical compaction of, 326
GyroTip technique, 364–365, 365f

H

Halo radiolucency, 856–858, 858f, 861–862
Halogens, 284
Halothane, for gutta-percha removal, 368–369, 368f
Handpieces, heat exhaustion from, 436, 436f
Hard tissue
apical barrier, 820–821, 821f
healing of, 417–418
HBPT, 279–280
Headaches, 122–123
Healing, wound. *See* Wound healing
HealOzone, 288
Heart valves, artificial, 141
Heat
bone damage caused by, 436
generation of
generation of, 358
during retreatment procedures, 392–393
pulp testing using, 17, 17f
Hedström files
description of, 250, 250f, 370f
separated, 760–761
silver point removal using, 381
Helical angle, 243, 246f
Hemostasis
agents for, 926, 927f
bone wax for, 438
calcium sulfate for, 438
collagen-based materials for, 437, 438f
epinephrine pellets for, 438–439
ferric sulfate for, 438
Gelfoam for, 438
in periradicular surgery, 437–439, 461–462
sodium hypochlorite for, 926
Surgicel for, 437–438
Hemostatic agents
local, 437–439
pulp reactions to, 572
Heparin
low-molecular-weight, 421
periradicular surgery in patients receiving, 421
Herman, D. W., 475–476
HERO 642, 256
Hero Shaper, 256
Herpes zoster, 125–126, 125f
Herpesviruses, 604
Hertwig epithelial root sheath, 194, 223, 620, 643
Hess, Walter H., 240, 243f
Heterotopic pain, 119b, 121–122, 132
Heterotopic symptom, 115
High-resolution magnetic resonance imaging, 52
Histamine, 627–628
History of present dental problem, 6
HIV. *see* Human immunodeficiency virus
Höhl cell layer, 903
Hormones, in hard-tissue healing, 418

Horner syndrome, 132–134
HotShot delivery system, 331
Hounsfield, Godfrey, 38
Howship lacunae, 711, 712f, 716
H-type instruments, 250–251, 250f
Human immunodeficiency virus (HIV), 604
  $CD4^+$ cell count in, 146
  oral manifestations of, 146
  treatment planning affected by, 145–146
Hyaluronan, 520–521
Hyaluronic acid, 520
Hydrogel, as scaffold, 484
Hydrophilic resins, 913
Hyperalgesia, 530–531, 531t, 535
  secondary, 118, 122
Hyperglycemia, 641–642
Hyperparathyroidism, 94, 94f
Hyperplastic pulpitis, 560, 561f
Hypersensitivity, dentin, 530, 563, 564f

I
Iatrogenic events, 756–807
  assessment of, 796–798
    early intervention, 797
    immediate intervention, 797
    watch and wait in, 797–798
  cervicofacial subcutaneous emphysema, 798–799, 799f
  definition of, 756
  inferior alveolar nerve injury, 791–796, 792f
    causes of, 791, 791b
    cone-beam computed tomography of, 792–794
    management of, 795–796, 795f, 796f
    operative techniques to minimize, 794–795, 795f
    paresthesia caused by, 783
    prevention of, 792–794, 793f, 794f
    prognosis for, 796
    sealer cement effects on, 792
    third molar extractions as cause of, 791
  instrument separation, 759–768
    causes of, 759–760
    chemical removal, 760
    files, 762–764, 763f
    improper use as cause of, 759–760
    loop for, 768, 774f
    management of, 760–762
    in mandibular molars, 760
    nonvisible instrument retrieval, root canal preparation stage for, 764–765, 766f, 767f, 768f, 769f
    prognosis for, 768, 774f
    radiograph of, 759–760f
    removal attempts of, 762
    retrieval techniques, 765–768
    ultrasonic instruments for, 761
    ultrasonic oscillation for, 765–768, 770–771f, 771f, 772f, 773f
    visible instrument retrieval, root canal preparation stage for, 762–764, 763f, 764f, 765f, 766f
  ledge formation, 768–780
    bypassing of, 773–779, 776f, 777f, 778–779f, 780f, 781–782f, 783f
    causes of, 770, 772b, 772f
    complications of, 780
    hand instruments for bypassing, 773–778, 776f, 777f, 778–779f
    incidence of, 770
    management of, 770–773, 775f
    prevention of, 780
    prognosis for, 780, 784f
    rotary instruments for bypassing of, 779, 783f
    ultrasonic tips for, 779, 780f, 781–782f
  root canal filling material radicular extrusion, 780–790
    causes of, 784–785
    illustration of, 785f
    management of, 785–790
    obturation as cause of, 785–790, 786f, 787f, 788–789f, 790f
    tissue damage caused by, 790
  sinus perforation, 790–791
  sodium hypochlorite, 756–758, 757f, 758f
Ibuprofen, 460–461, 751
I-CAT, 39f
Idiopathic osteosclerosis, 88–90
  radiographic features of, 88–90, 89f
Ill-defined radiolucencies, 95–101, 96b
  metastatic disease, 100, 100f
  multiple myeloma, 100–101, 101f
  non-Hodgkin lymphoma, 99–100, 100f
  osteomyelitis, 95–96
Illumination, periapical healing affected by, 675
Images
  characteristics and processing of, 36–37
  postprocessing of, 36–37
Imaging
  cone-beam computed tomography. *see* Cone-beam computed tomography
  conventional radiographs. *see* Radiographs
  digital radiography, 22–23, 23f
  magnetic resonance imaging, 25
  three-dimensional, 38, 39f
Immature teeth
  apexification of, 820–824, 820f, 821f, 822f, 823f
  apical closure, 919
  pulpectomy contraindications in, 919–920
  revascularization of, 832f
Immune response
  adaptive, 624–625, 626f, 631–632
  innate, 623–624, 623t, 904
  specific, 624–625, 626f
Immunity
  adaptive, 623t, 624, 626f, 631–632
  innate, 623t, 626f
Immunoglobulins, 624
Impact trauma, 848
Implants, dental
  after tooth extraction, 351–352
  osseointegrated, 578
  periradicular lesions effect on success of, 578
  placement of, 71
  prosthetic, treatment planning affected by, 146
  pulp reactions to placement and function of, 578
  single-tooth, 154
  site assessments for, using cone-beam computed tomography, 65
  survival rates for, 155
  treatment planning and, 154–156
In vitro fiber post, 886t
Incisal bevel, 206f
Incision and drainage procedures
  for abscesses, 748–749, 749f
  anesthesia for, 168
Indirect pulp capping, 907, 908f
  definition of, 907
  outcomes of, 658–659, 663f, 664–665t
  stepwise excavation, 658–659
Induced pluripotent stem cells, 477
Infections
  apical, 621
  buccal space, 10, 10f
  canine space, 9–10, 9f
  dentinal tubules, 590, 592f
  endodontic. *see* Endodontic infections
  extraradicular
    description of, 597–598, 608–610
    development of, 608–609, 610f, 611f
    posttreatment disease caused by, 352
  fascial spaces, 742–746, 744f
  host-parasite conflict in, 622
  innate immune response to, 623–624, 623t
  intraradicular
    apical periodontitis caused by, 599f
    bacteria that cause, 599, 600f, 601f, 602f
    definition of, 597–598
    microbial composition and diversity of, 599–601, 599f
    primary, 599–600
  persistent, 597–598
  primary, 597–598
  secondary, 597–598
Infective endocarditis, 141
Inferior alveolar nerve, 52f
Inferior alveolar nerve block
  anesthetic solutions for, 168–169
  bupivacaine for, 164, 168, 168f
  difficulty of, 167
  duration of action, 167, 168
  epinephrine concentrations in
    2% lidocaine with 1:100, 000 epinephrine, 167
    4% prilocaine with 1:200, 000 epinephrine, 175
    articaine with 1:100, 000 or 1:20, 000 epinephrine, 168
    increasing of, 169
  failure
    definition of, 167
Inferior alveolar nerve block *(continued)*
    factors involved in, 169–170, 169f, 170f
    inaccurate injection as cause of, 169–170
    mylohyoid nerve block, 169–170, 169f
    needle bevel as cause of, 169–170
    needle deflection as cause of, 169–170
    theories on, 169–170
  Gow-Gates technique for, 169
  injection sites for, 169
  intraligamentary anesthesia with, 173–175
  intraosseous anesthesia with, 170–173, 170f
  lidocaine for
    2%, with 1:100, 000 epinephrine, 167, 175
    buffered, 168
    infiltrations of, 168
  noncontinuous anesthesia, 167
  onset of action, 159, 167
  pulpal anesthesia onset using, 167, 167f
  ropivacaine for, 168
  solutions for
    2% lidocaine with 1:100, 000 epinephrine, 167, 175
    2% mepivacaine with 1:20, 000 levonordefrin, 175
    3% mepivacaine, 175
    4% articaine with 1:100, 000 epinephrine, 175
    4% prilocaine, 175
    4% prilocaine with 1:200, 000 epinephrine, 175
    increasing the volume of, 169
    without epinephrine, 168
  success of, 167
Inferior alveolar nerve injury, 791–796, 792f
  causes of, 791, 791b
  cone-beam computed tomography of, 792–794
  management of, 795–796, 795f, 796f
  operative techniques to minimize, 794–795, 795f
  paresthesia caused by, 783
  prevention of, 792–794, 793f, 794f
  prognosis for, 796
  sealer cement effects on, 792
  third molar extractions as cause of, 462, 791
Inferior alveolar neurovascular (IAN) bundle, 51, 52f
Inflammation
  acute, 653
  apical, 621, 622f
  chronic, 653
  coronal pulp, 908
  mediators of, 531–532, 637
  neurogenic, 626f
  percussion testing for, 14
  periapical, 621
  pulpal. *see* Pulpal inflammation
  of pulpal interstitium, 521
  vascular permeability in, 541
Inflammatory periapical progenitor cells, 477
Inflammatory response
  to calcium hydroxide, 571f
  to caries, 559, 559f
  mediators of, 629–630, 630t
Inflammatory root resorption, 831f, 841
Infraorbital nerve block, 176
Infraorbital space, 744f, 746
Innate immune response, 623–624, 623t
Innate immunity, 623t
Instrument Removal System, 390, 391f
Instruments
  alloys used in, 245–248
  barbed broaches, 251, 251f
  cross-sectional design of, 242–243, 246f
  for crown removal, 356–357
  cutting angle of, 243, 246f
  cutting edge of, 242–243
  design elements of, 241–244
  discarding of, 384–385
  effectiveness and wear of, 250–251
  endodontic, 241–260
  engine-driven, 252–260, 252t, 253f, 254f, 265t
  fracture of, 289–291, 290f
    cone-beam computed tomography of, 53, 53f
    incidence of, 53
  Gates-Glidden drills, 251–252, 251f
  general characteristics of, 241–248
  helical angle of, 243, 246f
  H-type, 250–251, 250f
  improper use of, 384–385
  irrigants and, 278
  ISO-normed, 244, 247f
  K-files, 248–250, 249f
  longitudinal design of, 242–243, 246f

Instruments *(continued)*
low-speed engine-driven, 251–252
manually operated, 248–251
nickel-titanium rotary, 239f, 241, 246f, 260b
Peeso reamers, 252
for periradicular surgery, 429–430, 430f, 431f, 432f
post removal using, 359
rake angle of, 243
reciprocal motions with, 760
removal techniques for, 386–392, 386f
root canal system cleaning and shaping. *see* Root canal system cleaning and shaping, instruments for
rotary, 254f, 255
separated, 759–768
causes of, 384–386, 385f, 759–760
chemical removal, 760
dental injection needle for removal of, 388
Endo Extractor kit for removal of, 389, 760–761
file, 387, 387f
files, 762–764, 763f
Hedstrom files for removal of, 381, 389f
illustration of, 390f
improper use as cause of, 384, 759–760
Instrument Removal System, 390, 391f
loop for, 768, 774f
management of, 760–762
in mandibular molars, 760
Masserann technique for removal of, 389, 760–761
nonvisible instrument retrieval, root canal preparation stage for, 764–765, 766f, 767f, 768f, 769f
operating microscope used in removal of, 386, 386f
prevention of, 386
prognosis for, 386, 387f, 768, 774f
radiograph of, 759–760f
removal techniques for, 386–392, 386f, 762
retrieval techniques, 765–768
S.I.R. System for retrieval of, 391
ultrasonic instruments for, 363–364, 387, 388f, 761
ultrasonic oscillation for, 765–768, 770–771f, 771f, 772f, 773f
visible instrument retrieval, root canal preparation stage for, 762–764, 763f, 764f, 765f, 766f
taper of, 243–244
tip design of, 241–242, 245f
ultrasonic instruments for removal of, 387, 388f
Intentional replantation, 152, 460, 461f
Intercellular adhesion molecules, 628
Interleukin-8, 641
Internal ankylosis, 547, 547f
Internal root resorption
characteristics of, 833
chemicomechanical debridement of root canal for, 729–731
clinical features of, 728
clinical manifestations of, 834
cone-beam computed tomography of, 61, 729
definition of, 727
description of, 830
diagnosis of, 729
diagnostic features of, 835–837
early, 726f
etiology of, 727, 833–834
external cervical resorption *versus,* 729, 730–731f
histologic appearance of, 834–835, 834f
historical description of, 711
management of, 729
of maxillary lateral incisor, 728f
obturation for, 731–734
odontoblasts in, 727, 728f
pathogenesis of, 727
pulp tissue in, 727, 728f
radiographic features of, 727, 728f, 729, 732f, 834, 834f, 835f
in root fractures, 829f
root perforations associated with, 731–733
tissue destruction caused by, 733
treatment of, 835, 835f
International Association of Dental Traumatology, 810
International Headache Society, 122
International Standards Organization norms, 244–245, 247f, 248f
Intersocietal Accreditation Commission, 68
Interstitial fluid, 539
Interstitium, pulpal, 520–521, 520f
Intertubular dentin, 871
Interview, 6–9
Intracoronal restorations, 850, 887
Intraligamentary anesthesia
amount of solution delivered, 174
anesthetic solutions for, 174
back pressure for, 174
description of, 173–175
discomfort during, 174
duration of, 173
endodontic uses of, 175
indications for, 175
mechanism of action, 174
onset of, 173
periodontal safety with, 174
postoperative discomfort with, 174
pulpal safety with, 174
selective, 174
success of, 173
in symptomatic irreversible pulpitis, 173–174
systemic effects of, 174
Intraoral examination
mobility, 14–15, 15b, 15f
palpation, 14
percussion, 14, 14f
periodontal, 15, 15b
sinus tracts, 11–14, 13f
soft tissue, 10
swelling, 10–11, 10f, 11f, 12f
Intraoral radiographs, 20–22, 22f
Intraosseous anesthesia, 170f
bupivacaine for, 172
complications/contraindications of, 172–173
description of, 170–173, 170f
discomfort associated with, 173
duration of, 170, 170f, 172, 172f
failure of, 172–173
heart rate increase after, 173
injection pain with, 172–173
injection site locations, 172–173
lidocaine levels in plasma after, 173, 173f
for mandibular posterior teeth, 172
medical considerations for, 173
onset of, 172
perforator breakage with, 172–173
for postoperative discomfort, 173
repeating of, 172
Stabident system for, 170–171, 170f
success with, 172, 172f
in symptomatic irreversible pulpitis, 172–173
systemic effects of, 173
X-Tip delivery system for, 171, 171f, 172–173
Intrapulpal anesthesia, 565
Intrapulpal injection, for endodontic anesthesia, 175
Intraradicular biofilm, 594
Intraradicular infection
apical periodontitis caused by, 599f
bacteria that cause, 599, 600f, 601f, 602f
definition of, 597–598
microbial composition and diversity of, 599–601, 599f
primary, 599–600
Intraseptal injection, for endodontic anesthesia, 174–175
Intrasulcular incision, for periradicular surgery access, 433
Intrusive luxation, 828
Invasive cervical resorption, 717
Iodine potassium iodide, 281
Irreversible pulpitis
asymptomatic
definition of, 738
description of, 29
diagnosis of, 738
opioid receptors and, 562
definition of, 29
diagnosis of, 906
emergency management of, 738–739
radiographic findings, 144f
reversible pulpitis and, differential diagnosis of, 906
symptomatic
definition of, 738
description of, 29
management of, 739
Irrigants
Irrigants *(continued)*
benefits of, 273b
BioPure MTAD, 280, 280f
chlorhexidine
allergic reactions to, 278
antibacterial efficacy of, 277
cytotoxicity of, 277
as decalcifying agent, 278
as endodontic irrigant, 277
history of, 276
indications for, 429
mode of action of, 276
molecular structure of, 276, 276f
before periradicular surgery, 429
sodium hypochlorite and, 277f, 279f
substantivity of, 276–277
combinations of irrigants, 280–281, 280f
concentrations of, 274
dentinal tubule penetration of, 278f
detergents added to, 279–280
ethylenediamine-tetra-acetic acid
description of, 278–279
endodontic applications of, 279, 279f
HBPT, 279–280
history of, 278
mode of action of, 278–279
sodium hypochlorite and, 279
history of, 272
instrument with, 278
iodine potassium iodide, 281
optimal properties of, 272–281, 273b
sodium hypochlorite
allergic reactions to, 273–274
calcium hydroxide and, 729–731
"champagne bubble" test, 210
chemicomechanical debridement of root canal using, 729–731
chlorhexidine and, 277f
complications of, 756–758, 757f, 758f
description of, 817–819, 871
ethylenediamine-tetra-acetic acid, 279
extrusion of, 757–758, 757f
hypersensitivity to, 274
hypochlorous acid formation, 273
iatrogenic events caused by, 756–758, 757f, 758f
mode of action, 272–273, 273f
neutralization reaction, 273
pH, 273
root canal retreatment success affected by, 676
saponification reaction, 273
temperature effects, 274, 274f
time course of, 274–275
toxicity of, 275–276, 275f
syringe delivery for, 284–285
Tetraclean, 280
Irrigation, of root canal
antibacterial nanoparticles, 288–289
GentleWave system, 287, 287f
hydrodynamics of, 271–272, 271f, 272f
irrigants for. *see* Irrigants
laser-activated, 287–288
manually activated, 285
negative apical pressure for, 286, 286f
objectives of, 270
passive ultrasonic, 285–286
photoactivated disinfection, 288
protocol for, 292, 293f
Safety-Irrigator for, 286–287, 287f
sonically activated, 285, 285f
Irrigation pressure, 271
Ischemic heart disease, vasoconstrictors in patients with, 141
Isolation techniques, 673–675
Isthmus, 196–198, 199f

J

Jaw
metastases to, 143, 144f
osteonecrosis of, medication-related, 144–145, 145b
osteonecrosis of, radiation therapy as cause of, 644
JS Post Extractor, 363
J-shaped radiolucency, 856–858, 858f, 861–862

K

K3, 255

K-files *(continued)*
K-files
for coronal modification, 260–261
description of, 211f, 250
instruments, 248–250, 249f
pitch of, 243
stainless steel, 248f
KY Pliers, for crown removal, 356f

L

Lamellar bone, 418
Lamina limitans, 516
Laminar bone, 459t
Langerhans cell histiocytosis, 94–95
radiographic features of, 94–95, 95f
Largo Bur, 364–365
Laser(s)
caries prevention, diagnosis, and treatment using, 573–574, 573f, 574f
CO_2, 572–573
dentin hypersensitivity treated with, 574
Er:YAG, 573–574, 574f
GaAlAs, 572–573
Nd:YAG, 573–574, 574f
pulp reactions to, 572–574, 572f
pulpotomy procedures of, 574
in treatment of dentin hypersensitivity, 574
types of, 572–573
wavelengths of, 572f
Laser Doppler flowmetry, for pulpal blood flow assessments, 19, 810, 810f
Lateral compaction obturation, 324–326, 324f, 325f, 326f
Lateral luxation, 828
Lateral periodontal cysts, 103–105, 946–948, 948–949f
radiographic features of, 103–105, 106f
Lateral pharyngeal space, 744f, 746
Lateral radicular cyst, 103, 105f
Latex allergies, 164
Le Fort I osteotomy, 577
Leaving teeth open, 749, 750f
Ledermix, 180, 284, 570, 831
Ledges, 768–780
bypassing of, 773–779, 776f, 777f, 778–779f, 780f, 781–782f, 783f
causes of, 770, 772b, 772f
complications of, 780
description of, 393
hand instruments for bypassing, 773–778, 776f, 777f, 778–779f
incidence of, 770
management of, 770–773, 775f
prevention of, 780
prognosis for, 780, 784f
rotary instruments for bypassing of, 779, 783f
ultrasonic tips for, 779, 780f, 781–782f
Lentulo spiral, calcium hydroxide application using, 820, 820f
Lesions of endodontic origin (LEOs), 45
Levonordefrin, 175
Lidocaine
2%, with 1:100, 000 epinephrine, 167, 175
buffered, 168
infiltrations of, 168
Light-curing luting cements, 880
LightSpeed file, 254, 268
Lingual shoulder
in anterior teeth, 206, 206f
in maxillary canine, 212
removal of, 206, 206f
Lip lacerations, 840
Lipopolysaccharides, 482–483
calcium hydroxide effects on, 281–282
nerve fibers stimulated by, 621
odontoblast exposure to, 560f
Toll-like receptor 2 expression affected by, 559
vascular endothelial growth factor affected by, 541
as virulence factor, 590
Lipoteichoic acid, 623
Local anesthesia/anesthetics
adverse effects of, 164–165
allergic reactions to, 165
articaine, 168
buffered lidocaine for, 168
bupivacaine for, 164, 168, 168f
cardiovascular reactions to, 164
clinical factors of, 165–166
confirming of, 166, 166f
Local anesthesia/anesthetics *(continued)*
description of, 412
diphenhydramine as, 168–169
for endodontics, 176
failure to achieve, 167
G protein-coupled receptor regulation of, 163
Gow-Gates technique, 169
infiltrations, 175
0.5% bupivacaine with epinephrine, 175
3% mepivacaine, 175, 175f
4% prilocaine, 175
articaine, 175
lidocaine, 168, 175
injection sites for, 169
intraligamentary
amount of solution delivered, 174
anesthetic solutions for, 174
back pressure for, 174
description of, 173–175
discomfort during, 174
duration of, 173
endodontic uses of, 175
indications for, 175
mechanism of action, 174
onset of, 173
periodontal safety with, 174
postoperative discomfort with, 174
pulpal safety with, 174
selective, 174
success of, 173
systemic effects of, 174
intraosseous, 170f
bupivacaine for, 172
description of, 170–173, 170f
discomfort associated with, 173
duration of, 170, 170f, 172, 172f
failure of, 172–173
heart rate increase after, 173
injection pain with, 172–173
injection site locations, 172–173
lidocaine levels in plasma after, 173, 173f
for mandibular posterior teeth, 172
medical considerations for, 173
onset of, 172
perforator breakage with, 172–173
for postoperative discomfort, 173
repeating of, 172
Stabident system for, 170–171, 170f
success with, 172, 172f
systemic effects of, 173
X-Tip delivery system for, 171, 171f, 172–173
latex allergies, 164
lidocaine
2%, with 1:100, 000 epinephrine, 167, 175
buffered, 168
inferior alveolar nerve block use of, 167, 168
infiltrations of, 168
long-acting, 168, 182, 430
mandibular, 170–175, 170f, 171f
indications of, 170f
infiltrations of, 170
maxillary, 175, 175f
injection techniques, 176
mechanism of action, 163–164
methemoglobinemia caused by, 165
nerve blocks for
anterior middle superior alveolar, 176, 176f
infraorbital, 176
palatal-anterior superior alveolar, 176, 176f
posterior superior alveolar, 176
second division, 176
pain origin determination using, 133f
in patients with previous difficulty with anesthesia, 166
peripheral nerve paresthesias caused by, 165
periradicular surgery using, 430–433
in pregnancy, 143b, 165
pulp reactions to, 563–565, 564f, 565f
pulpal, 166, 166f
ropivacaine for, 168
routes of administration, 166
"rule of 25" for, 165
systemic diseases or conditions that affect, 165
systemic effects of, 165
types of, 164, 164t
vasoconstrictors
contraindications for, 165
description of, 141
drug interactions with, 166t
pulp blood flow affected by, 563–565, 564f
pulp health affected by, 564f
sulfite-induced in, 165
Vazirani-Akinosi technique for, 169
Localized hemostasis, in periradicular surgery, 437–439, 461–462
preoperative considerations in, 437
Locus ceruleus, 117–118
Long-acting local anesthetics, 168, 182, 430
Low-molecular-weight heparins (LMWHs), 421
Lubricants, 284
Ludwig's angina, 748–749
Luting cements, 879–881
Luxation injuries, 828–837
apical neurovascular supply damage caused by, 831–833, 831f, 832f, 833f
biologic consequences of, 829–837
definition of, 828
description of, 809
incidence of, 828
intrusive, 828
lateral, 828
pulpal canal obliteration caused by, 829f, 831
pulpal necrosis caused by, 831
pulpal space infection caused by, 831–832, 831f, 832f
radiograph of, 810f, 811–812f, 814
subluxation, 828
treatment of, 828–829
types of, 828
Luxation injuries, external inflammatory resorption secondary to, 713
LY293558, 535
Lymphatic vessel endothelium receptor-1 (LYVE-1), 539, 540f
Lymphocytes, 519, 634
Lymphomas, 3–6

M

Macrophages
antigen-presenting, 518
in apical periodontitis, 628–629, 632, 634
description of, 518, 518f
foreign antigens phagocytosis by, 624
micrograph of, 518f
in wound healing, 416
Magnetic resonance imaging (MRI), 25, 52, 67
Magnetic resonance neurography, 52
Magnification, periapical healing affected by, 675
Malignancy
jaw metastases of, 143, 144f
treatment planning affected by, 143–144, 144f
Malingering, 129
Mandibular anterior teeth, anesthesia for, 173–174
Mandibular artery, 794
Mandibular body, 743
Mandibular buccal vestibule, 743, 744f
Mandibular canines
access cavity preparation in, 218–221
calcification age for, 226f
computed tomography of, 226f
eruption time for, 226f
root canal configurations in, 218–221, 226f
Mandibular first molars
access cavity preparation for, 221–223, 229f
accessory canals in, 194, 196f
accessory foramina in, 221
anesthesia of, 169f
calcification age for, 229f
computed tomography of, 229f
eruption time for, 229f
furcation canal, 196f
mesial root canal of, 591f
pulp chamber floor in, 196f
radix entomolaris, 223, 230f
root canal configurations in, 229f, 230f, 233f
Mandibular first premolars
access cavity preparation of, 208f, 221, 227f
calcification age for, 227f
computed tomography of, 227f
eruption time for, 227f
root canal configurations in, 221, 227f
Mandibular implants, neuritic complications, 125–126
Mandibular incisors
central
access cavity preparation for, 218
calcification age for, 223f

Mandibular incisors *(continued)*
computed tomography of, 224f
eruption time for, 223f
root canal configurations in, 218
lateral
access cavity preparation for, 218
calcification age for, 223f
computed tomography of, 225f
eruption time for, 223f
root canal configurations in, 218
periradicular surgery on, 425
Mandibular molars
first. *see* Mandibular first molars
furcation openings in, 194
instrument separation in, 760
mesial roots of, 864f, 865–866
root canal in
calcification of, 210f
C-shaped, 223, 233f
treatment of, 237f
second. *see* Mandibular second molars
third. *see* Mandibular third molars
Mandibular posterior teeth, anesthesia for, 172
Mandibular premolars
crown of, 207f
first. *see* Mandibular first premolars
root canal configuration in, 199f
root canal morphology in, 199f
second. *see* Mandibular second premolars
Mandibular second molars
access cavity preparation for, 223, 230f
apical resorption of, 714f
in Asians, 195–196, 198f
buccal space swelling associated with, 10, 10f
computed tomography of, 231f
eruption time for, 230f
in Native Americans, 195–196, 198f
root canal configurations in
C-shaped, 223, 233f
description of, 223, 230f, 231f, 233f
Mandibular second premolars
access cavity preparation for, 221, 228f
computed tomography of, 228f
root canal configurations in, 221, 228f
Mandibular third molars
access cavity preparation for, 223, 231f, 232f
buccal space swelling associated with, 10, 10f
calcification age for, 231f
computed tomography of, 232f
eruption time for, 231f
root canal configuration in
C-shaped, 223, 233f
description of, 223, 231f, 232f
Manually activated irrigation, 285
Marginal periodontitis, 620, 940
Martensite, 246, 249f
Masserann technique, for separated instrument removal, 389, 760–761
Mast cells, 519, 627–628
Masticatory muscles, 121–122
Matrix metalloproteinases, 568, 880
Maxillary anesthesia, 175, 175f
Maxillary anterior teeth
anesthesia for, 174
apical foramen in, 199
canines. *see* Maxillary canine
incisors. *see* Maxillary incisors
labiolingual diameter of, 199
root apex in, 199
Maxillary canine
access cavity preparation for, 212, 215f
calcification age for, 215f
computed tomography of, 215f
eruption time for, 215f
root canal configurations in, 212, 215f
Maxillary first molars
access cavity preparation for, 217–218, 219f
buccal roots of, 219f
calcification age for, 218f
computed tomography of, 219f
eruption time for, 218f
external cervical resorption in, 724–725f
external inflammatory resorption of, 714f
mesiobuccal root of, 219f, 440f
periradicular disease of, 414f
pulp chamber of, 217–218
root canal configurations for, 217–218, 218f, 219f
Maxillary first premolars
access cavity preparation for, 212, 216f
in Asians, 212
Maxillary first premolars *(continued)*
bonded root-end filling in, 444f
calcification age for, 216f
computed tomography of, 216f
eruption time for, 216f
pulp chamber of, 212
root canal configurations of, 212, 216f
Maxillary incisors
central
access cavity preparation for, 212, 212f, 213f
calcification age for, 212f
computed tomography of, 213f
eruption time for, 212f
root canal configurations in, 212, 212f, 213f
lateral
access cavity preparation, 212, 214f
calcification age for, 214f
computed tomography of, 214f
eruption time for, 214f
internal root resorption of, 728f
periradicular disease of, 413f
root canal configurations in, 212, 214f
periradicular disease associated with, 9–10
Maxillary molars
anesthesia of, 175f
first. *see* Maxillary first molars
palatal roots of, periradicular surgery considerations for, 424
second. *see* Maxillary second molars
third. *see* Maxillary third molar
Maxillary second molars
access cavity preparation for, 218
calcification age for, 219f
computed tomography of, 220f
eruption time for, 219f
external cervical resorption in, 724–725f
mesiobuccal root of, 592f
palatal root of, 592f
root canal configurations in, 218, 219f, 220f
Maxillary second premolars
access cavity preparation for, 217, 217f, 219f
computed tomography of, 217f
root canal configurations in, 217, 217f
Maxillary sinus
aspergillosis of, 785f
cone-beam computed tomography identification of, 423
perforation of, 790–791
periradicular surgery concerns regarding, 423–424, 462
Maxillary sinusitis, 3–6
of endodontic origin, 86
radiographic features of, 86–88, 87f
Maxillary third molar
access cavity preparation for, 218, 221f, 222f
calcification age for, 221f
eruption time for, 221f
root canal configurations in, 218, 221f, 222f
McSpadden Compactor, 334
Mechanical allodynia, 531
Medical conditions
dental care modification for, 3, 6b
oral manifestations of, 3
Medical consultation letter, 139, 140f
Medical history, 3–6
blood pressure measurement, 3
form for, 7f
medical conditions, 3, 6b
Medicaments, 816, 677, 783–784*see also* Intracanal medicaments
Medication-related osteonecrosis of the jaw (MRONJ), 96–99, 98t, 144–145, 145b, 418–419
antiangiogenesis medications, 98–99
antiresorptive medications, 96–98
Medullary dorsal horn, 534–535
Melanocortin-1 receptor gene, 157
Memory cells, 624
Memory T cells, 518
Mental foramen
anatomy of, 792–793
periradicular surgery localization of, 422, 422f, 423f
Mental space, 743, 744f
Mepivacaine (3%), for inferior alveolar nerve block, 175
Mesenchymal stem cells, 477, 479f
markers of, 478, 478f
multipotent, 619–620
in perivascular tissue, 416–417
Mesiobuccal angle, 217–218
Mesiopalatal canal orifice, 217–218
Messing gun-type syringe, 432f
Metal carrier, removal of, 374, 375f
Metal restorations, 205
Metallic post, 886t
stress distribution with, 876f
Methemoglobinemia, 165
Methylchloroform, 368–369
Microbiota. *see also* Microorganisms
definition of, 598
diversity of, 598–599, 599f
identification of, 595–597, 596b, 598t
in oral cavity, 598–599
in root canal-treated teeth, 606–608, 607–608f, 609f, 610f
Microcomputed tomography, 38
Microcondensers, 431f
Microcracks, 854, 865, 865f
Microfilaments, 516
Micromirror, 431f
Microorganisms. *see also* Bacteria
anachoresis of, 587
apical periodontitis caused by, 586
communities of, 593–594, 593f
culture of, 595, 596b
identification of, 595–597, 596b, 598t
molecular methods for studying of, 597, 597b, 598f
pathogenicity of, 588–590
persistent periradicular disease caused by, 412–413
populations of, 593
posttreatment disease caused by, 413
reintroduced intraradicular, posttreatment disease caused by, 344–345
root canal penetration of, during root canal treatment, 588
root canal system cleaning of, 237
spatial distribution of, 590–593
studies of, 597
virulence factors of, 588–590
MicroRNAs, 562–563
Microseal system, 731
Microsurgical scalpel, 430f
Microtubules, 516
Midface swelling, 746
Mid-root level perforation repair, 401f
Migraine headaches, 123
Miller, Willoughby Dayton, 585–586, 586f
Mineralized tissue formation, 906
Minocycline, 839f
Mobility
recording of, 15b
testing of, 14–15, 15b, 15f
Modified glass ionomer core, 879
Molar triangle, 217–218
Monoclonal antibodies, 516
Monsel solution, 438
Morphogens, 481–484
MRONJ. *see* Medication-related osteonecrosis of the jaw
Msx1, 482
Msx2, 482
MTA-Angelus, 917
MTwo, 256–257
Mucobuccal fold, 11, 13f
Mucoperiosteal flap, 725
Mucous cell metaplasia, 637
Mueller bur, 204f
Multidetector computed tomography, 38
Multilocular radiolucencies, 80–84, 81b, 81f
ameloblastoma, 82–83, 85f
central giant cell lesion, 83–84, 85f
odontogenic keratocyst, 80–82, 82f, 83f, 84f
Multinucleated osteoclasts, 831–832, 832f
Multiple myeloma, 3–6, 100–101
radiographic features of, 101, 101f
Multiple-visit treatment, 148–151
Multipotent mesenchymal stem cells, 619–620
Multipotent stem cells, 477
Musculoskeletal pain, 121–122
M-Wire, 248
Mylohyoid nerve block, 169–170, 169f
Myofascial pain, 121–122
Myofibroblast, 417
MZ100, 874

N

N-acetyl-*p*-benzoquinone imine, 179
Nanoparticles, antibacterial, 288–289

Nasal mucosal pain, 122
Nasolabial fold, 9–10, 9f
Nasopalatine duct cyst, 105–106, 107f
National Council for Radiation Protection, 36, 36b
National Electrical Manufacturers Association (NEMA), 37
Native Americans, mandibular second molar root configurations in, 195–196, 198f
Natural killer cells, 629
Nd:YAG laser, 573–574, 574f
  gutta-percha removal using, 371
Neck structures, and toothache, 128
Necrosis, and single-visit endodontics, 740–741
Necrotic pulp tissue, obturation in, 307–308
Negative apical pressure, 286, 286f
Negative rake angle, 249–250
Negative-pressure irrigation, 286, 286f
Neovascularization, 634
Nerve blocks
  anterior middle superior alveolar, 176, 176f
  infraorbital, 176
  mylohyoid, 169–170, 169f
  palatal-anterior superior alveolar, 176, 176f
  posterior superior alveolar, 176
  second division, 176
Nerve fibers, 523t
  intradental, plasticity of, 532–533
  pulpal
    description of, 524, 524f, 526f
    neuropeptides in, 527
Nerve fibers, in chronic apical periodontitis, 635f
Nerve growth factor (NGF), 518, 532–533, 533f
Neural modulating agents, for dentin hypersensitivity, 563
Neuralgia, 124
Neuritis, 125–126, 125f
Neurogenic inflammation, 626f
Neurogenic mediators, in pulp reactions, 560–561
Neurokinin A (NKA), 527
Neuroma, 124–125
Neuropathic pain, 119b, 123–128
Neuropathy, 126–128, 126f
Neuropeptides
  description of, 527–537, 630
  pulp immune response modulated by, 560–561
  Y, 522, 522f, 562
Neurovascular pain, 122–123
Neutrophil extracellular traps, 623–624
Neutrophils, polymorphonuclear, 416
Nickel-titanium instruments
  for coronal modification, 260–261
  deformation of, 248f, 250f
  fracture in, 259, 260b
  Greater Taper hand files, 394–395
  gutta-percha removal using, 387, 388f
  rotary, 239f, 241, 246f, 260b, 865, 865f
  success rates with, 675–676
Nickel-titanium spreaders, 866
NiTi files, gutta-percha removal using, 786–788, 788–789f, 790f
Nitinol, 246
Nitrous oxide-oxygen, in pregnancy, 143
NK1 antagonists, 535
NMDA receptor, 535
Nociceptive pain, 119b
Nociceptors
  inflammatory mediators on, 531t
  pulpal, 120–121
  sensitization of, 530
  transmission of information, 527f
Noncontinuous anesthesia, 167
Nonendodontic lesions, cone-beam computed tomography for, 45
Non-Hodgkin lymphoma, 99–100
  radiographic features of, 99–100, 100f
Nonnarcotic analgesics
  acetaminophen, 179
  alternatives, 179
  drug interactions with, 179, 179t
  efficacy of, 178t
  limitations of, 179
  nonsteroidal anti-inflammatory drugs, 176–177
  overview of, 176–179
  types of, 177t
Nonodontogenic toothache. *see also* Pain
  additional tests for, 132–134
  cardiac pain as cause of, 128
  case studies of, 134–135, 134f, 134t, 135t
  craniofacial structures that cause, 128–129
  description of, 115
Nonodontogenic toothache *(continued)*
  examination for, 132–135
  frequency of, 130
  indicators of, 135
  intracranial structures as cause of, 128
  musculoskeletal pain as cause of, 121–122
  myofascial pain as cause of, 121–122
  neuralgia as cause of, 124
  neuritis as cause of, 125–126, 125f
  neuroanatomy of, 116–118
    A-beta fibers, 116
    A-delta fibers, 116–117
    autonomic nervous system, 118
    C fibers, 117
    central nervous system, 117–118
    neural structures, 116–118
    peripheral nervous system, 116–117
    primary afferent neurons, 116–117
    second-order neurons, 118
    somatic structures, 116
  neuroma as cause of, 124–125
  neuropathic pain as cause, 123–128
  neuropathy as cause of, 126–128, 126f
  neurovascular pain as cause of, 122–123
  patient examination for, 132–135
  red flags for, 135
  salivary gland pain as cause of, 122
  sinus pain as cause, 122
  somatic pain as cause of, 121–122
  sources of, 121–130
Nonspecific innate immune response, 623–624
Nonsteroidal anti-inflammatory drugs (NSAIDs)
  acetaminophen and, 183–184
  COX-inhibiting nitric oxide donators and, 184
  cyclooxygenase inhibition by, 419–420
  description of, 176–177
  drug interactions with, 179, 179t
  opioid analgesics and, 183–184
  periradicular surgery use of, 429, 460–461
  postoperative pain managed with, 460–461
  preemptive uses of, 183–184
  pretreatment uses of, 182
  swelling reduction using, 751
  wound healing affected by, 419–420
Nonsurgical retreatment, 343–410
  apical area access, 367–384, 367f, 372f
  apical surgery *versus,* 352–353
  armamentarium for, 344f
  considerations for, 354
  coronal access cavity preparation, 354–357, 355f, 356f
  endodontic, 354–397
  finishing of, 395–397, 396f
  gutta-percha removal, 367–371, 367f
  healing rates of, 352–353
  heat generation during, 392–393
  irrigant effects on, 676–677
  metal carrier removal, 374, 375f
  outcome measures for, 655–658
  outcome of, 692–694, 695f, 698f
  overview of, 343
  paste, 377–379, 378f
  perforation repair, 397–400, 397f, 398f, 401f
  periapical healing after, 694–699, 696–697t, 698f
  plastic carrier removal, 374, 376f
  post removal in, 357–367, 358f
  posttreatment disease. *see* Posttreatment disease
  prognosis of, 402–403, 402f
  root canal impediments, 393–395
  root-filling material removal, 367–368, 367f
  separated instrument removal, 384–392
    causes of, 384–386
  silver point removal, 379–384, 380f, 381f, 382f
  solid core obturators, 373–377, 374f, 377f
  surgical retreatment and, 351
  treatment planning for, 350–354, 351f, 354f
Nonsurgical root canal treatment, outcomes evaluation of, 662–692, 674f
  periapical healing after, 673–686
  quality of life, 692, 694t
  tooth survival, 686–692, 691f
Nonvital teeth
  aesthetic changes in, 872
  anterior, 882, 883f
  compositional changes in, 871
  dentin structure in, 871
  discoloration of, 872, 874f
  fracture resistance of, 871–872, 873f
  moisture content changes in, 871
  posterior, 883f
  tooth stiffness of, 871–872, 873f
Novel oral anticoagulant drugs (NOACs), 421
Nucleus raphe magnus, 117–118

O

Obtura II, 731
Obtura III, 330–331
Obturation
  adequate, 306f
  apical barriers for, 334
  apical portion of, 313
  bacteria during, 605–606
  continuous wave, 327–329, 329f
  core materials for, 320–323, 866
    Activ GP, 322–323
    custom cones as, 323, 323f, 324f
    extrusion of, beyond radicular foramen, 785–790, 786f, 787f, 788–789f, 790f
    ideal, 320b
    in large RCS, 323, 324f
    Resilon, 322–323, 371, 372f
    silver cones, 321
  coronal orifice seal, 336
  GuttaCore, 375
  gutta-percha for, 304, 321–322, 321f, 322f
    carrier-based, 331–334, 332f, 333f
    description of, 731
    lateral compaction of, 326
    nanodiamond-embedded, 336
    overextension of, 785–786
    removal of, 785, 786f, 787f
    thermoplastic injection for, 330–331
    warm vertical compaction of, 326
  immediate, 334–336, 335f
  inadequate, 305f
  internal root resorption treated with, 731–734
  lateral compaction of, 324–326, 324f, 325f, 326f
  length of, 308–310, 308f, 309f, 310f
  managing solid core, 373–377, 373f, 377f
  materials for, 312–313, 312f, 313f, 314f
  in necrotic pulp tissue, 307–308
  paraformaldehyde-containing materials for, 312, 312f
  pastes for, 334
  preparation of, 310–312, 311f, 312f
  in pulpal necrosis, 311
  resin-bonded, 371
  sealers for, 313–320, 313b
    biocompatibility of, 312
    calcium hydroxide, 315
    glass ionomer, 315, 315f
    medicated, 319–320, 319f
    noneugenol, 315
    resin, 315–316
    silicone, 316–317, 316f
    tri/dicalcium silicate, 317–319, 317f, 318t
    zinc oxide and eugenol, 314, 314t
  solvent techniques for, 334
  thermomechanical compaction, 334
  thermoplastic injection technique for, 330–331, 330f, 331f
  timing of, 307–308
  in vital pulp tissue, 307
  warm vertical, 326–327, 327f, 328f, 329f
Obturators, solid core, 373–377, 374f, 377f
Occlusal cavities, 885
Occlusal forces, 882
Occlusal loading, tooth deformation during, 577
Occlusal teeth evaluation, in access cavity preparation, 201
Occlusal trauma, 349
Occlusal wear facets, 347
Occlusion-related pain, 737
Ochsenbein-Luebke flap, 434f, 448
Odontoblast(s), 480–481
  alkaline phosphatase secretion by, 515–516
  cell body of, 514–516
  cementoblasts *versus,* 515
  characteristics of, 515, 903
  chemokine secretion by, 559
  collagen synthesis by, 515–516
  dentin sialoprotein and, 480–481
  in dentinogenesis, 514
  destruction of, 543
  differentiation of, 559
  displacement of, 530, 530f
  illustration of, 514f
  inactive, 516
  in inflammatory response to caries, 560, 561f
  in internal root resorption, 727

Odontoblast(s) *(continued)*
loss of, 906
mesenchymal stem cell differentiation, 483t
morphologic characteristics of, 515
neuropeptides on, 516, 516f
nucleus of, 515
osteoblasts *versus*, 515
predentin-dentin matrix secreted by, 903
progenitors of, 914
resting, 516
secretory function of, 517
structure of, 517
Toll-like receptor expression, 559
ultrastructural features of, 515, 515f
Odontoblast layer, of pulp, 512–514, 513f, 514f, 561f
Odontoblast process, 516, 559, 560f, 574f
Odontoblast-like cells
growth factors in differentiation of, 483t
regenerative capacity of, 570
Odontoclasts, 633, 711, 712f
Odontogenic keratocysts, 80–82, 637
radiographic features of, 82, 82f, 83f, 84f
Odontogenic pain
history-taking for, 130–132, 130f
pulp-dentin complex as source of, 120
Odontogenic toothache
description of, 120–121
sources of, 120–121
Odontoma, 90, 90f, 91f
Onlays, 874, 885t, 891f
Operating microscope, in separated instrument removal, 386, 386f
Opioid analgesics
application of, 179–180, 180t
nonsteroidal anti-inflammatory drugs and, 183–184
Opioid receptors, in pulp, 562
Opportunistic pathogens, 588
Optical coherence tomography, for enamel crack detection, 25–26
Oral Health Impact Profile (OHIP), 657, 692, 694t
Orofacial complex, trauma to, 55
Orofacial pain. *see* Pain
Orthodontic extrusion, 887
Orthodontic movement, pulp reactions to, 576–577
Orthodontic surgery
pulp blood flow affected by, 577f
pulp reactions to, 577
Osseous defects, 861
Osseous lesion formation, theoretic pathways of, 941–945, 942f
concomitant pulpal and periodontal lesions, 944–945, 945f
primary, 942, 942f, 943f
primary periodontal lesions, 944, 944f
with secondary endodontic involvement, 944
secondary periodontal involvement, 942–944, 943f
true combined lesions, 944, 944f
Osseous radiolucency, 862
Osteoblasts
collagen secretion by, 418
in hard-tissue wound healing, 417–418
Osteoclasts
actin cytoskeleton of, 711
in asymptomatic apical periodontitis, 632–633
bone loss caused by, 623
bone resorption caused by, 632–633, 633f
definition of, 711
in hard-tissue wound healing, 417–418
multinucleated, 831–832, 832f
ruffled border of, 711, 712f
Osteomyelitis, 95–96
acute, 96
chronic, 96, 97f
medication-related osteonecrosis of the jaw, 96–99, 98t
with proliferative periostitis, 88, 89f
radiographic findings of, 99, 99f
Osteonecrosis of the jaw
medication-related, 144–145, 145b
radiation therapy as cause of, 644
Osteopontin, 559
Osteoprotegerin, 713
Outcome measures
for endodontic treatment, 654–658
nonsurgical retreatment procedures, 655–658
nonsurgical root canal treatment procedures, 655–658
for periapical surgery, 658, 659f, 660f, 660t, 661f, 662f, 663f
surrogate, 653
types of, 653
for vital pulp therapy procedures, 654–655, 655f, 655t, 658–662
Outcomes evaluation, 651–710
cone-beam computed tomography for, 62–65, 63f, 64f, 71–73
context for, 652–653
direct pulp capping, 659–660, 666–668t, 669f
effectiveness of procedures determined using, 653–654
factors affecting, 654
full pulpotomy, 672t
indirect pulp capping, 658–659, 663f, 664–665t
nonsurgical retreatment, 692–694, 695f, 698f
of nonsurgical root canal treatment, 662–692, 674f
periapical healing after, 673–686
quality of life, 692, 694t
tooth survival, 686–692, 691f
periodontal incisional wound healing, 699
pooling data, 654
prognostication value of, 654
pulpotomy, 660–661, 669f, 670t, 672t
purpose of, 653–654
of surgical retreatment, 694–699
Overlays, 874, 885t, 891f
Oxygen consumption, 519

P

Paget disease, 90–91
radiographic features of, 90–91, 91f
Pain. *see* Nonodontogenic toothache
after periradicular surgery, 461
aggravating factors of, 131
alleviating factors for, 131–132
analgesics for, 751
associated factors, 132
cardiac, 128
central sensitization in, 118, 119b, 126–127, 533
chronic, 132–134
control, 162–191
deep, 131
definition of, 119b
description of, 115, 119f
descriptors of, 131, 131t
detection of, 526–527
facial, 115
heterotopic, 119b, 121–122, 132
history-taking for, 130–132, 130f
induction of, 630
intensity of, 131
local anesthetics used to localize, 133f
management for
flexible analgesic strategy for, 183f
flexible plan for, 182–184, 183f
long-acting local anesthetics for, 168, 182
pretreatment for, 182
management of, 737–742
after periradicular surgery, 461
nonsteroidal anti-inflammatory drugs for, 460–461
muscular, 132
musculoskeletal, 121–122, 131
myofascial, 121–122
nasal mucosal, 122
neuroanatomy of, 116–118
A-beta fibers, 116
A-delta fibers, 116–117
autonomic nervous system, 118
C fibers, 117
central nervous system, 117–118
neural structures, 116–118
peripheral nervous system, 116–117
primary afferent neurons, 116–117
second-order neurons, 118
somatic structures, 116
neuropathic, 45, 119b, 123–128
neurophysiology of, 118
neurovascular, 122–123
nociceptive, 119b
occlusion-related, 737
onset of, 132
origins of, determination of, 132, 133f
patient examination for, 132–135
peripheral sensitization in, 118, 119b, 126–127
periradicular, 121
persistent dentoalveolar pain disorder, 126–128, 126f, 127b
progression of, 131
psychogenic, 129
pulpal, 120
pulpitis-related, 532
quality of, 131, 131t
referred, 30–31, 115, 119f, 120f, 131
salivary gland, 122
sinus, 122
site of, 115
somatic, 121–122
source of, 115
subjective nature of, 522
superficial, 131
temporal aspects of, 131
terminology of, 118
types of, 119b
voltage-gated sodium channels and, 163t
Pain history, 130–131, 130f
Pain modulation, 535f
Pain perception
detection and, 526–527
mechanisms of, 526
medullary dorsal horn in, 534–535
processing step of, 534–536
schematic diagram of, 535f
thalamus to cortex pathway, 536–537
Painless pulpitis, 562
Palatal-anterior superior alveolar nerve block, 176, 176f
Palate
anterior, swelling of, 11, 12f
posterior, swelling of, 11, 13f
Palatogingival grooves, pulpal and periodontal disease and, 940, 947f
Palpation
of cervical lymph nodes, 9
in intraoral examination, 14
of submandibular lymph nodes, 9
Panoramic radiography, 65
Pantomogram, 116f
Parachloroaniline (PCA), 277
Parafunctional habits, 577–578, 882
Parallax radiographs, of internal root resorption, 729
Paranasal sinus aspergillosis, 784
Parapharyngeal spaces, 744f, 746
Parathyroid hormone (PTH), 94
Paresthesia
after periradicular surgery, 462
endodontic-related, 783
Paresthesia, peripheral nerve, 165
Partial pulpotomy
calcium hydroxide, 817f
crown fractures treated with, 817–819, 818f, 819f
Cvek, 817, 818f
definition of, 908–911, 909–910f
direct pulp capping *versus*, 907–908
follow-up after, 819
indication for, 817
outcomes evaluation of, 660–661, 669f, 670t, 672t
prognosis of, 819
root development after, 819f
technique for, 817–819, 818f
Partial restorations, 891–894
Passive ultrasonic irrigation, 285–286
Paste, nonsurgical retreatment using, 377–379, 378f
Patency file, 262
Patient
evaluation of, 139
registration of, 3
Peeso drills, 252, 384
Peeso reamers, 252
Penicillin V, 840–841
Percussion testing, 14, 14f
Perforations
cone-beam computed tomography of, 54
definition of, 54
furcal, 400f
of maxillary sinus, 790–791
during post removal, 366
Perforin, 624
Periapical abscess, 631f
Periapical cemento-osseous dysplasia, 91–93, 92b
radiographic features of, 92–93, 92f, 93f
Periapical cysts, 101–103, 102f, 103f, 104f
incidence of, 345
pocket, 345
radiographic features of, 101–103
true, 345

types of, 345
Periapical diseases
after root canal treatment, 656–657, 656f
classification of, 28–30, 627
Periapical granulomas, 101–103, 102f, 103f, 104f, 631–632
actinomyces in, 661f
radiographic features of, 101–103
Periapical healing
after apical surgery, 660t, 696–697t, 698f
after nonsurgical retreatment, 694–699, 696–697t, 698f
description of, 658, 660t, 662f
factors that affect, 673–686
acute exacerbation during treatment, 682
apical preparation, 675
bacteria presence, 677–680, 677f, 678–680t
illumination, 675
irrigants, 676–677
isolation, 673–675
magnification, 675
mechanical preparation, 675–676
medicaments, 677
number of treatment visits, 682
operator, 673
patient-related, 673, 675t
root canal bacterial culture, 677–680, 677f, 678–680t
root filling, 681
summary of, 683–686, 683f, 684f, 686f, 687f
treatment-related, 673–682
fibrous, histologic view of, 657f
restorations effect on, 692
Periapical health
after periapical surgery, 694–699, 696–697t, 698f
after root-end filling, 694–699, 696–697t, 698f
Periapical index (PAI), 657–658
Periapical infection
description of, 621
foreign bodies as cause of, 621
with sinus tract, 12–14
Periapical inflammation, 621
Periapical lesions
nonendodontic, 639
periapical healing affected by, 673
therapy-resistant, 659f
Periapical mucositis, 88, 88f
Periapical osteolytic lesions, 637
Periapical osteoperiostitis, 88
Periapical pathosis, differential diagnosis of, 80–107
ill-defined pathologies, 95–101, 96b
metastatic disease, 100, 100f
multiple myeloma, 100–101, 101f
non-Hodgkin lymphoma, 99–100, 100f
osteomyelitis, 95–96
multifocal presentations, 91–95, 92f
florid cemento-osseous dysplasia, 93–94, 93f
hyperparathyroidism, 94, 94f
Langerhans cell histiocytosis, 94–95, 95f
periapical cemento-osseous dysplasia, 91–93, 92b, 92f, 93f
multilocular radiolucencies, 80–84, 81b, 81f
ameloblastoma, 82–83, 85f
central giant cell lesion, 83–84, 85f
odontogenic keratocyst, 80–82, 82f, 83f, 84f
radiopacities in periapical region, 84–91
condensing osteitis, 84–86, 86f
exostoses and tori, 91, 92f
idiopathic osteosclerosis, 88–90, 89f
maxillary sinusitis of endodontic origin, 86, 87f
odontoma, 90, 90f, 91f
osteomyelitis with proliferative periostitis, 88, 89f
Paget disease, 90–91, 91f
well-defined unilocular periapical radiolucencies, 101–107
focal cemento-osseous dysplasia, 105, 107f
lateral periodontal cyst, 103–105, 106f
lateral radicular cyst, 103, 105f
nasopalatine duct cyst, 105–106, 107f
periapical cysts and periapical granulomas, 101–103, 102f, 103f, 104f
Stafne defects, 106–107, 108f
Periapical radiolucencies, 306
Periapical status, 657, 658t
Periapical surgery
healing after, 658, 660t, 662f
outcome measures for, 658, 659f, 660f, 660t, 661f, 662f, 663f
periapical health after, 694–699, 696–697t, 698f
quality of life effects of, 699
success criteria for, 658, 660t, 662f, 663f
tooth survival after, 699
Periapical wound healing, 642–643, 642t
Peri-implantitis, 351f
Periodontal crown lengthening surgery, 887
Periodontal evaluation, 881
Periodontal examination, 15
Periodontal incisional wound healing, 699
Periodontal inflammation, on pulp, influence of, 941
Periodontal lesions, primary, 944, 944f
with secondary endodontic involvement, 944
Periodontal ligament
cells of
apoptosis of, 413
description of, 619–620
collagen fibers of, 619–620
contusion injuries to, 715–716
definition of, 619–620
extracellular matrix of, 619–620
inflammation of, 14
mechanoreceptors of, 121
stem cells of, 477
substance P in, 561
Periodontal pocket depth, 15
Periodontal probing, 15
Periodontal procedures, pulp reactions to, 575, 576f
Periodontal scaling, 575
Periodontitis
advanced, with periradicular inflammation, 452
apical. *see* Apical periodontitis
definition of, 30
marginal, 620
pulpal inflammation caused by, 575
retrograde, 940
Periodontium, intraligamentary anesthesia injection effects on, 174
Periodontium, pulpal pathologic condition, influence of, 940–941
Periorbital space, 744f, 746
Periosteal derived stem cells, 477, 478f
Peripheral inflammatory root resorption, 717
Peripheral nerve paresthesias, 165
Peripheral nervous system, 116–117
Peripheral neuropathy, 127
Peripheral sensitization, 118, 119b, 126–127, 530, 531b, 531t
Periradicular abscess, 10f
Periradicular cholesterol crystals, 413
Periradicular disease
of maxillary first molar, 414f
of maxillary lateral incisor, 413f
Periradicular inflammation
advanced periodontitis with, 452
description of, 589–590
Periradicular lesions
implant success affected by, 578
radiograph of, 778–779f, 781–782f, 787f
Periradicular pain, 121
Periradicular pathosis, etiology of, 413, 439
Periradicular surgery, 411–474
access for
flap designs, 433–436, 434f, 435f
full-thickness flap, 435f
hard-tissue, 436
horizontal incision for, 433–434, 434f
intrasulcular incision for, 433
principles used in, 433
soft-tissue, 433
submarginal flap, 435f
tissue reflection, 434–435, 435f
tissue retraction, 436
triangular flaps, 434f
vertical incision for, 433, 433f, 434f, 435f
anatomic considerations for, 422–425, 422f, 423f, 424f
anterior maxilla and mandible, 424–425, 424f
mandibular canal, 423
mental foramen, 422, 422f, 423f
posterior mandible, 422–423, 422f, 423f
posterior maxilla, 423–424, 424f
in anterior maxilla and mandible, 424–425, 424f
antibiotic prophylaxis before, 420–421, 429
in anticoagulation, 421
apical periodontitis treated with, 412
aspirin discontinuation before, 421–422
bacteremia associated with, 420–421
in bacterial endocarditis patients, 420–421
biopsy in, 436–437
bleeding after, 461–462
bleeding concerns during, 421
Periradicular surgery *(continued)*
bone in
healing of, 417–418
heating effects on, 436
removal of, 436
cautery in, 439
chlorhexidine use before, 429
clinical decision making for, 414–415
complications of, 461–462, 462f
cone-beam computed tomography in
computed tomography *versus*, 425–426
description of, 425–428
mandibular canal identification using, 423
maxillary sinus identification using, 423
mechanism of action, 426
scan times with, 426
conscious sedation for, 429
curettage in, 436–437
electrosurgery in, 439
flap designs used in, 434, 434f, 435f
goals of, 433, 439
guided tissue regeneration in, 452–460, 452f, 453f, 454f, 455f, 456f, 457f, 458f, 459f
hard-tissue in
access considerations, 436
healing of, 417–418
removal of, 436
hemostasis during, 437–439, 461–462
incisions used in
horizontal, 433–434, 434f
intrasulcular, 433
submarginal, 435f
vertical relieving, 433, 433f, 434f, 435f
indications for, 412–415, 415f
informed consent for, 428–429
instruments used in, 429–430, 430f, 431f, 432f
intentional replantation, 460, 461f
local anesthesia for, 430–433
localized hemostasis during, 437–439
in mandible
anterior, 424–425, 424f
posterior, 422–423, 422f, 423f
on mandibular incisors, 425
in maxilla
anterior, 424–425, 424f
posterior, 423–424, 424f
maxillary sinus in
cone-beam computed tomography identification of, 423
exposure of, 462
in medically complex patients, 420–422
mental foramen identification, 422, 422f, 423f
nonsteroidal anti-inflammatory drugs and, 429, 460–461
objectives of, 439
operatory setup for, 429–430
pain after, 461
palatal roots of maxillary molars, 424
paresthesia after, 462
patient preparation for, 428–429
persistent periradicular disease treated with, 412–413
in posterior mandible, 422–423, 422f, 423f
in posterior maxilla, 423–424, 424f
postoperative care and instructions, 460–461
premedication before, 429
in prosthetic joint patients, 421
rationale for, 413–414
regeneration as goal of, 416
ridge preservation in, 460
root end
anatomy of, 439
angle of resection of, 440–441, 440f
burs for, 441
cavity preparation, 442–444, 442f
conditioning of, 441–442
filling materials for, 444–447
goals for, 439
management of, 439–442
perpendicular resection of, 440f
resection of, 439–440, 439f, 440f
success rates for, 414–415
surface preparation of, 441
surface topography of, 441
root-end cavity preparation, 442–444, 442f
errors in, 442f
illustration of, 442f
root fracture concerns, 442, 443f
ultrasonic, 442–443, 443f
root-end filling materials, 444–447
bioceramics, 447

Periradicular surgery *(continued)*
bonded, 444, 444f
composite resins, 445–446
Diaket, 445
Dyract, 446
Geristore, 446
glass-ionomer cements, 445
ideal characteristics of, 444
mineral trioxide aggregate, 446–447
overview of, 447, 449f, 450f, 451f
resin-ionomer hybrids, 445–446
zinc oxide-eugenol cement, 444–445
surgical site closure
flaps for, 448
sutures for, 448–450
technique for, 448, 451f
sutures for, 448–450, 461
tissue in
reflection of, 434–435, 435f
retraction of, 436
transient bacteremia associated with, 420–421
vertical relieving incisions for, 433, 433f, 434f, 435f
wound healing
angiogenesis in, 417
biologic principles of, 415–416
bisphosphonates effect on, 418–419
cementoblasts in, 418
cementogenesis in, 418
clot formation in, 416
collagen in, 417
cyclooxygenase-2 inhibitors effect on, 420
early inflammation in, 416
endothelial cells in, 417
epithelium in, 417
factors that affect, 415–416
fibroblasts in, 416–417
fibroplasia in, 416–417
glucocorticoids effect on, 419
granulation tissue formation in, 416
hard-tissue, 417–418
hormones involved in, 418
inflammatory phase of, 416
late inflammation in, 416
macrophages in, 416
maturation phase of, 417
nonsteroidal anti-inflammatory drugs effect on, 419–420
osteoblasts in, 417–418
osteogenesis in, 417–418
polymorphonuclear neutrophils in, 416
proliferative phase of, 416–417
soft-tissue, 416–417
systemic disease effects on, 413
systemic medications that affect, 418–420
Periradicular tissue
anatomy of, 619
injury response of, 620
sodium hypochlorite effects on, 275f
Peritubular dentin, 569, 569f
Permanent restoration
traumatic dental injury and, 842
vital pulp therapy and, 928–929
Persistent dentoalveolar pain disorder, 45, 126–128, 126f, 127b
Persistent infections, 597–598
Persistent periradicular disease, etiology of, 412–413
Phagocytes, 629, 636f
Phagosomes, 629
Phantom tooth pain, 121, 126–128, 533
Phenol, 283
Phenolic preparations, 283
Phospholipase A2, 629
Phosphophoryn, 515–516
Photoactivated disinfection, 288
Photon-induced photoacoustic streaming (PIPS), of irrigants, 288
Photostimulable phosphor plates, 34
Pink spots, 836–837, 837f
Pit and fissure sealants, 573
Plastic carrier removal, 374, 376f
Platelet aggregation, 531–532
Platelet endothelial cell adhesion molecule, 628
Platelet-derived growth factor, 642t
Platelet-rich plasma, 484
Platelets, 629
Plexus of Raschkow, 524, 525f
Pluripotent stem cells, 477
Pocket cysts, 345, 637–639, 637f, 638f
Pockets
probes for probing of, 860, 861f
in vertical root fractures, 859–860, 859f, 860f, 861f
Polocaine, 175
Polycarboxylate cements, 879
Polyglycolic acid, 459t, 484
Polylactic acid membrane, 459t
Polylactic-coglycolic acid, 484
Poly-L-lactic acid, 484
Polymodal nociceptors, 529
Polymorphonuclear leukocytes, description of, 180
Polymorphonuclear neutrophilic leukocytes, in apical periodontitis, 628
Polymorphonuclear neutrophils, in wound healing, 416
Polytetrafluoroethylene membrane, 459t
Pooling data, 654
Porcelain fused to metal (PFM) crown, 355
Positive rake angle, 250
Post
active, 358f
broken, 359f
cast, 879, 886t
cast gold, 894–898, 897f
ceramic, 364–365
characteristics of, 877–878
clinical procedures for, 887, 888f, 889f, 890f, 891f, 892f, 893f, 894f, 895f, 896f
custom cast, 357–358
excessive flexing of, 875–876
fiber, 877–878, 887
fiber-reinforced composite, 364–365
fractured, 360f
materials used in fabricating, 357–358, 358f
passive, 358f, 362–363
perforation, 397f
placement of, 887
prefabricated, 357–358, 877
removal of
exposure of post during, 361f
instruments used in, 359
in nonsurgical retreatment, 357–367, 358f, 359f
perforation during, 366
post separation during, 366
potential complications of, 366–367, 366f
retention reduction technique, 359
techniques, 358–366, 386–392, 386f
ultrasonic instrument for, 359
resilience of, 877
retention of, 877–878
rigid, 885
shapes of, 357–358
in structurally compromised teeth, 885
threaded, 877
tooth survival affected by, 692
tooth weakening caused by, 359
tooth-colored, 363–364
vented, 357–358
zirconium, composition of, 878
Post Puller, 363, 364f
Post space, 877
Posterior mandible, periradicular surgery in, 422–423, 422f, 423f
Posterior maxilla, periradicular surgery in, 423–424, 424f
Posterior superior alveolar nerve block, 176
Posterior teeth. *see also specific posterior teeth*
nonvital, restorations for, 882–885, 883f
partial restorations in, 891–894
structurally compromised, 887
Posttreatment disease
after apical surgery, 354f
apical periodontitis, 348, 605f
causes of, 345f
clinical decision making for, 345–346
clinical presentation of, 344f
comparative testing of, 349
cone-beam computed tomography of, 348, 426–428, 427f, 428f
diagnosis of, 346–350, 347f, 349f, 350f
etiology of, 343–346, 344f
extraction-replantation for, 403, 404f
extraradicular infection, as cause of, 352
foreign body reaction as cause of, 352
incidence of, 343
intraradicular microorganisms as cause of, 344–345
missed canals as cause of, 396f
overextended filling materials as cause of, 413
premolar with, 347f
pulp vitality testing, 349–350
radiographic assessment of, 347
treatment of
options for, 351
tooth extraction for, 351–352, 351f
Potassium nitrate, for dentin hypersensitivity, 563, 564f
Practice management software, 6, 8f
Precementum, 713, 715–716
Predentin, 517, 517f, 834
Prefabricated posts, 357–358, 877
Pregnancy
acetaminophen use in, 143
drug used during, 142–143, 143b
local anesthetics in, 165
treatment planning affected by, 142–143, 143b
Premedication, before periradicular surgery, 429
Premolars
mandibular
crown of, 207f
first. *see* Mandibular first premolars
root canal configuration in, 199f
root canal morphology in, 199f
second. *see* Mandibular second premolars
maxillary first. *see* Maxillary first premolars
maxillary second. *see* Maxillary second premolars
Pretracheal space, 744f, 746
Pretrigeminal neuralgia, 124
Prevertebral space, 744f, 746
Previous endodontic treatment, symptomatic teeth with, 749
Prevotella spp., 749–750
Prilocaine
with 1:200, 000 epinephrine, 175
4%, for inferior alveolar nerve block, 175
Primary afferent neurons, 116–117
Primary dentin, 542
Primary endodontic lesions, 942, 942f, 943f
Primary pathogens, 588
Primary periodontal lesions, 944, 944f
with secondary endodontic involvement, 944
Probes, 860, 861f
Probing defect, 859–860
Procollagen, 521
Profile GT obturator, 331–333, 332f
ProFile instruments, 255, 255f
Profile Vortex file, 256
Prognostication
definition of, 654
outcomes evaluation use for, 654
Projection neurons, 117
Pro-post drills, 332
ProRoot MTA, 784
Prostacyclin, 531–532
Prostaglandins
bone homeostasis regulation by, 419–420
E, 419–420
F, 419–420
as inflammatory mediators, 531–532
Prosthetic implants, 146
Prosthetic joints, 421
ProTaper Universal, 255–256
ProTaper Universal obturators, 331–333
ProTaper Universal retreatment files, 369–371
Proteoglycans, 520
Proton pump inhibitor, 179
Provisional crowns, 898
Pseudopocket, 635–636
Psychiatric disorders, 146
Psychogenic pain, 129
Psychogenic toothache, 129
Psychosocial evaluation, 146–147
Pterygomandibular space, 744f, 746
Pulp
α-adrenergic receptors in, 538
age-related changes in, 548, 903
amputation of. *see also* Pulpotomy
anatomy of, 903
with apical periodontitis, 545f
arterioles of, 537, 537f
biological irritation of, 567–568
calcific metamorphosis of, 547, 547f
calcifications of, 394f, 545–548, 545f, 546f, 548f
capillary blood flow in, 537, 538f
carious exposure of, 562, 562f
cell-poor zone of, 514
cell-rich zone of, 514
chemical irritation of, 567–568
collagen fibers in, 521, 521f
collagen in, 521, 521f
configurations of, 192

Pulp *(continued)*
connective tissue of, 520
coronal
inflammation of, 908
odontoblast layer of, 513
defenses of, against caries, 558
dendritic cells in, 713
disease of, clinical classification, 28–30
elastic fibers of, 521
elastin fibers of, 521
fibrosis of, 545f
fibrotic, 394f
fluid drainage from, 539–540
ground substance of, 520–521
healing potential of, 542
heat-related injury to, 566–567, 566f, 567f
hyaluronan of, 520–521
hyperalgesic, 531
immune response of, 560–561
influence of periodontal inflammation on, 941
innervation of, 120, 522–526, 522f, 523f, 523t
interstitium of, 520–521, 520f
intraligamentary anesthesia injection effects on, 174
living, 903
metabolism of, 519–520
morphologic zones of, 512–514, 513f, 514f
muscarinic receptors in, 539
neuroimmune interactions in, 533
nociceptors of, 120–121
normal, 28
odontoblast layer of, 512–514, 513f, 514f, 561f
opioid receptors in, 562
proteoglycans in, 520
radicular
nerve bundles through, 523–524, 523f
odontoblast layer of, 513, 514f
regenerative potential of, 500
repair of, 542–545, 543f
restorative materials effect on, 570–571, 571f
revitalization of, 823–824
sensory system of, 522
stem cells of, 480
structural proteins in, 521
transcapillary fluid exchange, 539–540, 540f
vascular supply of, 537–542, 537f, 539f
vitality of, loss of, 903–904
zones of, 512–514, 513f, 514f
Pulp blood flow (PBF)
age-related decreases in, 570
Le Fort I osteotomy effects on, 577
orthodontic forces effect on, 576
vasoconstrictors effect on, 563–565, 564f
Pulp capping
crown fracture treated with, 817
definition of, 817
direct
with bioceramics, pulp reactions to, 571–572
calcium hydroxide for, 907–908
cariogenic bacteria survival after, 919
definition of, 904
hemostatic agents for, 572
of mandibular molars, 922f
mineral trioxide aggregate for, 919, 920f, 921f, 922f, 923f
mineral trioxide aggregate (MTA) for, 572
partial pulpotomy *versus*, 907–908
direct, outcomes of, 659–660, 666–668t, 669f
indications for, 817
indirect, 908f
definition of, 907
outcomes of, 658–659, 663f, 664–665t
stepwise excavation, 658–659
mineral trioxide aggregate for, 919, 920f, 921f, 922f, 923f
mineral trioxide aggregate (MTA) for, 572
treatment recommendations for, 928
two-visit, 919
Pulp chamber
anatomy of, 193
calcification of
access cavity preparation in, 210, 210f, 211f
illustration of, 210f
floor of, 193f
types of, 233f
visual inspection of, 209, 209f
pulp stones in, 546f
root of, 205–206, 205f
walls of, 202
Pulp exposure
Pulp exposure *(continued)*
caries as cause of
description of, 562
direct pulp capping for, 571–572
disinfectants effect on, 572
hemostatic agents effect on, 572
illustration of, 562f
Pulp horns
anatomy of, 193
blood vessels in, 538f
intratubular nerve endings in, 524–526
Pulp inflammation
caries as cause of, 560, 561f
clinical symptoms and, 561–563, 562f
irreversible, 562
mediators of, 562
periodontitis as cause of, 575
preoperative, 565–566
Pulp irritation
biological, 567–568
calcium hydroxide as cause of, 570
cavity preparation as cause of, 570
chemical, 567–568
dentin permeability and, 569
description of, 566–568
indirect factors that cause, 571
restorative materials as cause of, 570
Pulp necrosis
burn lesion with, 567f
definition of, 29
diagnosis of, 562
previously therapy category of, 29
pulp testing, 29
Pulp proper, 514
Pulp reactions
age of patient effects on, 570
to caries, 557–560, 558f, 559f, 560f, 561f
to direct pulp capping with bioceramics, 571–572
to glass ionomer materials, 571
to hemostatic agents and disinfectants on direct pulp exposures, 572
to implant placement and function, 578
to laser procedures, 572–574, 572f
in prevention, diagnosis and treatment of caries, 573–574, 573f, 574f
in treatment of dentin hypersensitivity, 574
to local anesthetics, 563–565, 564f, 565f
neurogenic mediators involved in, 560–561
to orthodontic movement, 576–577
to orthodontic surgery, 577, 577f
to parafunctional habits, 577–578
to periodontal procedures, 575, 576f
to restorative materials, 570–571, 571f
to restorative procedures, 565–570
age of patient, 570
biological and chemical irritation, 567–568
dentin permeability effects, 569–570, 569f
desiccation, 567
heat, 566–567, 566f, 567f
odontoblastic layer, 569–570
physical irritation, 566–568
preoperative pulpal inflammation, 565–566
proximity of procedures to dental pulp and surface area of dentin exposed, 568–569, 568f, 569f
to vital bleaching procedures, 575
Pulp regeneration
animal models of, 487
potential for, 500
Pulp stones, 546, 546f, 547f
Pulp testing
carbon dioxide for, 16, 16f
cold testing, 16, 17f, 527
electric, 17–19, 18b, 18f, 163, 527, 562
importance of, 15–19
lack of response to, 562
laser Doppler flowmetry for, 19
for pulpal necrosis, 29
pulse oximeter for, 19, 19f
refrigerant spray for, 16, 17f
sensitivity of, 16
test cavity method for, 20
thermal methods of, 15–17, 16f
Pulp vitality
endodontic prognosis and, 147
testing of. *see* Pulp testing
Pulpal access cavities, 192–235
Pulpal anesthesia
articaine for, 169
confirming of, 166, 166f
Pulpal blood flow *(continued)*
inferior alveolar nerve block for, 167, 167f
maxillary, 176
Pulpal blood flow
anatomy of, 537f, 538–539, 538f
electrical stimulation effects on, 538–539
humoral control of, 539
laser Doppler flowmetry assessments of, 19, 810, 810f
local control of, 539
regulation of, 538–539, 538f, 539f
resting, 537–538
Pulpal cells
dendritic cells, 518, 519f, 559
fibroblasts, 517–518, 517f
lymphocytes, 519
macrophages, 518, 518f
mast cells, 519
odontoblast process, 559, 560f
odontoblasts. *see* Odontoblast(s)
Pulpal disease
differential diagnosis of, 945–948, 945t, 946f, 947f
intercommunication between periodontal and, 939–940
treatment alternatives for, 948–953, 949f, 950f, 951f, 952f
forced eruption or extrusion, 953, 953f
Pulpal exposure
caries as cause of
illustration of, 589f
endodontic infections caused by, 587
Pulpal inflammation
in apical root canal, 622f, 631f
description of, 540–542, 541f
illustration of, 589f
reparative dentin associated with, 543
vital pulp therapy in, 815
Pulpal necrosis. *see also* Intraradicular infection
acute apical abscess with, 741–742
apical periodontitis after, 630–631
calcium hydroxide as cause of, 816
canine space infection as cause of, 9–10
crown fracture as cause of, 815, 815f
endodontic infections caused by, 588
fracture-induced, 852f
illustration of, 589f
periodontal disease as cause of, 587
pulpal inflammation as cause of, 541
revitalization of, 823–824
risk for, 475–476
in sickle cell anemia, 642
with symptomatic apical periodontitis, 739–741
Pulpal nerve fibers
description of, 524, 524f
neuropeptides in, 527
Pulpal pain, 120
Pulpal pathologic condition, influence of, periodontium, 940–941
Pulpal reactions, to caries, 904, 905f
Pulpal space, infection of, 831–832, 831f, 832f
eliminate, 833–835, 833f
prevention, 832–833, 832f
Pulp-dentin complex
description of, 512, 586
nerve fibers in, 524, 524f
odontoblast in, 480–481
odontogenic pain caused by, 120
regeneration of, 487
structure and functions of, 511–556
Pulpectomy
after pulpotomy, 820f
definition of, 819
in immature teeth, 919–920
indications for, 819–820
in mature tooth, 815
Pulpitis
apical, 625–626
definition of, 28
hyperplastic, 560, 561f
irreversible, 738.*see* Irreversible pulpitis
pain associated with, 532
painless, 562
reversible, 28, 738
case study of, 135
causes of, 738
Pulpotomy
calcific bridge formation after, 655f
cervical, 819
complete, 910–911, 911f
formocresol, 919–920

Pulpotomy *(continued)*
full
definition of, 819
follow-up, 819
indications for, 819
outcomes evaluation of, 672t
prognosis of, 819
technique for, 819
mineral trioxide aggregate for, 909, 919–921, 923f, 924f
outcomes evaluation of, 660–661, 669f, 670t, 672t
partial
calcium hydroxide, 817f
crown fractures treated with, 817–819, 818f, 819f
cvek, 817, 818f
definition of, 908–911, 909–910f
direct pulp capping *versus*, 907–908
follow-up after, 819
indication for, 817
outcomes evaluation of, 660–661, 669f, 670t, 672t
prognosis of, 819
root development after, 819f
technique for, 817–819, 818f
pulpectomy after, 820f
treatment recommendations for, 928
Pulse oximeter, for pulp vitality assessments, 19, 19f

Q

QMiX, 280–281, 280f
Quality of life
nonsurgical root canal treatment effects on, 692, 694t
periapical surgery effects on, 699

R

RaCe file, 256
Racellets, 438, 438f, 449f
Radiation absorbed dose, 426
Radiation dose, 36, 36b
Radiation therapy
caries caused by, 642
osteonecrosis of the jaw caused by, 644
wound healing affected by, 144
Radicular cysts
asymptomatic apical periodontitis and, 636, 638f, 644
bacteria in, 639f
Radicular dentin
description of, 865, 865f
luting cement adhesion to, 880
root canal cleaning and shaping objectives for, 238–239
Radicular pulp
nerve bundles through, 523–524, 523f
odontoblast layer of, 513, 514f
Radicular space, 304
Radiography
computed, 35–36
digital
description of, 22–23, 23f
file formats for, 37
digital modalities for, 34
direct digital, 36
interpretation of, 34–37, 35f
modalities for, 34–36
radiation dose during, 36, 36b
Radiopacities, in periapical region, 84–91
condensing osteitis, 84–86, 86f
exostoses and tori, 91, 92f
idiopathic osteosclerosis, 88–90, 89f
maxillary sinusitis of endodontic origin, 86, 87f
odontoma, 90, 90f, 91f
osteomyelitis with proliferative periostitis, 88, 89f
Paget disease, 90–91, 91f
Radix entomolaris, 223, 230f
Rake angle, 243
RANKL, 632–633, 713
Ratio measurement method, 263, 263f
RC-Prep, 284
Reactionary dentin, 542, 558, 558f
Reciproc, 257
Rectified turpentine, for gutta-percha removal, 368f
Referred pain, 30–31, 115, 119f, 120f, 131
Refrigerant spray
cold testing of pulp using, 16, 17f
pulpal anesthesia testing using, 166f
Regenerative endodontics/dentistry *(continued)*
Regenerative endodontics/dentistry, 475–510
clinical studies on, 487–500, 489f, 490f, 492f, 493f, 494f, 495f, 496f
clinician-centered outcomes for, 499–500, 499f
contemporary, 477
delivery system, 485–486
goal of, 475
growth factors, 481–484, 481t, 482f, 483t
history of, 475
intracanal medicament, 489–490, 490f, 497
morphogens, 481–484
overview of, 475–477, 476f, 491–493, 492f, 493f
patient-centered outcomes for, 498–499, 499f
preclinical studies on, 477–487
principles of, 477
revascularization protocol, 493–497, 496f
root length after, 491–493, 495f
root wall thickening, 491
scaffolds, 484–485, 485f
scientist-based, 500, 501f
stem cells in, 477–481, 478f, 479f
summary of, 502
translational studies, 486–487, 486f, 487f
treatment outcomes, 497–500, 498b, 499f, 501f
triple antibiotic paste, 488, 490f
Remaining dentin thickness (RDT), 568, 814
Removable partial dentures, 351–352
Reparative bridge formation, 913, 913f
Reparative dentin, 193, 194f, 530, 542, 543f, 544–545, 544f, 559f, 904–906
Reparative dentinogenesis, 558
Replantation, of avulsed teeth, 837
Resilon, 322–323
Resin cements, placement of, pulp irritation during, 568
Resin composites, 872–874
Resin-based luting cements, 879–881
Resin-modified glass ionomer cements, 879, 913–914
Resorbable membranes, 454, 459t
Resorptive defects, cone-beam computed tomography and, 71
Restorations
adhesive systems, 891
aesthetic evaluation and requirements, 882
amalgam, 929
biomechanical evaluation, 881–882
clinical procedures, 887–898, 888f, 889f, 890f, 891f, 892f, 893f, 894f, 895f, 896f
clinical protocols for, 885t, 886t
crowns, 874–879
defective, removal before access cavity preparation, 201, 202f
direct composite, 872–874, 888f, 889f
endocrown, 874, 885t, 892f
ferrule, 872
foundation, 875–876, 894–898
full crowns, 874–879
guidelines for, 882
heat produced by, 566–567, 566f, 567f
indirect, 874
intracoronal, 850, 885, 887
luting cements used with, 879–881
materials and options for, 872–881
in nonvital posterior teeth with minimal/reduced tissue loss, 882–885
occlusal force evaluations, 882
onlays and overlays, 874, 885t, 891f
partial, 891–894
periapical healing and, 692
periodontal evaluation, 881
permanent, 842, 928–929
physical irritation caused by, 566–568
post and core, 875, 879, 895f, 896f, 897f
pretreatment evaluation before, 881–882, 881f, 885t
principles for, 882
provisional crowns, 898
removal of, 201, 202f
resin composite, 872–874
in structurally compromised anterior teeth, 886
in structurally compromised posterior teeth, 887
in structurally sound anterior teeth, 882
temporary, 842, 898
tooth position evaluations, 882
tooth preparation for, 887
treatment strategy for, 882–887, 883f
veneer, 885t, 890f
Restorative materials, pulp reactions to, 570–571, 571f
Restorative procedures, pulp reactions to, 565–570
Restorative procedures, pulp reactions to *(continued)*
age of patient, 570
biological and chemical irritation, 567–568
dentin permeability effects, 569–570, 569f
desiccation, 567
heat, 566–567, 566f, 567f
odontoblastic layer, 569–570
physical irritation, 566–568
preoperative pulp inflammation, 565–566
proximity of procedures to dental pulp and surface area of dentin exposed, 568–569, 568f, 569f
Retractors, 431f
Retreatment
case examples of, 147–148, 147f, 148f
considerations before, 147–148
plan for, 148, 149f, 150f
prognosis for, 147
Retrograde periodontitis, 940
Retropharyngeal space, 744f, 746
Retroplast, 446
Retrovisceral space, 744f, 746
Revascularization protocol, 493–497
Reversible pulpitis, 738
case study of, 135
causes of, 738
description of, 28
diagnosis, 906
irreversible pulpitis and, differential diagnosis of, 906
vital pulp therapy for, 906. *see also* Vital pulp therapy
Richwil Crown & Bridge Remover, 357, 357f
Ridge preservation, in periradicular surgery, 460
RinsEndo system, 286
Root
apical third of, 199–200
curved, 159f
post placement and selection affected by, 877
preparation of, 839–840
extraoral dry time less than 60 minutes, 839, 839f
extraoral dry time more than 60 minutes, 839–840
Root apex, illustration of, 200f
Root canal(s)
accessory, 194, 195f
anastomoses, 196–198
anatomy of, 194–201
apical part
anatomy of, 199–201
pulpal inflammation in, 631f
bacteria in
after chemomechanical procedures, 606
ecosystem of, 603–604, 603f
nutrient sources for, 603
nutritional interactions, 604
blockage of, 291–292, 395, 396f
calcification of
access cavity preparation in, 210, 210f, 211f
cone-beam computed tomography of, 53–54
removal of calcified material, 210
cone-beam computed tomography of, 192–193
configuration of, 197f, 198f
apical considerations, 199–201
clinical determination, 196–201
coronal considerations, 196–201, 198f
C-shaped, 198f, 223, 233f
mid-root considerations, 196–199, 199f
coronal anatomy of, 196–201, 198f
C-shaped
access cavity preparation in teeth with, 223, 233f
illustration of, 198f
dental operating microscope view of, 193, 194f
diameter of
description of, 199–200
irrigation affected by, 271
empty, 857f, 861f, 862–863
furcation, 194, 196f
impediments of, 393–395
irrigation of. *see* Irrigation, of root canal
isthmus, 196–198, 199f
ledged, 394f
missed, 396f
multiple, 159f
obstructions of, ultrasonic instruments for removal of, 387, 388f
obturation of. *see* Obturation
orifices of
coronal flaring of, 206, 206f, 209, 209f
identification of, 196, 198f, 209, 209f

Root canal(s) *(continued)*
instrumentation for, 202, 210
rotary nickel-titanium openers for, 206, 206f
straight-line access determination, 206–207, 207f
overextended obturation material of, 51–53, 52f
overfilling of, 51
perforation, 291, 292f
radiograph of, 395f
sealers for. *see* Sealers
transportation, 291
treatment of, 865
Root canal filling material
overextension of, 786f
radicular extrusion, 780–790
causes of, 784–785
illustration of, 785f
management of, 785–790
obturation as cause of, 785–790, 786f, 787f, 788–789f, 790f
tissue damage caused by, 790
Root canal infection
bacteria that cause, 603
primary, 621
routes of, 586–588
Root canal system
cleaned and shaped, 304–342
components of, 193–194, 194f
cone-beam computed tomography of, 48, 49f
historical perspectives, 307
obturation of, 307–308
sealing of, 304–307
Root canal system cleaning and shaping, 236–303
access cavity preparation. *see* Access cavity preparation
biologic objective of, 239, 241f
canal enlargement/preparation, 263–268
apical preparations, 265t
balanced force technique for, 267
crown down, 267
crown-down technique, 266
"danger zones," 266
hybrid techniques for, 268, 269b, 269f, 270f
LightSpeed technique for, 268
nickel-titanium instrumentation techniques, 268
rationale for, 263–266, 265f
rotary instrumentation for, 267, 269f
single length, 267–268, 268f
standardized technique, 266
step-back technique, 266
step-down technique, 266
strategies for, 263, 264f, 265f
vertical root fracture risks, 865
cervical dentin goals, 238–239
clinical issues with, 239–240, 242f, 244f, 245f
coronal modification, 260–262, 261f, 262f
criteria for evaluating, 289–292
disinfection, 270–289
intracanal medications for, 281–284
bioactive glass, 288
calcium hydroxide. *see* Calcium hydroxide
chlorhexidine as, 282–283
formaldehyde, 283–284
halogens, 284
lubricants, 284
phenolic preparations, 283
steroids, 284
syringe delivery for, 284–285
triple-antibiotic paste, 284
irrigants. *see* Irrigants
irrigation. *see* Irrigation
manually activated techniques for, 285
photoactivation, 285
syringe delivery for, 284–285
final apical enlargement, 268–269
fluid dispersion needles, 241f
instruments for
alloys used in, 245–248
barbed broaches, 251, 251f
breakage of, 259b
cross-sectional design of, 242–243, 246f
cutting angle of, 243, 246f
cutting edge of, 242–243
design elements of, 241–244
endodontic, 241–260
EndoSequence, 256
engine-driven, 252–260, 252t, 253f, 254f, 265t
fracture of, 252, 253f
Root canal system cleaning and shaping *(continued)*
Gates-Glidden drills, 251–252, 251f
general characteristics of, 241–248
GT file, 255
GTX file, 255
helical angle of, 243, 246f
Hero Shaper, 256
H-type, 250–251, 250f
K3, 255
K-files, 248–250, 249f
LightSpeed file, 254
longitudinal design of, 242–243, 246f
low-speed engine-driven, 251–252
manually operated, 248–251
motors, 258–260, 258f, 259f
MTwo, 256–257
nickel-titanium rotary, 239f, 241, 246f, 260b
Peeso reamers, 252
ProFile, 255, 255f
Profile Vortex file, 256
ProTaper Universal, 255–256
RaCe file, 256
rake angle of, 243
Reciproc, 257
rotational speed of, 260
self-adjusting file, 252, 254f, 257
taper of, 243–244
tip design of, 241–242, 245f
Twisted file, 256
WaveOne, 257
International Standards Organization norms, 244–245, 247f, 248f
manually activated techniques for, 285
mechanical objective of, 238–239, 240f
of microorganisms, 237
noninstrumentation technique for, 239, 242f
objectives of, 237b
obturation after. *see* Obturation
patency file for, 262
principles of, 237–240
protocol for, 292, 293f
radicular dentin goals, 238–239
surface irregularities created during, 247
technical objective of, 239
well-shaped canals from, 289
working length determination, 262–263
Root canal treatment
access cavity preparation for. *see* Access cavity preparation
bacteria effects on success of, 677–680, 677f, 678–680t
chemomechanical debridement, 717
culture test, 656–657
diagnostic outcome of, 306
effect of persistent bacteria on, 680–681
illustration of, 250f
of mandibular molars, 237f
microbial penetration during, 588
nonsurgical
outcome measures for, 655–658
periapical wound healing after, 642–643
orthograde, 237
periapical diseases after, 656–657, 656f
periapical healing after, factors that affect, 673–686
acute exacerbation during treatment, 682
apical preparation, 675
bacteria presence, 677–680, 677f, 678–680t
illumination, 675
irrigants, 676–677
isolation, 673–675
magnification, 675
mechanical preparation, 675–676
medicaments, 677
number of treatment visits, 682
operator, 673
patient-related, 673, 675t
root canal bacterial culture, 677–680, 677f, 678–680t
root filling, 681
summary of, 683–686, 683f, 684f, 686f, 687f
treatment-related, 673–682
periapical radiolucency and, 147
restorative factors that affect, 682–683
success rates for, 343
tooth survival after, factors that affect
description of, 686–692, 691f
diabetes mellitus, 686–689
patient factors, 686–689
preoperative conditions of teeth, 690–692
restorative factors, 692
summary of, 692, 693f
tooth morphologic type and location, 689–690
treatment factors, 692
Root canal-treated teeth
Candida albicans in, 608
Enterococcus faecalis in, 606, 607–608f, 608f
microbiota in, 606–608, 607–608f, 609f, 610f
Root development, after partial pulpotomy, 819f
Root end
anatomy of, 439
angle of resection of, 440–441, 440f
apexification. *see* Apexification
burs for, 441
cavity preparation, 442–444, 442f
conditioning of, 441–442
filling materials for, 444–447
goals for, 439
management of, 439–442
perpendicular resection of, 440f
resection of, 439–440, 439f, 440f
determination of, 439
surface preparation of, 441
surface topography of, 441
Root filling
apical extent of, 681–682
office visit for, 842
quality of, 682
soft technique for, 822f
Root filling materials
aesthetic appearance of teeth affected by, 872
heat used to soften, 393
neuritis caused by, 125
placement of, 432f
removal of, 367–368, 367f
treatment outcomes affected by, 681
Root fractures, 824–827
apical, 826–827
causes of, 876–877
clinical presentation of, 824
complications of, 826–827
cone-beam computed tomography diagnosis of, 55
coronal, 826, 829f
definition of, 824
description of, 809
diagnosis of, 55–59, 415f, 824, 824f
exploratory surgery to diagnose, 415f
facial, 826f
fatigue, 853, 876
follow-up for, 827
healing of, 59, 824–825, 826f, 827f, 828f, 829f
horizontal (transverse), 811–812f, 814, 824, 826f
internal root resorption, 829f
intra-alveolar, 55
midroot, 826–827, 855f, 858f
prognosis for, 827
radiographs of, 824, 825f
treatment of, 824
ultrasonic root-end preparation as cause of, 442–443, 443f
vertical. *see* Vertical root fractures
Root perforations, 27–28
cone-beam computed tomography of, 54, 731–733
coronal-radicular access to, 398
definition of, 27–28
furcal, 400f
materials used to repair, 399f
mineral trioxide aggregate for, 28, 731–733
repair of, 397–400, 399f, 401f
sealing of, 28
treatment of, 28
Root planning, 575
Root resorption
causes of, 59
cementum involvement in, 643
characteristic key features of, 733t
cone-beam computed tomography of, 59–62, 62f
definition of, 711
external. *see* External root resorption
histologic features of, 711–713, 712f
inflammatory, 831f
internal. *see* Internal root resorption
odontoclasts in, 711, 712f
osteoclasts in, 711
radiographs of, 811–812f, 812, 832f
Root wall thickening, regenerative endodontic procedure, 491
Root-end filling

determination of, 439
overextended, 413
periapical health after, 694–699, 696–697t, 698f
tooth survival after, 699
Root-end filling materials, 444–447
bioceramics, 447
bonded, 444, 444f
composite resins, 445–446
Diaket, 445
Dyract, 446
Geristore, 446
glass-ionomer cements, 445
ideal characteristics of, 444
mineral trioxide aggregate, 446–447
overview of, 447, 449f, 450f, 451f
resin-ionomer hybrids, 445–446
zinc oxide-eugenol cement, 444–445
Ropivacaine, 168
Rotary instruments
gutta-percha removal using, 369–371, 370f, 374
nickel-titanium, 239f, 241, 246f, 260b, 865, 865f
stress on, 385f
Rotary nickel-titanium orifice openers, 206
Rotated teeth, access cavity preparation in, 210–211
Roto-Pro bur, 359, 360f
Round carbide burs, 202–205, 204f
Round diamond burs, 202–205, 204f
Roydent Extractor System, 383f, 390f
Rubber dam, periapical healing affected by, 673–675
Ruddle Post Removal System, 362–363, 363f
Ruffled border, of osteoclasts, 711, 712f

S

16S rRNA, 597
Saccharolytic species, 604
Safety-Irrigator, 286–287, 287f
Salivary gland pain, 122
Salivary gland stem cells, 477, 478f
Sargenti paste, 125
Scaffolds, 484–485, 485f
Scandonest, 175
Scheduling of appointments, 159
Schwann cells, 525f
Sealers
calcium hydroxide, 315
epoxy resin, 315
extrusion of, 312, 314f
glass ionomer, 315, 315f
ideal, properties of, 313–320, 313b
medicated, 319–320, 319f
methacrylate resin, 315–316, 315f
noneugenol, 315
placement of, 320, 320f
radiopacity of, 313
resin, 315–316
epoxy, 315, 315f
methacrylate, 315–316
silicone, 316–317, 316f
tri/dicalcium silicate, 317–319, 317f, 318t
zinc oxide and eugenol, 314, 314t
Sealing, of root perforations, 28
Second division nerve block, 176
Secondary dentin, 542, 548
Secondary hyperalgesia, 118, 122
Second-order neurons, 118
Sedation, conscious, for periradicular surgery, 429
Selective anesthesia, 20
Self-adhesive cements, 881
Self-adjusting file, 252, 254f, 257
Self-curing luting cements, 880
Self-etching adhesive systems, 891, 926
Self-etching formulations, 568
Sensitization
central, 118, 119b, 126–127, 533
peripheral, 118, 119b, 126–127, 530, 531b, 531t
Sensory fibers, 523t
Separated instruments, 759–768
causes of, 384–386, 385f, 759–760
chemical removal, 760
dental injection needle for removal of, 388
Endo Extractor kit for removal of, 389, 760–761
files, 387, 387f, 762–764, 763f
Hedstrom files for removal of, 381, 389f
illustration of, 390f
improper use as cause of, 759–760
Instrument Removal System, 390, 391f
loop for, 768, 774f
management of, 760–762
in mandibular molars, 760
Separated instruments *(continued)*
Masserann technique for removal of, 389, 760–761
nonvisible instrument retrieval, root canal preparation stage for, 764–765, 766f, 767f, 768f, 769f
operating microscope used in removal of, 386, 386f
prevention of, 386
prognosis for, 386, 387f, 768, 774f
radiograph of, 759–760f
removal attempts of, 762
removal techniques for, 386–392, 386f
retrieval techniques, 765–768
S.I.R. System for retrieval of, 391
ultrasonic instruments for removal of, 363–364, 387, 388f, 761
ultrasonic oscillation for, 765–768, 770–771f, 771f, 772f, 773f
visible instrument retrieval, root canal preparation stage for, 762–764, 763f, 764f, 765f, 766f
Septocaine, 175
Serotonin, 416
Sialoprotein
bone, 481
dentin, 480–481
Sickle cell anemia, 3–6, 642
Sievert (Sv), 426
Signal-to-noise ratio (SNR), 36–37
Silver points
corrosion of, 379–380, 380f
disadvantages of, 379–380
Gates-Glidden burs for removal of, 381–383
Hedström file for removal of, 381
illustration of, 384f
persistent disease with, 380f
removal of, 380–381
trephine burs for removal of, 381
Simplifill, 333–334, 334f
Single amino-acid polymorphisms, 641
Single nucleotide polymorphisms, 640
Single-visit endodontics, necrosis and, 740–741
Single-visit treatment, description of, 148–151
Sinus pain, 122, 132
Sinus palpation, 132
Sinus tracts
coronally located, 856f, 860
extraoral, 10, 11f, 12f
intraoral, 11–14, 13f
periapical infection with, 12–14
periapical radiograph of, 425f
stoma of, 14
S.I.R. System, 391
Sjögren syndrome, 642
Small integrin-binding, ligand N-linked glycoproteins, 481
Smear layer removal, 280
citric acid for, 441
ethylenediamine tetraacetic acid for, 441
root-end conditioning, 441
tetracycline, 441
Sodium hypochlorite
allergic reactions to, 273–274
calcium hydroxide and, 729–731
"champagne bubble" test, 210f
chemicomechanical debridement of root canal using, 729–731
chlorhexidine and, 277f
complications of, 756–758, 757f, 758f
concentrations of, 274
description of, 817–819
ethylenediamine-tetra-acetic acid, 279
extrusion of, 757–758, 757f
hemostasis using, 926
history of, 272
hypersensitivity to, 274
hypochlorous acid formation, 273
iatrogenic events caused by, 756–758, 757f, 758f
mode of action of, 272–273, 273f
neutralization reaction, 273
pH, 273
root canal retreatment success affected by, 676
saponification reaction, 273
temperature effects, 274, 274f
time course of, 274–275
toxicity of, 275–276, 275f
Soft-tissue
healing of, 416–417
intraoral, examination of, 10
Software, dental history using, 6, 8f
Solid core obturators, 373–377, 374f, 377f
Solvents, for gutta-percha removal, 368–369, 368f
Somatic pain, 121–122
Sonically activated irrigation, 285, 285f
Space-occupying lesions, 128
Spatial resolution, 35–36, 44, 44f
Spirochetes, 590, 591f
Splinting, 840, 840f
Split tooth, 26
definition of, 849, 851
description, 851–854
diagonal, 855f
treatment planning for, 853–854, 854f
Spoon, endodontic, 205
Spot desmosomes, 513–514
Stafne defects, 106–107
radiographic features of, 106–107, 108f
Staining, for crack detection, 20
Stainless steel carriers, 373, 373f
Stainless steel files, 245, 248f
Stainless steel hand spreader, 866
Stainless steel post, 358f
Staphylococcus aureus, 632
Steiglitz forceps, 374, 374f
Stem cells
apical papilla, 476–477, 478f
bone marrow, 477, 478f
dental follicle, 477, 478f
dental pulp, 480
embryonic, 477
epithelial, 477
from human exfoliated deciduous teeth, 477
mesenchymal. *see* Mesenchymal stem cells
multipotent, 477
periodontal ligament, 477
periosteal derived, 477, 478f
pluripotent, 477
populations of, 477
regenerative endodontics use of, 477–481, 478f, 479f
salivary gland, 477, 478f
Step-back technique, for canal enlargement/preparation, 266
Sterilox, 288–289
Steroids, for root canal disinfection, 284
Stieglitz Pliers, 381
Stoma
definition of, 11
sinus tract, 11
Straight-line access cavity preparation, 201, 201f
Stromal derived factor 1, 487
Stropko syringe, 448f
Structurally compromised teeth, 885
Subcutaneous emphysema, cervicofacial, 798–799, 799f
Subepithelial external root resorption, 717
Sublingual space, 743, 744f
Subluxation, 828
Submandibular lymph nodes
palpation of, 9
tuberculosis involvement of, 3–6
Submandibular space, 743, 744f
Submarginal flap, 435f, 448
Submasseteric space, 744f, 746
Submental space
description of, 743, 744f
swelling of, 10, 11f
Subnuclei caudalis neurons, 534–535
Subnuclei interpolaris neurons, 534–535
Subnucleus caudalis, 117
Substance P, 561, 642t
SuccessFil, 333, 333f
Sulfite-induced reactions, 165
Super-EBA, 445
Superficial pain, 131
Superficial temporal space, 744f, 746
Superior cervical ganglion (SCG), 522
Super-oxidized water, 288–289
Supraosseous extracanal invasive resorption, 717
Surface irregularities, from root canal system cleaning and shaping, 247
Surgery
American Society of Anesthesiologists risk system for, 420
periradicular. *see* Periradicular surgery
Surgical debridement, 643–644
Surgical retreatment
nonsurgical retreatment and, 351
outcomes evaluation of, 694–699
periapical wound healing after, 643–644
Surgicel, 437–438

Sutures
for periradicular surgery, 448–450, 461
removal of, 461
resorbable, 448–450
Swelling
with acute periradicular abscess, 741–742
extraoral, 9f, 10f, 11f, 12f
intraoral, 10–11, 12f, 13f
midface, 746
mucobuccal fold, 11, 13f
Symptomatic apical periodontitis, 30
Symptomatic irreversible pulpitis, description of, 29
Symptomatic vital teeth, pulp anesthesia determinations in, 166
Syndrome, 26
Synthetic graft, 460t
Systemic diseases, 640
Systemic medications, wound healing affected by, 418–420

T

Taper, 243–244, 291f
Taper lock, 290
T-cell antigen receptors, 624
Teeth. *see also specific maxillary and mandibular teeth*
abutment. *see* Abutment teeth
anterior. *see* Anterior teeth
avulsed. *see* Avulsed teeth
crack. *see* Crack(s); Cracked tooth syndrome
enodontically treated. *see* Endodontically treated teeth
leaving open, 749, 750f
nonrestorable, 352, 353f
posterior. *see* Posterior teeth
sympathetic innervation of, 522
Telopeptide of the procollagen molecule, 521
Temporal space, 744f, 746
Temporary restoration, 842, 898
Tension-type headaches, 123
Terauchi File Retrieval Kit, 391f
Terminal periodontal disease, 352
Terminal restriction fragment length polymorphism, 597
Tertiary dentin
description of, 542
formation, 904–905
formation of, 558
Tertiary dentinogenesis, 557
Test cavity method, for pulp vitality assessments, 20
Tetraclean, 280
Tetracycline
root-end surface modification using, 441
smear layer removal using, 441
Tetrodotoxin, 163, 533
T_H0 cells, 624–625
T_H1 cells, 624–625
T_H2 cells, 624–625
Thermafil, 331–334, 332f, 373, 373f
Thermal allodynia, 531
Thermoplastic injection technique, for obturation, 330–331, 330f, 331f
Thomas Screw Post Removal Kit, 362, 362f
Thoracic structures, and toothache, 128
Threaded posts, 877
Three-dimensional imaging, 38, 39f, 65, 66f, 67f
Throat structures, and toothache, 128
Thromboxane A_2, 531–532
Tissue engineering
advancements in, 475
cell homing, 485–486
scaffolds, 484
Tissue reflection, in periradicular surgery, 434–435, 435f
Titanium trauma splint, 840, 840f
TLR4/CD14, 623
Toll-like receptors, 559, 621, 628
Tomography
computed. *see* Computed tomography
definition of, 38
Tooth avulsion
clinical management of, 838
at accident site, 838
in dental office, 838
consequences of, 837–838
description of, 809
diagnosis and treatment planning for, 838–839
pulpal necrosis caused by, 838
Tooth discolorations *(continued)*
replantation, 837
root preparation, 839–840
socket preparation in, 840
treatment of, 838
Tooth discolorations, 872, 874f
Tooth extraction
posttreatment disease treated with, 351–352, 351f
for vertical root fractures, 866
Tooth germ progenitor cells, 477
Tooth morphology, 192–235
Tooth pain. *see also* Toothache
acute maxillary sinusitis *versus,* 3–6
Tooth Slooth, 19–20, 20f, 849–850, 850f
Tooth stiffness, 871–872, 873f
Toothache
clinical entities as, 120–130
nonodontogenic. *see* Nonodontogenic toothache
odontogenic
description of, 120–121
sources of, 120–121
organic source of, 128–129
psychogenic, 129
referred, 128–129
Torsional fatigue, 760
Torsional fracture, of instruments, 289
Touch 'n Heat, 375, 375f
Transcription factors, 482
Transforming growth factor-α, 642t
Transforming growth factor-β, 642t
Transforming growth factor-β (TGF-β, 558
Transient apical breakdown, 837
Transient receptor potential (TRP), 516
Transillumination
crack detection using, 20, 21f, 850, 850f
light source for, 850f
Transmetal burs, 204f, 205, 355
Transparent dentin, 871
Traumatic dental injury
adjunctive therapy for, 840–841
second visit, 841
aspects of, 808–847
avulsed teeth
clinical management of, 838
consequences of, 837–838
description of, 809
pulpal necrosis caused by, 838
replantation, 837
treatment of, 838
cone-beam computed tomography of, 54–59, 59f, 60f, 71, 811–812, 813f
crown fractures
complicated, 814–815, 814f, 815f
description of, 809
treatment of, 814
uncomplicated, 814
crown infraction, 814
crown-root fractures, 809, 824
description of, 809
endodontic treatment, 841–842
follow-up after, 809–810
luxation injuries, 828–837
apical neurovascular supply damage caused by, 831–833, 831f, 832f, 833f
biologic consequences of, 829–837
definition of, 828
description of, 809
incidence of, 828
intrusive, 828
lateral, 828
pulpal canal obliteration caused by, 829f, 831
pulpal necrosis caused by, 831
pulpal space infection caused by, 831–832, 831f, 832f
radiograph of, 810f, 811–812f, 814
subluxation, 828
treatment of, 828–829
types of, 828
periodontal ligament contusion injuries secondary to, 715–716
permanent restoration, 842
dentoalveolar trauma, to primary dentition, 842
follow-up care for, 842
late complications of, 842, 843f
prevalence of, 54–55
radiographic examination of, 810–814, 810f, 811–812f, 813f
replantation for, 837, 839
Traumatic dental injury *(continued)*
root fractures, 824–827
apical, 826–827
clinical presentation of, 824
complications of, 826–827
coronal, 826, 829f
definition of, 824
description of, 809
diagnosis of, 824, 824f
facial, 826f
follow-up for, 827
healing of, 824–825, 826f, 827f, 828f, 829f
horizontal (transverse), 811–812f, 814, 824, 826f
internal root resorption, 829f
midroot, 826–827
prognosis for, 827
radiographs of, 824, 825f
treatment of, 824
soft tissue management in, 840
splinting of, 840, 840f
temporary restoration, 842
types of, 809
vital pulp therapy for
full pulpotomy, 819, 820f
partial pulpotomy, 817–819, 818f, 819f
pulp capping, 817
pulpectomy, 819–820
requirements for, 816–817, 816f, 817f
Traumatic neuroma, 124–125
Treatment
endodontic. *see* Endodontic treatment
multiple-visit, 148–151
prognosis of, 147–153
referral considerations, 147–148
root canal. *see* Root canal treatment
single-visit, 148–151
Treatment failure. *see* Posttreatment disease
Treatment planning
biologic considerations used in, 151
case assessment and, 139–161
description of, 139
health status considerations, 156
interdisciplinary
dental implant, 154–156
endodontic therapy, 154–156
intentional replantation, 152
periodontal considerations, 153, 155f
prosthodontic considerations, 153–154
regenerative endodontics, 152–153
restorative considerations, 153–154
surgical considerations, 151–152
medical conditions and findings that affect
behavioral disorders, 146
cardiovascular disease, 140–141
diabetes mellitus, 142
human immunodeficiency virus and acquired immunodeficiency syndrome, 145–146
malignancy, 143–144, 144f
pregnancy, 142–143, 143b
prosthetic implants, 146
psychiatric disorders, 146
medical consultation letter, 139, 140f
quality of life considerations, 156
risk assessments, 140
treatment plan, 147
Trephination, for pulpal necrosis with symptomatic apical periodontitis, 739–740
Trephine burs, for silver points removal, 381
Triangular flaps, 434f
Tricalcium silicate, 916–917
Triclosan, 280–281
Tricresol formalin, 283–284
Trigeminal autonomic cephalalgias, 123
Trigeminal ganglion, 116–117
Trigeminal nerve, 117f, 791
Trigeminal neuralgia, 124, 134–135
Trigeminal nucleus, 117, 117f, 119f, 120f
Trigeminal system
allodynia, 530–531, 531t
deafferentation, 533–534, 534f
dentin sensitivity and, 528
hyperalgesia, 530–531, 531t
inflammatory mediators, 531–532
innervation of, 522–527
pain perception and, 526–527
peripheral sensitization, 530, 531b, 531t
tissue injury, 533–534, 534f
Trigger points, 121–122, 132

Trigger zones, for trigeminal neuralgia, 124
Trimethylene carbonate, 459t
Triple-antibiotic paste, 284, 488, 490f
Triptans, 123
Tropocollagen, 521
True cysts, 637–639, 639f, 644
Tuberculosis, 3–6
Tumor necrosis factor-α, 532
Twisted file, 256
Two-visit pulp capping, 919
Type I collagen, 521
Type II collagen, 521
Type III collagen, 521

U

Ultimate tensile strength, 871
Ultrafil 3D, 331, 331f
Ultrasonic instruments
  complications of, 377
  drawbacks of, 761
  post removal using, 363–364
  root canal obstructions removed using, 387, 388f
  root-end cavity preparation using, 442–443, 443f
  separated instruments removed using, 761
  temperature changes induced by, 444
Ultrasonic tips
  design of, 443, 443f
  for ledge removal, 779, 780f, 781–782f
  small diameter, 779
Ultrasonic unit and tips, 205, 258f
Ultrasonically activated files, 379
Uncomplicated crown fractures, 814
Universal Post Remover, 362–363
Unmyelinated axons, 524

V

van Leeuwenhoek, Antony, 585–586
Vascular cell adhesion molecules, 628
Vascular endothelial growth factor, 634, 642t
Vascular endothelial growth factor receptor (VEGFR-3), 539
Vascular endothelial growth factor-1 (VEGF-1), 485–486
Vasoactive intestinal polypeptide (VIP), 522, 539, 562
Vasoconstrictors
  antihypertensive medications and, 141
  in cardiovascular disease patients, 141
  contraindications for, 165
  drug interactions with, 166t
  local anesthesia uses of, 141, 166t, 563–565
  pulp blood flow affected by, 563–565, 564f
  pulp health affected by, 564f
  sulfite-induced in, 165
Vazirani-Akinosi technique, 169
Veneer, 885t, 890f
Veraviewepocs 3D R100, 43f
Vertical relieving incisions, periradicular surgery access using, 433, 433f, 434f, 435f
Vertical root fractures, 854–866, 946f
  apical, 855f
  bone defect associated with, 857f
  bone loss associated with, 862, 862f, 863f
  clinical image of, 864f
  clinical manifestations of, 854–858, 855f, 856f, 857f, 858f, 859f
  complete, 849f, 858f
  cone-beam computed tomography of, 50, 51f, 413, 863
  definition of, 854
  description of, 26–27, 27f, 28f
  diagnosis of, 854–863
  diagonal, 855f
  early diagnosis of, 858
  in endodontically treated teeth, 854, 861
  etiology of, 863–866, 864f, 865f
  exploratory surgery of, 863
  iatrogenic predisposing factors, 865–866
  illustration of, 202f, 451f
  J-shaped radiolucency associated with, 856–858, 858f, 861–862
  longstanding, 858f
  misdiagnosis of, 858
  occlusal factors associated with, 864–865
  patient history-taking, 854
  periradicular radiolucency associated with, 858f, 861–862
  pockets associated with, 859–860, 859f, 860f, 861f
  predisposing factors, 864–865, 864f, 865f
  prevention of, 866
  radiographs of, 859f, 860–863, 861f, 862f, 863f
  root cross section in, 864
  tooth extraction for, 866
  treatment failure caused by, 413
  treatment planning for, 866, 867f
  types of, 855f
  warm vertical compaction of, 326f
Virtual implant planning, by cone-beam computed tomography, 65
Virulence, 588–590
Virulence factors, 588–590
Viruses, 604–605
Vital bleaching
  carbamide peroxide for, 575
  pulp reactions to, 575
Vital pulp
  anatomy of, 903
  cells of, 903
  teeth with, 738
Vital pulp therapy, 902–938
  bacteria-tight seal in, 816
  direct pulp capping. *see* Direct pulp capping
  dressing used in, 816, 816f
  indications for, 906–907
  materials for
    aqueous calcium hydroxide suspensions, 912
    calcium hydroxide, 816, 816f, 912
    calcium silicate cements, 916–917, 919–921
    composite resins, 913–914
    dentin adhesives, 913–914
    description of, 911–917
    hydrophilic resins, 913
    light-curing liners, 912–913
    resin-modified glass ionomer cements, 913–914
  mineral trioxide aggregate
    biocompatibility of, 914
    characteristics of, 914
    components of, 914
    contralateral tooth development, 929
    description of, 902, 914–915
    direct pulp capping with, 919, 920f, 921f, 922f, 923f
    history of, 914
    inflammatory cascade, 914
    MTA-Angelus, 917
    pulpotomy with, 909, 919–921, 923f, 924f
    radiographs of, 930f
    signaling molecules, 914
  in noninflamed pulp, 816
  outcome measures for, 654–655, 655f, 655t
  partial pulpotomy. *see* Partial pulpotomy
  permanent restoration, 928–929
  postoperative follow-up and recall, 929
  prognostic factors for, 661–662
  pulpotomy. *see* Pulpotomy
  purpose of, 907
  reparative bridge formation, 913, 913f
  requirements for, 816–817, 816f, 817f
  techniques for, 654–655, 921–928
    caries removal, 925–926
    diagnosis, 921–925, 925f
    hemostatic agents, 926, 927f
    treatment considerations, 926–928
  treatment recommendations for, 928
Vital teeth
  asymptomatic, pulp anesthesia determinations in, 166, 166f
  symptomatic, pulp anesthesia determinations in, 166
Vitronectin, 632–633
Voltage-gated sodium channels
  description of, 163
  inflammation-related changes in distribution of, 533
  pain and, 163t
  subtypes of, 163t
  subunits of, 163
Volume size (S), of field of view, 69
Voxel sizes, 39–40, 44
Voxels, 39–40, 39f, 40f, 41f, 348

W

Warfarin, 421
Warm vertical obturation, 326–327, 327f, 328f, 329f
WaveOne, 257
Well-defined unilocular periapical radiolucencies, 101–107
  focal cemento-osseous dysplasia, 105, 107f
  lateral periodontal cyst, 103–105, 106f
  lateral radicular cyst, 103, 105f
  nasopalatine duct cyst, 105–106, 107f
  periapical cysts and periapical granulomas, 101–103, 102f, 103f, 104f
  Stafne defects, 106–107, 108f
Whitlockite crystals, 558, 558f
Working length determination
  description of, 262–263
  digital radiographs for, 37–38, 37f
Wound
  decontamination of, polymorphonuclear neutrophils role in, 416
  maturation of, 417
Wound healing
  after nonsurgical root canal therapy, 642–643, 642t
  after surgical endodontic therapy, 644
  angiogenesis in, 417
  biologic principles of, 415–416
  bisphosphonates effect on, 418–419
  cementoblasts in, 418
  cementogenesis in, 418
  chemotherapy effects on, 144
  clot formation in, 416
  collagen in, 417
  cone-beam computed tomography assessment of, 62
  cyclooxygenase-2 inhibitors effect on, 420
  cytokines in, 642–643, 642t
  description of, 642–644
  diabetes mellitus effects on, 644
  digital radiography evaluation of, 38
  early inflammation in, 416
  endothelial cells in, 417
  epithelium in, 417
  factors that affect, 415–416, 644
  fibroblasts in, 416–417
  fibroplasia in, 416–417
  glucocorticoids effect on, 419
  granulation tissue formation in, 416
  growth factors in, 642–643, 642t
  hard-tissue, 417–418
  hormones involved in, 418
  inflammatory phase of, 416
  late inflammation in, 416
  macrophages in, 416
  maturation phase of, 417
  nonsteroidal anti-inflammatory drugs effect on, 419–420
  osteoblasts in, 417–418
  osteogenesis in, 417–418
  periapical, 642–643, 642t
  periodontal incision, 699
  polymorphonuclear neutrophils in, 416
  proliferative phase of, 416–417
  radiation therapy effects on, 144
  soft-tissue, 416–417
  systemic disease effects on, 413
  systemic medications that affect, 418–420
Woven bone, 418

X

Xenograft, 460t
Xylene, for gutta-percha removal, 368–369

Y

Yeast cells, 591f


Z

Zinc oxide and eugenol (ZOE), 571
Zinc oxide-eugenol cement
  intermediate restorative material, 444–445
  as root-end filling material, 444–445
  Super-EBA, 445
Zinc phosphate cements, 879
Zirconia
  burs for, 202–205
  characteristics of, 202–205
Zirconium posts, composition of, 878
Zorcaine, 175

This page intentionally left blank

Student CONSULT Built with inkling | Ebooks

Any screen. Any time. Anywhere.



Activate the eBook version
of this title at no additional charge.

Student Consult eBooks give you the power to browse and find content, view enhanced images, share notes and highlights—both online and offline.

Unlock your eBook today.

1. Visit **studentconsult.inkling.com/redeem**
2. Scratch off your code
3. Type code into "Enter Code" box
4. Click "Redeem"
5. Log in or Sign up
6. Go to "My Library"

It's that easy!

Scan this QR code to redeem your eBook through your mobile device:

Place Peel Off Sticker Here

For technical assistance:
email studentconsult.help@elsevier.com
call 1-800-401-9962 (inside the US)
call +1-314-447-8200 (outside the US)

ELSEVIER

Use of the current edition of the electronic version of this book (eBook) is subject to the terms of the nontransferable, limited license granted on studentconsult.inkling.com. Access to the eBook is limited to the first individual who redeems the PIN, located on the inside cover of this book, at studentconsult.inkling.com and may not be transferred to another party by resale, lending, or other means.

2015v1.0