

A

A fibers, 523, 529, 532, 523f, 523t
 AAE. *See* American Association of Endodontists
 AAOS. *See* American Academy of Orthopaedic Surgeons
 A-beta fibers, 116
 Abscess
 acute apical, 30
 description of, 600
 pulpal necrosis with, 741–742
 in apical periodontitis, 631, 631f
 chronic apical, 30
 management of, 747, 748f
 periapical, 631f
 swelling with, 741–742, 742f
 Abutment teeth
 endodontic disease of, 351–352, 352f
 root-treated teeth used as, 683
 survival rates for, 692
 Access cavity preparation
 access cavity, incisal wall of, 206–207
 angulations that affect, 211
 anterior teeth, 205–207
 coronal flaring of orifice, 206, 206f
 external outline form, 205
 lingual shoulder removal, 206, 206f
 pulp chamber roof penetration and removal, 205–206, 205f
 restorative margin refinement and smoothing, 207
 straight-line access determination, 206–207, 207f
 in calcified canal teeth, 210, 210f, 211f
 cervical dentin bulge removal, 209, 209f
 challenging cases for, 210–211
 coronal, 354–357, 355f, 356f
 in crowded teeth, 210–211, 212f
 errors in, 774f
 illumination for, 202–205
 inadequate, complications of, 385
 instrumentation for, 260, 260f, 261f
 access cavity wall preparations for, 202
 burs, 202–205, 204f, 260
 endodontic explorer, 205, 211f
 endodontic spoon, 205
 illumination, 202
 magnification, 202
 ultrasonic unit and tips, 205
 lingual surface for, 201
 magnification for, 202
 mandibular incisors
 central, 218, 223f
 lateral, 218, 223f
 mandibular molars
 first, 221–223, 229f
 second, 223, 230f, 231f
 third, 223
 mandibular premolars
 first, 208f, 221, 227f
 second, 221, 228f
 maxillary canine, 212, 215f
 maxillary incisors
 central, 212, 212f, 213f
 lateral, 212, 214f
 maxillary molars
 first, 217–218, 218f
 second, 218, 219f, 220f
 third, 218, 221f, 222f
 maxillary premolars
 first, 212, 216f
 second, 217, 217f
 minimally invasive, 202, 203f, 204f
 objectives of, 201
 occlusal surface for, 201, 202f
 posterior teeth
 cervical dentin bulge removal, 209, 209f

Access cavity preparation (*continued*)
 coronal flaring of orifice, 209, 209f
 external outline form, 207–208, 207f, 208f
 mandibular first premolars, 208f
 pulp chamber roof penetration, 208–209
 straight-line access determination, 209
 visual inspection of pulp chamber floor, 209, 209f
 pulp chamber roof penetration and removal
 in anterior teeth, 205–207, 205f
 in posterior teeth, 208–209
 restorative margin refinement and smoothing, in
 anterior teeth, 207
 in rotated teeth, 210–211
 steps involved in, 201–202
 access cavity wall preparation, 202
 cementoamel junction evaluation, 201
 lingual surface, 201, 202f
 occlusal tooth evaluation, 201
 removal of defective restorations and caries
 before pulp chamber entry, 201, 202f
 straight-line
 in anterior teeth, 206–207, 207f
 description of, 201, 201f
 in posterior teeth, 209
 Accessory canals
 apical, 439f
 description of, 194, 195f
 illustration of, 439f
 in mandibular first molars, 194, 196f
 Acellular fibrillar cementum, 619
 Acetaminophen, 179
 analgesic uses of, 179
 nonsteroidal anti-inflammatory drugs
 and, 183–184
 in pregnancy, 143
 Actinomyces, in periapical granuloma, 661f
 Acute apical abscess, 30
 description of, 600, 602f
 pulpal necrosis with, 741–742
 Acute apical periodontitis, 627–631
 apical bone destruction in, 630–631
 clinical features of, 631
 description of, 627
 macrophages in, 628–629
 natural killer cells in, 629
 outcomes of, 631
 polymorphonuclear neutrophilic leukocytes
 in, 628
 Acute endodontic pathosis, 154f
 Acute inflammation, 653
 Acute osteomyelitis, 96
 Adaptive immune response, 624–625, 626f, 631–632
 Adaptive immunity, 623t, 624
 Adaptive prior image constrained compressed sensing algorithms, 59
 A-delta fibers, 116–117
 Adhesive systems, 891, 913
 Afferent neurons, 522
 Aging
 pulp changes caused by, 548
 Air emphysema, 798, 799f
 Allergic reactions
 to latex, 164
 to local anesthetics, 165
 sulfite-induced, 165
 Allodynia, 125–126, 530–531, 531t, 536
 Allograft, 460t
 Alloys
 nickel titanium, 245–248, 248f
 of root canal instruments, 245–248
 Alternating wall contact points (ACP), 256
 Alveolar bone, 620
 Alveolar nerve blocks
 anterior middle superior, 176, 176f
 palatal-anterior superior, 176, 176f

Alveolar process, 620
 Amalgam core, 878, 879, 886t, 893f, 894
 Amalgam restorations, 929
 Ameloblastoma, 82–83
 radiographic features of, 82–83, 85f
 American Academy of Oral and Maxillofacial Radiology (AAOMR), 44–45, 69
 American Academy of Oral Medicine, 139
 American Academy of Orthopaedic Surgeons (AAOS), 146
 American Association of Endodontists (AAE), 44–45, 69
 Case Difficulty Assessment Form and Guidelines, 739, 740f
 description of, 141, 627
 American Board of Endodontists, 627
 American College of Radiology (ACR), 37
 American Society of Anesthesiologists (ASA)
 Physical Status Classification system of, 139–140, 140b
 surgical risk system, 420
 AMPA/kainate antagonist, 535
 Anachoresis, 587
 Analgesics
 flexible strategy for, 183f
 nonnarcotic
 acetaminophen, 179
 alternatives, 179
 drug interactions with, 179, 179t
 efficacy of, 178t
 limitations of, 179
 nonsteroidal anti-inflammatory
 drugs, 176–177
 overview of, 176–179
 types of, 177t
 opioid
 description of, 179–180, 180t
 nonsteroidal anti-inflammatory drugs
 and, 183–184
 pain management using, 751
 Anastomoses, root canal, 196–198
 Anesthesia
 for endodontics
 infiltrations, 175
 intraalveolar, 173–175
 intrapulpal, 175
 intraosseous, 174–175
 local, 176
 future directions for, 176
 for incision and drainage procedures, 168
 Intraalveolar
 amount of solution delivered, 174
 anesthetic solutions for, 174
 back pressure for, 174
 description of, 173–175
 discomfort during, 174
 duration of, 173
 endodontic uses of, 175
 indications for, 175
 mechanism of action, 174
 onset of, 173
 periodontal safety with, 174
 postoperative discomfort with, 174
 pulpal safety with, 174
 selective, 174
 success of, 173
 systemic effects of, 174
 Intraosseous, 170f
 bupivacaine for, 172
 description of, 170–173
 discomfort associated with, 173
 duration of, 170, 170f, 172, 172f
 failure of, 172–173
 heart rate increase after, 173
 injection pain with, 172–173
 injection site locations, 172–173

Anesthesia (*continued*)

- lidocaine levels in plasma after, 173, 173f
 - for mandibular posterior teeth, 172
 - medical considerations for, 173
 - onset of, 172
 - perforator breakage with, 172–173
 - for postoperative discomfort, 173
 - repeating of, 172
 - Stabident system for, 170–171, 170f
 - success with, 172, 172f
 - systemic effects of, 173
 - X-Tip delivery system for, 171, 171f, 172–173
 - intrapulpal, 565
 - local. *see* Local anesthesia/anesthetics
 - for mandibular anterior teeth, 173–174
 - for mandibular first molars, 169f
 - for mandibular posterior teeth, 172
 - maxillary, 175, 175f
 - for maxillary anterior teeth, 174
 - for maxillary molars, 175f
 - noncontinuous, 167
 - pulpal
 - articaine for, 169
 - confirming of, 166, 166f
 - inferior alveolar nerve block for, 167, 167f
 - maxillary, 176
 - for pulp necrosis teeth, 174
 - selective, 20
 - summary for, 176
- Angiogenesis, in wound healing, 417
- Anterior middle superior alveolar nerve block, 176, 176f
- Anterior teeth. *see also specific anterior teeth*
- access cavity preparation in, 205–207
 - coronal flaring of orifice, 206, 206f
 - external outline form, 205
 - lingual shoulder removal, 206, 206f
 - pulp chamber roof penetration and removal, 205–206, 205f
 - restorative margin refinement and smoothing, 207
 - straight-line access determination, 206–207, 207f
 - structurally compromised, 886
 - structurally sound, 882
- Antibacterial nanoparticles, 288–289
- Antibiotics
- bacterial resistance to, 749
 - definition of, 749
 - description of, 181–182
 - endodontic infections treated with, 749–751
 - overprescribing of, 181
 - prophylactic administration of
 - description of, 181
 - before periradicular surgery, 420–421, 429
 - selection of, 751
 - systemic, 840–841
- Anticoagulants
- heparin, 421
 - novel oral, 421
 - periradicular surgery in patients receiving, 421
- Antigen-presenting cells, 518
- Antiresorptive agent-induced osteonecrosis of the jaw (ARONJ), 418–419
- Anxiety, 157–159
- Apex locators, 263
- Apexification
- bioceramic barrier, 821–824, 822f, 823f
 - biologic consequences of, 820
 - calcium hydroxide for, 491–493, 821, 821f, 822f
 - dental wall reinforcement, 822
 - disadvantages, 488
 - hard tissue apical barrier, 820–821, 821f
 - of immature teeth, 820–824, 820f, 821f, 822f, 823f
 - indications for, 820
 - mature tooth, 824
 - mineral trioxide aggregate, 822f
 - versus* revascularization, 491–493
- Apical abscess
- acute, 30
 - description of, 600, 602f
 - pulpal necrosis with, 741–742
 - chronic, 30, 854–856
- Apical barrier
- hard tissue, 820–821, 821f
 - mineral trioxide aggregate as, 822f
- Apical constriction
- description of, 199–201, 200f
 - root canal procedure termination at, 200–201

- Apical cysts, 636, 639f, 644
- Apical diameter, 263–264
- Apical foramen
 - cementum extension into, 199
 - description of, 199
 - diameter of, 199
 - in maxillary anterior teeth, 199
 - odontoblasts, 513
 - pulpal and periodontal disease and, 940
- Apical fractures, 442–443
- Apical granuloma, 631–632
- Apical inflammation, 621
- Apical lesion, 346f
- Apical papilla, 477–478, 478f
- Apical pathosis, 238f
- Apical periodontitis, 621
 - abscess in, 631, 631f
 - acute
 - apical bone destruction in, 630–631
 - clinical features of, 631
 - description of, 627
 - macrophages in, 628–629
 - natural killer cells in, 629
 - outcomes of, 631
 - polymorphonuclear neutrophilic leukocytes in, 628
 - after pulp necrosis, 630–631
 - asymptomatic
 - bacteria in, 635, 636f
 - bone resorption in, 634
 - cell biology of, 632–634, 636
 - clinical features of, 635–636
 - condensing osteitis associated with, 639
 - cyst formation with, 636–639, 644
 - description of, 30
 - epithelial cell rests of Malassez in, 633, 634f
 - external root resorption in, 635
 - fibroblasts in, 634
 - histopathology of, 634–635, 635f
 - inflammatory mediators in, 634, 637
 - lymphocytes in, 632
 - macrophages in, 632
 - osteoclasts in, 632–633
 - outcomes of, 636, 637–639
 - periapical bone destruction in, 632
 - radicular cysts with, 636, 638f, 644
 - reactive bone formation with, 639
 - bacteria in, 586, 587–588, 608
 - as biofilm-related disease, 594–595
 - caries as cause of, 621
 - cell biology of
 - cemental changes in, 634–635
 - cholesterol crystals in, 634
 - dendritic, 632
 - endothelial cells, 628
 - epithelial cell rests of Malassez, 633, 634f
 - fibroblasts, 634
 - lymphocytes, 632, 634
 - macrophages, 628–629, 632, 634
 - mast cells, 627–628
 - natural killer cells, 629
 - osteoclasts, 632–633
 - platelets, 629
 - polymorphonuclear neutrophilic leukocytes, 628
 - chronic
 - asymptomatic, 622
 - cysts associated with, 636–639, 637f, 638f
 - inflammatory mediators in, 637
 - nerve fibers in, 635f
 - clinical features of, 631
 - definition of, 585
 - development of, 627
 - diabetes mellitus and, 640
 - endogenous factors, 620
 - etiology of, 620–621
 - exogenous factors, 620
 - extraradicular infections as cause of, 608–610
 - genetic risk factors for, 640–642
 - healing of, 154, 306–307
 - histopathology of, 627, 630–631, 634–635
 - illustration of, 589f
 - as infectious disease, 585–586
 - inflammatory mediators, 629–630, 630t, 634
 - intraradicular infection as cause of, 599f
 - lesion associated with, 599–600
 - microbial causation of, 599
 - microbiologic problem for, 148–151
 - microorganisms that cause, 586
 - multifactorial nature of, 590
 - nonsurgical therapy for, 413–414

Apical periodontitis (*continued*)

- outcomes of, 631, 637–639
 - pathobiology of, 619–650
 - pathogenesis of, 622–625
 - adaptive/specific immune response, 624–625, 626f
 - innate immune response in, 623–624, 623t
 - neurogenic inflammation, 625, 626f
 - periradicular surgery for, 412, 419
 - periradicular tissue responses, 620
 - persistent
 - genetic risk factors for, 640–642
 - systemic disease risk factors for, 641–642
 - pocket cyst in, 636, 637f, 638f
 - posttreatment, 348, 605f
 - cone-beam computed tomography diagnosis of, 348
 - prevalence of, 620
 - prevention of, 655–656
 - pulpal infection as cause of, 621
 - radiographs of, 382f, 626
 - risk factors for, 640–642
 - symptomatic, 19
 - description of, 601–603
 - herpesviruses in, 604
 - histopathology of, 630–631
 - inflammatory mediators in, 623t, 629–630
 - pulpal necrosis with, 739–741
 - trephination for, 739–740
 - systemic diseases associated with, 640
 - wound healing of
 - cytokines in, 642–643, 642t
 - description of, 642–644
 - diabetes mellitus effects on, 644
 - factors that affect, 644
 - growth factors in, 642–643, 642t
 - periapical, 642–643
- Apical surgery
- nonsurgical retreatment *versus*, 352–353
 - periapical healing following, 660t, 696–697t, 698f
 - in silver point cases, 384, 384f
- Apical tissue, 30
- Apicomarginal defect, 452
- Apoptosis, 623–624
- Arachidonic acid metabolism, 629
- Archaea, 604
- Argyrophilic collagen fibers, 517–518
- Articadent, 175
- Articaine
 - with 1:100,000 epinephrine, for inferior alveolar nerve block, 175
 - for endodontics, 174
 - supplemental infiltrations of, 170
- As low as reasonably achievable (ALARA) principle, 59, 68, 69–70, 348
- Asians
 - mandibular second molar root configurations in, 195–196, 198f
 - maxillary first premolars in, 212
- Aspergillosis, maxillary sinus, 785f
- Aspirin
 - analgesic use of, 751
 - description of, 141
 - discontinuation of, before periradicular surgery, 421–422
 - opioid analgesics and, 183–184
- Asymptomatic apical periodontitis
- bacteria in, 635, 636f
 - bone resorption in, 634
 - cell biology of, 632–634, 636
 - clinical features of, 635–636
 - condensing osteitis associated with, 639
 - cyst formation with, 636–639, 644
 - description of, 30
 - epithelial cell rests of Malassez in, 633, 634f
 - external root resorption in, 635
 - fibroblasts in, 634
 - histopathology of, 634–635, 635f
 - inflammatory mediators in, 634, 637
 - lymphocytes in, 632
 - macrophages in, 632
 - osteoclasts in, 632–633
 - outcomes of, 636, 637–639
 - periapical bone destruction in, 632
 - radicular cysts with, 636, 638f, 644
 - reactive bone formation with, 639
- Asymptomatic irreversible pulpitis, 29
- Asymptomatic vital teeth, pulp anesthesia determinations in, 166, 166f

- ATD Automatic Crown & Bridge Remover, 356–357
- Atypical facial pain, 126–128
- Atypical odontalgia, 45, 121, 126–128
- Austenite, 246, 249f
- Autogenous graft, 460t
- Autonomic nervous system, 118
- Avulsed teeth
- clinical management of, 838
 - at accident site, 838
 - in dental office, 838
 - consequences of, 837–838
 - description of, 809
 - diagnosis and treatment planning for, 838–839
 - pulpal necrosis caused by, 838
 - replantation, 837
 - root preparation, 839–840
 - socket preparation in, 840
 - treatment of, 838
- B**
- Bacteremia, periradicular surgery and, 420–421
- Bacteria. *see also* Microorganisms
- antibiotic-resistant, 749–750
 - in apical periodontitis, 586, 587–588, 608
 - asymptomatic, 635, 636f
 - biofilm, 587–588, 589f, 590, 592f
 - in caries, 587
 - in dentinal tubules, 575, 586
 - host defenses against, 588–589
 - intraradicular infection caused by, 599, 600f, 601f, 602f
 - multidrug-resistant, 749–750
 - nutrient sources for, 603
 - during obturation, 605–606
 - phagocytosis of, 636f
 - root canal infection caused by, 603
 - structure of, 589–590, 590f
- Bacterial endocarditis
- description of, 141
 - periradicular surgery in patients with, 420–421
- Balanced force technique, for canal enlargement/preparation, 267, 267f
- Barbed broaches, 251, 251f
- Batt tips, 241–242, 245f
- B-cell antigen receptors, 624
- Behavioral disorders, 146
- Bioactive glass, 288
- Bioactive protein graft, 460t
- BioAggregate, 916
- Biocalx 6.9, 379, 379f
- Bioceramics. *see also* Mineral trioxide aggregate
- direct pulp capping with, pulp reactions to, 571–572
 - pulp capping uses of, 816–817
 - as root-end filling materials, 447
- Biodentine, 904–905
- Biofilms
- antimicrobial resistance of, 594
 - apical periodontitis associated with, 594–595
 - bacterial interactions with, 593–594, 594f
 - community lifestyle of, 594
 - definition of, 593–594
 - description of, 587–588, 590
 - extracellular polymeric substance in, 593–594
 - extraradicular, 595, 609–610, 610f
 - illustration of, 589f, 592f
 - infections and, 595
 - intraradicular, 594
 - microcolonies in, 594
 - in root canal system, 620
- Biologic debridement, 643–644
- Biopsy, in periradicular surgery, 436–437
- BioPure MTAD, 280, 280f
- BioRaCe instrument, 256
- Bisphosphonates
- indications for, 419
 - medication-related osteonecrosis of the jaw caused by, 144, 644
 - osteonecrosis of the jaw caused by, 418–419
 - wound healing affected by, 418–419
- Bite test, 19–20, 20f
- Bitewing radiograph, 918f
- Biting force, 882
- Bleeding, after periradicular surgery, 461–462
- Blood clots
- formation of, 416
 - prevention of, 818. *see also* Anticoagulants
- Blood pressure
- elevated, 141
 - measurement of, 3
- Bone
- burs for removal of, 436
 - glucocorticoids effect on, 419
 - heating effects on, 436
 - homeostasis of, 419–420
 - loss of, vertical root fracture-associated, 862, 862f, 863f
 - regeneration of, 642–643
 - resorption of
 - in asymptomatic apical periodontitis, 634
 - inflammation-induced, 623
 - nonsteroidal anti-inflammatory drugs effect on, 420
 - osteoclasts as cause of, 632–633, 633f
- Bone formation
- lamellar, 418
 - phases of, 418
 - woven, 418
- Bone grafts, 460t
- Bone marrow stem cells, 477, 478f
- Bone morphogenetic protein (BMP), 458, 914–915
- Bone sialoprotein, 481
- Bone wax, for hemostasis, 438
- Bony resorption, external cervical resorption, 62
- Bradykinin, 532, 629
- Brasseler Endo Extractor Kit, 390f
- Breastfeeding
- concerns for, 143
 - drug used during, 143b
- Buccal space, 743–746, 744f
- infection of, 10, 10f
 - swelling of, 10f
- Buccal vestibular space, 743, 744f
- Buccinator muscle, 743
- Bupivacaine
- intraosseous anesthesia using, 172
 - local anesthesia using, 164, 168, 168f
- Burs
- access cavity preparation using, 202–205, 204f
 - bone removal using, 436
 - diamond, 202–205, 204f, 260
 - Extendo, 204f
 - fissure carbide, 202–205, 204f
 - Gates-Glidden, 206, 251–252, 251f
 - Mueller, 204f
 - root canal system cleaning and shaping using, 251
 - root-end surface preparation in periradicular surgery using, 441
 - round carbide, 202–205, 204f
 - round diamond, 202–205, 204f
 - transmetal, 204f, 205
 - types of, 202–205, 204f
- C**
- C fibers, 30, 117, 523f, 526, 529, 532
- C+ files, for gutta-percha removal, 369f
- Calamus flow obturation delivery system, 331
- Calcific metamorphosis, 547, 547f
- Calcifications
- pulpal, 545–548, 545f, 546f, 548f
 - root canal
 - access cavity preparation in, 210, 210f, 211f
 - cone-beam computed tomography of, 53–54
 - removal of calcified material, 210
- Calcifying odontogenic cysts, 637
- Calcitonin gene-related peptide (CGRP), 523f, 524f, 525f, 527, 532f, 561, 621, 642t
- Calcium hydroxide, 281–283
- apexification using, 491–493, 821, 821f, 822f
 - application of, 282f
 - chlorhexidine with, 281–283
 - clinical protocol of, 282
 - direct pulp capping using, 907–908
 - disadvantages of, 816
 - Enterococcus faecalis* resistance to, 608
 - inflammatory response caused by, 571f
 - as intracanal medicant, 739
- Calcium hydroxide (*continued*)
- limitations of, 282
 - partial pulpotomy, 817f
 - pH of, 816, 833f
 - pulp irritation caused by, 570
 - sodium hypochlorite and, 729–731
 - uses of, 282
 - vital pulp therapy use of, 816, 816f, 912
 - direct pulp capping with, 919
 - pulpotomy with, 919–921
- Calcium silicate cements, 906, 916–917
- Calcium sodium phosphosilicate bioactive glass, 563
- Calcium sulfate, 821
- for hemostasis, 438
- Camphorated paramonochlorophenol Ca(OH)₂, 283
- Canal orifice, methylene blue dye in, 364f
- Canal transportation, 291
- Candida albicans*, 608
- Canine space, 744f, 746
- infection of, 9–10, 9f
 - swelling of, 9f
- Capillary plexuses, 417
- Capsaicin, 527
- Carbamide peroxide
- for vital bleaching, 575
- Carbocaine, 175
- with Neo-Cobefrin, 175
- Carbon dioxide, for cold testing of pulp, 16, 16f
- Cardiac pain, 128
- Cardiovascular disease, 140–141
- Cardiovascular reactions, 164
- Caries
- apical periodontitis caused by, 621
 - bacteria in, 587, 904
 - deep
 - in mandibular first molars, 903f, 915f
 - radiographs of, 916f, 920f
 - dendritic cell accumulation caused by, 559, 559f
 - dyes for detecting, 919
 - humoral immune response to, 560
 - inflammatory response to, 559, 559f
 - lasers for prevention, diagnosis, and treatment of, 573–574, 573f, 574f
 - proliferative response to, 561f
 - pulp exposure caused by
 - description of, 562
 - direct pulp capping for, 571–572
 - disinfectants effect on, 572
 - hemostatic agents effect on, 572
 - illustration of, 562f, 589f
 - pulpal reactions to, 557–560, 558f, 559f, 560f, 561f, 904, 905f
 - radiation therapy and, 642
 - remaining dentin thickness (RDT) after progression of, 568
 - removal of, 925–926
 - before access cavity preparation, 201, 202f
 - Sjögren syndrome and, 642
- Carotid space, 746
- Carrier-based gutta-percha, 331–334, 332f, 333f
- Case Difficulty Assessment Form and Guidelines, 739, 740f
- Case selection
- description of, 139
 - factors that affect, 156–159, 156f, 158f
- Cast core, 879
- Cast gold post and core, 894–898, 897f
- direct technique for, 896
 - indirect technique for, 896–898
- Cast posts, 357–358, 879, 886t
- Cautery, in periradicular surgery, 439
- Cavernous sinus thrombosis, 746
- Cavity preparation, pulp irritation caused by, 570
- CBCT. *see* Cone-beam computed tomography
- CD4⁺ T cells, 146, 624
- CD8⁺ T cells, 624
- CD14, 478–480
- CEJ. *see* Cementoenamel junction
- Cell homing, 485–486
- Cellulitis
- description of, 741
 - management of, 747, 747f
- Cement(s)
- calcium silicate, 906, 916–917
 - glass ionomer
 - luting, 879
 - resin-modified, 879, 913–914
 - as root-end filling material, 445
 - luting, 879–881

- Cement(s) (*continued*)
 polycarboxylate, 879
 resin-based, 879–881
 self-adhesive, 881
 traditional, 879
 zinc phosphate, 879
- Cemental tear, 947f
- Cementoblasts, in hard-tissue healing, 418
- Cementodentinal junction, description of, 199
- Cementoenamel junction (CEJ)
 anatomy of, 717
 evaluation of, 201
- Cementogenesis, 418
- Cementoma, 22f
- Cementum
 acellular afibrillar, 619
 apical foramen extension of, 199
 definition of, 619
 formation of, 656f
 growth factors in, 619, 643
 resorption of, 633
 in root resorption, 643
- Central core theory, 167f
- Central giant cell lesion, 83–84, 85f
 radiographic features of, 84, 85f
- Central nervous system, 117–118
- Central neuropathy, 127
- Central sensitization, 118, 119b, 126–127, 533
- Ceramic graft, 460t
- Ceramic onlays and overlays, 874, 885t, 891f
- Ceramic post, 886t
- Cervical dentin
 bulges of, 209, 209f
 root canal cleaning and shaping objectives for, 238–239
- Cervical fasciitis, 748–749
- Cervical pulpotomy, 819
- Cervical spaces, 744f, 746
- Cervicofacial subcutaneous emphysema, 798–799, 799f
- C-factor, 872–874, 885
- c-fos*, 534
- Charge-coupled device, 34
- Chemokines
 cells producing, 559
 description of, 629–630
- Chemomechanical debridement, 717, 729–731
- Chemotherapy, post healing affected by, 144
- Chief complaint, 131
 diagnostic use of, 3
 investigating of, 3
- Chlorhexidine
 allergic reactions to, 278
 antibacterial efficacy of, 277
 cytotoxicity of, 277
 as decalcifying agent, 278
 as endodontic irrigant, 277
 history of, 276
 indications for, 429
 mixed with calcium hydroxide, 283
 mode of action of, 276
 molecular structure of, 276, 276f
 before periradicular surgery, 429
 sodium hypochlorite and, 277f
 substantivity of, 276–277
- Chloroform, for gutta-percha removal, 368–369, 368f, 785
- Chondroitin sulfate, 520
- Chronic apical abscess, 30
- Chronic apical periodontitis
 asymptomatic, 622
 cysts associated with, 636–639, 637f, 638f
 inflammatory mediators in, 637
 nerve fibers in, 635f
- Chronic continuous dentoalveolar pain disorder, 45
- Chronic inflammation, 653
- Chronic osteomyelitis, 96, 97f
- Chronic pain, 132–134
- Citanest Forte, 175
- Citanest plain, 175
- Citric acid
 root-end surface modification using, 441
 smear layer removal using, 441
- Claims
- Clinical decision making
 for periradicular surgery, 414–415
 shared approach to, 414
- Clot formation, 416
- Cluster headaches, 123
- CO₂ lasers, 572–573
- Coaggregation, 604
- Codeine, 180, 184
- Cold testing, of pulp, 16, 527
- Collagen, 459t
 in dentin, 481
 odontoblast synthesis of, 515–516
 procollagen, 521
 in pulpal interstitium, 520
 as scaffold, 484
 synthesis of, 521
 in wound healing, 417
- Collagen fibers, in pulp, 521, 521f
- Collagen fibrils, 517
- Collagen-based hemostasis products, 437, 438f
- Colloid osmotic pressure, 539–540
- Colony-stimulating factor, 642t
- Combination graft, 460t
- Comminution injuries, 55–59
- Communities, of microorganisms, 593–594, 593f
- Complement cascade, 629
- Complementary metal oxide semiconductor, 34, 35f
- Complete pulpotomy, 910–911, 911f
- Complicated crown fractures, 814–815, 814f, 815f
 biologic consequence of, 815
 incidence of, 815
 treatment of, 815–816
 concomitant attachment damage, 815
 restorative plan, 815–816
 stage of development of tooth, 815
 time between trauma and treatment, 815
- Composite resin core, 878, 885t, 886t, 894f, 895f, 896f
- Composite resins
 polymerization of, shrinkage during, 568
 as root-end filling material, 445–446
- Computed radiography, 35–36
- Computed tomography (CT)
 cone-beam computed tomography *versus*, 425–426
 cone-beam volumetric, 38
 history of, 38
 micro-, 38
 multidetector, 38
- Concussion, 828
- Condensing osteitis, 84–86, 639
 radiographic features of, 86, 86f
- Cone-beam computed tomography (CBCT)
 American Association of Endodontists/American Academy of Oral and Maxillofacial Radiology position statement on, 69–73
 anatomic landmarks on, 55f
 for anatomy, 45–48, 48f
 apical periodontitis diagnosis using, 348
 classification of, 426
 computed tomography *versus*, 425–426
 dental anomalies diagnosed using, 45–48
 description of, 34, 38
 diagnostic uses of, 40–42, 42f, 43f, 70, 425f
 differential diagnosis of, 45, 46–47f, 47f
 endodontic treatment applications of
 complications
 calcified canals, 53–54
 dentoalveolar trauma, 54–59, 59f, 60f
 external root resorption, 61, 62f
 internal root resorption, 61
 intraoperative or postoperative assessment, 50–54
 overextended root canal obturation material, 51–53
 perforations, 54
 separated endodontic instruments, 53, 53f
 failure of treatment, 48–50, 50f
 outcome assessments, 428
 external cervical resorption evaluations, 720f, 722–723, 722–723f
 external inflammatory resorption evaluations, 716
 field of view, 40–44, 41f, 69
 full, 426
 future of, 66–67
 healing assessments, 62
 imaging software, 42
 imaging tasks improved by, 44–50
 implant site assessments using, 65
 of inferior alveolar nerve injury, 792–794
 initial treatment and, 70
 internal root resorption evaluations, 729
 interpretation of, 70
 Intersocietal Accreditation Commission for, 68
 intraoperative treatment, 70
 limited, 426
 mechanism of action, 426
 for morphology, 45–48, 48f
- Cone-beam computed tomography (*continued*)
 nonsurgical treatment and, 71
 outcomes assessment using, 62–65, 63f, 64f, 71–73
 patient characteristics, 42, 43f, 44f
 periradicular surgery applications of
 computed tomography *versus*, 425–426
 description of, 425–428, 657
 mandibular canal identification, 423
 maxillary sinus identification, 423
 mechanism of action, 426
 scan times with, 426
 postoperative treatment, 70
 posttreatment disease applications of, 426–428, 427f, 428f
 preoperative treatment, 70
 presurgical treatment planning by, 54–62, 55f
 principles of, 23–25, 23f, 24f, 25f, 26f, 38–44
 radiation source for, 24, 24f
 recommendations for, 70–73
 risks associated with, 428
 root canal imaging using, 48, 49f, 192–193
 root fracture diagnosis using, 55, 349, 413
 root perforations detected using, 54, 731–733
 spatial resolution requirements, 44, 44f
 special conditions and, 71
 surgical treatment and, 71
 traumatic dental injury evaluations, 811–812, 813f
 treatment planning uses of, 733–734
 two-dimensional radiographs and, 24, 25f, 26f
 vertical root fracture diagnosis using, 50, 51f, 413, 863
 voxel sizes, 39–40, 44
 voxels, 39–40, 39f, 40f, 41f
- Cone-beam volumetric computed tomography, 38
 imaging tasks improved by, 44–50
- Connective tissue, 520
- Conscious sedation, for periradicular surgery, 429
- CONSORT, 740–741
- Consultation letter, 139, 140f
- Continuous wave obturation, 327–329, 329f
- Contrast resolution, 36
- Core
 amalgam, 878, 879, 886t, 893f, 894
 cast gold, 894–898, 897f
 characteristics of, 878–879
 clinical procedures for, 888f, 889f, 890f, 891f, 892f, 893f, 894–898, 894f, 895f, 896f
 composite resin, 878, 885t, 894f, 895f, 896f
 glass ionomer, 879
 materials used in, 878–879
 modified glass ionomer, 879
- Coronal access cavity preparation, 354–357, 355f, 356f
- Coronal modification, 260–262, 261f, 262f
- Coronal pulp
 inflammation, 908
 odontoblast layer of, 513
- Coronal restorations, 682
- Coronal root fractures, 826, 829f
- Coronally located sinus tracts, 856f, 860
- Corticosteroids
 description of, 180–181
 endodontic pain managed with, 180
 intracanal administration of, 180
 systemic administration of, 180–181
- COX-1, 176–177, 420, 531–532
- COX-2, 176–177, 420, 531–532
- COX-2 inhibitors
 description of, 177
 prothrombic adverse effects of, 177
- COX-inhibiting nitric oxide donors, 184
- Crack(s)
 craze lines, 25–26
 cusps, 849–851
 definition of, 848
 diagnostic challenges for, 848–849
 emergency management of, 752, 752f, 753f
 optical coherence tomography of, 25–26
 propagation of, 849
 split tooth/roots, 26
 staining and transillumination to detect, 20, 21f, 752, 850, 850f
 types of, 25–26
 unobserved trauma as cause of, 848
- Cracked tooth
 clinical manifestations of, 851–852
 definition of, 851
 diagnosis of, 851–853
 etiology of, 853
 masticatory forces as cause of, 853

- treatment planning for, 853
 Cracked tooth syndrome, 26, 752
 Craze lines, 25–26
 Crowded teeth, access cavity preparation in, 210–211, 212f
 Crown
 design of, 866
 electric pulp testing in patients with, 18
 fatigue failure of, 876
 full, 874–879
 preparation for
 dental tubule exposure during, 569, 569f
 description of, 898
 provisional, 898
 removal of, instruments for, 356–357
 Crown fractures
 description of, 809
 pulpal necrosis secondary to, 815, 815f
 vital pulp therapy for
 pulp capping, 817
 requirements for, 816–817, 816f, 817f
 Crown infraction, 814
 Crown-down technique, for canal enlargement/preparation, 266–267
 Crown-root fractures, 809, 824
 CS 9300 3D Extraoral Imaging System, 42, 43f
 C-terminal cross-linking telopeptide of type 1 collagen (CTX), 419
 C-terminal telopeptide of type 1 collagen chain test, 145
 Curettage, in periradicular surgery, 436–437
 Cuspal flexure, 577
 Cusps
 cracked, 849–851
 clinical manifestation of, 849
 definition of, 849
 diagnosis of, 849–850
 etiology of, 850
 treatment planning for, 850–851
 fractured, 849–851, 851f
 treatment planning for, 851
 Cvek pulpotomy, 817, 818f, 908
 CXCL12, 559
 CXCL14, 559
 Cyclic fatigue, 760
 Cyclooxygenase (COX), 419–420
 Cyclooxygenase-2 inhibitors, wound healing affected by, 420
 CYP2D6, 184
 Cysts
 apical, 636, 639f, 644
 lateral periodontal, 103–105, 106f
 lateral radicular, 103, 105f
 nasopalatine duct, 105–106, 107f
 periapical, 101–103, 102f, 103f, 104f, 345
 Cytokines
 biomineralization induced by, 914–915
 description of, 532, 904
 in osteoclast progenitor cell differentiation, 632–633
 in pulpal inflammation, 541
 in wound healing, 416, 642–643, 642t
 Cytolysin, 624
 Cytolytic T lymphocytes, 624
- D**
 Danger space, 744f, 746
 “Danger zones,” 266
 Deafferentation, 533–534, 534f
 Debridement, 643–644, 717
 Deep caries
 in mandibular first molars, 903f, 915f
 radiographs of, 916f, 920f
 Deep pain, 131
 Deep temporal space, 744f, 746
 Denaturing gradient gel electrophoresis, 597
 Dendritic cells
 in asymptomatic apical periodontitis, 632
 in dental pulp, 713
 description of, 518, 519f, 559, 624
 mononuclear, 713
 Dens evaginatus, 930f
 Dens invaginatus, 45–48, 49f
 Dental anxiety, 157–159
 Dental artery, 537
 Dental follicle stem cells, 477, 478f
 Dental implants
 after tooth extraction, 351–352
 osseointegrated, 578
 periradicular lesions effect on success of, 578
 Dental implants (*continued*)
 placement of, 71
 prosthetic, treatment planning affected by, 146
 pulp reactions to placement and function of, 578
 single-tooth, 154
 site assessments for, using cone-beam computed tomography, 65
 survival rates for, 155
 treatment planning and, 154–156
 Dental injection needle, for root canal obstruction removal, 388, 389f
 Dental injury, traumatic. *see* Traumatic dental injury
 Dental operating microscope, 193, 194f
 Dental pain, 3–6
 Dental pulp stem cells, 480
 Dental resorption, 711
 Dental trauma. *see* Traumatic dental injury
 Dentin
 age-related changes of, 548
 carious, 906
 cervical
 bulges of, 209, 209f
 root canal cleaning and shaping objectives for, 238–239
 collagen fibers in, 481
 compositions of, 481
 cracks in, 578
 in endodontically treated teeth, 871
 fibrodentin, 558, 559f
 hypersensitivity of
 dental fluid blockage as cause of, 578
 description of, 530, 563, 564f
 lasers for, 574
 periodontal scaling as cause of, 575
 root planning as cause of, 575
 intertubular, 871
 nonvital, 871
 in nonvital teeth, 871
 peritubular, 569, 569f, 871
 permeability of
 dentin sclerosis, 558
 description of, 586–587
 illustration of, 587f
 pulp irritation affected by, 569
 variability in, 570
 primary, 542
 probing of, 529–530
 radicular, 865, 865f
 reactionary, 542, 558, 558f
 remaining thickness of, 568, 814, 865–866
 reparative, 193, 194f, 530, 542, 543f, 544–545, 544f, 559f, 904–906
 resin-based luting cement adhesion to, 880
 resorption of, 633
 secondary, 542, 548
 sensitivity of, 528–530
 tertiary
 description of, 542
 formation of, 558, 904–905
 transparent, 871
 ultimate tensile strength of, 871
 vital, 871
 Dentin matrix, growth factors in, 483t
 Dentin phosphoprotein, 481
 Dentin sclerosis
 definition of, 558
 description of, 578, 871
 illustration of, 558f
 Dentin sialoprotein (DSP), 480–481
 Dentinal bridge, 571f
 Dentinal fluid, 577–578
 Dentinal pain, 529–530
 Dentinal tubules
 A-delta fibers in, 117
 anatomy of, 529, 586–587
 bacterial infiltration through, 575
 cocci bacteria in, 592f
 Enterococcus faecalis in, 606, 608f
 exposure of
 in crown fracture, 815
 during crown preparation, 569, 569f
 fluid movement through, 28, 29f, 528f, 529f
 hypersensitivity and, 563, 564f
 infection of, 590, 592f
 irrigant penetration in, 278f
 odontoblast displacement into, 530, 530f
 Dentinogenesis
 odontoblasts in, 514
 reparative, 558
 tertiary, 557
 Dentin-pulp complex. *see* Pulp-dentin complex
 Dentoalveolar ankylosis, 830
 Dentoalveolar trauma, to primary dentition, 842
 Dentoenamel junction (DEJ), 516
 DENTSPLY, 773–778
 Dermatan sulfate, 520
 Desiccation, 567, 570
 Detector quantum efficiency (DQE), 68
 Detergents, irrigants and, 279–280
 Dexamethasone, for endodontic pain, 181
 DGGE. *See* Denaturing gradient gel electrophoresis
 Diabetes mellitus
 apical periodontitis and, 640
 hyperglycemia associated with, 641–642
 oral infection risks, 142
 pathophysiology of, 142
 prevalence, 142
 tooth survival after root canal treatment affected by, 686–689
 treatment planning affected by, 142
 wound healing affected by, 644
 DIAGNOdent, 573
 Diagnosis, 1–33
 art and science of, 2–9
 chief complaint, 3, 4f, 5f
 dental history, 6–9, 7f, 8f
 medical history, 3–6, 6b
 data gathering, 2
 definition of, 2
 examination for. *see* Examination
 imaging for. *see* Imaging
 referred pain effects on, 30–31
 stages of, 2
 Diaket, 445
 Diamond burs, 202–205, 204f
 DICOM. *see* Digital imaging and communications in medicine
 Differential diagnosis, 3
 Difluorodichloromethane, 809–810, 810f
 Digital imaging and communications in medicine (DICOM), 37, 63
 Digital subtraction radiography, 38
 Dihydroxyphenylalanine (DOPA), 539
 1, 25-Dihydroxyvitamin D3, 483
 Diphenhydramine, 168–169
 Direct composite restorations, 872–874, 888f, 889f
 Direct digital radiography, 36
 Direct pulp capping, 907–908
 with bioceramics, pulp reactions to, 571–572
 calcium hydroxide for, 907–908
 cariogenic bacteria survival after, 919
 definition of, 904
 hemostatic agents for, 572
 of mandibular molars, 922f
 mineral trioxide aggregate for, 919, 920f, 921f, 922f, 923f
 mineral trioxide aggregate (MTA) for, 572
 outcomes of, 659–660, 666–668f, 669f
 partial pulpotomy versus, 907–908
 Discoloration, tooth, 872, 874f
 Disease, types of, 653
 Disinfectants, pulp reactions to, 572
 Disinfection
 description of, 395–397
 irrigants. *see* Irrigants
 irrigation. *see* Irrigation
 in root canal system cleaning and shaping of immature tooth, 820
 intracanal medications for, 281–284
 bioactive glass, 288
 calcium hydroxide. *see* Calcium hydroxide
 chlorhexidine as, 282–283
 formaldehyde, 283–284
 halogens, 284
 lubricants, 284
 phenolic preparations, 283
 steroids, 284
 syringe delivery for, 284–285
 triple-antibiotic paste, 284
 manually activated techniques for, 285
 photoactivation, 285
 Displacement trauma, 924
 Distobuccal angle, 217–218
 Doping, 35–36
 Dose considerations, in cone-beam computed tomography, 69–70
 Drugs
 in pregnancy, 142–143, 143b
 vasoconstrictor interactions, 166t
 Dyract, 446

Dystrophic calcification, 546–547

E

Easy Pneumatic Crown and Bridge Remover, 356–357

Ecosystem, 593, 603–604, 603f

EDTA. *see* Ethylenediamine tetra-acetic acid

Effective dose, 426

Efferent neurons, 522

Eggler Post Remover, 363, 364f

EGPR-L/R/U/D hand instruments, 788

Elastic fibers, 521

Elastin fibers, 521

Electric motors, for rotary instruments, 258–259

Electric pulp testing

description of, 527

pulp anesthesia determinations using, 166, 167f

pulp vitality tests using, 17–19, 18b, 18f, 163, 562

Electronic speckle-pattern interferometry, 875

Electronic standards, 37

Electropolishing, 247–248

Electrosurgery, 439

Elements obturation unit, 331, 331f

Embryonic stem cells, 477

Enamel

cracks in, 587–588

penetration of, 208

Endo Bender pliers, 394–395

EndoActivator system, 285, 285f

Endobender Pliers, 395f

Endocal 10, 379

Endocarditis

bacterial

description, 141

periradicular surgery in patients with, 420–421

infective, 141

Endocrown, 874, 885t, 892f

Endodontic emergencies

abscess, 747, 748f

analgesics for, 751

cellulitis, 747, 747f

classifications of, 737, 738f

cracked teeth, 752, 752f, 753f

fascial space infections as, 742–746, 744f

flare-ups, 752

fractured teeth, 752, 752f, 753f

incision for drainage, 748–749, 749f

irreversible pulpitis, 738–739

laboratory diagnostic adjuncts, 751

leaving teeth open, 749, 750f

management of, 737–742

reversible pulpitis, 738

symptomatic teeth with previous endodontic treatment, 749

in vital pulp, 738

Endodontic explorer, 205, 211f

Endodontic infections

acute apical abscesses as, 600, 602f

antibiotics for, 749–751

apical periodontitis. *see* Apical periodontitis

culture analyses of, 595–596

extraradicular, 639–640

intraradicular, 597–598

microbiology of, 585–618

microorganisms that cause

Archaea, 604

ecology of, 603–604, 603f

fungi, 604, 608

geographic influence on, 603

viruses, 604–605

molecular biology methods for studying

of, 596–597, 596f

persistent/secondary

bacteria at root obturation stage, 605–606

definition of, 605

treatment failure and, 605

primary, 604

pulpal exposure as cause of, 587

pulpal necrosis caused by, 588

types of, 597–598

Endodontic instruments

fracture of, 760

cyclic fatigue as cause of, 760

torsional fatigue as cause of, 760

Endodontic lesions

cone-beam computed tomography of, 45

differential diagnosis of, 45

primary, 942, 942f, 943f

Endodontic microsurgery, 65

Endodontic pain

dexamethasone for, 181

management of, 182–184, 182b

Endodontic pathosis, lesions that mimic, 78–114

importance of differential diagnosis, 78, 79f

limits of pulp testing, 78, 79f

limits of radiology, 78–79, 80f

Endodontic spoon, 205

Endodontic surgery, 403, 403f

guided tissue regeneration and, 452–460

healing after, 152

indications for, 151, 151f

outcome of, 154–155

referral for, 157

traditional root-end surgery *versus*, 152

Endodontic treatment

extraoral time less than 60 minutes, 841

extraoral time more than 60 minutes, 841–842

failure of, 48–50, 50f

goal of, 585

traumatic dental injury, 841

Endodontically treated teeth

aesthetic changes in, 872

clinical implications in, 871t

dentin structure in, 871

discoloration of, 872, 874f

features of, 870–872

fracture resistance of, 871–872, 873f

periodontal evaluation, 881

pretreatment evaluation in, 881–887

provisional crowns, 898

restorations

adhesive systems, 891

aesthetic evaluation and requirements, 882

biomechanical evaluation, 881–882

clinical procedures, 887–898, 888f, 889f, 890f,

891f, 892f, 893f, 894f, 895f, 896f

direct composite, 872–874, 888f, 889f

endocrown, 874, 885t, 892f

ferrule, 872

foundation, 875–876, 894–898

full crowns, 874–879

indirect, 874

luting cements used with, 879–881

onlays and overlays, 874, 885t, 891f

partial, 891–894

periodontal evaluation, 881

post and core, 875, 879, 895f, 896f, 897f

pretreatment evaluation, 881–882, 881f, 885t

provisional crowns, 898

resin composite, 872–874

in structurally compromised anterior teeth, 886

in structurally compromised posterior teeth, 887

in structurally sound anterior teeth, 882

tooth preparation for, 887

veneer, 885t, 890f

tissue modifications in, 871t

tooth stiffness of, 871–872, 873f

treatment strategy in, 881–887

vertical root fractures in, 854, 861

Endodontics

anesthesia for

infiltrations, 175

intraalveolar, 173–175

intrapulpal, 175

intraosseous, 174–175

local, 176

anxiety effects on, 157–159

case selection for, 156–159, 156f, 158f

description of, 31

factors that affect, 156–159, 156f, 158f

Endogenous opioid peptides (EOPs), 536

Endo-Perio, 939–956

EndoSequence Root Repair Manual (ERRM), 447

EndoSequence rotary instrument, 256

Endosolv-E, 372f, 378

Endosolv-R, 372f, 378

Endothelial adhesion molecules, 630t

Endothelial cells

in apical periodontitis, 628

in wound healing, 417

Engine-driven instruments, for gutta-percha

removal, 369–371

Enterococcus faecalis

calcium hydroxide resistance of, 608

in dentinal tubules, 606, 608f

description of, 412, 677, 783, 786–788, 917

in root canals, 621

root canal-treated teeth, 606, 607–608f, 608f

sodium hypochlorite for, 274

Epidermal growth factor, 642t

Epinephrine

in cardiovascular disease patients, 141

cardiovascular effects of, 164

hemostatic uses of, 438–439

Epinephrine pellets, 438–439

Epiphany Obturation System, 372f

Epithelial cell rests of Malassez

in asymptomatic apical periodontitis, 633, 634f

description of, 345, 620

Epithelial cells, 416

Epithelial stem cells, 477

Equivalent dose, 426

Er:YAG laser, 573–574, 574f

Ethylenediamine tetra-acetic acid (EDTA)

description of, 278–279

endodontic applications of, 279, 279f

history of, 278

mode of action of, 278–279

root-end surface modification using, 441

smear layer removal using, 441

sodium hypochlorite and, 279

Eucalyptol, for gutta-percha removal, 368–369, 368f

Eugenol, 880

Examination

bite test, 19–20

extraoral, 9–10, 9f, 10f, 11f, 12f

intraoral. *see* Intraoral examination

periodontal, 15

pulp testing. *see* Pulp testing

Excisional dentoalveolar wound, 417–418

Exostoses, 91, 92f

Explorer, endodontic, 205, 211f

Extendo bur, 204f

External cervical resorption, 61–62

clinical features of, 719–720, 720f, 721f

cone-beam computed tomography of, 722–723,

720f, 722–723f

definition of, 717

etiology of, 717

histologic appearance of, 717, 718f, 719f

internal root resorption *versus*, 729, 730–731f

management of, 723–727

nonsurgical treatment of, 727

pathogenesis of, 717

predisposing factors for, 717

radiographic features of, 718f, 719f, 720–723,

720f, 721f, 722–723f, 724–725f

three-dimensional classification of, 726t

treatment of, 723

External inflammatory resorption, 61

apical, 714f, 715f

clinical features of, 716

cone-beam computed tomography of, 716

diagnosis of, 713

etiology of, 713–716

follow-up of, 717

histologic appearance of, 716

illustration of, 714f, 715f

imaging of, 716

luxation as cause of, 713

management of, 716–717

pathogenesis of, 713–716

prevalence of, 713

prognosis for, 717

progression of, 716

radiographic features of, 713, 716

surface resorption *versus*, 716

treatment of, 713

vitality testing for, 836

External replacement resorption, 61

External root resorption, 711–736

apical neurovascular supply damage caused by,

831–833, 831f, 832f, 833f

in asymptomatic apical periodontitis, 635

cervical. *see* External cervical resorption

cone-beam computed tomography of, 61, 62f

- Horner syndrome, 132–134
 HotShot delivery system, 331
 Hounsfield, Godfrey, 38
 Howship lacunae, 711, 712f, 716
 H-type instruments, 250–251, 250f
 Human immunodeficiency virus (HIV), 604
 CD4⁺ cell count in, 146
 oral manifestations of, 146
 treatment planning affected by, 145–146
 Hyaluronan, 520–521
 Hyaluronic acid, 520
 Hydrogel, as scaffold, 484
 Hydrophilic resins, 913
 Hyperalgesia, 530–531, 531t, 535
 secondary, 118, 122
 Hyperglycemia, 641–642
 Hyperparathyroidism, 94, 94f
 Hyperplastic pulpitis, 560, 561f
 Hypersensitivity, dentin, 530, 563, 564f
- I**
- Iatrogenic events, 756–807
 assessment of, 796–798
 early intervention, 797
 immediate intervention, 797
 watch and wait in, 797–798
 cervicofacial subcutaneous emphysema, 798–799, 799f
 definition of, 756
 inferior alveolar nerve injury, 791–796, 792f
 causes of, 791, 791b
 cone-beam computed tomography of, 792–794
 management of, 795–796, 795f, 796f
 operative techniques to minimize, 794–795, 795f
 paresthesia caused by, 783
 prevention of, 792–794, 793f, 794f
 prognosis for, 796
 sealer cement effects on, 792
 third molar extractions as cause of, 791
 instrument separation, 759–768
 causes of, 759–760
 chemical removal, 760
 files, 762–764, 763f
 improper use as cause of, 759–760
 loop for, 768, 774f
 management of, 760–762
 in mandibular molars, 760
 nonvisible instrument retrieval, root canal
 preparation stage for, 764–765, 766f, 767f, 768f, 769f
 prognosis for, 768, 774f
 radiograph of, 759–760f
 removal attempts of, 762
 retrieval techniques, 765–768
 ultrasonic instruments for, 761
 ultrasonic oscillation for, 765–768, 770–771f, 771f, 772f, 773f
 visible instrument retrieval, root canal
 preparation stage for, 762–764, 763f, 764f, 765f, 766f
 ledge formation, 768–780
 bypassing of, 773–779, 776f, 777f, 778–779f, 780f, 781–782f, 783f
 causes of, 770, 772b, 772f
 complications of, 780
 hand instruments for bypassing, 773–778, 776f, 777f, 778–779f
 incidence of, 770
 management of, 770–773, 775f
 prevention of, 780
 prognosis for, 780, 784f
 rotary instruments for bypassing of, 779, 783f
 ultrasonic tips for, 779, 780f, 781–782f
 root canal filling material radicular extrusion, 780–790
 causes of, 784–785
 illustration of, 785f
 management of, 785–790
 obturation as cause of, 785–790, 786f, 787f, 788–789f, 790f
 tissue damage caused by, 790
 sinus perforation, 790–791
 sodium hypochlorite, 756–758, 757f, 758f
 Ibuprofen, 460–461, 751
 I-CAT, 39f
 Idiopathic osteosclerosis, 88–90
 radiographic features of, 88–90, 89f
 Ill-defined radiolucencies, 95–101, 96b
 metastatic disease, 100, 100f
 multiple myeloma, 100–101, 101f
 non-Hodgkin lymphoma, 99–100, 100f
 osteomyelitis, 95–96
 Illumination, periapical healing affected by, 675
 Images
 characteristics and processing of, 36–37
 postprocessing of, 36–37
 Imaging
 cone-beam computed tomography. *see* Cone-beam computed tomography
 conventional radiographs. *see* Radiographs
 digital radiography, 22–23, 23f
 magnetic resonance imaging, 25
 three-dimensional, 38, 39f
 Immature teeth
 apexification of, 820–824, 820f, 821f, 822f, 823f
 apical closure, 919
 pulpectomy contraindications in, 919–920
 revascularization of, 832f
 Immune response
 adaptive, 624–625, 626f, 631–632
 innate, 623–624, 623t, 904
 specific, 624–625, 626f
 Immunity
 adaptive, 623t, 624, 626f, 631–632
 innate, 623t, 626f
 Immunoglobulins, 624
 Impact trauma, 848
 Implants, dental
 after tooth extraction, 351–352
 osseointegrated, 578
 periradicular lesions effect on success of, 578
 placement of, 71
 prosthetic, treatment planning affected by, 146
 pulp reactions to placement and function of, 578
 single-tooth, 154
 site assessments for, using cone-beam computed tomography, 65
 survival rates for, 155
 treatment planning and, 154–156
 In vitro fiber post, 886f
 Incisal bevel, 206f
 Incision and drainage procedures
 for abscesses, 748–749, 749f
 anesthesia for, 168
 Indirect pulp capping, 907, 908f
 definition of, 907
 outcomes of, 658–659, 663f, 664–665t
 stepwise excavation, 658–659
 Induced pluripotent stem cells, 477
 Infections
 apical, 621
 buccal space, 10, 10f
 canine space, 9–10, 9f
 dental tubules, 590, 592f
 endodontic. *see* Endodontic infections
 extraradicular
 description of, 597–598, 608–610
 development of, 608–609, 610f, 611f
 posttreatment disease caused by, 352
 fascial spaces, 742–746, 744f
 host-parasite conflict in, 622
 innate immune response to, 623–624, 623t
 intraradicular
 apical periodontitis caused by, 599f
 bacteria that cause, 599, 600f, 601f, 602f
 definition of, 597–598
 microbial composition and diversity
 of, 599–601, 599f
 primary, 599–600
 persistent, 597–598
 primary, 597–598
 secondary, 597–598
 infective endocarditis, 141
 inferior alveolar nerve, 52f
 inferior alveolar nerve block
 anesthetic solutions for, 168–169
 bupivacaine for, 164, 168, 168f
 difficulty of, 167
 duration of action, 167, 168
 epinephrine concentrations in
 2% lidocaine with 1:100,000
 epinephrine, 167
 4% prilocaine with 1:200,000
 epinephrine, 175
 articaine with 1:100,000 or 1:200,000
 epinephrine, 168
 increasing of, 169
 failure
 definition of, 167
- Inferior alveolar nerve block (*continued*)
 factors involved in, 169–170, 169f, 170f
 inaccurate injection as cause of, 169–170
 mylohyoid nerve block, 169–170, 169f
 needle bevel as cause of, 169–170
 needle deflection as cause of, 169–170
 theories on, 169–170
 Gow-Gates technique for, 169
 injection sites for, 169
 intraoral anesthesia with, 173–175
 intraosseous anesthesia with, 170–173, 170f
 lidocaine for
 2%, with 1:100,000 epinephrine, 167, 175
 buffered, 168
 infiltrations of, 168
 noncontinuous anesthesia, 167
 onset of action, 159, 167
 pulpal anesthesia onset using, 167, 167f
 ropivacaine for, 168
 solutions for
 2% lidocaine with 1:100,000 epinephrine, 167, 175
 2% mepivacaine with 1:200,000 levonordefrin, 175
 3% mepivacaine, 175
 4% articaine with 1:100,000 epinephrine, 175
 4% prilocaine, 175
 4% prilocaine with 1:200,000 epinephrine, 175
 increasing the volume of, 169
 without epinephrine, 168
 success of, 167
 Inferior alveolar nerve injury, 791–796, 792f
 causes of, 791, 791b
 cone-beam computed tomography of, 792–794
 management of, 795–796, 795f, 796f
 operative techniques to minimize, 794–795, 795f
 paresthesia caused by, 783
 prevention of, 792–794, 793f, 794f
 prognosis for, 796
 sealer cement effects on, 792
 third molar extractions as cause of, 462, 791
 Inferior alveolar neurovascular (IAN)
 bundle, 51, 52f
 Inflammation
 acute, 653
 apical, 621, 622f
 chronic, 653
 coronal pulp, 908
 mediators of, 531–532, 637
 neurogenic, 626f
 percussion testing for, 14
 periapical, 621
 pulpal. *see* Pulpal inflammation
 of pulpal interstitium, 521
 vascular permeability in, 541
 Inflammatory periapical progenitor cells, 477
 Inflammatory response
 to calcium hydroxide, 571f
 to caries, 559, 559f
 mediators of, 629–630, 630t
 Inflammatory root resorption, 831f, 841
 Infraorbital nerve block, 176
 Infraorbital space, 744f, 746
 Innate immune response, 623–624, 623t
 Innate immunity, 623t
 Instrument Removal System, 390, 391f
 Instruments
 alloys used in, 245–248
 barbed broaches, 251, 251f
 cross-sectional design of, 242–243, 246f
 for crown removal, 356–357
 cutting angle of, 243, 246f
 cutting edge of, 242–243
 design elements of, 241–244
 discarding of, 384–385
 effectiveness and wear of, 250–251
 endodontic, 241–260
 engine-driven, 252–260, 252t, 253f, 254f, 265t
 fracture of, 289–291, 290f
 cone-beam computed tomography of, 53, 53f
 incidence of, 53
 Gates-Glidden drills, 251–252, 251f
 general characteristics of, 241–248
 helical angle of, 243, 246f
 H-type, 250–251, 250f
 improper use of, 384–385
 irrigants and, 278
 ISO-normed, 244, 247f
 K-files, 248–250, 249f
 longitudinal design of, 242–243, 246f

Instruments (*continued*)

- low-speed engine-driven, 251–252
 - manually operated, 248–251
 - nickel-titanium rotary, 239f, 241, 246f, 260b
 - Peeso reamers, 252
 - for periradicular surgery, 429–430, 430f, 431f, 432f
 - post removal using, 359
 - rake angle of, 243
 - reciprocal motions with, 760
 - removal techniques for, 386–392, 386f
 - root canal system cleaning and shaping. *see* Root canal system cleaning and shaping, instruments for
 - rotary, 254f, 255
 - separated, 759–768
 - causes of, 384–386, 385f, 759–760
 - chemical removal, 760
 - dental injection needle for removal of, 388
 - Endo Extractor kit for removal of, 389, 760–761
 - file, 387, 387f
 - files, 762–764, 763f
 - Hedstrom files for removal of, 381, 389f
 - illustration of, 390f
 - improper use as cause of, 384, 759–760
 - Instrument Removal System, 390, 391f
 - loop for, 768, 774f
 - management of, 760–762
 - in mandibular molars, 760
 - Masserann technique for removal of, 389, 760–761
 - nonvisible instrument retrieval, root canal preparation stage for, 764–765, 766f, 767f, 768f, 769f
 - operating microscope used in removal of, 386, 386f
 - prevention of, 386
 - prognosis for, 386, 387f, 768, 774f
 - radiograph of, 759–760f
 - removal techniques for, 386–392, 386f, 762
 - retrieval techniques, 765–768
 - S.I.R. System for retrieval of, 391
 - ultrasonic instruments for, 363–364, 387, 388f, 761
 - ultrasonic oscillation for, 765–768, 770–771f, 771f, 772f, 773f
 - visible instrument retrieval, root canal preparation stage for, 762–764, 763f, 764f, 765f, 766f
 - taper of, 243–244
 - tip design of, 241–242, 245f
 - ultrasonic instruments for removal of, 387, 388f
- Intentional replantation, 152, 460, 461f
- Intercellular adhesion molecules, 628
- Interleukin-8, 641
- Internal ankylosis, 547, 547f
- Internal root resorption
- characteristics of, 833
 - chemicomechanical debridement of root canal for, 729–731
 - clinical features of, 728
 - clinical manifestations of, 834
 - cone-beam computed tomography of, 61, 729
 - definition of, 727
 - description of, 830
 - diagnosis of, 729
 - diagnostic features of, 835–837
 - early, 726f
 - etiology of, 727, 833–834
 - external cervical resorption *versus*, 729, 730–731f
 - histologic appearance of, 834–835, 834f
 - historical description of, 711
 - management of, 729
 - of maxillary lateral incisor, 728f
 - obturation for, 731–734
 - odontoblasts in, 727, 728f
 - pathogenesis of, 727
 - pulp tissue in, 727, 728f
 - radiographic features of, 727, 728f, 729, 732f, 834, 834f, 835f
 - in root fractures, 829f
 - root perforations associated with, 731–733
 - tissue destruction caused by, 733
 - treatment of, 835, 835f
- International Association of Dental Traumatology, 810
- International Headache Society, 122
- International Standards Organization norms, 244–245, 247f, 248f
- Intersocietal Accreditation Commission, 68

- Interstitial fluid, 539
- Interstitium, pulpal, 520–521, 520f
- Intertubular dentin, 871
- Interview, 6–9
- Intracoronar restorations, 850, 887
- Intraligamentary anesthesia
- amount of solution delivered, 174
 - anesthetic solutions for, 174
 - back pressure for, 174
 - description of, 173–175
 - discomfort during, 174
 - duration of, 173
 - endodontic uses of, 175
 - indications for, 175
 - mechanism of action, 174
 - onset of, 173
 - periodontal safety with, 174
 - postoperative discomfort with, 174
 - pulpal safety with, 174
 - selective, 174
 - success of, 173
 - in symptomatic irreversible pulpitis, 173–174
 - systemic effects of, 174
- Intraoral examination
- mobility, 14–15, 15b, 15f
 - palpation, 14
 - percussion, 14, 14f
 - periodontal, 15, 15b
 - sinus tracts, 11–14, 13f
 - soft tissue, 10
 - swelling, 10–11, 10f, 11f, 12f
- Intraoral radiographs, 20–22, 22f
- Intraosseous anesthesia, 170f
- bupivacaine for, 172
- complications/contraindications of, 172–173
- description of, 170–173, 170f
- discomfort associated with, 173
- duration of, 170, 170f, 172, 172f
- failure of, 172–173
- heart rate increase after, 173
- injection pain with, 172–173
- injection site locations, 172–173
- lidocaine levels in plasma after, 173, 173f
- for mandibular posterior teeth, 172
- medical considerations for, 173
- onset of, 172
- perforator breakage with, 172–173
- for postoperative discomfort, 173
- repeating of, 172
- Stabident system for, 170–171, 170f
- success with, 172, 172f
 - in symptomatic irreversible pulpitis, 172–173
- systemic effects of, 173
- X-Tip delivery system for, 171, 171f, 172–173
- Intrapulpal anesthesia, 565
- Intrapulpal injection, for endodontic anesthesia, 175
- Intraradicular biofilm, 594
- Intraradicular infection
- apical periodontitis caused by, 599f
 - bacteria that cause, 599, 600f, 601f, 602f
 - definition of, 597–598
 - microbial composition and diversity of, 599–601, 599f
 - primary, 599–600
- Intraseptal injection, for endodontic anesthesia, 174–175
- Intrasulcular incision, for periradicular surgery access, 433
- Intrusive luxation, 828
- Invasive cervical resorption, 717
- Iodine potassium iodide, 281
- Irreversible pulpitis
- asymptomatic
 - definition of, 738
 - description of, 29
 - diagnosis of, 738
 - opioid receptors and, 562
 - definition of, 29
 - diagnosis of, 906
 - emergency management of, 738–739
 - radiographic findings, 144f
 - reversible pulpitis and, differential diagnosis of, 906
 - symptomatic
 - definition of, 738
 - description of, 29
 - management of, 739
- Irrigants

Irrigants (*continued*)

- benefits of, 273b
 - BioPure MTAD, 280, 280f
 - chlorhexidine
 - allergic reactions to, 278
 - antibacterial efficacy of, 277
 - cytotoxicity of, 277
 - as decalcifying agent, 278
 - as endodontic irrigant, 277
 - history of, 276
 - indications for, 429
 - mode of action of, 276
 - molecular structure of, 276, 276f
 - before periradicular surgery, 429
 - sodium hypochlorite and, 277f, 279f
 - substantivity of, 276–277
 - combinations of irrigants, 280–281, 280f
 - concentrations of, 274
 - dental tubule penetration of, 278f
 - detergents added to, 279–280
 - ethylenediamine-tetra-acetic acid
 - description of, 278–279
 - endodontic applications of, 279, 279f
 - HBPT, 279–280
 - history of, 278
 - mode of action of, 278–279
 - sodium hypochlorite and, 279
 - history of, 272
 - instrument with, 278
 - iodine potassium iodide, 281
 - optimal properties of, 272–281, 273b
 - sodium hypochlorite
 - allergic reactions to, 273–274
 - calcium hydroxide and, 729–731
 - “champagne bubble” test, 210
 - chemicomechanical debridement of root canal using, 729–731
 - chlorhexidine and, 277f
 - complications of, 756–758, 757f, 758f
 - description of, 817–819, 871
 - ethylenediamine-tetra-acetic acid, 279
 - extrusion of, 757–758, 757f
 - hypersensitivity to, 274
 - hypochlorous acid formation, 273
 - iatrogenic events caused by, 756–758, 757f, 758f
 - mode of action, 272–273, 273f
 - neutralization reaction, 273
 - pH, 273
 - root canal retreatment success affected by, 676
 - saponification reaction, 273
 - temperature effects, 274, 274f
 - time course of, 274–275
 - toxicity of, 275–276, 275f
 - syringe delivery for, 284–285
 - Tetraclean, 280
- Irrigation, of root canal
- antibacterial nanoparticles, 288–289
 - GentleWave system, 287, 287f
 - hydrodynamics of, 271–272, 271f, 272f
 - irrigants for. *see* Irrigants
 - laser-activated, 287–288
 - manually activated, 285
 - negative apical pressure for, 286, 286f
 - objectives of, 270
 - passive ultrasonic, 285–286
 - photoactivated disinfection, 288
 - protocol for, 292, 293f
 - Safety-Irrigator for, 286–287, 287f
 - sonically activated, 285, 285f
- Irrigation pressure, 271
- Ischemic heart disease, vasoconstrictors in patients with, 141
- Isolation techniques, 673–675
- Isthmus, 196–198, 199f
- J**
- Jaw
- metastases to, 143, 144f
 - osteonecrosis of, medication-related, 144–145, 145b
 - osteonecrosis of, radiation therapy as cause of, 644
- JS Post Extractor, 363
- J-shaped radiolucency, 856–858, 858f, 861–862
- K**
- K3, 255

K-files (*continued*)

- K-files
 - for coronal modification, 260–261
 - description of, 211f, 250
 - instruments, 248–250, 249f
 - pitch of, 243
 - stainless steel, 248f
- KY Pliers, for crown removal, 356f

L

- Lamellar bone, 418
- Lamina limitans, 516
- Laminar bone, 459t
- Langerhans cell histiocytosis, 94–95
 - radiographic features of, 94–95, 95f
- Largo Bur, 364–365
- Laser(s)
 - caries prevention, diagnosis, and treatment using, 573–574, 573f, 574f
 - CO₂, 572–573
 - dentin hypersensitivity treated with, 574
 - Er:YAG, 573–574, 574f
 - GaAlAs, 572–573
 - Nd:YAG, 573–574, 574f
 - pulp reactions to, 572–574, 572f
 - pulpotomy procedures of, 574
 - in treatment of dentin hypersensitivity, 574
 - types of, 572–573
 - wavelengths of, 572f
- Laser Doppler flowmetry, for pulpal blood flow assessments, 19, 810, 810f
- Lateral compaction obturation, 324–326, 324f, 325f, 326f
- Lateral luxation, 828
- Lateral periodontal cysts, 103–105, 946–948, 948–949f
 - radiographic features of, 103–105, 106f
- Lateral pharyngeal space, 744f, 746
- Lateral radicular cyst, 103, 105f
- Latex allergies, 164
- Le Fort I osteotomy, 577
- Leaving teeth open, 749, 750f
- Ledermix, 180, 284, 570, 831
- Ledges, 768–780
 - bypassing of, 773–779, 776f, 777f, 778–779f, 780f, 781–782f, 783f
 - causes of, 770, 772b, 772f
 - complications of, 780
 - description of, 393
 - hand instruments for bypassing, 773–778, 776f, 777f, 778–779f
 - incidence of, 770
 - management of, 770–773, 775f
 - prevention of, 780
 - prognosis for, 780, 784f
 - rotary instruments for bypassing of, 779, 783f
 - ultrasonic tips for, 779, 780f, 781–782f
- Lentulo spiral, calcium hydroxide application using, 820, 820f
- Lesions of endodontic origin (LEOs), 45
- Levonordefrin, 175
- Lidocaine
 - 2%, with 1:100,000 epinephrine, 167, 175
 - buffered, 168
 - infiltrations of, 168
- Light-curing luting cements, 880
- LightSpeed file, 254, 268
- Lingual shoulder
 - in anterior teeth, 206, 206f
 - in maxillary canine, 212
 - removal of, 206, 206f
- Lip lacerations, 840
- Lipopolysaccharides, 482–483
 - calcium hydroxide effects on, 281–282
 - nerve fibers stimulated by, 621
 - odontoblast exposure to, 560f
 - Toll-like receptor 2 expression affected by, 559
 - vascular endothelial growth factor affected by, 541
 - as virulence factor, 590
- Lipoteichoic acid, 623
- Local anesthesia/anesthetics
 - adverse effects of, 164–165
 - allergic reactions to, 165
 - articaine, 168
 - buffered lidocaine for, 168
 - bupivacaine for, 164, 168, 168f
 - cardiovascular reactions to, 164
 - clinical factors of, 165–166
 - confirming of, 166, 166f
 - description of, 412
 - diphenhydramine as, 168–169
 - for endodontics, 176
 - failure to achieve, 167
 - G protein-coupled receptor regulation of, 163
 - Gow-Gates technique, 169
 - infiltrations, 175
 - 0.5% bupivacaine with epinephrine, 175
 - 3% mepivacaine, 175, 175f
 - 4% prilocaine, 175
 - articaine, 175
 - lidocaine, 168, 175
 - injection sites for, 169
 - intraoral
 - amount of solution delivered, 174
 - anesthetic solutions for, 174
 - back pressure for, 174
 - description of, 173–175
 - discomfort during, 174
 - duration of, 173
 - endodontic uses of, 175
 - indications for, 175
 - mechanism of action, 174
 - onset of, 173
 - periodontal safety with, 174
 - postoperative discomfort with, 174
 - pulpal safety with, 174
 - selective, 174
 - success of, 173
 - systemic effects of, 174
 - intraosseous, 170f
 - bupivacaine for, 172
 - description of, 170–173, 170f
 - discomfort associated with, 173
 - duration of, 170, 170f, 172, 172f
 - failure of, 172–173
 - heart rate increase after, 173
 - injection pain with, 172–173
 - injection site locations, 172–173
 - lidocaine levels in plasma after, 173, 173f
 - for mandibular posterior teeth, 172
 - medical considerations for, 173
 - onset of, 172
 - perforator breakage with, 172–173
 - for postoperative discomfort, 173
 - repeating of, 172
 - Stabident system for, 170–171, 170f
 - success with, 172, 172f
 - systemic effects of, 173
 - X-Tip delivery system for, 171, 171f, 172–173
 - latex allergies, 164
 - lidocaine
 - 2%, with 1:100,000 epinephrine, 167, 175
 - buffered, 168
 - inferior alveolar nerve block use of, 167, 168
 - infiltrations of, 168
 - long-acting, 168, 182, 430
 - mandibular, 170–175, 170f, 171f
 - indications of, 170f
 - infiltrations of, 170
 - maxillary, 175, 175f
 - injection techniques, 176
 - mechanism of action, 163–164
 - methemoglobinemia caused by, 165
 - nerve blocks for
 - anterior middle superior alveolar, 176, 176f
 - infraorbital, 176
 - palatal-anterior superior alveolar, 176, 176f
 - posterior superior alveolar, 176
 - second division, 176
 - pain origin determination using, 133f
 - in patients with previous difficulty with anesthesia, 166
 - peripheral nerve paresthesias caused by, 165
 - periradicular surgery using, 430–433
 - in pregnancy, 143b, 165
 - pulp reactions to, 563–565, 564f, 565f
 - pulpal, 166, 166f
 - ropivacaine for, 168
 - routes of administration, 166
 - “rule of 25” for, 165
 - systemic diseases or conditions that affect, 165
 - systemic effects of, 165
 - types of, 164, 164t
 - vasoconstrictors
 - contraindications for, 165
 - description of, 141
 - drug interactions with, 166t
 - pulp blood flow affected by, 563–565, 564f

- pulp health affected by, 564f
- sulfite-induced in, 165
- Vazirani-Akinosi technique for, 169
- Localized hemostasis, in periradicular surgery, 437–439, 461–462
 - preoperative considerations in, 437
- Locus ceruleus, 117–118
- Long-acting local anesthetics, 168, 182, 430
- Low-molecular-weight heparins (LMWHs), 421
- Lubricants, 284
- Ludwig's angina, 748–749
- Luting cements, 879–881
- Luxation injuries, 828–837
 - apical neurovascular supply damage caused by, 831–833, 831f, 832f, 833f
 - biologic consequences of, 829–837
 - definition of, 828
 - description of, 809
 - incidence of, 828
 - intrusive, 828
 - lateral, 828
 - pulpal canal obliteration caused by, 829f, 831
 - pulpal necrosis caused by, 831
 - pulpal space infection caused by, 831–832, 831f, 832f
 - radiograph of, 810f, 811–812f, 814
 - subluxation, 828
 - treatment of, 828–829
 - types of, 828
- Luxation injuries, external inflammatory resorption secondary to, 713
- LY293558, 535
- Lymphatic vessel endothelium receptor-1 (LYVE-1), 539, 540f
- Lymphocytes, 519, 634
- Lymphomas, 3–6

M

- Macrophages
 - antigen-presenting, 518
 - in apical periodontitis, 628–629, 632, 634
 - description of, 518, 518f
 - foreign antigens phagocytosis by, 624
 - micrograph of, 518f
 - in wound healing, 416
- Magnetic resonance imaging (MRI), 25, 52, 67
- Magnetic resonance neurography, 52
- Magnification, periapical healing affected by, 675
- Malignancy
 - jaw metastases of, 143, 144f
 - treatment planning affected by, 143–144, 144f
- Malingering, 129
- Mandibular anterior teeth, anesthesia for, 173–174
- Mandibular artery, 794
- Mandibular body, 743
- Mandibular buccal vestibule, 743, 744f
- Mandibular canines
 - access cavity preparation in, 218–221
 - calcification age for, 226f
 - computed tomography of, 226f
 - eruption time for, 226f
 - root canal configurations in, 218–221, 226f
- Mandibular first molars
 - access cavity preparation for, 221–223, 229f
 - accessory canals in, 194, 196f
 - accessory foramina in, 221
 - anesthesia of, 169f
 - calcification age for, 229f
 - computed tomography of, 229f
 - eruption time for, 229f
 - furcation canal, 196f
 - mesial root canal of, 591f
 - pulp chamber floor in, 196f
 - radix entomolaris, 223, 230f
 - root canal configurations in, 229f, 230f, 233f
- Mandibular first premolars
 - access cavity preparation of, 208f, 221, 227f
 - calcification age for, 227f
 - computed tomography of, 227f
 - eruption time for, 227f
 - root canal configurations in, 221, 227f
- Mandibular implants, neuritic complications, 125–126
- Mandibular incisors
 - central
 - access cavity preparation for, 218
 - calcification age for, 223f

- Mandibular incisors (*continued*)
 computed tomography of, 224f
 eruption time for, 223f
 root canal configurations in, 218
- lateral
 access cavity preparation for, 218
 calcification age for, 223f
 computed tomography of, 225f
 eruption time for, 223f
 root canal configurations in, 218
 periradicular surgery on, 425
- Mandibular molars
 first. *see* Mandibular first molars
 furcation openings in, 194
 instrument separation in, 760
 mesial roots of, 864f, 865–866
 root canal in
 calcification of, 210f
 C-shaped, 223, 233f
 treatment of, 237f
 second. *see* Mandibular second molars
 third. *see* Mandibular third molars
- Mandibular posterior teeth, anesthesia for, 172
- Mandibular premolars
 crown of, 207f
 first. *see* Mandibular first premolars
 root canal configuration in, 199f
 root canal morphology in, 199f
 second. *see* Mandibular second premolars
- Mandibular second molars
 access cavity preparation for, 223, 230f
 apical resorption of, 714f
 in Asians, 195–196, 198f
 buccal space swelling associated with, 10, 10f
 computed tomography of, 231f
 eruption time for, 230f
 in Native Americans, 195–196, 198f
 root canal configurations in
 C-shaped, 223, 233f
 description of, 223, 230f, 231f, 233f
- Mandibular second premolars
 access cavity preparation for, 221, 228f
 computed tomography of, 228f
 root canal configurations in, 221, 228f
- Mandibular third molars
 access cavity preparation for, 223, 231f, 232f
 buccal space swelling associated with, 10, 10f
 calcification age for, 231f
 computed tomography of, 232f
 eruption time for, 231f
 root canal configuration in
 C-shaped, 223, 233f
 description of, 223, 231f, 232f
- Manually activated irrigation, 285
- Marginal periodontitis, 620, 940
- Martensite, 246, 249f
- Masserann technique, for separated instrument removal, 389, 760–761
- Mast cells, 519, 627–628
- Masticatory muscles, 121–122
- Matrix metalloproteinases, 568, 880
- Maxillary anesthesia, 175, 175f
- Maxillary anterior teeth
 anesthesia for, 174
 apical foramen in, 199
 canines. *see* Maxillary canine incisors
 labiolingual diameter of, 199
 root apex in, 199
- Maxillary canine
 access cavity preparation for, 212, 215f
 calcification age for, 215f
 computed tomography of, 215f
 eruption time for, 215f
 root canal configurations in, 212, 215f
- Maxillary first molars
 access cavity preparation for, 217–218, 219f
 buccal roots of, 219f
 calcification age for, 218f
 computed tomography of, 219f
 eruption time for, 218f
 external cervical resorption in, 724–725f
 external inflammatory resorption of, 714f
 mesiobuccal root of, 219f, 440f
 periradicular disease of, 414f
 pulp chamber of, 217–218
 root canal configurations for, 217–218, 218f, 219f
- Maxillary first premolars
 access cavity preparation for, 212, 216f
 in Asians, 212
- Maxillary first premolars (*continued*)
 bonded root-end filling in, 444f
 calcification age for, 216f
 computed tomography of, 216f
 eruption time for, 216f
 pulp chamber of, 212
 root canal configurations of, 212, 216f
- Maxillary incisors
 central
 access cavity preparation for, 212, 212f, 213f
 calcification age for, 212f
 computed tomography of, 213f
 eruption time for, 212f
 root canal configurations in, 212, 212f, 213f
- lateral
 access cavity preparation, 212, 214f
 calcification age for, 214f
 computed tomography of, 214f
 eruption time for, 214f
 internal root resorption of, 728f
 periradicular disease of, 413f
 root canal configurations in, 212, 214f
 periradicular disease associated with, 9–10
- Maxillary molars
 anesthesia of, 175f
 first. *see* Maxillary first molars
 palatal roots of, periradicular surgery considerations for, 424
 second. *see* Maxillary second molars
 third. *see* Maxillary third molar
- Maxillary second molars
 access cavity preparation for, 218
 calcification age for, 219f
 computed tomography of, 220f
 eruption time for, 219f
 external cervical resorption in, 724–725f
 mesiobuccal root of, 592f
 palatal root of, 592f
 root canal configurations in, 218, 219f, 220f
- Maxillary second premolars
 access cavity preparation for, 217, 217f, 219f
 computed tomography of, 217f
 root canal configurations in, 217, 217f
- Maxillary sinus
 aspergillosis of, 785f
 cone-beam computed tomography identification of, 423
 perforation of, 790–791
 periradicular surgery concerns regarding, 423–424, 462
- Maxillary sinusitis, 3–6
 of endodontic origin, 86
 radiographic features of, 86–88, 87f
- Maxillary third molar
 access cavity preparation for, 218, 221f, 222f
 calcification age for, 221f
 eruption time for, 221f
 root canal configurations in, 218, 221f, 222f
- McSpadden Compactor, 334
- Mechanical allodynia, 531
- Medical conditions
 dental care modification for, 3, 6b
 oral manifestations of, 3
- Medical consultation letter, 139, 140f
- Medical history, 3–6
 blood pressure measurement, 3
 form for, 7f
 medical conditions, 3, 6b
- Medicaments, 816, 677, 783–784 *see also* Intracanal medicaments
- Medication-related osteonecrosis of the jaw (MRONJ), 96–99, 98t, 144–145, 145b, 418–419
 antiangiogenesis medications, 98–99
 antiresorptive medications, 96–98
- Medullary dorsal horn, 534–535
- Melanocortin-1 receptor gene, 157
- Memory cells, 624
- Memory T cells, 518
- Mental foramen
 anatomy of, 792–793
 periradicular surgery localization of, 422, 422f, 423f
- Mental space, 743, 744f
- Mepivacaine (3%), for inferior alveolar nerve block, 175
- Mesenchymal stem cells, 477, 479f
 markers of, 478, 478f
 multipotent, 619–620
 in perivascular tissue, 416–417
- Mesiobuccal angle, 217–218
- Mesiopalatal canal orifice, 217–218
- Messing gun-type syringe, 432f
- Metal carrier, removal of, 374, 375f
- Metal restorations, 205
- Metallic post, 886t
 stress distribution with, 876f
- Methemoglobinemia, 165
- Methylchloroform, 368–369
- Microbiota. *see also* Microorganisms
 definition of, 598
 diversity of, 598–599, 599f
 identification of, 595–597, 596b, 598t
 in oral cavity, 598–599
 in root canal-treated teeth, 606–608, 607–608f, 609f, 610f
- Microcomputed tomography, 38
- Microcondensers, 431f
- Microcracks, 854, 865, 865f
- Microfilaments, 516
- Micromirror, 431f
- Microorganisms. *see also* Bacteria
 anachoresis of, 587
 apical periodontitis caused by, 586
 communities of, 593–594, 593f
 culture of, 595, 596b
 identification of, 595–597, 596b, 598t
 molecular methods for studying of, 597, 597b, 598f
 pathogenicity of, 588–590
 persistent periradicular disease caused by, 412–413
 populations of, 593
 posttreatment disease caused by, 413
 reintroduced intraradicular, posttreatment disease caused by, 344–345
 root canal penetration of, during root canal treatment, 588
 root canal system cleaning of, 237
 spatial distribution of, 590–593
 studies of, 597
 virulence factors of, 588–590
- MicroRNAs, 562–563
- Microseal system, 731
- Microsurgical scalpel, 430f
- Microtubules, 516
- Midface swelling, 746
- Mid-root level perforation repair, 401f
- Migraine headaches, 123
- Miller, Willoughby Dayton, 585–586, 586f
- Mineralized tissue formation, 906
- Minocycline, 839f
- Mobility
 recording of, 15b
 testing of, 14–15, 15b, 15f
- Modified glass ionomer core, 879
- Molar triangle, 217–218
- Monoclonal antibodies, 516
- Monsel solution, 438
- Morphogens, 481–484
- MRONJ. *see* Medication-related osteonecrosis of the jaw
- Msx1, 482
- Msx2, 482
- MTA-Angelus, 917
- MTwo, 256–257
- Mucobuccal fold, 11, 13f
- Mucoperiosteal flap, 725
- Mucous cell metaplasia, 637
- Mueller bur, 204f
- Multidetector computed tomography, 38
- Multilocular radiolucencies, 80–84, 81b, 81f
 ameloblastoma, 82–83, 85f
 central giant cell lesion, 83–84, 85f
 odontogenic keratocyst, 80–82, 82f, 83f, 84f
- Multinucleated osteoclasts, 831–832, 832f
- Multiple myeloma, 3–6, 100–101
 radiographic features of, 101, 101f
- Multiple-visit treatment, 148–151
- Multipotent mesenchymal stem cells, 619–620
- Multipotent stem cells, 477
- Musculoskeletal pain, 121–122
- M-Wire, 248
- Mylohyoid nerve block, 169–170, 169f
- Myofascial pain, 121–122
- Myofibroblast, 417
- MZI00, 874

N

N-acetyl-*p*-benzoquinone imine, 179
 Nanoparticles, antibacterial, 288–289

- Nasal mucosal pain, 122
 Nasolabial fold, 9–10, 9f
 Nasopalatine duct cyst, 105–106, 107f
 National Council for Radiation Protection, 36, 36b
 National Electrical Manufacturers Association (NEMA), 37
 Native Americans, mandibular second molar root configurations in, 195–196, 198f
 Natural killer cells, 629
 Nd:YAG laser, 573–574, 574f
 gutta-percha removal using, 371
 Neck structures, and toothache, 128
 Necrosis, and single-visit endodontics, 740–741
 Necrotic pulp tissue, obturation in, 307–308
 Negative apical pressure, 286, 286f
 Negative rake angle, 249–250
 Negative-pressure irrigation, 286, 286f
 Neovascularization, 634
 Nerve blocks
 anterior middle superior alveolar, 176, 176f
 infraorbital, 176
 mylohyoid, 169–170, 169f
 palatal-anterior superior alveolar, 176, 176f
 posterior superior alveolar, 176
 second division, 176
 Nerve fibers, 523t
 intradental, plasticity of, 532–533
 pulpal
 description of, 524, 524f, 526f
 neuropeptides in, 527
 Nerve fibers, in chronic apical periodontitis, 635f
 Nerve growth factor (NGF), 518, 532–533, 533f
 Neural modulating agents, for dentin hypersensitivity, 563
 Neuralgia, 124
 Neuritis, 125–126, 125f
 Neurogenic inflammation, 626f
 Neurogenic mediators, in pulp reactions, 560–561
 Neuropeptide Y (NPY), 527
 Neuroma, 124–125
 Neuropathic pain, 119b, 123–128
 Neuropathy, 126–128, 126f
 Neuropeptides
 description of, 527–537, 630
 pulp immune response modulated by, 560–561
 Y, 522, 522f, 562
 Neurovascular pain, 122–123
 Neutrophil extracellular traps, 623–624
 Neutrophils, polymorphonuclear, 416
 Nickel-titanium instruments
 for coronal modification, 260–261
 deformation of, 248f, 250f
 fracture in, 259, 260b
 Greater Taper hand files, 394–395
 gutta-percha removal using, 387, 388f
 rotary, 239f, 241, 246f, 260b, 865, 865f
 success rates with, 675–676
 Nickel-titanium spreaders, 866
 NiTi files, gutta-percha removal using, 786–788, 788–789f, 790f
 Nitinol, 246
 Nitrous oxide-oxygen, in pregnancy, 143
 NK1 antagonists, 535
 NMDA receptor, 535
 Nociceptive pain, 119b
 Nociceptors
 inflammatory mediators on, 531t
 pulpal, 120–121
 sensitization of, 530
 transmission of information, 527f
 Noncontinuous anesthesia, 167
 Nonendodontic lesions, cone-beam computed tomography for, 45
 Non-Hodgkin lymphoma, 99–100
 radiographic features of, 99–100, 100f
 Nonnarcotic analgesics
 acetaminophen, 179
 alternatives, 179
 drug interactions with, 179, 179t
 efficacy of, 178t
 limitations of, 179
 nonsteroidal anti-inflammatory drugs, 176–177
 overview of, 176–179
 types of, 177t
 Nonodontogenic toothache, *see also* Pain
 additional tests for, 132–134
 cardiac pain as cause of, 128
 case studies of, 134–135, 134f, 134t, 135t
 craniofacial structures that cause, 128–129
 description of, 115
 Nonodontogenic toothache (*continued*)
 examination for, 132–135
 frequency of, 130
 indicators of, 135
 intracranial structures as cause of, 128
 musculoskeletal pain as cause of, 121–122
 myofascial pain as cause of, 121–122
 neuralgia as cause of, 124
 neuritis as cause of, 125–126, 125f
 neuroanatomy of, 116–118
 A-beta fibers, 116
 A-delta fibers, 116–117
 autonomic nervous system, 118
 C fibers, 117
 central nervous system, 117–118
 neural structures, 116–118
 peripheral nervous system, 116–117
 primary afferent neurons, 116–117
 second-order neurons, 118
 somatic structures, 116
 neuroma as cause of, 124–125
 neuropathic pain as cause, 123–128
 neuropathy as cause of, 126–128, 126f
 neurovascular pain as cause of, 122–123
 patient examination for, 132–135
 red flags for, 135
 salivary gland pain as cause of, 122
 sinus pain as cause, 122
 somatic pain as cause of, 121–122
 sources of, 121–130
 Nonspecific innate immune response, 623–624
 Nonsteroidal anti-inflammatory drugs (NSAIDs)
 acetaminophen and, 183–184
 COX-inhibiting nitric oxide donors and, 184
 cyclooxygenase inhibition by, 419–420
 description of, 176–177
 drug interactions with, 179, 179t
 opioid analgesics and, 183–184
 periapical surgery use of, 429, 460–461
 postoperative pain managed with, 460–461
 preemptive uses of, 183–184
 pretreatment uses of, 182
 swelling reduction using, 751
 wound healing affected by, 419–420
 Nonsurgical retreatment, 343–410
 apical area access, 367–384, 367f, 372f
 apical surgery *versus*, 352–353
 armamentarium for, 344f
 considerations for, 354
 coronal access cavity preparation, 354–357, 355f, 356f
 endodontic, 354–397
 finishing of, 395–397, 396f
 gutta-percha removal, 367–371, 367f
 healing rates of, 352–353
 heat generation during, 392–393
 irrigant effects on, 676–677
 metal carrier removal, 374, 375f
 outcome measures for, 655–658
 outcome of, 692–694, 695f, 698f
 overview of, 343
 paste, 377–379, 378f
 perforation repair, 397–400, 397f, 398f, 401f
 periapical healing after, 694–699, 696–697t, 698f
 plastic carrier removal, 374, 376f
 post removal in, 357–367, 358f
 posttreatment disease, *see* Posttreatment disease
 prognosis of, 402–403, 402f
 root canal impediments, 393–395
 root-filling material removal, 367–368, 367f
 separated instrument removal, 384–392
 causes of, 384–386
 silver point removal, 379–384, 380f, 381f, 382f
 solid core obturators, 373–377, 374f, 377f
 surgical retreatment and, 351
 treatment planning for, 350–354, 351f, 354f
 Nonsurgical root canal treatment, outcomes
 evaluation of, 662–692, 674f
 periapical healing after, 673–686
 quality of life, 692, 694t
 tooth survival, 686–692, 691f
 Nonvital teeth
 aesthetic changes in, 872
 anterior, 882, 883f
 compositional changes in, 871
 dentin structure in, 871
 discoloration of, 872, 874f
 fracture resistance of, 871–872, 873f
 moisture content changes in, 871
 posterior, 883f
 tooth stiffness of, 871–872, 873f
 Novel oral anticoagulant drugs (NOACs), 421
 Nucleus raphe magnus, 117–118
- O**
 Obtura II, 731
 Obtura III, 330–331
 Obturation
 adequate, 306f
 apical barriers for, 334
 apical portion of, 313
 bacteria during, 605–606
 continuous wave, 327–329, 329f
 core materials for, 320–323, 866
 Activ GP, 322–323
 custom cones as, 323, 323f, 324f
 extrusion of, beyond radicular foramen, 785–790, 786f, 787f, 788–789f, 790f
 ideal, 320b
 in large RCS, 323, 324f
 Resilon, 322–323, 371, 372f
 silver cones, 321
 coronal orifice seal, 336
 GuttaCore, 375
 gutta-percha for, 304, 321–322, 321f, 322f
 carrier-based, 331–334, 332f, 333f
 description of, 731
 lateral compaction of, 326
 nanodiamond-embedded, 336
 overextension of, 785–786
 removal of, 785, 786f, 787f
 thermoplastic injection for, 330–331
 warm vertical compaction of, 326
 immediate, 334–336, 335f
 inadequate, 305f
 internal root resorption treated with, 731–734
 lateral compaction of, 324–326, 324f, 325f, 326f
 length of, 308–310, 308f, 309f, 310f
 managing solid core, 373–377, 373f, 377f
 materials for, 312–313, 312f, 313f, 314f
 in necrotic pulp tissue, 307–308
 paraformaldehyde-containing materials
 for, 312, 312f
 pastes for, 334
 preparation of, 310–312, 311f, 312f
 in pulpal necrosis, 311
 resin-bonded, 371
 sealers for, 313–320, 313b
 biocompatibility of, 312
 calcium hydroxide, 315
 glass ionomer, 315, 315f
 medicated, 319–320, 319f
 noneugenol, 315
 resin, 315–316
 silicone, 316–317, 316f
 tri/dicalcium silicate, 317–319, 317f, 318t
 zinc oxide and eugenol, 314, 314t
 solvent techniques for, 334
 thermomechanical compaction, 334
 thermoplastic injection technique for, 330–331, 330f, 331f
 timing of, 307–308
 in vital pulp tissue, 307
 warm vertical, 326–327, 327f, 328f, 329f
 Obturators, solid core, 373–377, 374f, 377f
 Occlusal cavities, 885
 Occlusal forces, 882
 Occlusal loading, tooth deformation during, 577
 Occlusal teeth evaluation, in access cavity
 preparation, 201
 Occlusal trauma, 349
 Occlusal wear facets, 347
 Occlusion-related pain, 737
 Ochslein-Luebke flap, 434f, 448
 Odontoblast(s), 480–481
 alkaline phosphatase secretion by, 515–516
 cell body of, 514–516
 cementoblasts *versus*, 515
 characteristics of, 515, 903
 chemokine secretion by, 559
 collagen synthesis by, 515–516
 dentin sialoprotein and, 480–481
 dentinogenesis, 514
 destruction of, 543
 differentiation of, 559
 displacement of, 530, 530f
 illustration of, 514f
 inactive, 516
 in inflammatory response to caries, 560, 561f
 in internal root resorption, 727

- Odontoblast(s) (*continued*)
 loss of, 906
 mesenchymal stem cell differentiation, 483t
 morphologic characteristics of, 515
 neuropeptides on, 516, 516f
 nucleus of, 515
 osteoblasts *versus*, 515
 predentin-dentin matrix secreted by, 903
 progenitors of, 914
 resting, 516
 secretory function of, 517
 structure of, 517
 Toll-like receptor expression, 559
 ultrastructural features of, 515, 515f
- Odontoblast layer, of pulp, 512–514, 513f, 514f, 561f
- Odontoblast process, 516, 559, 560f, 574f
- Odontoblast-like cells
 growth factors in differentiation of, 483t
 regenerative capacity of, 570
- Odontoclasts, 633, 711, 712f
- Odontogenic keratocysts, 80–82, 637
 radiographic features of, 82, 82f, 83f, 84f
- Odontogenic pain
 history-taking for, 130–132, 130f
 pulp-dentin complex as source of, 120
- Odontogenic toothache
 description of, 120–121
 sources of, 120–121
- Odontoma, 90, 90f, 91f
- Onlays, 874, 885t, 891f
- Operating microscope, in separated instrument removal, 386, 386f
- Opioid analgesics
 application of, 179–180, 180t
 nonsteroidal anti-inflammatory drugs and, 183–184
- Opioid receptors, in pulp, 562
- Opportunistic pathogens, 588
- Optical coherence tomography, for enamel crack detection, 25–26
- Oral Health Impact Profile (OHIP), 657, 692, 694t
- Orofacial complex, trauma to, 55
- Orofacial pain. *see* Pain
- Orthodontic extrusion, 887
- Orthodontic movement, pulp reactions to, 576–577
- Orthodontic surgery
 pulp blood flow affected by, 577f
 pulp reactions to, 577
- Osseous defects, 861
- Osseous lesion formation, theoretic pathways of, 941–945, 942f
 concomitant pulpal and periodontal lesions, 944–945, 945f
 primary, 942, 942f, 943f
 primary periodontal lesions, 944, 944f
 with secondary endodontic involvement, 944
 secondary periodontal involvement, 942–944, 943f
 true combined lesions, 944, 944f
- Osseous radiolucency, 862
- Osteoblasts
 collagen secretion by, 418
 in hard-tissue wound healing, 417–418
- Osteoclasts
 actin cytoskeleton of, 711
 in asymptomatic apical periodontitis, 632–633
 bone loss caused by, 623
 bone resorption caused by, 632–633, 633f
 definition of, 711
 in hard-tissue wound healing, 417–418
 multinucleated, 831–832, 832f
 ruffled border of, 711, 712f
- Osteomyelitis, 95–96
 acute, 96
 chronic, 96, 97f
 medication-related osteonecrosis of the jaw, 96–99, 98t
 with proliferative periostitis, 88, 89f
 radiographic findings of, 99, 99f
- Osteonecrosis of the jaw
 medication-related, 144–145, 145b
 radiation therapy as cause of, 644
- Osteopontin, 559
- Osteoprotegerin, 713
- Outcome measures
 for endodontic treatment, 654–658
 nonsurgical retreatment procedures, 655–658
 nonsurgical root canal treatment procedures, 655–658
 for periapical surgery, 658, 659f, 660f, 660t, 661f, 662f, 663f
- surrogate, 653
 types of, 653
 for vital pulp therapy procedures, 654–655, 655f, 655t, 658–662
- Outcomes evaluation, 651–710
 cone-beam computed tomography for, 62–65, 63f, 64f, 71–73
 context for, 652–653
 direct pulp capping, 659–660, 666–668t, 669f
 effectiveness of procedures determined using, 653–654
 factors affecting, 654
 full pulpotomy, 672t
 indirect pulp capping, 658–659, 663f, 664–665t
 nonsurgical retreatment, 692–694, 695f, 698f
 of nonsurgical root canal treatment, 662–692, 674f
 periapical healing after, 673–686
 quality of life, 692, 694t
 tooth survival, 686–692, 691f
 periodontal incisional wound healing, 699
 pooling data, 654
 prognostication value of, 654
 pulpotomy, 660–661, 669f, 670t, 672t
 purpose of, 653–654
 of surgical retreatment, 694–699
- Overlays, 874, 885t, 891f
- Oxygen consumption, 519
- P**
- Paget disease, 90–91
 radiographic features of, 90–91, 91f
- Pain. *see* Nonodontogenic toothache
 after periradicular surgery, 461
 aggravating factors of, 131
 alleviating factors for, 131–132
 analgesics for, 751
 associated factors, 132
 cardiac, 128
 central sensitization in, 118, 119b, 126–127, 533
 chronic, 132–134
 control, 162–191
 deep, 131
 definition of, 119b
 description of, 115, 119f
 descriptors of, 131, 131t
 detection of, 526–527
 facial, 115
 heterotopic, 119b, 121–122, 132
 history-taking for, 130–132, 130f
 induction of, 630
 intensity of, 131
 local anesthetics used to localize, 133f
 management for
 flexible analgesic strategy for, 183f
 flexible plan for, 182–184, 183f
 long-acting local anesthetics for, 168, 182
 pretreatment for, 182
 management of, 737–742
 after periradicular surgery, 461
 nonsteroidal anti-inflammatory drugs for, 460–461
 muscular, 132
 musculoskeletal, 121–122, 131
 myofascial, 121–122
 nasal mucosal, 122
 neuroanatomy of, 116–118
 A-beta fibers, 116
 A-delta fibers, 116–117
 autonomic nervous system, 118
 C fibers, 117
 central nervous system, 117–118
 neural structures, 116–118
 peripheral nervous system, 116–117
 primary afferent neurons, 116–117
 second-order neurons, 118
 somatic structures, 116
 neuropathic, 45, 119b, 123–128
 neurophysiology of, 118
 neurovascular, 122–123
 nociceptive, 119b
 occlusion-related, 737
 onset of, 132
 origins of, determination of, 132, 133f
 patient examination for, 132–135
 peripheral sensitization in, 118, 119b, 126–127
 periradicular, 121
 persistent dentoalveolar pain disorder, 126–128,
- Pain (*continued*)
 126f, 127b
 progression of, 131
 psychogenic, 129
 pulpal, 120
 pulpitis-related, 532
 quality of, 131, 131t
 referred, 30–31, 115, 119f, 120f, 131
 salivary gland, 122
 sinus, 122
 site of, 115
 somatic, 121–122
 source of, 115
 subjective nature of, 522
 superficial, 131
 temporal aspects of, 131
 terminology of, 118
 types of, 119b
 voltage-gated sodium channels and, 163t
- Pain history, 130–131, 130f
- Pain modulation, 535f
- Pain perception
 detection and, 526–527
 mechanisms of, 526
 medullary dorsal horn in, 534–535
 processing step of, 534–536
 schematic diagram of, 535f
 thalamus to cortex pathway, 536–537
- Painless pulpitis, 562
- Palatal-anterior superior alveolar nerve block, 176, 176f
- Palate
 anterior, swelling of, 11, 12f
 posterior, swelling of, 11, 13f
- Palatogingival grooves, pulpal and periodontal disease and, 940, 947f
- Palpation
 of cervical lymph nodes, 9
 in intraoral examination, 14
 of submandibular lymph nodes, 9
- Panoramic radiography, 65
- Pantomogram, 116f
- Parachloroaniline (PCA), 277
- Parafunctional habits, 577–578, 882
- Parallax radiographs, of internal root resorption, 729
- Paranasal sinus aspergillosis, 784
- Parapharyngeal spaces, 744f, 746
- Parathyroid hormone (PTH), 94
- Paresthesia
 after periradicular surgery, 462
 endodontic-related, 783
- Paresthesia, peripheral nerve, 165
- Partial pulpotomy
 calcium hydroxide, 817f
 crown fractures treated with, 817–819, 818f, 819f
 Cvek, 817, 818f
 definition of, 908–911, 909–910f
 direct pulp capping *versus*, 907–908
 follow-up after, 819
 indication for, 817
 outcomes evaluation of, 660–661, 669f, 670t, 672t
 prognosis of, 819
 root development after, 819f
 technique for, 817–819, 818f
- Partial restorations, 891–894
- Passive ultrasonic irrigation, 285–286
- Paste, nonsurgical retreatment using, 377–379, 378f
- Patency file, 262
- Patient
 evaluation of, 139
 registration of, 3
- Peeso drills, 252, 384
- Peeso reamers, 252
- Penicillin V, 840–841
- Percussion testing, 14, 14f
- Perforations
 cone-beam computed tomography of, 54
 definition of, 54
 furcal, 400f
 of maxillary sinus, 790–791
 during post removal, 366
- Perforin, 624
- Periapical abscess, 631f
- Periapical cemento-osseous dysplasia, 91–93, 92b
 radiographic features of, 92–93, 92f, 93f
- Periapical cysts, 101–103, 102f, 103f, 104f
 incidence of, 345
 pocket, 345
 radiographic features of, 101–103
 true, 345

- types of, 345
- Periapical diseases
 - after root canal treatment, 656–657, 656f
 - classification of, 28–30, 627
- Periapical granulomas, 101–103, 102f, 103f, 104f, 631–632
 - actinomyces in, 661f
 - radiographic features of, 101–103
- Periapical healing
 - after apical surgery, 660t, 696–697t, 698f
 - after nonsurgical retreatment, 694–699, 696–697t, 698f
 - description of, 658, 660t, 662f
 - factors that affect, 673–686
 - acute exacerbation during treatment, 682
 - apical preparation, 675
 - bacteria presence, 677–680, 677f, 678–680t
 - illumination, 675
 - irrigants, 676–677
 - isolation, 673–675
 - magnification, 675
 - mechanical preparation, 675–676
 - medicaments, 677
 - number of treatment visits, 682
 - operator, 673
 - patient-related, 673, 675t
 - root canal bacterial culture, 677–680, 677f, 678–680t
 - root filling, 681
 - summary of, 683–686, 683f, 684f, 686f, 687f
 - treatment-related, 673–682
 - fibrous, histologic view of, 657f
 - restorations effect on, 692
- Periapical health
 - after periapical surgery, 694–699, 696–697t, 698f
 - after root-end filling, 694–699, 696–697t, 698f
- Periapical index (PAI), 657–658
- Periapical infection
 - description of, 621
 - foreign bodies as cause of, 621
 - with sinus tract, 12–14
- Periapical inflammation, 621
- Periapical lesions
 - nonendodontic, 639
 - periapical healing affected by, 673
 - therapy-resistant, 659f
- Periapical mucositis, 88, 88f
- Periapical osteolytic lesions, 637
- Periapical osteoperiostitis, 88
- Periapical pathosis, differential diagnosis of, 80–107
 - ill-defined pathologies, 95–101, 96b
 - metastatic disease, 100, 100f
 - multiple myeloma, 100–101, 101f
 - non-Hodgkin lymphoma, 99–100, 100f
 - osteomyelitis, 95–96
 - multifocal presentations, 91–95, 92f
 - florid cemento-osseous dysplasia, 93–94, 93f
 - hyperparathyroidism, 94, 94f
 - Langerhans cell histiocytosis, 94–95, 95f
 - periapical cemento-osseous dysplasia, 91–93, 92b, 92f, 93f
 - multilocal radiolucencies, 80–84, 81b, 81f
 - ameloblastoma, 82–83, 85f
 - central giant cell lesion, 83–84, 85f
 - odontogenic keratocyst, 80–82, 82f, 83f, 84f
 - radiopacities in periapical region, 84–91
 - condensing osteitis, 84–86, 86f
 - exostoses and tori, 91, 92f
 - idiopathic osteosclerosis, 88–90, 89f
 - maxillary sinusitis of endodontic origin, 86, 87f
 - odontoma, 90, 90f, 91f
 - osteomyelitis with proliferative periostitis, 88, 89f
 - Paget disease, 90–91, 91f
 - well-defined unilocular periapical radiolucencies, 101–107
 - focal cemento-osseous dysplasia, 105, 107f
 - lateral periodontal cyst, 103–105, 106f
 - lateral radicular cyst, 103, 105f
 - nasopalatine duct cyst, 105–106, 107f
 - periapical cysts and periapical granulomas, 101–103, 102f, 103f, 104f
 - Stafne defects, 106–107, 108f
- Periapical radiolucencies, 306
- Periapical status, 657, 658t
- Periapical surgery
 - healing after, 658, 660t, 662f
 - outcome measures for, 658, 659f, 660f, 660t, 661f, 662f, 663f
 - periapical health after, 694–699, 696–697t, 698f
 - quality of life effects of, 699
 - success criteria for, 658, 660t, 662f, 663f
 - tooth survival after, 699
- Periapical wound healing, 642–643, 642t
- Peri-implantitis, 351f
- Periodontal crown lengthening surgery, 887
- Periodontal evaluation, 881
- Periodontal examination, 15
- Periodontal incisional wound healing, 699
- Periodontal inflammation, on pulp, influence of, 941
- Periodontal lesions, primary, 944, 944f
 - with secondary endodontic involvement, 944
- Periodontal ligament
 - cells of
 - apoptosis of, 413
 - description of, 619–620
 - collagen fibers of, 619–620
 - contusion injuries to, 715–716
 - definition of, 619–620
 - extracellular matrix of, 619–620
 - inflammation of, 14
 - mechanoreceptors of, 121
 - stem cells of, 477
 - substance P in, 561
- Periodontal pocket depth, 15
- Periodontal probing, 15
- Periodontal procedures, pulp reactions to, 575, 576f
- Periodontal scaling, 575
- Periodontitis
 - advanced, with periradicular inflammation, 452
 - apical. *see* Apical periodontitis
 - definition of, 30
 - marginal, 620
 - pulpal inflammation caused by, 575
 - retrograde, 940
- Periodontium, intraligamentary anesthesia injection
 - effects on, 174
- Periodontium, pulpal pathologic condition, influence of, 940–941
- Periorbital space, 744f, 746
- Periosteal derived stem cells, 477, 478f
- Peripheral inflammatory root resorption, 717
- Peripheral nerve paresthesias, 165
- Peripheral nervous system, 116–117
- Peripheral neuropathy, 127
- Peripheral sensitization, 118, 119b, 126–127, 530, 531b, 531t
- Periradicular abscess, 10f
- Periradicular cholesterol crystals, 413
- Periradicular disease
 - of maxillary first molar, 414f
 - of maxillary lateral incisor, 413f
- Periradicular inflammation
 - advanced periodontitis with, 452
 - description of, 589–590
- Periradicular lesions
 - implant success affected by, 578
 - radiograph of, 778–779f, 781–782f, 787f
- Periradicular pain, 121
- Periradicular pathosis, etiology of, 413, 439
- Periradicular surgery, 411–474
 - access for
 - flap designs, 433–436, 434f, 435f
 - full-thickness flap, 435f
 - hard-tissue, 436
 - horizontal incision for, 433–434, 434f
 - intrasulcular incision for, 433
 - principles used in, 433
 - soft-tissue, 433
 - submarginal flap, 435f
 - tissue reflection, 434–435, 435f
 - tissue retraction, 436
 - triangular flaps, 434f
 - vertical incision for, 433, 433f, 434f, 435f
 - anatomic considerations for, 422–425, 422f, 423f, 424f
 - anterior maxilla and mandible, 424–425, 424f
 - mandibular canal, 423
 - mental foramen, 422, 422f, 423f
 - posterior mandible, 422–423, 422f, 423f
 - posterior maxilla, 423–424, 424f
 - in anterior maxilla and mandible, 424–425, 424f
 - antibiotic prophylaxis before, 420–421, 429
 - in anticoagulation, 421
 - apical periodontitis treated with, 412
 - aspirin discontinuation before, 421–422
 - bacteremia associated with, 420–421
 - in bacterial endocarditis patients, 420–421
 - biopsy in, 436–437
 - bleeding after, 461–462
 - bleeding concerns during, 421
- Periradicular surgery (*continued*)
 - bone in
 - healing of, 417–418
 - heating effects on, 436
 - removal of, 436
 - cautery in, 439
 - chlorhexidine use before, 429
 - clinical decision making for, 414–415
 - complications of, 461–462, 462f
 - cone-beam computed tomography in
 - computed tomography *versus*, 425–426
 - description of, 425–428
 - mandibular canal identification using, 423
 - maxillary sinus identification using, 423
 - mechanism of action, 426
 - scan times with, 426
 - conscious sedation for, 429
 - curettage in, 436–437
 - electrosurgery in, 439
 - flap designs used in, 434, 434f, 435f
 - goals of, 433, 439
 - guided tissue regeneration in, 452–460, 452f, 453f, 454f, 455f, 456f, 457f, 458f, 459f
 - hard-tissue in
 - access considerations, 436
 - healing of, 417–418
 - removal of, 436
 - hemostasis during, 437–439, 461–462
 - incisions used in
 - horizontal, 433–434, 434f
 - intrasulcular, 433
 - submarginal, 435f
 - vertical relieving, 433, 433f, 434f, 435f
 - indications for, 412–415, 415f
 - informed consent for, 428–429
 - instruments used in, 429–430, 430f, 431f, 432f
 - intentional replantation, 460, 461f
 - local anesthesia for, 430–433
 - localized hemostasis during, 437–439
 - in mandible
 - anterior, 424–425, 424f
 - posterior, 422–423, 422f, 423f
 - on mandibular incisors, 425
 - in maxilla
 - anterior, 424–425, 424f
 - posterior, 423–424, 424f
 - maxillary sinus in
 - cone-beam computed tomography identification of, 423
 - exposure of, 462
 - in medically complex patients, 420–422
 - mental foramen identification, 422, 422f, 423f
 - nonsteroidal anti-inflammatory drugs and, 429, 460–461
 - objectives of, 439
 - operatory setup for, 429–430
 - pain after, 461
 - palatal roots of maxillary molars, 424
 - paresthesia after, 462
 - patient preparation for, 428–429
 - persistent periradicular disease treated with, 412–413
 - in posterior mandible, 422–423, 422f, 423f
 - in posterior maxilla, 423–424, 424f
 - postoperative care and instructions, 460–461
 - premedication before, 429
 - in prosthetic joint patients, 421
 - rationale for, 413–414
 - regeneration as goal of, 416
 - ridge preservation in, 460
 - root end
 - anatomy of, 439
 - angle of resection of, 440–441, 440f
 - burs for, 441
 - cavity preparation, 442–444, 442f
 - conditioning of, 441–442
 - filling materials for, 444–447
 - goals for, 439
 - management of, 439–442
 - perpendicular resection of, 440f
 - resection of, 439–440, 439f, 440f
 - success rates for, 414–415
 - surface preparation of, 441
 - surface topography of, 441
 - root-end cavity preparation, 442–444, 442f
 - errors in, 442f
 - illustration of, 442f
 - root fracture concerns, 442, 443f
 - ultrasonic, 442–443, 443f
 - root-end filling materials, 444–447
 - bioceramics, 447

- Periradicular surgery (*continued*)
 bonded, 444, 444f
 composite resins, 445–446
 Diaket, 445
 Dyract, 446
 Geristore, 446
 glass-ionomer cements, 445
 ideal characteristics of, 444
 mineral trioxide aggregate, 446–447
 overview of, 447, 449f, 450f, 451f
 resin-ionomer hybrids, 445–446
 zinc oxide-eugenol cement, 444–445
- surgical site closure
 flaps for, 448
 sutures for, 448–450
 technique for, 448, 451f
- sutures for, 448–450, 461
- tissue in
 reflection of, 434–435, 435f
 retraction of, 436
- transient bacteremia associated with, 420–421
- vertical relieving incisions for, 433, 433f, 434f, 435f
- wound healing
 angiogenesis in, 417
 biologic principles of, 415–416
 bisphosphonates effect on, 418–419
 cementoblasts in, 418
 cementogenesis in, 418
 clot formation in, 416
 collagen in, 417
 cyclooxygenase-2 inhibitors effect on, 420
 early inflammation in, 416
 endothelial cells in, 417
 epithelium in, 417
 factors that affect, 415–416
 fibroblasts in, 416–417
 fibroplasia in, 416–417
 glucocorticoids effect on, 419
 granulation tissue formation in, 416
 hard-tissue, 417–418
 hormones involved in, 418
 inflammatory phase of, 416
 late inflammation in, 416
 macrophages in, 416
 maturation phase of, 417
 nonsteroidal anti-inflammatory drugs effect on, 419–420
 osteoblasts in, 417–418
 osteogenesis in, 417–418
 polymorphonuclear neutrophils in, 416
 proliferative phase of, 416–417
 soft-tissue, 416–417
 systemic disease effects on, 413
 systemic medications that affect, 418–420
- Periradicular tissue
 anatomy of, 619
 injury response of, 620
 sodium hypochlorite effects on, 275f
- Peritubular dentin, 569, 569f
- Permanent restoration
 traumatic dental injury and, 842
 vital pulp therapy and, 928–929
- Persistent dentoalveolar pain disorder, 45, 126–128, 126f, 127b
- Persistent infections, 597–598
- Persistent periradicular disease, etiology of, 412–413
- Phagocytes, 629, 636f
- Phagosomes, 629
- Phantom tooth pain, 121, 126–128, 533
- Phenol, 283
- Phenolic preparations, 283
- Phospholipase A2, 629
- Phosphoryn, 515–516
- Photoactivated disinfection, 288
- Photon-induced photoacoustic streaming (PIPS), of irrigants, 288
- Photostimulable phosphor plates, 34
- Pink spots, 836–837, 837f
- Pit and fissure sealants, 573
- Plastic carrier removal, 374, 376f
- Platelet aggregation, 531–532
- Platelet endothelial cell adhesion molecule, 628
- Platelet-derived growth factor, 642t
- Platelet-rich plasma, 484
- Platelets, 629
- Plexus of Raschkow, 524, 525f
- Pluripotent stem cells, 477
- Pocket cysts, 345, 637–639, 637f, 638f
- Pockets
 probes for probing of, 860, 861f
 in vertical root fractures, 859–860, 859f, 860f, 861f
- Polocaine, 175
- Polycarboxylate cements, 879
- Polyglycolic acid, 459t, 484
- Poly(lactic acid) membrane, 459t
- Poly(lactic-coglycolic acid), 484
- Poly-L-lactic acid, 484
- Polymodal nociceptors, 529
- Polymorphonuclear leukocytes, description of, 180
- Polymorphonuclear neutrophilic leukocytes, in apical periodontitis, 628
- Polymorphonuclear neutrophils, in wound healing, 416
- Polytetrafluoroethylene membrane, 459t
- Pooling data, 654
- Porcelain fused to metal (PFM) crown, 355
- Positive rake angle, 250
- Post
 active, 358f
 broken, 359f
 cast, 879, 886t
 cast gold, 894–898, 897f
 ceramic, 364–365
 characteristics of, 877–878
 clinical procedures for, 887, 888f, 889f, 890f, 891f, 892f, 893f, 894f, 895f, 896f
 custom cast, 357–358
 excessive flexing of, 875–876
 fiber, 877–878, 887
 fiber-reinforced composite, 364–365
 fractured, 360f
 materials used in fabricating, 357–358, 358f
 passive, 358f, 362–363
 perforation, 397f
 placement of, 887
 prefabricated, 357–358, 877
 removal of
 exposure of post during, 361f
 instruments used in, 359
 in nonsurgical retreatment, 357–367, 358f, 359f
 perforation during, 366
 post separation during, 366
 potential complications of, 366–367, 366f
 retention reduction technique, 359
 techniques, 358–366, 386–392, 386f
 ultrasonic instrument for, 359
 resilience of, 877
 retention of, 877–878
 rigid, 885
 shapes of, 357–358
 in structurally compromised teeth, 885
 threaded, 877
 tooth survival affected by, 692
 tooth weakening caused by, 359
 tooth-colored, 363–364
 vented, 357–358
 zirconium, composition of, 878
- Post Puller, 363, 364f
- Post space, 877
- Posterior mandible, periradicular surgery in, 422–423, 422f, 423f
- Posterior maxilla, periradicular surgery in, 423–424, 424f
- Posterior superior alveolar nerve block, 176
- Posterior teeth. *see also specific posterior teeth*
 nonvital, restorations for, 882–885, 883f
 partial restorations in, 891–894
 structurally compromised, 887
- Posttreatment disease
 after apical surgery, 354f
 apical periodontitis, 348, 605f
 causes of, 345f
 clinical decision making for, 345–346
 clinical presentation of, 344f
 comparative testing of, 349
 cone-beam computed tomography of, 348, 426–428, 427f, 428f
 diagnosis of, 346–350, 347f, 349f, 350f
 etiology of, 343–346, 344f
 extraction-replantation for, 403, 404f
 extraradicular infection, as cause of, 352
 foreign body reaction as cause of, 352
 incidence of, 343
 intraradicular microorganisms as cause of, 344–345
 missed canals as cause of, 396f
 overextended filling materials as cause of, 413
 premolar with, 347f
 pulp vitality testing, 349–350
- radiographic assessment of, 347
- treatment of
 options for, 351
 tooth extraction for, 351–352, 351f
- Potassium nitrate, for dentin hypersensitivity, 563, 564f
- Practice management software, 6, 8f
- Precementum, 713, 715–716
- Predentin, 517, 517f, 834
- Prefabricated posts, 357–358, 877
- Pregnancy
 acetaminophen use in, 143
 drug used during, 142–143, 143b
 local anesthetics in, 165
 treatment planning affected by, 142–143, 143b
- Premedication, before periradicular surgery, 429
- Premolars
 mandibular
 crown of, 207f
 first. *see* Mandibular first premolars
 root canal configuration in, 199f
 root canal morphology in, 199f
 second. *see* Mandibular second premolars
 maxillary first. *see* Maxillary first premolars
 maxillary second. *see* Maxillary second premolars
- Pretracheal space, 744f, 746
- Pretrigeminal neuralgia, 124
- Prevertebral space, 744f, 746
- Previous endodontic treatment, symptomatic teeth with, 749
- Prevotella* spp., 749–750
- Prilocaine
 with 1:200,000 epinephrine, 175
 4%, for inferior alveolar nerve block, 175
- Primary afferent neurons, 116–117
- Primary dentin, 542
- Primary endodontic lesions, 942, 942f, 943f
- Primary pathogens, 588
- Primary periodontal lesions, 944, 944f
 with secondary endodontic involvement, 944
- Probes, 860, 861f
- Probing defect, 859–860
- Procollagen, 521
- Profile GT obturator, 331–333, 332f
- ProFile instruments, 255, 255f
- Profile Vortex file, 256
- Prognostication
 definition of, 654
 outcomes evaluation use for, 654
- Projection neurons, 117
- Pro-post drills, 332
- ProRoot MTA, 784
- Prostacyclin, 531–532
- Prostaglandins
 bone homeostasis regulation by, 419–420
 E, 419–420
 F, 419–420
 as inflammatory mediators, 531–532
- Prosthetic implants, 146
- Prosthetic joints, 421
- ProTaper Universal, 255–256
- ProTaper Universal obturators, 331–333
- ProTaper Universal retreatment files, 369–371
- Proteoglycans, 520
- Proton pump inhibitor, 179
- Provisional crowns, 898
- Pseudopocket, 635–636
- Psychiatric disorders, 146
- Psychogenic pain, 129
- Psychogenic toothache, 129
- Psychosocial evaluation, 146–147
- Pterygomandibular space, 744f, 746
- Pulp
 α-adrenergic receptors in, 538
 age-related changes in, 548, 903
 amputation of. *see also* Pulpotomy
 anatomy of, 903
 with apical periodontitis, 545f
 arterioles of, 537, 537f
 biological irritation of, 567–568
 calcific metamorphosis of, 547, 547f
 calcifications of, 394f, 545–548, 545f, 546f, 548f
 capillary blood flow in, 537, 538f
 carious exposure of, 562, 562f
 cell-poor zone of, 514
 cell-rich zone of, 514
 chemical irritation of, 567–568
 collagen fibers in, 521, 521f
 collagen in, 521, 521f
 configurations of, 192

Pulp (*continued*)

- connective tissue of, 520
 - coronal
 - inflammation of, 908
 - odontoblast layer of, 513
 - defenses of, against caries, 558
 - dendritic cells in, 713
 - disease of, clinical classification, 28–30
 - elastic fibers of, 521
 - elastin fibers of, 521
 - fibrosis of, 545f
 - fibrotic, 394f
 - fluid drainage from, 539–540
 - ground substance of, 520–521
 - healing potential of, 542
 - heat-related injury to, 566–567, 566f, 567f
 - hyaluronan of, 520–521
 - hyperalgesic, 531
 - immune response of, 560–561
 - influence of periodontal inflammation on, 941
 - innervation of, 120, 522–526, 522f, 523f, 523t
 - interstitium of, 520–521, 520f
 - intraligamentary anesthesia injection effects on, 174
 - living, 903
 - metabolism of, 519–520
 - morphologic zones of, 512–514, 513f, 514f
 - muscarinic receptors in, 539
 - neuroimmune interactions in, 533
 - nociceptors of, 120–121
 - normal, 28
 - odontoblast layer of, 512–514, 513f, 514f, 561f
 - opioid receptors in, 562
 - proteoglycans in, 520
 - radicular
 - nerve bundles through, 523–524, 523f
 - odontoblast layer of, 513, 514f
 - regenerative potential of, 500
 - repair of, 542–545, 543f
 - restorative materials effect on, 570–571, 571f
 - revitalization of, 823–824
 - sensory system of, 522
 - stem cells of, 480
 - structural proteins in, 521
 - transcapillary fluid exchange, 539–540, 540f
 - vascular supply of, 537–542, 537f, 539f
 - vitality of, loss of, 903–904
 - zones of, 512–514, 513f, 514f
- Pulp blood flow (PBF)**
- age-related decreases in, 570
 - Le Fort I osteotomy effects on, 577
 - orthodontic forces effect on, 576
 - vasoconstrictors effect on, 563–565, 564f
- Pulp capping**
- crown fracture treated with, 817
 - definition of, 817
 - direct
 - with bioceramics, pulp reactions to, 571–572
 - calcium hydroxide for, 907–908
 - carriogenic bacteria survival after, 919
 - definition of, 904
 - hemostatic agents for, 572
 - of mandibular molars, 922f
 - mineral trioxide aggregate for, 919, 920f, 921f, 922f, 923f
 - mineral trioxide aggregate (MTA) for, 572
 - partial pulpotomy versus, 907–908
 - direct, outcomes of, 659–660, 666–668t, 669f
 - indications for, 817
 - indirect, 908f
 - definition of, 907
 - outcomes of, 658–659, 663f, 664–665t
 - stepwise excavation, 658–659
 - mineral trioxide aggregate for, 919, 920f, 921f, 922f, 923f
 - mineral trioxide aggregate (MTA) for, 572
 - treatment recommendations for, 928
 - two-visit, 919
- Pulp chamber**
- anatomy of, 193
 - calcification of
 - access cavity preparation in, 210, 210f, 211f
 - illustration of, 210f
 - floor of, 193f
 - types of, 233f
 - visual inspection of, 209, 209f
 - pulp stones in, 546f
 - root of, 205–206, 205f
 - walls of, 202
- Pulp exposure**

Pulp exposure (*continued*)

- caries as cause of
 - description of, 562
 - direct pulp capping for, 571–572
 - disinfectants effect on, 572
 - hemostatic agents effect on, 572
 - illustration of, 562f
- Pulp horns**
 - anatomy of, 193
 - blood vessels in, 538f
 - intratubular nerve endings in, 524–526
- Pulp inflammation**
 - caries as cause of, 560, 561f
 - clinical symptoms and, 561–563, 562f
 - irreversible, 562
 - mediators of, 562
 - periodontitis as cause of, 575
 - preoperative, 565–566
- Pulp irritation**
 - biological, 567–568
 - calcium hydroxide as cause of, 570
 - cavity preparation as cause of, 570
 - chemical, 567–568
 - dentin permeability and, 569
 - description of, 566–568
 - indirect factors that cause, 571
 - restorative materials as cause of, 570
- Pulp necrosis**
 - burn lesion with, 567f
 - definition of, 29
 - diagnosis of, 562
 - previously therapy category of, 29
 - pulp testing, 29
- Pulp proper, 514**
- Pulp reactions**
 - age of patient effects on, 570
 - to caries, 557–560, 558f, 559f, 560f, 561f
 - to direct pulp capping with bioceramics, 571–572
 - to glass ionomer materials, 571
 - to hemostatic agents and disinfectants on direct pulp exposures, 572
 - to implant placement and function, 578
 - to laser procedures, 572–574, 572f
 - in prevention, diagnosis and treatment of caries, 573–574, 573f, 574f
 - in treatment of dentin hypersensitivity, 574
 - to local anesthetics, 563–565, 564f, 565f
 - neurogenic mediators involved in, 560–561
 - to orthodontic movement, 576–577
 - to orthodontic surgery, 577, 577f
 - to parafunctional habits, 577–578
 - to periodontal procedures, 575, 576f
 - to restorative materials, 570–571, 571f
 - to restorative procedures, 565–570
 - age of patient, 570
 - biological and chemical irritation, 567–568
 - dentin permeability effects, 569–570, 569f
 - desiccation, 567
 - heat, 566–567, 566f, 567f
 - odontoblastic layer, 569–570
 - physical irritation, 566–568
 - preoperative pulp inflammation, 565–566
 - proximity of procedures to dental pulp and surface area of dentin exposed, 568–569, 568f, 569f
 - to vital bleaching procedures, 575
- Pulp regeneration**
 - animal models of, 487
 - potential for, 500
- Pulp stones, 546, 546f, 547f**
- Pulp testing**
 - carbon dioxide for, 16, 16f
 - cold testing, 16, 17f, 527
 - electric, 17–19, 18b, 18f, 163, 527, 562
 - importance of, 15–19
 - lack of response to, 562
 - laser Doppler flowmetry for, 19
 - for pulp necrosis, 29
 - pulse oximeter for, 19, 19f
 - refrigerant spray for, 16, 17f
 - sensitivity of, 16
 - test cavity method for, 20
 - thermal methods of, 15–17, 16f
- Pulp vitality**
 - endodontic prognosis and, 147
 - testing of, *see* Pulp testing
- Pulpal access cavities, 192–235**
- Pulpal anesthesia**
 - articaine for, 169
 - confirming of, 166, 166f

Pulpal blood flow (*continued*)

- inferior alveolar nerve block for, 167, 167f
 - maxillary, 176
- Pulpal blood flow**
- anatomy of, 537f, 538–539, 538f
 - electrical stimulation effects on, 538–539
 - humoral control of, 539
 - laser Doppler flowmetry assessments of, 19, 810, 810f
 - local control of, 539
 - regulation of, 538–539, 538f, 539f
 - resting, 537–538
- Pulpal cells**
- dendritic cells, 518, 519f, 559
 - fibroblasts, 517–518, 517f
 - lymphocytes, 519
 - macrophages, 518, 518f
 - mast cells, 519
 - odontoblast process, 559, 560f
 - odontoblasts, *see* Odontoblast(s)
- Pulpal disease**
- differential diagnosis of, 945–948, 945t, 946f, 947f
 - intercommunication between periodontal and, 939–940
 - treatment alternatives for, 948–953, 949f, 950f, 951f, 952f
 - forced eruption or extrusion, 953, 953f
- Pulpal exposure**
- caries as cause of
 - illustration of, 589f
 - endodontic infections caused by, 587
- Pulpal inflammation**
- in apical root canal, 622f, 631f
 - description of, 540–542, 541f
 - illustration of, 589f
 - reparative dentin associated with, 543
 - vital pulp therapy in, 815
- Pulpal necrosis. *see also* Intraradicular infection**
- acute apical abscess with, 741–742
 - apical periodontitis after, 630–631
 - calcium hydroxide as cause of, 816
 - canine space infection as cause of, 9–10
 - crown fracture as cause of, 815, 815f
 - endodontic infections caused by, 588
 - fracture-induced, 852f
 - illustration of, 589f
 - periodontal disease as cause of, 587
 - pulpal inflammation as cause of, 541
 - revitalization of, 823–824
 - risk for, 475–476
 - in sickle cell anemia, 642
 - with symptomatic apical periodontitis, 739–741
- Pulpal nerve fibers**
- description of, 524, 524f
 - neuropeptides in, 527
- Pulpal pain, 120**
- Pulpal pathologic condition, influence of,**
- periodontium, 940–941
- Pulpal reactions, to caries, 904, 905f**
- Pulpal space, infection of, 831–832, 831f, 832f**
- eliminate, 833–835, 833f
 - prevention, 832–833, 832f
- Pulp-dentin complex**
- description of, 512, 586
 - nerve fibers in, 524, 524f
 - odontoblast in, 480–481
 - odontogenic pain caused by, 120
 - regeneration of, 487
 - structure and functions of, 511–556
- Pulpectomy**
- after pulpotomy, 820f
 - definition of, 819
 - in immature teeth, 919–920
 - indications for, 819–820
 - in mature tooth, 815
- Pulpitis**
- apical, 625–626
 - definition of, 28
 - hyperplastic, 560, 561f
 - irreversible, 738, *see* Irreversible pulpitis
 - pain associated with, 532
 - painless, 562
 - reversible, 28, 738
 - case study of, 135
 - causes of, 738
- Pulpotomy**
- calcific bridge formation after, 655f
 - cervical, 819
 - complete, 910–911, 911f
 - formocresol, 919–920

- Pulpotomy (*continued*)
 full
 definition of, 819
 follow-up, 819
 indications for, 819
 outcomes evaluation of, 672t
 prognosis of, 819
 technique for, 819
 mineral trioxide aggregate for, 909, 919–921, 923f, 924f
 outcomes evaluation of, 660–661, 669f, 670t, 672t
 partial
 calcium hydroxide, 817f
 crown fractures treated with, 817–819, 818f, 819f
 cvek, 817, 818f
 definition of, 908–911, 909–910f
 direct pulp capping *versus*, 907–908
 follow-up after, 819
 indication for, 817
 outcomes evaluation of, 660–661, 669f, 670t, 672t
 prognosis of, 819
 root development after, 819f
 technique for, 817–819, 818f
 pulpectomy after, 820f
 treatment recommendations for, 928
 Pulse oximeter, for pulp vitality assessments, 19, 19f
- Q**
 QMiX, 280–281, 280f
 Quality of life
 nonsurgical root canal treatment effects on, 692, 694t
 periapical surgery effects on, 699
- R**
 RaCe file, 256
 Racellets, 438, 438f, 449f
 Radiation absorbed dose, 426
 Radiation dose, 36, 36b
 Radiation therapy
 caries caused by, 642
 osteonecrosis of the jaw caused by, 644
 wound healing affected by, 144
 Radicular cysts
 asymptomatic apical periodontitis and, 636, 638f, 644
 bacteria in, 639f
 Radicular dentin
 description of, 865, 865f
 luting cement adhesion to, 880
 root canal cleaning and shaping objectives for, 238–239
 Radicular pulp
 nerve bundles through, 523–524, 523f
 odontoblast layer of, 513, 514f
 Radicular space, 304
 Radiography
 computed, 35–36
 digital
 description of, 22–23, 23f
 file formats for, 37
 digital modalities for, 34
 direct digital, 36
 interpretation of, 34–37, 35f
 modalities for, 34–36
 radiation dose during, 36, 36b
 Radiopacities, in periapical region, 84–91
 condensing osteitis, 84–86, 86f
 exostoses and tori, 91, 92f
 idiopathic osteosclerosis, 88–90, 89f
 maxillary sinusitis of endodontic origin, 86, 87f
 odontoma, 90, 90f, 91f
 osteomyelitis with proliferative periostitis, 88, 89f
 Paget disease, 90–91, 91f
 Radix entomolaris, 223, 230f
 Rake angle, 243
 RANKL, 632–633, 713
 Ratio measurement method, 263, 263f
 RC-Prep, 284
 Reactionary dentin, 542, 558, 558f
 Reciprocal, 257
 Rectified turpentine, for gutta-percha removal, 368f
 Referred pain, 30–31, 115, 119f, 120f, 131
 Refrigerant spray
 cold testing of pulp using, 16, 17f
 pulpal anesthesia testing using, 166f
- Regenerative endodontics/dentistry (*continued*)
 Regenerative endodontics/dentistry, 475–510
 clinical studies on, 487–500, 489f, 490f, 492f, 493f, 494f, 495f, 496f
 clinician-centered outcomes for, 499–500, 499f
 contemporary, 477
 delivery system, 485–486
 goal of, 475
 growth factors, 481–484, 481t, 482f, 483t
 history of, 475
 intracanal medicament, 489–490, 490f, 497
 morphogens, 481–484
 overview of, 475–477, 476f, 491–493, 492f, 493f
 patient-centered outcomes for, 498–499, 499f
 preclinical studies on, 477–487
 principles of, 477
 revascularization protocol, 493–497, 496f
 root length after, 491–493, 495f
 root wall thickening, 491
 scaffolds, 484–485, 485f
 scientist-based, 500, 501f
 stem cells in, 477–481, 478f, 479f
 summary of, 502
 translational studies, 486–487, 486f, 487f
 treatment outcomes, 497–500, 498b, 499f, 501f
 triple antibiotic paste, 488, 490f
 Remaining dentin thickness (RDT), 568, 814
 Removable partial dentures, 351–352
 Reparative bridge formation, 913, 913f
 Reparative dentin, 193, 194f, 530, 542, 543f, 544–545, 544f, 559f, 904–906
 Reparative dentinogenesis, 558
 Replantation, of avulsed teeth, 837
 Resilon, 322–323
 Resin cements, placement of, pulp irritation during, 568
 Resin composites, 872–874
 Resin-based luting cements, 879–881
 Resin-modified glass ionomer cements, 879, 913–914
 Resorbable membranes, 454, 459t
 Resorptive defects, cone-beam computed tomography and, 71
 Restorations
 adhesive systems, 891
 aesthetic evaluation and requirements, 882
 amalgam, 929
 biomechanical evaluation, 881–882
 clinical procedures, 887–898, 888f, 889f, 890f, 891f, 892f, 893f, 894f, 895f, 896f
 clinical protocols for, 885t, 886t
 crowns, 874–879
 defective, removal before access cavity preparation, 201, 202f
 direct composite, 872–874, 888f, 889f
 endocrown, 874, 885t, 892f
 ferrule, 872
 foundation, 875–876, 894–898
 full crowns, 874–879
 guidelines for, 882
 heat produced by, 566–567, 566f, 567f
 indirect, 874
 intracoronary, 850, 885, 887
 luting cements used with, 879–881
 materials and options for, 872–881
 in nonvital posterior teeth with minimal/reduced tissue loss, 882–885
 occlusal force evaluations, 882
 onlays and overlays, 874, 885t, 891f
 partial, 891–894
 periapical healing and, 692
 periodontal evaluation, 881
 permanent, 842, 928–929
 physical irritation caused by, 566–568
 post and core, 875, 879, 895f, 896f, 897f
 pretreatment evaluation before, 881–882, 881f, 885t
 principles for, 882
 provisional crowns, 898
 removal of, 201, 202f
 resin composite, 872–874
 in structurally compromised anterior teeth, 886
 in structurally compromised posterior teeth, 887
 in structurally sound anterior teeth, 882
 temporary, 842, 898
 tooth position evaluations, 882
 tooth preparation for, 887
 treatment strategy for, 882–887, 883f
 veneer, 885t, 890f
 Restorative materials, pulp reactions to, 570–571, 571f
 Restorative procedures, pulp reactions to, 565–570
- Restorative procedures, pulp reactions to (*continued*)
 age of patient, 570
 biological and chemical irritation, 567–568
 dentin permeability effects, 569–570, 569f
 desiccation, 567
 heat, 566–567, 566f, 567f
 odontoblastic layer, 569–570
 physical irritation, 566–568
 preoperative pulp inflammation, 565–566
 proximity of procedures to dental pulp and surface area of dentin exposed, 568–569, 568f, 569f
 Retractors, 431f
 Retreatment
 case examples of, 147–148, 147f, 148f
 considerations before, 147–148
 plan for, 148, 149f, 150f
 prognosis for, 147
 Retrograde periodontitis, 940
 Retropharyngeal space, 744f, 746
 Retroplast, 446
 Retrovisceral space, 744f, 746
 Revascularization protocol, 493–497
 Reversible pulpitis, 738
 case study of, 135
 causes of, 738
 description of, 28
 diagnosis, 906
 irreversible pulpitis and, differential diagnosis of, 906
 vital pulp therapy for, 906. *see also* Vital pulp therapy
 Richwil Crown & Bridge Remover, 357, 357f
 Ridge preservation, in periradicular surgery, 460
 RinsEndo system, 286
 Root
 apical third of, 199–200
 curved, 159f
 post placement and selection affected by, 877
 preparation of, 839–840
 extraoral dry time less than 60 minutes, 839, 839f
 extraoral dry time more than 60 minutes, 839–840
 Root apex, illustration of, 200f
 Root canal(s)
 accessory, 194, 195f
 anastomoses, 196–198
 anatomy of, 194–201
 apical part
 anatomy of, 199–201
 pulpal inflammation in, 631f
 bacteria in
 after chemomechanical procedures, 606
 ecosystem of, 603–604, 603f
 nutrient sources for, 603
 nutritional interactions, 604
 blockage of, 291–292, 395, 396f
 calcification of
 access cavity preparation in, 210, 210f, 211f
 cone-beam computed tomography of, 53–54
 removal of calcified material, 210
 cone-beam computed tomography of, 192–193
 configuration of, 197f, 198f
 apical considerations, 199–201
 clinical determination, 196–201
 coronal considerations, 196–201, 198f
 C-shaped, 198f, 223, 233f
 mid-root considerations, 196–199, 199f
 coronal anatomy of, 196–201, 198f
 C-shaped
 access cavity preparation in teeth with, 223, 233f
 illustration of, 198f
 dental operating microscope view of, 193, 194f
 diameter of
 description of, 199–200
 irrigation affected by, 271
 empty, 857f, 861f, 862–863
 furcation, 194, 196f
 impediments of, 393–395
 irrigation of. *see* Irrigation, of root canal
 isthmus, 196–198, 199f
 ledged, 394f
 missed, 396f
 multiple, 159f
 obstructions of, ultrasonic instruments for removal of, 387, 388f
 obturation of. *see* Obturation
 orifices of
 coronal flaring of, 206, 206f, 209, 209f
 identification of, 196, 198f, 209, 209f

- Root canal(s) (*continued*)
 instrumentation for, 202, 210
 rotary nickel-titanium openers for, 206, 206f
 straight-line access determination, 206–207, 207f
 overextended obturation material of, 51–53, 52f
 overfilling of, 51
 perforation, 291, 292f
 radiograph of, 395f
 sealers for. *see* Sealers
 transportation, 291
 treatment of, 865
- Root canal filling material
 overextension of, 786f
 radicular extrusion, 780–790
 causes of, 784–785
 illustration of, 785f
 management of, 785–790
 obturation as cause of, 785–790, 786f, 787f, 788–789f, 790f
 tissue damage caused by, 790
- Root canal infection
 bacteria that cause, 603
 primary, 621
 routes of, 586–588
- Root canal system
 cleaned and shaped, 304–342
 components of, 193–194, 194f
 cone-beam computed tomography of, 48, 49f
 historical perspectives, 307
 obturation of, 307–308
 sealing of, 304–307
- Root canal system cleaning and shaping, 236–303
 access cavity preparation. *see* Access cavity preparation
 biologic objective of, 239, 241f
 canal enlargement/preparation, 263–268
 apical preparations, 265t
 balanced force technique for, 267
 crown down, 267
 crown-down technique, 266
 “danger zones,” 266
 hybrid techniques for, 268, 269b, 269f, 270f
 LightSpeed technique for, 268
 nickel-titanium instrumentation techniques, 268
 rationale for, 263–266, 265f
 rotary instrumentation for, 267, 269f
 single length, 267–268, 268f
 standardized technique, 266
 step-back technique, 266
 step-down technique, 266
 strategies for, 263, 264f, 265f
 vertical root fracture risks, 865
- cervical dentin goals, 238–239
 clinical issues with, 239–240, 242f, 244f, 245f
 coronal modification, 260–262, 261f, 262f
 criteria for evaluating, 289–292
 disinfection, 270–289
 intracanal medications for, 281–284
 bioactive glass, 288
 calcium hydroxide. *see* Calcium hydroxide
 chlorhexidine as, 282–283
 formaldehyde, 283–284
 halogens, 284
 lubricants, 284
 phenolic preparations, 283
 steroids, 284
 syringe delivery for, 284–285
 triple-antibiotic paste, 284
 irrigants. *see* Irrigants
 irrigation. *see* Irrigation
 manually activated techniques for, 285
 photoactivation, 285
 syringe delivery for, 284–285
- final apical enlargement, 268–269
 fluid dispersion needles, 241f
 instruments for
 alloys used in, 245–248
 barbed broaches, 251, 251f
 breakage of, 259b
 cross-sectional design of, 242–243, 246f
 cutting angle of, 243, 246f
 cutting edge of, 242–243
 design elements of, 241–244
 endodontic, 241–260
 EndoSequence, 256
 engine-driven, 252–260, 252t, 253f, 254f, 265t
 fracture of, 252, 253f
- Root canal system cleaning and shaping (*continued*)
 Gates-Glidden drills, 251–252, 251f
 general characteristics of, 241–248
 GT file, 255
 GTX file, 255
 helical angle of, 243, 246f
 Hero Shaper, 256
 H-type, 250–251, 250f
 K3, 255
 K-files, 248–250, 249f
 LightSpeed file, 254
 longitudinal design of, 242–243, 246f
 low-speed engine-driven, 251–252
 manually operated, 248–251
 motors, 258–260, 258f, 259f
 MTwo, 256–257
 nickel-titanium rotary, 239f, 241, 246f, 260b
 Peeso reamers, 252
 ProFile, 255, 255f
 Profile Vortex file, 256
 ProTaper Universal, 255–256
 RaCe file, 256
 rake angle of, 243
 Reciproc, 257
 rotational speed of, 260
 self-adjusting file, 252, 254f, 257
 taper of, 243–244
 tip design of, 241–242, 245f
 Twisted file, 256
 WaveOne, 257
- International Standards Organization norms, 244–245, 247f, 248f
 manually activated techniques for, 285
 mechanical objective of, 238–239, 240f
 of microorganisms, 237
 noninstrumentation technique for, 239, 242f
 objectives of, 237b
 obturation after. *see* Obturation
 patency file for, 262
 principles of, 237–240
 protocol for, 292, 293f
 radicular dentin goals, 238–239
 surface irregularities created during, 247
 technical objective of, 239
 well-shaped canals from, 289
 working length determination, 262–263
- Root canal treatment
 access cavity preparation for. *see* Access cavity preparation
 bacteria effects on success of, 677–680, 677f, 678–680t
 chemomechanical debridement, 717
 culture test, 656–657
 diagnostic outcome of, 306
 effect of persistent bacteria on, 680–681
 illustration of, 250f
 of mandibular molars, 237f
 microbial penetration during, 588
 nonsurgical
 outcome measures for, 655–658
 periapical wound healing after, 642–643
 orthograde, 237
 periapical diseases after, 656–657, 656f
 periapical healing after, factors that affect, 673–686
 acute exacerbation during treatment, 682
 apical preparation, 675
 bacteria presence, 677–680, 677f, 678–680t
 illumination, 675
 irrigants, 676–677
 isolation, 673–675
 magnification, 675
 mechanical preparation, 675–676
 medicaments, 677
 number of treatment visits, 682
 operator, 673
 patient-related, 673, 675t
 root canal bacterial culture, 677–680, 677f, 678–680t
 root filling, 681
 summary of, 683–686, 683f, 684f, 686f, 687f
 treatment-related, 673–682
 periapical radiolucency and, 147
 restorative factors that affect, 682–683
 success rates for, 343
 tooth survival after, factors that affect
 description of, 686–692, 691f
 diabetes mellitus, 686–689
 patient factors, 686–689
 preoperative conditions of teeth, 690–692
- restorative factors, 692
 summary of, 692, 693f
 tooth morphologic type and location, 689–690
 treatment factors, 692
- Root canal-treated teeth
Candida albicans in, 608
Enterococcus faecalis in, 606, 607–608f, 608f
 microbiota in, 606–608, 607–608f, 609f, 610f
- Root development, after partial pulpotomy, 819f
- Root end
 anatomy of, 439
 angle of resection of, 440–441, 440f
 apexification. *see* Apexification
 burs for, 441
 cavity preparation, 442–444, 442f
 conditioning of, 441–442
 filling materials for, 444–447
 goals for, 439
 management of, 439–442
 perpendicular resection of, 440f
 resection of, 439–440, 439f, 440f
 determination of, 439
 surface preparation of, 441
 surface topography of, 441
- Root filling
 apical extent of, 681–682
 office visit for, 842
 quality of, 682
 soft technique for, 822f
- Root filling materials
 aesthetic appearance of teeth affected by, 872
 heat used to soften, 393
 neuritis caused by, 125
 placement of, 432f
 removal of, 367–368, 367f
 treatment outcomes affected by, 681
- Root fractures, 824–827
 apical, 826–827
 causes of, 876–877
 clinical presentation of, 824
 complications of, 826–827
 cone-beam computed tomography diagnosis of, 55
 coronal, 826, 829f
 definition of, 824
 description of, 809
 diagnosis of, 55–59, 415f, 824, 824f
 exploratory surgery to diagnose, 415f
 facial, 826f
 fatigue, 853, 876
 follow-up for, 827
 healing of, 59, 824–825, 826f, 827f, 828f, 829f
 horizontal (transverse), 811–812f, 814, 824, 826f
 internal root resorption, 829f
 intra-alveolar, 55
 midroot, 826–827, 855f, 858f
 prognosis for, 827
 radiographs of, 824, 825f
 treatment of, 824
 ultrasonic root-end preparation as cause of, 442–443, 443f
 vertical. *see* Vertical root fractures
- Root perforations, 27–28
 cone-beam computed tomography of, 54, 731–733
 coronal-radicular access to, 398
 definition of, 27–28
 furcal, 400f
 materials used to repair, 399f
 mineral trioxide aggregate for, 28, 731–733
 repair of, 397–400, 399f, 401f
 sealing of, 28
 treatment of, 28
- Root planning, 575
- Root resorption
 causes of, 59
 cementum involvement in, 643
 characteristic key features of, 733t
 cone-beam computed tomography of, 59–62, 62f
 definition of, 711
 external. *see* External root resorption
 histologic features of, 711–713, 712f
 inflammatory, 831f
 internal. *see* Internal root resorption
 odontoclasts in, 711, 712f
 osteoclasts in, 711
 radiographs of, 811–812f, 812, 832f
- Root wall thickening, regenerative endodontic procedure, 491
- Root-end filling

- determination of, 439
overextended, 413
periapical health after, 694–699, 696–697t, 698f
tooth survival after, 699
- Root-end filling materials, 444–447
bioceramics, 447
bonded, 444, 444f
composite resins, 445–446
Diaket, 445
Dyract, 446
Geristore, 446
glass-ionomer cements, 445
ideal characteristics of, 444
mineral trioxide aggregate, 446–447
overview of, 447, 449f, 450f, 451f
resin-ionomer hybrids, 445–446
zinc oxide-eugenol cement, 444–445
- Ropivacaine, 168
- Rotary instruments
gutta-percha removal using, 369–371, 370f, 374
nickel-titanium, 239f, 241, 246f, 260b, 865, 865f
stress on, 385f
- Rotary nickel-titanium orifice openers, 206
- Rotated teeth, access cavity preparation in, 210–211
- Roto-Pro bur, 359, 360f
- Round carbide burs, 202–205, 204f
- Round diamond burs, 202–205, 204f
- Roydent Extractor System, 383f, 390f
- Rubber dam, periapical healing affected by, 673–675
- Ruddle Post Removal System, 362–363, 363f
- Ruffled border, of osteoclasts, 711, 712f
- S**
- 16S rRNA, 597
- Saccharolytic species, 604
- Safety-Irrigator, 286–287, 287f
- Salivary gland pain, 122
- Salivary gland stem cells, 477, 478f
- Sargenti paste, 125
- Scaffolds, 484–485, 485f
- Scandonest, 175
- Scheduling of appointments, 159
- Schwann cells, 525f
- Sealers
calcium hydroxide, 315
epoxy resin, 315
extrusion of, 312, 314f
glass ionomer, 315, 315f
ideal, properties of, 313–320, 313b
medicated, 319–320, 319f
methacrylate resin, 315–316, 315f
noneugenol, 315
placement of, 320, 320f
radiopacity of, 313
resin, 315–316
epoxy, 315, 315f
methacrylate, 315–316
silicone, 316–317, 316f
tri/dicalcium silicate, 317–319, 317f, 318t
zinc oxide and eugenol, 314, 314t
- Sealing, of root perforations, 28
- Second division nerve block, 176
- Secondary dentin, 542, 548
- Secondary hyperalgesia, 118, 122
- Second-order neurons, 118
- Sedation, conscious, for periradicular surgery, 429
- Selective anesthesia, 20
- Self-adhesive cements, 881
- Self-adjusting file, 252, 254f, 257
- Self-curing luting cements, 880
- Self-etching adhesive systems, 891, 926
- Self-etching formulations, 568
- Sensitization
central, 118, 119b, 126–127, 533
peripheral, 118, 119b, 126–127, 530, 531b, 531t
- Sensory fibers, 523t
- Separated instruments, 759–768
causes of, 384–386, 385f, 759–760
chemical removal, 760
dental injection needle for removal of, 388
Endo Extractor kit for removal of, 389, 760–761
files, 387, 387f, 762–764, 763f
Hedstrom files for removal of, 381, 389f
illustration of, 390f
improper use as cause of, 759–760
Instrument Removal System, 390, 391f
loop for, 768, 774f
management of, 760–762
in mandibular molars, 760
- Separated instruments (*continued*)
Masserann technique for removal of, 389, 760–761
nonvisible instrument retrieval, root canal
preparation stage for, 764–765, 766f, 767f, 768f, 769f
operating microscope used in removal of, 386, 386f
prevention of, 386
prognosis for, 386, 387f, 768, 774f
radiograph of, 759–760f
removal attempts of, 762
removal techniques for, 386–392, 386f
retrieval techniques, 765–768
S.I.R. System for retrieval of, 391
ultrasonic instruments for removal of, 363–364, 387, 388f, 761
ultrasonic oscillation for, 765–768, 770–771f, 771f, 772f, 773f
visible instrument retrieval, root canal preparation stage for, 762–764, 763f, 764f, 765f, 766f
- Septocaine, 175
- Serotonin, 416
- Sialoprotein
bone, 481
dentin, 480–481
- Sickle cell anemia, 3–6, 642
- Sievert (Sv), 426
- Signal-to-noise ratio (SNR), 36–37
- Silver points
corrosion of, 379–380, 380f
disadvantages of, 379–380
Gates-Glidden burs for removal of, 381–383
Hedström file for removal of, 381
illustration of, 384f
persistent disease with, 380f
removal of, 380–381
trephine burs for removal of, 381
- Simplifill, 333–334, 334f
- Single amino-acid polymorphisms, 641
- Single nucleotide polymorphisms, 640
- Single-visit endodontics, necrosis and, 740–741
- Single-visit treatment, description of, 148–151
- Sinus pain, 122, 132
- Sinus palpation, 132
- Sinus tracts
coronally located, 856f, 860
extraoral, 10, 11f, 12f
intraoral, 11–14, 13f
periapical infection with, 12–14
periapical radiograph of, 425f
stoma of, 14
- S.I.R. System, 391
- Sjögren syndrome, 642
- Small integrin-binding, ligand N-linked glycoproteins, 481
- Smear layer removal, 280
citric acid for, 441
ethylenediamine tetraacetic acid for, 441
root-end conditioning, 441
tetracycline, 441
- Sodium hypochlorite
allergic reactions to, 273–274
calcium hydroxide and, 729–731
“champagne bubble” test, 210f
chemicomechanical debridement of root canal using, 729–731
chlorhexidine and, 277f
complications of, 756–758, 757f, 758f
concentrations of, 274
description of, 817–819
ethylenediamine-tetra-acetic acid, 279
extrusion of, 757–758, 757f
hemostasis using, 926
history of, 272
hypersensitivity to, 274
hypochlorous acid formation, 273
iatrogenic events caused by, 756–758, 757f, 758f
mode of action of, 272–273, 273f
neutralization reaction, 273
pH, 273
root canal retreatment success affected by, 676
saponification reaction, 273
temperature effects, 274, 274f
time course of, 274–275
toxicity of, 275–276, 275f
- Soft-tissue
healing of, 416–417
intraoral, examination of, 10
- Software, dental history using, 6, 8f
- Solid core obturators, 373–377, 374f, 377f
- Solvents, for gutta-percha removal, 368–369, 368f
- Somatic pain, 121–122
- Sonically activated irrigation, 285, 285f
- Space-occupying lesions, 128
- Spatial resolution, 35–36, 44, 44f
- Spirochetes, 590, 591f
- Splinting, 840, 840f
- Split tooth, 26
definition of, 849, 851
description, 851–854
diagonal, 855f
treatment planning for, 853–854, 854f
- Spoon, endodontic, 205
- Spot desmosomes, 513–514
- Stafne defects, 106–107
radiographic features of, 106–107, 108f
- Staining, for crack detection, 20
- Stainless steel carriers, 373, 373f
- Stainless steel files, 245, 248f
- Stainless steel hand spreader, 866
- Stainless steel post, 358f
- Staphylococcus aureus*, 632
- Steiglitz forceps, 374, 374f
- Stem cells
apical papilla, 476–477, 478f
bone marrow, 477, 478f
dental follicle, 477, 478f
dental pulp, 480
embryonic, 477
epithelial, 477
from human exfoliated deciduous teeth, 477
mesenchymal, *see* Mesenchymal stem cells
multipotent, 477
periodontal ligament, 477
periosteal derived, 477, 478f
pluripotent, 477
populations of, 477
regenerative endodontics use of, 477–481, 478f, 479f
salivary gland, 477, 478f
- Step-back technique, for canal enlargement/
preparation, 266
- Sterilox, 288–289
- Steroids, for root canal disinfection, 284
- Stieglitz Pliers, 381
- Stoma
definition of, 11
sinus tract, 11
- Straight-line access cavity preparation, 201, 201f
- Stromal derived factor 1, 487
- Stropko syringe, 448f
- Structurally compromised teeth, 885
- Subcutaneous emphysema, cervicofacial, 798–799, 799f
- Subepithelial external root resorption, 717
- Sublingual space, 743, 744f
- Subluxation, 828
- Submandibular lymph nodes
palpation of, 9
tuberculosis involvement of, 3–6
- Submandibular space, 743, 744f
- Submarginal flap, 435f, 448
- Submasseteric space, 744f, 746
- Submental space
description of, 743, 744f
swelling of, 10, 11f
- Subnuclei caudalis neurons, 534–535
- Subnuclei interpolaris neurons, 534–535
- Subnucleus caudalis, 117
- Substance P, 561, 642t
- SuccessFil, 333, 333f
- Sulfite-induced reactions, 165
- Super-EBA, 445
- Superficial pain, 131
- Superficial temporal space, 744f, 746
- Superior cervical ganglion (SCG), 522
- Super-oxidized water, 288–289
- Supraosseous extracanal invasive resorption, 717
- Surface irregularities, from root canal system
cleaning and shaping, 247
- Surgery
American Society of Anesthesiologists risk system for, 420
periradicular, *see* Periradicular surgery
Surgical debridement, 643–644
- Surgical retreatment
nonsurgical retreatment and, 351
outcomes evaluation of, 694–699
periapical wound healing after, 643–644
- Surgicel, 437–438

- Sutures
for periradicular surgery, 448–450, 461
removal of, 461
resorbable, 448–450
- Swelling
with acute periradicular abscess, 741–742
extraoral, 9f, 10f, 11f, 12f
intraoral, 10–11, 12f, 13f
midface, 746
mucobuccal fold, 11, 13f
- Symptomatic apical periodontitis, 30
- Symptomatic irreversible pulpitis, description of, 29
- Symptomatic vital teeth, pulp anesthesia
determinations in, 166
- Syndrome, 26
- Synthetic graft, 460t
- Systemic diseases, 640
- Systemic medications, wound healing affected by, 418–420
- T**
- Taper, 243–244, 291f
- Taper lock, 290
- T-cell antigen receptors, 624
- Teeth. *see also specific maxillary and mandibular teeth*
abutment. *see* Abutment teeth
anterior. *see* Anterior teeth
avulsed. *see* Avulsed teeth
crack. *see* Crack(s); Cracked tooth syndrome
endodontically treated. *see* Endodontically treated teeth
leaving open, 749, 750f
nonrestorable, 352, 353f
posterior. *see* Posterior teeth
sympathetic innervation of, 522
- Telopeptide of the procollagen molecule, 521
- Temporal space, 744f, 746
- Temporary restoration, 842, 898
- Tension-type headaches, 123
- Terauchi File Retrieval Kit, 391f
- Terminal periodontal disease, 352
- Terminal restriction fragment length polymorphism, 597
- Tertiary dentin
description of, 542
formation, 904–905
formation of, 558
- Tertiary dentinogenesis, 557
- Test cavity method, for pulp vitality
assessments, 20
- Tetraclean, 280
- Tetracycline
root-end surface modification using, 441
smear layer removal using, 441
- Tetrodotoxin, 163, 533
- T_H0 cells, 624–625
- T_H1 cells, 624–625
- T_H2 cells, 624–625
- Thermafil, 331–334, 332f, 373, 373f
- Thermal allodynia, 531
- Thermoplastic injection technique, for obturation, 330–331, 330f, 331f
- Thomas Screw Post Removal Kit, 362, 362f
- Thoracic structures, and toothache, 128
- Threaded posts, 877
- Three-dimensional imaging, 38, 39f, 65, 66f, 67f
- Throat structures, and toothache, 128
- Thromboxane A₂, 531–532
- Tissue engineering
advancements in, 475
cell homing, 485–486
scaffolds, 484
- Tissue reflection, in periradicular surgery, 434–435, 435f
- Titanium trauma splint, 840, 840f
- TLR4/CD14, 623
- Toll-like receptors, 559, 621, 628
- Tomography
computed. *see* Computed tomography
definition of, 38
- Tooth avulsion
clinical management of, 838
at accident site, 838
in dental office, 838
consequences of, 837–838
description of, 809
diagnosis and treatment planning for, 838–839
pulpal necrosis caused by, 838
- Tooth discolorations (*continued*)
replantation, 837
root preparation, 839–840
socket preparation in, 840
treatment of, 838
- Tooth discolorations, 872, 874f
- Tooth extraction
posttreatment disease treated with, 351–352, 351f
for vertical root fractures, 866
- Tooth germ progenitor cells, 477
- Tooth morphology, 192–235
- Tooth pain. *see also* Toothache
acute maxillary sinusitis *versus*, 3–6
- Tooth Slooth, 19–20, 20f, 849–850, 850f
- Tooth stiffness, 871–872, 873f
- Toothache
clinical entities as, 120–130
nonodontogenic. *see* Nonodontogenic toothache
odontogenic
description of, 120–121
sources of, 120–121
organic source of, 128–129
psychogenic, 129
referred, 128–129
- Torsional fatigue, 760
- Torsional fracture, of instruments, 289
- Touch 'n Heat, 375, 375f
- Transcription factors, 482
- Transforming growth factor- α , 642t
- Transforming growth factor- β , 642t
- Transforming growth factor- β (TGF- β), 558
- Transient apical breakdown, 837
- Transient receptor potential (TRP), 516
- Transillumination
crack detection using, 20, 21f, 850, 850f
light source for, 850f
- Transmetal burs, 204f, 205, 355
- Transparent dentin, 871
- Traumatic dental injury
adjunctive therapy for, 840–841
second visit, 841
aspects of, 808–847
avulsed teeth
clinical management of, 838
consequences of, 837–838
description of, 809
pulpal necrosis caused by, 838
replantation, 837
treatment of, 838
cone-beam computed tomography of, 54–59, 59f, 60f, 71, 811–812, 813f
crown fractures
complicated, 814–815, 814f, 815f
description of, 809
treatment of, 814
uncomplicated, 814
crown infraction, 814
crown-root fractures, 809, 824
description of, 809
endodontic treatment, 841–842
follow-up after, 809–810
luxation injuries, 828–837
apical neurovascular supply damage caused by, 831–833, 831f, 832f, 833f
biologic consequences of, 829–837
definition of, 828
description of, 809
incidence of, 828
intrusive, 828
lateral, 828
pulpal canal obliteration caused by, 829f, 831
pulpal necrosis caused by, 831
pulpal space infection caused by, 831–832, 831f, 832f
radiograph of, 810f, 811–812f, 814
subluxation, 828
treatment of, 828–829
types of, 828
periodontal ligament contusion injuries secondary to, 715–716
permanent restoration, 842
dentoalveolar trauma, to primary dentition, 842
follow-up care for, 842
late complications of, 842, 843f
prevalence of, 54–55
radiographic examination of, 810–814, 810f, 811–812f, 813f
replantation for, 837, 839
- Traumatic dental injury (*continued*)
root fractures, 824–827
apical, 826–827
clinical presentation of, 824
complications of, 826–827
coronal, 826, 829f
definition of, 824
description of, 809
diagnosis of, 824, 824f
facial, 826f
follow-up for, 827
healing of, 824–825, 826f, 827f, 828f, 829f
horizontal (transverse), 811–812f, 814, 824, 826f
internal root resorption, 829f
midroot, 826–827
prognosis for, 827
radiographs of, 824, 825f
treatment of, 824
soft tissue management in, 840
splinting of, 840, 840f
temporary restoration, 842
types of, 809
vital pulp therapy for
full pulpotomy, 819, 820f
partial pulpotomy, 817–819, 818f, 819f
pulp capping, 817
pulpotomy, 819–820
requirements for, 816–817, 816f, 817f
- Traumatic neuroma, 124–125
- Treatment
endodontic. *see* Endodontic treatment
multiple-visit, 148–151
prognosis of, 147–153
referral considerations, 147–148
root canal. *see* Root canal treatment
single-visit, 148–151
- Treatment failure. *see* Posttreatment disease
- Treatment planning
biologic considerations used in, 151
case assessment and, 139–161
description of, 139
health status considerations, 156
interdisciplinary
dental implant, 154–156
endodontic therapy, 154–156
intentional replantation, 152
periodontal considerations, 153, 155f
prosthodontic considerations, 153–154
regenerative endodontics, 152–153
restorative considerations, 153–154
surgical considerations, 151–152
medical conditions and findings that affect
behavioral disorders, 146
cardiovascular disease, 140–141
diabetes mellitus, 142
human immunodeficiency virus and acquired immunodeficiency syndrome, 145–146
malignancy, 143–144, 144f
pregnancy, 142–143, 143b
prosthetic implants, 146
psychiatric disorders, 146
medical consultation letter, 139, 140f
quality of life considerations, 156
risk assessments, 140
treatment plan, 147
- Trephination, for pulpal necrosis with symptomatic apical periodontitis, 739–740
- Trephine burs, for silver points removal, 381
- Triangular flaps, 434f
- Tricalcium silicate, 916–917
- Triclosan, 280–281
- Tricresol formalin, 283–284
- Trigeminal autonomic cephalalgias, 123
- Trigeminal ganglion, 116–117
- Trigeminal nerve, 117f, 791
- Trigeminal neuralgia, 124, 134–135
- Trigeminal nucleus, 117, 117f, 119f, 120f
- Trigeminal system
allodynia, 530–531, 531t
deafferentation, 533–534, 534f
dentin sensitivity and, 528
hyperalgesia, 530–531, 531t
inflammatory mediators, 531–532
innervation of, 522–527
pain perception and, 526–527
peripheral sensitization, 530, 531b, 531t
tissue injury, 533–534, 534f
- Trigger points, 121–122, 132

Trigger zones, for trigeminal neuralgia, 124
 Trimethylene carbonate, 459t
 Triple-antibiotic paste, 284, 488, 490f
 Triptans, 123
 Tropocollagen, 521
 True cysts, 637–639, 639f, 644
 Tuberculosis, 3–6
 Tumor necrosis factor- α , 532
 Twisted file, 256
 Two-visit pulp capping, 919
 Type I collagen, 521
 Type II collagen, 521
 Type III collagen, 521

U

Ultimate tensile strength, 871
 Ultrafil 3D, 331, 331f
 Ultrasonic instruments
 complications of, 377
 drawbacks of, 761
 post removal using, 363–364
 root canal obstructions removed using, 387, 388f
 root-end cavity preparation using, 442–443, 443f
 separated instruments removed using, 761
 temperature changes induced by, 444
 Ultrasonic tips
 design of, 443, 443f
 for ledge removal, 779, 780f, 781–782f
 small diameter, 779
 Ultrasonic unit and tips, 205, 258f
 Ultrasonically activated files, 379
 Uncomplicated crown fractures, 814
 Universal Post Remover, 362–363
 Unmyelinated axons, 524

V

van Leeuwenhoek, Antony, 585–586
 Vascular cell adhesion molecules, 628
 Vascular endothelial growth factor, 634, 642t
 Vascular endothelial growth factor receptor (VEGFR-3), 539
 Vascular endothelial growth factor-1 (VEGF-1), 485–486
 Vasoactive intestinal polypeptide (VIP), 522, 539, 562
 Vasoconstrictors
 antihypertensive medications and, 141
 in cardiovascular disease patients, 141
 contraindications for, 165
 drug interactions with, 166t
 local anesthesia uses of, 141, 166t, 563–565
 pulp blood flow affected by, 563–565, 564f
 pulp health affected by, 564f
 sulfite-induced in, 165
 Vazirani-Akinosi technique, 169
 Veneer, 885t, 890f
 Veraviewpocs 3D R100, 43f
 Vertical relieving incisions, periradicular surgery
 access using, 433, 433f, 434f, 435f
 Vertical root fractures, 854–866, 946f
 apical, 855f
 bone defect associated with, 857f
 bone loss associated with, 862, 862f, 863f
 clinical image of, 864f
 clinical manifestations of, 854–858, 855f, 856f, 857f, 858f, 859f
 complete, 849f, 858f
 cone-beam computed tomography of, 50, 51f, 413, 863
 definition of, 854
 description of, 26–27, 27f, 28f
 diagnosis of, 854–863
 diagonal, 855f
 early diagnosis of, 858
 in endodontically treated teeth, 854, 861
 etiology of, 863–866, 864f, 865f
 exploratory surgery of, 863
 iatrogenic predisposing factors, 865–866
 illustration of, 202f, 451f
 J-shaped radiolucency associated with, 856–858, 858f, 861–862
 longstanding, 858f
 misdiagnosis of, 858
 occlusal factors associated with, 864–865
 patient history-taking, 854
 periradicular radiolucency associated with, 858f,

Vertical root fractures (*continued*)
 861–862
 pockets associated with, 859–860, 859f, 860f, 861f
 predisposing factors, 864–865, 864f, 865f
 prevention of, 866
 radiographs of, 859f, 860–863, 861f, 862f, 863f
 root cross section in, 864
 tooth extraction for, 866
 treatment failure caused by, 413
 treatment planning for, 866, 867f
 types of, 855f
 warm vertical compaction of, 326f
 Virtual implant planning, by cone-beam computed tomography, 65
 Virulence, 588–590
 Virulence factors, 588–590
 Viruses, 604–605
 Vital bleaching
 carbamide peroxide for, 575
 pulp reactions to, 575
 Vital pulp
 anatomy of, 903
 cells of, 903
 teeth with, 738
 Vital pulp therapy, 902–938
 bacteria-tight seal in, 816
 direct pulp capping. *see* Direct pulp capping
 dressing used in, 816, 816f
 indications for, 906–907
 materials for
 aqueous calcium hydroxide suspensions, 912
 calcium hydroxide, 816, 816f, 912
 calcium silicate cements, 916–917, 919–921
 composite resins, 913–914
 dentin adhesives, 913–914
 description of, 911–917
 hydrophilic resins, 913
 light-curing liners, 912–913
 resin-modified glass ionomer cements, 913–914
 mineral trioxide aggregate biocompatibility of, 914
 characteristics of, 914
 components of, 914
 contralateral tooth development, 929
 description of, 902, 914–915
 direct pulp capping with, 919, 920f, 921f, 922f, 923f
 history of, 914
 inflammatory cascade, 914
 MTA-Angelus, 917
 pulpotomy with, 909, 919–921, 923f, 924f
 radiographs of, 930f
 signaling molecules, 914
 in noninflamed pulp, 816
 outcome measures for, 654–655, 655f, 655t
 partial pulpotomy. *see* Partial pulpotomy
 permanent restoration, 928–929
 postoperative follow-up and recall, 929
 prognostic factors for, 661–662
 pulpotomy. *see* Pulpotomy
 purpose of, 907
 reparative bridge formation, 913, 913f
 requirements for, 816–817, 816f, 817f
 techniques for, 654–655, 921–928
 caries removal, 925–926
 diagnosis, 921–925, 925f
 hemostatic agents, 926, 927f
 treatment considerations, 926–928
 treatment recommendations for, 928
 Vital teeth
 asymptomatic, pulp anesthesia determinations in, 166, 166f
 symptomatic, pulp anesthesia determinations in, 166
 Vitronectin, 632–633
 Voltage-gated sodium channels
 description of, 163
 inflammation-related changes in distribution of, 533
 pain and, 163t
 subtypes of, 163t
 subunits of, 163
 Volume size (S), of field of view, 69
 Voxel sizes, 39–40, 44
 Voxels, 39–40, 39f, 40f, 41f, 348

W

Warfarin, 421
 Warm vertical obturation, 326–327, 327f, 328f, 329f
 WaveOne, 257
 Well-defined unilocular periapical radiolucencies, 101–107
 focal cemento-osseous dysplasia, 105, 107f
 lateral periodontal cyst, 103–105, 106f
 lateral radicular cyst, 103, 105f
 nasopalatine duct cyst, 105–106, 107f
 periapical cysts and periapical granulomas, 101–103, 102f, 103f, 104f
 Stafne defects, 106–107, 108f
 Whitlockite crystals, 558, 558f
 Working length determination
 description of, 262–263
 digital radiographs for, 37–38, 37f
 Wound
 decontamination of, polymorphonuclear neutrophils role in, 416
 maturation of, 417
 Wound healing
 after nonsurgical root canal therapy, 642–643, 642t
 after surgical endodontic therapy, 644
 angiogenesis in, 417
 biologic principles of, 415–416
 bisphosphonates effect on, 418–419
 cementoblasts in, 418
 cementogenesis in, 418
 chemotherapy effects on, 144
 clot formation in, 416
 collagen in, 417
 cone-beam computed tomography assessment of, 62
 cyclooxygenase-2 inhibitors effect on, 420
 cytokines in, 642–643, 642t
 description of, 642–644
 diabetes mellitus effects on, 644
 digital radiography evaluation of, 38
 early inflammation in, 416
 endothelial cells in, 417
 epithelium in, 417
 factors that affect, 415–416, 644
 fibroblasts in, 416–417
 fibroplasia in, 416–417
 glucocorticoids effect on, 419
 granulation tissue formation in, 416
 growth factors in, 642–643, 642t
 hard-tissue, 417–418
 hormones involved in, 418
 inflammatory phase of, 416
 late inflammation in, 416
 macrophages in, 416
 maturation phase of, 417
 nonsteroidal anti-inflammatory drugs effect on, 419–420
 osteoblasts in, 417–418
 osteogenesis in, 417–418
 periapical, 642–643, 642t
 periodontal incision, 699
 polymorphonuclear neutrophils in, 416
 proliferative phase of, 416–417
 radiation therapy effects on, 144
 soft-tissue, 416–417
 systemic disease effects on, 413
 systemic medications that affect, 418–420
 Woven bone, 418

X

Xenograft, 460t
 Xylene, for gutta-percha removal, 368–369

Y

Yeast cells, 591f


Z

Zinc oxide and eugenol (ZOE), 571
 Zinc oxide-eugenol cement
 intermediate restorative material, 444–445
 as root-end filling material, 444–445
 Super-EBA, 445
 Zinc phosphate cements, 879
 Zirconia
 burs for, 202–205
 characteristics of, 202–205
 Zirconium posts, composition of, 878
 Zorcarine, 175

This page intentionally left blank

Any screen. Any time. Anywhere.

Activate the eBook version
of this title at no additional charge.



Student Consult eBooks give you the power to browse and find content, view enhanced images, share notes and highlights—both online and offline.

Unlock your eBook today.

- 1 Visit studentconsult.inkling.com/redeem
- 2 Scratch off your code
- 3 Type code into “Enter Code” box
- 4 Click “Redeem”
- 5 Log in or Sign up
- 6 Go to “My Library”

It's that easy!

Scan this QR code to redeem your eBook through your mobile device:



Place Peel Off
Sticker Here

For technical assistance:
email studentconsult.help@elsevier.com
call 1-800-401-9962 (inside the US)
call +1-314-447-8200 (outside the US)

ELSEVIER

Use of the current edition of the electronic version of this book (eBook) is subject to the terms of the nontransferable, limited license granted on studentconsult.inkling.com. Access to the eBook is limited to the first individual who redeems the PIN, located on the inside cover of this book, at studentconsult.inkling.com and may not be transferred to another party by resale, lending, or other means.