


STOPPD_NKI_120012_01_01_T1_02_mprage.nii.gz T1-contrast



$\begin{array}{c} \mathsf{STOPPD_NKI_120012_01_01_DTI60-1000_04_dti-60+5.nii.gz} \\ \mathsf{B0}\ \mathsf{Contrast} \end{array}$



STOPPD_NKI_120012_01_01_DTI60-1000_04_dti-60+5.nii.gz DTI





STOPPD_NKI_120012_01_01_DTI60-1000_04_dti-60+5.nii.gz DTI Slice/TR Wise Abnormalities


			-	MISE ADIII				
slice: 1	slice: 2	slice: 3	slice: 4	slice: 5	slice: 6	slice: 7	slice: 8	slice: 9
		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~						
slice: 10	slice: 11	slice: 12	slice: 13	slice: 14	slice: 15	slice: 16	slice: 17	slice: 18
slice: 19	slice: 20	slice: 21	slice: 22	slice: 23	slice: 24	slice: 25	slice: 26	slice: 27
······································	······································	· · · · · · · · · · · · · · · · · · ·						
slice: 28	slice: 29	slice: 30	slice: 31	slice: 32	slice: 33	slice: 34	slice: 35	slice: 36
								~~~~
slice: 37	slice: 38	slice: 39	slice: 40	slice: 41	slice: 42	slice: 43	slice: 44	slice: 45

slice: 46	slice: 47	slice: 48	slice: 49	slice: 50				
id, manifelige-on		***************************************	why could all to talk the					

STOPPD_NKI_120012_01_01_RST_12_BOLD-resting1.nii.gz BOLD contrast







STOPPD_NKI_120012_01_01_RST_12_BOLD-resting1.nii.gz fMRI Slice/TR Abnormalities

