

Hello Raspberry Pi


Beginner in Raspberry Pi

Saturday, November 30, 2013

Run simple http server on Raspberry Pi with Python

With Python pre-installed on Raspberry Pi, it's really easy to start a simple http server by enter the command:
\$ python -m SimpleHTTPServer

Your http server will be started in port 8000 by default. Then you can visit your server by enter <Raspberry Pi IP>:port in your browser.



If you have a index.html in your current directory, it will be opened as web page. Otherwise, the files in the current directory will be listed in browser.


If you want to specify the port (8080 as example), enter the command:
\$ python -m SimpleHTTPServer 8080

by: [Andr.oid Eric](#) at: [11:50 AM](#)



label: [Python](#), [Web server](#)

Make money from your site



Playlist Raspberry Pi

Popular Posts

Install Qt5/Qt Creator for Raspbian Jessie
 This post show how to install Qt Creator on Raspberry Pi 3 run Raspbian Jessie release 2016-09-02. It will install qt5-default and q...

Stream video from Raspberry Pi Camera Module V2, play in Win10/VLC Media Player and Android/VideoView.
 I have old posts of "Stream Raspberry Pi Camera Module video using raspivid and vlc" and "Play stream video (from Raspberry Pi) in Win10/VLC Media Player and Android/VideoView".

Stream Raspberry Pi Camera Module video using raspivid and vlc
 Here show how to stream video from Raspberry Pi Camera Module to vlc using raspivid and vlc. Run on Raspberry Pi 2/Raspbian View ...

Pi telecamera - WaveShare Raspberry Pi Camera module connect to 3 tele lens
 This post show how to build a Raspberry Pi Telescope using: - Nikkor AF f4 ED - AI-C mount adapter (Nikkor Lens to C-mount adapter) ...

Java exercise - Implement client server to communicate using Socket step-by-step
 This examples create two separate program (host and client) with Java using java.net.Socket. In host side, it start ServerSocket and wait for client connection...

Raspberry Pi emulator for Windows
 Raspberry Pi emulation for Windows contains everything needed to create a Windows environment. Visi...

Python socket server to send camera image to client
 Simple server run on Raspberry Pi send jpg from Camera Module to client. Can be viewed on browsers at http://<Raspberry Pi IP>:8000...

No comments:

Post a Comment

Newer Post

Home

Older Post

Subscribe to: [Post Comments \(Atom\)](#)



Install Code::Blocks on Raspbe
Code::Blocks is a open source, platform, free C, C++ and Fortran. To install Code::Blocks on Rasp enter the command: ...



Python socket server to send ca
image to client (II)
Last exercise implement Python server to send camera image to wait client, send image file, and this exercise, the...



Raspberry Pi display on 128x64
OLED with SSD1306, using Pyt
This post show how to install m...
hull/ssd1306 on Raspberry Pi, a...
the example to display on 0.96" I2C OLED with SSD1306 ...

Blog Archive

- ▶ 2018 (2)
- ▶ 2017 (35)
- ▶ 2016 (114)
- ▶ 2015 (215)
- ▶ 2014 (211)
- ▼ 2013 (157)
 - ▶ December (56)
 - ▼ November (55)
 - Display file system information with Linu
 - df comm...
 - Run simple http server on Raspberry Pi
 - with Python...
 - Install Node.js on Raspberry Pi
 - Display system and memory info of
 - Raspberry Pi wit...
 - Get memory info with /proc/meminfo
 - Use your Android device as wireless
 - mouse and keyb...
 - Raspberry Pi in RED - Red Pi made in
 - China
 - SSH log-in Raspberry Pi emulator for
 - Windows
 - Raspberry Pi emulator for Windows
 - Control the on-board LED using C
 - language
 - Raspberry Pi Ultimate Starter Kit
 - Control the on-board LED using Python
 - Control the on-board LED on Raspberry
 - Pi
 - Set password of root
 - Programming the Raspberry Pi: Getting
 - Started with...
 - Show memory usage
 - Install MySQL on Raspberry Pi
 - GertBoard I/O Extension Board for the
 - Raspberry Pi...
 - Install PHP5 on Raspberry Pi
 - Install Apache 2 Web Server on
 - Raspberyy
 - Raspberry Pi 5MP Camera Board
 - Module
 - Change owner and permission of
 - /var/www
 - Get user info and add user to group
 - Install LAMP web server on Raspberry

[route command, view and manipulate the TCP/IP routing table](#)

[Broadcom BCM2835 - SoC on Raspberry Pi](#)

[Geany - small and fast Editor/IDE](#)

[Send and receive from Raspberry Pi to and from Arduino](#)

[Hello World using C on Raspberry Pi](#)

[PyPy 2.2 target Python 2.7.3 announce](#)

[Practical Programming: An Introduction to Computer Science](#)

[Update Raspberry Pi firmware and software](#)

[Communication between Raspberry Pi and Arduino via UART](#)

[Prepare Arduino to send data to Raspberry Pi via UART](#)

[Raspberry Pi User Guide, Second Edition](#)

[Arduino recognized as ttyACMx in Raspberry Pi](#)

[Programming Hello World with Java on Raspberry Pi](#)

[Install Java on Raspberry Pi](#)

[lsusb: list USB buses and devices connected to Raspberry Pi](#)

[Login Raspberry Pi's VNC server from Android, with VNC Viewer](#)

[Get MAC address of USB WiFi adapter](#)

[Setup Wireless USB Adapter for Raspberry Pi with Windows](#)

[Assign static local domain to Raspberry Pi](#)

[Remote shutdown/reboot Raspberry Pi from ssh](#)

[Super Scratch Programming Adventure](#)

[Remote control Raspberry Pi from Windows 8.1 using VNC](#)

[Install TightVNC server on Raspberry Pi](#)

[Install Real VNC Viewer on Windows](#)

[The MagPi issue 18 \(November 2013\) is available](#)

[The command apt-get](#)

[What the command prompt means? pi@raspberrypi ~ \\$](#)

[4.3 inch LCD Display with Composite Input for Raspberry Pi](#)

[Run PuTTY + Xming in Windows to log into Raspberry Pi](#)

[Install Xming \(X Server\) on Windows](#)

[Run PuTTY on Windows 8.1 to log-in to Raspberry Pi SSH](#)

- [October](#) (30)
- [September](#) (9)
- [August](#) (7)


Shop Related Products



CanaKit Raspberry Pi 3 Complete Starter Kit

\$69.99

(116)



Case for the Official Raspberry Pi 7" Touchscreen


\$27.99

(178)

Vilos Raspberry Pi 3 Complete Starter Kit

\$34.99

(65)



RS Raspberry Pi 7 LCD Touch Screen

\$15.71

(184)

Ads by


Labels

.Net (1) 128x64 I2C OLED (SSD1306) (1) 2x16 LCD (2) **accessory (33)** AIY Projects: DIY AI for Makers (1) Allwinner (1) **Android Apps (6)** **Android on Raspberry Pi 2 (2)** **Android on Raspberry Pi 3 (2)** **Android Things (1)** **Apache (3)** **Apache HttpComponents (1)** **Application.browse (6)** **Application.editor (2)** **Application.graphics (1)** **Application.media (1)** **Application.server (1)** **applications (7)** **apt-cache (1)** **Arch (1)** **Arduino (22)** **ARM (3)** **ask for (1)** **Banana Pi (5)** **Banana Pi BPI-M3 (1)** **Banana Pi-M2 (2)** **Banana Pro (1)** **BeagleBoard (2)** **BeagleBone (5)** **BerryBoot (2)** **BlueJ (1)** **Bluetooth (2)** **books (42)** **Broadcom BCM2835 (1)** **Buildroot (1)** **C and Cpp (5)** **C# (4)** **Camera Module (29)** **Camera Module NoIR (7)** **Camera Module x Lens crossover (7)** **CAN (Controller Area Network) (1)** **Catapult (1)** **Chromium OS For Raspberry Pi (1)** **ChromiumRPI (Chromium OS for Raspberry Pi) (1)** **Code::Blocks (3)** **Coder (1)** **command (45)** **Compute Module 3 (1)** **Computer Vision (1)** **Dartino (1)** **dev. tools (26)** **dev.Linux (3)** **display (10)** **DIY (13)** **DragonBoard410c (3)** **drawnow (3)** **DukePad (1)** **Eclipse on Raspberry Pi (1)** **Editor (1)** **Embedded JavaFX (1)** **Embedded Linux (1)** **emulator (2)** **ESP8266 (1)** **evtest (1)** **example code (3)** **example code.Android (3)** **example code.Arduino (10)** **example code.C and Cpp (5)** **example code.GTK (5)** **example code.Java (28)** **example code.java-gnome (1)** **example code.Networking (14)** **example code.Node.js (16)** **example code.PHP (1)** **example code.PySide (2)** **example code.Python (1)** **Express (1)** **Extension Board (2)** **failed experiment (2)** **FileZilla Client (3)** **FM Transmitter (1)** **formidable (1)** **Free eBooks (3)** **freeboard.io (1)** **FTP (3)** **game development (1)** **gcc (1)** **GertBoard (1)** **GertDuino (1)** **GitHub (2)** **Glade (1)** **Google Assistant SDK (1)** **Google Translate (1)** **GoPiGo (1)** **gPhoto2 (8)** **GPIO (20)** **GPIO Zero (1)** **GPS (1)** **GPU (1)** **gtk (7)** **Gtk# (1)** **GtkKam (1)** **hardware (3)** **HC-06 Bluetooth Module (3)** **Hello World (2)** **Home Automation (1)** **HummingBoard (1)** **i2c (8)** **IDE (8)** **ImageTk (1)** **info (11)** **Intel Compute Stick (1)** **Intel Edison (1)** **IoT (Internet of Things) (19)** **IR filter (4)** **Java (35)** **Java 8 (11)** **Java EE (1)** **Java Embedded (1)** **Java Magazin Embedded (5)** **Java SE 8 for ARM (2)** **Java SE Embedded (1)** **java-gnome (2)** **JavaFX (13)** **JavaScript (1)** **JDK8 (5)** **Jetson TK1 (1)** **Kali Linux (3)** **Kano OS (1)** **kernel (3)** **kernel module (3)** **learning (1)** **libgphoto2 (7)** **Linux (2)** **Linux fundamental (12)** **Lubuntu for Raspberry Pi (1)** **LXDE (2)** **MagPi (14)** **matplotlib (11)** **media (2)** **MFRC522 (3)** **MFRC522-python (3)** **Microsoft (7)** **misc (20)** **mono (6)** **motioneyeos (1)** **motor control (1)** **mp4 (1)** **Music server (1)** **MySQL (2)** **MZTX-PI-EXT (2)** **NAS (1)** **Netbeans (19)** **Networking (5)** **news (14)** **No brand made in China Raspberry Pi NoIR Camera Module (1)** **Node-RED (1)** **NOOBS(New Out Of Box Software) (9)** **numpy (2)** **NVIDIA (1)** **OpenCV (16)** **Operating System (OS) (1)** **Oracle (3)** **Otto (1)** **overclock (2)** **Payara Micro (1)** **Photoflash Glitch (1)** **PHP (3)** **Pi Camera Module NoIR (1)** **Pi Camera Module v1 (3)** **Pi NoIR Camera v1 (8)** **Pi NoIR Camera V2 (11)** **Pi-to-Go (1)** **picamera (16)** **piCaso (1)** **PiFm (1)** **PIL (2)** **pip (1)** **PiPhone (1)** **PIXEL FOR PC AND MAC (2)** **Processing (2)** **PuTTY (1)** **pygame (2)** **PyF (1)** **PySide (3)** **Python (65)** **python-bottle (2)** **python-gphoto2 (3)** **Qt (7)** **Qt5 on Raspberry Pi/Raspbian (4)** **QtonPi (1)** **Quantum Computing (1)** **Raspberry Pi 2 (40)** **Raspberry Pi 3 (14)** **Raspberry Pi C (1)** **Raspberry Pi Cluster (2)** **Raspberry Pi Compute Module (1)** **Raspberry Pi Cookbook (4)** **Raspberry Pi kit set (2)** **Raspberry Pi Media Center (3)** **Raspberry Pi Model A+ (2)** **Raspberry Pi Model B+ (3)** **Raspberry Pi Server (1)** **Raspberry Pi Zero (3)** **Raspberry Pi Zero W (1)** **Raspbian (19)** **Raspbian Jessie (19)** **raspi-config (2)** **raspistill (1)** **RCA Video (2)** **Real VNC Viewer (4)** **Red Pi (1)** **reference (14)** **Desktop (7)** **remote desktop client (4)** **Remote Desktop Connection (2)** **Remote Development (3)** **RFID (3)** **Robot (6)** **RPI-Cam-Web-Interface (1)** **RPI.GPIO (15)** **SAP HANA (1)** **SciPy (2)** **Scratch Programming Language (1)** **Six Degrees of Freedom (6DoF) (1)** **Snappy Ubuntu Core (1)** **Socket.IO (6)** **Sonic Pi (1)** **source code (2)** **ssh (8)** **Step-by-step series (3)** **stream music (1)** **stream video (3)** **Teensy (1)** **Text to Speech (Tts) (3)** **TightVNC (1)** **Timelapse (6)** **Tizen (1)** **Tkinter (8)** **tools (6)** **touch screen (2)** **tsc2007 (1)** **ttyACM0 (1)** **Ubuntu (1)** **Ubuntu MATE for Raspberry Pi (7)** **Unix (1)** **USB (7)** **USB Video Adapter (2)** **UV-IR CUT filter (6)** **vcgencmd (4)** **vic Player (1)** **VNC (8)** **VNC Connect (1)** **Voice Kit (1)** **vstpd (1)** **Waveshare (5)** **Waveshare 3.5" 320*480 Raspberry Pi LCD Display Module (1)** **Waveshare 4 inch 800x480 HDMI IPS LCD (2)** **Waveshare Raspberry pi Camera Fisheye Lens (4)** **Weaved (1)** **Web server (6)** **WiFi (3)** **WiFi Config (3)** **Windows (6)** **Windows 10 (4)** **Windows 10 IoT Core (8)** **Windows 10 IoT Core Insider Preview (1)** **Windows 10.how to (9)** **Windows IoT (3)** **Wylk (2)** **xrdp (9)** **Yocto (1)**

Google+ Followers

Hello Raspberry Pi Page

Follow



254 have us in circles

Earn more

Awesome Inc. theme. Powered by Blogger.

http://helloraspberrypi.blogspot.com/2013/11/run-simple-http-server-on-raspberry-pi.html

4/4