#### IT RCSA - Infrastructure


Entity	Apple Bank
Test Name	IT Infrastructure
Test Date	4/9/2021
Process	IT-IFR-P15 Information Transfer
Sub-process	E-Mail Security
	IT-IFR-R15 - Inbound and outbound emails may not be appropriately protected, therefore exposing the bank to data loss (DL) and other threats
Risk # and Description	such as business disruption and malware attacks. Furthermore, access controls to the mail infrastuctire may not be sufficient to prevent
	unauthorized individuals from gaining entry into the Bank's Email System
	IT-IFR-C23 E-Mail Security
Control # and Description	E-mails and e-mail systems are protected from unauthorized access, modification or denial of service, spam and phishing emails, malicious e-mails, attachments and the leaking of non-public information. E-mails with non-public information must be authorized. Its information is masked or encrypted.
Level of Risk	High
Control Frequency	As Needed
Process Owner	Debi Gupta
Procedures to ValidatePopulation	Inquiry, Observation, Inspection
SII(s) or Exception(s) Number(s)	Self Reported by Information Security

#### Test Sample


Control Test Procedures						
Test Step	Test Procedure					
Α	E-mails and e-mail systems are protected from unauthorized access, modification or denial of service					
A1	Privilege access to the administration of GMAIL is restricted	Pg.				
A2	Privilege access to the administration of NETSKOPE is restricted	Pg.				
А3	Privilege access to the administration of VIRTRU is restricted	Pg.				
A4	The scheduled data refreshment from MISER is secured	Pg.				
A5	The encryption keys for e-mails and e-mail systems are protected	Pg.				
В	E-mails and e-mail systems are protected from spam and phishing emails, malicious e-mails and attachments					
B1	GMAIL is configured to protect ABS e-mails from spam and phishing emails, malicious e-mails and attachments	Pg.				
С	E-mails and e-mail systems are protected from the leaking of non-public information					
C1	Data loss prevention rules in emails and email systems are set to protect specific ABS data at-risk	Pg.				
C2	GMAIL is configured to protect ABS from data loss	Pg.				
C3	NETSKOPE is configured to protect ABS from data loss	Pg.				
C4	VIRTRU is configured to protect ABS from data loss	Pg.				
D	E-mails and e-mail systems are appropriately and regularly monitored	Pg.				


## Email Encryption Diagram


#### **ABS Email Infrastructure**























































## Jonathan Ruf is presenting





## Jonathan Ruf is presenting



Personal Files Settings

Email

Organization

Email

Files

**Email Rules** 

Users & Groups

Settings

# Email Rules

**VIRTRU Email Protection Rules** 

Warn

Log Only [1]

C4

Enabled

Your Virtru extension detects sensitive content automatically. You decide what actions you want to take to protect your content.

#Virtru Email Rules are supported by the Virtru Chrome Extension for Gmail, Virtru for Outlook 2010 and later, and Virtru Encryption Gateways.

Q Search subject lines, file names, or email addresses

HIPAA. Outbound

When I type these keywords... [i]

When I type these text patterns [1]	Encrypt	Warn	Log Only [1]	Enabled
Social Security Number			•	ON
Possibly Sensitive	0	0	•	ON
IP Address			•	ON
Federal EIN	0	0	•	ON
Credit Card Number		0	•	ON

Encrypt



### Jonathan Ruf is presenting

