

Ray Model of Light

3 ways light can travel from a source to another location



(a)



(b)



(c)

- a directly from source through vacuum . Sun to Earth
- b light can travel through various media like Air, glass, water to the observer
- c light can also arrive after being reflected such as mirrors

Ray of Light


We model path of light as a straight line called **ray**

- Light behaves both as a particle and a wave
- When light interacts with an object several times larger than its wavelength($\approx 10^{-6}$), it travels in a straight line and acts like a ray.
- Light may change direction when it
 - reflection : encounters objects (such as a mirror)
 - refraction: passing from one material to another (such as in passing from air to glass)

Law of Reflection


the law states that angle of reflection is equal to angle of incidence

$$\theta_r = \theta_i$$







Specular Reflection



Diffused Reflection




Light reflects from a rough surface at many angles



(a)

Light reflects from a smooth surface at just one angle



(b)











Reflections: Mirror





(a)



(b)

Reflections: Retroreflector


Definition


A **retroreflector** is a device or surface that reflects radiation (usually light) back to its source with minimum scattering

What is the difference from a **planar mirror** ?


This works in wide range of angle of incidence while mirror needs to be perpendicular to the wave front

Retroreflector: Corner Cube Reflector






Retroreflector : Uses



- Astronauts placed a corner reflector on the Moon to measure its gradually increasing orbital distance. Laser signals from Earth can be bounced from that corner reflector to measure the gradually increasing distance to the Moon of a few centimeters per year.



(a) cycle reflectors



(b) working principle

- Retroreflection ensures high visibility if the driver and the light source are located together in case of cycle reflectors

Retroreflector : Radar



- Small boats made of fiberglass or wood do not strongly reflect radio waves emitted by radar systems. To make these boats visible to radar (to avoid collisions, for example), radar reflectors are attached to boats, usually in high places

The actual location of Mug ?



The actual location of Mug ?



Both are not the actual location !!!

Why two mugs ?


Refraction

The changing of a light ray's direction (loosely called bending) when it passes through substances of different refractive indices is called **refraction**

Why two mugs ?


Refraction

The changing of a light ray's direction (loosely called bending) when it passes through substances of different refractive indices is called **refraction**




Velocity of Light

$$v = c/\eta$$




(a) Refraction through a glass block




(b) Direction of Bending

Snell's Law


$$\eta_1 \sin \theta_1 = \eta_2 \sin \theta_2$$



(a)



(b)



(c)


- a. $\eta_1 > \eta_2 \implies \theta_2 < \theta_1$
- b. $\theta_1 \uparrow \implies \theta_2 \uparrow$. At $\theta_1 = \theta_c, \theta_2 = 90^\circ$
- c. At $\theta_1 > \theta_c$, all of the light is reflected back into medium = **total internal reflection**

$$\theta_c = \sin^{-1} \left(\frac{\eta_1}{\eta_2} \right) \text{ for } \eta_1 > \eta_2$$


What is happening here?



Fiber Optical Cables and Endoscopes



(a) Total internal
reflection in fiber optic
cable



(b) Bundle of Fiber optic
cables




(c) Endoscopic Camera

Premise

- Light behaves as both wave and particle
- Some optical phenomena require analysis based on wave characteristics of light when the wavelength is not negligible compared to dimension of optical device e.g. slit in case of **diffraction**




- a. glare effect
- b. using polarizing filter . this reduces the glare



EM wave propagation



- EM waves are transverse waves consisting of varying Electric and Magnetic fields that oscillate perpendicular to the direction of propagation
- **Polarization** is the attribute that a wave's oscillations do have a definite direction relative to the direction of propagation of the wave
- For an EM wave, the direction of polarization is the direction parallel to the electric field.


Vertical vs Horizontal Polarization



- a. Vertical polarization . Effect of vertical slit placed on the rope and the waves will pass through
- b. Horizontal polarization. Effect of horizontal slit where the wave propagation got blocked


Polarizing filter






$$d_o = -d_i$$


Multiple Images: infinite



Multiple Images: finite




(a)



(b)


Curved Mirrors

- A **curved mirror** can form images that may be larger or smaller than the object and may form either in front of the mirror or behind it.



Curved Mirrors

- a Rays parallel to the optical axis of a parabolic mirror converges at the point called **focal point**
- b If the mirror is large compared to radius of curvature then rays will not converge
- c If the mirror is small compared to radius of curvature, then it can be approximated to parabolic mirrors



Walkie Talkie Building




(a) Walkie Talkie Building



(b) Egg Fry

Reflection of light on a concave mirror




Concave Mirror Applications




(a) Microscope



(b) Dish TV



(c) Reflector Headlight



$$R = CF + FP$$

$$\triangle XCF, CF = XF$$


$$\triangle XFP, \cos 2\theta = \frac{FP}{FX}$$


for small angles, $FP = FX$

$$R = 2 \times FP$$


$$R = 2f$$

Image Formation in Concave Mirror





Apparent Depth vs Real Depth




$$\mu_1 \sin i = \mu_2 \sin r$$

For paraxial rays, $\sin i = \tan i$

$$\triangle ACB, \tan i = \frac{x}{u}$$

$$\triangle ADB, \tan r = \frac{x}{v}$$

$$\frac{\mu_2}{\mu_1} = \frac{u}{v}$$



For paraxial rays,

$$\eta_1 \theta_1 = \eta_2 \theta_2$$



$$\theta_1 = \alpha + \phi, \theta_2 = \phi - \beta$$

$$\tan \alpha \approx \frac{h}{d_o}, \tan \beta \approx \frac{h}{d_i}, \tan \phi = \frac{h}{R}$$


$$\alpha \approx \frac{h}{d_o}, \beta \approx \frac{h}{d_i}, \phi = \frac{h}{R}$$

title

$$\frac{\eta_1}{d_o} + \frac{\eta_2}{d_i} = \frac{n_2 - n_1}{R}$$




(a)




(b)

Thin Lens




- If thickness t is much less than radius of curvature of both surfaces
- In this case parallel rays will bend only once at the centre of the lens and go through the focal point
- rays pass through the centre of the lens undeviated

Ray Tracing and Thin Lenses





(a)



(b)

Image formation by Lenses





from similar triangles

$$\frac{d_o}{d_i} = \frac{A}{B} = \frac{f}{d_i - f}$$

Thin-Lens Equation

$$\frac{1}{f} = \frac{1}{d_i} + \frac{1}{d_o}$$

A History of Photography

It could be said that photography was not “invented”...but that it evolved over time.

Ms. Scales

Camera Obscura: Ibn Al-Haytham 1500




- A camera obscura (from Latin 'dark chamber') is a darkened room with a small hole or lens at one side through which an image is projected onto a wall opposite the hole
- A camera obscura without a lens but with a very small hole is referred to as a pinhole camera




The word photography came from two Greek words that mean "writing with light." The first time the word "photography" was used was in 1839, the year the invention of the photographic process was made public, by Sir John Herschel.


The Chinese were the first people that we know of to write about the basic idea of the pinhole camera or "*camera obscura*" (Latin words meaning "dark room"). About 2,500 years ago (5th Century B.C.) they wrote about how an image was formed upside down on a wall from a pinhole on the opposite wall.




About 2,400 years ago (4th Century B.C.) the famous philosopher Aristotle talked about a pinhole image formation in his work. He wondered why "when light shines through a rectangular peep-hole, it appears circular in the form of a cone?" He didn't find an answer to his question and the problem wasn't answered until about 2,000 years later in the 1500s.



In the 1500s many artists, including Michelangelo and Leonardo da Vinci, used the "camera obscura" to help them draw pictures. A person or object would be outside the dark room and their image was reflected on a piece of paper and the artist would trace it.



This is a drawing of a camera obscura done in 1646. This drawing shows an outer shell with lenses in the center of each wall and an inner shell with transparent paper for drawing. The artist needed to enter by a trap door in the bottom.






"View of Delft"

The camera obscura was used in the painting of this picture. It was painted about 1660 by Jan van der Meer van Delft (aka Jan Vermeer). His paintings are known for their "camera-like" detail and quality - but were painted 150 years before the invention of the camera.




The camera obscura is believed to have been used in this painting by Jan Vermeer. He painted this in 1665. He was a great master who made paintings that to this day still amaze people with how much they look like a photograph.

The camera obscura was made portable by the 1700s by putting it in a box with a pinhole on one side and a glass screen on the other. Light coming through this pinhole projected an image onto the glass screen, where the artist could easily trace it by hand. Artists soon discovered that they could obtain an even sharper image by using a small lens in place of the pinhole.




Two types of portable cameras obscura.



Drawing of "portable" camera obscura from 1769
(right)

Extremely important to the invention of photography was knowledge of how sensitive to light certain materials were. More than 2,000 years before the invention of the camera obscura, the ancient Phoenicians (the first civilized nation in the world) knew that a certain snail left a yellow slime that turned purple in sunlight.



The Phoenicians came from the eastern shore of the Mediterranean Sea in land we now call Lebanon.

In 1727 a German professor, Johann Heinrich Schulze, observed that silver salts darkened when exposed to light. But the idea of making pictures using this information did not occur to him.

That invention required the talents of a later generation of scientists.





In 1800 a young English chemist, Thomas Wedgwood, was making "sun pictures" by placing leaves on leather that he had treated with silver salts, but he couldn't find a way to stop the darkening action of light and his leaf images faded into blackness

For the birth of photography to happen two key discoveries were still needed: a way to combine light-sensitive material with the camera obscura device and a way to make an image permanent.

"View from the Window at Le Gras, France"

The birth of photography happened in 1826 when a French scientist, Joseph Nicephore Niepce, put a plate coated with bitumen (an asphalt used in ancient times as a cement or mortar) in a camera obscura. He put the camera obscura facing his house for eight hours and made a photograph. It is the earliest camera photograph that we still have today. Here is that first photograph.





Niepce (left) began sharing his findings with Louis Jacques Mandé Daguerre (right), an artist who owned a theatre in Paris. They became partners three years later. Daguerre's most important discovery came in 1835, two years after Niepce died.

Daguerre found that the chemical compound silver iodide was much more sensitive to light than Niepce's bitumen. He put a copper plate coated with silver iodide in a camera obscura, exposed this plate to light for a short time, then to fumes of mercury and an image appeared! One problem remained, the image darkened over time. Two years later he solved this problem by washing away remaining silver iodide with a solution of warm water and table salt.



Daguerre
Still life
1837

Daguerre's process, which he named the daguerreotype, was announced to the world on January 7, 1839. Half a year later the French government gave Daguerre and Niepce's son, Isidore, lifetime pensions in exchange for all rights to their invention. The daguerreotype was to become France's gift to the world.



Daguerreotype Leibomo à Paris.

Here is one of the first daguerreotypes that was taken in 1839. It is a picture of Port Ripetta, Rome in Italy.




"I was first!"

Three weeks after Daguerre's announcement an English amateur scientist, William Henry Fox Talbot, read about the daguerreotype and realized that this invention was a lot like his own unpublicized process that he called photogenic drawing. He quickly tried to claim priority over Daguerre and presented his process in a paper to the Royal Society in London, England.



In Talbot's process he first coated a sheet of drawing paper with the chemical compound silver chloride, then he put it in a camera obscura where it produced an image with the tones reversed (a negative). He then placed the negative against another coated sheet of paper to produce a positive image. Talbot did not find a way to make the image permanent until a month after Daguerre's announcement, but his process, later improved and renamed the calotype, is the basis for most modern film technology which relies on negatives to produce many positive prints.

Because of a few problems of Talbot's process, the daguerreotype was the method of photography that first took the world by storm. With improvements the daguerreotype quickly proved a great way to make portraits of people.




One year after the daguerreotype was invented, daguerreotype studios throughout Europe and America were producing detailed likenesses. People gazed in amazement at their own image in these "mirrors with a memory."

This is a picture of one of the first commercially made daguerreotype cameras that was made in 1839. It was designed by Mr. Daguerre, the inventor of the daguerreotype.



Another picture of a daguerreotype. Notice it is quite large.



A daguerreotype portrait made the year the daguerreotype was invented.



*Portrait of the
photographer, Rob
Cornelius*

Photography arrived in America because the man who invented the telegraph system, Samuel F. B. Morse, was so excited about it. He saw a demonstration of the daguerreotype in Paris and returned to America and spread the news. Daguerreotypes remained popular in America into the 1850's, long after European photographers had switched to the improved process developed from Talbot's positive/negative method.



Daguerreotype of Samuel Morse

Most pictures of the California Gold Rush of 1849 are daguerreotypes.



Portraits of people were the most popular type of photographs taken in the 1800's. Photographic portraits were much less expensive than painted ones, they took less time and were more accurate.

People who painted people's portraits quickly went out of business or became daguerreotypists themselves.



Army Post Office tent in Virginia during the Civil War. Collodian picture taken April 1863 by Timothy O'Sullivan.

Another improvement...

In 1851 English photographer Frederick Scott Archer invented a wet-plate process called collodion. This was like Talbot's process but the negatives were made of smooth glass instead of paper. This produced sharper images and lasted longer than paper so it was easier to produce many paper prints from one glass negative.



A less expensive process was the *tintype* which used an iron plate instead of a glass plate. During the Civil War tintypes were the type of photography that was used the most. Tintype photographers often worked from the back of horse-drawn wagons photographing pioneer families and Union soldiers.



*Picture of a
photographer's
wagon during
the Civil War in
1863 in Virginia.
Timothy
O'Sullivan took
this
photograph.*

Tintype of Civil War Soldiers



The Civil War in America was the first war to be thoroughly recorded by photography. American photographer Mathew Brady saw the importance of documenting the conflict at its beginning and organized a team of photographers to cover different battlefronts. They took 7,000 pictures!



Photograph of George Armstrong Custer (on right) and a Confederate prisoner during the Civil War.


Two of Mathew Brady's employees went on to become two of the best-known photographers of the American West, Timothy O'Sullivan and Andrew J. Russell. They produced large prints of spectacular land forms and people of the west.



*Timothy
O'Sullivan*

Other well known photographers are William Bell, John Hillers and William Henry Jackson.

*William
Bell*



*William Henry
Jackson*



Photographers hauled their large cameras, tripods and portable darkrooms all over the world.

They photographed India, China and Japan. People were eager to see what these far off countries looked like.


Driving of the golden spike




In the 1800's industries hired photographers to photograph the great things they did like building ships, railroads, buildings and bridges. In Utah the completion of the transcontinental railroad in 1869 was celebrated with a photograph of the two steam locomotives facing each other. This photograph was taken by Andrew J. Russell who had worked for Mathew Brady during the Civil War.


Birth of “Motion” Pictures

Leland Stanford unwittingly started a chain of events that contributed to the development of motion pictures. To settle a wager regarding the position of a trotting horse's legs, he sent for Eadweard Muybridge, a British photographer who had recently been acclaimed for his photographs of Yosemite.



Although Muybridge initially considered the task impossible, he made history when he arranged 12 cameras alongside a race track. Each was fitted with a shutter working at a speed he claimed to be "less than the two-thousandth part of a second." Strings attached to electric switches were stretched across the track; the horse, rushing past, breached the strings and broke them, one after the other; the shutters were released by an electromagnetic control, and a series of negatives made.






Photographs by Eadweard Muybridge

Though the photographs were hardly more than silhouettes, they clearly showed that the feet of the horse were all off the ground at one phase of the gallop. Moreover, to the surprise of the world, the feet were bunched together under the belly. None of the horses photographed showed the "hobbyhorse attitude" - front legs stretched forward and hind legs backward - so traditional in painting. The photos were widely published in America and Europe.

The *Scientific American* printed eighteen drawings from Muybridge's photographs on the first page of its October 19, 1878 issue. Readers were invited to paste the pictures on strips and to view them in the popular toy known as the zoetrope, a precursor of motion pictures. It was an open drum with slits in its side, mounted horizontally on a spindle so it could be twirled. Drawings showing successive phases of action placed inside the drum and viewed through the slits were seen one after the other, so quickly that the images merged in the mind to produce the illusion of motion.



In 1880, using a similar technique with a device he named the zoogyroscope, or zoopraxiscope, Muybridge projected his pictures on a screen at the California School of Fine Arts, San Francisco." Motion pictures were born.




Kodak Cameras



George Eastman, was only 24 years old when he set up his Eastman Dry Plate Company in New York in 1880 and the first half-tone photograph appeared in a daily newspaper. In 1888 he introduced the first Kodak camera that cost \$25.00 (a great deal of money then). It had a 20 foot roll of paper, (enough for 100 pictures) already put in it. To get the film developed you had to return the camera to the Eastman Dry Plate Company in Rochester, New York. For \$10.00 they would develop the photographs, put more film in your camera and mail everything back to you. One year later an improved Kodak camera with a roll of film instead of a 20 foot roll of paper appeared.

Mr. Eastman wanted everybody to be able to take photographs. He worked hard to develop a camera that everybody could afford to buy. He did it in 1900. It was the Kodak Brownie box roll-film camera. It cost \$1.00. Now everyone could take photographs, not just professional photographers.



II. THE YOUTH'S C

EASTMAN KODAK CO.'S BROWNIE CAMERAS \$1.00

Make pictures 2½ x 2½ inches. Load in Daylight with our six exposure film. They are so simple they can be easily Operated by any School Boy or Girl.

Fond with the Brownie house and our increased range shooting for over shots or close exposures. Send us your page bound for the covering the house, together with directions on how to use the camera. Price, \$1.00. Six exposures. Brownie Camera, 2½ x 2½ pictures, \$1.00. Transparency Film Cartridges, 6 exposures, .15. Paper Film Cartridges, 6 exposures, .15. Film Developing and Printing, .10. Box outfit, .25. Box Finder, .25.

EASTMAN KODAK CO.
Rochester, N. Y.




Photograph taken with a Brownie camera. Notice how the photograph is round, just like the camera opening.

Color Photographs



People had tried to make color photographs since 1860. It wasn't until 1906 that a film sensitive to all colors called "panchromatic film" was produced. You had to take three separate negatives and then use a special viewer so you could see all three slides layed on top of each other. The first color plates were invented in 1907 by Auguste and Louis Lumiere. They named it Autochrome. The colors appeared in delicate pastel.

The cameras that we have now use film with "sprockets" (holes along both sides of film). This film was developed in 1914 by Oscar Barnack.



Oscar Barnack, the inventor of the world-renowned Leicca camera was the first to utilize the new 35mm format with the production of the Ur-Leica in 1924.

Kodachrome

It was the first color film that had more than one layer of film - it had many layers of film. Now you didn't need to take three separate photographs and put them on top of each other to get one color photograph, you could just take one photograph! Kodachrome was developed in 1936.





The first instant color film is developed in 1963 by Polaroid.



Camera Coughs Out Finished Prints

YOUR present camera performs only one of many steps—developing, fixing, printing, and so on—involved in making a photograph. Edwin H. Land, 38-year-old president of the Polaroid Corporation, has invented a one-step process in which the camera does everything. With his camera, you snap the shutter and turn a knob; 60


After a finished, dry print
nera takes its pictures in the
iv, but inside it, in addition,
there is a roll of positive
ed of developing chemicals
ch frame. Turning the knob
sed negative and the paper
b rollers, breaking the pod
he reagents evenly between
as they emerge from the rear.
Clipped off, they can be
minute later.

Figure 1. A photograph of the experimental setup showing the two light sources, the sample stage, and the detector.

Ladd displays a one-minute photograph of himself. A model of his camera has been designed for large-scale production, but plans for it are undisclosed.

required for printing. The unexposed portions of silver halide are transferred from the negative to form the positive image.

Land says that ordinary transparent film can be adapted to one-step photography, but he sees no need for it. If additional prints are desired, the easiest way is to make additional exposures. If necessary, the original print can be rephotographed.



The disk camera, the predecessor to the digital camera was introduced in 1981 by Sony called the Sony Mavica. It used a charge coupled device eliminating the need for film.




Digital Cameras

Nikon introduced the DSC 100 in 1991. It was 1.3 megapixels and had a separate shoulder box to store the files. It was quite expensive so only photojournalist had them originally.



The Photo CD was introduced in 1992 by Kodak.





Daguerreotype Camera: 1839



Alexander Wolcott: 1840



Panoramic Camera : Thomas Sutton: 1859



Stereoscopic Viewer: Oliver Wendell Holmes: 1861



Kodak Box Camera: George Eastman: 1888





Brownie : Eastman: 1900





Reise camera-Travel Camera: 1900


Reise-Cameras Furror & Excelsior




Reise-Camera „Meteor“



German Leica Camera:Oskar Barnack: 1914



Polaroid Camera: Edwin Land: 1948



Konica C35 AF: 1978




Sony Mavica: first digital electronic camera: 1981



this camera recorded images into a mini disk and then put them into a video reader. Images could be displayed to a television monitor or color printer.

Kodak DCS: 1991



Kodak released the first professional digital camera system (DCS) which was of a great use for photojournalists. It was a modified Nikon F-3 camera with a 1.3 megapixel sensor.

Apple QuickTake 100: 1994



The first digital cameras for the consumer-level market that worked with a home computer via a serial cable

Sharp's J-SH04-Camera Phone: 2000



Canon EOS 5D: 2005



This is first consumer-priced full-frame digital SLR with a 24x36mm CMOS sensor.

Sony Ericsson S750



The S750 was the first camera phone to feature autofocus and a 2MP sensor

Samsung M8910



It marked phone camera megapixel counts moving into double-digits with its 12MP sensor. The M8910 was also the first phone to introduce many features found on pro-level digital cameras.

Nokia Lumia 1020: 2013



This phone features a 41MP sensor, which was larger than any pro consumer-level DSLR available. The 1020 also featured a Carl Zeiss lens, image stabilization, and PurView Pro technology, which enables lossless digital zoom.









