

SED_Tools: A Unified Pipeline for Acquiring, Standardizing, and Interpolating Stellar Atmosphere Spectral Energy Distributions

Niall J. Miller¹ and Meredith Joyce¹

¹ University of Wyoming, 1000 E University Ave, Laramie, WY, United States

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

SED_Tools is an open-source Python package for acquiring, validating, and standardizing stellar atmosphere spectral energy distribution (SED) grids from public archives. It converts heterogeneous spectra and filter curves into common per-model files, HDF5 archives, binary flux cubes, and lookup tables for use by stellar-evolution and synthetic-photometry software. Supported sources include the Spanish Virtual Observatory (SVO), the MAST/BOSZ synthetic library (Mészáros et al., 2024), and stellar atmosphere grids distributed by the MSG (Multidimensional Spectral Grids) project (Townsend & Lopez, 2023), including model families such as Kurucz/ATLAS9 (Castelli & Kurucz, 2003), BT-Settl, TLUSTY, and TMAP. The package provides command-line and Python interfaces for acquisition, grid construction, interpolation-based densification, coverage diagnostics, and import of externally sourced grids. Two PyTorch-based components can extend incomplete wavelength coverage or generate an SED from (T_{eff} , $\log g$, $[M/H]$). Centralized header parsing and unit normalization produce a common representation across the supported source archives.

Statement of need

Stellar-evolution and synthetic-photometry codes require precomputed stellar atmosphere spectra spanning effective temperature, surface gravity, metallicity, and, in some cases, additional physical parameters. Available grids are distributed across independent archives that use different file formats, header conventions, wavelength and flux units, wavelength sampling, and axis ordering. Some archives encode parameters such as sedimentation efficiency, helium fraction, or alpha enhancement as separate files rather than explicit grid dimensions, which can produce duplicate or colliding nodes during grid construction. Combining grids from different sources therefore requires archive-specific parsing, unit conversion, collision handling, and validation, and errors in these steps can propagate into downstream interpolation and synthetic photometry. SED_Tools automates the acquisition of spectra and filter curves, validates inputs against expected physical ranges, resolves hidden-axis collisions, and writes standardized products as per-model spectra, HDF5 archives, binary flux cubes, and lookup tables. The package is intended for astronomers and scientific-software developers preparing atmosphere libraries for stellar evolution, synthetic photometry, SED fitting, or population-synthesis workflows. It directly supports the MESA colors module, whose documentation identifies SED_Tools as the data-preparation tool for its standard input products (The MESA Team, 2026).

State of the field

Several existing packages address related parts of this workflow. `synphot` and its predecessor `pysynphot` perform synthetic photometry using prepared source spectra and bandpasses, but their documented scope does not include acquisition and standardization of heterogeneous atmosphere archives into interpolation-ready grids (Lim et al., 2015; Lim & others, 2016). `specutils` provides general-purpose representations and analysis tools for spectroscopic data, rather than an archive-to-grid construction pipeline (Earl & others, 2026). `gollum` provides programmatic access to selected precomputed synthetic grids and tools for spectral inspection and model-data comparison (Shankar et al., 2024). `MSG` provides compiled libraries and associated tools for interpolating, converting, and packaging stellar spectral grids in its HDF5 data model (Townsend & Lopez, 2023). `SED_Tools` instead focuses on archive-specific acquisition, header and unit standardization, hidden-axis collision handling, validation, and production of multiple downstream representations. Archive services such as the SVO Filter Profile Service (Rodrigo & Solano, 2020) and MAST provide access to source data, while preparation for a particular interpolation or stellar-evolution workflow remains a downstream task. The principal software contribution of `SED_Tools` is to combine these acquisition and standardization steps in a reproducible, versioned pipeline spanning SVO, MAST/BOSZ, MSG-hosted grids, and externally supplied models.

Software design

`SED_Tools` centralizes transformations that must remain consistent across source archives. A header-parsing module resolves historical header-key variants against a common alias table and prevents a later unparseable value from overwriting an already resolved value. A spectral-cleaning module converts each spectrum once to a common wavelength and flux representation (angstroms; $\text{erg s}^{-1} \text{cm}^{-2} \text{\AA}^{-1}$), after which downstream stages operate on the normalized data.

A collision-handling module addresses physical parameters that are encoded as separate files rather than explicit grid dimensions. It can construct a mean flux cube, preserve each colliding variant in a separate cube, or select a configured variant. This retains the information associated with hidden axes while making the chosen collision policy explicit and reproducible for each model family.

Large expanded grids are constructed using memory-mapped source and destination arrays rather than requiring the full dataset to reside in memory. Core operations are exposed through both the `sed-tools` command-line interface and the Python API, allowing the same processing stages to be used interactively, from scripts, or in shell-based pipelines. Coverage diagnostics report the sampled parameter space before interpolation, while the optional ML modules extend wavelength coverage or generate spectra from atmospheric parameters. Malformed inputs raise errors rather than being silently skipped.

Validation is performed at two levels. An automated `pytest` suite exercises configuration, standardization utilities, the command-line interface, and flux-cube loading and evaluation. A separate audit pipeline applies physical consistency checks to standardized products by comparing spectral peak locations with Wien-law expectations, comparing integrated fluxes with blackbody reference integrals over the available wavelength range, and matching raw spectra to their corresponding flux-cube nodes.

Research impact statement

`SED_Tools` is the designated data-preparation pipeline for the MESA colors module, which was first shipped in release candidate r25.10.1-rc1 and is included in stable MESA releases from r25.12.1 onward (Team, 2025). MESA is an open-source stellar-evolution code used across

asteroseismology, stellar-population studies, and binary-evolution research (Jermyn et al., 2023; Paxton et al., 2011, 2013, 2015, 2018, 2019). The colors module documentation names SED_Tools as the tool that prepares its input data and identifies its precomputed flux-cube products as generated by SED_Tools (The MESA Team, 2026). The Kurucz2003 atmosphere grids distributed for the module were also prepared with SED_Tools. Consequently, users of the standard atmosphere products distributed for the MESA colors module consume data products prepared by this package even when they do not run SED_Tools directly.

AI usage disclosure

Claude assisted with construction of portions of the automated test suite in tests/. All generated code was reviewed by the authors and checked using the automated test suite and relevant numerical validation procedures before merging.

Acknowledgements

Computations were performed using the University of Wyoming (UW) Advance Research Computing Center MedicineBow HPC, a UW managed computational resource available to UW researchers including faculty, staff, students, and collaborators (<https://doi.org/10.15786/M2FY47>). This research has made use of the SVO Filter Profile Service “Carlos Rodrigo”, funded by MCIN/AEI/10.13039/501100011033/ through grant PID2023-146210NB-I00 (Rodrigo & Solano, 2020). This research has also made use of theoretical stellar spectra provided through the Spanish Virtual Observatory (<https://svo.cab.inta-csic.es>). This work has made use of data obtained from the Mikulski Archive for Space Telescopes (MAST), operated by the Space Telescope Science Institute (STScI), which is operated by the Association of Universities for Research in Astronomy, Inc., under NASA contract NAS5-26555. This work makes use of stellar atmosphere grids packaged and distributed by the MSG project (Townsend & Lopez, 2023), and we thank R. H. D. Townsend for maintaining this resource. The SED_Tools data mirror is currently hosted on computing infrastructure operated by N. J. Miller.

References

- Castelli, F., & Kurucz, R. L. (2003). New Grids of ATLAS9 Model Atmospheres. In N. Piskunov, W. W. Weiss, & D. F. Gray (Eds.), *Modelling of stellar atmospheres* (Vol. 210, p. A20). <https://doi.org/10.48550/arXiv.astro-ph/0405087>
- Earl, N., & others. (2026). *astropy/specutils: v2.3.0* (Version 2.3.0). Zenodo. <https://doi.org/10.5281/zenodo.18473282>
- Jermyn, A. S., Bauer, E. B., Schwab, J., Farmer, R., Ball, W. H., Bellinger, E. P., Dotter, A., Joyce, M., Marchant, P., Mombarg, J. S. G., Wolf, W. M., Sunny Wong, T. L., Cinquegrana, G. C., Farrell, E., Smolec, R., Thoul, A., Cantiello, M., Herwig, F., Toloza, O., ... Timmes, F. X. (2023). Modules for Experiments in Stellar Astrophysics (MESA): Time-dependent Convection, Energy Conservation, Automatic Differentiation, and Infrastructure. *265*(1), 15. <https://doi.org/10.3847/1538-4365/acae8d>
- Lim, P. L., Diaz, R. I., & Laidler, V. (2015). *PySynphot User's Guide*. Space Telescope Science Institute. <https://pysynphot.readthedocs.io/>
- Lim, P. L., & others. (2016). *synphot User's Guide*. Space Telescope Science Institute. <https://synphot.readthedocs.io/>
- Mészáros, S., Bohlin, R., Allende Prieto, C., Cseh, B., Kovács, J., Fleming, S. W., Dencs, Z., Deustua, S., Gordon, K. D., Hubeny, I., Mező, G., & Truszek, M. (2024). The

- 128 updated BOSZ synthetic stellar spectral library. 688, A197. <https://doi.org/10.1051/0004-6361/202449306>
- 129
- 130 Paxton, B., Bildsten, L., Dotter, A., Herwig, F., Lesaffre, P., & Timmes, F. (2011). Modules
131 for Experiments in Stellar Astrophysics (MESA). 192(1), 3. <https://doi.org/10.1088/0067-0049/192/1/3>
- 132
- 133 Paxton, B., Cantiello, M., Arras, P., Bildsten, L., Brown, E. F., Dotter, A., Mankovich, C.,
134 Montgomery, M. H., Stello, D., Timmes, F. X., & Townsend, R. (2013). Modules for
135 Experiments in Stellar Astrophysics (MESA): Planets, Oscillations, Rotation, and Massive
136 Stars. 208(1), 4. <https://doi.org/10.1088/0067-0049/208/1/4>
- 137 Paxton, B., Marchant, P., Schwab, J., Bauer, E. B., Bildsten, L., Cantiello, M., Dessart, L.,
138 Farmer, R., Hu, H., Langer, N., Townsend, R. H. D., Townsley, D. M., & Timmes, F. X.
139 (2015). Modules for Experiments in Stellar Astrophysics (MESA): Binaries, Pulsations, and
140 Explosions. 220(1), 15. <https://doi.org/10.1088/0067-0049/220/1/15>
- 141 Paxton, B., Schwab, J., Bauer, E. B., Bildsten, L., Blinnikov, S., Duffell, P., Farmer, R.,
142 Goldberg, J. A., Marchant, P., Sorokina, E., Thoul, A., Townsend, R. H. D., & Timmes, F.
143 X. (2018). Modules for Experiments in Stellar Astrophysics (MESA): Convective Boundaries,
144 Element Diffusion, and Massive Star Explosions. 234(2), 34. <https://doi.org/10.3847/1538-4365/aaa5a8>
- 145
- 146 Paxton, B., Smolec, R., Schwab, J., Gautschi, A., Bildsten, L., Cantiello, M., Dotter, A., Farmer,
147 R., Goldberg, J. A., Jermyn, A. S., Kanbur, S. M., Marchant, P., Thoul, A., Townsend, R.
148 H. D., Wolf, W. M., Zhang, M., & Timmes, F. X. (2019). Modules for Experiments in
149 Stellar Astrophysics (MESA): Pulsating Variable Stars, Rotation, Convective Boundaries,
150 and Energy Conservation. 243(1), 10. <https://doi.org/10.3847/1538-4365/ab2241>
- 151 Rodrigo, C., & Solano, E. (2020). The SVO Filter Profile Service. *XIV.0 Scientific Meeting*
152 *(Virtual) of the Spanish Astronomical Society*, 182.
- 153 Shankar, S., Gully-Santiago, M. A., Morley, C. V., Cao, J., Kaplan, K., Kimani-Stewart, K., &
154 Gonzalez-Argüeta, D. (2024). <Code>gollum</code>: An intuitive programmatic and
155 visual interface for precomputed synthetic spectral model grids. *Journal of Open Source*
156 *Software*, 9(100), 6601. <https://doi.org/10.21105/joss.06601>
- 157 Team, T. M. (2025). *Modules for experiments in stellar astrophysics (MESA) release candidate*
158 *r25.10.1-rc1* (Version 25.10.1rc1). Zenodo. <https://doi.org/10.5281/zenodo.17426065>
- 159 The MESA Team. (2026). MESA colors module documentation. In *GitHub repository*. GitHub.
160 [https://github.com/MESAHub/mesa/blob/08a30a014dbfdaa03e5e046fbd59e9b58a6b26ef/](https://github.com/MESAHub/mesa/blob/08a30a014dbfdaa03e5e046fbd59e9b58a6b26ef/colors/README.rst)
161 [colors/README.rst](https://github.com/MESAHub/mesa/blob/08a30a014dbfdaa03e5e046fbd59e9b58a6b26ef/colors/README.rst)
- 162 Townsend, R., & Lopez, A. (2023). MSG: A software package for interpolating stellar
163 spectra in pre-calculated grids. *Journal of Open Source Software*, 8(81), 4602. <https://doi.org/10.21105/joss.04602>
- 164