Senior Mathematics Enrichment

Triangular numbers

with Visual Proofs, and Combinatorics

Dr Niall Madden

School of Maths, University of Galway

15 November 2025

Today, the riches we'll survey...

1. Warm-up question
2. Visual proofs
3. Triangular numbers
   - $T_n + T_{n-1} = n^2$

See also:

4. Visual proofs
5. Triangular numbers
6. Another puzzle
7. Permutations
8. Another Triangle

Warm-up question

Can you form all the numbers from 0 to 9 using four 4's, and the usual operations $+$, $-$, $\times$, and $\div$? You can also use $($ and $)$ if needed.

Visual proofs

We start by trying to prove that

$$1 + 3 + \cdots + (2n - 1) = n^2.$$

Visual proofs

We start with the following examples.

(i) Find a "visual" way of showing that $1+3+\cdots+(2n-1)=n^2$

(ii) Now extend this to show that $2+4+\cdots+2n=n^2+n$

(iii) Combine these to get an expression for $1+2+3+4+\cdots+n$.

This leads us on to "triangular numbers".

Triangular numbers

Triangular Numbers

The *Triangular* numbers are $T_n = 1 + 2 + 3 + \cdots + n$.

Three ways to show that $T_n + T_{n-1} = n^2$

Visual proofs

We start with the following examples.

(i) Find a "visual" way of showing that $1+3+\cdots+(2n-1)=n^2$

(ii) Now extend this to show that $2+4+\cdots+2n=n^2+n$

(iii) Combine these to get an expression for $1+2+3+4+\cdots+n$.

This leads us on to "triangular numbers".

Triangular numbers

The *Triangular* numbers are $T_n = 1 + 2 + 3 + \cdots + n$.

Here are a few identities they satisfy.

(1) $T_{n-1} + T_n = n^2$.

(2) $1^2 - 2^2 + 3^2 - \cdots + (-1)^{n+1} n^2 = (-1)^{n+1} T_n$.

(3) $8T_n + 1 = (2n+1)^2$.

(4) $T_{2n} = 3T_n + T_{n-1}$.

(5) $T_{2n+1} = 3T_n + T_{n+1}$.

(6) $T_{3n+1} - T_n = (2n+1)^2$.

(7) $T_{n-1} + 6T_n + T_{n+1} = (2n+1)^2$.

(8) $T_n T_k + T_{n-1} T_{k-1} = T_{nk}$

(9) $3(T_1 + T_2 + T_3 + \cdots + T_n) = T_n(n+2)$

You can find a "Proof without words" of (9) on the MVP YouTube channel: https://www.youtube.com/watch?v=N0ETyJ5K6j0&list=PLZh9gzIvXQUtkRlg8-epNxe18SZq7OUBr&index=27

Triangular numbers

Another puzzle

A rook can move only in straight lines (not diagonally). *Fill in each square of the chess board below with the number of different shortest paths the rook in the top left corner can take to get to the square, moving one space at a time.* E.g., there are **six** paths from the rook to the square **c6**: DDRR, DRDR, DRRD, RDDR, RDRD, and RRDD. (R = *right*, D = *down*).



Permutations

Factorial

If you have n objects then the number of different ways of ranking them is

$$n \times (n-1) \times (n-2) \times \cdots \times 2 \times 1 = n! \quad (\text{“}n \text{ factorial}).$$

As n increases, $n!$ increases very quickly. Did you know that the age of the universe is less than 20! seconds old?.

Permutations

Permutations

In general, if you have n objects, the number of ways of ranking $k \leqslant n$ of them is

$$\frac{n!}{(n-k)!}.$$

We call this a *permutation*.

Another Triangle



This is **Pascal's Triangle**. What patterns can we spot in the numbers shown here?

Another Triangle

Combinations

We use $\binom{n}{k}$ to denote the number of ways of choosing k items from n.
$\binom{n}{k}$ is also the kth entry in row n of Pascal's triangle (where we start counting the rows from zero).

A fact that we will ignore about about the Binomial coefficient formula

$$\binom{n}{k} = \frac{n!}{k!(n-k)!}. \tag{1}$$

Just like we were able to prove some facts about triangular numbers, without using mathematical formulae, we can prove some facts about binomial coefficients without using this "factorial" formula.

Another Triangle

Example

If 30 people compete in the Irish Mathematics Olympiad, and 6 are chosen to represent Ireland at the IMO, there are

$$\binom{30}{6} = 593,775$$

possible teams.

Another Triangle

Binomial coefficient

$\binom{n}{k}$ is also called the "binomial coefficient" because the coefficient of $a^k b^{n-k}$ in $(a+b)^n$ is $\binom{n}{k}$. That is

$$\begin{aligned}(a+b)^n = a^n + \binom{n}{n-1}a^{n-1}b \\ + \binom{n}{n-2}a^{n-2}b^2 + \cdots + \binom{n}{1}a^1 b^{n-1} + b^n \\ = \sum_{k=0}^{n}\binom{n}{k}a^k b^{n-k}.\end{aligned} \tag{2}$$

Another Triangle

Pascal's Identity

$$\binom{n}{k} = \binom{n-1}{k-1} + \binom{n-1}{k}.$$

Another Triangle

Another Identity

$$k\binom{n}{k} = n\binom{n-1}{k-1}.$$

Another Triangle

Here are some other identities. *Can you prove the following?*

1. $\binom{n}{k} = \binom{n}{n-k}$.
2. $\binom{n}{0}^2 + \binom{n}{1}^2 + \binom{n}{2}^2 + \cdots + \binom{n}{n}^2 = \binom{2n}{n}$.
3. $1 + 2 + 3 + \cdots + n = \binom{n+1}{2}$.

Another Triangle

4. $\binom{x+y}{2} - \binom{x}{2} - \binom{y}{2} = xy$.
5. $\binom{n}{2}\binom{n-2}{k-2} = \binom{n}{k}\binom{k}{2}$.

Another Triangle

6. $$\binom{2}{2}\binom{n}{2}+\binom{3}{2}\binom{n-1}{2}+\binom{4}{2}\binom{n-2}{2}+\cdots+\binom{n}{2}\binom{2}{2}1=\binom{n+3}{5}$$
7. $\displaystyle\sum_{k=0}^{n}(-1)^k\binom{n}{k}=0$.
8. Find an simple expression for $\displaystyle\sum_{k=0}^{n}\binom{n}{k}$.

Another Triangle

9. $\binom{m+n}{k} = \sum_{r=0}^{k} \binom{m}{k-r}\binom{n}{r}$.
10. $\binom{n-1}{k} - \binom{n-1}{k-1} = \frac{n-2k}{n}\binom{n}{k}$.
11. How many ways can you write n as the sum of r non-negative integers, where order matters? (E.g, three ways of writing $n = 5$ as $r = 3$ integers are $5 = 0 + 1 + 4$, $5 = 1 + 0 + 4$, $5 = 1 + 2 + 2$).