



TRAINING EXAMPLE — NOT A REAL IEC 62304 DELIVERABLE

This project is a **training site, not a real medical device** under any regulatory definition — it is not Software as a Medical Device (SaMD) or Software in a Medical Device (SiMD). This page is not a genuine IEC 62304 deliverable: it illustrates the *kind* of document a real SaMD/SiMD project would produce. See the [document register](#) for the full explanation.

Clause: 5.2 — Software Requirements Analysis · **Register:** [Document Register](#)

What the standard requires (Class C — every sub-clause of 5.2)

REF	TITLE	APPLIES AT	OUTPUT
5.2.1	Define and document requirements from system requirements	A, B, C	Documented software system requirements, derived from system-level requirements
5.2.2	Software requirements content	A, B, C	Functional/capability, inputs/outputs, interfaces, alarms/messages, security, UI, data/database, installation/acceptance, operation/maintenance, IT-network, regulatory
5.2.3	Include risk control measures in requirements	B, C	Risk control measures implemented in software, included in the requirements
5.2.4	Re-evaluate medical device risk analysis	A, B, C	Re-evaluated and updated medical device risk analysis

REF	TITLE	APPLIES AT	OUTPUT
5.2.5	Update requirements	A, B, C	Re-evaluated and updated requirements, including system requirements
5.2.6	Verify software requirements	A, B, C	Documented verification that requirements implement system requirements, don't contradict, avoid ambiguity, are testable, unique and traceable

5.2.1 — Where these requirements come from

There is no separate "system" here (see [02 §5.1.3](#)), so the nearest equivalent to a system requirements specification is: **the content of the standard itself**. IEC 62304's own text is the source; this project's requirements are "present that content correctly, accessibly, and interactively," derived and reviewed the way [11](#) describes.

5.2.2 — Requirements, by page

Each requirement below is written the way the standard's own content list at 5.2.2 asks for — functional, interface, or otherwise — and points at the `tests/test_site.py` group that verifies it, which is the verification method for 5.2.6.

Cross-page

ID	REQUIREMENT	VERIFIED BY (TEST GROUP)
REQ-01	The site states which edition of IEC 62304 it covers, on every page, and states that Edition 2 is not covered	version
REQ-02	Visitors can switch between light and dark colour themes; the choice persists across visits and is not overridden by a later system-theme change	theme

ID	REQUIREMENT	VERIFIED BY (TEST GROUP)
REQ-03	No page flashes the wrong theme on load	theme
REQ-04	All five pages meet WCAG 2.1 A/AA and axe-core best-practice rules, in both themes	a11y
REQ-05	All five pages remain usable with no horizontal overflow at 1280/768/480/360px and at a 200% zoom equivalent	responsive
REQ-06	Every page links to the privacy notice from its footer	privacy

Home ([index.html](#))

ID	REQUIREMENT	VERIFIED BY
REQ-07	States the standard's edition and that Edition 2 is not covered, in the hero content	version
REQ-08	Shows the topic count sourced from the same data the Learn page renders, not a separate hardcoded figure	privacy (home page topic count matches the data)

Learn ([learn.html](#))

ID	REQUIREMENT	VERIFIED BY
REQ-09	Renders one card per topic from <code>data/phases.json</code> , asynchronously, with loading/error/retry states	learn
REQ-10	Each card expands/collapses by mouse and keyboard (Enter/Space), with <code>aria-expanded</code> kept correct	learn
REQ-11	A level toggle (Introductory/Advanced) swaps bullet content in place without losing expanded or studied state; the choice persists to <code>localStorage</code>	learn

ID	REQUIREMENT	VERIFIED BY
REQ-12	A safety-class filter (A/B/C/all) shows/hides cards using the sub-clause data, not a hardcoded per-clause list, and flags partially-applicable cards	applicability
REQ-13	Selecting a class reveals a live-region notice naming every omitted or partially-applicable area and why, including a standing ISO 14971 caution	learn
REQ-14	Selecting a class generates a deliverables list (on screen, CSV, and print) of the documented outputs required at that class	deliverables
REQ-15	The site refuses to render Learn content if <code>phases.json</code> and <code>applicability.json</code> disagree on a clause's classes, and names the disagreement	applicability
REQ-16	A progress tracker lets a visitor mark topics as studied and shows a running count	learn
REQ-16a	A topic cannot be marked studied until its example document has been opened (Preview or Download); a blocked attempt shows an inline message, expands the card, and moves focus to the Preview link	learn

Quiz ([quiz.html](#))

ID	REQUIREMENT	VERIFIED BY
REQ-17	Two 15-question sets (Introductory/Advanced); only the set matching the visitor's chosen level is downloaded	quiz
REQ-18	Questions are presented in randomised order with a 30-second per-question timer and immediate feedback	quiz
REQ-19	An 80% pass mark produces a certificate reflecting the training level completed, downloadable and print-formatted	quiz
REQ-20	A timed-out or failed run is handled explicitly, not just a passing run	quiz

Contact ([contact.html](#))

ID	REQUIREMENT	VERIFIED BY
REQ-21	Client-side validation runs on blur and on submit, per field	contact
REQ-22	Submission is asynchronous (no page reload), with a "Sending..." state, a request timeout, and field-level error reporting for a 422 response	contact
REQ-23	A double-submit is prevented while a request is in flight	contact
REQ-24	A hidden honeypot field deters spam without being visible or reachable by a real visitor	contact

Privacy ([privacy.html](#))

ID	REQUIREMENT	VERIFIED BY
REQ-25	Names what the contact form collects, the transfer to Formspree (US), the retention period, and how to contact the supervisory authority	privacy
REQ-26	States the provenance of the course content, the safety-class mapping, and the Edition 2 status, and disclaims any IEC affiliation	privacy

5.2.3 — Risk control measures included in the requirements

The one place a genuine "risk" exists in this project is content correctness (see [11](#)). The control measure is REQ-15 above — the site's refusal to render on contradictory safety-class data — which is itself a requirement, not just an implementation detail, for exactly that reason.

5.2.4–5.2.5 — Re-evaluation

Each of the three logged content defects described in [11 — Risk Management File](#) triggered a re-evaluation of the requirements above (specifically REQ-12 and REQ-15, which did not exist before the defects were found) — this is that process's paper trail.

5.2.6 — Requirements verification

Verification method, per requirement, is the test group named in the tables above. This is coarser than the "verify every requirement individually" a formal SRS review would produce — the granularity available is *group*, not *case*, and that is recorded here rather than implied to be finer than it is.

Gaps

- Requirements are traced to test **groups**, not individual test cases — the check labels inside `tests/test_site.py` are the case-level detail, but there is no separate traceability matrix connecting REQ-IDs to specific `R.check(...)` calls. For a project this size the group-level mapping above is proportionate; it would not be for a larger one.
- This document was written **after** the features it describes, not before them — for a real Class C project 5.2.1 expects requirements to exist before implementation. That ordering gap is itself an example of the kind of finding [13 — Problem Resolution](#) exists to catch and record, not just a footnote.