DC POWER SUPPLY FIXED OUTPUT





APS 5 Series	0+5 V / 1A, +/- 15V / 1A
APS 15 Series	0+5 V / 2A, +/-15V / 2A
APS 30 Series	0+5 V / 5A, +/-15V / 1A
APS 60 Series	0-30V/1A,+/-12V/2A,+5V/1A
APS 5 Series	0-30V/2A,+/-12V,+5V/2A

GENERAL SPECIFICATIONS:

Metering: 3 Digit DPMs for Voltage & Current measurment (Variable O/P

Meter Accuracy : +/- 0.1% +/- 3 Counts **Regulation Limit :** +/- 0.05% (+/- 5mV)

Regulation Line: +/- 0.05% (+/-5mV) for +/- 10% Line Change

Regulation Loda: +/- 0.05% (+/- 10mA) for load change from zero to full load

Ripple & Noice: Less Than 2mV rms

Peotection: Against Over load & short CKT protection built RELAY Optional also

Made of Operations: Constant Voltage & constant current (optional)

Output polarity: Floting w.r.t ground



Analog & Digital Divices

#4."Swathi" 1St Main, Opp Singapura Garden, Lakshmipura Road. Abbigere, Bangalore - 560090 Phone No: +91 -80-23253301/+91-80-23253302

Email: info@addblr.com/ addblr2829@gmail.com

Website: www.addblr.com