

Seed Data JSON Formats

40 data types: 26 content, 6 config, 8 user. One page per format with its table, fields, relations, notes and a real example record.

Generated 29 September 2026 from seed/formats/ in the project. Regenerate with python tool/build_seed_formats.py.

Conventions

- Stable lowercase ids with a type prefix: rp_ passage, ls_ listening set, w1_/w2_ writing prompts, cc cue card, mt_ mock.
- Timestamps ISO-8601 UTC (2026-09-29T12:00:00Z); calendar dates YYYY-MM-DD in Asia/Dhaka time.
- Audio and images are Cloudflare R2 object keys (listening/ls_01.mp3), not URLs.
- Relations point by id. **markdown** is allowed in explanations. British spelling, Academic IELTS only, original writing only.
- Load order: content, then config, then users, then everything that references a user.
- Each file: _format (the rules) + items (examples). Seed files in seed/data use {"table", "items"}.

The 12 practice sections and their JSON

Every section a student can practise on its own has its content in these formats. Parts of the same skill share one table and are told apart by a part field, with one example per part in the format file.

Practice section	JSON format	How the part is identified	Records today
Writing Task 1	05_writing_task1_prompts	task = 1	15
Writing Task 2	06_writing_task2_prompts	task = 2	31
Speaking Part 1	07_speaking_part1_topics	own table	16
Speaking Part 2	08_speaking_cue_cards	own table	44
Speaking Part 3	26_speaking_part3_sets	own table (cueCardId links to Part 2)	44
Listening Part 1	03_listening_sets	part = 1	2
Listening Part 2	03_listening_sets	part = 2	2
Listening Part 3	03_listening_sets	part = 3	2
Listening Part 4	03_listening_sets	part = 4	2
Reading Part 1	01_reading_passages	part = 1 (easy)	3
Reading Part 2	01_reading_passages	part = 2 (medium)	3
Reading Part 3	01_reading_passages	part = 3 (hard)	3

Full tests combine the parts: 02_reading_tests (Parts 1-3), 04_listening_tests (Parts 1-4) and 09_mock_tests (all four skills).

Index

#	Data type	Group	Table	Primary key	Records today
01	reading passages	content	reading_passages	id	9
02	reading tests	content	reading_tests	id	3
03	listening sets	content	listening_sets	id	8
04	listening tests	content	listening_tests	id	2
05	writing task1 prompts	content	writing_prompts	id	15
06	writing task2 prompts	content	writing_prompts	id	31
07	speaking part1 topics	content	speaking_part1_topics	id	16
08	speaking cue cards	content	speaking_cue_cards	id	44
09	mock tests	content	mock_tests	id	3
10	vocab quizzes	content	vocab_quizzes	id	5
11	phrasal verbs	content	phrases	id	30
12	idioms	content	phrases	id	25
13	vocabulary words	content	vocabulary_words	id	19
14	academic words	content	academic_words	id	6
15	irregular verbs	content	irregular_verbs	id	37
16	pronunciation words	content	pronunciation_words	id	6
17	reading lessons	content	lessons	id	4
18	listening lessons	content	lessons	id	4
19	writing lessons	content	lessons	id	6
20	sentence drills	content	sentence_drills	id	6
21	writing templates	content	writing_templates	id	8
22	writing sample answers	content	writing_sample_answers	promptId	1
23	articles	content	articles	id	8
24	band descriptors	content	band_descriptors	key	4
25	word of the day	content	word_of_the_day	date	1
26	speaking part3 sets	content	speaking_part3_sets	id	44
30	plans	config	plans	id	2
31	plan features	config	plan_features	id	8
32	certificates	config	certificate_definitions	id	11
33	legal documents	config	legal_documents	id	2
34	community rooms	config	rooms	id	5
35	app config	config	app_config	key	3
40	users	user	users	id	—
41	attempts	user	attempts	id	—
42	notifications	user	notifications	id	—
43	tasks	user	study_tasks	id	—
44	user state	user	user_state	userId+key	—
45	recordings	user	recordings	id	—
46	room messages	user	room_messages	id	—
47	subscriptions	user	subscriptions	id	—

01 · reading_passages

One Academic reading passage = one Reading part (Part 1, 2 or 3) with its question groups (12-14 questions, numbered 1..n locally).

Table	reading_passages	Primary key	id
File	seed/formats/01_reading_passages.json	Records today	9
Source in app	assets/demo/content/reading_*.json → reading.passages	Group	content

Practice parts in this format

label	difficulty	questions	words	typicalQuestionTypes	practisedOn
Reading Part 1 (Passage 1)	easy	13	700-900	tfng, gap, matching	Reading library → Passage 1 filter; full test Q1-13
Reading Part 2 (Passage 2)	medium	13	750-950	heading, matching, mcq, gap	Passage 2 filter; full test Q14-26
Reading Part 3 (Passage 3)	hard	14	800-950	ynng, mcq, matching, gap	Passage 3 filter; full test Q27-40

Fields

Field	Type	Required
id	string	yes
title	string	yes
topic	string	yes
difficulty	string	yes
words	integer	
paragraphs	array	yes
groups	array	yes
part	integer	yes

Relations

- groups[].questions[].evidenceParagraph → paragraphs[].letter
- part = the passage position it fills in a full test (reading_tests.passages[part-1])

Notes

- Group types: tfng, ynng, heading, matching, mcq, gap (see CONTENT_SCHEMA.md).
- Every question needs answer, evidenceParagraph, evidence (verbatim phrase) and explanation.
- part: 1|2|3 (Passage 1 easy, 2 medium, 3 hard). One example per part below.
- difficulty: easy|medium|hard; topic from the fixed topic list.

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "rp_01",
  "title": "The Return of the Urban Beekeeper",
  "topic": "Environment",
  "difficulty": "easy",
  "words": 730,
  "paragraphs": [
    {
      "letter": "A",
      "text": "Twenty years ago, keeping bees in a city was considered eccentric, the kind of pastime pursued by a handful of enthusiasts with more pati..."
    },
    {
      "letter": "B",
      "text": "Supporters argue that cities offer bees a surprising advantage. Parks, gardens, cemeteries and street
```

```

trees provide a variety of flowers ..."
},
"... 4 more items"
],
"groups": [
{
  "id": "g1",
  "type": "tfng",
  "title": "True / False / Not Given",
  "instruction": "Do the following statements agree with the information given in the passage?",
  "options": [
    "TRUE",
    "FALSE",
    "NOT GIVEN"
  ],
  "questions": [
    {
      "number": 1,
      "text": "Urban honey is now sold for a profit.",
      "answer": "TRUE",
      "evidenceParagraph": "A",
      "evidence": "urban honey has become a small but profitable industry",
      "explanation": "Paragraph A says urban honey has become **a small but profitable industry**, so the
statement agrees with the passage."
    },
    {
      "number": 2,
      "text": "The number of hives in London grew quickly throughout the 1990s.",
      "answer": "FALSE",
      "evidenceParagraph": "A",
      "evidence": "the number of hives only rose sharply after 2008",
      "explanation": "Bees were kept in the 1990s, but numbers **only rose sharply after 2008**. The word \"only\"
contradicts rapid growth in the 1990s, so the ..."
    },
    "... 3 more items"
  ]
},
{
  "id": "g2",
  "type": "heading",
  "title": "Match each paragraph to a heading",
  "instruction": "Choose the correct heading for each paragraph from the list of headings. There are more
headings than paragraphs.",
  "headings": [
    {
      "key": "i",
      "text": "A hobby becomes a business"
    },
    {
      "key": "ii",
      "text": "Why cities suit bees"
    },
    "... 6 more items"
  ],
  "questions": [
    {
      "number": 6,
      "text": "Paragraph C",
      "paragraph": "C",
      "answer": "iii",
      "evidenceParagraph": "C",
      "evidence": "honeybees compete with wild pollinators for the same flowers",
      "explanation": "Paragraph C explains that honeybees **compete** with wild pollinators and that some
districts have **more hives than the available flower..."
    },
    {
      "number": 7,
      "text": "Paragraph D",
      "paragraph": "D",
      "answer": "iv",
      "evidenceParagraph": "D",
      "evidence": "several cities have introduced rules for new beekeepers",
      "explanation": "The whole paragraph is about **registration, limits and training** for beginners, which
matches heading iv."
    },
    "... 2 more items"
  ]
},
{
  "id": "g3",
  "type": "gap",
  "title": "Complete the sentences",
  "instruction": "Choose NO MORE THAN TWO WORDS from the passage for each answer.",
  "questions": [
    {

```

```

      "number": 10,
      "text": "Some London boroughs limit the number of colonies on a single _____.",
      "accepted": [
        "building",
        "a single building"
      ],
      "answer": "building",
      "evidenceParagraph": "D",
      "evidence": "limit the number of colonies allowed on a single building",
      "explanation": "Paragraph D says some boroughs limit colonies **on a single building**."
    },
    {
      "number": 11,
      "text": "Poorly managed colonies are more likely to spread _____ to neighbouring hives.",
      "accepted": [
        "disease"
      ],
      "answer": "disease",
      "evidenceParagraph": "D",
      "evidence": "more likely to spread disease to neighbouring hives",
      "explanation": "The rules protect bees because badly managed colonies may spread **disease**."
    },
    "... 2 more items"
  ],
  "part": 1
}

{
  "id": "rp_02",
  "title": "Messages Under the Pavement: The Pneumatic Post",
  "topic": "History",
  "difficulty": "medium",
  "words": 760,
  "paragraphs": [
    {
      "letter": "A",
      "text": "For roughly a century, the fastest way to send a written message across many European cities was neither the telegraph nor the telephone,..."
    },
    {
      "letter": "B",
      "text": "The idea of moving objects through tubes using air pressure was not new. Engineers had experimented with it since the early nineteenth ce..."
    },
    "... 5 more items"
  ],
  "groups": [
    {
      "id": "g1",
      "type": "matching",
      "title": "Which paragraph contains the following information?",
      "instruction": "Write the correct letter. You may use any letter more than once.",
      "options": [
        "A",
        "B",
        "... 5 more items"
      ],
      "questions": [
        {
          "number": 1,
          "text": "an explanation of why early attempts to carry people by air pressure were unsuccessful",
          "answer": "B",
          "evidenceParagraph": "B",
          "evidence": "it proved impossible to keep the long leather seals along the track airtight",
          "explanation": "Paragraph B says passenger schemes failed because the **leather seals could not be kept airtight**."
        },
        {
          "number": 2,
          "text": "a description of how workers found a canister that had become stuck",
          "answer": "F",
          "evidenceParagraph": "F",
          "evidence": "calculate its position by measuring the air pressure",
          "explanation": "Paragraph F explains that workers located blockages by **measuring the air pressure**."
        },
        "... 2 more items"
      ]
    }
  ],
  {
    "id": "g2",
    "type": "tfng",
    "title": "True / False / Not Given",
    "instruction": "Do the following statements agree with the information given in the passage?",
    "options": [

```


02 · reading_tests

A full Academic Reading test = 3 passages, 40 questions, 60 minutes.

Table	reading_tests	Primary key	id
File	seed/formats/02_reading_tests.json	Records today	3
Source in app	reading_tests	Group	content

Fields

Field	Type	Required
id	string	yes
number	integer	yes
title	string	yes
passages	array	yes

Relations

- passages[] → reading_passages.id (order = Passage 1,2,3; question counts must sum to 40)

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "rt_01",
  "number": 1,
  "title": "Academic Reading Test 1",
  "passages": [
    "rp_01",
    "rp_02",
    "rp_03"
  ]
}
```

```
{
  "id": "rt_02",
  "number": 2,
  "title": "Academic Reading Test 2",
  "passages": [
    "rp_06",
    "rp_07",
    "rp_08"
  ]
}
```


03 · listening_sets

One Listening part (10 questions) with its audio, speakers and timed transcript.

Table	listening_sets	Primary key	id
File	seed/formats/03_listening_sets.json	Records today	8
Source in app	listening.sets	Group	content

Practice parts in this format

label	context	questions	minutes	typicalQuestionTypes	practisedOn
Listening Part 1	Everyday social conversation, 2 speakers (e.g. booking, enquiry)	10	4-5	form, gap	Part practice / Mini practice → Part 1; full test Q1-10
Listening Part 2	Everyday monologue (tour, talk, announcement)	10	4-5	mcq, matching, map	Part 2 filter; full test Q11-20
Listening Part 3	Academic discussion, 2-4 speakers (students, tutor)	10	4-6	mcq, multi, matching	Part 3 filter; full test Q21-30
Listening Part 4	Academic lecture, 1 speaker, no break	10	4-6	gap, form	Part 4 filter; full test Q31-40

Fields

Field	Type	Required
id	string	yes
part	integer	yes
title	string	yes
context	string	
audio	string	yes
durationSeconds	integer	yes
speakers	array	
transcript	array	yes
groups	array	yes

Relations

- audio → R2 object key (bucket ielts-ai-recordings or a content bucket)

Notes

- part: 1 social dialogue · 2 social monologue · 3 academic discussion · 4 lecture.
- transcript[].start = seconds from the start of the audio; answerTags link lines to questions.
- audio is an R2 object key (was an app asset path); the app resolves it to a URL.
- Group types: form, gap, mcq, multi (pick N, counts as N questions), matching.
- One example per part below (Parts 1-4 share one table, filtered by part).

Example records (long text and lists shortened for print; the JSON files are complete)

```

{
  "id": "ls_01",
  "part": 1,
  "title": "Harbour Sports Club membership",
  "context": "A man phones a sports club to join.",
  "audio": "listening/ls_01.mp3",
  "durationSeconds": 177,
  "speakers": [
    {
      "name": "Receptionist",
      "voice": "female"
    },
    {
      "name": "Jonathan",
      "voice": "male"
    }
  ],
  "transcript": [
    {
      "id": "t1",
      "speaker": "Receptionist",
      "text": "Good morning, Harbour Sports Club, Emma speaking. How can I help?",
      "start": 4.7,
      "keywords": [],
      "answerTags": []
    },
    {
      "id": "t2",
      "speaker": "Jonathan",
      "text": "Hi there. I'd like to become a member, please. I've just moved to the area.",
      "start": 9.9,
      "keywords": [],
      "answerTags": []
    }
  ],
  "... 29 more items"
],
"groups": [
  {
    "id": "g1",
    "type": "form",
    "title": "Complete the form",
    "instruction": "Write ONE WORD AND/OR A NUMBER for each answer.",
    "formTitle": "Harbour Sports Club",
    "formSubtitle": "Membership form",
    "questions": [
      {
        "number": 1,
        "label": "Name",
        "before": "Jonathan",
        "after": "",
        "answer": "Fairfax",
        "accepted": [
          "Fairfax"
        ]
      },
      {
        "number": 2,
        "label": "Address",
        "before": "",
        "after": ", Weston Road",
        "answer": "27",
        "accepted": [
          "27"
        ]
      }
    ],
    "... 8 more items"
  ]
}
]
}

```

```

{
  "id": "ls_02",
  "part": 2,
  "title": "Ashford Maritime Museum",
  "context": "A guide welcomes a group of visitors to a maritime museum.",
  "audio": "listening/ls_02.mp3",
  "durationSeconds": 197,
  "speakers": [
    {
      "name": "Guide",
      "voice": "male"
    }
  ],
  "transcript": [

```

```

{
  "id": "t1",
  "speaker": "Guide",
  "text": "Good morning, everyone, and welcome to the Ashford Maritime Museum. My name's Daniel, and I'm one of
the volunteer guides here.",
  "start": 5.6,
  "keywords": [],
  "answerTags": []
},
{
  "id": "t2",
  "speaker": "Guide",
  "text": "Before you head off to explore, I'd like to give you a quick introduction to the building and tell you
what you'll find in each area.",
  "start": 14.4,
  "keywords": [],
  "answerTags": []
},
"... 23 more items"
],
"groups": [
  {
    "id": "g1",
    "type": "mcq",
    "title": "Choose the correct letter, A, B or C",
    "questions": [
      {
        "number": 1,
        "text": "The museum building was originally used as",
        "options": [
          {
            "key": "A",
            "text": "a customs house"
          },
          {
            "key": "B",
            "text": "a fish market"
          },
          {
            "key": "C",
            "text": "a shipbuilders' warehouse"
          }
        ],
        "answer": "A"
      },
      {
        "number": 2,
        "text": "What has recently changed at the museum?",
        "options": [
          {
            "key": "A",
            "text": "Entry is now free."
          },
          {
            "key": "B",
            "text": "It closes later."
          },
          {
            "key": "C",
            "text": "There is a new audio guide app."
          }
        ],
        "answer": "B"
      },
      "... 2 more items"
    ]
  },
  {
    "id": "g2",
    "type": "matching",
    "title": "What does the guide say about each area of the museum?",
    "instruction": "Choose SIX answers from the box and write the correct letter, A-H, next to Questions 5-10.",
    "options": [
      {
        "key": "A",
        "text": "free guided talks"
      },
      {
        "key": "B",
        "text": "hands-on activities"
      },
      "... 6 more items"
    ],
    "questions": [
      {

```

```
      "number": 5,  
      "text": "Harbour Gallery",  
      "answer": "H"  
    },  
    {  
      "number": 6,  
      "text": "Shipwreck Room",  
      "answer": "E"  
    },  
    "... 4 more items"  
  ]  
}  
}
```

04 · listening_tests

A full Listening test = 4 sets (Parts 1-4), 40 questions.

Table	listening_tests	Primary key	id
File	seed/formats/04_listening_tests.json	Records today	2
Source in app	listening_tests	Group	content

Fields

Field	Type	Required
id	string	yes
number	integer	yes
title	string	yes
sets	array	yes

Relations

- sets[] → listening_sets.id, one per part, in order

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "lt_01",
  "number": 1,
  "title": "Listening Test 1",
  "sets": [
    "ls_01",
    "ls_02",
    "... 2 more items"
  ]
}
```

```
{
  "id": "lt_02",
  "number": 2,
  "title": "Listening Test 2",
  "sets": [
    "ls_05",
    "ls_06",
    "... 2 more items"
  ]
}
```

05 · writing_task1_prompts

Academic Writing Task 1 prompt with chart data and an optional model answer.

Table	writing_prompts	Primary key	id
File	seed/formats/05_writing_task1_prompts.json	Records today	15
Source in app	writing.task1	Group	content

Practice parts in this format

label	minWords	minutes	weight	practisedOn
Writing Task 1	150	20	one third of the Writing band	Writing → Task 1 editor (C2); mock G6

Fields

Field	Type	Required
id	string	yes
type	string	yes
title	string	yes
prompt	string	yes
chart	object	yes
modelAnswer	object	

Notes

- type: line|bar|pie|table|process|map|mixed; chart shape depends on type (CONTENT_SCHEMA.md).
- Stored in one writing_prompts table with task = 1.

Example records (long text and lists shortened for print; the JSON files are complete)

```

{
  "id": "t1_internet_access",
  "type": "line",
  "title": "Internet access",
  "prompt": "The graph shows the percentage of households with internet access in three countries between 2000 and 2020. Summarise the information by ...",
  "chart": {
    "unit": "%",
    "xLabels": [
      "2000",
      "2005",
      "... 3 more items"
    ],
    "series": [
      {
        "name": "Canada",
        "values": [
          42,
          55,
          "... 3 more items"
        ]
      },
      {
        "name": "Brazil",
        "values": [
          18,
          32,
          "... 3 more items"
        ]
      },
      {
        "name": "India",
        "values": [
          9,
          15,
          "... 3 more items"
        ]
      }
    ]
  },
  "modelAnswer": {
    "band": 8,
    "text": "The line graph compares the proportion of households with internet access in Canada, Brazil and India between 2000 and 2020.\n\nOverall, ac..."
  }
}

```

```

{
  "id": "t1_coffee_exports",
  "type": "bar",
  "title": "Coffee exports",
  "prompt": "The bar chart shows the value of coffee exported by four countries in 2010 and 2020, in billions of US dollars. Summarise the information...",
  "chart": {
    "unit": "US$ bn",
    "xLabels": [
      "Brazil",
      "Vietnam",
      "... 2 more items"
    ],
    "series": [
      {
        "name": "2010",
        "values": [
          5.7,
          1.9,
          "... 2 more items"
        ]
      },
      {
        "name": "2020",
        "values": [
          4.9,
          2.2,
          "... 2 more items"
        ]
      }
    ]
  }
}

```

06 · writing_task2_prompts

Writing Task 2 essay question with idea bank, vocabulary and optional model answer.

Table	writing_prompts	Primary key	id
File	seed/formats/06_writing_task2_prompts.json	Records today	31
Source in app	writing.task2	Group	content

Practice parts in this format

label	minWords	minutes	weight	practisedOn
Writing Task 2	250	40	two thirds of the Writing band	Writing → Task 2 editor (C3); mock G6

Fields

Field	Type	Required
id	string	yes
type	string	yes
topic	string	yes
title	string	yes
prompt	string	yes
ideas	object	
modelAnswer	object	

Notes

- type: opinion|discussion|advantages|problem|two-part.
- Stored in writing_prompts with task = 2.
- ideas.for/against/vocabulary feed the Ideas screen (C11).

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "t2_remote_work",
  "type": "opinion",
  "topic": "Work",
  "title": "Working from home",
  "prompt": "Some people believe that working from home benefits both employees and employers. To what extent do you agree or disagree?\n\nGive reasons ...",
  "ideas": {
    "for": [
      "Employers can recruit talent from any location",
      "Lower office costs can be reinvested in staff",
      "... 2 more items"
    ],
    "against": [
      "Staff may feel isolated and lonely",
      "Junior employees lose informal learning from colleagues",
      "... 2 more items"
    ],
    "vocabulary": [
      "hybrid model",
      "commute",
      "... 6 more items"
    ]
  },
  "modelAnswer": {
    "band": 8,
    "text": "Over the past decade, remote work has shifted from a rare privilege to a mainstream arrangement for millions of office staff. In my view,..."
  }
}
```



```

{
  "id": "t2_public_transport_funding",
  "type": "discussion",
  "topic": "Transport",
  "title": "Public transport or more roads",
  "prompt": "Some people think governments should spend more money on public transport, while others believe building more roads is the better way to ...",
  "ideas": {
    "for": [
      "Buses and trains move far more people per square metre of space",
      "Public transport reduces emissions and air pollution",
      "... 2 more items"
    ],
    "against": [
      "Rural areas often depend on roads rather than rail",
      "Freight and emergency services need good road networks",
      "... 2 more items"
    ],
    "vocabulary": [
      "traffic congestion",
      "induced demand",
      "... 6 more items"
    ]
  }
}

```

07 · speaking_part1_topics

Speaking Part 1 topic with 4-5 questions.

Table	speaking_part1_topics	Primary key	id
File	seed/formats/07_speaking_part1_topics.json	Records today	16
Source in app	speaking.part1Topics	Group	content

Practice parts in this format

label	minutes	format	practisedOn
Speaking Part 1	4-5	Examiner asks 4-5 questions on 2-3 familiar topics	Speaking → Part 1 (D2); mock G7

Fields

Field	Type	Required
id	string	yes
topic	string	yes
questions	array	yes

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "s1_work",
  "topic": "Work or studies",
  "questions": [
    "Do you work or are you a student?",
    "What do you like most about your job or course?",
    "... 3 more items"
  ]
}
```

```
{
  "id": "s1_hometown",
  "topic": "Hometown",
  "questions": [
    "Where is your hometown?",
    "What do you like most about your hometown?",
    "... 3 more items"
  ]
}
```

08 · speaking_cue_cards

Speaking Part 2 cue card with bullets, Part 3 follow-ups and sample notes.

Table	speaking_cue_cards	Primary key	id
File	seed/formats/08_speaking_cue_cards.json	Records today	44
Source in app	speaking.cueCards	Group	content

Practice parts in this format

label	minutes	format	practisedOn
Speaking Part 2 (long turn)	3-4	1 min preparation, then speak for up to 2 min on the cue card	Speaking → cue card (D3) → recording (D4); mock G7

Fields

Field	Type	Required
id	string	yes
topic	string	yes
title	string	yes
prompt	string	yes
bullets	array	yes
part3	array	yes
sampleNotes	array	

Notes

- topic: People|Places|Objects|Events|Experiences|Media.
- Add "season" (e.g. "2026-09/2026-12") when you rotate cue cards by exam season.
- part3 inside the card is kept for the linked Part 3 discussion; Part 3 is also its own table (26).

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "cc07",
  "topic": "People",
  "title": "Describe a person who taught you something useful",
  "prompt": "Describe a person who taught you something useful",
  "bullets": [
    "who this person is",
    "what they taught you",
    "... 2 more items"
  ],
  "part3": [
    "What qualities make a good teacher?",
    "Do people learn more from family or from school?",
    "... 3 more items"
  ],
  "sampleNotes": [
    "My grandfather – retired electrician, patient and calm",
    "Taught me to fix basic wiring and change a fuse at 14",
    "Useful: saved money, gave me confidence to try repairs myself"
  ]
}
```

```
{
  "id": "cc22",
  "topic": "Places",
  "title": "Describe a quiet place you like to visit",
  "prompt": "Describe a quiet place you like to visit",
  "bullets": [
    "where it is",
    "how often you go there",
    "... 2 more items"
  ],
  "part3": [
    "Why do people need quiet places in cities?",
    "Are libraries still important today?",
    "... 3 more items"
  ],
  "sampleNotes": [
    "Rooftop garden of the city library, 10 minutes from home",
    "Go most Saturday mornings – read, plan my week",
    "Contrast with traffic noise; helps me think clearly"
  ]
}
```

09 · mock_tests

A full mock test assembling one Listening test, one Reading test, two Writing tasks and Speaking.

Table	mock_tests	Primary key	id
File	seed/formats/09_mock_tests.json	Records today	3
Source in app	mock.tests	Group	content

Fields

Field	Type	Required
id	string	yes
letter	string	yes
title	string	yes
listeningTest	string	yes
readingTest	string	yes
task1	string	yes
task2	string	yes
speaking	object	yes

Relations

- listeningTest → listening_tests.id
- readingTest → reading_tests.id
- task1/task2 → writing_prompts.id
- speaking.part1 → speaking_part1_topics.id
- speaking.cueCard → speaking_cue_cards.id (Part 3 = its part3)

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "mt_a",
  "letter": "A",
  "title": "Mock Test A",
  "listeningTest": "lt_01",
  "readingTest": "rt_01",
  "task1": "t1_internet_access",
  "task2": "t2_remote_work",
  "speaking": {
    "part1": "s1_work",
    "cueCard": "cc07"
  }
}
```

```
{
  "id": "mt_b",
  "letter": "B",
  "title": "Mock Test B",
  "listeningTest": "lt_02",
  "readingTest": "rt_02",
  "task1": "t1_coffee_exports",
  "task2": "t2_public_transport_funding",
  "speaking": {
    "part1": "s1_hometown",
    "cueCard": "cc22"
  }
}
```

10 · vocab_quizzes

A 10-question vocabulary quiz round (choose the meaning).

Table	vocab_quizzes	Primary key	id
File	seed/formats/10_vocab_quizzes.json	Records today	5
Source in app	resources.quizzes	Group	content

Fields

Field	Type	Required
id	string	yes
title	string	yes
level	string	yes
prompt	string	
questions	array	yes

Relations

- questions[].wordId → vocabulary_words.id (optional)

Notes

- questions[].answer = index into options.

Example record (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "quiz_band6",
  "title": "Vocabulary quiz · Band 6 words",
  "level": "Band 6",
  "prompt": "Choose the best meaning",
  "questions": [
    {
      "id": "b6q1",
      "word": "reliable",
      "partOfSpeech": "adjective",
      "phonetic": "/rɪˈlaɪ.ə.bəl/",
      "options": [
        "very old-fashioned",
        "able to be trusted",
        "... 2 more items"
      ],
      "answer": 1,
      "example": "The train service is more reliable than it used to be.",
      "meaningShort": "able to be trusted",
      "wordId": "word_reliable"
    },
    {
      "id": "b6q2",
      "word": "decline",
      "partOfSpeech": "verb",
      "phonetic": "/dɪˈklaɪn/",
      "options": [
        "to grow quickly",
        "to stay the same",
        "... 2 more items"
      ],
      "answer": 3,
      "example": "Sales of printed newspapers continued to decline.",
      "meaningShort": "become less",
      "wordId": "word_decline"
    },
    "... 8 more items"
  ]
}
```

11 · phrasal_verbs

Phrasal verb with meaning, example, register and topic.

Table	phrases	Primary key	id
File	seed/formats/11_phrasal_verbs.json	Records today	30
Source in app	resources.phrasalVerbs	Group	content

Fields

Field	Type	Required
id	string	yes
phrase	string	yes
meaning	string	yes
example	string	yes
register	string	yes
topic	string	

Notes

- register: speaking|writing|both. Stored in phrases with kind = "phrasal".

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "pv_bring_about",
  "phrase": "bring about",
  "meaning": "to cause something to happen, often a change",
  "example": "Stricter recycling laws could bring about a real shift in how households deal with waste.",
  "register": "writing",
  "topic": "Environment"
}
```

```
{
  "id": "pv_cut_down_on",
  "phrase": "cut down on",
  "meaning": "to reduce the amount of something you use or do",
  "example": "I've been trying to cut down on screen time before bed because it affects my sleep.",
  "register": "speaking",
  "topic": "Health"
}
```

12 · idioms

Idiom with meaning, example, register, topic and a use-with-care note.

Table	phrases	Primary key	id
File	seed/formats/12_idioms.json	Records today	25
Source in app	resources.idioms	Group	content

Fields

Field	Type	Required
id	string	yes
phrase	string	yes
meaning	string	yes
example	string	yes
register	string	yes
topic	string	
care	string	

Notes

- Stored in phrases with kind = "idiom". caution = optional note for informal idioms.

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "id_a_double_edged_sword",
  "phrase": "a double-edged sword",
  "meaning": "something that has both advantages and disadvantages",
  "example": "Social media is a double-edged sword: it connects people but can also spread misinformation.",
  "register": "both",
  "topic": "Technology"
}
```

```
{
  "id": "id_the_tip_of_the_iceberg",
  "phrase": "the tip of the iceberg",
  "meaning": "a small, visible part of a much larger problem",
  "example": "The reported cases of plastic pollution are only the tip of the iceberg.",
  "register": "both",
  "topic": "Environment"
}
```


13 · vocabulary_words

Vocabulary vault word (also used for word of the day and quiz links).

Table	vocabulary_words	Primary key	id
File	seed/formats/13_vocabulary_words.json	Records today	19
Source in app	assets/demo/parts/resources.json → vault.words + hub.wordOfTheDay	Group	content

Fields

Field	Type	Required
id	string	yes
word	string	yes
partOfSpeech	string	yes
definition	string	yes
band	integer	yes
category	string	yes
phonetic	string	
example	string	

Notes

- phonetic and example are optional but needed for word of the day.
- category: one of vault.categories (Band 7+ words, Linking words, Phrasal verbs, Topic words).

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "word_alleviate",
  "word": "Alleviate",
  "partOfSpeech": "verb",
  "definition": "To make a problem less severe.",
  "band": 7,
  "category": "Band 7+ words"
}
```

```
{
  "id": "word_albeit",
  "word": "Albeit",
  "partOfSpeech": "conjunction",
  "definition": "Although; even though.",
  "band": 8,
  "category": "Linking"
}
```

14 · academic_words

Academic Word List entry assigned to a study day (30 days x 20 words).

Table	academic_words	Primary key	id
File	seed/formats/14_academic_words.json	Records today	6
Source in app	resources.academicWords.words	Group	content

Fields

Field	Type	Required
id	string	yes
word	string	yes
partOfSpeech	string	yes
meaning	string	yes
day	integer	yes
sublist	integer	

Notes

- day: 1-30 study day; sublist: AWL sublist 1-10.

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "aw_allocate",
  "word": "allocate",
  "partOfSpeech": "v.",
  "meaning": "assign for a purpose",
  "day": 1,
  "sublist": 2
}
```

```
{
  "id": "aw_coherent",
  "word": "coherent",
  "partOfSpeech": "adj.",
  "meaning": "logical and consistent",
  "day": 1,
  "sublist": 2
}
```

15 · irregular_verbs

Irregular verb forms.

Table	irregular_verbs	Primary key	id
File	seed/formats/15_irregular_verbs.json	Records today	37
Source in app	resources.irregularVerbs.verbs	Group	content

Fields

Field	Type	Required
base	string	yes
past	string	yes
participle	string	yes
id	string	yes

Notes

- Alternatives separated by "/" (learnt/learned) are accepted by the practice mode.

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "base": "arise",
  "past": "arose",
  "participle": "arisen",
  "id": "iv_arise"
}
```

```
{
  "base": "awake",
  "past": "awoke",
  "participle": "awoken",
  "id": "iv_awake"
}
```

16 · pronunciation_words

Word for the pronunciation drill (D7) with IPA and stressed syllable.

Table	pronunciation_words	Primary key	id
File	seed/formats/16_pronunciation_words.json	Records today	6
Source in app	speaking.pronunciation.words (demo feedback fields removed: those are per attempt)	Group	content

Fields

Field	Type	Required
id	string	yes
word	string	yes
ipa	string	yes
partOfSpeech	string	
syllables	array	yes
tip	string	
set	string	

Notes

- set groups words into a drill of ~7 words.

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "pw_struggling",
  "word": "struggling",
  "ipa": "/ˈstrʌg.əl.ɪŋ/",
  "partOfSpeech": "verb",
  "syllables": [
    {
      "text": "STRUG",
      "stress": true
    },
    {
      "text": "gl",
      "stress": false
    },
    {
      "text": "ing",
      "stress": false
    }
  ],
  "tip": "Stress is right. Blend the last two syllables together.",
  "set": "default"
}
```

```
{
  "id": "pw_particularly",
  "word": "particularly",
  "ipa": "/pəˈtɪk.jə.lə.li/",
  "partOfSpeech": "adverb",
  "syllables": [
    {
      "text": "par",
      "stress": false
    },
    {
      "text": "TIC",
      "stress": true
    },
    "... 3 more items"
  ],
  "tip": "Stress is right. Shorten the third syllable and try again.",
  "set": "default"
}
```

17 · reading_lessons

Bite-size Reading lesson with key idea and exercises.

Table	lessons	Primary key	id
File	seed/formats/17_reading_lessons.json	Records today	4
Source in app	reading.lessons	Group	content

Fields

Field	Type	Required
id	string	yes
title	string	yes
keyIdeaLabel	string	
keyIdea	string	yes
uses	array	
exercises	array	yes

Notes

- Stored in lessons with skill = reading; order = position in the list.

Example record (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "rl_03",
  "title": "Paraphrase spotting",
  "keyIdeaLabel": "Key idea",
  "keyIdea": "IELTS rarely repeats the passage word for word. Questions **paraphrase** it – “rose sharply” becomes “increased dramatically”. Match the ...",
  "uses": [
    {
      "label": "Use it for",
      "value": "T / F / NG, multiple choice"
    },
    {
      "label": "Watch out for",
      "value": "Same words, new meaning"
    }
  ],
  "exercises": [
    {
      "id": "rl_03_e1",
      "seconds": 60,
      "quote": "\"The museum's visitor numbers doubled within two years of the new wing opening.\"",
      "question": "Which statement has the same meaning?",
      "options": [
        {
          "key": "A",
          "text": "The new wing took two years to build"
        },
        {
          "key": "B",
          "text": "Twice as many people visited soon after the wing opened"
        },
        {
          "key": "C",
          "text": "The museum opened two new wings"
        }
      ],
      "answer": "B"
    },
    {
      "id": "rl_03_e2",
      "seconds": 45,
      "quote": "\"Few residents were aware that the scheme existed.\"",
      "question": "Which is the best paraphrase?",
      "options": [
        {
          "key": "A",
          "text": "Most residents did not know about the scheme"
        },
        {
          "key": "B",

```

```

        "text": "Some residents opposed the scheme"
    },
    {
        "key": "C",
        "text": "Residents designed the scheme"
    }
],
"answer": "A"
},
{
    "id": "rl_03_e3",
    "seconds": 60,
    "quote": "\"The prototype failed to perform well in cold conditions.\"\"",
    "question": "Which paraphrase is correct?",
    "options": [
        {
            "key": "A",
            "text": "The prototype worked best in winter"
        },
        {
            "key": "B",
            "text": "Cold weather was never tested"
        },
        {
            "key": "C",
            "text": "Low temperatures reduced the prototype's performance"
        }
    ],
    "answer": "C"
}
]
}

```

18 · listening_lessons

Bite-size Listening lesson with an audio exercise.

Table	lessons	Primary key	id
File	seed/formats/18_listening_lessons.json	Records today	4
Source in app	listening.lessons	Group	content

Fields

Field	Type	Required
id	string	yes
title	string	yes
body	string	yes
audioDurationSeconds	integer	
instruction	string	
rows	array	yes

Notes

- Stored in lessons with skill = listening. Add "audio" (R2 key) once lesson audio exists.

Example record (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "ll_06",
  "title": "Spelling letters",
  "body": "Part 1 speakers often spell names aloud. **Double** means two of the same letter, and A, E and I are easy to confuse under pressure – wri...",
  "audioDurationSeconds": 72,
  "instruction": "Exercise · Write ONE WORD ONLY",
  "rows": [
    {
      "number": 1,
      "before": "Family name:",
      "after": "",
      "answer": "Pemberton"
    },
    {
      "number": 2,
      "before": "Street:",
      "after": "Road",
      "answer": "Oakhurst"
    },
    "... 2 more items"
  ]
}
```

19 · writing_lessons

Writing masterclass lesson (C8).

Table	lessons	Primary key	id
File	seed/formats/19_writing_lessons.json	Records today	6
Source in app	writing.masterclass.lessons	Group	content

Fields

Field	Type	Required
id	string	yes
label	string	
minutes	integer	
title	string	yes
lessonLabel	string	
formula	array	yes
keyPoints	array	yes

Notes

- Stored in lessons with skill = writing.

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "wl_01",
  "label": "Task",
  "minutes": 6,
  "title": "Understanding the task",
  "lessonLabel": "Lesson 1 · Read the question",
  "formula": [
    "Topic",
    "Instruction",
    "Scope"
  ],
  "keyPoints": [
    "Underline the topic words in the question.",
    "Identify the instruction: agree, discuss, or solve.",
    "Answer every part of the question."
  ]
}
```

```
{
  "id": "wl_02",
  "label": "Paraphrase",
  "minutes": 8,
  "title": "Paraphrasing the question",
  "lessonLabel": "Lesson 2 · Paraphrase formula",
  "formula": [
    "Synonyms",
    "Word forms",
    "Structure"
  ],
  "keyPoints": [
    "Replace key words with accurate synonyms.",
    "Change word forms (benefit → beneficial).",
    "Reorder the sentence structure."
  ]
}
```


20 · sentence_drills

Writing Booster sentence-combining drill (C7).

Table	sentence_drills	Primary key	id
File	seed/formats/20_sentence_drills.json	Records today	6
Source in app	writing.sentenceBuilder.drills	Group	content

Fields

Field	Type	Required
id	string	yes
instruction	string	yes
connector	string	
function	string	
sentences	array	yes
answer	array	yes
prefilled	integer	
bank	array	yes
hint	string	

Notes

- answer = the tokens in the correct order; bank = distractors + answer tokens.

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "sb_01",
  "instruction": "Combine into one complex sentence",
  "connector": "which",
  "function": "Relative clause",
  "sentences": [
    "Many cities have introduced bike lanes.",
    "This has reduced traffic in the centre."
  ],
  "answer": [
    "Many cities",
    "have introduced",
    "... 4 more items"
  ],
  "prefilled": 2,
  "bank": [
    "has reduced",
    "because",
    "... 3 more items"
  ],
  "hint": "Use \"which\" after a comma to refer back to the whole first idea."
}
```

```

{
  "id": "sb_02",
  "instruction": "Combine into one complex sentence",
  "connector": "whereas",
  "function": "Contrast",
  "sentences": [
    "Canada had high internet access in 2000.",
    "India had very low access."
  ],
  "answer": [
    "Canada had",
    "high internet access in 2000,",
    "... 3 more items"
  ],
  "prefilled": 1,
  "bank": [
    "whereas",
    "India had",
    "... 3 more items"
  ],
  "hint": "Put \"whereas\" between the two contrasting facts, after a comma."
}

```

21 · writing_templates

Essay/report template with fill-in slots (C10).

Table	writing_templates	Primary key	id
File	seed/formats/21_writing_templates.json	Records today	8
Source in app	writing_templates.items	Group	content

Fields

Field	Type	Required
id	string	yes
type	string	yes
title	string	yes
task	string	yes
sections	array	yes

Notes

- segments[] are text or {slot} pieces; task: task1|task2.

Example record (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "tpl_opinion",
  "type": "Opinion",
  "title": "Task 2 · Opinion essay",
  "task": "task2",
  "sections": [
    {
      "title": "Introduction",
      "subtitle": "Paraphrase + your position",
      "segments": [
        {
          "text": "It is often argued that "
        },
        {
          "slot": "topic"
        },
        "... 9 more items"
      ]
    },
    {
      "title": "Body paragraph 1",
      "subtitle": "Reason 1 + example",
      "segments": [
        {
          "text": "The main reason is that "
        },
        {
          "slot": "reason 1"
        },
        "... 5 more items"
      ]
    },
    "... 2 more items"
  ]
}
```

22 · writing_sample_answers

Band 6 / 7 / 8 sample answers for one prompt, with why each got its band (C13).

Table	writing_sample_answers	Primary key	promptId
File	seed/formats/22_writing_sample_answers.json	Records today	1
Source in app	writing.sampleAnswers	Group	content

Fields

Field	Type	Required
promptId	string	yes
answers	array	yes
modelWhy	object	

Relations

- promptId → writing_prompts.id

Example record (long text and lists shortened for print; the JSON files are complete)

```

{
  "promptId": "t2_remote_work",
  "answers": [
    {
      "band": "Band 6",
      "words": 262,
      "paragraphs": [
        [
          {
            "text": "Nowadays many people work from home instead of going to the office. "
          },
          {
            "text": "I think",
            "mark": "link"
          },
          {
            "text": " this is good for workers and also for companies, but there are some problems too."
          }
        ],
        [
          {
            "text": "Firstly,",
            "mark": "link"
          },
          {
            "text": " workers do not need to travel, so they save time and money. "
          },
          "... 2 more items"
        ]
      ],
      "why": "Clear position · relevant main ideas · simple, sometimes repetitive linking · limited range of vocabulary and some grammar errors."
    },
    {
      "band": "Band 7",
      "words": 276,
      "paragraphs": [
        [
          {
            "text": "In recent years, working from home has become far more common. "
          },
          {
            "text": "In my opinion,",
            "mark": "link"
          },
          {
            "text": " it brings real benefits to both employees and employers, although it has some disadvantages."
          }
        ],
        [
          {
            "text": "Firstly,",
            "mark": "link"
          },
          {
            "text": " employees avoid long commutes, which gives them more time for rest. "
          },
          "... 2 more items"
        ]
      ],
      "why": "Clear position throughout · logical paragraphs with a range of linkers · good vocabulary with some less common words · mostly accurate co..."
    }
  ],
  "modelWhy": {
    "task1": "Clear overview of the main trends · key features selected and compared with accurate figures · logical paragraphs with varied linking · p...",
    "task2": "Clear position from the first paragraph · each main idea developed with a relevant example · varied, natural linking · precise vocabulary..."
  }
}

```

23 · articles

Tips article (H11) in a series.

Table	articles	Primary key	id
File	seed/formats/23_articles.json	Records today	8
Source in app	resources.articles	Group	content

Fields

Field	Type	Required
id	string	yes
series	string	yes
chip	string	
breadcrumb	string	
title	string	yes
meta	string	
defaultTip	integer	
tips	array	yes
tryIt	object	

Notes

- series: listening|reading|writing|speaking; tryIt.target = an app screen key.

Example record (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "form_completion",
  "series": "listening",
  "chip": "Form completion",
  "breadcrumb": "Home / Listening / Tips",
  "title": "Form completion: 4 habits of band 8 listeners",
  "meta": "Listening Tips · 5 min read · updated Sep 2026",
  "defaultTip": 1,
  "tips": [
    {
      "title": "Read the questions first",
      "body": "Use the pause before each section to read every gap. Underline the words just before and after each blank – they are the signposts you wi..."
    },
    {
      "title": "Predict the answer type",
      "body": "Before the audio starts, decide what each gap needs – a number, a name, a date or a noun. “Phone: ... can only be a number, so you li..."
    },
    "... 2 more items"
  ],
  "tryIt": {
    "text": "Try it: practise this in Mini Practice Part 1 sets.",
    "target": "listeningMiniList"
  }
}
```

24 · band_descriptors

Scoring criteria per skill (H10).

Table	band_descriptors	Primary key	key
File	seed/formats/24_band_descriptors.json	Records today	4
Source in app	resources.scoring.skills	Group	content

Fields

Field	Type	Required
key	string	yes
name	string	yes
intro	string	
criteria	array	yes

Notes

- Write your own plain-English summaries; do not copy the official descriptors verbatim.

Example record (long text and lists shortened for print; the JSON files are complete)

```
{
  "key": "listening",
  "name": "Listening",
  "intro": "Listening has 40 questions, one mark each. Your raw score is converted to a band on the same scale for Academic and General Training.",
  "criteria": [
    {
      "name": "Raw score to band",
      "color": "alert",
      "levels": [
        {
          "band": 9,
          "text": "39–40 correct answers"
        },
        {
          "band": 7,
          "text": "30–31 correct answers"
        },
        {
          "band": 6,
          "text": "23–25 correct answers"
        }
      ]
    },
    {
      "name": "Spelling & word limits",
      "color": "lavender",
      "levels": [
        {
          "band": 9,
          "text": "Every answer spelt correctly and within the word limit"
        },
        {
          "band": 7,
          "text": "Occasional plural or spelling slips cost marks"
        },
        {
          "band": 6,
          "text": "Frequent spelling errors turn right answers wrong"
        }
      ]
    }
  ]
}
```

25 · word_of_the_day

Which vocabulary word is shown on each day.

Table	word_of_the_day	Primary key	date
File	seed/formats/25_word_of_the_day.json	Records today	1
Source in app	resources.hub.wordOfTheDay (single fixed word today)	Group	content

Fields

Field	Type	Required
date	string	yes
wordId	string	yes

Relations

- wordId → vocabulary_words.id

Notes

- One row per day (Asia/Dhaka date).

Example record (long text and lists shortened for print; the JSON files are complete)

```
{
  "date": "2026-09-29",
  "wordId": "word_ubiquitous"
}
```


26 · speaking_part3_sets

Speaking Part 3 discussion set: 4-5 abstract questions on a theme, usually linked to a Part 2 cue card.

Table	speaking_part3_sets	Primary key	id
File	seed/formats/26_speaking_part3_sets.json	Records today	44
Source in app	speaking.cueCards[].part3 (the app builds Part 3 from the linked cue card today)	Group	content

Practice parts in this format

label	minutes	format	practisedOn
Speaking Part 3 (discussion)	4-5	Examiner asks deeper follow-up questions on the Part 2 theme	Speaking → Part 3 (D2); mock G7

Fields

Field	Type	Required
id	string	yes
topic	string	yes
theme	string	yes
cueCardId	string	
questions	array	yes

Relations

- cueCardId → speaking_cue_cards.id (optional; empty = standalone Part 3 practice)

Notes

- Exported from the cue cards, one set per card. New Part 3 sets can be written without a cue card.

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "p3_cc07",
  "topic": "People",
  "theme": "Describe a person who taught you something useful",
  "cueCardId": "cc07",
  "questions": [
    "What qualities make a good teacher?",
    "Do people learn more from family or from school?",
    "... 3 more items"
  ]
}
```

```
{
  "id": "p3_cc22",
  "topic": "Places",
  "theme": "Describe a quiet place you like to visit",
  "cueCardId": "cc22",
  "questions": [
    "Why do people need quiet places in cities?",
    "Are libraries still important today?",
    "... 3 more items"
  ]
}
```

30 · plans

Subscription plans shown on the Plans screen.

Table	plans	Primary key	id
File	seed/formats/30_plans.json	Records today	2
Source in app	home.plans.plans	Group	config

Fields

Field	Type	Required
id	string	yes
name	string	yes
tagline	string	
priceMonthly	integer	yes
priceYearly	integer	yes
launchPricing	boolean	
highlights	array	

Notes

- Prices in BDT (currency BDT). Replace the placeholder Pro prices before launch.

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "free",
  "name": "Free",
  "tagline": "Everything you need to start practising.",
  "priceMonthly": 0,
  "priceYearly": 0,
  "launchPricing": false,
  "highlights": [
    "Practice questions for all four skills",
    "1 full mock test a month",
    "3 AI writing reports a month"
  ]
}
```

```
{
  "id": "pro",
  "name": "Pro",
  "tagline": "Unlimited AI feedback for every skill.",
  "priceMonthly": 499,
  "priceYearly": 3999,
  "launchPricing": true,
  "highlights": [
    "Unlimited mock tests with band reports",
    "Unlimited AI writing and speaking feedback",
    "Pronunciation scoring and the full content library"
  ]
}
```

31 · plan_features

Feature comparison rows (Free vs Pro).

Table	plan_features	Primary key	id
File	seed/formats/31_plan_features.json	Records today	8
Source in app	home.plans.features	Group	config

Fields

Field	Type	Required
id	string	yes
label	string	yes
free	string	yes
pro	string	yes

Notes

- free/pro: "yes", "no" or a short text such as "1 / month". Also the source for usage limits.

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "mockTests",
  "label": "Full mock tests",
  "free": "1 / month",
  "pro": "Unlimited"
}
```

```
{
  "id": "writingFeedback",
  "label": "AI writing feedback",
  "free": "3 / month",
  "pro": "Unlimited"
}
```

32 · certificates

Milestone certificate definitions and the rule that awards them.

Table	certificate_definitions	Primary key	id
File	seed/formats/32_certificates.json	Records today	11
Source in app	home.certificates.items	Group	config

Fields

Field	Type	Required
id	string	yes
code	string	yes
title	string	yes
description	string	
icon	string	
rule	object	yes
unit	string	

Notes

- rule.type: count|band|streak|parts — evaluated against the user's attempts.

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "first_mock",
  "code": "FM",
  "title": "First full mock test",
  "description": "Completed a full four-skill IELTS Academic mock test.",
  "icon": "mock",
  "rule": {
    "type": "count",
    "skill": "mock",
    "kinds": [
      "mock"
    ],
    "goal": 1
  },
  "unit": "mock tests"
}
```

```
{
  "id": "mock_65",
  "code": "M65",
  "title": "Band 6.5 in a mock",
  "description": "Scored an overall Band 6.5 or higher in a full mock test.",
  "icon": "trophy",
  "rule": {
    "type": "mockOverall",
    "band": 6.5
  }
}
```

33 · legal_documents

Terms of Use and Privacy Policy (versioned).

Table	legal_documents	Primary key	id
File	seed/formats/33_legal_documents.json	Records today	2
Source in app	access.legal	Group	config

Fields

Field	Type	Required
id	string	yes
version	string	yes
title	string	yes
intro	string	
sections	array	yes

Notes

- Draft pending legal review. Keep old versions: users accept a specific version.

Example record (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "terms",
  "version": "2026-09-28",
  "title": "Terms of Use",
  "intro": "These terms explain the deal between you and nextED when you use IELTS AI by nextED (\"the app\"). Please read them – by creating an account...",
  "sections": [
    {
      "heading": "1. Who we are",
      "body": [
        "IELTS AI is an IELTS Academic preparation app made by nextED, a company based in Bangladesh. When these terms say \"we\" or \"us\", they mean..."
      ]
    },
    {
      "heading": "2. Not the official IELTS test",
      "body": [
        "IELTS is a registered trademark of the British Council, IDP: IELTS Australia and Cambridge University Press & Assessment. IELTS AI is ind...",
        "Our practice tests are written by us to match the format of the real exam. The bands we give are estimates to guide your study – they are..."
      ]
    },
    "... 8 more items"
  ]
}
```

34 · community_rooms

Official community rooms (user-created rooms live in the same table).

Table	rooms	Primary key	id
File	seed/formats/34_community_rooms.json	Records today	5
Source in app	resources.community.rooms (preview/unread/live are computed at runtime)	Group	config

Fields

Field	Type	Required
id	string	yes
letter	string	yes
name	string	yes
tone	string	yes
topic	string	yes
official	boolean	

Notes

- tone: pink|lavender|cream|... (card colour). official = created by nextED.

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "room_speaking_p2",
  "letter": "S",
  "name": "Speaking Room · Part 2",
  "tone": "pink",
  "topic": "General",
  "official": true
}
```

```
{
  "id": "room_writing_circle",
  "letter": "W",
  "name": "Writing feedback circle",
  "tone": "lavender",
  "topic": "General",
  "official": true
}
```

35 · app_config

Tunable settings the app reads at start-up.

Table	app_config	Primary key	key
File	seed/formats/35_app_config.json	Records today	3
Source in app	access.diagnostic, mock.timing, mock.systemChecks	Group	config

Fields

Field	Type	Required
key	string	yes
value	array object	yes

Notes

- Key/value JSON. UI copy stays in the app; only values you want to change without a release go here.

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "key": "diagnostic",
  "value": {
    "diagnosticTest": {
      "id": "diag_full",
      "totalMinutes": 45,
      "summary": "45 min · all four skills · instant band estimate",
      "sections": [
        {
          "id": "listening",
          "skill": "Listening",
          "minutes": 10
        },
        {
          "id": "reading",
          "skill": "Reading",
          "minutes": 15
        },
        "... 2 more items"
      ]
    },
    "customPlan": {
      "skills": [
        {
          "id": "listening",
          "label": "Listening"
        },
        {
          "id": "reading",
          "label": "Reading"
        },
        "... 2 more items"
      ],
      "dailyMinuteOptions": [
        30,
        45,
        60
      ]
    },
    "test": {
      "listeningFallbackSet": "ls_01",
      "readingPassages": [
        "rp_01",
        "rp_04",
        "rp_06"
      ],
      "writingPrompts": [
        "t2_remote_work",
        "t2_free_university",
        "... 2 more items"
      ],
      "speakingTopics": [
        "s1_work",
        "s1_hometown",
        "... 2 more items"
      ],
      "speakingQuestions": 2,
      "speakingMaxSeconds": 45,
    }
  }
}
```

```

    "speakingExpectedSeconds": 30,
    "writingMinWords": 120,
    "steps": {
      "listening": {
        "title": "Listening",
        "part": "Part 1 · everyday conversation",
        "intro": "The recording plays once, as in the real test. Answer the questions while you listen."
      },
      "reading": {
        "title": "Reading",
        "part": "One Academic passage",
        "intro": "Read the passage, then answer every question. Switch between Passage and Questions at any time."
      },
      "writing": {
        "title": "Writing",
        "part": "Task 2 · one paragraph",
        "intro": "Write ONE well-developed paragraph giving your opinion, with a reason and an example. Aim for at
least 120 words."
      },
      "speaking": {
        "title": "Speaking",
        "part": "Part 1 · two questions",
        "intro": "Answer each question out loud. Speak for 20–45 seconds; recording stops automatically at 45
seconds."
      }
    },
    "exit": {
      "title": "Leave the diagnostic?",
      "body": "Your answers are not saved. You can start the diagnostic again from Home at any time."
    },
    "micOff": {
      "title": "Microphone is off",
      "body": "IELTS AI can't use your microphone. Turn it on in Settings to record, or skip Speaking – your other
bands still count."
    }
  },
  "result": {
    "title": "Your diagnostic result",
    "subtitle": "An estimate from a short test – take a full mock for an exam-length score.",
    "practice": {
      "listening": {
        "title": "Listening practice",
        "subtitle": "Form, note and map completion drills",
        "route": "listeningLanding"
      },
      "reading": {
        "title": "Reading practice",
        "subtitle": "Timed passages with an AI paragraph locator",
        "route": "readingLanding"
      },
      "writing": {
        "title": "Writing practice",
        "subtitle": "Task 2 essays with line-by-line AI feedback",
        "route": "writingSelector"
      },
      "speaking": {
        "title": "Speaking practice",
        "subtitle": "Part 1–3 questions with AI band feedback",
        "route": "speakingHub"
      }
    }
  },
  "mockStep": {
    "title": "Take a full mock test",
    "subtitle": "All four skills under exam timing",
    "route": "mockSystemCheck"
  },
  "scheduleStep": {
    "title": "Plan your study week",
    "subtitle": "Add practice sessions to your schedule",
    "route": "schedule"
  }
}
}
}
}

{
  "key": "mock.timing",
  "value": {
    "listeningExtraSeconds": 120,
    "readingSeconds": 3600,
    "writingSeconds": 3600
  }
}

```


40 · users

Student account + onboarding profile.

Table	users	Primary key	id
File	seed/formats/40_users.json	Records today	— (user data)
Source in app	Store (SharedPreferences) accounts[]; demo seed assets/demo/parts/accounts.json	Group	user

Fields

Field	Type	Required
id	string	yes
name	string	yes
phone	string	yes
createdAt	string	yes
isDemo	boolean	
profile	object	yes
passwordHash	string	yes

Notes

- phone = 10 digits without 0/+880 (1XXXXXXXXXX).
- Never store plain passwords; the demo file does only for the local demo.
- profile: plan, targetBand, examDate, testType (always Academic), focusSkills, dailyMinutes, feedbackLanguage, photo (R2 key).

Example record (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "usr_demo_tanvir",
  "name": "Tanvir Ahmed",
  "phone": "1734519208",
  "createdAt": "2026-06-15T12:00:00Z",
  "isDemo": true,
  "profile": {
    "plan": "Pro",
    "email": "tanvir.ahmed@example.com",
    "testType": "Academic",
    "targetBand": 7.5,
    "diagnostic": "diagnostic",
    "focusSkills": [
      "writing",
      "speaking"
    ],
    "dailyMinutes": 45,
    "micAllowed": true,
    "onboarded": true,
    "examDate": "2026-11-16"
  },
  "passwordHash": "argon2id$..."
}
```

41 · attempts

Every practice result (one row per attempt). data holds the kind-specific details.

Table	attempts	Primary key	id
File	seed/formats/41_attempts.json	Records today	— (user data)
Source in app	Store attempts; demo seeds assets/demo/parts/seed_*.json	Group	user

Fields

Field	Type	Required
id	string	yes
skill	string	yes
kind	string	yes
title	string	
refId	string	
band	null number	
score	integer	
total	integer	
durationSec	integer	
data	object	
userId	string	yes
createdAt	string	yes

Relations

- userId → users.id
- refId → the content item (passage, set, test, prompt, card, mock, quiz, lesson)

Notes

- skill: listening|reading|writing|speaking|mock|vocab. One example per skill+kind below.
- band = 0-9 in 0.5 steps (null for unscored); durationSec = time spent.

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "att_seed_lis_lt_02_d1",
  "skill": "listening",
  "kind": "test",
  "title": "Listening Test 2",
  "refId": "lt_02",
  "band": 7.0,
  "score": 30,
  "total": 40,
  "durationSec": 1320,
  "data": {
    "testId": "lt_02",
    "answers": {
      "1": "Okafor",
      "2": "Spanish",
      "3": "intermediate",
      "4": "Harcour",
      "5": "07845 219631",
      "6": "Thursday",
      "7": "librar",
      "8": "185",
      "9": "dictionary",
      "10": "conversatio",
      "11": "B",
      "12": "C",
      "13": "B",
      "14": "B",
      "15": "A",
      "16": "B",
      "17": "C",
      "18": "D",
      "19": "E",
    }
  }
}
```

```

    "20": "F",
    "21": "B",
    "22": "C",
    "23": "B",
    "24": "B",
    "25": "B",
    "26": "B",
    "27": "B",
    "28": "D",
    "29": "B",
    "30": "C",
    "31": "awake",
    "32": "buffer",
    "33": "cortex",
    "34": "maze",
    "35": "emotiona",
    "36": "problem",
    "37": "smel",
    "38": "twenty",
    "39": "names",
    "40": "40"
  },
  "correct": [
    1,
    2,
    "... 28 more items"
  ],
  "total": 40,
  "parts": [
    {
      "setId": "ls_05",
      "part": 1,
      "from": 1,
      "to": 10,
      "correct": 6,
      "total": 10
    },
    {
      "setId": "ls_06",
      "part": 2,
      "from": 11,
      "to": 20,
      "correct": 10,
      "total": 10
    },
    "... 2 more items"
  ],
  "source": "sheet"
},
"userId": "usr_demo_tanvir",
"createdAt": "2026-09-28T19:00:00Z"
}

```

```

{
  "id": "att_seed_lis_ls_07_d0",
  "skill": "listening",
  "kind": "mini",
  "title": "Presentation on campus food waste",
  "refId": "ls_07",
  "band": 7.5,
  "score": 8,
  "total": 10,
  "durationSec": 400,
  "data": {
    "setId": "ls_07",
    "part": 3,
    "mode": "Mini Practice",
    "answers": {
      "1": "A",
      "2": "C",
      "3": "B",
      "4": "A",
      "5": "B",
      "6": "A",
      "7": "A",
      "8": "C",
      "9": "B",
      "10": "D"
    },
    "correct": [
      1,
      2,
      "... 6 more items"
    ],
    "total": 10,
    "parts": [
      {
        "setId": "ls_07",
        "part": 3,
        "from": 1,
        "to": 10,
        "correct": 8,
        "total": 10
      }
    ],
    "source": "player"
  },
  "userId": "usr_demo_tanvir",
  "createdAt": "2026-09-29T11:00:00Z"
}

```

```

{
  "id": "att_seed_lis_ll_06",
  "skill": "listening",
  "kind": "lesson",
  "title": "Lesson 1 · Spelling letters",
  "refId": "ll_06",
  "score": 4,
  "total": 4,
  "durationSec": 300,
  "data": {
    "lessonId": "ll_06"
  },
  "userId": "usr_demo_tanvir",
  "createdAt": "2026-09-26T08:00:00Z"
}

```

```

{
  "id": "att_mock_07",
  "skill": "mock",
  "kind": "mock",
  "title": "Mock Test 07",
  "refId": "mt_a",
  "band": 6.5,
  "durationSec": 9900,
  "data": {
    "mockId": "mt_a",
    "mockTitle": "Mock Test A",
    "sections": {
      "listening": 7.0,
      "reading": 6.5,
      "writing": 6.0,
      "speaking": 6.5
    },
    "overall": 6.5,
    "average": 6.5,
    "listeningScore": {

```

```

    "correct": 31,
    "total": 40
  },
  "readingScore": {
    "correct": 28,
    "total": 40
  },
  "listeningByPart": [
    {
      "label": "Part 1",
      "correct": 9,
      "total": 10
    },
    {
      "label": "Part 2",
      "correct": 8,
      "total": 10
    },
    "... 2 more items"
  ],
  "writingCriteria": {
    "TA": 6.0,
    "CC": 5.5,
    "LR": 6.0,
    "GRA": 6.5
  },
  "speakingCriteria": {
    "FC": 6.0,
    "LR": 6.5,
    "GRA": 6.5,
    "P": 7.0
  },
  "spokenSec": 720,
  "speakingSec": {
    "1": 250,
    "2": 170,
    "3": 300
  },
  "answers": {
    "listening": {
      "1": "fairfax",
      "2": "27",
      "3": "BH6 4TR",
      "4": "519208",
      "5": "swimming",
      "6": "family",
      "7": "45",
      "8": "postr",
      "9": "Tuesday",
      "10": "north",
      "11": "A",
      "12": "C",
      "13": "C",
      "14": "C",
      "15": "H",
      "16": "E",
      "17": "G",
      "18": "F",
      "20": "D",
      "21": "B",
      "22": "B",
      "23": "A",
      "24": "B",
      "25": "A",
      "26": "B",
      "27": "A",
      "28": "B",
      "29": "A,C",
      "31": "London",
      "32": "9",
      "33": "night",
      "35": "evapration",
      "36": "buildings",
      "37": "elderly",
      "38": "reflect",
      "39": "tres",
      "40": "sensors"
    },
    "reading": {
      "1": "TRUE",
      "2": "FALSE",
      "3": "TRUE",
      "4": "FALSE",
      "5": "NOT GIVEN",
      "6": "iii",

```

```

    "7": "iv",
    "8": "v",
    "9": "vii",
    "10": "building",
    "11": "disease",
    "12": "late summer",
    "13": "verges",
    "14": "B",
    "15": "F",
    "16": "E",
    "17": "C",
    "18": "TRUE",
    "19": "NOT GIVEN",
    "20": "FALSE",
    "21": "FALSE",
    "22": "NOT GIVEN",
    "23": "C",
    "24": "A",
    "25": "C",
    "26": "B",
    "27": "i",
    "28": "vii",
    "29": "viii",
    "30": "iv",
    "31": "ii",
    "32": "ix",
    "33": "NO",
    "34": "YES",
    "35": "NO",
    "36": "YES",
    "37": "D",
    "38": "C",
    "39": "shorter uration",
    "40": "novelty"
  }
},
"writing": {
  "task1Band": 6.0,
  "task2Band": 6.0,
  "task1Words": 169,
  "task2Words": 273,
  "feedback": [
    "Use more linking words (however, moreover, as a result) to improve coherence."
  ],
  "task1": "The line graph illustrates the proportion of households which had access to the internet in Canada, Brazil and India from 2000 to 2020.\n\n...",
  "task2": "Nowadays more and more companies allow their staff to work from home, especially after the pandemic. Some people think this arrangement i..."
}
},
"userId": "usr_demo_tanvir",
"createdAt": "2026-09-27T11:00:00Z"
}

```

```

{
  "id": "att_seed_read_rt_01",
  "skill": "reading",
  "kind": "test",
  "title": "Academic Reading Test 1",
  "refId": "rt_01",
  "band": 7.0,
  "score": 31,
  "total": 40,
  "durationSec": 3480,
  "data": {
    "testId": "rt_01",
    "answers": {
      "1": "TRUE",
      "2": "FALSE",
      "3": "TRUE",
      "4": "FALSE",
      "5": "NOT GIVEN",
      "6": "vi",
      "7": "iv",
      "8": "v",
      "9": "viii",
      "10": "building",
      "11": "system",
      "12": "late summer",
      "13": "season",
      "14": "B",
      "15": "F",
      "16": "A",
      "17": "G",
      "18": "TRUE",
      "19": "TRUE",
      "20": "TRUE",
      "21": "FALSE",
      "22": "FALSE",
      "23": "B",
      "24": "A",
      "25": "C",
      "26": "B",
      "27": "i",
      "28": "ii",
      "29": "iii",
      "30": "iv",
      "31": "ii",
      "32": "vi",
      "33": "YES",
      "34": "NO",
      "35": "NO",
      "37": "B",
      "38": "C",
      "39": "shorter duration",
      "40": "novelty"
    },
    "correct": [
      1,
      2,
      "... 29 more items"
    ],
    "total": 40,
    "passages": [
      "rp_01",
      "rp_02",
      "rp_03"
    ],
    "flagged": []
  },
  "userId": "usr_demo_tanvir",
  "createdAt": "2026-09-24T19:00:00Z"
}

```

```

{
  "id": "att_seed_read_rp_06",
  "skill": "reading",
  "kind": "mini",
  "title": "The Shop That Came to the Door",
  "refId": "rp_06",
  "band": 6.5,
  "score": 9,
  "total": 13,
  "durationSec": 1110,
  "data": {
    "passageId": "rp_06",
    "answers": {
      "1": "TRUE",
      "2": "FALSE",
      "3": "NOT GIVEN",
      "4": "NOT GIVEN",
      "5": "FALSE",
      "6": "E",
      "7": "D",
      "8": "D",
      "9": "G",
      "10": "library loans",
      "11": "costs",
      "12": "car journeys",
      "13": "season"
    },
    "correct": [
      1,
      2,
      "... 7 more items"
    ],
    "total": 13,
    "passages": [
      "rp_06"
    ],
    "flagged": []
  },
  "userId": "usr_demo_tanvir",
  "createdAt": "2026-09-22T20:00:00Z"
}

```

```

{
  "id": "att_seed_read_rl_03",
  "skill": "reading",
  "kind": "lesson",
  "title": "Lesson 1 · Paraphrase spotting",
  "refId": "rl_03",
  "score": 3,
  "total": 3,
  "durationSec": 480,
  "data": {
    "lessonId": "rl_03"
  },
  "userId": "usr_demo_tanvir",
  "createdAt": "2026-09-25T20:00:00Z"
}

```



```

{
  "id": "att_seed_vocab_2",
  "skill": "vocab",
  "kind": "quiz",
  "title": "Vocabulary quiz · Band 7+ words",
  "refId": "quiz_band7",
  "score": 8,
  "total": 10,
  "durationSec": 134,
  "data": {
    "answers": [
      {
        "qId": "q1",
        "wordId": "word_feasible",
        "chosen": 0,
        "correct": true
      },
      {
        "qId": "q2",
        "wordId": "word_ubiquitous",
        "chosen": 1,
        "correct": true
      },
      "... 8 more items"
    ],
    "elapsedSec": 134,
    "addedToLearning": 2
  },
  "userId": "usr_demo_tanvir",
  "createdAt": "2026-09-29T09:00:00Z"
}

{
  "id": "att_spk_seed_01",
  "skill": "speaking",
  "kind": "part2",
  "title": "Part 2 · A time you helped someone",
  "refId": "cc14",
  "band": 6.5,
  "durationSec": 240,
  "data": {
    "spokenSec": 112,
    "expectedSec": 120,
    "questions": [
      {
        "q": "Describe a time you helped someone.",
        "spokenSec": 112
      }
    ],
    "criteria": {
      "FC": 6.0,
      "LR": 7.0,
      "GRA": 6.5,
      "P": 6.5
    },
    "summary": "Relevant, well-organised story. Fillers and two long pauses keep fluency below 7.",
    "feedback": [
      "Replace “you know” and “like” with a short pause.",
      "Practise stress in “particularly” and “struggling”."
    ],
    "stats": {
      "fillers": 7,
      "pauses": 3,
      "wpm": 118
    },
    "transcript": {
      "demo": true,
      "paragraphs": [
        {
          "faded": false,
          "tokens": [
            {
              "type": "lead",
              "text": "Well, I'd like to talk about"
            },
            {
              "type": "text",
              "text": " a time I helped my younger cousin, Rafi. "
            }
          ],
          "... 6 more items"
        }
      ],
      {
        "faded": false,
        "tokens": [

```

```

        {
            "type": "text",
            "text": "So, "
        },
        {
            "type": "filler",
            "text": "you know",
            "note": "Filler – drop it or pause briefly."
        },
        "... 7 more items"
    ]
},
{
    "faded": true,
    "tokens": [
        {
            "type": "text",
            "text": "I think the moment he solved a question on his own..."
        }
    ]
}
]
},
"userId": "usr_demo_tanvir",
"createdAt": "2026-09-28T20:00:00Z"
}
{
    "id": "att_spk_seed_02",
    "skill": "speaking",
    "kind": "part3",
    "title": "Part 3 · A park or garden you enjoy spending time in",
    "refId": "cc09",
    "band": 6.0,
    "durationSec": 420,
    "data": {
        "spokenSec": 252,
        "expectedSec": 150,
        "questions": [
            {
                "q": "Why are parks important in cities?",
                "spokenSec": 58
            },
            {
                "q": "Should parks be free for everyone?",
                "spokenSec": 49
            },
            "... 3 more items"
        ],
        "criteria": {
            "FC": 5.5,
            "LR": 6.5,
            "GRA": 6.0,
            "P": 6.0
        },
        "summary": "Relevant, well-organised answers. Fillers and long pauses keep fluency below 7.",
        "feedback": [
            "Replace fillers like “you know” and “like” with a short pause.",
            "Mix simple and complex sentences – add one “although” or “which” clause per answer."
        ],
        "transcript": {
            "demo": true,
            "paragraphs": [
                {
                    "faded": false,
                    "tokens": [
                        {
                            "type": "lead",
                            "text": "Well, I'd like to talk about"
                        },
                        {
                            "type": "text",
                            "text": " a time I helped my younger cousin, Rafi. "
                        },
                        "... 6 more items"
                    ]
                }
            ],
            {
                "faded": false,
                "tokens": [
                    {
                        "type": "text",
                        "text": "So, "
                    },
                    {

```

```

        "type": "filler",
        "text": "you know",
        "note": "Filler – drop it or pause briefly."
    },
    "... 7 more items"
]
},
{
    "faded": true,
    "tokens": [
        {
            "type": "text",
            "text": "I think the moment he solved a question on his own..."
        }
    ]
}
]
}
},
"userId": "usr_demo_tanvir",
"createdAt": "2026-09-28T19:00:00Z"
}
{
    "id": "att_spk_seed_03",
    "skill": "speaking",
    "kind": "part1",
    "title": "Part 1 · Hometown",
    "refId": "s1_hometown",
    "band": 7.0,
    "durationSec": 300,
    "data": {
        "spokenSec": 168,
        "expectedSec": 120,
        "questions": [
            {
                "q": "Where is your hometown?",
                "spokenSec": 38
            },
            {
                "q": "What do you like most about your hometown?",
                "spokenSec": 44
            },
            "... 2 more items"
        ],
        "criteria": {
            "FC": 7.0,
            "LR": 7.0,
            "GRA": 6.5,
            "P": 7.5
        },
        "summary": "Fluent, well-developed answers. A few hesitations and minor errors remain.",
        "feedback": [
            "Mix simple and complex sentences – add one “although” or “which” clause per answer.",
            "Replace fillers like “you know” and “like” with a short pause."
        ],
        "transcript": {
            "demo": true,
            "paragraphs": [
                {
                    "faded": false,
                    "tokens": [
                        {
                            "type": "lead",
                            "text": "Well, I'd like to talk about"
                        },
                        {
                            "type": "text",
                            "text": " a time I helped my younger cousin, Rafi. "
                        },
                        "... 6 more items"
                    ]
                },
                {
                    "faded": false,
                    "tokens": [
                        {
                            "type": "text",
                            "text": "So, "
                        },
                        {
                            "type": "filler",
                            "text": "you know",
                            "note": "Filler – drop it or pause briefly."
                        },
                        "... 7 more items"
                    ]
                }
            ]
        }
    }
}

```

```

    ]
  },
  {
    "faded": true,
    "tokens": [
      {
        "type": "text",
        "text": "I think the moment he solved a question on his own..."
      }
    ]
  }
]
}
},
"userId": "usr_demo_tanvir",
"createdAt": "2026-09-26T18:00:00Z"
}

```

```

{
  "id": "att_spk_seed_08",
  "skill": "speaking",
  "kind": "pronunciation",
  "title": "Pronunciation · Word set",
  "refId": "pron_default",
  "band": null,
  "score": 4,
  "total": 6,
  "durationSec": 300,
  "data": {
    "words": [
      {
        "word": "struggling",
        "score": 0.81
      },
      {
        "word": "particularly",
        "score": 0.72
      },
      "... 4 more items"
    ]
  },
  "userId": "usr_demo_tanvir",
  "createdAt": "2026-09-27T21:00:00Z"
}

```

```

{
  "id": "att_w_remote_3",
  "skill": "writing",
  "kind": "task2",
  "title": "Remote work",
  "refId": "t2_remote_work",
  "band": 6.0,
  "durationSec": 2280,
  "data": {
    "text": "Over the past decade, remote work has moved from a rare perk to a mainstream arrangement for many office staff. In my view, working from ...",
    "prompt": "Some people believe that working from home benefits both employees and employers. To what extent do you agree or disagree?",
    "promptId": "t2_remote_work",
    "task": 2,
    "criteria": {
      "TA": 6.5,
      "CC": 5.5,
      "LR": 6.0,
      "GRA": 6.0
    },
    "words": 254,
    "feedback": [
      "Use more precise vocabulary instead of informal words.",
      "Vary your linking words."
    ],
    "issues": [
      {
        "id": "i1",
        "type": "vocab",
        "title": "Vocabulary",
        "label": "informal phrase",
        "start": 149,
        "end": 165,
        "original": "very good things",
        "suggestion": "tangible benefits",
        "note": "\"Very good things\" is vague and informal. A precise collocation such as \"tangible benefits\" raises your Lexical Resource score.",
        "sentenceIndex": 1
      },
    ],
  },
}

```

```

{
  "id": "i2",
  "type": "grammar",
  "title": "Grammar",
  "label": "agreement",
  "start": 386,
  "end": 402,
  "original": "people who works",
  "suggestion": "people who work",
  "note": "\"Who\" refers to \"people\", which is plural, so the verb must be \"work\".",
  "sentenceIndex": 3
},
"... 8 more items"
],
"strengths": [
  {
    "start": 66,
    "end": 88,
    "text": "mainstream arrangement"
  },
  {
    "start": 510,
    "end": 523,
    "text": "concentration"
  },
  "... 3 more items"
],
"notes": {
  "TA": "Clear position; second idea needs an example.",
  "CC": "Linkers repeat; paragraph 3 drifts.",
  "LR": "Good range; a few informal words.",
  "GRA": "Mixed structures; 4 agreement slips."
},
"suggestions": [
  "Vary linkers: swap two \"also\" for \"moreover\", \"in addition\".",
  "Support the employer point with one concrete example."
]
},
"userId": "usr_demo_tanvir",
"createdAt": "2026-09-23T20:00:00Z"
}
{
  "id": "att_w_coffee",
  "skill": "writing",
  "kind": "task1",
  "title": "Coffee exports, bar chart",
  "refId": "t1_coffee_exports",
  "band": 6.0,
  "durationSec": 1140,
  "data": {
    "text": "The bar chart compares the value of coffee exports from Brazil, Vietnam, Colombia and Ethiopia in 2010 and 2020.\n\nOverall, Brazil was by ...",
    "prompt": "The bar chart shows the value of coffee exported by four countries in 2010 and 2020, in billions of US dollars. Summarise the information...",
    "promptId": "t1_coffee_exports",
    "task": 1,
    "criteria": {
      "TA": 6.0,
      "CC": 6.0,
      "LR": 5.5,
      "GRA": 6.0
    }
  },
  "words": 151,
  "feedback": [
    "Group similar countries together to make comparisons clearer.",
    "Use a wider range of verbs to describe change (declined, climbed, levelled off).",
  ],
  "issues": [
    {
      "id": "i1",
      "type": "grammar",
      "title": "Grammar",
      "label": "comparison",
      "start": 346,
      "end": 367,
      "original": "three times more than",
      "suggestion": "three times as much as",
      "note": "With multiples, \"three times as much as\" is the accurate structure for comparing values.",
      "sentenceIndex": 4
    },
    {
      "id": "i2",
      "type": "vocab",
      "title": "Vocabulary",
      "label": "informal phrase",

```

```

      "start": 503,
      "end": 512,
      "original": "went down",
      "suggestion": "declined",
      "note": "\"Went down\" is informal. \"Declined\" or \"fell\" is better for describing data.",
      "sentenceIndex": 8
    },
    "... 3 more items"
  ],
  "strengths": [
    {
      "start": 114,
      "end": 121,
      "text": "Overall"
    },
    {
      "start": 134,
      "end": 140,
      "text": "by far"
    },
    {
      "start": 153,
      "end": 161,
      "text": "exporter"
    }
  ]
},
"userId": "usr_demo_tanvir",
"createdAt": "2026-09-20T19:00:00Z"
}

```

```

{
  "id": "att_w_drill_1",
  "skill": "writing",
  "kind": "drill",
  "title": "Writing Booster · Make sentences",
  "refId": "sb_set_make_sentences",
  "band": null,
  "score": 5,
  "total": 6,
  "durationSec": 480,
  "data": {
    "results": [
      {
        "id": "sb_01",
        "correct": true
      },
      {
        "id": "sb_02",
        "correct": true
      },
      "... 4 more items"
    ]
  },
  "userId": "usr_demo_tanvir",
  "createdAt": "2026-09-26T19:00:00Z"
}

```

42 · notifications

In-app notification.

Table	notifications	Primary key	id
File	seed/formats/42_notifications.json	Records today	— (user data)
Source in app	Store notifications	Group	user

Fields

Field	Type	Required
id	string	yes
type	string	yes
skill	string	
title	string	yes
body	string	
read	boolean	
target	string	
userId	string	yes
createdAt	string	yes

Relations

- userId → users.id

Notes

- target = app route to open.

Example record (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "ntf_home_001",
  "type": "ai",
  "skill": "writing",
  "title": "Task 2 essay scored",
  "body": "Remote work · tap to see feedback",
  "read": false,
  "target": "/writing/band-report",
  "userId": "usr_demo_tanvir",
  "createdAt": "2026-09-29T11:58:00Z"
}
```

43 · tasks

Study-plan task on the schedule (B5).

Table	study_tasks	Primary key	id
File	seed/formats/43_tasks.json	Records today	— (user data)
Source in app	Store tasks	Group	user

Fields

Field	Type	Required
id	string	yes
title	string	yes
skill	string	
kind	string	
time	string	
durationMin	integer	
done	boolean	
target	string	
userId	string	yes
date	string	yes

Relations

- userId → users.id

Notes

- kind: goal|mock|reminder|...; time = HH:mm local.

Example record (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "tsk_home_001",
  "title": "Listening Part 3 · Set 12",
  "skill": "listening",
  "kind": "goal",
  "time": "18:00",
  "durationMin": 20,
  "done": true,
  "target": "/listening/mini-practice",
  "userId": "usr_demo_tanvir",
  "date": "2026-09-29"
}
```


44 · user_state

Per-user saved state: saved words, bookmarks, drafts, progress.

Table	user_state	Primary key	userId+key
File	seed/formats/44_user_state.json	Records today	— (user data)
Source in app	Store kv	Group	user

Fields

Field	Type	Required
userId	string	yes
key	string	yes
value	array boolean object	yes

Relations

- userId → users.id

Notes

- 27 keys in use today, e.g. community.dms, community.readRooms, community.sent.room_speaking_p2, home.studyReminders, listening.inProgress, listening.lesson.ll_07, listening.mini.inProgress, mock.plan.att_mock_07, reading.highlights.rp_05, reading.inProgress, reading.lessonProgress, resources.academicDay ...
- Drafts and in-progress tests can stay on the device; saved words/cards/bookmarks should sync.

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "userId": "usr_demo_tanvir",
  "key": "community.dms",
  "value": [
    {
      "id": "dm_anika",
      "letter": "AN",
      "name": "Anika R.",
      "tone": "blush",
      "unread": 1,
      "messages": [
        {
          "id": "dm_anika_1",
          "type": "text",
          "authorName": "Anika R.",
          "initials": "AN",
          "tone": "blush",
          "time": "7:52 PM",
          "text": "Shall we do Part 3 again tomorrow?"
        }
      ]
    },
    {
      "id": "dm_sadia",
      "letter": "SH",
      "name": "Sadiah H.",
      "tone": "lavender",
      "unread": 1,
      "messages": [
        {
          "id": "dm_sadia_1",
          "type": "text",
          "authorName": "Sadiah H.",
          "initials": "SH",
          "tone": "lavender",
          "time": "6:30 PM",
          "text": "Sent you my cue card notes"
        }
      ]
    }
  ]
}
```

```
{
  "userId": "usr_demo_tanvir",
  "key": "community.readRooms",
  "value": []
}
```

45 · recordings

Speaking recording stored in R2.

Table	recordings	Primary key	id
File	seed/formats/45_recordings.json	Records today	— (user data)
Source in app	speaking attempts data + VoiceRecorder	Group	user

Fields

Field	Type	Required
id	string	yes
userId	string	yes
attemptId	string	
r2Key	string	yes
format	string	
durationMs	integer	yes
bytes	integer	
createdAt	string	

Relations

- attemptId → attempts.id

Example record (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "rec_01",
  "userId": "usr_demo_tanvir",
  "attemptId": "att_s_p2_1",
  "r2Key": "recordings/usr_demo_tanvir/att_s_p2_1.wav",
  "format": "wav",
  "durationMs": 118000,
  "bytes": 3776044,
  "createdAt": "2026-09-29T12:00:00Z"
}
```

46 · room_messages

Community chat message (text, voice, image, AI partner).

Table	room_messages	Primary key	id
File	seed/formats/46_room_messages.json	Records today	— (user data)
Source in app	resources.speakingRoom.messages + kv community.sent.*	Group	user

Fields

Field	Type	Required
id	string	yes
roomId	string	yes
userId	string	yes
type	string	yes
text	string	
createdAt	string	yes
r2Key	string	
durationMs	integer	

Relations

- roomId → rooms.id
- userId → users.id

Notes

- type: text|voice|image|ai|system.

Example records (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "m1",
  "roomId": "room_speaking_p2",
  "userId": "usr_anika",
  "type": "text",
  "text": "Anyone up for Part 3 practice? Topic is environment.",
  "createdAt": "2026-09-29T12:00:00Z"
}
```

```
{
  "id": "m2",
  "roomId": "room_speaking_p2",
  "userId": "usr_demo_tanvir",
  "type": "voice",
  "r2Key": "chat/usr_demo_tanvir/m2.m4a",
  "durationMs": 14000,
  "createdAt": "2026-09-29T12:00:00Z"
}
```

47 · subscriptions

A user's paid plan (when payments launch).

Table	subscriptions	Primary key	id
File	seed/formats/47_subscriptions.json	Records today	— (user data)
Source in app	profile.plan today	Group	user

Fields

Field	Type	Required
id	string	yes
userId	string	yes
planId	string	yes
period	string	
status	string	yes
startedAt	string	
renewsAt	string	
provider	string	
providerRef	string	

Relations

- planId → plans.id
- userId → users.id

Notes

- provider: bkaash|nagad|card — decided when payments are built.

Example record (long text and lists shortened for print; the JSON files are complete)

```
{
  "id": "sub_01",
  "userId": "usr_demo_tanvir",
  "planId": "pro",
  "period": "yearly",
  "status": "active",
  "startedAt": "2026-09-29T12:00:00Z",
  "renewsAt": "2027-09-29T12:00:00Z",
  "provider": "bkash",
  "providerRef": "..."
}
```