

TEST RESULT REPORT

| | |
|---------------------------------|-----------------------------------|
| Patient Name : Ms. Erfan Hassan | Accession No : 010459278 |
| Age/Gender : 20 Y / Male | Patient UID : MHRL651983 |
| Aadhar Card : 567976711849 | Collection Date: 27-11-2021 16:30 |
| Sample Collected At Lab | Exit Date : 28-11-2021 10:07 |
| Ref By Clinic : | Ext.Ref.Num : |
| Ref By Doctor : | |

MOLECULAR BIOLOGY

Covid 19 - Detection by RTPCR - KIAL DOM

| TEST | RESULT |
|-------------------|-------------------------------------|
| SARS-COV-2 | NEGATIVE |
| Specimen | Nasopharyngeal / Oropharyngeal swab |

ICMR (Indian Council of Medical Research) Registration No. : MICHEALLTHKK

SRF ID: 719/KZD/2021119199

INTERPRETATION GUIDELINES

| | |
|---------------------|---|
| POSITIVE | 1) POSITIVE result indicates presence of SARS-CoV-2 |
| NEGATIVE | 1) "NEGATIVE" result indicates absence of SARS-CoV-2 in the given specimen. However, it does not rule out the infection completely and should not be used as the sole basis for making decisions related to treatment and other patient management decisions. 2) "NEGATIVE" result may be seen due to – a. RT PCR done on Nasopharyngeal swab having 44% false negativity. b. Test done too early or too late where the virus load is below detection limit. c. Improperly collected and stored specimen. d. Viral mutations |
| INCONCLUSIVE | This could be due to low viral load in the sample. A repeat sample is recommended for confirmation after 48 to 72 hours |

Patient Instructions:

- Kindly consult referring Physician/ Authorized Govt. hospital for appropriate follow up.
- Details of all the positive patients will be communicated to Epidemiology Cell whom you are requested to support.
- "Positive/Inconclusive" status needs to be notified to the appropriate authorities as per the existing rules/regulations.
- All "Positive/Inconclusive" reports will be released after reporting to regional health authorities.

Disclaimers:

1. RNA viruses like SARS-CoV-2 (COVID 19) have a lot of genetic variability and it's possible that certain virus detection kits test cannot detect some strains of the viruses. Although efforts were made by manufacturers of the diagnostic kits to design the test assays that target the parts of viral genome which are shared by all the different circulating viral strains, there still might be some mismatch between the primers and the probes used in the test and the target regions within the viruses.
2. Sensitivity of this test results depends upon the quality of the sample submitted for testing, stage of infection, type of the specimen collected for testing, medical history and clinical presentation.



Printed On : 29-11-2021 12:52 Page 1 of 2



Scan the QR code to verify the authenticity of this lab report
Powered by : Caredata/MHL

Disclaimer: All test results reported by us is performed using the internationally accredited testing equipment and standard procedures. All data and test results presented in the reported documents is the characteristics of the sample we have received and were analyzed and/or calculated at the specific point of time. Please correlate clinically before reaching to final conclusion. Report may vary depend on the technology. Value of two technologies are not comparable.



Anilda Mary William
M. Sc. Medical Microbiology
Senior Technologist



Dr Anuja Mohan
MBBS, MD (Microbiology)
Consultant Microbiologist