GHAREEB FENCING SOLUTIONS

BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.

SOUTHEAST MICHIGAN | NORTHWEST OHIO

Family-Owned Since 2022



(419) 214-2107


ghareebfence.com

OUR WORK SPEAKS FOR ITSELF

Toledo's Trusted Fence Professionals









Why Toledo Homeowners Choose Ghareeb Fencing

INSTALLER-OWNED & OPERATED

Our owner has installed hundreds of fences — reading slopes and tight corners before they become problems.

TRAINED, IN-HOUSE CREW

Trained in-house, the same faces start to finish — never day laborers or rotating strangers.

HEAVY-DUTY METAL-FRAME GATES

Wood gates get frames welded in our shop; vinyl gates carry aluminum inside the frame. Both are built not to sag.

DIRECT MILL RELATIONSHIPS

Western Red Cedar is our standard. Premium Northern White Cedar and cedar split rail come from Michigan U.P. mills.

TRANSPARENT, DETAILED QUOTES

Price, exact materials, and scope in writing. What we write is what you pay — no pressure, ever.

A WARRANTY THAT HOLDS UP

Three years on workmanship plus manufacturer material warranties. Not right? We make it right.



A NOTE FROM THE OWNER

When you hire us, you get the person whose name is on the company. I still walk every estimate, read every yard, and stand behind every post we drive. We're a small Toledo family business — your fence is how our name gets around, and we build it that way. Thank you for letting us earn it.

Nicholas — Owner & Installer



What's inside

01	**Why homeowners choose us**	01
	Good, better, best at a glance	03
	How we set posts in clay and sand	04
02	**Wood & cedar**	06
03	**Vinyl**	26
04	**Aluminum**	41
05	**Split rail**	53
06	**Chain link**	60
07	**Working with us**	66
	Local fence rules, town by town	68
	Warranty	71
	Customer reviews	74
	Getting started	78

Free estimates. Call (419) 214-2107 or scan to start yours.

SCAN FOR A FREE ESTIMATE

CHOOSE YOUR TIER

Good, Better, Best

Every fence we build · three tiers

GOOD · BETTER · BEST AT A GLANCE

GFS-TIERS

EVERY FENCE WE BUILD, IN THREE TIERS

	GOOD	BETTER	BEST RECOMMENDED
Wood THE LUMBER	**Pressure-treated pine** Up to about 15 years Lowest-cost wood	**Western Red Cedar** 15–30 years Our standard cedar	**Northern White Cedar** 15–30 years Grown and milled in Michigan
Wood THE STYLE	**Dog-ear privacy** 90–95% privacy $	**Shadowbox** 70–85% privacy, good airflow $$ · finished both sides	**Board-on-board** 100% privacy, no gaps $$$ · finished both sides
Vinyl PRIVACY	**Kingston solid** White, Tan or Adobe No painting or staining	**Kingston with a topper** Lattice or spindle top Same 70" finish height	**Rockport woodgrain** Homewood woodgrain finish Mocha Walnut and three more
Open SEE-THROUGH	**Galvanized chain link** 20–30 years Lowest cost per foot	**Black chain link** 25–35 years Vinyl-coated, rust resistant	**Elite aluminum** 30+ years, never rusts Limited lifetime warranty

HOW TO USE THIS PAGE

01 Circle a tier in each row
Pick what you are leaning toward. It does not have to be the same tier in every row.

02 Ask for all three on one quote
We can price good, better and best for your yard so the difference is in dollars, not guesses.

03 Compare them in your portal
Your quote and a 3D drawing of your fence are there to look over at home.

Split rail comes two ways, pressure-treated or Northern White Cedar. See the split rail pages.

Start here. Circle a tier in each row and bring it to your estimate.

No-Dig Steel Post Fencing

Driven steel posts that hold tight in Toledo clay and stay put through freeze and thaw



How it works

Instead of digging holes and pouring concrete, we drive 8-foot galvanized steel posts, 2½ inches across, a full 4 feet into the ground. The fence builds off that steel core, with nothing to mix, cure, or crack underground. No spoil piles, no torn-up lawn.

Why it matters here

Northwest Ohio clay and freeze-thaw winters are hard on concrete footings. Water works in, freezes, and heaves posts out of line over a few seasons. A driven steel post sets tight in clay and stays put — with no wood-in-concrete underground to wick water and rot out first.

Below frost line

Posts driven deep, not floated in a footing

Zero concrete

Nothing to mix, cure, or crack underground

No cure time

Panels go on as soon as the posts are in

We check your soil at the estimate.
Ask us to drive a demo post — two minutes tells you everything.

(419) 214-2107

POST INSTALLATION, COMPARED

Why We Drive Posts in Clay

The post underground is the part you never see and the part that fails first. Here is how the common methods stack up in Toledo clay.

POOR

Wood Post in Dirt

The low-bid shortcut




Post: PT wood 4x4
Set: Tamped dirt, ~2 ft deep

- ✓ Lowest price up front
- ✗ Whole buried post sits in wet soil
- ✗ Frost pushes it up each winter
- ✗ Leans as the dirt settles
- ✗ Usually the first post to fail

BETTER

Wood Post in Concrete

The old neighborhood standard



Post: PT wood 4x4
Set: Concrete, ~2.5 ft deep


- ✓ Holds straighter than dirt
- ✓ Familiar, widely used
- ✗ Rots where it meets the concrete
- ✗ Footing can heave in frost
- ✗ Hard to fix once it fails

BEST

★ RECOMMENDED

Driven Steel Post

Our King Plus method



Post: 8 ft galv. steel, 2.5" dia.
Set: Driven 4 ft, no concrete

- ✓ No concrete, so no frost heave
- ✓ Soil grips the full post
- ✓ Driven 4 ft, below the frost line
- ✓ Galvanized: won't rot or rust
- ✓ Bends on impact, won't crack




POOR SOIL UPGRADE

Steel Post in Concrete

Driven posts need clay to grip. In sandy or loose soil we set PT wood posts in concrete. Want steel there instead? A galvanized steel post set about 3 ft deep in concrete is available as an upgrade.

Driven a full 4 ft down. Toledo's frost line runs about 3 ft, so our posts anchor below it in undisturbed clay. The “+” in King Plus is an extra top rail that locks your pickets straight and crowns the fence.



02

WOOD & CEDAR

Wood Fencing

Western Red Cedar as standard, Northern White Cedar as the premium, and pressure-treated pine, built board by board on site.

CHOOSE YOUR TIER

Wood — Good, Better, Best

Pick the style · then pick the lumber

WOOD — GOOD · BETTER · BEST

GFS-W-TIER

STEP 1 · PICK THE STYLE · RENDERED FROM OUR ESTIMATING SOFTWARE

GOOD



Dog-Ear Privacy

Standard privacy

PRIVACY	90–95%
BOTH SIDES	One finished face
AIRFLOW	Minimal
COST	$

BEST FOR
Budget projects and side yards

BETTER



Shadowbox

Alternating boards

PRIVACY	70–85%
BOTH SIDES	Yes, great from both
AIRFLOW	Good
COST	$$

BEST FOR
Shared property lines

BEST — RECOMMENDED



Board-on-Board

Overlapping privacy

PRIVACY	100%, no gaps
BOTH SIDES	Yes, finished both
AIRFLOW	Minimal
COST	$$$

BEST FOR
Complete privacy, premium look

STEP 2 · PICK THE LUMBER

Good	Pressure-treated pine. Up to about 15 years. The lowest-cost wood.
Better	Western Red Cedar, our standard cedar. 15–30 years, natural oil resistance.
Best	Northern White Cedar, grown and milled in Michigan. 15–30 years, very decay resistant.

Ask for good, better and best on one quote.
We can price all three for your yard so you can compare them side by side.

(419) 214-2107

Add to any tier: welded steel-frame gate, lattice top, or cap and trim.

Two choices set your tier. The style first, then the lumber.

STANDARD & PREMIUM CEDAR

Cedar Fencing

Western Red Cedar is our standard cedar. Northern White Cedar is the premium upgrade.

GOOD	BETTER	BEST
		★ RECOMMENDED
Pressure Treated Pine	**Western Red Cedar**	**Northern White Cedar**
• Chemical-dependent	• Natural oil resistance	• Very decay resistant
• Up to ~15 year lifespan	• 15–30 year lifespan	• 15–30 year lifespan
• Prone to warping	• Good stability	• Bright, clean grain
• High maintenance	• Moderate maintenance	• Grown and milled in Michigan

PT Pine Limitations



- ✗ Chemical treatment wears off
- ✗ Cracks and splits
- ✗ Warps as it dries
- ✗ Frequent maintenance
- ✗ Shorter lifespan


Cedar Advantages

- ✓ Natural decay resistance
- ✓ Dimensionally stable
- ✓ Beautiful, even grain
- ✓ Lightweight yet strong
- ✓ Sustainable and renewable

Ready to explore cedar?
Free estimates · No pressure · Premium cedar from Michigan mills

(419) 214-2107





THE SCIENCE BEHIND CEDAR

Why Cedar Outperforms Treated Pine

It comes down to what's in the wood and how it handles our wet, freezing winters

Thujaplicins	~22 lb/ft³	No Chemicals	Stays Flatter
Natural compounds in the heartwood that resist rot	Lightweight, easy on hardware	Rot resistance is in the wood	Shrinks and twists less than PT as it dries

PT Pine: The Reality

Pressure-treated pine relies on chemical preservatives forced into the wood. The treatment doesn't reach all the way through, so cuts and cracks expose untreated wood.

It also usually ships wet, so it shrinks, checks, and twists on your fence as it dries in place.

Cedar is drier and moves less as it ages.

Cedar Styles We Offer

Board-on-Board Privacy

100% privacy from any angle

Shadowbox


Looks great from both sides

Lattice Top

Privacy with a decorative accent

Premium Northern White Cedar. Sourced from Michigan's Upper Peninsula. The USDA Wood Handbook rates its heartwood “resistant to very resistant” to decay, its top rating.





THUJA OCCIDENTALIS

Northern White Cedar

Rated “resistant” to “very resistant” to decay in the USDA Wood Handbook — figures on this page are from it

SPECIFICATIONS

Origin	Great Lakes — Michigan U.P.
Lifespan	15–30 years, typical for cedar
Decay resistance	Resistant–very resistant
Shrinkage	Low, ~7% green to dry
Density	About 22 lb/ft^3 dry
Maintenance	Low

Small Mill, Big Difference

We buy direct from family mills in Michigan's Upper Peninsula — no distributor, no big-box mystery lumber.

Every board is inspected before it goes on your fence, and we can source thicker, true-dimension boards on request.

Board Thickness


Standard 1×6 (what we install)


Actual: ¾" × 5½"


True-dimension 1×6 (on request)

Actual: 1" × 6" — full thickness, sourced to order

Hybrid build: PT frame + cedar pickets. PT 2×4 rails, with posts set for your soil: driven steel in clay, PT wood in concrete in sand. Cedar goes where you see it, with galvanized nails throughout.





Cedar fences on real Toledo-area installs.


AT A GLANCE

Cedar Fence Options

Every cedar build we offer, side by side — privacy, lifespan, and where each one makes sense





STYLE	MATERIAL	PRIVACY	LIFESPAN	PRICE
Cedar Privacy	WRC	100%	15–30 yrs	$$
Cedar Shadowbox	WRC	70–85%	15–30 yrs	$$
Lattice Top	WRC	75%	15–30 yrs	$$$
PT Frame + Cedar	Hybrid	100%	~15 yrs	$
Premium White Cedar	**N. White**	**100%**	**15–30 yrs**	**$$$$**



Every option above is built board-by-board on site — never a prefab panel.

PROFESSIONAL INSTALLATION

Built Right, Board by Board

The details that decide whether a cedar fence still looks good in year fifteen

Heavy-Duty 4×6 Gate Posts

Prevents the sag that kills most gates

Built Board-by-Board

Custom fit to your yard, never prefab

Premium Hardware

Decorative hinges and latches, built to last

Galvanized Nails

3" on the frame, 1¾" coil nails on every picket

PT Pine Issues

- ✗ Warps as it dries
- ✗ Cracks and splits
- ✗ Chemical smell
- ✗ Requires regular sealing
- ✗ Green/brown fades out
- ✗ Heavy to work with
- ✗ Shorter lifespan
- ✗ Chemical preservatives

Cedar Advantages

- ✓ Stays straight
- ✓ Resists cracking
- ✓ Pleasant natural scent
- ✓ Sealing is optional
- ✓ Beautiful, even grain
- ✓ Lightweight and strong
- ✓ Longer lifespan
- ✓ Sustainable and renewable

✓ **Built Board-by-Board** ✓ **4×6 Gate Posts** ✓ **3-Year Warranty** ✓ **Standard & Premium Cedar**



CLASSIC PRIVACY SOLUTIONS

Wood Privacy Fencing

From prefab to professional — understand exactly what you're comparing

GOOD	BETTER	BEST
		★ RECOMMENDED
Big Box Prefab	**Standard Dog Ear**	**Board-on-Board**
• Gaps between panels	• Slight gaps as it dries	• 100% privacy, no gaps
• Thin boards, stapled frames	• Boards nailed one at a time	• Overlap hides shrink gaps
• Panels can sag on slopes	• Built board-by-board	• Overlapping boards
• 4×4 posts throughout	• 4×6 gate posts	• 4×6 gate posts


✓ **Complete Privacy** ✓ **Built On-Site** ✓ **4×6 Gate Posts** ✓ **3-Year Warranty**

Why Prefab Falls Short

Mass-produced thin pickets in stapled frames. They leave gaps over uneven terrain and start to sag within a few years.

Our Board-by-Board Difference

Built on site and custom-fit to your terrain, with 4×6 gate posts and galvanized nails throughout.









Standard vs Shadowbox vs Board-on-Board

Understanding the differences so you can choose the right style for your property

GOOD



Standard Privacy

Dog Ear

SPECIFICATIONS

Privacy: 90–95%

Look: Traditional

Both sides: No — one finished face

Airflow: Minimal

Cost: $

PROS

✓ Most affordable option

✓ Classic neighborhood look

✓ Quick installation

✓ Easy board replacement

CONS

✗ Visible rails on back side

✗ Slight gaps between boards

✗ Less wind resistant

✗ One-sided appearance

BETTER



Shadowbox

Alternating boards

SPECIFICATIONS

Privacy: 70–85%

Look: Decorative

Both sides: Yes — great from both

Airflow: Good

Cost: $$

PROS

✓ Attractive from both sides

✓ Good airflow & wind relief

✓ Neighborly design

✓ Unique shadow effect

CONS

✗ Less privacy than solid

✗ Gaps visible at angles

✗ More material cost

✗ Slightly longer install

BEST

★ RECOMMENDED



Board-on-Board

Overlapping privacy

SPECIFICATIONS

Privacy: 100%

Look: Premium

Both sides: Yes — finished both

Airflow: Minimal

Cost: $$$

PROS

✓ Complete privacy — no gaps

✓ Premium appearance

✓ No see-through as boards dry

✓ Finished on both sides

CONS

✗ Higher material cost

✗ Longer installation time

✗ Heavier fence

✗ Premium investment

Which is right for you? Standard — budget projects and side yards. Shadowbox — shared property lines. Board-on-Board — complete privacy, premium look.

Not sure which style? We'll help you choose.
All three available in PT pine, Western Red Cedar, or Northern White Cedar.

(419) 214-2107

Wood — Style Library

Eight styles · cedar or pressure-treated

WOOD STYLE LIBRARY

GFS-W-LIB

PRIVACY, SEMI-PRIVACY & PICKET · RENDERED FROM OUR ESTIMATING SOFTWARE



Dog-Ear Privacy — PRIVACY

1×6 pickets butted tight · Cedar or pressure-treated



Board-on-Board — PRIVACY

Two courses, 1½" overlap · Stays closed as boards shrink



Shadowbox — SEMI

Boards alternate on both faces · Same look from both yards



Lattice Top — TOPPER

Privacy below, lattice band on top · Lets light in along the top



Cap & Trim — PRIVACY

Flat top with a cap board and trim · A framed, finished top line



Horizontal — MODERN

Boards run level between posts · Clean, modern look



Spaced Picket — PICKET

Spaced pickets, straight top · Front yards and gardens



Scalloped Picket — PICKET

Top line dips between posts · Classic front-yard look

Shown in cedar on 8'-0" sections. These are the same 3D models you see in your quote.

Every style, drawn to scale. Pick the look here, then see the build details on the spec pages.


Wood & Cedar — Build Specs

Dog-Ear Privacy · Board-on-Board

DOG-EAR PRIVACY

GFS-W-DOG

ELEVATION — 6' DOG-EAR PRIVACY · GOOD SIDE



PLAN VIEW

BUTTED, ONE FINISHED FACE

SPECIFICATIONS


PICKETS	1×6 (5½"), dog-ear · cedar or PT
HEIGHTS	4', 6', 7' or 8'
RAILS	2×4 on edge · 3 rails at 6'
POSTS	4×4 · 8'-0" O.C. · 4×6 at gates
FOUNDATION	Driven steel in clay · 4×6 in concrete in sand
FASTENERS	Galvanized: 3" framing, 1¼" pickets

The everyday privacy fence. Pickets butt tight on the street side, and the rails stay on your side.

BOARD-ON-BOARD

GFS-W-BOB

ELEVATION — 6' BOARD-ON-BOARD



PLAN VIEW

TWO COURSES · 1½" OVERLAP

SPECIFICATIONS

PICKETS	1×6, two courses · cedar or PT
OVERLAP	1½" on each edge
PRIVACY	100% — stays closed as boards shrink
HEIGHTS	4' or 6'
POSTS	4×4 · 8'-0" O.C. · 4×6 at gates
FOUNDATION	Driven steel in clay · 4×6 in concrete in sand

Boards shrink as they dry. The overlap means you still can't see through it years from now.


Built to spec, every time. Hand any other contractor the same drawing and the comparison gets honest fast.

Wood & Cedar — Build Specs

Shadowbox · Cap & Trim

SHADOWBOX (GOOD NEIGHBOR)

GFS-W-SHW




SPECIFICATIONS

PICKETS	1×6, dog-ear, both faces
SPACING	3½" gap per face · 1" overlap
BOTH SIDES	Finished — no "bad side"
HEIGHTS	4' or 6'
POSTS	4×4 · 8'-0" O.C. · 4×6 at gates
FOUNDATION	Driven steel in clay · 4×6 in concrete in sand

Same look from both yards, and the wind passes through instead of pushing on a solid wall.

CAP & TRIM

GFS-W-CAP



SPECIFICATIONS

CAP	Flat cap board, full length
TRIM	Trim board on the face
BODY	Privacy, shadowbox or board-on-board
WOOD	Cedar or PT
POSTS	4×4 · 8'-0" O.C. · 4×6 at gates
FOUNDATION	Driven steel in clay · 4×6 in concrete in sand

The cap covers the cut tops of the pickets, which is where water gets in and boards start to split.

No mystery lumber, no guesswork. Every board, rail, and fastener is called out before we quote it.


Wood & Cedar — Build Specs

Lattice Top · Semi-Privacy

LATTICE TOP

GFS-W-LAT

ELEVATION — 6' SHADOWBOX WITH LATTICE TOP



SPECIFICATIONS


TOP BAND	12" framed diagonal lattice
BODY	Shadowbox below · cedar or PT
HEIGHT	6' overall
RAILS	2×4 on edge, lattice framed in
POSTS	4×4 · 8'-0" O.C. · 4×6 at gates
FOUNDATION	Driven steel in clay · 4×6 in concrete in sand

Privacy where you stand, light and air up top. Popular around patios and pools.

SEMI-PRIVACY (SPACED PICKET)

GFS-W-SEMI

ELEVATION — 6' SEMI-PRIVACY · 6" PICKETS



PLAN VIEW

SPECIFICATIONS

PICKETS	1×6 with 1½" gaps · cedar or PT
OPTION	4"/6" alternating pattern
RAILS	3 rails (2-rail option)
HEIGHT	6'
POSTS	4×4 · 8'-0" O.C. · 4×6 at gates
FOUNDATION	Driven steel in clay · 4×6 in concrete in sand

Defines the line and softens the view without walling you in. Also built as a 4' spaced picket.

Decorative doesn't mean delicate. The top changes. The posts underneath are set for your soil either way.


Wood & Cedar — Build Specs

Horizontal · Ranch Rail

HORIZONTAL

GFS-W-HZN

ELEVATION — 6' HORIZONTAL



PLAN VIEW

BOARDS ON THE POST FACE

SPECIFICATIONS


BOARDS	1×6, run horizontally
WOOD	Cedar or Cedar-tone PT
HEIGHT	6'
SPAN	Post to post, 8'-0" O.C.
POSTS	4×4 · 8'-0" O.C. · 4×6 at gates
FOUNDATION	Driven steel in clay · 4×6 in concrete in sand

Clean modern lines. The boards run post to post with nothing showing on the face.


RANCH RAIL WITH WELDED WIRE

GFS-W-RNCH

ELEVATION — 4' 3-BOARD RANCH RAIL · 10' SECTION



PLAN VIEW



WIRE BEHIND THE BOARDS

SPECIFICATIONS

BOARDS	3 or 4 boards per section
HEIGHTS	4' (4½' with 4 boards)
WIRE	Black vinyl-coated welded wire
SECTIONS	10'-0" O.C.
POSTS	4×4 wood
FOUNDATION	Driven steel in clay · 4×6 in concrete in sand

The open farm-fence look, with black wire behind the boards so the dog stays in.

Your quote references these drawings. Also built: 4' spaced picket, 4' scallop-cut privacy, and 8' tongue-and-groove.

OPTIONAL UPGRADE

Steel Frame Gate Upgrade

Welded steel frames for wood gates that hold square and don't sag

Welded Steel Gate Frame

SPECS

- 1½" square steel tubing
- 100% welded joints
- Rust-preventive primer
- Sized to your opening
- Built not to sag



Standard Wood Gate

✗ Wood frame with a bracket
✗ Sags over time
✗ Needs periodic adjustment
✗ Harder to keep square when wide

Steel Frame Gate

✓ Welded steel perimeter
✓ Holds square, no sag
✓ Set it and forget it
✓ Built for wide and double gates

Recommended for: wide gates (5 ft+) · double drives · high-traffic openings · maximum durability










RECENT INSTALLS

Cedar Fence Gallery


Western Red Cedar and Northern White Cedar, built board by board on site.




Cedar privacy, posts set for the soil



Cedar privacy around a backyard



Shadowbox along the house



Long cedar privacy run


RECENT INSTALLS

Wood Privacy Gallery

Board-on-board, shadowbox and pressure-treated privacy.




Pressure-treated privacy



Board-on-board




Shadowbox with a walk gate



Cedar with lattice top

Wood, yard after yard


Board-on-board, privacy and shadowbox



Board-on-board down a side yard



Pressure-treated privacy




Shadowbox between houses



Board-on-board, long back line



Privacy with a corner turn



Semi-privacy behind a patio

CEDAR CARE

Caring for Your Cedar Fence

Cedar asks very little — here's the whole maintenance story in three steps

Sealing

OPTIONAL, YEAR 1

Apply a UV sealant to hold the color, or let it weather naturally to a silver-gray. Both are fine — it's purely a look preference.

Stain / Re-seal


EVERY 3–5 YEARS


If you sealed it, reapply every three to five years depending on how much direct sun that run of fence takes.

Inspect & Clean

ANNUAL

Walk the line once a year: check for loose boards, clear leaves and debris, and trim back vegetation growing into the fence.









Ready for the cedar difference?

Natural beauty, lasting value, and a 3-year workmanship warranty included.

(419) 214-2107
















Ready for a price on your wood fence?

Free on-site estimate. Cedar or pressure-treated, priced for your yard and your soil.

01
Call or scan the code

02
We walk your yard and measure

03
You get a written quote with a 3D drawing

“We opted for a cedar privacy fence. Nick knocked it out of the park.”

★★★★★ **Josh Smith**

(419) 214-2107

ghareebfence.com

SCAN FOR A FREE ESTIMATE

GHAREEB FENCING SOLUTIONS · BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.



03

HOMELAND VINYL

Vinyl Fencing

Made in the USA, thicker walls than the big-box brand, and aluminum inside every gate.

CHOOSE YOUR TIER

Vinyl — Good, Better, Best

Kingston · Kingston with a topper · Rockport woodgrain

VINYL — GOOD · BETTER · BEST

GFS-V-TIER

THREE WAYS TO BUILD VINYL PRIVACY · RENDERED FROM OUR ESTIMATING SOFTWARE

GOOD



Kingston Privacy

Solid color

COLORS	White, Tan or Adobe
PICKETS	7/8" × 6" T&G
RAILS	2" × 7"
HEIGHT	6'

BEST FOR
Clean, simple privacy

BETTER



Kingston with a Topper

Lattice or spindle top

TOP BAND	12" lattice, or spindles
PICKETS	7/8" × 6" T&G
FINISH HT	Same 70"
COLORS	White, Tan or Adobe

BEST FOR
Privacy with a finished top

BEST

RECOMMENDED



Rockport Woodgrain

Homewood finish

FINISH	Woodgrain
SHOWN	Mocha Walnut
ALSO	Dark Gray, Aspen Latte
ALSO	Chai Gray

BEST FOR
The look of wood, no staining

THE SAME ON EVERY TIER

Posts	5" × 5" Homeland posts with a .150" wall, thicker than the big-box brand.
Gates	Aluminum reinforcement inside every gate frame.
Warranty	Homeland's limited lifetime warranty, plus our 3-year workmanship warranty.

Ask for good, better and best on one quote.
We can price all three for your yard so you can compare them side by side.

(419) 214-2107

No painting, no staining. Sections are 8'-0" wide.

Same posts and warranty on every tier. The tier changes the look.

PREMIUM PRIVACY SOLUTIONS

Vinyl Privacy Fencing

Low-maintenance privacy with no painting or staining

GOOD	BETTER	BEST
		★ RECOMMENDED
Wood Privacy	**Big Box Vinyl**	**Homeland Premium**
• 15–30 year lifespan (cedar)	• Thinner .135" post walls	• .150" post walls
• High maintenance	• Low maintenance	• No painting or staining
• Warping is common	• Can flex more in wind	• Resists warping
• Needs staining	• Limited lifetime warranty	• Limited lifetime warranty

✓ **Complete Privacy** ✓ **No Maintenance** ✓ **UV Protected** ✓ **Lifetime Warranty**

The Hidden Cost of Cheap Vinyl

Thinner walls flex, crack, and yellow sooner, so cheap vinyl often needs replacing while quality vinyl is still going strong.

The Homeland Difference

Made in the USA with ACCU-Shield UV protection, thicker walls, and aluminum in every gate — backed by Homeland's limited lifetime warranty.









Homeland vs. the Big-Box Brand

Post Wall · Rails · Reinforcement · UV Protection

HOMELAND VS. THE BIG-BOX BRAND

GFS-V-CMP


WHY WE INSTALL HOMELAND







POST CORNER, PRINTED AT FULL SIZE



HOMELAND · .150" WALL

CATALYST · .135" WALL

+11%

thicker post wall.

Same 5" post on the outside. Homeland's wall is .150" thick; Catalyst's 5" post is listed at .135". That's 1/64" on paper, and it runs all the way around every post on the job.

Homeland makes its vinyl in the USA, at six plants.

	HOMELAND · WHAT WE INSTALL	CATALYST · SOLD AT LOWE'S
Post wall	5" × 5" × .150"	5" × 5" × .135"
Privacy rail	2" × 7" (Kingston) · 1¾" × 5½" × .090 (Rockport)	Varies by line, 1½" × 5½" to 2" × 8"
Metal inside	Aluminum stiffeners inside every gate	Aluminum inserts only where the kit calls for them
UV protection	ACCU-Shield outer layer + titanium dioxide	UV inhibitors
Testing	VMA certified · Miami-Dade performance tested	Not stated in their kit literature
Installed by	Our crew, posts set for your soil	Sold as DIY kits

Catalyst figures from Catalyst dealer listings and kit instructions, Nov. 2026. Both carry limited lifetime warranties.

Not all vinyl is the same. Here's what we install next to the brand on the shelf at Lowe's.

Vinyl Style Library

Privacy · Toppers · Semi-Privacy

VINYL STYLE LIBRARY

GFS-V-LIB1

PRIVACY & SEMI-PRIVACY — 6' · RENDERED FROM OUR ESTIMATING SOFTWARE



Kingston Privacy — SOLID

7/8" × 6" T&G pickets · 2" × 7" rails · White · Tan · Adobe



Rockport Privacy — HOMEWOOD

Woodgrain finish shown: Mocha Walnut · Also Dark Gray · Aspen Latte · Chai Gray



Lattice Top — TOPPER

12" lattice band, same 70" finish height · On Kingston and Rockport



Hartford Top — TOPPER

1½" square spindles · 3" gaps · Also Windsor, Bedford, Victorian



Wellington — SEMI

6" boards, ½" gaps · Light and air through, most of the view blocked



Montgomery — SEMI

Alternating 6" and 1½" boards, 1" gaps · A mix of wide and narrow boards



Shadowbox — SEMI

6" boards on both faces, offset · No bad side for the neighbor



Whitney — SEMI

3" boards, 1" gaps · Shown in Tan

Every vinyl style on 8'-0" sections. These are the same 3D models you see in your quote.

See it before you pick it. Every style here comes out of the same 3D software that draws your quote.

Vinyl Picket & Ranch Styles

Hartford · Bedford · Cascade · Midland

VINYL PICKET & RANCH

GFS-V-LIB2

PICKET & RANCH RAIL — 3' AND 4' · RENDERED FROM OUR ESTIMATING SOFTWARE



Hartford Picket PICKET

1½" square pickets · 3" gaps · Clean, modern line



Bedford Picket PICKET

1½" square pickets · 2" gaps · Tighter spacing than Hartford



Cascade Traditional PICKET

3" pointed pickets · 2" gaps · Straight top line



Cascade Victorian PICKET

3" pointed pickets on a concave sweep · Classic front-yard look



Midland 2-Rail RANCH

3' high · two rails · Boundaries and driveways



Midland 3-Rail RANCH

4' high · three rails · Also 4-rail at 5'

Picket and ranch styles come in White, Tan or Adobe. Full dimensions are on the spec pages.

For the front yard. Four of our picket styles, plus ranch rail in two, three or four rails.


Vinyl — Build Specs

Kingston & Rockport Privacy · Midrail

KINGSTON & ROCKPORT PRIVACY

GFS-V-PRV

ELEVATION — 6' KINGSTON PRIVACY



RAIL PROFILES

POCKET RAILS · .090" WALL

SPECIFICATIONS


POSTS	5"×5" · .150" wall · aluminum insert
RAILS	Kingston 2"×7" · Rockport 1¾"×5½"
PICKETS	7/8"×6" T&G, beveled · .050" wall
HEIGHTS	4', 5', 6' (6' = 70" finish)
SECTIONS	8'-0" O.C.
GATES	Internal aluminum frame

The two privacy lines differ only in the rail profile. Kingston has the taller 7" rail; Rockport the slimmer 5½".

ROCKPORT MIDRAIL — 7' & 8'

GFS-V-MID

ELEVATION — 8' ROCKPORT MIDRAIL



SPECIFICATIONS

HEIGHTS	7' or 8'
RAILS	3 · top, mid, bottom · 1¾"×5½"
SECTIONS	6'-0" O.C. — shorter for the height
PICKETS	7/8"×6" T&G
POSTS	5"×5" · .150" wall
COLORS	White · Tan · Adobe

For the yards that need more than six feet. The extra rail and shorter sections keep a tall panel straight.

Wall thickness is the spec cheap vinyl hides. Ours is printed on the sheet: 5"×5" posts at .150", pickets at .050" — fabricator dimensions, not marketing.

Vinyl — Toppers & Colors

Lattice · Spindle · Concave · Homewood Woodgrain

TOPPERS & COLORS

GFS-V-TOP

TOPPER OPTIONS — 6' PRIVACY, 70" FINISH



Lattice
12" diagonal lattice band



Hartford
1½" sq. spindles · 3" gaps




Windsor
3" pickets · 2" gaps




Bedford
1½" sq. pickets above the rail



Traditional
3" pointed pickets



Concave
1½" sq. pickets · concave sweep



Victorian
Pointed pickets · concave sweep

ON KINGSTON AND ROCKPORT; HARTFORD, WINDSOR AND LATTICE ALSO ON WELLINGTON

COLORS

STANDARD — EVERY SERIES

White



Tan



Adobe

HOMEWOOD WOODGRAIN — ROCKPORT PRIVACY



Mocha Walnut
+ toppers, Bedford, Hartford



Dark Gray



Aspen Latte



Chai Gray

Two-tone available: white posts and rails with tan pickets.

Toppers are built into the panel, not added after. The finish height stays the same 70" either way.

Seven toppers, one height. Pick the look you want; the panel still finishes at 70 inches.


Vinyl — Semi-Privacy

Wellington · Montgomery

WELLINGTON SEMI-PRIVACY

GFS-V-WEL

ELEVATION — 6' WELLINGTON SEMI-PRIVACY



PLAN VIEW

SPECIFICATIONS


PICKETS	6" boards · ½" gaps
RAILS	6"×2" · 2 rails
HEIGHTS	4', 5' or 6'
TOPPERS	Hartford, Windsor or lattice (6')
SECTIONS	8'-0" O.C.
COLORS	White · Tan · Adobe

Nearly private, with just enough air between the boards that it doesn't feel like a wall.

MONTGOMERY

GFS-V-MON

ELEVATION — 6' MONTGOMERY



PLAN VIEW

SPECIFICATIONS

PICKETS	6" and 1½" boards, alternating
GAPS	1" between boards
RAILS	3½"×2"
HEIGHTS	4', 5' or 6'
SECTIONS	8'-0" O.C.
COLORS	White · Tan · Adobe

A wide-and-narrow rhythm that reads custom from the street. Semi-private, not see-through.

Privacy with some air. Both block most of the view without catching every gust of wind.


Vinyl — Shadowbox & Whitney

Vinyl Shadowbox · Whitney

VINYL SHADOWBOX

GFS-V-SHW

ELEVATION — 6' VINYL SHADOWBOX



PLAN VIEW

BOARDS ON BOTH FACES

SPECIFICATIONS


PICKETS	6" boards on both faces
SPACING	3½" gap per face, covered
RAILS	6"×2"
HEIGHTS	4', 5' or 6'
SECTIONS	8'-0" O.C.
COLORS	White · Tan · Adobe

Looks the same from both yards, which makes it the easy pick for a shared property line.

WHITNEY

GFS-V-WHT

ELEVATION — 6' WHITNEY



PLAN VIEW

1" GAPS

SPECIFICATIONS

PICKETS	3" boards · 1" gaps
RAILS	3½"×2"
HEIGHTS	4', 5' or 6'
LOOK	Tight spaced picket
SECTIONS	8'-0" O.C.
COLORS	White · Tan · Adobe

Narrow boards close together. It feels like a picket fence but gives you most of the privacy.

Good from both sides. Built to look finished from your neighbor's yard, too.


Vinyl — Picket & Ranch Rail

Six Picket Styles · Midland Ranch Rail


PICKET & RANCH RAIL

GFS-V-PKT


PICKET STYLES — 4' SHOWN, 46" FINISH · 3½"×2" RAILS




Bedford
1½" sq. · 2" gaps · 3'–5'




Bedford Concave
Concave sweep · 4'–5'




Hartford
1½" sq. · 3" gaps · 4'–6'



Windsor
3" pickets · 2" gaps · 4'–6'



Cascade Traditional
3" pointed · 3'–5'



Cascade Victorian
Pointed, concave · 4'–5'

PICKET NOTES


Rails 3½"×2". A midrail is added at 5' and up.
Windsor and Cascade pickets pass through the rails.
Mocha Walnut woodgrain on Bedford, Bedford Concave and Hartford.



Midland 2-Rail
3' high · ribbed rails



Midland 3-Rail
4' high · ribbed rails



Midland 4-Rail
5' high · ribbed rails

RANCH RAIL

Midland 2-, 3- and 4-rail.
3', 4' and 5' high.
White, Tan or Adobe.

Every picket and ranch style comes in White, Tan or Adobe on 8'-0" sections.

The classic front-yard fence. Six picket styles and three ranch rails, all on 8'-0" sections.


Privacy Gallery & Features

Real Toledo-area vinyl installs — and the hardware you don't see from the street











Built to Last: Premium Features

Aluminum Gate Stiffeners

Aluminum inside every vinyl gate frame stops the sag

Heavy-Wall Posts

5" × 5" posts with a .150" wall, thicker than the big-box brand

Superior UV Protection

ACCU-Shield outer layer helps resist UV fading

Interlocking Board Design

Tongue-and-groove pickets lock together



RECENT INSTALLS

Vinyl Fence Gallery

White, tan and two-tone vinyl in Toledo-area yards.



White privacy



Tan panels, white frame




Privacy with lattice top




Tan privacy

Vinyl picket and privacy


White and tan, front yards and back




White picket at the front walk




White picket with a gate



White privacy



Picket around a garden



Tan privacy



Picket along a walk

VINYL · NEXT STEP



Ready for a price on your vinyl fence?

Free on-site estimate. Pick a style and color, and see it drawn on your yard.

01
Call or scan the code

02
We walk your yard and measure

03
You get a written quote with a 3D drawing

“Had around 230 linear feet of white vinyl fence installed 6/25/25. They finished the job the next day.”

★★★★★ Theresa C.

SCAN FOR A FREE ESTIMATE

(419) 214-2107

ghareebfence.com

GHAREEB FENCING SOLUTIONS · BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.



04

ELITE ALUMINUM

Ornamental Aluminum

Made in Chesterfield, Michigan. Powder-coated, pre-assembled panels on 2" aluminum posts.


Ornamental Aluminum

Spear · Staggered · Flat · Flat w/ Spear · LifeGard · Pet

ORNAMENTAL ALUMINUM STYLES


GFS-AL-STY

ELITE RESIDENTIAL STYLES — DRAWN TO SCALE, 4' HEIGHT



Spear Top — EFS-10

Every picket runs through the top rail
and ends in a pressed spear.
3 rails · 5/8" pickets · 3-13/16" air
3' to 6'



Staggered Spear — EFS-15

Spears alternate high and low
for a hand-forged look.
3 rails · 5/8" pickets · 3-13/16" air
3' to 6'




Flat Top — EFF-20

Pickets stop inside a flat,
beveled top rail. Our most common.
3 rails (4 at 6') · 5/8" pickets
3' to 6'



Flat Top w/ Spear — EFF-25

Flat top rail with every other
picket rising to a spear.
3 rails · 5/8" pickets · 3-13/16" air
3' to 6'



2-Rail LifeGard — LIFEGARD

Two rails, nothing in between.
¾" pickets on a taller rail.
1-1/8" × 1-3/4" rails
4'



Pet Panel — 1-5/8" AIR

Twice the pickets, half the gap.
For small dogs.
1-5/8" air · racks only ~1–2"
On EFF-20 / EFF-25

Most styles can also be ordered with the pickets running through the bottom rail.

Six Elite styles. All set on the same 2" aluminum posts, in any of seven colors.

ENGINEERED TO SPEC

Aluminum — Colors & Details

7 Powder-Coat Colors · Finials · Full-Size Spacing

COLORS, ACCESSORIES & SPACING

GFS-AL-CLR

POWDER-COAT COLORS — ELITE STANDARD



Black



Quaker Bronze



White



Sandstone



Beige
Heavier post wall



Walnut Brown
Heavier post wall




Hartford Green
Heavier post wall

Beige, Walnut Brown and Hartford Green aren't made in the 2" × .060 post, so those colors use a heavier-wall post. Printed colors are close, not exact: ask to see a real sample.


ACCESSORIES — POWDER-COATED TO MATCH, OR GOLD




Quad finial
Four-point spear top



Tri finial
Three-point spear top




Fleur-de-lis
Classic decorative top



Ball cap
Round, no points




Circles
Between pickets, under the top rail



Butterfly scrolls
Corner accent under the top rail

Also available: post caps, magnetic self-latching gate latches, and floor flanges for mounting on concrete.

PICKET SPACING — PRINTED AT ACTUAL SIZE



STANDARD
3-13/16" between 5/8" pickets

PET PANEL
1-5/8" between pickets

Hold a tape measure to the spacing above. Printed at actual size, so the gap you see is the gap you get.

Powder coat, not paint. Elite's lifetime warranty covers peeling and cracking.

COLOR RANGE

Aluminum — Elite Colors

Seven powder-coat colors · made in Michigan

ELITE ALUMINUM COLORS

GFS-AL-COL

THE ELITE COLOR RANGE · SEVEN POWDER-COAT COLORS

Black	Quaker Bronze	White	Sandstone	Beige	Walnut Brown	Hartford Green
01 / 07	02 / 07	03 / 07	04 / 07	05 / 07	06 / 07	07 / 07
				Heavier post wall	Heavier post wall	Heavier post wall

INSTALLED IN THE TOLEDO AREA







Finish	Powder-coated at the Elite factory in Chesterfield, Michigan. No painting, ever.
Posts	Beige, Walnut Brown and Hartford Green ship with the heavier post wall.
Matching	Gates, posts, caps and brackets come in the same color as the panels.

Printed colors are close, not exact. Ask us to bring a metal sample to your estimate.

Seven colors, one finish. Every panel, post, gate and cap is powder-coated at the factory.

FENCE TYPE COMPARISON

Choose the Right Fence

Lifespan, maintenance, and long-term value — the four options side by side

BUDGET	RUSTIC	BETTER	BEST
Chain Link	**Cedar Split Rail**	**Vinyl Chain Link**	**Ornamental Aluminum**
20-30 YEARS	15-30 YEARS	25-35 YEARS	30+ YEARS
✓ Lowest cost	✓ Natural beauty	✓ Rust resistant	✓ No painting or staining
✓ Easy repairs	✓ Country charm	✓ Better looking	✓ Never rusts
✗ Industrial look	✗ Weathers over time	✗ Still chain link	✓ Limited lifetime warranty
✗ Can rust	✗ Add wire for pets	✗ Few color options	✓ Many styles

Why Aluminum Is Worth It

Elite aluminum, made in Chesterfield, Michigan: 5/8" square pickets, rails with .082" side walls, and a powder coat that won't rust or need paint.

5/8"	350 lb	Lifetime
Square pickets	Top-rail load	Limited warranty







Open Fence — Good, Better, Best

Chain link · black chain link · Elite aluminum

OPEN FENCE — GOOD · BETTER · BEST

GFS-O-TIER

THREE WAYS TO FENCE A YARD YOU CAN SEE THROUGH

GOOD



Galvanized Chain Link

The budget option

LIFESPAN	20–30 years
COST	Lowest per foot
HEIGHTS	4' to 6'
TOP RAIL	Standard

BEST FOR
Pets and tight budgets

BETTER



Black Chain Link


Vinyl-coated

LIFESPAN	25–35 years
FINISH	Black, rust resistant
HEIGHTS	4' to 6'
TOP RAIL	Standard

BEST FOR
Chain link that blends in

BEST

RECOMMENDED



Elite Aluminum

Ornamental

LIFESPAN	30+ years
FINISH	Powder coat, 7 colors
UPKEEP	No painting, never rusts
WARRANTY	Limited lifetime

BEST FOR
Front yards, pools and curb appeal

ALSO AN OPEN FENCE

Split rail	Pressure-treated or Northern White Cedar, 15–30 years. A rustic look for bigger lots.
Pet wire	Welded wire on split rail keeps a dog in without changing the look.
Vinyl picket	White picket and ranch rail for front yards. See the vinyl pages.

Ask for good, better and best on one quote.
We can price all three for your yard so you can compare them side by side.

(419) 214-2107

Add to chain link: bottom tension wire if your dog pushes under.

See-through fences, three ways. Lifespans and finishes side by side.

RECENT INSTALLS

Aluminum Fence Gallery


Elite aluminum across Toledo and Southeast Michigan.



Along the sidewalk



Back yard perimeter



Front yard, with arborvitae



Front walk with a gate


ENGINEERED TO SPEC

Aluminum — Build Specs

Elite EFF-20 Flat Top · 4' and 6'

ELITE EFF-20 FLAT TOP — 4' (48" PANEL)

GFS-AL-20-4




SPECIFICATIONS

MODEL	Elite EFF-20 · flat top · 3 rails
PICKETS	5/8" square tube · .050 wall
PICKET SPACE	3-13/16" air (1-5/8" pet panel)
RAILS	1-1/8" × 1" · .082 sides, .062 top
POSTS	2" × 2" × .060 line · routed for rails
TOP-RAIL LOAD	350 lb (Elite rating)

Panels come from Elite already assembled, so the picket spacing is factory-set, not eyeballed.

ELITE EFF-20 FLAT TOP — 6' (72" PANEL)

GFS-AL-20-6



SPECIFICATIONS

MODEL	Elite EFF-20 · flat top · 4 rails
RAILS	Four · 1-1/8" × 1" · same walls
POSTS	2" × 2" · .060, .080 or .125 wall
LARGER POST	2½" × 2½" × .100
RACKING	~6" per 6' panel standard
FINISH	Powder-coated · 7 colors

Heavier post walls are available for gates and ends. Your quote lists the size and wall of every post.

Every size on the page is Elite's. Pickets, rails and posts, down to the wall thickness.


Aluminum — Components

Post, Rail & Picket Sections · Wall Thickness

COMPONENTS — WHAT IT'S MADE OF

GFS-AL-CMP

POST SECTIONS — PRINTED AT HALF SIZE



2" × 2" × .060
Standard line post

2" × 2" × .080
Heavier wall


2" × 2" × .125
Heaviest 2" wall

2½" × 2½" × .100
Larger post

POST TYPES

- **Line** — rails both sides
- **End** — rails one side
- **Corner** — rails on two faces
- **Gate** — blank face for hinge or latch
- **Blank** — no routing · brackets

RAIL & PICKET SECTIONS — PRINTED AT HALF SIZE



EFF / EFS RAIL
.082 sides · .062 top & bottom

EFF / EFS PICKET
5/8" square tube

LIFEGARD RAIL
Taller rail · same walls

LIFEGARD PICKET
¾" square tube

HOW IT GOES TOGETHER

Pickets	pass through punched holes in the rails, factory-fastened.
Panels	ship from Elite assembled.
Rails	slide into routed posts.
Trimmable	for short runs and end sections on site.
Made in	Chesterfield, MI · since 1986

ELITE SPEC BY STYLE

	EFS-10 · EFS-15 · EFF-20 · EFF-25	2-RAIL LIFEGARD
Pickets	5/8" sq. × .050	¾" sq. × .050
Picket air space	3-13/16" (1-5/8" pet panel)	Under 4"
Rails	1-1/8" × 1"	1-1/8" × 1-3/4"
Rail walls	.082 sides · .062 top	.082 sides · .062 top
Posts	2" × 2" (.060 / .080 / .125) or 2½" × .100	2" × 2" or 2½" × 2½"
Panel	6' wide · 6'-0½" O.C. on 2" posts	6' wide

These are Elite's published sizes. Both drawings print at exactly half size, wall thickness included.


Wall thickness is the number to compare. Here's Elite's, printed at half size so you can measure it.

Aluminum — LifeGard & Pet Panel

2-Rail LifeGard · 1-5/8" Pet Spacing

ELITE 2-RAIL LIFEGARD — 4'

GFS-AL-LG




SPECIFICATIONS	
MODEL	Elite 2-Rail LifeGard · flat top
HEIGHT	4' · 48" panel
RAILS	Two · 1-1/8" × 1-3/4"
RAIL WALLS	.082 sides · .062 top
PICKETS	¾" square tube · .050 wall
PICKET SPACE	Under 4" air

Two rails and nothing in between, so there's no midrail for a kid to use as a step.

ELITE PET PANEL — 1-5/8" SPACING

GFS-AL-PET



SPECIFICATIONS	
MODEL	EFF-20 or EFF-25 pet panel
PICKET SPACE	1-5/8" air (standard is 3-13/16")
PICKETS	5/8" × .050 · ≈31 per 6' panel
RAILS	1-1/8" × 1" · .082 / .062
RACKING	Only ~1–2" per panel
HEIGHTS	Same as standard panels

It racks less than a standard panel, so on a real slope we step it instead.

Two options for kids and dogs. Same posts and colors as the rest of the line.

ENGINEERED TO SPEC

Aluminum — Slopes & Gates

Racking · Matching Gates

RACKING — FOLLOWING THE GRADE

GFS-AL-RAK

ELEVATION — TWO RACKED EFF-20 PANELS ON A 6" PER PANEL SLOPE



SPECIFICATIONS

STANDARD	~6" rise per 6' panel
EXTRA RACK	Up to ~16" per panel (Elite option)
PET / DOUBLE	~1–2" only
PICKETS	Stay plumb; rails tilt
STEEPER	Panels stepped down the hill
ODD ANGLES	Blank posts with brackets

Racked panels keep the gap under the fence even on a slope, instead of a triangle under each panel.

GATES — MATCHED TO THE PANEL

GFS-AL-GATE

ELEVATION — 4' SINGLE GATE, 48" OPENING



SPECIFICATIONS

SINGLE	36" · 42" · 48" · 60" · 72" wide
DOUBLE DRIVE	Two leaves for wide openings
HARDWARE	Latch and hinges included
SELF-CLOSING	Self-closing, self-latching on request
LATCH	Magnetic latch available
ARCHED	Estate and curved-top gates

Every gate is built by Elite to match your panel's style, color and height.

Panels follow your yard. Gates match the panel, and the latch and hinges come with them.



Ready for a price on your aluminum fence?

Free on-site estimate. We bring the Elite colors and price every post and panel.

01
Call or scan the code

02
We walk your yard and measure

03
You get a written quote with a 3D drawing

“We gathered several quotes and went with Ghareeb for the trust value.”


★★★★★ Jenna Spetz

(419) 214-2107

ghareebfence.com

SCAN FOR A FREE ESTIMATE

GHAREEB FENCING SOLUTIONS · BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.



05

SPLIT RAIL

Split Rail

Northern White Cedar and pressure-treated split rail, with or without pet wire.

Split Rail — Two Ways to Build It


Pressure-treated (darker) · Northern White Cedar (lighter)

SPLIT RAIL — TWO WAYS TO BUILD IT

GFS-SR-CHOICE

YOUR CHOICE OF TWO BUILDS

PRESSURE-TREATED — THE DARKER ONE









Color	Darker brown
Posts	Rectangular, sawn
Rails	Diamond-cut
Wood	Pressure-treated lumber

NORTHERN WHITE CEDAR — THE LIGHTER ONE









Color	Lighter, natural
Posts	Round, peeled
Rails	Half-round
Wood	Sourced from Michigan mills

THE SAME ON BOTH

10'-0"	12 · 30 · 48"	36" or 48"	No nails
SECTION, POST TO POST	RAIL CENTERS, 3-RAIL	WIRE ROLL, IF YOU WANT IT	RAILS LOCK IN THE POST

Both builds use mortised posts: the rail ends slide through the post. Either one can carry 2" × 4" welded wire for pets.

Not sure which you are looking at? Dark with rectangular posts is pressure-treated. Light with round posts is Northern White Cedar.

Full drawings and dimensions for both are on the split rail build-spec page.

Pick the look. Both use mortised posts, with no nails holding the rails in.

Split Rail — Pet Wire & Gates

Welded Wire · Walk Gates · Double Drive Gates

SPLIT RAIL

GFS-SR-PET

PET WIRE & GATES · SHOWN IN NORTHERN WHITE CEDAR



Northern White Cedar: walk gate and corner, with wire
Gate built from the same rails, X-braced so it stays square





Cedar double drive gate · long run
Two leaves for a wide opening



X-braced gate
Diagonal brace keeps the leaf from sagging



Wire to the ground
Bottom board under the lowest rail



Wire on every section
Runs behind each rail, post to post

Wire goes on the yard side: from the street it still looks like plain split rail, and a dog pushing on it pushes it into the rails.

Ask for a bottom board if your dog digs. It closes the gap between the wire and the ground.


Keeps the dog in. Still looks like split rail from the street.

Split Rail — Build Specs

Cedar Split Rail · PT with Pet Wire

CEDAR SPLIT RAIL — ROUND POST & RAIL

GFS-SR-CED




SPECIFICATIONS

SPECIES	Northern White Cedar
RAILS	2-rail (3 ft) or 3-rail (4 ft)
RAIL CENTERS	12" · 30" · 48" (3-rail)
POSTS	Round, mortised · 4½" line, 5" ends
SECTIONS	10'-0" O.C.
JOINERY	Tapered rails, no nails or brackets

Round cedar posts and rails. The tapered rail ends lock into the post, so there's no hardware to rust.

PT SPLIT RAIL — WITH PET WIRE OPTION

GFS-SR-PT




SPECIFICATIONS

WOOD	Pressure-treated, sawn
RAILS	2-rail (3 ft) or 3-rail (4 ft)
POSTS	Sawn, mortised · line posts ~3¼" × 6"
SECTIONS	10'-0" O.C.
WIRE	2"×4" welded, 14 ga, 100-ft rolls
WIRE FINISH	Galvanized, black or green coated

The wire goes on the inside face. From the street it still looks like plain split rail; from the yard it holds the dog.

Two kinds, both mortised. Round cedar or sawn PT on 10-ft sections, with the 2"×4" wire option spelled out before we set a post.



RECENT INSTALLS

Split Rail Gallery


Pressure-treated and Northern White Cedar, on open lots and back yards.



Pressure-treated, three-rail



Northern White Cedar, gate and wire




Pressure-treated, under the trees



Northern White Cedar with pet wire

Split rail, both builds

Darker is pressure-treated, lighter is Northern White Cedar



Pressure-treated



Northern White Cedar



Northern White Cedar with wire




Northern White Cedar, back line



Northern White Cedar, double gate



Northern White Cedar with wire



Ready for a price on your split rail fence?

Free on-site estimate. Cedar or pressure-treated, with or without pet wire.

01
Call or scan the code

02
We walk your yard and measure

03
You get a written quote with a 3D drawing

“even thought of our dogs making sure they would be able to come out if needed while he worked.”

★★★★★ Marissa Barnes

(419) 214-2107

ghareebfence.com

SCAN FOR A FREE ESTIMATE

GHAREEB FENCING SOLUTIONS · BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.



06

CHAIN LINK

Chain Link

Galvanized and black vinyl-coated chain link, 4' to 6', with top rail on every run.

Chain Link Fencing

Galvanized · Black Vinyl-Coated

CHAIN LINK

GFS-CL-GAL

GALVANIZED









Residential galvanized, with walk and drive gates
Top rail on every run, terminal posts at the ends and gates

BLACK VINYL-COATED





Black-coated fabric and framework
Same build, black from post caps to fittings

4' – 6'	10'-0"	1-3/8"	Add-on
HEIGHTS	POST SPACING	TOP RAIL, STANDARD	BOTTOM TENSION WIRE

WHERE IT FITS

Budget	The lowest cost per foot of anything we install.
Pets	See-through, and it holds a dog. Add bottom tension wire if yours pushes under.
Winter	We install through the winter, frozen ground included.

Full sizes for posts, rails and fittings are on the chain link build-spec page.

The budget option, built right. Top rail standard, bottom tension wire if you want it.


Chain Link — Build Specs

Galvanized · Black Vinyl-Coated

GALVANIZED CHAIN LINK

GFS-CL-G

ELEVATION — GALVANIZED · 4' FABRIC · ONE 10' SECTION



SPECIFICATIONS


FABRIC	2" diamond mesh · hot-dip galvanized
LINE POSTS	1-5/8" steel · 10'-0" O.C.
TERMINALS	2-3/8" at ends, corners and gates
GATE POSTS	2-7/8" for double or over-6' gates
TOP RAIL	1-3/8" continuous · standard
BOTTOM WIRE	Tension wire · add-on, extra cost
HEIGHTS	4' to 6'

The top rail is standard. A bottom tension wire is an add-on if you want the bottom of the fabric pulled tight.

BLACK VINYL-COATED CHAIN LINK

GFS-CL-V

ELEVATION — BLACK VINYL-COATED · 4' FABRIC · ONE 10' SECTION



SPECIFICATIONS

FINISH	Black vinyl over galvanized steel
FABRIC	2" diamond mesh · black
FRAMEWORK	Posts, rail and fittings black-coated
POST SIZES	Same: 1-5/8" line · 2-3/8" terminal
TOP RAIL	1-3/8" · standard
BOTTOM WIRE	Tension wire · add-on, extra cost
HEIGHTS	4' to 6'

Same build, black from top to bottom. It fades into the yard instead of shining in it.

Even the budget option gets a spec sheet. Compare it line for line against any other bid.

RECENT INSTALLS

Chain Link Gallery

Black vinyl-coated and galvanized chain link.



Black, with a double gate



Black around a pool




Galvanized back yard




Galvanized double gate

Chain link in the yard

Black vinyl-coated and galvanized



Black, with a gate



Black along a field



Black around a pool



Galvanized back yard



Galvanized drive gate



Galvanized double gate



Ready for a price on your chain link fence?

Free on-site estimate. Galvanized or black, 4' to 6'.

01
Call or scan the code

02
We walk your yard and measure

03
You get a written quote with a 3D drawing

“The workers are very nice and they work extremely hard nonstop. I definitely recommend”


★★★★★ **Dashawn Nickson**

(419) 214-2107

ghareebfence.com

SCAN FOR A FREE ESTIMATE

GHAREEB FENCING SOLUTIONS · BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.



07

WORKING WITH US

From Estimate to Final Walkthrough

How we check the work, what the warranty covers, and how to get started.

Our 3-Checkpoint Quality System

We don't move forward until every detail is verified — and you can watch it happen in your portal

1

PRE-INSTALL

- ✓ Property lines verified
- ✓ 811 utility locates marked
- ✓ Materials inspected on arrival
- ✓ Site documented with photos

IN YOUR PORTAL

- Permits pulled
- Materials confirmed
- 811 locates logged
- Crew assigned

2

DURING INSTALL

- ✓ Post depth verified
- ✓ Every run checked for level
- ✓ Gate swing tested
- ✓ Progress photos uploaded

IN YOUR PORTAL

- Layout confirmed
- Gates verified
- Property lines held
- Your sign-off

3

FINAL WALKTHROUGH

- ✓ Complete inspection with you
- ✓ Hardware checked and adjusted
- ✓ Gate alignment dialed in
- ✓ Site cleaned, debris hauled

IN YOUR PORTAL

- Full inspection
- Hardware tested
- Clean-up done
- Final sign-off

Photo documentation · issues caught early · your approval required. That's the promise — nothing moves forward until you're satisfied.










Local Fence Rules

Height limits · permits · what towns ask for

FENCE RULES AT A GLANCE

GFS-RULES-1

WHERE THE HEIGHT LIMITS USUALLY CHANGE · PLAN VIEW, TYPICAL LOT



READING THE DRAWING

Side and rear fence
Usually up to 6'. Privacy styles go here.

Front yard fence
Usually 3½' to 4'. Some towns ask for an open style.

Property line
Most towns let you build on your side of it.

RULES NEARLY EVERY TOWN SHARES

Good side out
Posts and rails face your yard, the finished face faces the neighbor.


Corner lots
Both street sides can count as front yards.

Pools
A barrier of about 4' with a self-closing, self-latching gate.

Utilities
811 locate before any post goes in. We call it in.

HOAs
Deed and HOA rules can be stricter than the town's.

HEIGHTS SIDE BY SIDE · ELEVATION



FRONT YARD
Toledo, Sylvania, Rossford, Bedford Twp

FRONT YARD
Perrysburg, Oregon, Springfield Twp

POOL BARRIER
Typical minimum, with a latching gate

SIDE & REAR
Standard privacy height

Typical limits only. The next two pages list what each community publishes.

Most towns follow the same pattern. Low in the front yard, up to six feet at the side and rear.

Fence Rules — Ohio Cities

Toledo · Oregon · Perrysburg · Rossford · Sylvania

LOCAL FENCE RULES — OHIO CITIES

GFS-RULES-2

WHAT EACH CITY PUBLISHES · RESIDENTIAL LOTS · CHECKED NOVEMBER 2026

COMMUNITY	PERMIT	FRONT YARD	SIDE YARD	REAR YARD	ALSO WORTH KNOWING
Toledo toledo.oh.gov · fences	**Zoning certificate** required for every fence	3½'	6'	6'	Corner lots have two front yards. Finished side faces out. Can sit on the property line.
Oregon Code §1155.02	**Ask the city** before you build	4' in the required front yard	6'	6'	Can sit on the property line. No barbed or electric fence on residential lots.
Perrysburg City zoning code	**Permit required**	4' 6' needs board approval	4' 6' needs board approval	6'	No chain link in the front yard. Set 4" inside the property line. Finished side faces out.
Rossford Code §1134.04	**Permit required** for every fence	42"	6'	6'	Open styles only in the front yard. Set 4" inside the property line. Finished side faces out.
Sylvania Code §1117.08	**Zoning permit**	3½'	4' beside the house	7'	Keep corners clear at intersections. From the code posted on the city's site. Confirm the current edition.

Codes change and lots differ. We confirm the rules for your address before we build.

We pull the permit. It is built into every quote, and we check the rules for your address first.

Fence Rules — Townships & Michigan

Maumee · Waterville · townships · Bedford Twp, MI

LOCAL FENCE RULES — TOWNSHIPS & MICHIGAN

GFS-RULES-3

WHAT EACH COMMUNITY PUBLISHES · RESIDENTIAL LOTS · CHECKED NOVEMBER 2026

COMMUNITY	PERMIT	FRONT YARD	SIDE YARD	REAR YARD	ALSO WORTH KNOWING
Waterville City new-resident FAQ	**No fence permit,** per the city's FAQ	– call zoning	–	–	36" maximum at intersection corners. Zoning Inspector: 419-878-8132.
Maumee maumee.org	**Zoning Administrator** approval	– call zoning	–	–	We could not confirm Maumee's height limits in print. We check them when we pull your permit.
Springfield Twp Zoning Res. §1904 · Holland area	**Zoning certificate** required	4'	6'	6'	Corner lots: 4' along both streets. Can sit on the property line. Keep 1' off a public sidewalk.
Perrysburg Twp Zoning Res. Art. VII §J	**Ask the township** before you build	4'	4' beside the house	7'	Good side faces the neighbor. Keep 30' clear at street corners.
Sylvania Twp sylvaniatownship.com	**Zoning permit** required	– call zoning	–	–	Township Zoning: 419-885-5276. Pool fence: 3½' minimum with a locking gate.
Bedford Twp, MI Zoning Ord. §400.1912	**No building permit** for a fence	3½' decorative styles only	6'	6'	Temperance and Lambertville. Posts go on your side. Can sit on the property line.

WHAT WE HANDLE FOR YOU

Permits	We pull and handle the permit. It is built into every quote.
Utilities	We call in the 811 locate and log it before the first post.
Layout	We walk the line with you and mark gates before we start.
Not listed?	Monroe, Northwood, Ottawa Hills, Monclova and others: we check your town the same way.
Helps to have	A survey or plot plan, your HOA rules if you have them, and where you want gates.

A summary, not legal advice. Your zoning office has the final word, and HOA rules can be stricter.

A summary, not legal advice. Your zoning office has the final word.

Backed by a Written Warranty

A written workmanship warranty, manufacturer coverage on materials, and claims handled by the owner

3

YEAR WORKMANSHIP WARRANTY

If something we built isn't right, we come back and fix it. You deal with the owner, not a call center.

WHAT'S COVERED

- ✓ Post setting & alignment
- ✓ Panel and picket installation
- ✓ Gate installation & operation
- ✓ Rails, framework, fasteners

MATERIAL QUALITY

Homeland vinyl and Elite aluminum carry the manufacturers' limited lifetime warranties. Cedar and PT are built to our 3-year workmanship warranty.

EASY CLAIMS Submit through the portal or just call.

Prompt Communication

Talk to the owner, not a call center

Clean Job Sites

Your yard looks better than we found it

Respectful Crews

Professional installers, every day

Clear Scheduling

Install dates confirmed before we start







Quality Backed by Real Guarantees

Our workmanship warranty and the manufacturer coverage behind your materials — the actual paperwork

3 YEAR WORKMANSHIP

on all labor and installation.

Backed by the owner — not a call center.

WHAT'S COVERED

- ✓ Post setting & alignment
- ✓ Panel and picket installation
- ✓ Gate installation & operation
- ✓ Hardware & fasteners
- ✓ Rails & framework

MANUFACTURER WARRANTIES

Homeland Vinyl

Lifetime limited warranty

Elite Aluminum

Limited lifetime warranty









Full warranty terms available on request — and printed in every proposal.

Client Portal

Your quote, 3D drawing, photos, payments and signature in one place. No app to download.

YOUR FENCE, DRAWN BEFORE IT IS BUILT



A 3D drawing of your fence comes with your quote.

Rendered from our estimating software. Shown: cedar cap and trim.

Log in with your job number

No password to remember.

View your proposal

Complete quote with materials and pricing.

Track progress

Photos from each installation stage.

ALSO IN YOUR PORTAL

Easy payments

Pay securely with card or bank transfer.

Digital signature

Sign contracts electronically.

One place for everything

Open it from any phone or computer.

ACCESS YOUR PORTAL ANYTIME

portal.ghareebfence.com

Secure payments · Digital receipts · E-signatures

What Our Customers Say

Real reviews from Google, Facebook & BBB — reproduced word for word

★★★★★ **Roy Gene Palmer III**

Excellent Work and Great Customer Service

Nick did an outstanding job installing our traditional cedar picket fence. From the start, he was incredibly patient in working through the details of our project and offered several creative solutions when we encountered challenges with our property layout.

What impressed me most was how he worked within our budget constraints to find the best possible option without compromising on quality. The finished fence looks fantastic - the craftsmanship is top-notch and you can tell Nick takes pride in his work.

His communication throughout the project was excellent, and he was always willing to explain his recommendations and answer our questions. I'd definitely recommend Nick to anyone looking for a reliable fence contractor who delivers quality work at a fair price.

★★★★★ **Josh Smith**

Hired Nick and Ghareeb Fencing solutions. We opted for a cedar privacy fence. Nick knocked it out of the park. Price was very competitive and the job was completed on budget and on schedule. They left the yard in clean state and were happy to talk to the neighbors about what to expect with the install. 10/10 would recommend again

The fence has been up for about 6 months through winter and looks as good as when he installed it.

★★★★★ **Dashawn Nickson**

I just got my fence done today June 6, 2025 and let me say this is a five star Fencing service complete my entire yard within two days always on schedule always answer calls reasonable prices. The workers are very nice and they work extremely hard nonstop. I definitely recommend

---

★★★★★ **Jenny Wilhelm Pfeiffer**

Nicholas was amazing to work with! Nicholas was very knowledgeable and patient with us with our decision making. He did not push vinyl on us knowing that wasn't what we wanted, unlike the other companies that quoted us. Our fencing was built from scratch, no pre-made fencing here! We cannot say enough good things about this business and the gentleman that he had working with him on our project. All of his employees were very kind and respectful. 100% a customer for life and absolutely recommend if you are looking for new fencing! Oh and he beat his competitors by over $1000.00!!!! Thank you so much for our amazing fence!

★★★★★ **Theresa C.**

Had around 230 linear feet of white vinyl fence installed 6/25/25. They finished the job the next day. Nicholas and his team were wonderful. From beginning to end. From the communication to the product and the install. If you need a fence you don't have to look any further. I highly recommend.

★★★★★ **Jenna Spetz**

We have nothing to say but amazing things about Ghareeb Fencing! We were so undecided about what we needed/wanted for our awkward lot(s) and Nick was SUPER patient. He talked us through each option and listened to my endless rants. We gathered several quotes and went with Ghareeb for the trust value. Their team provided outstanding communication and made the process seamless. Highly recommend!

★★★★★ **Marissa Barnes**

Amazing to work with! gave a great quote & we're able to get our fence up quickly. even thought of our dogs making sure they would be able to come out if needed while he worked. cannot recommend them enough!

Every review above is public — find them on Google, Facebook, and the BBB.

Frequently Asked Questions

Straight answers up front — and a real person at (419) 214-2107 for the rest

Q. How long does installation take?

Most residential fences go up in 1–3 days. We confirm your install dates before we schedule, and the crew cleans up daily.

Q. Do I need a permit?

Most local zoning requires one. We pull and handle permits for you — it's built into every quote.

Q. Do you offer financing?

Yes — financing is available for qualifying customers. Ask us for current terms and rates.

Q. What's the warranty?

Three years on workmanship from us, plus the manufacturers' limited lifetime warranties on Homeland vinyl and Elite aluminum.

Q. Do I need to be home during the install?

No — but we recommend being there for the first and final walkthroughs so you and the crew stay on the same page.

Q. What areas do you serve?

Northwest Ohio & Southeast Michigan — Toledo, Perrysburg, Maumee, Sylvania, Monroe, Temperance, and nearby.

More questions? (419) 214-2107 · ghareebfence.com — we're happy to help.













What's Actually in Your Quote

The lowest number isn't always the lowest price. Here's what we spell out — and what's easy to leave off a cheaper bid.

IN EVERY GFS QUOTE	EASY TO LEAVE OFF A BID
✓ Post type, size, and depth *(in writing)*	✗ "Posts in concrete" with no depth listed
✓ Cedar species and grade, in writing	✗ Lumber just called "cedar" — which grade?
✓ Steel or aluminum gate frames and hardware	✗ Gate hardware added on later
✓ Post foundation matched to your soil	✗ One method for every yard, clay or sand
✓ Full grading and cleanup, debris hauled	✗ Grading and cleanup billed separately
✓ Permits pulled and handled	✗ "Permit is your responsibility"
✓ 3-year written workmanship warranty	✗ A verbal warranty only
✓ One accountable crew, owner on site	✗ Subcontractors, no single point of contact

Missing any of these? Then it isn't cheaper — it's just less finished. Ask for it in writing and the real comparison gets clear fast.

Payment & Financing

Pay the way that suits you — and spread it over time if that works better

Payment Options

Credit & Debit Cards

Visa, Mastercard, Amex, Discover

Bank Transfer / ACH

Direct electronic payment

Cash & Check

Traditional methods, always welcome

Venmo

Quick mobile payments

Financing Available

Spread payments over time — monthly plans for qualifying customers.

- ✓ Quick online application
- ✓ Monthly payment plans
- ✓ For qualifying customers
- ✓ Ask us for current rates
- ✓ Terms set by the lender

Scan for your client portal

View proposals, sign digitally, and pay — from any device.

portal.ghareebfence.com

Standard terms: 50% deposit at contract, 50% at completion.

✓ **Secure payments** ✓ **Digital receipts**
✓ **Mobile-friendly** ✓ **E-signatures**









Getting Started Is Easy

From the first call to the final walkthrough — here's exactly what happens

1

FREE CONSULTATION

Schedule your free on-site estimate. We walk the yard together, measure, and answer everything before you commit to anything.

2

CUSTOM PROPOSAL

Usually within a day or two, your detailed proposal lands in the client portal — exact materials, line-item pricing, and a timeline.

3

EASY APPROVAL

Review and sign digitally. Make your deposit by card, check, cash, ACH, or Venmo — and we pull the permits.

4

EXPERT INSTALLATION

Our crew installs with precision, cleans up daily, and walks you through the finished project before we call it done.

Call today: (419) 214-2107

Free estimates · Financing available · 3-year workmanship warranty

ghareebfence.com



GHAREEB FENCING SOLUTIONS

BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.

SOUTHEAST MICHIGAN | NORTHWEST OHIO

(419) 214-2107

ghareebfence.com

portal.ghareebfence.com

Serving Northwest Ohio & Southeast Michigan

Toledo · Perrysburg · Maumee · Sylvania · Monroe · Temperance

★★★★★

"If you need a fence you don't have to look any further."

— Theresa C., customer review

From our family to your home — thank you for considering us.

SCAN FOR A FREE ESTIMATE

Or call (419) 214-2107