GHAREEB FENCING SOLUTIONS

BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.

SOUTHEAST MICHIGAN | NORTHWEST OHIO

Family-Owned Since 2022



(419) 214-2107

ghareebfence.com

OUR WORK SPEAKS FOR ITSELF

Toledo's Trusted Fence Professionals









Why Toledo Homeowners Choose Ghareeb Fencing

INSTALLER-OWNED & OPERATED

Our owner has installed hundreds of fences — reading slopes and tight corners before they become problems.

TRAINED, IN-HOUSE CREW

Trained in-house, the same faces start to finish — never day laborers or rotating strangers.

MATCHED ALUMINUM GATES

Gates are built from the same Elite panels and posts, in the same color as the fence.

MICHIGAN-MADE MATERIALS

Elite aluminum from Chesterfield, Michigan. Cedar split rail from Michigan mills.

TRANSPARENT, DETAILED QUOTES

Price, exact materials, and scope in writing. What we write is what you pay — no pressure, ever.

A WARRANTY THAT HOLDS UP


Three years on workmanship plus manufacturer material warranties. Not right? We make it right.



A NOTE FROM THE OWNER

When you hire us, you get the person whose name is on the company. I still walk every estimate, read every yard, and stand behind every post we set. We're a small Toledo family business — your fence is how our name gets around, and we build it that way. Thank you for letting us earn it.

Nicholas — Owner & Installer



What's inside

01	**Why homeowners choose us**	01
	Good, better, best at a glance	03
02	**Aluminum**	06
	Vinyl picket & ranch rail	16
03	**Split rail**	19
04	**Chain link**	26
	Local fence rules, town by town	33
	Warranty	36
	Customer reviews	39
	Getting started	42

Free estimates. Call (419) 214-2107 or scan to start yours.

SCAN FOR A FREE ESTIMATE

Good, Better, Best

Every fence we build · three tiers

GOOD · BETTER · BEST AT A GLANCE

GFS-TIERS

EVERY FENCE WE BUILD, IN THREE TIERS

	GOOD	BETTER	BEST (RECOMMENDED)
Wood THE LUMBER	**Pressure-treated pine** Up to about 15 years Lowest-cost wood	**Western Red Cedar** 15–30 years Our standard cedar	**Northern White Cedar** 15–30 years Grown and milled in Michigan
Wood THE STYLE	**Dog-ear privacy** 90–95% privacy $	**Shadowbox** 70–85% privacy, good airflow $$ · finished both sides	**Board-on-board** 100% privacy, no gaps $$$ · finished both sides
Vinyl PRIVACY	**Kingston solid** White, Tan or Adobe No painting or staining	**Kingston with a topper** Lattice or spindle top Same 70" finish height	**Rockport woodgrain** Homewood woodgrain finish Mocha Walnut and three more
Open SEE-THROUGH	**Galvanized chain link** 20–30 years Lowest cost per foot	**Black chain link** 25–35 years Vinyl-coated, rust resistant	**Elite aluminum** 30+ years, never rusts Limited lifetime warranty

HOW TO USE THIS PAGE

01 Circle a tier in each row
Pick what you are leaning toward. It does not have to be the same tier in every row.

02 Ask for all three on one quote
We can price good, better and best for your yard so the difference is in dollars, not guesses.

03 Compare them in your portal
Your quote and a 3D drawing of your fence are there to look over at home.

Split rail comes two ways, pressure-treated or Northern White Cedar. See the split rail pages.

Start here. Circle a tier in each row and bring it to your estimate.

FENCE TYPE COMPARISON

Choose the Right Fence

Lifespan, maintenance, and long-term value — the four options side by side

BUDGET	RUSTIC	BETTER	BEST
Chain Link	**Cedar Split Rail**	**Vinyl Chain Link**	**Ornamental Aluminum**
20-30 YEARS	15-30 YEARS	25-35 YEARS	30+ YEARS
✓ Lowest cost	✓ Natural beauty	✓ Rust resistant	✓ No painting or staining
✓ Easy repairs	✓ Country charm	✓ Better looking	✓ Never rusts
✗ Industrial look	✗ Weathers over time	✗ Still chain link	✓ Limited lifetime warranty
✗ Can rust	✗ Add wire for pets	✗ Few color options	✓ Many styles

Why Aluminum Is Worth It

Elite aluminum, made in Chesterfield, Michigan: 5/8" square pickets, rails with .082" side walls, and a powder coat that won't rust or need paint.

5/8"	350 lb	Lifetime
Square pickets	Top-rail load	Limited warranty







Open Fence — Good, Better, Best

Chain link · black chain link · Elite aluminum

OPEN FENCE — GOOD · BETTER · BEST

GFS-O-TIER

THREE WAYS TO FENCE A YARD YOU CAN SEE THROUGH

GOOD



Galvanized Chain Link

The budget option

LIFESPAN	20–30 years
COST	Lowest per foot
HEIGHTS	4' to 6'
TOP RAIL	Standard

BEST FOR
Pets and tight budgets

BETTER



Black Chain Link


Vinyl-coated

LIFESPAN	25–35 years
FINISH	Black, rust resistant
HEIGHTS	4' to 6'
TOP RAIL	Standard

BEST FOR
Chain link that blends in

BEST

RECOMMENDED



Elite Aluminum

Ornamental

LIFESPAN	30+ years
FINISH	Powder coat, 7 colors
UPKEEP	No painting, never rusts
WARRANTY	Limited lifetime

BEST FOR
Front yards, pools and curb appeal

ALSO AN OPEN FENCE

Split rail	Pressure-treated or Northern White Cedar, 15–30 years. A rustic look for bigger lots.
Pet wire	Welded wire on split rail keeps a dog in without changing the look.
Vinyl picket	White picket and ranch rail for front yards. See the vinyl pages.

Ask for good, better and best on one quote.
We can price all three for your yard so you can compare them side by side.

(419) 214-2107

Add to chain link: bottom tension wire if your dog pushes under.

See-through fences, three ways. Lifespans and finishes side by side.



01

ELITE ALUMINUM

Ornamental Aluminum

Made in Chesterfield, Michigan. Powder-coated, pre-assembled panels on 2" aluminum posts.

Ornamental Aluminum

Spear · Staggered · Flat · Flat w/ Spear · LifeGard · Pet

ORNAMENTAL ALUMINUM STYLES


GFS-AL-STY

ELITE RESIDENTIAL STYLES — DRAWN TO SCALE, 4' HEIGHT



Spear Top — EFS-10

Every picket runs through the top rail
and ends in a pressed spear.
3 rails · 5/8" pickets · 3-13/16" air
3' to 6'



Staggered Spear — EFS-15

Spears alternate high and low
for a hand-forged look.
3 rails · 5/8" pickets · 3-13/16" air
3' to 6'




Flat Top — EFF-20

Pickets stop inside a flat,
beveled top rail. Our most common.
3 rails (4 at 6') · 5/8" pickets
3' to 6'



Flat Top w/ Spear — EFF-25

Flat top rail with every other
picket rising to a spear.
3 rails · 5/8" pickets · 3-13/16" air
3' to 6'



2-Rail LifeGard — LIFEGARD

Two rails, nothing in between.
¾" pickets on a taller rail.
1-1/8" × 1-3/4" rails
4'



Pet Panel — 1-5/8" AIR

Twice the pickets, half the gap.
For small dogs.
1-5/8" air · racks only ~1–2"
On EFF-20 / EFF-25

Most styles can also be ordered with the pickets running through the bottom rail.

Six Elite styles. All set on the same 2" aluminum posts, in any of seven colors.

Aluminum — Colors & Details

7 Powder-Coat Colors · Finials · Full-Size Spacing

COLORS, ACCESSORIES & SPACING

GFS-AL-CLR

POWDER-COAT COLORS — ELITE STANDARD



Black

Quaker Bronze

White

Sandstone


Beige
Heavier post wall

Walnut Brown
Heavier post wall

Hartford Green
Heavier post wall

Beige, Walnut Brown and Hartford Green aren't made in the 2" × .060 post, so those colors use a heavier-wall post. Printed colors are close, not exact: ask to see a real sample.

ACCESSORIES — POWDER-COATED TO MATCH, OR GOLD



Quad finial
Four-point spear top

Tri finial
Three-point spear top

Fleur-de-lis
Classic decorative top


Ball cap
Round, no points

Circles
Between pickets, under the top rail

Butterfly scrolls
Corner accent under the top rail

Also available: post caps, magnetic self-latching gate latches, and floor flanges for mounting on concrete.

PICKET SPACING — PRINTED AT ACTUAL SIZE



STANDARD
3-13/16" between 5/8" pickets

PET PANEL
1-5/8" between pickets

Hold a tape measure to the spacing above. Printed at actual size, so the gap you see is the gap you get.

Powder coat, not paint. Elite's lifetime warranty covers peeling and cracking.

COLOR RANGE

Aluminum — Elite Colors

Seven powder-coat colors · made in Michigan

ELITE ALUMINUM COLORS

GFS-AL-COL

THE ELITE COLOR RANGE · SEVEN POWDER-COAT COLORS

Black	Quaker Bronze	White	Sandstone	Beige	Walnut Brown	Hartford Green
01 / 07	02 / 07	03 / 07	04 / 07	05 / 07	06 / 07	07 / 07
				Heavier post wall	Heavier post wall	Heavier post wall

INSTALLED IN THE TOLEDO AREA







Finish	Powder-coated at the Elite factory in Chesterfield, Michigan. No painting, ever.
Posts	Beige, Walnut Brown and Hartford Green ship with the heavier post wall.
Matching	Gates, posts, caps and brackets come in the same color as the panels.

Printed colors are close, not exact. Ask us to bring a metal sample to your estimate.

Seven colors, one finish. Every panel, post, gate and cap is powder-coated at the factory.

RECENT INSTALLS

Aluminum Fence Gallery


Elite aluminum across Toledo and Southeast Michigan.



Along the sidewalk



Back yard perimeter



Front yard, with arborvitae



Front walk with a gate

Aluminum — Build Specs

Elite EFF-20 Flat Top · 4' and 6'

ELITE EFF-20 FLAT TOP — 4' (48" PANEL)

GFS-AL-20-4




SPECIFICATIONS

MODEL	Elite EFF-20 · flat top · 3 rails
PICKETS	5/8" square tube · .050 wall
PICKET SPACE	3-13/16" air (1-5/8" pet panel)
RAILS	1-1/8" × 1" · .082 sides, .062 top
POSTS	2" × 2" × .060 line · routed for rails
TOP-RAIL LOAD	350 lb (Elite rating)

Panels come from Elite already assembled, so the picket spacing is factory-set, not eyeballed.

ELITE EFF-20 FLAT TOP — 6' (72" PANEL)

GFS-AL-20-6



SPECIFICATIONS

MODEL	Elite EFF-20 · flat top · 4 rails
RAILS	Four · 1-1/8" × 1" · same walls
POSTS	2" × 2" · .060, .080 or .125 wall
LARGER POST	2½" × 2½" × .100
RACKING	~6" per 6' panel standard
FINISH	Powder-coated · 7 colors

Heavier post walls are available for gates and ends. Your quote lists the size and wall of every post.

Every size on the page is Elite's. Pickets, rails and posts, down to the wall thickness.


Aluminum — Components

Post, Rail & Picket Sections · Wall Thickness

COMPONENTS — WHAT IT'S MADE OF

GFS-AL-CMP

POST SECTIONS — PRINTED AT HALF SIZE



2" × 2" × .060
Standard line post

2" × 2" × .080
Heavier wall


2" × 2" × .125
Heaviest 2" wall

2½" × 2½" × .100
Larger post

POST TYPES

- **Line** — rails both sides
- **End** — rails one side
- **Corner** — rails on two faces
- **Gate** — blank face for hinge or latch
- **Blank** — no routing · brackets

RAIL & PICKET SECTIONS — PRINTED AT HALF SIZE



EFF / EFS RAIL
.082 sides · .062 top & bottom

EFF / EFS PICKET
5/8" square tube

LIFEGARD RAIL
Taller rail · same walls

LIFEGARD PICKET
¾" square tube

HOW IT GOES TOGETHER

Pickets	pass through punched holes in the rails, factory-fastened.
Panels	ship from Elite assembled.
Rails	slide into routed posts.
Trimmable	for short runs and end sections on site.
Made in	Chesterfield, MI · since 1986

ELITE SPEC BY STYLE

	EFS-10 · EFS-15 · EFF-20 · EFF-25	2-RAIL LIFEGARD
Pickets	5/8" sq. × .050	¾" sq. × .050
Picket air space	3-13/16" (1-5/8" pet panel)	Under 4"
Rails	1-1/8" × 1"	1-1/8" × 1-3/4"
Rail walls	.082 sides · .062 top	.082 sides · .062 top
Posts	2" × 2" (.060 / .080 / .125) or 2½" × .100	2" × 2" or 2½" × 2½"
Panel	6' wide · 6'-0½" O.C. on 2" posts	6' wide

These are Elite's published sizes. Both drawings print at exactly half size, wall thickness included.


Wall thickness is the number to compare. Here's Elite's, printed at half size so you can measure it.

Aluminum — LifeGard & Pet Panel

2-Rail LifeGard · 1-5/8" Pet Spacing

ELITE 2-RAIL LIFEGARD — 4'

GFS-AL-LG




SPECIFICATIONS

MODEL	Elite 2-Rail LifeGard · flat top
HEIGHT	4' · 48" panel
RAILS	Two · 1-1/8" × 1-3/4"
RAIL WALLS	.082 sides · .062 top
PICKETS	¾" square tube · .050 wall
PICKET SPACE	Under 4" air

Two rails and nothing in between, so there's no midrail for a kid to use as a step.

ELITE PET PANEL — 1-5/8" SPACING

GFS-AL-PET



SPECIFICATIONS

MODEL	EFF-20 or EFF-25 pet panel
PICKET SPACE	1-5/8" air (standard is 3-13/16")
PICKETS	5/8" × .050 · ≈31 per 6' panel
RAILS	1-1/8" × 1" · .082 / .062
RACKING	Only ~1–2" per panel
HEIGHTS	Same as standard panels

It racks less than a standard panel, so on a real slope we step it instead.

Two options for kids and dogs. Same posts and colors as the rest of the line.

Aluminum — Slopes & Gates

Racking · Matching Gates

RACKING — FOLLOWING THE GRADE

GFS-AL-RAK

ELEVATION — TWO RACKED EFF-20 PANELS ON A 6" PER PANEL SLOPE



SPECIFICATIONS

STANDARD	~6" rise per 6' panel
EXTRA RACK	Up to ~16" per panel (Elite option)
PET / DOUBLE	~1–2" only
PICKETS	Stay plumb; rails tilt
STEEPER	Panels stepped down the hill
ODD ANGLES	Blank posts with brackets

Racked panels keep the gap under the fence even on a slope, instead of a triangle under each panel.

GATES — MATCHED TO THE PANEL

GFS-AL-GATE

ELEVATION — 4' SINGLE GATE, 48" OPENING



SPECIFICATIONS

SINGLE	36" · 42" · 48" · 60" · 72" wide
DOUBLE DRIVE	Two leaves for wide openings
HARDWARE	Latch and hinges included
SELF-CLOSING	Self-closing, self-latching on request
LATCH	Magnetic latch available
ARCHED	Estate and curved-top gates

Every gate is built by Elite to match your panel's style, color and height.

Panels follow your yard. Gates match the panel, and the latch and hinges come with them.



Ready for a price on your aluminum fence?

Free on-site estimate. We bring the Elite colors and price every post and panel.

01
Call or scan the code

02
We walk your yard and measure

03
You get a written quote with a 3D drawing

“We gathered several quotes and went with Ghareeb for the trust value.”

★★★★★ Jenna Spetz

(419) 214-2107

ghareebfence.com

SCAN FOR A FREE ESTIMATE

GHAREEB FENCING SOLUTIONS · BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.

Vinyl Picket & Ranch Styles

Hartford · Bedford · Cascade · Midland

VINYL PICKET & RANCH

GFS-V-LIB2

PICKET & RANCH RAIL — 3' AND 4' · RENDERED FROM OUR ESTIMATING SOFTWARE



Hartford Picket PICKET

1½" square pickets · 3" gaps · Clean, modern line



Bedford Picket PICKET

1½" square pickets · 2" gaps · Tighter spacing than Hartford




Cascade Traditional PICKET

3" pointed pickets · 2" gaps · Straight top line




Cascade Victorian PICKET

3" pointed pickets on a concave sweep · Classic front-yard look



Midland 2-Rail RANCH

3' high · two rails · Boundaries and driveways



Midland 3-Rail RANCH

4' high · three rails · Also 4-rail at 5'

Picket and ranch styles come in White, Tan or Adobe. Full dimensions are on the spec pages.

For the front yard. Four of our picket styles, plus ranch rail in two, three or four rails.


Vinyl — Picket & Ranch Rail

Six Picket Styles · Midland Ranch Rail


PICKET & RANCH RAIL

GFS-V-PKT


PICKET STYLES — 4' SHOWN, 46" FINISH · 3½"×2" RAILS




Bedford
1½" sq. · 2" gaps · 3'-5'




Bedford Concave
Concave sweep · 4'-5'




Hartford
1½" sq. · 3" gaps · 4'-6'



Windsor
3" pickets · 2" gaps · 4'-6'



Cascade Traditional
3" pointed · 3'-5'




Cascade Victorian
Pointed, concave · 4'-5'

PICKET NOTES


Rails 3½"×2". A midrail is added at 5' and up.
Windsor and Cascade pickets pass through the rails.
Mocha Walnut woodgrain on Bedford, Bedford Concave and Hartford.



Midland 2-Rail
3' high · ribbed rails



Midland 3-Rail
4' high · ribbed rails



Midland 4-Rail
5' high · ribbed rails

RANCH RAIL


Midland 2-, 3- and 4-rail.
3', 4' and 5' high.
White, Tan or Adobe.

Every picket and ranch style comes in White, Tan or Adobe on 8'-0" sections.


The classic front-yard fence. Six picket styles and three ranch rails, all on 8'-0" sections.

Vinyl picket and privacy


White and tan, front yards and back




White picket at the front walk




White picket with a gate



White privacy




Picket around a garden



Tan privacy



Picket along a walk



02

SPLIT RAIL

Split Rail

Northern White Cedar and pressure-treated split rail, with or without pet wire.

Split Rail — Two Ways to Build It

Pressure-treated (darker) · Northern White Cedar (lighter)

SPLIT RAIL — TWO WAYS TO BUILD IT

GFS-SR-CHOICE

YOUR CHOICE OF TWO BUILDS

PRESSURE-TREATED — THE DARKER ONE









Color	Darker brown
Posts	Rectangular, sawn
Rails	Diamond-cut
Wood	Pressure-treated lumber

NORTHERN WHITE CEDAR — THE LIGHTER ONE









Color	Lighter, natural
Posts	Round, peeled
Rails	Half-round
Wood	Sourced from Michigan mills

THE SAME ON BOTH

10'-0"	12 · 30 · 48"	36" or 48"	No nails
SECTION, POST TO POST	RAIL CENTERS, 3-RAIL	WIRE ROLL, IF YOU WANT IT	RAILS LOCK IN THE POST

Both builds use mortised posts: the rail ends slide through the post. Either one can carry 2" × 4" welded wire for pets.

Not sure which you are looking at? Dark with rectangular posts is pressure-treated. Light with round posts is Northern White Cedar.

Full drawings and dimensions for both are on the split rail build-spec page.

Pick the look. Both use mortised posts, with no nails holding the rails in.

Split Rail — Pet Wire & Gates

Welded Wire · Walk Gates · Double Drive Gates

SPLIT RAIL

GFS-SR-PET

PET WIRE & GATES · SHOWN IN NORTHERN WHITE CEDAR



Northern White Cedar: walk gate and corner, with wire
Gate built from the same rails, X-braced so it stays square





Cedar double drive gate · long run
Two leaves for a wide opening



X-braced gate
Diagonal brace keeps the leaf from sagging



Wire to the ground
Bottom board under the lowest rail



Wire on every section
Runs behind each rail, post to post

Wire goes on the yard side: from the street it still looks like plain split rail, and a dog pushing on it pushes it into the rails.

Ask for a bottom board if your dog digs. It closes the gap between the wire and the ground.


Keeps the dog in. Still looks like split rail from the street.

Split Rail — Build Specs

Cedar Split Rail · PT with Pet Wire

CEDAR SPLIT RAIL — ROUND POST & RAIL

GFS-SR-CED




SPECIFICATIONS

SPECIES	Northern White Cedar
RAILS	2-rail (3 ft) or 3-rail (4 ft)
RAIL CENTERS	12" · 30" · 48" (3-rail)
POSTS	Round, mortised · 4½" line, 5" ends
SECTIONS	10'-0" O.C.
JOINERY	Tapered rails, no nails or brackets

Round cedar posts and rails. The tapered rail ends lock into the post, so there's no hardware to rust.

PT SPLIT RAIL — WITH PET WIRE OPTION

GFS-SR-PT



SPECIFICATIONS

WOOD	Pressure-treated, sawn
RAILS	2-rail (3 ft) or 3-rail (4 ft)
POSTS	Sawn, mortised · line posts ~3¼" × 6"
SECTIONS	10'-0" O.C.
WIRE	2"×4" welded, 14 ga, 100-ft rolls
WIRE FINISH	Galvanized, black or green coated

The wire goes on the inside face. From the street it still looks like plain split rail; from the yard it holds the dog.

Two kinds, both mortised. Round cedar or sawn PT on 10-ft sections, with the 2"×4" wire option spelled out before we set a post.

RECENT INSTALLS

Split Rail Gallery

Pressure-treated and Northern White Cedar, on open lots and back yards.



Pressure-treated, three-rail



Northern White Cedar, gate and wire




Pressure-treated, under the trees



Northern White Cedar with pet wire

Split rail, both builds

Darker is pressure-treated, lighter is Northern White Cedar


Pressure-treated


Northern White Cedar


Northern White Cedar with wire


Northern White Cedar, back line


Northern White Cedar, double gate


Northern White Cedar with wire



Ready for a price on your split rail fence?

Free on-site estimate. Cedar or pressure-treated, with or without pet wire.

01
Call or scan the code

02
We walk your yard and measure

03
You get a written quote with a 3D drawing

“even thought of our dogs making sure they would be able to come out if needed while he worked.”

★★★★★ Marissa Barnes

(419) 214-2107

ghareebfence.com

SCAN FOR A FREE ESTIMATE

GHAREEB FENCING SOLUTIONS · BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.



03

CHAIN LINK

Chain Link

Galvanized and black vinyl-coated chain link, 4' to 6', with top rail on every run.

Chain Link Fencing

Galvanized · Black Vinyl-Coated

CHAIN LINK

GFS-CL-GAL

GALVANIZED









Residential galvanized, with walk and drive gates
Top rail on every run, terminal posts at the ends and gates

BLACK VINYL-COATED





Black-coated fabric and framework
Same build, black from post caps to fittings

4' – 6'	10'-0"	1-3/8"	Add-on
HEIGHTS	POST SPACING	TOP RAIL, STANDARD	BOTTOM TENSION WIRE

WHERE IT FITS

Budget	The lowest cost per foot of anything we install.
Pets	See-through, and it holds a dog. Add bottom tension wire if yours pushes under.
Winter	We install through the winter, frozen ground included.

Full sizes for posts, rails and fittings are on the chain link build-spec page.

The budget option, built right. Top rail standard, bottom tension wire if you want it.

Chain Link — Build Specs

Galvanized · Black Vinyl-Coated

GALVANIZED CHAIN LINK

GFS-CL-G

ELEVATION — GALVANIZED · 4' FABRIC · ONE 10' SECTION



SPECIFICATIONS


FABRIC	2" diamond mesh · hot-dip galvanized
LINE POSTS	1-5/8" steel · 10'-0" O.C.
TERMINALS	2-3/8" at ends, corners and gates
GATE POSTS	2-7/8" for double or over-6' gates
TOP RAIL	1-3/8" continuous · standard
BOTTOM WIRE	Tension wire · add-on, extra cost
HEIGHTS	4' to 6'

The top rail is standard. A bottom tension wire is an add-on if you want the bottom of the fabric pulled tight.

BLACK VINYL-COATED CHAIN LINK

GFS-CL-V

ELEVATION — BLACK VINYL-COATED · 4' FABRIC · ONE 10' SECTION



SPECIFICATIONS

FINISH	Black vinyl over galvanized steel
FABRIC	2" diamond mesh · black
FRAMEWORK	Posts, rail and fittings black-coated
POST SIZES	Same: 1-5/8" line · 2-3/8" terminal
TOP RAIL	1-3/8" · standard
BOTTOM WIRE	Tension wire · add-on, extra cost
HEIGHTS	4' to 6'


Same build, black from top to bottom. It fades into the yard instead of shining in it.

Even the budget option gets a spec sheet. Compare it line for line against any other bid.

RECENT INSTALLS

Chain Link Gallery


Black vinyl-coated and galvanized chain link.



Black, with a double gate



Black around a pool



Galvanized back yard



Galvanized double gate

Chain link in the yard

Black vinyl-coated and galvanized



Black, with a gate



Black along a field



Black around a pool



Galvanized back yard



Galvanized drive gate



Galvanized double gate



Ready for a price on your chain link fence?

Free on-site estimate. Galvanized or black, 4' to 6'.

01
Call or scan the code

02
We walk your yard and measure

03
You get a written quote with a 3D drawing

“The workers are very nice and they work extremely hard nonstop. I definitely recommend”

★★★★★ **Dashawn Nickson**

(419) 214-2107

ghareebfence.com

SCAN FOR A FREE ESTIMATE

GHAREEB FENCING SOLUTIONS · BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.

BUILT-IN QUALITY ASSURANCE

Our 3-Checkpoint Quality System

We don't move forward until every detail is verified — and you can watch it happen in your portal

1

PRE-INSTALL

- ✓ Property lines verified
- ✓ 811 utility locates marked
- ✓ Materials inspected on arrival
- ✓ Site documented with photos

IN YOUR PORTAL

- Permits pulled
- Materials confirmed
- 811 locates logged
- Crew assigned

2

DURING INSTALL

- ✓ Post depth verified
- ✓ Every run checked for level
- ✓ Gate swing tested
- ✓ Progress photos uploaded

IN YOUR PORTAL

- Layout confirmed
- Gates verified
- Property lines held
- Your sign-off

3

FINAL WALKTHROUGH


- ✓ Complete inspection with you
- ✓ Hardware checked and adjusted
- ✓ Gate alignment dialed in
- ✓ Site cleaned, debris hauled


IN YOUR PORTAL

- Full inspection
- Hardware tested
- Clean-up done
- Final sign-off

Photo documentation · issues caught early · your approval required. That's the promise — nothing moves forward until you're satisfied.










Local Fence Rules

Height limits · permits · what towns ask for

FENCE RULES AT A GLANCE

GFS-RULES-1

WHERE THE HEIGHT LIMITS USUALLY CHANGE · PLAN VIEW, TYPICAL LOT



READING THE DRAWING

Side and rear fence
Usually up to 6'. Privacy styles go here.

Front yard fence
Usually 3½' to 4'. Some towns ask for an open style.

Property line
Most towns let you build on your side of it.

RULES NEARLY EVERY TOWN SHARES

Good side out
Posts and rails face your yard, the finished face faces the neighbor.


Corner lots
Both street sides can count as front yards.

Pools
A barrier of about 4' with a self-closing, self-latching gate.

Utilities
811 locate before any post goes in. We call it in.

HOAs
Deed and HOA rules can be stricter than the town's.

HEIGHTS SIDE BY SIDE · ELEVATION



FRONT YARD
Toledo, Sylvania, Rossford, Bedford Twp

FRONT YARD
Perrysburg, Oregon, Springfield Twp

POOL BARRIER
Typical minimum, with a latching gate

SIDE & REAR
Standard privacy height

Typical limits only. The next two pages list what each community publishes.

Most towns follow the same pattern. Low in the front yard, up to six feet at the side and rear.

Fence Rules — Ohio Cities

Toledo · Oregon · Perrysburg · Rossford · Sylvania

LOCAL FENCE RULES — OHIO CITIES

GFS-RULES-2

WHAT EACH CITY PUBLISHES · RESIDENTIAL LOTS · CHECKED NOVEMBER 2026

COMMUNITY	PERMIT	FRONT YARD	SIDE YARD	REAR YARD	ALSO WORTH KNOWING
Toledo toledo.oh.gov · fences	**Zoning certificate** required for every fence	3½'	6'	6'	Corner lots have two front yards. Finished side faces out. Can sit on the property line.
Oregon Code §1155.02	**Ask the city** before you build	4' in the required front yard	6'	6'	Can sit on the property line. No barbed or electric fence on residential lots.
Perrysburg City zoning code	**Permit required**	4' 6' needs board approval	4' 6' needs board approval	6'	No chain link in the front yard. Set 4" inside the property line. Finished side faces out.
Rossford Code §1134.04	**Permit required** for every fence	42"	6'	6'	Open styles only in the front yard. Set 4" inside the property line. Finished side faces out.
Sylvania Code §1117.08	**Zoning permit**	3½'	4' beside the house	7'	Keep corners clear at intersections. From the code posted on the city's site. Confirm the current edition.

Codes change and lots differ. We confirm the rules for your address before we build.

We pull the permit. It is built into every quote, and we check the rules for your address first.

Fence Rules — Townships & Michigan

Maumee · Waterville · townships · Bedford Twp, MI

LOCAL FENCE RULES — TOWNSHIPS & MICHIGAN

GFS-RULES-3

WHAT EACH COMMUNITY PUBLISHES · RESIDENTIAL LOTS · CHECKED NOVEMBER 2026

COMMUNITY	PERMIT	FRONT YARD	SIDE YARD	REAR YARD	ALSO WORTH KNOWING
Waterville City new-resident FAQ	**No fence permit,** per the city's FAQ	– call zoning	–	–	36" maximum at intersection corners. Zoning Inspector: 419-878-8132.
Maumee maumee.org	**Zoning Administrator** approval	– call zoning	–	–	We could not confirm Maumee's height limits in print. We check them when we pull your permit.
Springfield Twp Zoning Res. §1904 · Holland area	**Zoning certificate** required	4'	6'	6'	Corner lots: 4' along both streets. Can sit on the property line. Keep 1' off a public sidewalk.
Perrysburg Twp Zoning Res. Art. VII §J	**Ask the township** before you build	4'	4' beside the house	7'	Good side faces the neighbor. Keep 30' clear at street corners.
Sylvania Twp sylvaniatownship.com	**Zoning permit** required	– call zoning	–	–	Township Zoning: 419-885-5276. Pool fence: 3½' minimum with a locking gate.
Bedford Twp, MI Zoning Ord. §400.1912	**No building permit** for a fence	3½' decorative styles only	6'	6'	Temperance and Lambertville. Posts go on your side. Can sit on the property line.

WHAT WE HANDLE FOR YOU

Permits	We pull and handle the permit. It is built into every quote.
Utilities	We call in the 811 locate and log it before the first post.
Layout	We walk the line with you and mark gates before we start.
Not listed?	Monroe, Northwood, Ottawa Hills, Monclova and others: we check your town the same way.
Helps to have	A survey or plot plan, your HOA rules if you have them, and where you want gates.

A summary, not legal advice. Your zoning office has the final word, and HOA rules can be stricter.

A summary, not legal advice. Your zoning office has the final word.

Backed by a Written Warranty

A written workmanship warranty, manufacturer coverage on materials, and claims handled by the owner

3

YEAR WORKMANSHIP WARRANTY

If something we built isn't right, we come back and fix it. You deal with the owner, not a call center.

WHAT'S COVERED

- ✓ Post setting & alignment
- ✓ Panel and picket installation
- ✓ Gate installation & operation
- ✓ Rails, framework, fasteners

MATERIAL QUALITY

Elite aluminum carries the manufacturer's limited lifetime warranty. Split rail and chain link are built to our 3-year workmanship warranty.

EASY CLAIMS Submit through the portal or just call.

Prompt Communication

Talk to the owner, not a call center

Clean Job Sites

Your yard looks better than we found it

Respectful Crews

Professional installers, every day

Clear Scheduling

Install dates confirmed before we start







Quality Backed by Real Guarantees

Our workmanship warranty and the manufacturer coverage behind your materials — the actual paperwork

3 YEAR WORKMANSHIP

on all labor and installation.

Backed by the owner — not a call center.

WHAT'S COVERED

- ✓ Post setting & alignment
- ✓ Panel and picket installation
- ✓ Gate installation & operation
- ✓ Hardware & fasteners
- ✓ Rails & framework

MANUFACTURER WARRANTIES

Elite Aluminum

Limited lifetime warranty









Full warranty terms available on request — and printed in every proposal.

YOUR ONLINE HUB

Client Portal

Your quote, 3D drawing, photos, payments and signature in one place. No app to download.

YOUR FENCE, DRAWN BEFORE IT IS BUILT



A 3D drawing of your fence comes with your quote.

Rendered from our estimating software. Shown: cedar cap and trim.

Log in with your job number

No password to remember.

View your proposal

Complete quote with materials and pricing.

Track progress

Photos from each installation stage.

ALSO IN YOUR PORTAL

Easy payments

Pay securely with card or bank transfer.

Digital signature

Sign contracts electronically.

One place for everything

Open it from any phone or computer.

ACCESS YOUR PORTAL ANYTIME

portal.ghareebfence.com

Secure payments · Digital receipts · E-signatures

What Our Customers Say

Real reviews from Google, Facebook & BBB — reproduced word for word

★★★★★ **Roy Gene Palmer III**

Excellent Work and Great Customer Service

Nick did an outstanding job installing our traditional cedar picket fence. From the start, he was incredibly patient in working through the details of our project and offered several creative solutions when we encountered challenges with our property layout.

What impressed me most was how he worked within our budget constraints to find the best possible option without compromising on quality. The finished fence looks fantastic - the craftsmanship is top-notch and you can tell Nick takes pride in his work.

His communication throughout the project was excellent, and he was always willing to explain his recommendations and answer our questions. I'd definitely recommend Nick to anyone looking for a reliable fence contractor who delivers quality work at a fair price.

★★★★★ **Josh Smith**

Hired Nick and Ghareeb Fencing solutions. We opted for a cedar privacy fence. Nick knocked it out of the park. Price was very competitive and the job was completed on budget and on schedule. They left the yard in clean state and were happy to talk to the neighbors about what to expect with the install. 10/10 would recommend again

The fence has been up for about 6 months through winter and looks as good as when he installed it.

★★★★★ **Dashawn Nickson**

I just got my fence done today June 6, 2025 and let me say this is a five star Fencing service complete my entire yard within two days always on schedule always answer calls reasonable prices. The workers are very nice and they work extremely hard nonstop. I definitely recommend

---

★★★★★ **Jenny Wilhelm Pfeiffer**

Nicholas was amazing to work with! Nicholas was very knowledgeable and patient with us with our decision making. He did not push vinyl on us knowing that wasn't what we wanted, unlike the other companies that quoted us. Our fencing was built from scratch, no pre-made fencing here! We cannot say enough good things about this business and the gentleman that he had working with him on our project. All of his employees were very kind and respectful. 100% a customer for life and absolutely recommend if you are looking for new fencing! Oh and he beat his competitors by over $1000.00!!!! Thank you so much for our amazing fence!

★★★★★ **Theresa C.**

Had around 230 linear feet of white vinyl fence installed 6/25/25. They finished the job the next day. Nicholas and his team were wonderful. From beginning to end. From the communication to the product and the install. If you need a fence you don't have to look any further. I highly recommend.

★★★★★ **Jenna Spetz**

We have nothing to say but amazing things about Ghareeb Fencing! We were so undecided about what we needed/wanted for our awkward lot(s) and Nick was SUPER patient. He talked us through each option and listened to my endless rants. We gathered several quotes and went with Ghareeb for the trust value. Their team provided outstanding communication and made the process seamless. Highly recommend!

★★★★★ **Marissa Barnes**

Amazing to work with! gave a great quote & we're able to get our fence up quickly. even thought of our dogs making sure they would be able to come out if needed while he worked. cannot recommend them enough!

Every review above is public — find them on Google, Facebook, and the BBB.

Frequently Asked Questions

Straight answers up front — and a real person at (419) 214-2107 for the rest

Q. How long does installation take?

Most residential fences go up in 1–3 days. We confirm your install dates before we schedule, and the crew cleans up daily.

Q. Do I need a permit?

Most local zoning requires one. We pull and handle permits for you — it's built into every quote.

Q. Do you offer financing?

Yes — financing is available for qualifying customers. Ask us for current terms and rates.

Q. What's the warranty?

Three years on workmanship from us, plus the manufacturer's limited lifetime warranty on Elite aluminum.

Q. Do I need to be home during the install?

No — but we recommend being there for the first and final walkthroughs so you and the crew stay on the same page.

Q. What areas do you serve?

Northwest Ohio & Southeast Michigan — Toledo, Perrysburg, Maumee, Sylvania, Monroe, Temperance, and nearby.

More questions? (419) 214-2107 · ghareebfence.com — we're happy to help.













Payment & Financing

Pay the way that suits you — and spread it over time if that works better

Payment Options

Credit & Debit Cards

Visa, Mastercard, Amex, Discover

Bank Transfer / ACH

Direct electronic payment

Cash & Check

Traditional methods, always welcome

Venmo

Quick mobile payments

Financing Available

Spread payments over time — monthly plans for qualifying customers.

- ✓ Quick online application
- ✓ Monthly payment plans
- ✓ For qualifying customers
- ✓ Ask us for current rates
- ✓ Terms set by the lender

Scan for your client portal

View proposals, sign digitally, and pay — from any device.


portal.ghareebfence.com

Standard terms: 50% deposit at contract, 50% at completion.

✓ **Secure payments** ✓ **Digital receipts**
✓ **Mobile-friendly** ✓ **E-signatures**









Getting Started Is Easy

From the first call to the final walkthrough — here's exactly what happens

1

FREE CONSULTATION

Schedule your free on-site estimate. We walk the yard together, measure, and answer everything before you commit to anything.

2

CUSTOM PROPOSAL

Usually within a day or two, your detailed proposal lands in the client portal — exact materials, line-item pricing, and a timeline.

3

EASY APPROVAL

Review and sign digitally. Make your deposit by card, check, cash, ACH, or Venmo — and we pull the permits.

4

EXPERT INSTALLATION

Our crew installs with precision, cleans up daily, and walks you through the finished project before we call it done.

Call today: (419) 214-2107

Free estimates · Financing available · 3-year workmanship warranty

ghareebfence.com



GHAREEB FENCING SOLUTIONS

BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.

SOUTHEAST MICHIGAN | NORTHWEST OHIO

(419) 214-2107

ghareebfence.com

portal.ghareebfence.com

Serving Northwest Ohio & Southeast Michigan

Toledo · Perrysburg · Maumee · Sylvania · Monroe · Temperance

★★★★★

"If you need a fence you don't have to look any further."

— Theresa C., customer review

From our family to your home — thank you for considering us.

SCAN FOR A FREE ESTIMATE

Or call (419) 214-2107