


B

B

ITEM NO.	PART NUMBER	DESCRIPTION	MATERIAL	Default/ QTY.
1	NCJ22005Z-MP			1
2	RodClevis			1
3	As3054			1
4	GIDS-SC-10017	AXLE ROD	2014 Alloy	1
5	GIDS-SC-10009-9	9HOLES	2014 Alloy	2
6	GIDS-SC-10012-3-16	SHAFT-COLLAR	Material <not specified>	2

**PROPRIETARY AND CONFIDENTIAL**

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	D&M Engineering		
		DIMENSIONS ARE IN MILLIMETERS	DRAWN			TITLE: LINEAR ACTUATOR		
		TOLERANCES:	CHECKED					
		ANGULAR: MACH $\pm 0^{\circ} 30'$	ENG APPR.					
		TWO PLACE DECIMAL ± 0.05	MFG APPR.					
		THREE PLACE DECIMAL ± 0.15	Q.A.					
		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5	COMMENTS:			SIZE	DWG. NO.	REV
		MATERIAL				A	LINKAGE	
NEXT ASSY	USED ON	FINISH				SCALE: 1:2 WEIGHT: SHEET 1 OF 2		
APPLICATION		DO NOT SCALE DRAWING						

A

2


1

2

1

B

B



DETAIL B
SCALE 2 : 1

A

A



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	D&M Engineering		
		DIMENSIONS ARE IN MILLIMETERS	DRAWN			TITLE: LINEAR ACTUATOR		
		TOLERANCES:	CHECKED					
		ANGULAR: MACH ± 0° 30'	ENG APPR.					
		TWO PLACE DECIMAL ± 0.05	MFG APPR.					
		THREE PLACE DECIMAL ± 0.15				SIZE DWG. NO. REV A LINKAGE		
		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5	Q.A.					
		MATERIAL	COMMENTS:					
		FINISH						
NEXT ASSY	USED ON					SCALE: 1:1	WEIGHT:	SHEET 2 OF 2
APPLICATION		DO NOT SCALE DRAWING						

2

1