

**INCLUDES**

- ✓ Course framework
- ✓ Instructional section
- ✓ Sample exam questions

AP[®] Physics C: Mechanics

COURSE AND EXAM DESCRIPTION

Effective
Fall 2024



AP[®] Physics C: Mechanics

COURSE AND EXAM DESCRIPTION

Effective
Fall 2024

AP COURSE AND EXAM DESCRIPTIONS ARE UPDATED PERIODICALLY

Please visit AP Central (apcentral.collegeboard.org) to determine whether a more recent course and exam description is available.

What AP® Stands For

Thousands of Advanced Placement teachers have contributed to the principles articulated here. These principles are not new; they are, rather, a reminder of how AP already works in classrooms nationwide. The following principles are designed to ensure that teachers' expertise is respected, required course content is understood, and that students are academically challenged and free to make up their own minds.

1. AP stands for clarity and transparency. Teachers and students deserve clear expectations. The Advanced Placement Program makes public its course frameworks and sample assessments. Confusion about what is permitted in the classroom disrupts teachers and students as they navigate demanding work.
2. AP is an unflinching encounter with evidence. AP courses enable students to develop as independent thinkers and to draw their own conclusions. Evidence and the scientific method are the starting place for conversations in AP courses.
3. AP opposes censorship. AP is animated by a deep respect for the intellectual freedom of teachers and students alike. If a school bans required topics from their AP courses, the AP Program removes the AP designation from that course and its inclusion in the AP Course Ledger provided to colleges and universities. For example, the concepts of evolution are at the heart of college biology, and a course that neglects such concepts does not pass muster as AP Biology.
4. AP opposes indoctrination. AP students are expected to analyze different perspectives from their own, and no points on an AP Exam are awarded for agreement with any specific viewpoint. AP students are not required to feel certain ways about themselves or the course content. AP courses instead develop students' abilities to assess the credibility of sources, draw conclusions, and make up their own minds.

As the AP English Literature course description states: "AP students are not expected or asked to subscribe to any one specific set of cultural or political values, but are expected to have the maturity to analyze perspectives different from their own and to question the meaning, purpose, or effect of such content within the literary work as a whole."

5. AP courses foster an open-minded approach to the histories and cultures of different peoples. The study of different nationalities, cultures, religions, races, and ethnicities is essential within a variety of academic disciplines. AP courses ground such studies in primary sources so that students can evaluate experiences and evidence for themselves.
6. Every AP student who engages with evidence is listened to and respected. Students are encouraged to evaluate arguments but not one another. AP classrooms respect diversity in backgrounds, experiences, and viewpoints. The perspectives and contributions of the full range of AP students are sought and considered. Respectful debate of ideas is cultivated and protected; personal attacks have no place in AP.
7. AP is a choice for parents and students. Parents and students freely choose to enroll in AP courses. Course descriptions are available online for parents and students to inform their choice. Parents do not define which college-level topics are suitable within AP courses; AP course and exam materials are crafted by committees of professors and other expert educators in each field. AP courses and exams are then further validated by the American Council on Education and studies that confirm the use of AP scores for college credits by thousands of colleges and universities nationwide.

The AP Program encourages educators to review these principles with parents and students so they know what to expect in an AP course. Advanced Placement is always a choice, and it should be an informed one. AP teachers should be given the confidence and clarity that once parents have enrolled their child in an AP course, they have agreed to a classroom experience that embodies these principles.

Contents

- v **Acknowledgments**
- 1 **About AP**
- 4 **AP Resources and Supports**
- 5 **Instructional Model**
- 6 **About the AP Physics C: Mechanics Course**
- 6 College Course Equivalent
- 6 Prerequisites
- 6 Laboratory Requirement

COURSE FRAMEWORK

- 9 **Introduction**
- 10 **Course Framework Components**
- 11 Science Practices
- 13 Course Content
- 15 **Course at a Glance**
- 19 **Unit Guides**
- 20 Using the Unit Guides
- 23 **UNIT 1:** Kinematics
- 37 **UNIT 2:** Force and Translational Dynamics
- 63 **UNIT 3:** Work, Energy, and Power
- 79 **UNIT 4:** Linear Momentum
- 91 **UNIT 5:** Torque and Rotational Dynamics
- 107 **UNIT 6:** Energy and Momentum of Rotating Systems
- 123 **UNIT 7:** Oscillations

LABORATORY INVESTIGATIONS

- 139 **Lab Experiments**
- 140 **How to Set Up a Lab Program**
- 142 **Laboratory Investigations**

INSTRUCTIONAL APPROACHES

- 149 **Selecting and Using Course Materials**
- 150 **Guided Inquiry in AP Physics C: Mechanics**
- 153 **Instructional Strategies**
- 159 **Developing the Science Practices**

EXAM INFORMATION

- 169 **Exam Overview**
- 171 **How Student Learning Is Assessed on the AP Exam**
- 174 **Task Verbs Used in Free-Response Questions**
- 175 **Sample Exam Questions**

SCORING GUIDELINES

- 189 **Question 1: Mathematical Routines**
 - 191 **Question 2: Translation Between Representations**
 - 194 **Question 3: Experimental Design and Analysis**
 - 196 **Question 4: Qualitative/Quantitative Translation**
-

APPENDIX

- 201 **Vocabulary and Definitions of Important Ideas in AP Physics**
- 205 **Table of Information: Equations**

Acknowledgments

College Board would like to acknowledge the following committee members, consultants, and reviewers for their assistance with and commitment to the development of this course. All individuals and their affiliations were current at the time of contribution.

Hamza Balci, *Kent State University, Kent, OH*
Suzanne Brahmia, *University of Washington, Seattle, WA*
Eric Burkholder, *Stanford University, Stanford, CA*
Gerald Cleaver, *Baylor University, Waco, TX*
Robert Davis, *Brigham Young University, Provo, UT*
Veronica Ellingson, *Hudson Senior High School, Hudson, WI*
Karin Foss, *Wayzata High School, Plymouth, MN*
Herbert Fotso, *The State University of New York at Buffalo, Buffalo, NY*
Kristin Glover, *Prairie Ridge High School, Crystal Lake, Illinois*
Kathy Harper, *Case Western Reserve University, Cleveland, OH*
Mark Hossler, *Landmark Christian School, Fairburn, GA*
Stefan Jeglinski, *University of North Carolina, Chapel Hill, NC*
Kathy Koenig, *University of Cincinnati, Cincinnati, OH*
Kristine Lang, *Colorado College, Colorado Springs, CO*
Robynne Lock, *Texas A and M University, Commerce, Commerce, TX*
Sam Lofland, *Rowan University, Glassboro, New Jersey*
Joe Mancino, *Glastonbury High School, Glastonbury, CT*
Ricardo Markland, *Miami Coral Park Senior High School, Miami, FL*
Dee Dee Messer, *William Mason High School, Mason, OH*
Matthew Milligan, *Farragut High School, Knoxville, TN*
Holley Mosley, *Liberty High School, Frisco, TX*
Heather Rave, *St. Thomas Aquinas College, Orangeburg, NY*
Matt Sckalor, *Great Neck South High School, Great Neck, NY*
Peter Sheldon, *Randolph College, Lynchburg, VA*
Gay Stewart, *West Virginia University, Morgantown, WV*
Shelly Strand, *West Fargo High School, West Fargo, ND*
Dawn Striker, *Longmeadow High School, Longmeadow, MA*
Oather Strawderman, *Lawrence Free State High School, Lawrence, KS*
Yau-Jong Twu, *Eleanor Roosevelt High School, Greenbelt, MD*
Brian Utter, *University of California Merced, Merced, CA*
Matthew Vonk, *University of Wisconsin-River Falls, River Falls, WI*

College Board Staff

Amy Johnson, Director, AP Physics Curriculum and Assessment
Jesse Miner, Director, AP Physics Curriculum and Assessment
John Pinizzotto, Director, AP Physics Curriculum and Assessment
Shu-Kang Chen, Executive Director, AP STEM Curriculum and Assessment
Claire Lorenz, Senior Director, AP Classroom Instruction Products
Serena Magrogan, Senior Director, AP Science Department Head
Laura Keegan, Director, Product Development and Editorial, AP Classroom Instruction
Daniel McDonough, Senior Director, AP Content and Assessment Publications
Allison Thurber, Vice President, AP Curriculum and Assessment

SPECIAL THANKS Brian Brown, Anders Gardestig, Ann Marie Zolandz, Angela Jensvold, and Mark Widmer

About AP

The Advanced Placement® Program (AP®) enables willing and academically prepared students to pursue college-level studies—with the opportunity to earn college credit, advanced placement, or both—while still in high school. Through AP courses in 40 subjects, each culminating in a challenging exam, students learn to think critically, construct solid arguments, and see many sides of an issue—skills that prepare them for college and beyond. Taking AP courses demonstrates to college admission officers that students have sought the most challenging curriculum available to them, and research indicates that students who score a 3 or higher on an AP Exam typically experience greater academic success in college and are more likely to earn a college degree than non-AP students. Each AP teacher’s syllabus is evaluated and approved by faculty from some of the nation’s leading colleges and universities, and AP Exams are developed and scored by college faculty and experienced AP teachers. Most four-year colleges and universities in the United States grant credit, advanced placement, or both on the basis of successful AP Exam scores—more than 3,300 institutions worldwide annually receive AP scores.

AP Course Development

In an ongoing effort to maintain alignment with best practices in college-level learning, AP courses and exams emphasize challenging, research-based curricula aligned with higher education expectations.

Individual teachers are responsible for designing their own curriculum for AP courses, selecting appropriate college-level readings, assignments, and resources. This course and exam description presents the content and skills that are the focus of the corresponding college course and that appear on the AP Exam. It also organizes the content and skills into a series of units that represent a sequence found in widely adopted college textbooks and that many AP teachers have told us they follow in order to focus their instruction. The intention of this publication is to respect teachers’ time and expertise by providing a roadmap that they can modify and adapt to their local priorities and preferences. Moreover, by organizing the AP course content and skills into units, the AP Program is able to provide teachers and students with free formative

assessments—Progress Checks—that teachers can assign throughout the year to measure student progress as they acquire content knowledge and develop skills.

Enrolling Students: Equity and Access

The AP Program strongly encourages educators to make equitable access a guiding principle for their AP programs by giving all willing and academically prepared students the opportunity to participate in AP. We encourage the elimination of barriers that restrict access to AP for students from ethnic, racial, and socioeconomic groups that have been traditionally underserved. The AP Program also believes that all students should have access to academically challenging coursework before they enroll in AP classes, which can prepare them for AP success. It is only through a commitment to equitable preparation and access that true equity and excellence can be achieved.

Offering AP Courses: The AP Course Audit

The AP Program unequivocally supports the principle that each school implements its own curriculum that will enable students to develop the content understandings and skills described in the course framework.

While the unit sequence represented in this publication is optional, the AP Program does have a short list of curricular and resource requirements that must be fulfilled before a school can label a course “Advanced Placement” or “AP.” Schools wishing to offer AP courses must participate in the AP Course Audit, a process through which AP teachers’ course materials are reviewed by college faculty. The AP Course Audit was created to provide teachers and administrators with clear guidelines on curricular and resource requirements for AP courses and to help colleges and universities validate courses marked “AP” on students’ transcripts. This process ensures that AP teachers’ courses meet or exceed the curricular and resource expectations that college and secondary school faculty have established for college-level courses.

The AP Course Audit form is submitted by the AP teacher and the school principal (or designated administrator) to confirm awareness and understanding of the curricular and resource requirements. A syllabus or course outline, detailing how course requirements are met, is submitted by the AP teacher for review by college faculty.

Please visit collegeboard.org/apcourseaudit for more information to support the preparation and submission of materials for the AP Course Audit.

How the AP Program Is Developed

The scope of content for an AP course and exam is derived from an analysis of hundreds of syllabi and course offerings of colleges and universities. Using this research and data, a committee of college faculty and expert AP teachers work within the scope of the corresponding college course to articulate what students should know and be able to do upon the completion of the AP course. The resulting course framework is the heart of this course and exam description and serves as a blueprint of the content and skills that can appear on an AP Exam.

The AP Test Development Committees are responsible for developing each AP Exam, ensuring the exam questions are aligned to the course framework. The AP Exam development process is a multiyear endeavor; all AP Exams undergo extensive review, revision, piloting, and analysis to ensure that questions are accurate, fair, and valid, and that there is an appropriate spread of difficulty across the questions.

Committee members are selected to represent a variety of perspectives and institutions (public and private, small and large schools and colleges), and a range of gender, racial/ethnic, and regional groups. A list of each subject's current AP Test Development Committee members is available on apcentral.collegeboard.org.

Throughout AP course and exam development, College Board gathers feedback from various stakeholders in both secondary schools and higher education institutions. This feedback is carefully considered to ensure that AP courses and exams are able to provide students with a college-level learning experience and the opportunity to demonstrate their qualifications for advanced placement or college credit.

How AP Exams Are Scored

The exam scoring process, like the course and exam development process, relies on the expertise of both AP teachers and college faculty. While multiple-choice questions are scored by machine, the free-response

questions and through-course performance assessments, as applicable, are scored by thousands of college faculty and expert AP teachers. Most are scored at the annual AP Reading, while a small portion is scored online. All AP Readers are thoroughly trained, and their work is monitored throughout the Reading for fairness and consistency. In each subject, a highly respected college faculty member serves as Chief Faculty Consultant and, with the help of AP Readers in leadership positions, maintains the accuracy of the scoring standards. Scores on the free-response questions and performance assessments are weighted and combined with the results of the computer-scored multiple-choice questions, and this raw score is converted into a composite AP score on a 1–5 scale.

AP Exams are **not** norm-referenced or graded on a curve. Instead, they are criterion-referenced, which means that every student who meets the criteria for an AP score of 2, 3, 4, or 5 will receive that score, no matter how many students that is. The criteria for the number of points students must earn on the AP Exam to receive scores of 3, 4, or 5—the scores that research consistently validates for credit and placement purposes—include:

- The number of points successful college students earn when their professors administer AP Exam questions to them.
- Performance that researchers have found to be predictive of an AP student succeeding when placed into a subsequent higher-level college course.
- The number of points college faculty indicate, after reviewing each AP question, that they expect is necessary to achieve each AP grade level.

Using and Interpreting AP Scores

The extensive work done by college faculty and AP teachers in the development of the course and exam and throughout the scoring process ensures that AP Exam scores accurately represent students' achievement in the equivalent college course. Frequent and regular research studies establish the validity of AP scores as follows:

AP Score	Credit Recommendation	College Grade Equivalent
5	Extremely well qualified	A
4	Well qualified	A–, B+, B
3	Qualified	B–, C+, C
2	Possibly qualified	n/a
1	No recommendation	n/a

While colleges and universities are responsible for setting their own credit and placement policies, most private colleges and universities award credit and/or advanced placement for AP scores of 3 or higher. Additionally, most states in the U.S. have adopted statewide credit policies that ensure college credit for scores of 3 or higher at public colleges and universities. To confirm a specific college's AP credit/placement policy, a search engine is available at collegeboard.org/creditandplacement/searchcredit-policies.

BECOMING AN AP READER

Each June, thousands of AP teachers and college faculty members from around the world gather for seven days in multiple locations to evaluate and score the free-response sections of the AP Exams. Ninety-eight percent of surveyed educators who took part in the AP Reading say it was a positive experience.

There are many reasons to consider becoming an AP Reader, including opportunities to:

- **Bring positive changes to the classroom:**
Surveys show that the vast majority of returning AP Readers—both high school and college educators—make improvements to the way they

teach or score because of their experience at the AP Reading.

- **Gain in-depth understanding of AP Exam and AP scoring standards:** AP Readers gain exposure to the quality and depth of the responses from the entire pool of AP Exam takers, and thus are better able to assess their students' work in the classroom.
- **Receive compensation:** AP Readers are compensated for their work during the Reading. Expenses, lodging, and meals are covered for Readers who travel.
- **Score from home:** AP Readers have online distributed scoring opportunities for certain subjects. Check collegeboard.org/apreading for details.
- **Earn Continuing Education Units (CEUs):**
AP Readers earn professional development hours and CEUs that can be applied to PD requirements by states, districts, and schools.

How to Apply

Visit collegeboard.org/apreading for eligibility requirements and to start the application process.

AP Resources and Supports

By completing a simple class selection process at the start of the school year, teachers and students receive access to a robust set of classroom resources.

AP Classroom

AP Classroom is a dedicated online platform designed to support teachers and students throughout their AP experience. The platform provides a variety of powerful resources and tools to provide yearlong support to teachers and students, offering opportunities to give and get meaningful feedback on student progress.

UNIT GUIDES



Appearing in this publication and on AP Classroom, these planning guides outline all required course content and skills, organized into commonly taught units. Each Unit Guide suggests a sequence and pacing of content, scaffolds skill instruction across units, organizes content into topics, and provides tips on taking the AP Exam.

PROGRESS CHECKS



Formative AP questions for every unit provide feedback to students on the areas where they need to focus. Available online, Progress Checks measure knowledge and skills through multiple-choice questions with rationales to explain correct and incorrect answers, and free-response questions with scoring information. Because the Progress Checks are formative, the results of these assessments cannot be used to evaluate teacher effectiveness or assign letter grades to students, and any such misuses are grounds for losing school authorization to offer AP courses.*

REPORTS



The reports section provides teachers with a one-stop shop for student results on all assignment types, including Progress Checks. Teachers can view class trends and see where students struggle with content and skills that will be assessed on the AP Exam. Students can view their own progress over time to improve their performance before the AP Exam.

QUESTION BANK



The Question Bank is a searchable library of all AP questions that teachers use to build custom practice for their students. Teachers can create and assign assessments with formative topic questions or questions from practice or released AP Exams.

Class Section Setup and Enrollment

- Teachers and students sign in to or create their College Board accounts.
- Teachers confirm that they have added the course they teach to their AP Course Audit account and have had it approved by their school's administrator.
- Teachers or AP coordinators, depending on who the school has decided is responsible, set up class sections so students can access AP resources and have exams ordered on their behalf.
- Students join class sections with a join code provided by their teacher or AP coordinator.
- Students will be asked for additional information upon joining their first class section.

* To report misuses, please call, 877-274-6474 (International: 212-632-1781).

Instructional Model

Integrating AP resources throughout the course can help students develop skills and conceptual understandings. The instructional model outlined below shows possible ways to incorporate AP resources into the classroom.

Plan

Teachers may consider the following approaches as they plan their instruction before teaching each unit.

- Review the overview at the start of each **Unit Guide** to identify essential questions, conceptual understandings, and skills for each unit.
- Use the **Unit at a Glance** table to identify related topics that build toward a common understanding, and then plan appropriate pacing for students.
- Identify useful strategies in the **Instructional Approaches** section to help teach the concepts and skills.

Teach

When teaching, supporting resources could be used to build students' conceptual understanding and their mastery of skills.

- Use the topic pages in the **Unit Guides** to identify the required content.
- Integrate the content with a skill, considering any appropriate scaffolding.
- Employ any of the instructional strategies previously identified.
- Use the available resources, including **AP Daily**, on the topic pages to bring a variety of assets into the classroom.

Assess

Teachers can measure student understanding of the content and skills covered in the unit and provide actionable feedback to students.

- As you teach each topic, use **AP Classroom** to assign student **Topic Questions** as a way to continuously check student understanding and provide just in time feedback.
- At the end of each unit, use **AP Classroom** to assign students **Progress Checks**, as homework or an in-class task.
- Provide question-level feedback to students through answer rationales; provide unit- and skill-level formative feedback using **Reports**.
- Create additional practice opportunities using the **Question Bank** and assign them through **AP Classroom**.

About the AP Physics C: Mechanics Course

AP Physics C: Mechanics is a calculus-based introductory college-level physics course. Students cultivate their understanding of physics by developing models of physical phenomena through inquiry-based investigations.

Students build their understanding of physical models as they explore and solve problems in these topics:

- Kinematics
- Forces and Translational Dynamics
- Work, Energy, and Power
- Linear Momentum
- Torque and Rotational Dynamics
- Energy and Momentum of Rotating Systems
- Oscillations

College Course Equivalent

AP Physics C: Mechanics is equivalent to the first course in an introductory college course sequence in calculus-based physics.

Prerequisites

Students should have taken, or be concurrently taking, calculus.

Laboratory Requirement


This course requires that 25 percent of instructional time be spent in hands-on laboratory work, with an emphasis on inquiry-based investigations that provide students with opportunities to demonstrate the foundational physics principles and apply the science practices.

Inquiry-based laboratory experiences support the AP Physics C: Mechanics course and AP Course Audit curricular requirements by providing opportunities for students to engage in the science practices as they design plans for experiments, make predictions, collect and analyze data, apply mathematical routines, develop explanations, and communicate about their work.

Colleges may require students to present their laboratory materials from AP science courses before granting college credit for laboratory work, so students should be encouraged to retain their laboratory notebooks, reports, and other materials.

AP PHYSICS C: MECHANICS

Course Framework



Introduction

The AP Physics C: Mechanics course outlined in this framework reflects a commitment to what physics teachers, professors, and researchers have agreed is the main goal of a college-level physics course: to help students develop a deep understanding of the foundational principles that shape classical mechanics. By confronting complex physical situations or scenarios, the course is designed to enable students to develop the ability to reason about physical phenomena using important science practices, such as explaining relationships, applying and justifying the use of mathematical routines, designing experiments, analyzing data, and making connections across multiple topics within the course.

To foster this deeper level of learning, the AP Physics C: Mechanics course defines concepts, skills, and understandings required by representative colleges and universities for granting college credit and/or placement. Students will practice reasoning skills used by physicists by discussing and debating, with peers, the physical phenomena investigated in class, as well as by designing and conducting inquiry-based laboratory investigations to solve problems through first-hand observations, data collection, analysis, and interpretation.

This document is not a complete curriculum. Teachers create their own local curriculum by selecting, for each concept, content that enables students to explore the course learning objectives and meets state or local requirements. This result is a course that prepares students for college credit and/or placement.

Course Framework Components

Overview

This course framework provides a clear and detailed description of the course requirements necessary for student success. The framework specifies what students must know, be able to do, and understand to qualify for college credit and/or placement.

The course framework includes two essential components:

1 SCIENCE PRACTICES

The science practices are central to the study and practice of physics. Students should develop and apply the described practices on a regular basis over the span of the course.

2 COURSE CONTENT

The course content is organized into commonly taught units of study that provide a suggested sequence for the course, and detail required content and conceptual understandings that colleges and universities typically expect students to be proficient in, in order to qualify for college credit and/or placement.

Science Practices

The table that follows presents the science practices that students should develop during the AP Physics C: Mechanics course. These practices form the basis of many tasks on the AP Physics C: Mechanics exam.

The Unit Guides that follow embed and spiral these practices throughout the course, providing teachers with one way to integrate the practices into the course content with sufficient repetition to prepare students to apply those science practices when taking the AP Physics C: Mechanics exam.

More detailed information about teaching the science practices can be found in the [Instructional Approaches](#) section of this publication.



Practice 1

Creating Representations 1

Create representations that depict physical phenomena.

Practice 2

Mathematical Routines 2

Conduct analyses to derive, calculate, estimate, or predict.

Practice 3

Scientific Questioning and Argumentation 3

Describe experimental procedures, analyze data, and support claims.

SKILLS

1.A Create diagrams, tables, charts, or schematics to represent physical situations.

1.B Create quantitative graphs with appropriate scales and units, including plotting data.

1.C Create qualitative sketches of graphs that represent features of a model or the behavior of a physical system.

2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

2.C Compare physical quantities between two or more scenarios or at different times and locations in a single scenario.

2.D Predict new values or factors of change of physical quantities using functional dependence between variables.

3.A Create experimental procedures that are appropriate for a given scientific question.

3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

Course Content

The AP Physics C: Mechanics course framework provides a clear detailed description of the course requirements for student success. The framework specifies what students must know, be able to do, and understand with a focus on ideals that encompass core principles, theories, and processes of physics. This framework also encourages instruction that prepares students to make connections across domains through a broader way of thinking about the physical world.

UNITS

The course content is organized into commonly taught units. The units have been arranged in a logical sequence frequently found in many college courses and textbooks.

The seven units in AP Physics C: Mechanics and their relevant weightings on the multiple-choice section of the AP Exam are listed on the next page.

Pacing recommendations on the Course at a Glance page provide suggestions for how teachers can cover both the required course content and the Progress Checks. The number of suggested class periods is based on a schedule in which the class meets five days a week for 45 minutes each day or for 90 minutes a day for a single semester. While these recommendations have been made to aid in planning, teachers are free to adjust the pacing based on the needs of their students, alternate schedules (e.g., block scheduling), or their school's academic calendar.

Exam Weighting for the Multiple-Choice Section of the AP Physics C: Mechanics Exam.

Units of Instruction	Exam Weighting
Unit 1: Kinematics	10–15%
Unit 2: Force and Translational Dynamics	20–25%
Unit 3: Work, Energy, and Power	15–25%
Unit 4: Linear Momentum	10–20%
Unit 5: Torque and Rotational Dynamics	10–15%
Unit 6: Energy and Momentum of Rotating Systems	10–15%
Unit 7: Oscillations	10–15%

TOPICS

Each unit is divided into teachable segments called topics. Visit the topic pages (starting on page 23) to see all the required content for each topic.

Learning Objectives and Science Practices

In the AP Physics C: Mechanics course and exam, every exam question of student proficiency will be aligned to a learning objective and a skill. The learning objectives represent the content domain, while the skill represents the science practice required to successfully complete the task. The three categories of science practices are described as discrete practices, but they are, in fact, interrelated. For example, scientific questions and predictions are associated with the underlying mathematical relationships, and those relationships are used to create diagrams and graphs. The ordering of the science practices is not meant to describe any hierarchy of importance or difficulty.

The three science practices, and their associated skills, will be applied to all learning objectives in the course framework. The task verb “describe,” which is used in nearly all learning objectives, encompasses the range of possible graphical, mathematical, or verbal skill applications. Within these multiple representations, students should be able to “describe” a physical concept graphically, mathematically, and verbally.

For example, for a given learning objective, teachers are encouraged to ask the following questions about a physical phenomenon:

- How would students create or interpret graphs or other visual representations?
- What quantitative problems could students solve?
- What experiment could a student design, or what data would students analyze?
- How could the concepts be described verbally?
- How could the course content be used as evidence to justify or support a claim about the behavior of a system, physical phenomena, or outcome of an experiment?

Required Equations

Not all equations in this course framework appear on the equation sheet provided to students while taking the AP Physics C: Mechanics Exam. Many of the equations in this document are provided for reference and guidance, or to demonstrate the final results of derivations expected of students on the exam. These equations are denoted as “Derived Equations.” Additionally, variables used within this course framework follow the definitions given on the equation sheet. For a complete list of the equations available to students on the AP Physics C: Mechanics Exam, please see the AP Physics C: Mechanics Table of Information: Equations in the [Appendix](#).

Course at a Glance

Plan

The Course at a Glance provides a useful visual organization for the AP Physics C: Mechanics course components, including:

- Sequence of units, along with approximate weighting and suggested pacing. Note, suggested pacing options are provided for both 45 minute periods meeting daily for a full year and for 90 minute periods meeting daily for a single semester.
- Progression of topics within each unit.
- Spiraling of the science practices across units.

Teach

PRACTICES

Science Practices spiral throughout the course

- | | |
|-----------------------------------|---|
| 1 Creating Representations | 3 Scientific Questioning and Argumentation |
| 2 Mathematical Routines | |

Required Course Content

Each topic contains required Learning Objectives and Essential Knowledge Statements that form the basis of the assessment on the AP Exam.

Assess

Assign the Progress Checks—either as homework or in class—for each unit. Each Progress Check contains formative multiple-choice and free-response questions. The feedback from these checks shows students the areas where they need to focus.

UNIT 1 Kinematics		UNIT 2 Force and Translational Dynamics																									
~14/~19 Class Periods	10–15% AP Exam Weighting	~15/~25 Class Periods	20–25% AP Exam Weighting																								
<table border="0"><tr><td style="vertical-align: top; width: 33%;">1</td><td style="vertical-align: top; width: 33%;">2</td><td style="vertical-align: top; width: 33%;">3</td><td style="vertical-align: top; width: 33%;">1</td></tr><tr><td>1.1 Scalars and Vectors</td><td>2.1 Systems and Center of Mass</td><td>1.2 Displacement, Velocity, and Acceleration</td><td>2.2 Forces and Free-Body Diagrams</td></tr><tr><td>1.3 Representing Motion</td><td>2.3 Newton's Third Law</td><td>1.4 Reference Frames and Relative Motion</td><td>2.4 Newton's First Law</td></tr><tr><td>1.5 Motion in Two or Three Dimensions</td><td>2.5 Newton's Second Law</td><td></td><td>2.6 Gravitational Force</td></tr><tr><td></td><td>2.7 Kinetic and Static Friction</td><td></td><td>2.8 Spring Forces</td></tr><tr><td></td><td>2.9 Resistive Forces</td><td></td><td>2.10 Circular Motion</td></tr></table>				1	2	3	1	1.1 Scalars and Vectors	2.1 Systems and Center of Mass	1.2 Displacement, Velocity, and Acceleration	2.2 Forces and Free-Body Diagrams	1.3 Representing Motion	2.3 Newton's Third Law	1.4 Reference Frames and Relative Motion	2.4 Newton's First Law	1.5 Motion in Two or Three Dimensions	2.5 Newton's Second Law		2.6 Gravitational Force		2.7 Kinetic and Static Friction		2.8 Spring Forces		2.9 Resistive Forces		2.10 Circular Motion
1	2	3	1																								
1.1 Scalars and Vectors	2.1 Systems and Center of Mass	1.2 Displacement, Velocity, and Acceleration	2.2 Forces and Free-Body Diagrams																								
1.3 Representing Motion	2.3 Newton's Third Law	1.4 Reference Frames and Relative Motion	2.4 Newton's First Law																								
1.5 Motion in Two or Three Dimensions	2.5 Newton's Second Law		2.6 Gravitational Force																								
	2.7 Kinetic and Static Friction		2.8 Spring Forces																								
	2.9 Resistive Forces		2.10 Circular Motion																								

Progress Check 1

Multiple-choice: ~18 questions

Free-response: 4 questions

- Mathematical Routines
- Translation Between Representations
- Experimental Design and Analysis
- Qualitative/Quantitative Translation

Progress Check 2

Multiple-choice: ~30 questions

Free-response: 4 questions

- Mathematical Routines
- Translation Between Representations
- Experimental Design and Analysis
- Quantitative/Qualitative Translation

**UNIT
3**

Work, Energy, and Power

~12/~17 Class Periods**15–25%** AP Exam Weighting

- | | |
|---|----------------------------------|
| 1 | 3.1 Translational Kinetic Energy |
| 2 | |
| 3 | |
- | | |
|---|----------|
| 1 | 3.2 Work |
| 2 | |
| 3 | |
- | | |
|---|----------------------|
| 1 | 3.3 Potential Energy |
| 2 | |
| 3 | |
- | | |
|---|----------------------------|
| 1 | 3.4 Conservation of Energy |
| 2 | |
| 3 | |
- | | |
|---|-----------|
| 1 | 3.5 Power |
| 2 | |
| 3 | |

**UNIT
4**

Linear Momentum

~11/~15 Class Periods**10–20%** AP Exam Weighting

- | | |
|---|---------------------|
| 1 | 4.1 Linear Momentum |
| 2 | |
| 3 | |
- | | |
|---|------------------------------------|
| 1 | 4.2 Change in Momentum and Impulse |
| 2 | |
| 3 | |
- | | |
|---|-------------------------------------|
| 1 | 4.3 Conservation of Linear Momentum |
| 2 | |
| 3 | |
- | | |
|---|--------------------------------------|
| 1 | 4.4 Elastic and Inelastic Collisions |
| 2 | |
| 3 | |

**UNIT
5**

Torque and Rotational Dynamics

~14/~20 Class Periods**10–15%** AP Exam Weighting

- | | |
|---|---------------------------|
| 1 | 5.1 Rotational Kinematics |
| 2 | |
| 3 | |
- | | |
|---|---|
| 1 | 5.2 Connecting Linear and Rotational Motion |
| 2 | |
| 3 | |
- | | |
|---|------------|
| 1 | 5.3 Torque |
| 2 | |
| 3 | |
- | | |
|---|------------------------|
| 1 | 5.4 Rotational Inertia |
| 2 | |
| 3 | |
- | | |
|---|--|
| 1 | 5.5 Rotational Equilibrium and Newton's First Law in Rotational Form |
| 2 | |
| 3 | |
- | | |
|---|--|
| 1 | 5.6 Newton's Second Law in Rotational Form |
| 2 | |
| 3 | |

Progress Check 3

Multiple-choice: ~18 questions**Free-response:** 4 questions

- Mathematical Routines
- Translation Between Representations
- Experimental Design and Analysis
- Qualitative/Quantitative Translation

Progress Check 4

Multiple-choice: ~18 questions**Free-response:** 4 questions

- Mathematical Routines
- Translation Between Representations
- Experimental Design and Analysis
- Qualitative/Quantitative Translation

Progress Check 5

Multiple-choice: ~18 questions**Free-response:** 4 questions

- Mathematical Routines
- Translation Between Representations
- Experimental Design and Analysis
- Qualitative/Quantitative Translation

**UNIT
6**

Energy and Momentum of Rotating Systems

~13/~19 Class Periods**10–15%** AP Exam Weighting1
2
3**6.1** Rotational Kinetic Energy1
2
3**6.2** Torque and Work1
2
3**6.3** Angular Momentum and Angular Impulse1
2
3**6.4** Conservation of Angular Momentum1
2
3**6.5** Rolling1
2
3**6.6** Motion of Orbiting Satellites**UNIT
7**

Oscillations

~12/~17 Class Periods**10–15%** AP Exam Weighting1
2
3**7.1** Defining Simple Harmonic Motion (SHM)1
2
3**7.2** Frequency and Period of SHM1
2
3**7.3** Representing and Analyzing SHM1
2
3**7.4** Energy of Simple Harmonic Oscillators1
2
3**7.5** Simple and Physical Pendulums

Progress Check 6

Multiple-choice: ~18 questions**Free-response:** 4 questions

- Mathematical Routines
- Translation Between Representations
- Experimental Design and Analysis
- Qualitative/Quantitative Translation

Progress Check 7

Multiple-choice: ~18 question**Free-response:** 4 questions

- Mathematical Routines
- Translation Between Representations
- Experimental Design and Analysis
- Qualitative/Quantitative Translation

THIS PAGE IS INTENTIONALLY LEFT BLANK.

AP PHYSICS C: MECHANICS

Unit Guides

Introduction

Designed with input from the community of AP Physics C: Mechanics educators, the Unit Guides offer teachers helpful guidance in building students' skills and content knowledge. The suggested sequence was identified through a thorough analysis of the syllabi of highly effective AP teachers and the organization of typical college textbooks.

This unit structure respects new AP teachers' time by providing one possible sequence that can adopt or modify rather than having to build from scratch. An additional benefit is that these units enable the AP Program to provide interested teachers with formative assessments—the Progress Checks—that they can assign their students at the end of each unit to gauge progress toward success on the AP Exam. However, experienced AP teachers who are satisfied with their current course organization and the exam results should feel no pressure to adopt these units, which comprise an optional sequence for this course.

Using the Unit Guides

UNIT 1 10–15% AP EXAM WEIGHTING ~14/~19 CLASS PERIODS

Kinematics

ESSENTIAL QUESTIONS

- How can the motion of objects be predicted and/or explained?
- How can the idea of frames of reference allow two people to tell the truth yet have conflicting reports?
- Why is the general rule for stopping your car “when you double your speed, you will give yourself four times as much distance to stop?”

Developing Understanding

The world is made up of objects that go under constant state of motion. To understand the relationships between objects, students must first understand movement. Unit 1 introduces students to the study of motion and serves as a foundation for all of AP Physics C: Mechanics by exploring the idea of acceleration and teaching students how representations can be used to model and analyze scientific information as it relates to the motion of objects.

Building the Science Practices

Multiple representations are key in Unit 1. By studying kinematics, students will learn to represent motion—both constant velocity and nonconstant velocity—in graphical forms (1.A and 1.B), and from different frames of reference. Regular practice with these representations will help students analyze and solve problems more easily. Students will also dispel some common misconceptions they may have about motion, such as exclusively using negative acceleration to describe an object slowing down. In Unit 1, students will have the opportunity to think beyond their traditional understanding of mathematics. Instead of merely evaluating equations (2.B), students will need multiple opportunities to use mathematical representations to support their reasoning and gain proficiency in using mathematical models to describe physical phenomena.

Preparing for the AP Exam

Creating models and representations is a fundamental piece of the fourth question in the free-response section—the Translation and Representation question. The analysis of models and representations constitutes a large part of the multiple-choice section of the AP Physics C: Mechanics exam. Physicists often use models and representations to show the behavior of objects and/or systems of objects, and to illustrate physics concepts. Representations and models include, but are not limited to, sketches of the physical situation, graphs, tables, diagrams, and verbal descriptions. As they encounter new scenarios throughout the unit, students should be encouraged to apply different representations based on the type of information given.

AP Physics C: Mechanics Course and Exam Description Course Framework V.1 | 25

UNIT OPENERS

Developing Understanding provides an overview that contextualizes and situates the key content of the unit within the scope of the course.

The **essential questions** are thought-provoking questions that motivate students and inspire inquiry.

Building the Science Practices

describes specific skills within the practices that are appropriate to focus on in that unit. Certain practices have been noted to indicate areas of emphasis for that unit.

Preparing for the AP Exam provides helpful tips and common student misunderstandings identified from prior exam data.

Kinematics

UNIT AT A GLANCE

Topic	Suggested Skills
1.1 Scalars and Vectors	<ul style="list-style-type: none">1 Create diagrams, tables, charts, or schematics to represent physical situations.2 Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.3 Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.4 Apply an appropriate law, definition, theoretical relationship, or model to make a claim.
1.2 Displacement, Velocity, and Acceleration	<ul style="list-style-type: none">1 Create quantitative graphs with appropriate scales and units, including plotting data.2 Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.3 Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.4 Create experimental procedures that are appropriate for a given scientific question.5 Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.
1.3 Representing Motion	<ul style="list-style-type: none">1 Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.2 Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.3 Predict new values or factors of change of physical quantities using functional dependence between variables.4 Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.
1.4 Reference Frames and Relative Motion	<ul style="list-style-type: none">1 Create diagrams, tables, charts, or schematics to represent physical situations.2 Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.3 Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.4 Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

continued on next page

26 | Course Framework V.1 AP Physics C: Mechanics Course and Exam Description

The **Unit at a Glance** table shows the topics, related enduring understandings, and suggested skills.

The **suggested skills** for each topic show possible ways to link the content in that topic to specific AP Physics skills. The individual skills have been thoughtfully chosen in a way that scaffolds skills throughout the course. The questions on the Progress Checks are based on this pairing. However, AP Exam questions can pair the content with any of the skills.

Using the Unit Guides

UNIT 1

Kinematics

SAMPLE INSTRUCTIONAL ACTIVITIES

The sample activities on this page are optional and are offered to provide possible ways to incorporate instructional approaches into the classroom. Teachers do not need to use these activities or instructional approaches and are free to alter or edit them. The examples below were developed in partnership with teachers from the AP community to share ways that they approach the learning of the topics in this unit. Please refer to the Instructional Approaches section beginning on p. 147 for more examples of activities and strategies.

Activity	Topic	Sample Activity
1	1.2	Friends Without Pens Assign students a small set of problems that relate position, velocity, or acceleration as a function of time. Challenge students to derive equations for the other two quantities as functions of time using calculus. Have students chat with “friends,” as appropriate, to work on deriving the equations.
2	1.3	Desktop Experiment Provide students with a pull-back toy car and a means to take video, and have them record position versus time data for the car as it speeds up and slows down. Have students fit a polynomial equation to the position versus time data and use calculus to predict the car’s maximum speed and initial and final magnitudes of acceleration.
3	1.3	Changing Representations Give students a verbal description of segmented motion, such as “accelerates from rest at 1 m/s^2 for 10 seconds, then rests for 20 seconds, and then accelerates again after another 20 seconds.” Have students draw position-velocity-acceleration graphs and formulate piecewise position/velocity/acceleration equations of motion.
4	1.3	Create & Plan Find pairs of speed and total stopping distance for cars. Provide students with five pairs of speed and total stopping distances (not broken into thinking and braking distances). Ask students to determine the driver’s reaction time and the car’s braking acceleration from the data.
5	1.4	Desktop Experiment Tasks Give each group a constant motion vehicle and a long, wide piece of paper (e.g., wrapping paper or brown school paper). Have the students experiment with the car to determine how far the car will travel in a given amount of time. Ask them to aim the car relative to the moving paper for the car to travel “straight across.”
6	1.5	Desktop Experiment Tasks Give students a ball launcher, right-triangular block, and meterstick. Have them calculate the launch speed of the ball using a horizontal launch of the ball from the launcher, and then predict where the ball will land if the ball is launched on the triangular block.
7	1.5	Graph and Switch Place students in pairs. Have Student A create a horizontal and vertical pair of velocity graphs for projectile motion. Have Student B write a narrative of what happened to the ball after the projectile was launched (at any angle, higher or lower or at the same height). Students then discuss their representations and decide whether the graph created by Student A supports or does not support the narrative written by Student B.

28 | Course Framework V.1 AP Physics C: Mechanics Course and Exam Description

The **Sample Instructional Activities** page includes optional activities that can help teachers tie together the content and skill for a particular topic.

UNIT 1

Kinematics

TOPIC 1.4 Reference Frames and Relative Motion

Required Course Content

LEARNING OBJECTIVE

1.4.A Describe the reference frame of a given observer.

1.4.B Describe the motion of objects as measured by observers in different inertial reference frames.

ESSENTIAL KNOWLEDGE

1.4.EK.1 The choice of reference frame will determine the direction and magnitude of quantities measured by an observer in that reference frame.

1.4.EK.2 Measurements from a given reference frame may be converted to measurements from another reference frame.

1.4.EK.3 The observed velocity of an object results from the combination of the object’s velocity and the velocity of the observer’s reference frame.

1.4.EK.4 Combining the motion of an object and the motion of an observer in a given reference frame involves the addition or subtraction of vectors.

1.4.EK.5 The acceleration of any object is the same as measured from all inertial reference frames.

BOUNDARY STATEMENT

Unless otherwise stated, the frame of reference of any problem may be assumed to be inertial.

SUGGESTED SKILLS

1.1A Create diagrams, tables, charts, or schematics to represent physical situations.

1.1B Calculate or estimate an unknown quantity with units from known quantities by selecting and following a logical computational pathway.

1.1C Compare physical quantities between two different scenarios or at different times and/or locations within a single scenario.

1.1D Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

AP Physics C: Mechanics Course and Exam Description Course Framework V.1 | 35

TOPIC PAGES

The **suggested skills** offer possible skills to pair with the topic.

Learning objectives define what a student needs to be able to do with content knowledge in order to progress through the course.

Essential knowledge statements define the required content knowledge associated with each learning objective assessed on the AP Exam.

Boundary statements provide guidance to teachers regarding the content boundaries of the AP Physics courses. Boundary statements appear at the end of essential knowledge statements where appropriate.

THIS PAGE IS INTENTIONALLY LEFT BLANK.

AP PHYSICS C: MECHANICS

UNIT 1

Kinematics



10–15%
AP EXAM WEIGHTING



~14/~19
CLASS PERIODS



Remember to go to **AP Classroom** to assign students the online **Progress Check** for this unit.

Whether assigned as homework or completed in class, the **Progress Check** provides each student with immediate feedback related to this unit's topic and skills.

Progress Check 1

Multiple-Choice: ~18 questions

Free-Response: 4 questions

- Mathematical Routines
- Translation Between Representations
- Experimental Design and Analysis
- Qualitative/Quantitative Translation

Kinematics

ESSENTIAL QUESTIONS

- How can the motion of objects be predicted and/or explained?
- How can the idea of frames of reference allow two people to tell the truth yet have conflicting reports?
- How can we use models to help us understand motion?
- Why is the general rule for stopping your car “when you double your speed, you must give yourself four times as much distance to stop”?

Developing Understanding

The world is made up of objects that are in a constant state of motion. To understand the relationships between objects, students must first understand movement. Unit 1 introduces students to the study of motion and serves as a foundation for all of AP Physics C: Mechanics by exploring the idea of acceleration and teaching students how representations can be used to model and analyze scientific information as it relates to the motion of objects.

Building the Science Practices

1.A **1.B** **2.A** **2.B**

Multiple representations are key in Unit 1. By studying kinematics, students will learn to represent motion—both constant velocity and constant acceleration—in words, in graphical (**1.A** and **1.B**), and/or mathematical forms (**2.A** and **2.B**), and from different frames of reference. Regular practice with these representations will help students analyze the specific motion of objects and systems while also dispelling some common misconceptions they may have about motion, such as exclusively using negative acceleration to describe an object slowing down. In addition, students will have the opportunity to think beyond their traditional understanding of mathematics. Instead of merely evaluating equations (**2.B**), students will need multiple opportunities to use mathematical representations to support their reasoning and gain proficiency in using mathematical models to describe physical phenomena.

Preparing for the AP Exam

Creating models and representations is a fundamental piece of the second question in the free-response section—the Translation Between Representations (TBR), and the analysis of models and representations constitutes a large part of the multiple-choice section of the AP Physics C: Mechanics exam. Physicists often use models and representations to show the behavior of objects and/or systems of objects, and to illustrate physics concepts. Representations and models include, but are not limited to, sketches of the physical situation, graphs, mathematical equations, and verbal descriptions. As they encounter new scenarios through the unit, students should be encouraged to apply different representations based on the type of information given.

UNIT AT A GLANCE

Topic	Suggested Skills
1.1 Scalars and Vectors	1.A Create diagrams, tables, charts, or schematics to represent physical situations. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.
1.2 Displacement, Velocity, and Acceleration	1.B Create quantitative graphs with appropriate scales and units, including plotting data. 2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.A Create experimental procedures that are appropriate for a given scientific question. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.
1.3 Representing Motion	1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.D Predict new values or factors of change of physical quantities using functional dependence between variables. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.
1.4 Reference Frames and Relative Motion	1.A Create diagrams, tables, charts, or schematics to represent physical situations. 2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

continued on next page

UNIT AT A GLANCE (cont'd)

Topic	Suggested Skills
1.5 Motion in Two or Three Dimensions	<p>1.B Create quantitative graphs with appropriate scales and units, including plotting data.</p> <p>2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.</p> <p>2.D Predict new values or factors of change of physical quantities using functional dependence between variables.</p> <p>3.A Create experimental procedures that are appropriate for a given scientific question.</p> <p>3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.</p>



Go to **AP Classroom** to assign the **Progress Check** for Unit 1.

Review the results in class to identify and address any student misunderstandings

SAMPLE INSTRUCTIONAL ACTIVITIES

The sample activities on this page are optional and are offered to provide possible ways to incorporate instructional approaches into the classroom. Teachers do not need to use these activities or instructional approaches and are free to alter or edit them. The examples below were developed in partnership with teachers from the AP community to share ways that they approach teaching some of the topics in this unit. Please refer to the Instructional Approaches section beginning on p. 147 for more examples of activities and strategies.

Activity	Topic	Sample Activity
1	1.2	Friends Without Pens Assign students a small set of problems that relate position, velocity, or acceleration as a function of time. Challenge students to derive equations for the other two quantities as functions of time using calculus. Have students chat with “friends,” as appropriate, to work on starting the derivations.
2	1.3	Desktop Experiment Tasks Provide students with a pull-back toy car and a means to take video, and have them record position versus time data for the car as it speeds up and slows down. Have students fit a polynomial equation to the position versus time data and use calculus to predict the car’s maximum speed and initial and final magnitudes of acceleration.
3	1.3	Changing Representations Give students a verbal description of segmented motion, such as “accelerates from rest at 5 m/s^2 for 10 seconds, then comes to rest again after another 20 seconds.” Have students draw position/velocity/acceleration graphs and formulate piecewise position/velocity/acceleration equations of motion.
4	1.3	Create a Plan Find data of speed and total stopping distance for cars. Provide students with five pairs of speed and total stopping distances (not broken into thinking and braking distances). Ask students to determine the driver’s reaction time and the car’s braking acceleration from the data.
5	1.4	Desktop Experiment Tasks Give each group a constant motion vehicle and a long, wide piece of paper (e.g., wrapping paper or brown school paper). Have the students experiment with the car traveling on the moving paper. Challenge students to determine how to aim the car relative to the moving paper for the car to travel “straight across.”
6	1.5	Desktop Experiment Tasks Give students a ball launcher, right-triangular block, and meterstick. Have them calculate the launch speed of the ball using a horizontal launch of the ball from the launcher, and then predict where the ball will land if the ball is launched on the triangular block.
7	1.5	Graph and Switch Place students in pairs. Have Student A create a horizontal and vertical pair of velocity graphs for projectile motion, while Student B writes a narrative of what happens (including whether the projectile was shot at an angle, lands higher or lower or at the same height). Students then discuss their representations and decide whether the graph created by Student A supports or does not support the narrative written by Student B.

TOPIC 1.1

Scalars and Vectors

SUGGESTED SKILLS**1.A**

Create diagrams, tables, charts, or schematics to represent physical situations.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

LEARNING OBJECTIVE**1.1.A**

Describe a scalar or vector quantity using magnitude and direction, as appropriate.

ESSENTIAL KNOWLEDGE**1.1.A.1**

Scalars are quantities described by magnitude only; vectors are quantities described by both magnitude and direction.

1.1.A.2

Vectors can be visually modeled as arrows with appropriate direction and lengths proportional to their magnitude.

1.1.A.3

Distance and speed are examples of scalar quantities, while position, displacement, velocity, and acceleration are examples of vector quantities.

1.1.A.4

Vectors can be expressed in unit vector notation or as a magnitude and a direction.

1.1.A.4.i

Unit vector notation can be used to represent vectors as the sum of their constituent components in the x -, y -, and z -directions, denoted by \hat{i} , \hat{j} , and \hat{k} , respectively.

Relevant equation:

$$\vec{r} = (A\hat{i} + B\hat{j} + C\hat{k})$$

1.1.A.4.ii

The position vector of a point is given by \vec{r} , and the unit vector in the direction of the position vector is denoted by \hat{r} .

continued on next page

LEARNING OBJECTIVE**1.1.A**

Describe a scalar or vector quantity using magnitude and direction, as appropriate.

ESSENTIAL KNOWLEDGE**1.1.A.4.iii**

A resultant vector is the vector sum of the addend vectors' components.

Relevant equations:

$$\vec{C} = \vec{A} + \vec{B}$$

$$\vec{C} = (A_x + B_x)\hat{i} + (A_y + B_y)\hat{j}$$

1.1.A.5

In a given one-dimensional coordinate system, opposite directions are denoted by opposite signs.

TOPIC 1.2

Displacement, Velocity, and Acceleration

SUGGESTED SKILLS**1.B**

Create quantitative graphs with appropriate scales and units, including plotting data.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.A

Create experimental procedures that are appropriate for a given scientific question.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

LEARNING OBJECTIVE**1.2.A**

Describe a change in an object's position.

ESSENTIAL KNOWLEDGE**1.2.A.1**

When using the object model, the size, shape, and internal configuration are ignored. The object may be treated as a single point with extensive properties such as mass and charge.

1.2.A.2

Displacement is the change in an object's position.

Relevant equation:

$$\Delta x = x - x_0$$

1.2.B

Describe the average velocity and acceleration of an object.

1.2.B.1

Averages of velocity and acceleration are calculated considering the initial and final states of an object over an interval of time.

1.2.B.2

Average velocity is the displacement of an object divided by the interval of time in which that displacement occurs.

$$\bar{v}_{\text{avg}} = \frac{\Delta \vec{x}}{\Delta t}$$

1.2.B.3

Average acceleration is the change in velocity divided by the interval of time in which that change in velocity occurs.

$$\bar{a}_{\text{avg}} = \frac{\Delta \vec{v}}{\Delta t}$$

1.2.B.4

An object is accelerating if either the magnitude and/or direction of the object's velocity are changing.

continued on next page

LEARNING OBJECTIVE**1.2.B**

Describe the average velocity and acceleration of an object.

1.2.C

Describe the instantaneous position, velocity, and acceleration of an object as a function of time.

ESSENTIAL KNOWLEDGE**1.2.B.5**

Calculating average velocity or average acceleration over a very small time interval yields a value that is very close to the instantaneous velocity or instantaneous acceleration.

1.2.C.1

As the time interval used to calculate the average value of a quantity approaches zero, the average value of that quantity approaches the value of the quantity at that instant, called the instantaneous value.

1.2.C.1.i

Instantaneous velocity is the rate of change of the object's position, which is equal to the derivative of position with respect to time.

Relevant equations:

$$\vec{v} = \frac{d\vec{r}}{dt}$$

$$v_x = \frac{dx}{dt}$$

1.2.C.1.ii

Instantaneous acceleration is the rate of change of the object's velocity, which is equal to the derivative of velocity with respect to time.

Relevant equations:

$$\vec{a} = \frac{d\vec{v}}{dt}$$

$$a_x = \frac{dv_x}{dt}$$

1.2.C.2

Time-dependent functions and instantaneous values of position, velocity, and acceleration can be determined using differentiation and integration.

TOPIC 1.3

Representing Motion

SUGGESTED SKILLS**1.C**

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.D

Predict new values or factors of change of physical quantities using functional dependence between variables.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

LEARNING OBJECTIVE**1.3.A**

Describe the position, velocity, and acceleration of an object using representations of that object's motion.

ESSENTIAL KNOWLEDGE**1.3.A.1**

Motion can be represented by motion diagrams, figures, graphs, equations, and narrative descriptions.

1.3.A.2

For constant acceleration, three kinematic equations can be used to describe instantaneous linear motion in one dimension:

$$v_x = v_{x0} + a_x t$$

$$x = x_0 + v_{x0}t + \frac{1}{2}a_x t^2$$

$$v_x^2 = v_{x0}^2 + 2a_x(x - x_0)$$

Note: The equations above are written to indicate motion in the x-direction, but these equations can be used in any single dimension as appropriate.

1.3.A.3

Near the surface of Earth, the vertical acceleration caused by the force of gravity is downward, constant, and has a measured value approximately equal to

$$a_g = g \approx 10 \text{ m/s}^2$$

1.3.A.4

Graphs of position, velocity, and acceleration as functions of time can be used to find the relationships between those quantities.

continued on next page

LEARNING OBJECTIVE**1.3.A**

Describe the position, velocity, and acceleration of an object using representations of that object's motion.

ESSENTIAL KNOWLEDGE**1.3.A.4.i**

An object's instantaneous velocity is the rate of change of the object's position, which is equal to the slope of a line tangent to a point on a graph of the object's position as a function of time.

Relevant equation:

$$v_x = \frac{dx}{dt}$$

1.3.A.4.ii

An object's instantaneous acceleration is the rate of change of the object's velocity, which is equal to the slope of a line tangent to a point on a graph of the object's velocity as a function of time.

Relevant equation:

$$a_x = \frac{dv_x}{dt}$$

1.3.A.4.iii

The displacement of an object during a time interval is equal to the area under the curve of a graph of the object's velocity as a function of time (i.e., the area bounded by the function and the horizontal axis for the appropriate interval).

Relevant equation:

$$\Delta x = \int_{t_1}^{t_2} v_x(t) dt$$

1.3.A.4.iv

The change in velocity of an object during a time interval is equal to the area under the curve of a graph of the acceleration of the object as a function of time.

Relevant equation:

$$\Delta v_x = \int_{t_1}^{t_2} a_x(t) dt$$

BOUNDARY STATEMENT

AP Physics C: Mechanics and AP Physics C: Electricity and Magnetism expects that for all situations in which a numerical quantity is required for g, the value $g \approx 10 \text{ m/s}^2$ will be used. However, students will not be penalized for correctly using the more precise commonly accepted values of $g = 9.81 \text{ m/s}^2$ or $g = 9.8 \text{ m/s}^2$.

TOPIC 1.4

Reference Frames and Relative Motion

Required Course Content

LEARNING OBJECTIVE

1.4.A

Describe the reference frame of a given observer.

ESSENTIAL KNOWLEDGE

1.4.A.1

The choice of reference frame will determine the direction and magnitude of quantities measured by an observer in that reference frame.

1.4.B

Describe the motion of objects as measured by observers in different inertial reference frames.

1.4.B.1

Measurements from a given reference frame may be converted to measurements from another reference frame.

1.4.B.2

The observed velocity of an object results from the combination of the object's velocity and the velocity of the observer's reference frame.

1.4.B.2.i

Combining the motion of an object and the motion of an observer in a given reference frame involves the addition or subtraction of vectors.

1.4.B.2.ii

The acceleration of any object is the same as measured from all inertial reference frames.

BOUNDARY STATEMENT

Unless otherwise stated, the frame of reference of any problem may be assumed to be inertial.

SUGGESTED SKILLS

1.A

Create diagrams, tables, charts, or schematics to represent physical situations.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

SUGGESTED SKILLS**1.B**

Create quantitative graphs with appropriate scales and units, including plotting data.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.D

Predict new values or factors of change of physical quantities using functional dependence between variables.

3.A

Create experimental procedures that are appropriate for a given scientific question.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

TOPIC 1.5

Motion in Two or Three Dimensions

Required Course Content

LEARNING OBJECTIVE**1.5.A**

Describe the motion of an object moving in two or three dimensions.

ESSENTIAL KNOWLEDGE**1.5.A.1**

Motion in two or three dimensions can be analyzed using one-dimensional kinematic relationships if the motion is separated into components.

1.5.A.2

Velocity and acceleration may be different in each dimension and may be nonuniform.

1.5.A.3

Motion in one dimension may be changed without causing a change in a perpendicular dimension.

1.5.A.4

Projectile motion is a special case of two-dimensional motion that has zero acceleration in one dimension and constant, nonzero acceleration in the second dimension.

BOUNDARY STATEMENT

AP Physics C: Mechanics only expects students to quantitatively analyze the motion of an object in two dimensions. AP Physics C: Electricity and Magnetism expects students to also qualitatively describe the motion of a particle in three dimensions.

AP PHYSICS C: MECHANICS

UNIT 2

Force and Translational Dynamics



20–25%
AP EXAM WEIGHTING



~15/~25
CLASS PERIODS



Remember to go to **AP Classroom** to assign students the online **Progress Check** for this unit.

Whether assigned as homework or completed in class, the **Progress Check** provides each student with immediate feedback related to this unit's topic and skills.

Progress Check 2

Multiple-Choice: ~30 questions

Free-Response: 4 questions

- Mathematical Routines
- Translation Between Representations
- Experimental Design and Analysis
- Qualitative/Quantitative Translation

Force and Translational Dynamics

ESSENTIAL QUESTIONS

- Why do we feel pulled toward Earth but not a pencil?
- Why does the swirling motion continue after you've stopped stirring a cup of coffee?
- If you apply the same amount of "push" to a car as you would a shopping cart, why doesn't the car move?
- Why must you push backward to make a skateboard move forward?
- How do you determine which team wins the tug-of-war: The team that pulls harder on the rope or the team that pushes harder on the ground?

Developing Understanding

In Unit 2, students are introduced to the concept of force, which is an interaction between two objects or systems of objects. Within the larger study of dynamics, forces provide the context in which students analyze and come to understand a variety of physical phenomena. This understanding is accomplished by revisiting and building upon the representations presented in Unit 1—specifically, through the introduction of the free-body diagram. Students will further analyze the effect of forces on systems when they encounter Newton's second law in rotational form in Unit 5.

Building the Science Practices

2.A **2.D** **3.B**

Translation between models and representations is key in this unit. Students will continue to use models and representations that will help them further analyze systems, the interactions between systems, and how these interactions result in change. Alongside gaining proficiency in the use of specific force equations, Unit 2 also encourages students to derive new expressions from fundamental principles (**2.A**) to help them make predictions using functional dependence between variables (**2.D**). The skills of making claims (**3.B**) can be developed throughout the unit by providing students with opportunities to such as having them make predictions about the acceleration of a system based on the forces exerted on that system, and then justifying those predictions with appropriate physics principles.

Preparing for the AP Exam

The AP Physics C: Mechanics Exam requires students to re-express key elements of physical phenomena across multiple representations in the domain. This skill appears in question four of the free-response section, the Qualitative/Quantitative Translation (QQT). In this question, students demonstrate translation between words and mathematics by describing and analyzing a scenario. Using content from any unit, the QQT first requires students to make a claim and provide evidence and reasoning to support their claim without reference to equations. Students are then asked to derive an equation or set of equations to mathematically represent the scenario. Lastly, students are required to make a connection between the claim made in the first part of the question and the equation(s) derived in the second part. Students exposed primarily to numerical problem solving often struggle with the QQT because it requires them to express a conceptual understanding of course content and representations. Opportunities to translate between different representations, including equations, diagrams, graphs, and verbal descriptions, can help students prepare for the QQT question.

UNIT AT A GLANCE

Topic	Suggested Skills
2.1 Systems and Center of Mass	1.A Create diagrams, tables, charts, or schematics to represent physical situations 2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.
2.2 Forces and Free-Body Diagrams	1.A Create diagrams, tables, charts, or schematics to represent physical situations. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.
2.3 Newton's Third Law	1.A Create diagrams, tables, charts, or schematics to represent physical situations. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.
2.4 Newton's First Law	1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

UNIT AT A GLANCE (cont'd)

Topic	Suggested Skills
2.5 Newton's Second Law	1.B Create quantitative graphs with appropriate scales and units, including plotting data. 2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway. 2.D Predict new values or factors of change of physical quantities using functional dependence between variables. 3.A Create experimental procedures that are appropriate for a given scientific question. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.
2.6 Gravitational Force	1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.D Predict new values or factors of change of physical quantities using functional dependence between variables. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.
2.7 Kinetic and Static Friction	1.B Create quantitative graphs with appropriate scales and units, including plotting data. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway. 3.A Create experimental procedures that are appropriate for a given scientific question. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.
2.8 Spring Forces	1.A Create diagrams, tables, charts, or schematics to represent physical situations. 2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway. 2.D Predict new values or factors of change of physical quantities using functional dependence between variables. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

UNIT AT A GLANCE (cont'd)

Topic	Suggested Skills
2.9 Resistive Forces	1.B Create quantitative graphs with appropriate scales and units, including plotting data. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.A Create experimental procedures that are appropriate for a given scientific question. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.
2.10 Circular Motion	1.A Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.D Predict new values or factors of change of physical quantities using functional dependence between variables. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.



Go to **AP Classroom** to assign the **Progress Check** for Unit 2.
Review the results in class to identify and address any student misunderstandings

SAMPLE INSTRUCTIONAL ACTIVITIES

The sample activities on this page are optional and are offered to provide possible ways to incorporate instructional approaches into the classroom. Teachers do not need to use these activities or instructional approaches and are free to alter or edit them. The examples below were developed in partnership with teachers from the AP community to share the ways that they approach teaching some of the topics in this unit. Please refer to the Instructional Approaches section beginning on p. 147 for more examples of activities and strategies.

Activity	Topic	Sample Activity
1	2.1	Desktop Experiment Tasks Using two bathroom scales and a long wooden plank, have students determine the location of their center of mass. Then, have students determine how far their center of mass moves as they move their arms from their sides to up over their head.
2	2.1	Graph and Switch Place students into pairs. Have each pair produce a free-body diagram. Have the pairs trade diagrams and have the groups suggest a situation where the forces on an object would be described by the diagram that they have been given. Have the groups compare their claims.
3	2.3	Discussion Groups Divide students into groups of 2 or 3. Have students explain why a strong adult will win against a small child in tug-of-war, even though the rope always has the same tension at both ends. Then, have students support their reasoning with free-body diagrams, and have each group present their reasoning and free-body diagram to the class.
4	2.5	Desktop Experiment Tasks Give students an object having unknown mass (or have students use their set of house keys, if available), known masses, string, a pulley, a meterstick, and a stopwatch. Have students use the provided materials to determine the unknown mass of the object.
5	2.7	Desktop Experiment Tasks Ask students to find the coefficient of friction (static or kinetic) of a shoe or other object. This activity can be made into a competition, where the team with the simplest procedure or the team that uses the least equipment wins.
6	2.10	Desktop Experiment Tasks Drill a small hole in the center of a wooden meterstick so that a pencil point fits in the hole. Place a penny on the meterstick and gently rotate the meterstick faster and faster until the penny slips. Have students make measurements and calculations to find the coefficient of static friction between the meterstick and the penny.

SUGGESTED SKILLS**1.A**

Create diagrams, tables, charts, or schematics to represent physical situations.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

TOPIC 2.1
Systems and Center of Mass**Required Course Content****LEARNING OBJECTIVE****2.1.A**

Describe the properties and interactions of a system.

ESSENTIAL KNOWLEDGE**2.1.A.1**

System properties are determined by the interactions between objects within the system.

2.1.A.2

If the properties or interactions of the constituent objects within a system are not important in modeling the behavior of the macroscopic system, the system can itself be treated as a single object.

2.1.A.3

Systems may allow interactions between constituent parts of the system and the environment, which may result in the transfer of energy or mass.

2.1.A.4

Individual objects within a chosen system may behave differently from each other as well as from the system as a whole.

2.1.A.5

The internal structure of a system affects the analysis of that system.

2.1.A.6

As variables external to a system are changed, the system's substructure may change.

continued on next page

Force and Translational Dynamics

LEARNING OBJECTIVE

2.1.B

Describe the location of a system's center of mass with respect to the system's constituent parts.

ESSENTIAL KNOWLEDGE

2.1.B.1

For objects or systems with symmetrical mass distributions, the center of mass is located on lines of symmetry.

2.1.B.2

The location of a system's center of mass along a given axis can be calculated using the equation

$$\vec{x}_{\text{cm}} = \frac{\sum m_i \vec{x}_i}{\sum m_i}$$

2.1.B.3

For a nonuniform solid that can be considered as a collection of differential masses, dm , the solid's center of mass can be calculated using the equation

$$\bar{r}_{\text{cm}} = \frac{\int \bar{r} dm}{\int dm}$$

2.1.B.3.i

The linear mass density of a rod or other linear rigid body is the derivative of the rod's mass with respect to the position of the differential mass element on the rigid body.

Relevant equation:

$$\lambda = \frac{d}{d\ell} m(\ell)$$

2.1.B.3.ii

If a function of mass density is given for a solid, the total mass can be determined by integrating the mass density over the length (one dimension), area (two dimensions), or volume (three dimensions) of the solid. For example:

$$M_{\text{total}} = \int \rho(r) dV$$

2.1.B.4

A system can be modeled as a singular object that is located at the system's center of mass.

SUGGESTED SKILLS**1.A**

Create diagrams, tables, charts, or schematics to represent physical situations.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

TOPIC 2.2

Forces and Free-Body Diagrams

Required Course Content

LEARNING OBJECTIVE**2.2.A**

Describe a force as an interaction between two objects or systems

ESSENTIAL KNOWLEDGE**2.2.A.1**

Forces are vector quantities that describe the interactions between objects or systems.

2.2.A.1.i

A force exerted on an object or system is always due to the interaction of that object or system with another object or system.

2.2.A.1.ii

An object or system cannot exert a net force on itself.

2.2.A.2

Contact forces describe the interaction of an object or system touching another object or system and are macroscopic effects of interatomic electric forces.

2.2.B.1

Free-body diagrams are useful tools for visualizing forces being exerted on a single object or system and for determining the equations that represent a physical situation.

2.2.B.2

The free-body diagram of an object or system shows each of the forces exerted on the object or system by the environment.

2.2.B.3

Forces exerted on an object or system are represented as vectors originating from the representation of the center of mass, such as a dot. A system is treated as though all of its mass is located at the center of mass.

continued on next page

LEARNING OBJECTIVE

2.2.B

Describe the forces exerted on an object or system using a free-body diagram.

ESSENTIAL KNOWLEDGE

2.2.B.4

A coordinate system with one axis parallel to the direction of acceleration of the object or system simplifies the translation from free-body diagram to algebraic representation. For example, in a free-body diagram of an object on an inclined plane, it is useful to set one axis parallel to the surface of the incline.

BOUNDARY STATEMENT

AP Physics C: Mechanics and AP Physics C: Electricity and Magnetism only expect students to depict the forces exerted on objects, not the force components on free-body diagrams. On the AP Physics exams, individual forces represented on a free-body diagram must be drawn as individual straight arrows, originating on the dot and pointing in the direction of the force. Individual forces that are in the same direction must be drawn side by side, not overlapping.

SUGGESTED SKILLS**1.A**

Create diagrams, tables, charts, or schematics to represent physical situations.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

TOPIC 2.3**Newton's Third Law****Required Course Content****LEARNING OBJECTIVE****2.3.A**

Describe the interaction of two objects or systems using Newton's third law and a representation of paired forces exerted on each object or system.

ESSENTIAL KNOWLEDGE**2.3.A.1**

Newton's third law describes the interaction of two objects or systems in terms of the paired forces that each exerts on the other.

$$\bar{F}_{A \text{ on } B} = -\bar{F}_{B \text{ on } A}$$

2.3.A.2

Interactions between objects within a system (internal forces) do not influence the motion of a system's center of mass.

2.3.A.3

Tension is the macroscopic net result of forces that infinitesimal segments of a string, cable, chain, or similar system exert on each other in response to an external force.

2.3.A.3.i

An ideal string has negligible mass and does not stretch when under tension.

2.3.A.3.ii

The tension in an ideal string is the same at all points within the string.

2.3.A.3.iii

In a string with nonnegligible mass, tension may not be the same at all points within the string.

2.3.A.3.iv

An ideal pulley is a pulley that has negligible mass and rotates about an axle through its center of mass with negligible friction.

TOPIC 2.4

Newton's First Law

Required Course Content

LEARNING OBJECTIVE

2.4.A

Describe the conditions under which a system's velocity remains constant.

ESSENTIAL KNOWLEDGE

2.4.A.1

The net force on a system is the vector sum of all forces exerted on the system.

2.4.A.2

Translational equilibrium is the configuration of forces such that the net force exerted on a system is zero.

Derived equation:

$$\sum \vec{F}_i = 0$$

2.4.A.3

Newton's first law states that if the net force exerted on a system is zero, the velocity of that system will remain constant.

2.4.A.4

Forces may be balanced in one dimension but unbalanced in another. The system's velocity will change only in the direction of the unbalanced force.

2.4.A.5

An inertial reference frame is one from which an observer would verify Newton's first law of motion.

SUGGESTED SKILLS

1.C

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

SUGGESTED SKILLS**1.B**

Create quantitative graphs with appropriate scales and units, including plotting data.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

2.D

Predict new values or factors of change of physical quantities using functional dependence between variables.

3.A

Create experimental procedures that are appropriate for a given scientific question.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

TOPIC 2.5

Newton's Second Law

Required Course Content

LEARNING OBJECTIVE**2.5.A**

Describe the conditions under which a system's velocity changes.

ESSENTIAL KNOWLEDGE**2.5.A.1**

Unbalanced forces are a configuration of forces such that the net force exerted on a system is not equal to zero.

2.5.A.2

Newton's second law of motion states that the acceleration of a system's center of mass has a magnitude proportional to the magnitude of the net force exerted on the system and is in the same direction as that net force.

Relevant equation:

$$\vec{a}_{\text{sys}} = \frac{\sum \vec{F}}{m_{\text{sys}}} = \frac{\vec{F}_{\text{net}}}{m_{\text{sys}}}$$

2.5.A.3

The velocity of a system's center of mass will only change if a nonzero net external force is exerted on that system.

TOPIC 2.6

Gravitational Force

SUGGESTED SKILLS**1.C**

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.D

Predict new values or factors of change of physical quantities using functional dependence between variables.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

Required Course Content

LEARNING OBJECTIVE**2.6.A**

Describe the gravitational interaction between two objects or systems with mass.

ESSENTIAL KNOWLEDGE**2.6.A.1**

Newton's law of universal gravitation describes the gravitational force between two objects or systems as directly proportional to each of their masses and inversely proportional to the square of the distance between the systems' centers of mass.

Relevant equation:

$$|\vec{F}_g| = G \frac{m_1 m_2}{r^2}$$

2.6.A.1.i

The gravitational force is attractive.

2.6.A.1.ii

The gravitational force is always exerted along the line connecting the center of mass of the two interacting systems.

2.6.A.1.iii

The gravitational force on a system can be considered to be exerted on the system's center of mass.

2.6.A.2

A field models the effects of a noncontact force exerted on an object at various positions in space.

continued on next page

LEARNING OBJECTIVE**2.6.A**

Describe the gravitational interaction between two objects or systems with mass.

ESSENTIAL KNOWLEDGE**2.6.A.2.i**

The magnitude of the gravitational field created by a system of mass M at a point in space is equal to the ratio of the gravitational force exerted by the system on a test object of mass m to the mass of the test object.

Derived equation:

$$|\vec{g}| = \frac{|\vec{F}_g|}{m} = G \frac{M}{r^2}$$

2.6.A.2.ii

If the gravitational force is the only force exerted on an object, the observed acceleration of the object (in m/s^2) is numerically equal to the magnitude of the gravitational field strength (in N/kg) at that location.

2.6.A.3

The gravitational force exerted by an astronomical body on a relatively small nearby object is called weight.

Derived equation:

$$\text{Weight} = F_g = mg$$

2.6.B

Describe situations in which the gravitational force can be considered constant.

2.6.B.1

If the gravitational force between two systems' centers of mass has a negligible change as the relative position of the two systems changes, the gravitational force can be considered constant at all points between the initial and final positions of the systems.

2.6.B.2

Near the surface of Earth, the strength of the gravitational field is

$$g \approx 10 \text{ N/kg}$$

2.6.C

Describe the conditions under which the magnitude of a system's apparent weight is different from the magnitude of the gravitational force exerted on that system.

2.6.C.1

The magnitude of the apparent weight of a system is the magnitude of the normal force exerted on the system.

2.6.C.2

If the system is accelerating, the apparent weight of the system is not equal to the magnitude of the gravitational force exerted on the system.

continued on next page

Course Framework V.1 | 52

[Return to Table of Contents](#)

© 2024 College Board

Force and Translational Dynamics

LEARNING OBJECTIVE

2.6.C

Describe the conditions under which the magnitude of a system's apparent weight is different from the magnitude of the gravitational force exerted on that system.

2.6.D

Describe inertial and gravitational mass.

2.6.E

Describe the gravitational force exerted on an object by a uniform spherical distribution of mass.

ESSENTIAL KNOWLEDGE

2.6.C.3

A system appears weightless when there are no forces exerted on the system or when the force of gravity is the only force exerted on the system.

2.6.C.4

The equivalence principle states that an observer in a noninertial reference frame is unable to distinguish between an object's apparent weight and the gravitational force exerted on the object by a gravitational field.

2.6.D.1

Objects have inertial mass, or inertia, a property that determines how much an object's motion resists changes when interacting with another object.

2.6.D.2

Gravitational mass is related to the force of attraction between two systems with mass.

2.6.D.3

Inertial mass and gravitational mass have been experimentally verified to be equivalent.

2.6.E.1

The net gravitational force exerted on an object by a uniform spherical distribution of mass is the sum of the individual forces from small differential masses that comprise the distribution.

2.6.E.2

Newton's shell theorem describes the net gravitational force exerted on an object by a uniform spherical shell of mass.

2.6.E.2.i

The net gravitational force exerted on an object inside a thin spherical shell is zero.

2.6.E.2.ii

The net gravitational force exerted on an object outside a thin spherical shell can be determined by treating the shell as a single massive object located at the center of the shell.

2.6.E.2.iii

An object inside a sphere of uniform density experiences a net gravitational force from only a partial mass of the sphere.

continued on next page

LEARNING OBJECTIVE

2.6.E

Describe the gravitational force exerted on an object by a uniform spherical distribution of mass.

ESSENTIAL KNOWLEDGE

2.6.E.2.iv

The partial mass of a sphere that contributes to the net gravitational force exerted on an object within that sphere is the portion of the sphere's mass located a distance less than or equal to the object's distance from the center of the sphere and can be calculated using the density of the sphere.

Derived equation:

$$m_{\text{partial}} = \rho \frac{4}{3} \pi (r_{\text{partial}})^3$$

2.6.E.3

The gravitational force exerted on an object within a uniform sphere can be shown to be proportional to the object's distance from the sphere's center.

Derived equation:

$$F_{g,\text{partial}} = -kr_{\text{partial}}$$

BOUNDARY STATEMENT

AP Physics C: Mechanics does not expect students to mathematically prove or derive Newton's shell theorem.

TOPIC 2.7

Kinetic and Static Friction

Required Course Content

LEARNING OBJECTIVE**2.7.A**

Describe kinetic friction between two surfaces.

ESSENTIAL KNOWLEDGE**2.7.A.1**

Kinetic friction occurs when two surfaces in contact move relative to each other.

2.7.A.1.i

The kinetic friction force is exerted in a direction opposite the motion of each surface relative to the other surface.

2.7.A.1.ii

The force of friction between two surfaces does not depend on the size of the surface area of contact.

2.7.A.2

The magnitude of the kinetic friction force exerted on an object is the product of the normal force the surface exerts on the object and the coefficient of kinetic friction.

Relevant equation:

$$|\vec{F}_{f,k}| = |\mu_k \vec{F}_N|$$

2.7.A.2.i

The coefficient of kinetic friction depends on the material properties of the surfaces that are in contact.

2.7.A.2.ii

Normal force is the perpendicular component of the force exerted on an object by the surface with which it is in contact; it is directed away from the surface.

SUGGESTED SKILLS**1.B**

Create quantitative graphs with appropriate scales and units, including plotting data.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

3.A

Create experimental procedures that are appropriate for a given scientific question.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

continued on next page

LEARNING OBJECTIVE**2.7.B**

Describe static friction between two surfaces.

ESSENTIAL KNOWLEDGE**2.7.B.1**

Static friction may occur between the contacting surfaces of two objects that are not moving relative to each other.

2.7.B.2

Static friction adopts the value and direction required to prevent an object from slipping or sliding on a surface.

Relevant equation:

$$|\vec{F}_{f,s}| \leq |\mu_s \vec{F}_n|$$

2.7.B.2.i

Slipping and sliding refer to situations in which two surfaces are moving relative to each other.

2.7.B.2.ii

There exists a maximum value for which static friction will prevent an object from slipping on a given surface.

Derived equation:

$$F_{f,s,\max} = \mu_s F_N$$

2.7.B.3

The coefficient of static friction is typically greater than the coefficient of kinetic friction for a given pair of surfaces.

TOPIC 2.8

Spring Forces

SUGGESTED SKILLS

1.A

Create diagrams, tables, charts, or schematics to represent physical situations.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

2.D

Predict new values or factors of change of physical quantities using functional dependence between variables.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

LEARNING OBJECTIVE

2.8.A

Describe the force exerted on an object by an ideal spring.

ESSENTIAL KNOWLEDGE

2.8.A.1

An ideal spring has negligible mass and exerts a force that is proportional to the change in its length as measured from its relaxed length. A nonideal spring either has nonnegligible mass or exerts a force that is not proportional to the change in its length as measured from its relaxed length.

2.8.A.2

The magnitude of the force exerted by an ideal spring on an object is given by Hooke's law:

$$\vec{F}_s = -k\Delta\vec{x}$$

2.8.A.3

The force exerted on an object by a spring is always directed toward the equilibrium position of the object–spring system.

2.8.B

Describe the equivalent spring constant of a combination of springs exerting forces on an object.

2.8.B.1

A collection of springs that exert forces on an object may behave as though they were a single spring with an equivalent spring constant k_{eq} .

2.8.B.1.i

The inverse of the equivalent spring constant of a set of springs in series is equal to the sum of the inverses of the individual spring constants.

Derived equation:

$$\frac{1}{k_{eq, \text{series}}} = \sum_i \frac{1}{k_i} = \frac{1}{k_1} + \frac{1}{k_2} + \dots$$

continued on next page

LEARNING OBJECTIVE**2.8.B**

Describe the equivalent spring constant of a combination of springs exerting forces on an object.

ESSENTIAL KNOWLEDGE**2.8.B.1.ii**

The equivalent spring constant of a set of springs arranged in series is smaller than the smallest constituent spring constant.

2.8.B.1.iii

The equivalent spring constant of a set of springs arranged in parallel is the sum of the individual spring constants.

Derived equation:

$$k_{\text{eq, parallel}} = \sum_i k_i = k_1 + k_2 + \dots$$

BOUNDARY STATEMENT

AP Physics C: Mechanics only expects students to find the effective spring constant of systems of springs that are arranged either in series or in parallel and does not expect students to find the effective spring constant of a system in which springs are arranged in both series and parallel.

TOPIC 2.9

Resistive Forces

SUGGESTED SKILLS**1.B**

Create quantitative graphs with appropriate scales and units, including plotting data.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.A

Create experimental procedures that are appropriate for a given scientific question.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

LEARNING OBJECTIVE**2.9.A**

Describe the motion of an object subject to a resistive force.

ESSENTIAL KNOWLEDGE**2.9.A.1**

A resistive force is defined as a velocity-dependent force in the opposite direction of an object's velocity, for example:

$$\vec{F}_r = -k\vec{v}$$

2.9.A.2

Applying Newton's second law to an object upon which a resistive force is exerted results in a differential equation for velocity.

2.9.A.2.i

Using the method of separation of variables, the velocity can be determined by integrating over the proper limits of integration.

2.9.A.2.ii

The acceleration or position of a moving object that is subject to a velocity-dependent force may be determined using initial conditions of the object and methods of calculus, once a function for velocity is determined.

2.9.A.2.iii

The position, velocity, and acceleration as functions of time of an object under the influence of a resistive force of the form $\vec{F}_r = -k\vec{v}$ are exponential and have asymptotes that are determined by the initial conditions of the object and the forces exerted on the object.

2.9.A.3

Terminal velocity is defined as the maximum speed achieved by an object moving under the influence of a constant force and a resistive force that are exerted on the object in opposite directions. The terminal condition is reached when the net force exerted on the object is zero.

SUGGESTED SKILLS**1.A**

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.D

Predict new values or factors of change of physical quantities using functional dependence between variables.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

TOPIC 2.10
Circular Motion**Required Course Content****LEARNING OBJECTIVE****2.10.A**

Describe the motion of an object traveling in a circular path.

ESSENTIAL KNOWLEDGE**2.10.A.1**

Centripetal acceleration is the component of an object's acceleration directed toward the center of the object's circular path.

2.10.A.1.i

The magnitude of centripetal acceleration for an object moving in a circular path is the ratio of the object's tangential speed squared to the radius of the circular path.

Relevant equation:

$$a_c = \frac{v^2}{r}$$

2.10.A.1.ii

Centripetal acceleration is directed toward the center of an object's circular path.

2.10.A.2

Centripetal acceleration can result from a single force, more than one force, or components of forces that are exerted on an object in circular motion.

2.10.A.2.i

At the top of a vertical, circular loop, an object requires a minimum speed to maintain circular motion. At this point, and with this minimum velocity, the gravitational force is the only force that causes the centripetal acceleration.

Derived equation:

$$v = \sqrt{gr}$$

continued on next page

Force and Translational Dynamics

LEARNING OBJECTIVE

2.10.A

Describe the motion of an object traveling in a circular path.

ESSENTIAL KNOWLEDGE

2.10.A.2.ii

Components of the static friction force and the normal force can contribute to the net force producing centripetal acceleration of an object traveling in a circle on a banked surface.

2.10.A.2.iii

A component of tension contributes to the net force producing centripetal acceleration experienced by a conical pendulum.

2.10.A.3

Tangential acceleration is the rate at which an object's speed changes and is directed tangent to the object's circular path.

2.10.A.4

The net acceleration of an object moving in a circle is the vector sum of the centripetal acceleration and tangential acceleration.

2.10.A.5

The revolution of an object traveling in a circular path at a constant speed (uniform circular motion) can be described using period and frequency.

2.10.A.5.i

The time to complete one full circular path, one full rotation, or a full cycle of oscillatory motion is defined as period, T .

2.10.A.5.ii

The rate at which an object is completing revolutions is defined as frequency, f .

Relevant equation:

$$T = \frac{1}{f}$$

2.10.A.5.iii

For an object traveling at a constant speed in a circular path, the period is given by the derived equation

$$T = \frac{2\pi r}{v}$$

continued on next page

2.10.B

Describe circular orbits using Kepler's third law.

2.10.B.1

For a satellite in circular orbit around a central body, the satellite's centripetal acceleration is caused only by gravitational attraction. The period and radius of the circular orbit are related to the mass of the central body.

Derived equation:

$$T^2 = \frac{4\pi^2}{GM} R^3$$

BOUNDARY STATEMENT

AP Physics C: Mechanics does not expect students to know Kepler's first or second laws of planetary motion.

AP PHYSICS C: MECHANICS

UNIT 3

Work, Energy, and Power



15–25%
AP EXAM WEIGHTING



~12/~17
CLASS PERIODS



Remember to go to **AP Classroom** to assign students the online **Progress Check** for this unit.

Whether assigned as homework or completed in class, the **Progress Check** provides each student with immediate feedback related to this unit's topic and skills.

Progress Check 3

Multiple-Choice: ~18 questions

Free-Response: 4 questions

- Mathematical Routines
- Translation Between Representations
- Experimental Design and Analysis
- Qualitative/Quantitative Translation

Work, Energy, and Power



Developing Understanding

ESSENTIAL QUESTIONS

- Does pushing an object always change its energy?
- If energy is conserved, why are we running out of it?
- How much money can you save by charging your phone at school instead of at home?
- Why does a stretched rubber band return to its original length?
- Why does it seem easier to carry a large box up a ramp rather than a set of stairs?

Building the Science Practices

1.A **1.C** **2.A** **3.C**

Describing, creating, and using representations (**1.A** and **1.C**) will help students grapple with common misconceptions that they may have about energy, such as whether a force does work on an object, even though the object doesn't move, or whether a single object can "have" potential energy. A thorough understanding of energy will support students' ability to justify claims with evidence (**3.C**) about physical situations. This understanding is crucial, as the mathematical models and representations (**2.A**) used in Unit 3 will spiral throughout the course and appear in subsequent units. As students' comprehension of energy evolves, students should begin to leverage understanding of the science practices to connect and relate knowledge across scales, concepts, and representations, as well as across disciplines—particularly, physics, chemistry, and biology.

Preparing for the AP Exam

The first free-response question on the AP Physics C: Mechanics Exam—the Mathematical Routines (MR) question—focuses on assessing students' ability to create and use mathematical models. Students will be required to calculate or derive an expression for a physical quantity. They will also be required to create and/or use a representation and make and justify claims. The final part of the MR question requires students to demonstrate their ability to communicate their understanding of a physical situation in a reasoned, expository analysis. A student's analysis of the situation should be coherent, organized, and sequential. It should draw from evidence, cite physical principles, and clearly present the student's thinking. While Unit 3 offers content perfect for practicing the MR question, the MR question on the AP Physics C: Mechanics Exam can pull content from any of the seven units of the course.

UNIT AT A GLANCE

Topic	Suggested Skills
3.1 Translational Kinetic Energy	1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.
3.2 Work	1.A Create diagrams, tables, charts, or schematics to represent physical situations. 1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.D Predict new values or factors of change of physical quantities using functional dependence between variables. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.
3.3 Potential Energy	1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.
3.4 Conservation of Energy	1.B Create quantitative graphs with appropriate scales and units, including plotting data. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.A Create experimental procedures that are appropriate for a given scientific question. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

UNIT AT A GLANCE (cont'd)

Topic	Suggested Skills
3.5 Power	1.A Create diagrams, tables, charts, or schematics to represent physical situations. 2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.



Go to **AP Classroom** to assign the **Progress Check** for Unit 3.

Review the results in class to identify and address any student misunderstandings

SAMPLE INSTRUCTIONAL ACTIVITIES

The sample activities on this page are optional and are offered to provide possible ways to incorporate instructional approaches into the classroom. Teachers do not need to use these activities or instructional approaches and are free to alter or edit them. The examples below were developed in partnership with teachers from the AP community to share ways that they approach teaching some of the topics in this unit. Please refer to the Instructional Approaches section beginning on p. 147 for more example of activities and strategies.

Activity	Topic	Sample Activity
1	3.3	Graph and Switch Break students into small groups. Have each group construct a potential energy (U) function that has at least one minimum, as well as a graph of that function. Have the groups switch graphs and formulate an AP-level questions about the U function (e.g., "If a 2 kg mass is released at $x = 3$ m, what is its speed at $x = 9$ m?"). Have the groups switch papers again. Ask the group to answer the question they have been given.
2	3.4	Graph and Switch Present groups of students with a sequence of two or three energy bar charts and have them describe a realistic situation that would involve those energy transformations. Have groups switch diagrams and descriptions and justify whether or not the description is consistent with the energy bar chart.
3	3.4	Desktop Experiment Tasks Using spring-loaded suction cup launchers, have students measure the spring constant of the spring, not by removing the spring from the launcher, but by measuring some aspect of the suction cup's motion after being launched.
4	3.4	Changing Representations Have each student describe an everyday activity that involves the transfer of mechanical energy. Then, have students construct energy bar charts showing the exchanges of energy and free-body diagrams to indicate the forces doing work, and flowcharts to indicate the flow of energy from one system or form to another.
5	3.5	Create a Plan Have students construct graph of power delivered to a car as a function of time as the car accelerates from rest and reaches full speed. Next, ask students to describe how they could use the graph of power as a function of time to determine the velocity of the car as a function of time.

TOPIC 3.1

Translational Kinetic Energy

Required Course Content

LEARNING OBJECTIVE**3.1.A**

Describe the translational kinetic energy of an object in terms of the object's mass and velocity.

ESSENTIAL KNOWLEDGE**3.1.A.1**

An object's translational kinetic energy is given by the equation

$$K = \frac{1}{2}mv^2$$

3.1.A.2

Translational kinetic energy is a scalar quantity.

3.1.A.3

Different observers may measure different values of the translational kinetic energy of an object, depending on the observer's frame of reference.

SUGGESTED SKILLS**1.C**

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

SUGGESTED SKILLS**1.A**

Create diagrams, tables, charts, or schematics to represent physical situations.

1.C

Create qualitative sketches or graphs that represent features of a model or the behavior of the physical system.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.D

Predict new values or factors of change of physical quantities using functional dependence between variables.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

TOPIC 3.2
Work**Required Course Content****LEARNING OBJECTIVE****3.2.A**

Describe the work done on an object or system by a given force or collection of forces.

ESSENTIAL KNOWLEDGE**3.2.A.1**

Work is the amount of energy transferred into or out of a system by a force exerted on that system over a distance.

3.2.A.1.i

The work done by a conservative force exerted on a system is path-independent and only depends on the initial and final configurations of that system.

3.2.A.1.ii

The work done by a conservative force on a system—or the change in the potential energy of the system—will be zero if the system returns to its initial configuration.

3.2.A.1.iii

Potential energies are associated only with conservative forces.

3.2.A.1.iv

The work done by a nonconservative force is path-dependent.

3.2.A.1.v

The most common nonconservative forces are friction and air resistance.

3.2.A.2

Work is a scalar quantity that may be positive, negative, or zero.

continued on next page

Work, Energy, and Power

LEARNING OBJECTIVE

3.2.A

Describe the work done on an object or system by a given force or collection of forces.

ESSENTIAL KNOWLEDGE

3.2.A.3

The work done on an object by a variable force is calculated using

$$W = \int_a^b \vec{F}(r) \cdot d\vec{r},$$

where the integral is taken over the path from point a to point b .

3.2.A.3.i

The dot product between two vectors, \vec{A} and \vec{B} , results in a scalar quantity of magnitude

$$\vec{A} \cdot \vec{B} = AB \cos \theta.$$

3.2.A.3.ii

Only the component of the force exerted on a system that is parallel to the displacement of the point of application of the force will change the system's total energy.

3.2.A.3.iii

If the component of the force exerted on a system that is parallel to the displacement is constant, the work done on the system by the force is given by the derived equation

$$W = F_{||}d = Fd \cos \theta.$$

3.2.A.3.iv

The component of the force exerted on a system perpendicular to the direction of the displacement of the system's center of mass can change the direction of the system's motion without changing the system's kinetic energy.

3.2.A.4

The work–energy theorem states that the change in an object's kinetic energy is equal to the sum of the work (net work) being done by all forces exerted on the object.

Relevant equation:

$$\Delta K = \sum W_i = \sum F_{||,i} d_i$$

3.2.A.4.i

An external force may change the configuration of a system. The component of the external force parallel to the displacement times the displacement of the point of application of the force gives the change in kinetic energy of the system.

continued on next page

LEARNING OBJECTIVE**3.3.A**

Describe the work done on an object or system by a given force or collection of forces.

ESSENTIAL KNOWLEDGE**3.2.A.4.ii**

If the system's center of mass and the point of application of the force move the same distance when a force is exerted on a system, then the system may be modeled as an object, and only the system's kinetic energy can change.

3.2.A.4.iii

The energy dissipated by friction is typically equated to the force of friction times the length of the path over which the force is exerted.

$$\Delta E_{\text{mech}} = F_f d \cos\theta$$

3.2.A.5

Work is equal to the area under the curve of a graph of F_{\parallel} as a function of displacement.

BOUNDARY STATEMENT

AP Physics C: Mechanics only expects students to analyze the transfer of mechanical energy, although students should be aware that mechanical energy may be dissipated in the form of thermal energy or sound.

TOPIC 3.3

Potential Energy

Required Course Content

LEARNING OBJECTIVE

3.3.A

Describe the potential energy of a system.

ESSENTIAL KNOWLEDGE

3.3.A.1

A system composed of two or more objects has potential energy if the objects within that system only interact with each other through conservative forces.

3.3.A.2

Potential energy is a scalar quantity associated with the position of objects within a system.

3.3.A.3

The definition of zero potential energy for a given system is a decision made by the observer considering the situation to simplify or otherwise assist in analysis.

3.3.A.4

The relationship between conservative forces exerted on a system and the system's potential energy is

$$\Delta U = - \int_a^b \vec{F}_f(r) \cdot d\vec{r}$$

3.3.A.5

The conservative forces exerted on a system in a single dimension can be determined using the slope of the system's potential energy with respect to position in that dimension; these forces point in the direction of decreasing potential energy.

Relevant equation:

$$F_x = -\frac{dU(x)}{dx}$$

3.3.A.6

Graphs of a system's potential energy as a function of its position can be useful in determining physical properties of that system.

SUGGESTED SKILLS

1.C

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

continued on next page

LEARNING OBJECTIVE**3.3.A**

Describe the potential energy of a system.

ESSENTIAL KNOWLEDGE**3.3.A.6.i**

Stable equilibrium is a location at which a small displacement in an object's position results in a force exerted on the object opposite to the direction of the small displacement, accelerating the object back toward the equilibrium position.

3.3.A.6.ii

Unstable equilibrium is a location at which a small displacement in an object's position results in a force exerted on the object in the same direction as the small displacement, accelerating the object away from the equilibrium position.

3.3.A.6.iii

In a given dimension, stable equilibrium positions exist at locations where the potential energy as a function of position in that dimension has a local minimum.

3.3.A.6.iv

In a given dimension, unstable equilibrium positions occur at locations where the potential energy as a function of position in that dimension has a local maximum.

3.3.A.7

The potential energy of common physical systems can be described using the physical properties of that system.

3.3.A.7.i

The elastic potential energy of an ideal spring is given by the following equation, where Δx is the distance the spring has been stretched or compressed from its equilibrium length.

Relevant equation:

$$U_s = \frac{1}{2}k(\Delta x)^2$$

3.3.A.7.ii

The general form for the gravitational potential energy of a system consisting of two approximately spherical distributions of mass (e.g., moons, planets, or stars) is given by the equation

$$U_g = -G \frac{m_1 m_2}{r}$$

Work, Energy, and Power

LEARNING OBJECTIVE

3.3.A

Describe the potential energy of a system.

ESSENTIAL KNOWLEDGE

3.3.A.7.iii

Because the gravitational field near the surface of a planet is nearly constant, the change in gravitational potential energy in a system consisting of an object with mass m and a planet with gravitational field of magnitude g when the object is near the surface of the planet may be approximated by the equation

$$\Delta U_g = mg\Delta y.$$

3.3.A.8

The total potential energy of a system containing more than two objects is the sum of the potential energy of each pair of objects within the system.

SUGGESTED SKILLS**1.B**

Create quantitative graphs with appropriate scales and units, including plotting data.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.A

Create experimental procedures that are appropriate for a given scientific question.

3.B

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

TOPIC 3.4
Conservation of Energy**Required Course Content****LEARNING OBJECTIVE****3.4.A**

Describe the energies present in a system.

ESSENTIAL KNOWLEDGE**3.4.A.1**

A system composed of only a single object can only have kinetic energy.

3.4.A.2

A system that contains objects that interact via conservative forces or that can change its shape reversibly may have both kinetic and potential energies.

3.4.B

Describe the behavior of a system using conservation of mechanical energy principles.

3.4.B.1

Mechanical energy is the sum of a system's kinetic and potential energies.

3.4.B.2

Any change to a type of energy within a system must be balanced by an equivalent change of other types of energies within the system or by a transfer of energy between the system and its surroundings.

3.4.B.3

A system may be selected so that the total energy of that system is constant.

3.4.B.4

If the total energy of a system changes, that change will be equivalent to the energy transferred into or out of the system.

continued on next page

Work, Energy, and Power

LEARNING OBJECTIVE

3.4.C

Describe how the selection of a system determines whether the energy of that system changes.

ESSENTIAL KNOWLEDGE

3.4.C.1

Energy is conserved in all interactions.

3.4.C.2

If the work done on a selected system is zero and there are no nonconservative interactions within the system, the total mechanical energy of the system is constant.

3.4.C.3

If the work done on a selected system is nonzero, energy is transferred between the system and the environment.

BOUNDARY STATEMENT

AP Physics C: Mechanics expects students to know that mechanical energy can be dissipated as thermal energy or sound by nonconservative forces.

SUGGESTED SKILLS**1.A**

Create diagrams, tables, charts, or schematics to represent physical situations.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

TOPIC 3.5
Power**Required Course Content****LEARNING OBJECTIVE****3.5.A**

Describe the transfer of energy into, out of, or within a system in terms of power.

ESSENTIAL KNOWLEDGE**3.5.A.1**

Power is the rate at which energy changes with respect to time, either by transfer into or out of a system or by conversion from one type to another within a system.

3.5.A.2

Average power is the amount of energy being transferred or converted, divided by the time it took for that transfer or conversion to occur.

Relevant equation:

$$P_{\text{avg}} = \frac{\Delta E}{\Delta t}$$

3.5.A.3

Because work is the change in energy of an object or system due to a force, average power is the total work done, divided by the time during which that work was done.

Relevant equation:

$$P_{\text{avg}} = \frac{W}{\Delta t}$$

3.5.A.4

The instantaneous power delivered to an object by a force is given by the equation

$$P_{\text{inst}} = \frac{dW}{dt}$$

3.5.A.5

The instantaneous power delivered to an object by the component of a constant force parallel to the object's velocity can be described with the derived equation

$$P_{\text{inst}} = F_{\parallel}v = Fv \cos\theta.$$

AP PHYSICS C: MECHANICS

UNIT 4

Linear Momentum



10–20%
AP EXAM WEIGHTING



~11/~15
CLASS PERIODS



Remember to go to **AP Classroom** to assign students the online **Progress Check** for this unit.

Whether assigned as homework or completed in class, the **Progress Check** provides each student with immediate feedback related to this unit's topic and skills.

Progress Check 4

Multiple-Choice: ~18 questions

Free-Response: 4 questions

- Mathematical Routines
- Translation Between Representations
- Experimental Design and Analysis
- Qualitative/Quantitative Translation

Linear Momentum

ESSENTIAL QUESTIONS

- Why does water move a ship forward when its propellers push water backward?
- Why are cannon barrels so much longer and heavier than cannonballs?
- Why might a person land in the water instead of on the dock when trying to exit a canoe?

Developing Understanding

Unit 4 introduces students to the relationships between force, time, impulse, and linear momentum via calculations, data analysis, designing experiments, and making predictions. Students will learn how to use new models and representations to illustrate the law of conservation of linear momentum of objects and systems while gaining proficiency using previously studied representations. Using the law of conservation of linear momentum to analyze physical situations provides students with a more complete picture of forces and opportunities to revisit misconceptions surrounding Newton's third law. Students will also have the opportunity to make connections between momentum and kinetic energy of objects or systems and see under what conditions these quantities remain constant.

Building the Science Practices

1.B **2.B** **2.D** **3.A**

Inquiry learning, critical thinking and problem-solving skills are best developed when scientific inquiry experiences are designed and implemented with increasing student involvement. In Unit 4, students can be asked to practice collecting data and determining appropriate experimental procedures to answer scientific questions (**3.A**). For example, students can be asked to analyze a familiar experiment by providing a written explanation of how they would make observations or collect data in the given scenario.

Once students have designed a procedure and have collected data, they can practice analyzing that data (**1.B**, **2.B**, **2.D**) by plotting linearized graphs and using the best fit line to the plotted data to make claims about the physical scenario.

Preparing for the AP Exam

The third free-response question on the AP Physics C: Mechanics Exam is an Experimental Design and Analysis Question. In this question, students will need to justify their selection of the kind of data needed and then design a plan to collect these data. Because students often struggle with knowing where to start when designing an experiment, they will benefit from scaffolded opportunities to determine the data needed to answer a scientific question. In the Experimental Design and Analysis question on the exam, students will also be asked to linearize and analyze data. Practicing designing experiments, performing data analysis, and discussing sources of error throughout the course can help students prepare for, and be successful on, the Experimental Design and Analysis (LAB) question.

UNIT AT A GLANCE

Topic	Suggested Skills
4.1 Linear Momentum	1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway. 2.D Predict new values or factors of change of physical quantities using functional dependence between variables. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.
4.2 Change in Momentum and Impulse	1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.
4.3 Conservation of Linear Momentum	1.A Create diagrams, tables, charts, or schematics to represent physical situations. 1.B Create quantitative graphs with appropriate scales and units, including plotting data. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.A Create experimental procedures that are appropriate for a given scientific question. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.
4.4 Elastic and Inelastic Collisions	1.A Create diagrams, tables, charts, or schematics to represent physical situations. 2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway. 2.D Predict new values or factors of change of physical quantities using functional dependence between variables. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.



Go to **AP Classroom** to assign the **Progress Check** for Unit 4.
Review the results in class to identify and address any student misunderstandings

SAMPLE INSTRUCTIONAL ACTIVITIES

The sample activities on this page are optional and are offered to provide possible ways to incorporate instructional approaches into the classroom. Teachers do not need to use these activities or instructional approaches and are free to alter or edit them. The examples below were developed in partnership with teachers from the AP community to share ways that they approach teaching some of the topics in this unit. Please refer to the Instructional Approaches section beginning on p.147 for more examples of activities and strategies.

Activity	Topic	Sample Activity
1	4.2	Four-Square Problem Solving Present students with a problem where an object's motion changes (such as a car on an on-ramp entering a highway). In the first three squares, have students determine the force applied to the object using Newton's laws of motion, work–energy theorem, and impulse momentum theorem. Then, in the fourth square, have students draw a free-body diagram.
2	4.3	Desktop Experiment Tasks Give students a device that launches a projectile much faster than can be measured directly using distance and time data. Have students launch the projectile into a stationary, freely movable object; make necessary measurements; and use conservation of momentum to determine the launch speed of the projectile.
3	4.3	Desktop Experiment Tasks Give students two spring-loaded carts with different masses. First, have students determine the amount of kinetic energy gained by Cart 1 when launched by its spring. Then, have students make Cart 1 collide elastically with Cart 2 and predict where Cart 2 will land when it rolls off of the track.
4	4.4	Ranking Tasks Present students with three scenarios of an arrow being shot at a pumpkin which is attached to the ceiling by a long string. In the first scenario, the arrow bounces off the pumpkin and travels back the way it came. In the second scenario, the arrow sticks into the pumpkin and travels with the pumpkin. In the third scenario, the arrow travels through the pumpkin. Have students rank the final speeds of the pumpkin and justify their ranking with evidence.

SUGGESTED SKILLS**1.C**

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

2.D

Predict new values or factors of change of physical quantities using functional dependence between variables.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

TOPIC 4.1
Linear Momentum**Required Course Content****LEARNING OBJECTIVE****4.1.A**

Describe the linear momentum of an object or system.

ESSENTIAL KNOWLEDGE**4.1.A.1**

Linear momentum is defined by the equation $\vec{p} = m\vec{v}$.

4.1.A.2

Momentum is a vector quantity and has the same direction as the velocity.

4.1.A.3

Momentum can be used to analyze collisions and explosions.

4.1.A.3.i

A collision is a model for an interaction where the forces exerted between the involved objects in the system are much larger than the net external force exerted on those objects during the interaction.

4.1.A.3.ii

As only the initial and final states of a collision are analyzed, the object model may be used to analyze collisions.

4.1.A.3.iii

An explosion is a model for an interaction in which forces internal to the system move objects within that system apart.

TOPIC 4.2

Change in Momentum and Impulse

Required Course Content

LEARNING OBJECTIVE**4.2.A**

Describe the impulse delivered to an object or system.

ESSENTIAL KNOWLEDGE**4.2.A.1**

The rate of change of a system's momentum is equal to the net external force exerted on that system.

Relevant equation:

$$\vec{F}_{\text{net}} = \frac{d\vec{p}}{dt}$$

4.2.A.2

Impulse is defined as the integral of a force exerted on an object or system over a time interval.

Relevant equation:

$$\vec{J} = \int_{t_1}^{t_2} \vec{F}_{\text{net}}(t) dt$$

4.2.A.3

Impulse is a vector quantity and has the same direction as the net force exerted on the system.

4.2.A.4

The impulse delivered to a system by a net external force is equal to the area under the curve of a graph of the net external force exerted on the system as a function of time.

4.2.A.5

The net external force exerted on a system is equal to the slope of a graph of the momentum of the system as a function of time.

SUGGESTED SKILLS**1.C**

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

continued on next page

LEARNING OBJECTIVE

4.2.B

Describe the relationship between the impulse exerted on an object or system and the change in momentum of the object or system.

ESSENTIAL KNOWLEDGE

4.2.B.1

Change in momentum is the difference between a system's final momentum and its initial momentum.

Relevant equation:

$$\Delta \vec{p} = \vec{p} - \vec{p}_0$$

4.2.B.2

The impulse–momentum theorem relates the impulse delivered to an object and the object's change in momentum.

4.2.B.2.i

The impulse exerted on an object is equal to the object's change in momentum.

Relevant equation:

$$\vec{J} = \int_{t_1}^{t_2} \vec{F}_{\text{net}}(t) dt = \Delta \vec{p}$$

4.2.B.2.ii

Newton's second law of motion is a direct result of the impulse–momentum theorem applied to systems with constant mass.

$$\vec{F}_{\text{net}} = \frac{d\vec{p}}{dt} = m \frac{d\vec{v}}{dt} = m\vec{a}$$

4.2.B.2.iii

The impulse–momentum theorem also describes the behavior of a system in which the velocity is constant but the mass changes with respect to time.

$$\vec{F}_{\text{net}} = \frac{d\vec{p}}{dt} = \frac{dm}{dt} \vec{v}$$

TOPIC 4.3

Conservation of Linear Momentum

Required Course Content

LEARNING OBJECTIVE

4.3.A

Describe the behavior of a system using conservation of linear momentum.

ESSENTIAL KNOWLEDGE

4.3.A.1

A collection of objects with individual momenta can be described as one system with one center-of-mass velocity.

4.3.A.1.i

For a collection of objects, the velocity of a system's center of mass can be calculated using the equation

$$\vec{v}_{\text{cm}} = \frac{\sum \vec{p}_i}{\sum m_i} = \frac{\sum (m_i \vec{v}_i)}{\sum m_i}.$$

4.3.A.1.ii

The velocity of a system's center of mass is constant in the absence of a net external force.

4.3.A.2

The total momentum of a system is the sum of the momenta of the system's constituent parts.

4.3.A.3

In the absence of net external forces, any change to the momentum of an object within a system must be balanced by an equivalent and opposite change of momentum elsewhere within the system. Any change to the momentum of a system is due to a transfer of momentum between the system and its surroundings.

4.3.A.3.i

The impulse exerted by one object on a second object is equal and opposite to the impulse exerted by the second object on the first. This is a direct result of Newton's third law.

SUGGESTED SKILLS**1.B**

Create quantitative graphs with appropriate scales and units, including plotting data.

1.A

Create diagrams, tables, charts, or schematics to represent physical situations.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.A

Create experimental procedures that are appropriate for a given scientific question.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

continued on next page

LEARNING OBJECTIVE

4.3.A

Describe the behavior of a system using conservation of linear momentum.

ESSENTIAL KNOWLEDGE

4.3.A.3.ii

A system may be selected so that the total momentum of that system is constant.

4.3.A.3.iii

If the total momentum of a system changes, that change will be equivalent to the impulse exerted on the system.

Relevant equation:

$$\vec{J} = \Delta \vec{p}$$

4.3.A.4

Correct application of conservation of momentum can be used to determine the velocity of a system immediately before and immediately after collisions or explosions.

BOUNDARY STATEMENT

AP Physics C: Mechanics only expects students to quantitatively analyze collisions and interactions in one or two dimensions. Three-dimensional collisions may be analyzed qualitatively.

4.3.B

Describe how the selection of a system determines whether the momentum of that system changes.

4.3.B.1

Momentum is conserved in all interactions.

4.3.B.2

If the net external force on the selected system is zero, the total momentum of the system is constant.

4.3.B.3

If the net external force on the selected system is nonzero, momentum is transferred between the system and the environment.

TOPIC 4.4

Elastic and Inelastic Collisions

Required Course Content

LEARNING OBJECTIVE**4.4.A**

Describe whether an interaction between objects is elastic or inelastic.

ESSENTIAL KNOWLEDGE**4.4.A.1**

An elastic collision between objects is one in which the initial kinetic energy of the system is equal to the final kinetic energy of the system.

4.4.A.2

In an elastic collision, the final kinetic energies of each of the objects within the system may be different from their initial kinetic energies.

4.4.A.3

An inelastic collision between objects is one in which the total kinetic energy of the system decreases.

4.4.A.4

In an inelastic collision, some of the initial kinetic energy is not restored to kinetic energy but is transformed by nonconservative forces into other forms of energy.

4.4.A.5

In a perfectly inelastic collision, the objects stick together and move with the same velocity after the collision.

SUGGESTED SKILLS**1.A**

Create diagrams, tables, charts, or schematics to represent physical situations.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

2.D

Predict new values or factors of change of physical quantities using functional dependence between variables.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

THIS PAGE IS INTENTIONALLY LEFT BLANK.

AP PHYSICS C: MECHANICS

UNIT 5

Torque and Rotational Dynamics



10–15%
AP EXAM WEIGHTING



~14/~20
CLASS PERIODS



Remember to go to **AP Classroom** to assign students the online **Progress Check** for this unit.

Whether assigned as homework or completed in class, the **Progress Check** provides each student with immediate feedback related to this unit's topic and skills.

Progress Check 5

Multiple-Choice: ~18 questions

Free-Response: 4 questions

- Mathematical Routines
- Translation Between Representations
- Experimental Design and Analysis
- Qualitative/Quantitative Translation

Torque and Rotational Dynamics



Developing Understanding

ESSENTIAL QUESTIONS

- Why does a curveball take less time to reach the plate than a fastball?
- Why is it easier to balance a bicycle when it's in motion?
- Why are long wrenches more effective?
- Why does it matter where a door handle is placed?

Unit 5 reinforces the Unit 2 ideas of force and linear motion by introducing students to the rotational analogs of torque and rotational motion. Although these topics present more complex scenarios, the tools of analysis remain the same: The content and models explored in the first four units of AP Physics C: Mechanics set the foundation for Units 5 and 6. During their study of torque and rotational motion, students will be introduced to different ways of modeling forces. Throughout Units 5 and 6, students will compare and connect their understanding of linear and rotational motion, dynamics, energy, and momentum to develop holistic models to evaluate physical phenomena.

Building the Science Practices

2.A **2.C** **2.D** **3.B**

In Unit 5, students will be introduced to new, but somewhat familiar, equations—and be expected to derive new expressions from those equations (**2.A**), just as they have in previous units. Those new expressions can help students compare physical quantities between scenarios (**2.C**), to make claims (**3.B**), and justify claims or predict values of variables using functional dependence (**2.D**). For example, students might be asked to determine the torque exerted on a system if the force exerted is doubled. Because using functional dependence to predict changes in quantities can be challenging, students may benefit from many opportunities to practice these important mathematical skills that will be tested in both the multiple-choice and free-response sections of the AP Physics C: Mechanics Exam.

Preparing for the AP Exam

The analysis of functional relationships is assessed on the fourth free-response question—the Qualitative/Quantitative Translation (QQT) question—as well as the multiple-choice section of the AP Physics C: Mechanics Exam. Therefore, students must be able to identify, work with, and predict new values from functional dependencies between variables. Students may also be asked to explain phenomena based on evidence obtained through application of functional relationships. Students who may struggle mathematically will benefit from scaffolded instruction to help them develop the mathematical understanding necessary to go from just calculating the value of a variable to determining how that value changes when the value of other variables in a related equation change.

UNIT AT A GLANCE

Topic	Suggested Skills
5.1 Rotational Kinematics	1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway. 2.D Predict new values or factors of change of physical quantities using functional dependence between variables. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.
5.2 Connecting Linear and Rotational Motion	1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.
5.3 Torque	1.A Create diagrams, tables, charts, or schematics to represent physical situations. 2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.
5.4 Rotational Inertia	1.B Create quantitative graphs with appropriate scales and units, including plotting data. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.A Create experimental procedures that are appropriate for a given scientific question. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

UNIT AT A GLANCE (cont'd)

Topic	Suggested Skills
5.5 Rotational Equilibrium and Newton's First Law in Rotational Form	<p>1.A Create diagrams, tables, charts, or schematics to represent physical situations.</p> <p>2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.</p> <p>2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.</p> <p>3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.</p>
5.6 Newton's Second Law in Rotational Form	<p>1.B Create quantitative graphs with appropriate scales and units, including plotting data.</p> <p>2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.</p> <p>2.D Predict new values or factors of change of physical quantities using functional dependence between variables.</p> <p>3.A Create experimental procedures that are appropriate for a given scientific question.</p> <p>3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.</p>



Go to **AP Classroom** to assign the **Progress Check** for Unit 5.
Review the results in class to identify and address any student misunderstandings

SAMPLE INSTRUCTIONAL ACTIVITIES

The sample activities on this page are optional and are offered to provide possible ways to incorporate instructional approaches into the classroom. Teachers do not need to use these activities or instructional approaches and are free to alter or edit them. The examples below were developed in partnership with teachers from the AP community to share ways that they approach teaching some of the topics in this unit. Please refer to the Instructional Approaches section beginning on p.147 for more examples of activities and strategies.

Activity	Topic	Sample Activity
1	5.1	Predict and Explain Put stickers near the center and near the edge of a rotating turntable. Have students predict and explain the relationships between linear and rotational position, displacement, speed, and acceleration.
2	5.3	Create a Plan Have students design a walkway (of given mass) that is to be suspended from a ceiling. Have them determine the amount of force the two supports (one on each end) must be able to provide as a person (of given mass) walks across the walkway.
3	5.3	Predict and Explain Spin a bike wheel (preferably with the tire removed so that it will roll on its metal rims) and release it from rest on the floor or a long table. Have students predict what will happen to the wheel's linear velocity (it will increase) and its angular velocity (it will decrease) as the wheel "peels out." Then, explain why this happens using a force diagram.
4	5.6	Desktop Experiment Tasks Have students allow a yo-yo to fall and unroll. Then, have them use a meterstick and stopwatch to determine its downward acceleration. Next, have them measure its mass and the radius of its axle and use that information to determine the yo-yo's rotational inertia using rotational dynamics.
5	5.6	Create a Plan Drop two rolls of toilet paper. Allow one to fall freely, while the other unrolls as it falls. Challenge students to determine the difference in heights so that the two rolls, when released simultaneously from rest, land on the ground at the same time.

TOPIC 5.1

Rotational Kinematics

SUGGESTED SKILLS**1.C**

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

2.D

Predict new values or factors of change of physical quantities using functional dependence between variables.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

LEARNING OBJECTIVE**5.1.A**

Describe the rotation of a system with respect to time using angular displacement, angular velocity, and angular acceleration.

ESSENTIAL KNOWLEDGE**5.1.A.1**

Angular displacement is the measurement of the angle, in radians, through which a point on a rigid system rotates about a specified axis.

Relevant equation:

$$\Delta\theta = \theta - \theta_0$$

5.1.A.1.i

A rigid system is one that holds its shape but in which different points on the system move in different directions during rotation. A rigid system cannot be modeled as an object.

5.1.A.1.ii

One direction of angular displacement about an axis of rotation—clockwise or counterclockwise—is typically indicated as mathematically positive, with the other direction becoming mathematically negative.

5.1.A.1.iii

If the rotation of a system about an axis may be well described using the motion of the system's center of mass, the system may be treated as a single object. For example, the rotation of Earth about its axis may be considered negligible when considering the revolution of Earth about the center of mass of the Earth–Sun system.

continued on next page

LEARNING OBJECTIVE**5.1.A**

Describe the rotation of a system with respect to time using angular displacement, angular velocity, and angular acceleration

ESSENTIAL KNOWLEDGE**5.1.A.2**

Angular velocity is the rate at which angular position changes with respect to time.

Relevant equation:

$$\omega = \frac{d\theta}{dt}$$

5.1.A.3

Angular acceleration is the rate at which angular velocity changes with respect to time.

Relevant equation:

$$\alpha = \frac{d\omega}{dt}$$

5.1.A.4

Angular displacement, angular velocity, and angular acceleration around one axis are analogous to linear displacement, velocity, and acceleration in one dimension and demonstrate the same mathematical relationships.

5.1.A.4.i

For constant angular acceleration, the mathematical relationships between angular displacement, angular velocity, and angular acceleration can be described with the following equations:

$$\omega = \omega_0 + \alpha t$$

$$\theta = \theta_0 + \omega_0 t + \frac{1}{2} \alpha t^2$$

$$\omega^2 = \omega_0^2 + 2\alpha(\theta - \theta_0)$$

5.1.A.4.ii

Graphs of angular displacement, angular velocity, and angular acceleration as functions of time can be used to find the relationships between those quantities.

BOUNDARY STATEMENT

AP Physics C: Mechanics expects students to be able to mathematically manipulate the magnitudes of angular displacement, angular velocity, and angular acceleration using vector conventions. However, the directions of said vectors will not be assessed on the exam.

Descriptions of the directions of rotational kinematics quantities for a point or rigid body are limited to clockwise and counterclockwise with respect to a given axis of rotation.

TOPIC 5.2

Connecting Linear and Rotational Motion

Required Course Content

LEARNING OBJECTIVE**5.2.A**

Describe the linear motion of a point on a rotating rigid system that corresponds to the rotational motion of that point, and vice versa.

ESSENTIAL KNOWLEDGE**5.2.A.1**

For a point at a distance r from a fixed axis of rotation, the linear distance s traveled by the point as the system rotates through an angle $\Delta\theta$ is given by the equation $\Delta s = r\Delta\theta$.

5.2.A.2

Derived relationships of linear velocity and of the tangential component of acceleration to their respective angular quantities are given by the following equations:

$$s = r\theta$$

$$v = r\omega$$

$$a_T = r\alpha$$

5.2.A.3

For a rigid system, all points within that system have the same angular velocity and angular acceleration.

BOUNDARY STATEMENT

AP Physics C: Mechanics expects students to be able to mathematically manipulate the magnitudes of angular displacement, angular velocity, and angular acceleration using vector conventions. However, the directions of the vectors will not be assessed on the exam.

Descriptions of the directions of rotational kinematics quantities for a point or rigid body are limited to clockwise and counterclockwise with respect to a given axis of rotation.

SUGGESTED SKILLS**1.C**

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

SUGGESTED SKILLS**1.A**

Create diagrams, tables, charts, or schematics to represent physical situations.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

TOPIC 5.3
Torque**Required Course Content****LEARNING OBJECTIVE****5.3.A**

Identify the torques exerted on a rigid system.

ESSENTIAL KNOWLEDGE**5.3.A.1**

Torque results only from the force component perpendicular to the position vector from the axis of rotation to the point of application of the force.

5.3.A.2

The lever arm is the perpendicular distance from the axis of rotation to the line of action of the exerted force.

5.3.B

Describe the torques exerted on a rigid system.

5.3.B.1

Torques can be described using force diagrams.

5.3.B.1.i

Force diagrams are similar to free-body diagrams and are used to analyze the torques exerted on a rigid system.

5.3.B.1.ii

Similar to free-body diagrams, force diagrams represent the relative magnitude and direction of the forces exerted on a rigid system. Force diagrams also depict the location at which those forces are exerted relative to the axis of rotation.

5.3.B.2

The torque exerted on a rigid system about a chosen pivot point by a given force is described by

$$\vec{\tau} = \vec{r} \times \vec{F}$$

continued on next page

Torque and Rotational Dynamics

LEARNING OBJECTIVE

5.3.B

Describe the torques exerted on a rigid system.

ESSENTIAL KNOWLEDGE

5.3.B.2.i

The cross-product between two vectors, \vec{A} and \vec{B} , results in a vector quantity of magnitude

$$\vec{A} \times \vec{B} = AB \sin \theta.$$

5.3.B.2.ii

The direction of the vector resulting from the cross-product of vectors \vec{A} and \vec{B} is perpendicular to both vectors \vec{A} and \vec{B} and therefore is normal to the plane defined by vectors \vec{A} and \vec{B} .

5.3.B.2.iii

The direction of the vector resulting from the cross-product of vectors \vec{A} and \vec{B} can be qualitatively determined by applying the appropriate right-hand rule.

SUGGESTED SKILLS

1.B

Create quantitative graphs with appropriate scales and units, including plotting data.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.A

Create experimental procedures that are appropriate for a given scientific question.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

TOPIC 5.4

Rotational Inertia

Required Course Content

LEARNING OBJECTIVE

5.4.A

Describe the rotational inertia of a rigid system relative to a given axis of rotation.

ESSENTIAL KNOWLEDGE

5.4.A.1

Rotational inertia measures a rigid system's resistance to changes in rotation and is related to the mass of the system and the distribution of that mass relative to the axis of rotation.

5.4.A.2

The rotational inertia of an object rotating a perpendicular distance r from an axis is described by the equation

$$I = mr^2$$

5.4.A.3

The total rotational inertia of a collection of objects about an axis is the sum of the rotational inertias of each object about that axis.

$$I_{\text{tot}} = \sum I_i = \sum m_i r_i^2$$

5.4.A.4

For a solid that can be considered as a collection of differential masses, dm , the solid's rotational inertia can be calculated using the equation

$$I = \int r^2 dm,$$

where r is the perpendicular distance from dm to the axis of rotation.

5.4.B

Describe the rotational inertia of a rigid system rotating about an axis that does not pass through the system's center of mass.

5.4.B.1

A rigid system's rotational inertia in a given plane is at a minimum when the rotational axis passes through the system's center of mass.

continued on next page

Torque and Rotational Dynamics

LEARNING OBJECTIVE

5.4.B

Describe the rotational inertia of a rigid system rotating about an axis that does not pass through the system's center of mass.

ESSENTIAL KNOWLEDGE

5.4.B.2

The parallel axis theorem uses the following equation to relate the rotational inertia of a rigid system about any axis that is parallel to an axis through its center of mass:

$$I' = I_{\text{cm}} + Md^2$$

BOUNDARY STATEMENT

AP Physics C: Mechanics only expects students to use calculus in the derivations of the rotational inertia of thin rods of uniform or nonuniform density about an arbitrary axis perpendicular to the rod, as well as derivations of the rotational inertia of a thin cylindrical shell, disk, or rigid bodies that can be considered to be made up of coaxial rings or shells about an axis that passes through their centers (e.g., annular rings).

Students should have a qualitative understanding of the factors that affect rotational inertia; for example, how rotational inertia is greater when mass is farther from the axis of rotation, which is why a hoop has more rotational inertia than a solid puck of the same mass and radius.

SUGGESTED SKILLS

1.A

Create diagrams, tables, charts, or schematics to represent physical situations.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

TOPIC 5.5

Rotational Equilibrium and Newton's First Law in Rotational Form

Required Course Content

LEARNING OBJECTIVE**5.5.A**

Describe the conditions under which a system's angular velocity remains constant.

ESSENTIAL KNOWLEDGE**5.5.A.1**

A system may exhibit rotational equilibrium (constant angular velocity) without being in translational equilibrium, and vice versa.

5.5.A.1.i

Free-body and force diagrams describe the nature of the forces and torques exerted on an object or rigid system.

5.5.A.1.ii

Rotational equilibrium is a configuration of torques such that the net torque exerted on the system is zero.

Relevant equation:

$$\sum \tau_i = 0$$

5.5.A.1.iii

The rotational analog of Newton's first law is that a system will have a constant angular velocity only if the net torque exerted on the system is zero.

5.5.A.2

A rotational corollary to Newton's second law states that if the torques exerted on a rigid system are not balanced, the system's angular velocity must be changing.

BOUNDARY STATEMENT

AP Physics C: Mechanics does not expect students to simultaneously analyze rotation in multiple planes.

TOPIC 5.6

Newton's Second Law in Rotational Form

Required Course Content

LEARNING OBJECTIVE**5.6.A**

Describe the conditions under which a system's angular velocity changes.

ESSENTIAL KNOWLEDGE**5.6.A.1**

Angular velocity changes when the net torque exerted on the object or system is not equal to zero.

5.6.A.2

The rate at which the angular velocity of a rigid system changes is directly proportional to the net torque exerted on the rigid system and is in the same direction. The angular acceleration of the rigid system is inversely proportional to the rotational inertia of the rigid system.

Relevant equation:

$$\alpha_{\text{sys}} = \frac{\Sigma \tau}{I_{\text{sys}}} = \frac{\tau_{\text{net}}}{I_{\text{sys}}}$$

5.6.A.3

To fully describe a rotating rigid system, linear and rotational analyses may need to be performed independently.

SUGGESTED SKILLS**1.B**

Create quantitative graphs with appropriate scales and units, including plotting data.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.D

Predict new values or factors of change of physical quantities using functional dependence between variables.

3.A

Create experimental procedures that are appropriate for a given scientific question.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

THIS PAGE IS INTENTIONALLY LEFT BLANK.

AP PHYSICS C: MECHANICS

UNIT 6

Energy and Momentum of Rotating Systems



10–15%
AP EXAM WEIGHTING



~13/~19
CLASS PERIODS



Remember to go to **AP Classroom** to assign students the online **Progress Check** for this unit.

Whether assigned as homework or completed in class, the **Progress Check** provides each student with immediate feedback related to this unit's topic and skills.

Progress Check 6

Multiple-Choice: ~18 questions

Free-Response: 4 questions

- Mathematical Routines
- Translation Between Representations
- Experimental Design and Analysis
- Qualitative/Quantitative Translation

Energy and Momentum of Rotating Systems

ESSENTIAL QUESTIONS

- What keeps a bicycle balanced?
- Why do planets move faster when they travel closer to the sun?
- What do satellites and projectiles have in common?
- How would figure skating be different if angular momentum wasn't conserved?

Developing Understanding

In Unit 6, students will apply their knowledge of energy and momentum to rotating systems. Similar to the approach used for translational energy and momentum concepts in Units 3 and 4, it is important that students have conceptual understanding of how angular momentum and rotational energy change due to external torque(s) on a system. Additionally, articulating the conditions under which the rotational energy and/or angular momentum of a system remains constant is foundational to working through more complex scenarios. Students will use the content and skills presented in both Units 5 and 6 to further study the motion of orbiting satellites and rolling without slipping in this unit.

Building the Science Practices

2.C **2.D** **3.B** **3.C**

Unit 6 provides opportunities for students to compare physical quantities between scenarios or at different times in a single scenario (**2.C**), as well as determine new values of quantities using functional dependencies between variables (**2.D**). From there, students can also make and justify claims based on these physical principles and functional relationships (**3.B, 3.C**). For example, students could describe conceptually what happens to the rotational inertia of a system when the pivot point is moved, and then justify what impact that change will have on the angular acceleration of the system. By the end of the unit, it is important for students to be comfortable with making claims about the reasonableness of their claims and justifications made with functional dependence (**2.D, 3.C**), starting with the first principles of physics.

Preparing for the AP Exam

On both the multiple-choice and free-response sections of the AP Physics C: Mechanics Exam students need to be able to describe the relationships between physical quantities in order to articulate the effects of changing a physical quantity in a scenario. Therefore, students will benefit from opportunities to investigate changes in system, including practicing using fundamental principles of physics to decide whether a quantity will increase, decrease, or remain the same when another quantity is changed. In addition, when writing justifications for claims, simply referencing an equation, law, or physical principle is not sufficient. For example, stating that one disk is rolling faster than another because of "conservation of energy" is not a complete enough answer to earn credit on the free-response section of the AP Physics C: Mechanics Exam. Students must clearly and concisely explain the steps in their reasoning that lead from the equation, law, or physical principle to the justification of their claim.

UNIT AT A GLANCE

Topic	Suggested Skills
6.1 Rotational Kinetic Energy	1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.
6.2 Torque and Work	1.A Create diagrams, tables, charts, or schematics to represent physical situations. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.
6.3 Angular Momentum and Angular Impulse	1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.
6.4 Conservation of Angular Momentum	1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

UNIT AT A GLANCE (cont'd)

Topic	Suggested Skills
6.5 Rolling	1.B Create quantitative graphs with appropriate scales and units, including plotting data. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.D Predict new values or factors of change of physical quantities using functional dependence between variables. 3.A Create experimental procedures that are appropriate for a given scientific question. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.
6.6 Motion of Orbiting Satellites	1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.



Go to [AP Classroom](#) to assign the Progress Check for Unit 6.
Review the results in class to identify and address any student misunderstandings

SAMPLE INSTRUCTIONAL ACTIVITIES

The sample activities on this page are optional and are offered to provide possible ways to incorporate instructional approaches into the classroom. Teachers do not need to use these activities or instructional approaches and are free to alter or edit them. The examples below were developed in partnership with teachers from the AP community to share ways that they approach teaching some of the topics in this unit. Please refer to the Instructional Approaches beginning on p.147 for more examples of activities and strategies.

Activity	Topic	Sample Activity
1	6.1	Concept-Oriented Demonstration Obtain a ring and a disk of equal mass and radius and load up a low-friction cart with weights to make it the same mass as the ring and the disk. “Race” the three objects from rest down identical inclines to show students the cart wins, then the disk, and then the ring. Have students explain why this occurs, with forces and then with energy.
2	6.3	Predict and Explain Allow students to explore and experiment with set of fidget spinners. Ask them to explain why it is difficult to change the plane of rotation of a spinner while it is rotating.
3	6.4	Create a Plan Have students complete the necessary research to determine the rotational inertia of a human body in different configurations (e.g., arms outstretched, arms pulled in). Then, obtain footage of an ice skater spinning and pulling in their arms. Have students analyze the footage to see if angular momentum is conserved.
4	6.5	Desktop Experiment Tasks Have students release a yo-yo from the top of a ramp and allow it to roll down the ramp. Have them use a meterstick and stopwatch to determine the yo-yo’s final velocity and the height of its release. Next, have them measure the yo-yo’s outer radius and mass and use that information to determine the yo-yo’s rotational inertia using energy concepts.
5	6.5	Construct an Argument Have students roll a hoop and a disk (equal mass and radius) down identical ramps. Then have them explain why the disk reached the bottom in less time using energy bar charts and to-scale free-body diagrams.

TOPIC 6.1

Rotational Kinetic Energy

SUGGESTED SKILLS**1.C**

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

LEARNING OBJECTIVE**6.1.A**

Describe the rotational kinetic energy of a rigid system in terms of the rotational inertia and angular velocity of that rigid system.

ESSENTIAL KNOWLEDGE**6.1.A.1**

The rotational kinetic energy of an object or rigid system is related to the rotational inertia and angular velocity of the rigid system and is given by the equation

$$K_{\text{rot}} = \frac{1}{2} I \omega^2.$$

6.1.A.1.i

The rotational inertia of an object about a fixed axis can be used to show that the rotational kinetic energy of that object is equivalent to its translational kinetic energy, which is its total kinetic energy.

6.1.A.1.ii

The total kinetic energy of a rigid system is the sum of its rotational kinetic energy due to its rotation about its center of mass and the translational kinetic energy due to the linear motion of its center of mass.

6.1.A.2

A rigid system can have rotational kinetic energy while its center of mass is at rest due to the individual points within the rigid system having linear speed and, therefore, kinetic energy.

6.1.A.3

Rotational kinetic energy is a scalar quantity.

Required Course Content

SUGGESTED SKILLS**1.A**

Create diagrams, tables, charts, or schematics to represent physical situations.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

TOPIC 6.2**Torque and Work****Required Course Content****LEARNING OBJECTIVE****6.2.A**

Describe the work done on a rigid system by a given torque or collection of torques.

ESSENTIAL KNOWLEDGE**6.2.A.1**

A torque can transfer energy into or out of an object or rigid system if the torque is exerted over an angular displacement.

6.2.A.2

The amount of work done on a rigid system by a torque is related to the magnitude of that torque and the angular displacement through which the rigid system rotates during the interval in which that torque is exerted.

Relevant equation:

$$W = \int_{\theta_1}^{\theta_2} \tau d\theta$$

6.2.A.3

Work done on a rigid system by a given torque can be found from the area under the curve of a graph of the torque as a function of angular position.

TOPIC 6.3

Angular Momentum and Angular Impulse

Required Course Content

LEARNING OBJECTIVE

6.3.A

Describe the angular momentum of an object or rigid system.

ESSENTIAL KNOWLEDGE

6.3.A.1

The magnitude of the angular momentum of a rigid system about a specific axis can be described with the equation

$$L = I\omega.$$

6.3.A.2

The angular momentum of an object about a given point is

$$\vec{L} = \vec{r} \times \vec{p}.$$

6.3.A.2.i

The selection of the axis about which an object is considered to rotate influences the determination of the angular momentum of that object.

6.3.A.2.ii

The measured angular momentum of an object traveling in a straight line depends on the distance between the reference point and the object, the mass of the object, the speed of the object, and the angle between the radial distance and the velocity of the object.

6.3.B

Describe the angular impulse delivered to an object or rigid system by a torque.

6.3.B.1

Angular impulse is defined as the product of the torque exerted on an object or rigid system and the time interval during which the torque is exerted.

Relevant equation:

$$\text{angular impulse} = \int \tau dt$$

SUGGESTED SKILLS**1.C**

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

continued on next page

LEARNING OBJECTIVE

6.3.B

Describe the angular impulse delivered to an object or rigid system by a torque.

6.3.C

Relate the change in angular momentum of an object or rigid system to the angular impulse given to that object or rigid system.

ESSENTIAL KNOWLEDGE

6.3.B.2

Angular impulse has the same direction as the torque imparting it.

6.3.B.3

The angular impulse delivered to an object or rigid system by a torque can be found from the area under the curve of a graph of the torque as a function of time.

6.3.C.1

The magnitude of the change in angular momentum can be described by comparing the magnitudes of the final and initial momenta of the object or rigid system.

$$\Delta L = L - L_0$$

6.3.C.2

A rotational form of the impulse–momentum theorem relates the angular impulse delivered to an object or rigid system and the change in angular momentum of that object or rigid system.

6.3.C.2.i

The angular impulse exerted on an object or rigid system is equal to the change in angular momentum of that object or rigid system.

Relevant equation:

$$\Delta L = \int_{t_1}^{t_2} \tau dt$$

6.3.C.2.ii

The rotational form of the impulse–momentum theorem is a direct result of Newton’s second law of motion for cases in which rotational inertia is constant.

$$\tau_{\text{net}} = \frac{dL}{dt} = I \frac{d\omega}{dt} = I\alpha$$

6.3.C.3

The net torque exerted on an object or rigid system is equal to the slope of the graph of the angular momentum of an object as a function of time.

6.3.C.4

The angular impulse delivered to an object or rigid system is equal to the area under the curve of a graph of the net external torque exerted on an object as a function of time.

TOPIC 6.4

Conservation of Angular Momentum

Required Course Content

LEARNING OBJECTIVE**6.4.A**

Describe the behavior of a system using conservation of angular momentum.

ESSENTIAL KNOWLEDGE**6.4.A.1**

The total angular momentum of a system about a rotational axis is the sum of the angular momenta of the system's constituent parts about that rotational axis.

6.4.A.2

Any change to a system's angular momentum must be due to an interaction between the system and its surroundings.

6.4.A.2.i

The angular impulse exerted by one object or system on a second object or system is equal and opposite to the angular impulse exerted by the second object or system on the first. This is a direct result of Newton's third law.

6.4.A.2.ii

A system may be selected so that the total angular momentum of that system is constant.

6.4.A.2.iii

The angular speed of a nonrigid system may change without the angular momentum of the system changing if the system changes shape by moving mass closer to or farther from the rotational axis.

6.4.A.2.iv

If the total angular momentum of a system changes, that change will be equivalent to the angular impulse exerted on the system.

SUGGESTED SKILLS**1.C**

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

continued on next page

LEARNING OBJECTIVE

6.4.B

Describe how the selection of a system determines whether the angular momentum of that system changes.

ESSENTIAL KNOWLEDGE

6.4.B.1

Angular momentum is conserved in all interactions.

6.4.B.2

If the net external torque exerted on a selected object or rigid system is zero, the total angular momentum of that system is constant.

6.4.B.3

If the net external torque exerted on a selected object or rigid system is nonzero, angular momentum is transferred between the system and the environment.

TOPIC 6.5

Rolling

Required Course Content

LEARNING OBJECTIVE

6.5.A

Describe the kinetic energy of a system that has translational and rotational motion.

6.5.B

Describe the motion of a system that is rolling without slipping.

6.5.C

Describe the motion of a system that is rolling while slipping.

ESSENTIAL KNOWLEDGE

6.5.A.1

The total kinetic energy of a system is the sum of the system's translational and rotational kinetic energies.

Relevant equation:

$$K_{\text{tot}} = K_{\text{trans}} + K_{\text{rot}}$$

6.5.B.1

While rolling without slipping, the translational motion of a system's center of mass is related to the rotational motion of the system itself with the following equations:

$$\Delta x_{\text{cm}} = r\Delta\theta$$

$$v_{\text{cm}} = r\omega$$

$$a_{\text{cm}} = r\alpha$$

6.5.B.2

For ideal cases, rolling without slipping implies that the frictional force does not dissipate any energy from the rolling system.

6.5.C.1

When slipping, the motion of a system's center of mass and the system's rotational motion cannot be directly related.

6.5.C.2

When a rotating system is slipping relative to another surface, the point of application of the force of kinetic friction exerted on the system moves with respect to the surface, so the force of kinetic friction will dissipate energy from the system.

BOUNDARY STATEMENT

Rolling friction is beyond the scope of AP Physics C: Mechanics.

SUGGESTED SKILLS

1.B

Create quantitative graphs with appropriate scales and units, including plotting data.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.D

Predict new values or factors of change of physical quantities using functional dependence between variables.

3.A

Create experimental procedures that are appropriate for a given scientific question.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

SUGGESTED SKILLS

1.C

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

TOPIC 6.6

Motion of Orbiting Satellites

Required Course Content

LEARNING OBJECTIVE**6.6.A**

Describe the motions of a system consisting of two objects or systems interacting only via gravitational forces.

ESSENTIAL KNOWLEDGE**6.6.A.1**

In a system consisting only of a massive central object and an orbiting satellite with mass that is negligible in comparison to the central object's mass, the motion of the central object itself is negligible.

6.6.A.2

The motion of satellites in orbits is constrained by conservation laws.

6.6.A.2.i

In circular orbits, the system's total mechanical energy, the system's gravitational potential energy, and the satellite's angular momentum and kinetic energy are constant.

6.6.A.2.ii

In elliptical orbits, the system's total mechanical energy and the satellite's angular momentum are constant, but the system's gravitational potential energy and the satellite's kinetic energy can each change.

6.6.A.2.iii

The gravitational potential energy of a system consisting of a satellite and a massive central object is defined to be zero when the satellite is an infinite distance from the central object.

Relevant equation:

$$U_g = -G \frac{m_1 m_2}{r}$$

continued on next page

Energy and Momentum of Rotating Systems

LEARNING OBJECTIVE

6.6.A

Describe the motions of a system consisting of two objects interacting only via gravitational forces.

ESSENTIAL KNOWLEDGE

6.6.A.3

The total energy of a system consisting of a satellite orbiting a central object in a circular path can be written in terms of the gravitational potential energy of that system or the kinetic energy of the satellite.

Derived equations:

$$K = -\frac{1}{2}U$$

$$E_{total} = \frac{1}{2}U = -\frac{GMm}{2r}$$

6.6.A.4

The escape velocity of a satellite is the satellite's velocity such that the mechanical energy of the satellite–central-object system is equal to zero.

6.6.A.4.i

When the only force exerted on a satellite is gravity from a central object, a satellite that reaches escape velocity will move away from the central body until its speed reaches zero at an infinite distance from the central body.

6.6.A.4.ii

The escape velocity of a satellite from a central body of mass M can be derived using conservation of energy laws.

Derived equation:

$$v_{esc} = \sqrt{\frac{2GM}{r}}$$

THIS PAGE IS INTENTIONALLY LEFT BLANK.

AP PHYSICS C: MECHANICS

UNIT 7

Oscillations



10–15%
AP EXAM WEIGHTING



~12/~17
CLASS PERIODS



Remember to go to **AP Classroom** to assign students the online **Progress Check** for this unit.

Whether assigned as homework or completed in class, the **Progress Check** provides each student with immediate feedback related to this unit's topic and skills.

Progress Check 7

Multiple-Choice: ~18 questions

Free-Response: 4 questions

- Mathematical Routines
- Translation Between Representations
- Experimental Design and Analysis
- Qualitative/Quantitative Translation

Oscillations

ESSENTIAL QUESTIONS

- How can oscillations be used to make our lives easier and more comfortable?
- How can an astronaut be “weighed” in space?
- How could you measure the length of a long string with a stopwatch?
- What do a child on a swing, a beating heart and metronome have in common?

Developing Understanding

In Unit 7, students will apply previously-encountered models and methods of analysis to simple harmonic motion. They will also be reminded that, even in new situations, the fundamental laws of physics remain the same. Because this unit is the first in which students possess all the tools of force, energy, and momentum conservation—such as energy bar charts, free-body diagrams, and momentum diagrams—scaffolding lessons will enhance student understanding of fundamental physics principles and their limitation, as they relate to oscillating systems. Students will also use the skills and knowledge they have gained to make and justify claims, as well as connect new concepts with those learned in previous topics.

Building the Science Practices

1.A 1.C 2.A 3.C

Throughout this unit, there are many opportunities for students to create graphs (**1.C**) that may include force, energy, or momentum as either a function of position or time for a single scenario and to make connections between physical concepts based on these graphs. In Unit 7, as in other units in AP Physics C: Mechanics, practice creating and using models to represent physical scenarios (**1.A**) and then translating the information presented in these models into other representations—such as symbolic expressions (**2.A**)—can help students justify or support claims about oscillating systems (**3.C**).

Preparing for the AP Exam

The second free-response question on the AP Physics C: Mechanics Exam—the Translation Between Representations question—requires students to create graphical and verbal models of scenarios as well as compare these models to mathematical representations of the same situation. Similar in nature to the Qualitative/Quantitative Translation question QQT, the TBR involves creating multiple representations and describing the relationships between those representations; however, the types of representations being compared in the TBR differ from those in the QQT. In the TBR, a student might be asked to sketch free-body diagrams of a block oscillating on a spring at the maximum displacement and at equilibrium. The student might then be asked to create energy bar charts for the block-spring system at maximum displacement and at equilibrium. Lastly, the student might be asked to make connections between the two representations, explaining how the representations are consistent with each other. While the Unit 7 content provides especially good practice for the TBR, content from any unit may be included in this free-response question on the AP Exam.

UNIT AT A GLANCE

Topic	Suggested Skills
7.1 Defining Simple Harmonic Motion (SHM)	1.A Create diagrams, tables, charts, or schematics to represent physical situations. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.
7.2 Frequency and Period of SHM	1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.D Predict new values or factors of change of physical quantities using functional dependence between variables. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.
7.3 Representing and Analyzing SHM	1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway. 2.C Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario. 3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.
7.4 Energy of Simple Harmonic Oscillators	1.C Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system. 2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway. 2.D Predict new values or factors of change of physical quantities using functional dependence between variables. 3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

UNIT AT A GLANCE (cont'd)

Topic	Suggested Skills
7.5 Simple and Physical Pendulums	<p>1.B Create quantitative graphs with appropriate scales and units, including plotting data.</p> <p>2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.</p> <p>2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.</p> <p>3.A Create experimental procedures that are appropriate for a given scientific question.</p> <p>3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.</p>



Go to **AP Classroom** to assign the **Progress Check** for Unit 7.
Review the results in class to identify and address any student misunderstandings

SAMPLE INSTRUCTIONAL ACTIVITIES

The sample activities on this page are optional and are offered to provide possible ways to incorporate instructional approaches into the classroom. Teachers do not need to use these activities or instructional approaches and are free to alter or edit them. The examples below were developed in partnership with teachers from the AP community to share ways that they approach teaching some of the topics in this unit. Please refer to the Instructional Approaches section beginning on p. 147 for more examples of activities and strategies.

Activity	Topic	Sample Activity
1	7.1	Predict and Explain Have students predict whether a ball rolling back and forth inside a spherical bowl is simple harmonic motion. Then, have them take data to confirm their predictions (e.g., period independent of amplitude or motion is a sine function or force proportional to displacement).
2	7.2	Ranking Give students four to six cases of a mass on a spring. The cases should show different masses, spring constants, and oscillation amplitudes (e.g., $m / k / 2A$, $m / 2k / A$, and $2m / k / 2A$). Have students rank them based on period, frequency, maximum speed, maximum acceleration, maximum force, and total energy.
3	7.2	Desktop Experiment Tasks Obtain a steel ruler or yardstick, clamp it to a table, and attach various masses to the end with the hole in it. Have students measure the period of oscillation for each mass attached, and then use the data to determine the spring constant of the steel ruler.
4	7.3	Changing Representations Give students a graph of position, velocity, or acceleration for simple harmonic motion and have them make the other two graphs with the same time scale, along with force, momentum, kinetic energy, potential energy, and total energy versus time graphs. Then, have students also make energy bar charts for various instants during the simple harmonic motion.
5	7.5	Desktop Experiment Tasks Divide students into groups and have each group use a pendulum to determine the acceleration of gravity in the classroom. The winning group is the one whose procedure includes the most components for reducing error (e.g., timing multiple periods, linearizing data, very precisely finding the center of mass of the bob).

TOPIC 7.1

Defining Simple Harmonic Motion (SHM)

Required Course Content

LEARNING OBJECTIVE**7.1.A**

Describe simple harmonic motion.

ESSENTIAL KNOWLEDGE**7.1.A.1**

Simple harmonic motion is a special case of periodic motion.

7.1.A.2

SHM results when the magnitude of the restoring force exerted on an object is proportional to that object's displacement from its equilibrium position.

Derived equation:

$$ma_x = -k\Delta x$$

7.1.A.2.i

A restoring force is a force that is exerted in a direction opposite to the object's displacement from an equilibrium position.

7.1.A.2.ii

An equilibrium position is a location at which the net force exerted on an object or system is zero.

SUGGESTED SKILLS**1.A**

Create diagrams, tables, charts, or schematics to represent physical situations.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

SUGGESTED SKILLS**1.C**

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.D

Predict new values or factors of change of physical quantities using functional dependence between variables.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

TOPIC 7.2

Frequency and Period of SHM

Required Course Content

LEARNING OBJECTIVE**7.2.A**

Describe the frequency and period of an object exhibiting SHM.

ESSENTIAL KNOWLEDGE**7.2.A.1**

The period of SHM is related to the angular frequency, ω , of the object's motion by the following equation:

$$T = \frac{2\pi}{\omega} = \frac{1}{f}$$

7.2.A.1.i

The period of an object–ideal-spring oscillator is given by the equation

$$T_s = 2\pi \sqrt{\frac{m}{k}}.$$

7.2.A.1.ii

The period of a simple pendulum displaced by a small angle is given by the equation

$$T_p = 2\pi \sqrt{\frac{l}{g}}.$$

TOPIC 7.3

Representing and Analyzing SHM

Required Course Content

LEARNING OBJECTIVE

7.3.A

Describe the displacement, velocity, and acceleration of an object exhibiting SHM.

ESSENTIAL KNOWLEDGE

7.3.A.1

For an object exhibiting SHM, the displacement of that object measured from its equilibrium position can be represented by the equations

$$x = A \cos(2\pi ft) \text{ or } x = A \sin(2\pi ft).$$

7.3.A.1.i

Minima, maxima, and zeros of displacement, velocity, and acceleration are features of harmonic motion.

7.3.A.1.ii

Recognizing the positions or times at which the displacement, velocity, and acceleration for SHM have extrema or zeros can help in qualitatively describing the behavior of the motion.

7.3.A.2

The position as a function of time for an object exhibiting SHM is a solution of the second-order differential equation derived from the application of Newton's second law.

Derived equation:

$$\frac{d^2x}{dt^2} = -\omega^2 x$$

7.3.A.3

Characteristics of SHM, such as velocity and acceleration, can be determined by or derived from the equation

$$x = A \cos(\omega t + \phi).$$

SUGGESTED SKILLS

1.C

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.C

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

continued on next page

LEARNING OBJECTIVE

7.3.A

Describe the displacement, velocity, and acceleration of an object exhibiting SHM.

ESSENTIAL KNOWLEDGE

7.3.A.3.i

The acceleration of an object exhibiting SHM is related to the object's angular frequency and position.

Derived equation:

$$a = -\omega^2 x$$

7.3.A.3.ii

It can be shown that the maximum velocity and acceleration of an object exhibiting SHM are related to the angular frequency of the object's motion.

Derived equations:

$$v_{\max} = A\omega$$

$$a_{\max} = A\omega^2$$

7.3.A.4

In the presence of a sinusoidal external force, a system may exhibit resonance.

7.3.A.4.i

Resonance occurs when an external force is exerted at the natural frequency of an oscillating system.

7.3.A.4.ii

Resonance increases the amplitude of oscillating motion.

7.3.A.4.iii

The natural frequency of a system is the frequency at which the system will oscillate when it is displaced from its equilibrium position.

7.3.A.5

Changing the amplitude of a system exhibiting SHM will not change its period.

7.3.A.6

Properties of SHM can be determined and analyzed using graphical representations.

BOUNDARY STATEMENT

AP Physics C: Mechanics only expects students to know the solution to the second-order differential equation that describes SHM, as well as be able to identify SHM. AP Physics C: Mechanics does not expect students to mathematically prove that the solution is correct.

TOPIC 7.4

Energy of Simple Harmonic Oscillators

Required Course Content

LEARNING OBJECTIVE**7.4.A**

Describe the mechanical energy of a system exhibiting SHM.

ESSENTIAL KNOWLEDGE**7.4.A.1**

The total energy of a system exhibiting SHM is the sum of the system's kinetic and potential energies.

Relevant equation:

$$E_{\text{total}} = U + K$$

7.4.A.2

Conservation of energy indicates that the total energy of a system exhibiting SHM is constant.

7.4.A.3

The kinetic energy of a system exhibiting SHM is at a maximum when the system's potential energy is at a minimum.

7.4.A.4

The potential energy of a system exhibiting SHM is at a maximum when the system's kinetic energy is at a minimum.

7.4.A.4.i

The minimum kinetic energy of a system exhibiting SHM is zero.

7.4.A.4.ii

Increasing the amplitude of a system exhibiting SHM will change the maximum potential energy of the system and, therefore, the total energy of the system.

Relevant equation for a spring-object system:

$$E_{\text{total}} = \frac{1}{2} kA^2$$

SUGGESTED SKILLS**1.C**

Create qualitative sketches of graphs that represent features of a model or the behavior of the physical system.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

2.D

Predict new values or factors of change of physical quantities using functional dependence between variables.

3.C

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.

SUGGESTED SKILLS

1.B

Create quantitative graphs with appropriate scales and units, including plotting data.

2.A

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

2.B

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

3.A

Create experimental procedures that are appropriate for a given scientific question.

3.B

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

TOPIC 7.5

Simple and Physical Pendulums

Required Course Content

LEARNING OBJECTIVE**7.5.A**

Describe the properties of a physical pendulum.

ESSENTIAL KNOWLEDGE**7.5.A.1**

A physical pendulum is a rigid body that undergoes oscillation about a fixed axis.

7.5.A.2

For small amplitudes of motion, the period of a physical pendulum is derived from the application of Newton's second law in rotational form.

Relevant equation:

$$T_{\text{phys}} = 2\pi \sqrt{\frac{I}{mgd}}$$

7.5.A.2.i

When displaced from equilibrium, the gravitational force exerted on a physical pendulum's center of mass provides a restoring torque.

Derived equation:

$$\tau = -mgd \sin \theta$$

7.5.A.2.ii

For small amplitudes of motion, the small-angle approximation can be applied to the restoring torque.

Derived equation:

$$\sin \theta \approx \theta$$

$$\tau = -mgd\theta = I\alpha$$

7.5.A.2.iii

The small-angle approximation and Newton's second law in rotational form yield a second-order differential equation that describes SHM:

$$\frac{d^2\theta}{dt^2} = -\omega^2\theta$$

continued on next page

Oscillations

LEARNING OBJECTIVE

7.5.A

Describe the properties of a physical pendulum.

ESSENTIAL KNOWLEDGE

7.5.A.3

A simple pendulum is a special case of physical pendulums in which the hanging object can be modeled as a point mass at a distance, l , from the pivot point.

Relevant equation:

$$T_p = 2\pi \sqrt{\frac{\ell}{g}}$$

7.5.A.4

A torsion pendulum is a case of SHM where the restoring torque is proportional to the angular displacement of a rotating system. For example, a horizontal disk that is suspended from a wire attached to its center of mass may undergo rotational oscillations about the wire in the horizontal plane.


Derived equation:

$$I\alpha = -k\Delta\theta$$

THIS PAGE IS INTENTIONALLY LEFT BLANK.

AP PHYSICS C: MECHANICS

Laboratory Investigations



Lab Experiments

Although laboratory work has often been separated from classroom work, research shows that experience and experiment are often more instructionally effective when flexibly integrated into the development of concepts. When students build their own conceptual understanding of the principles of physics, their familiarity with the concrete evidence for their ideas leads to deeper understanding and gives them a sense of ownership of the knowledge they have constructed.

Scientific inquiry experiences in AP Physics C: Mechanics should be designed and implemented with increasing student involvement to help enhance inquiry learning and the development of critical thinking and problem-solving skills and abilities. Typically, the level of investigations in an AP Physics C: Mechanics classroom should focus primarily on the continuum between guided and open inquiry. However, depending on students' familiarity with a topic, a given laboratory experience might incorporate a sequence involving all four levels of inquiry (confirmation, structured inquiry, guided inquiry, and open inquiry).

Lab Manuals and Lab Notebooks

Many publishers and science classroom material distributors offer affordable lab manuals with outlined experiments and activities as well as lab notebooks for recording lab data and observations. Students can use any type of notebook to fulfill the lab notebook requirement, even an online document. Consider the needs of the classroom when deciding what type of lab notebook to use.

Lab Materials

A wide range of equipment may be used in the physics laboratory, from generic lab items, such as metersticks, rubber balls, springs, string, metal spheres, calibrated mass sets, beakers, glass and cardboard tubes, electronic balances, stopwatches, clamps, and ring stands, to items more specific to physics, such as tracks, carts, light bulbs, resistors, magnets, and batteries. Successful guided inquiry student work can be accomplished with simple, inexpensive materials and with more sophisticated physics equipment, such as air

tracks, force sensors, and oscilloscopes. Remember that the AP lab should provide an experience for students equivalent to that of a college laboratory, so teachers are encouraged to make every effort to provide a range of experiences—from experiments students contrive from plumbing pipe, string, and duct tape to experiments in which students gather and analyze data using calculators or computer-interfaced equipment.

There are avenues that teachers can explore as a means of getting access to more expensive equipment, such as computers and probes. Probes can often be rented for short periods of time from instrument suppliers. Alternatively, local colleges or universities may allow high school students to complete a lab as a field trip on their campus, or they may allow teachers to borrow their equipment. They may even donate their old equipment. Some schools have partnerships with local businesses that can help with laboratory equipment and materials. Teachers can also utilize online donation sites such as Donors Choose and Adopt-A-Classroom.

Lab Time

For AP Physics C: Mechanics to be comparable to a college physics course, it is critical that teachers make laboratory work an important part of their curriculum. An analysis of data from AP Physics examinees, regarding the length of time they spent per week in the laboratory, shows that increased laboratory time correlates with higher AP scores. Flexible or modular scheduling must be implemented to meet the time requirements identified in the course outline. Furthermore, it is important that the AP Physics laboratory program be adapted to local conditions and funding as it aims to offer the students a well-rounded experience with experimental physics. Adequate laboratory facilities should be provided so that each student has a work space where equipment and materials can be left overnight if necessary. Sufficient laboratory equipment for the anticipated enrollment and appropriate instruments should be provided. Students in AP Physics should have access to computers with software appropriate for processing laboratory data and writing reports.

How to Set Up a Lab Program

Physics is a way of approaching scientific discovery that requires personal observation and physical experimentation. Being successful in this endeavor requires students to synthesize and use a broad spectrum of knowledge and skills, including mathematical, computational, experimental, and practical skills, and to develop habits of mind that might be characterized as thinking like a physicist. Student-directed, inquiry-based lab experience supports the AP Physics C: Mechanics course and AP Course Audit curricular requirements. It provides opportunities for students to design experiments, collect data, apply mathematical routines and methods, and refine testable explanations and predictions. The AP Physics C: Mechanics course should include a hands-on laboratory component comparable to a semester-long introductory college level physics laboratory. Students must spend a minimum of 25% of instructional time engaged in hands-on laboratory work.

The AP Physics C: Mechanics Exam directly assesses the learning objectives of the course framework, which means that the inclusion of appropriate experiments aligned with those learning objectives is important for student success. Teachers should select experiments that provide students with the broadest laboratory experience possible. We encourage teachers to be creative in designing their lab program while ensuring that students explore and develop an understanding of the core techniques of writing experimental procedures and analyzing data. After completion, students should be able to describe how to construct knowledge, model (create an abstract representation of a real system), design experiments, analyze visual data, and communicate physics. Students should also develop an understanding of how changes in the design of the experiments would affect the outcome of their results. Many questions on the AP Exam are written in an experimental context, so these skills will prove invaluable for both concept comprehension and exam performance. Because AP Physics C: Mechanics is equivalent to a college course, the equipment and time allotted to laboratories should be similar to that in a

college course. Therefore, schools must ensure that students have access to scientific equipment and all materials necessary to conduct hands-on, college-level physics laboratory investigations.

Getting Students Started

There are no prescriptive “steps” to the iterative process of inquiry-based investigations. However, there are some common characteristics of inquiry that will support students in designing their investigations. Often, this simply begins with using the learning objectives to craft a question for students to investigate. Teachers may choose to give students a list of materials they are allowed to use in their design or require that students request the equipment they feel they need to investigate the question. Working with learning objectives to craft questions may include the following:

- Selecting learning objectives from the course framework that relate to the subject under study, and that may set forth specific tasks, in the form of “Design an experiment to”
- Rephrasing or refining the learning objectives that align to the unit of study to create an inquiry-based investigation for students.

Students should be given latitude to make design modifications or ask for additional equipment appropriate for their design. It is also helpful for individual groups to report to the class their basic design to elicit feedback on feasibility. Guided student groups can proceed through the experiment, with the teacher allowing them the freedom to make mistakes—as long as those mistakes don’t endanger students or equipment, or lead the groups too far off task. Students should have many opportunities for post-lab reporting so that groups can understand the successes and challenges of individual lab designs.

Communication, Group Collaboration, and the Laboratory Record

Laboratory work is an excellent means through which students can develop and practice communication skills. Success in subsequent work in physics depends heavily on an ability to communicate about observations, ideas, and conclusions to others. By working together in a truly collaborative manner to plan and carry out experiments, students learn oral communication skills and teamwork. Students must be encouraged to take full individual responsibility for the success, or failure, of the collaboration.

After students are given a question for investigation, they may present their findings in either a written or an oral report to the teacher and class for feedback and critique on their final design and results. Students should be encouraged to critique and challenge one another's claims based on the evidence collected during the investigation.

Laboratory Safety

Giving students the responsibility for design of their own laboratory experience involves special responsibilities for teachers. To ensure a safe working environment, teachers should first provide the limitations and safety precautions necessary for potential procedures and equipment students may use during their investigation. Teachers should also provide specific guidelines prior to students' discussion on investigation designs for each experiment, so that those precautions can be incorporated into final

student-selected lab designs and included in the background or design plan in a laboratory record. It may also be helpful to print the precautions that apply to that specific lab as Safety Notes to place on the desk or wall near student workstations. In addition, a general set of safety guidelines should be set forth for students at the beginning of the course. The following is a list of possible general guidelines teachers may post.

- Before each lab, make sure you know and record the potential hazards involved in the investigation, as well as the precautions you will take to stay safe.
- Before using equipment, make sure you know the proper method of use to acquire good data and avoid damage to equipment.
- Know where safety equipment is located in the lab, such as the fire extinguisher, safety goggles, and the first aid kit.
- Follow the teacher's special safety guidelines as set forth prior to each experiment. (Students should record these as part of their design plan for a lab.)
- When in doubt about the safety or advisability of a procedure, check with the teacher before proceeding.

Teachers should interact constantly with students as they work to observe safety practices and anticipate and discuss with them any problems that may arise. Walking among student groups and asking questions allows teachers to keep the pulse of what students are doing and maintain a watchful eye for potential safety issues.

Laboratory Investigations

Introduction

Laboratory investigations, experiments, and activities (also called “labs”) are the cornerstone of many successful physics classrooms. Labs give students the opportunity to investigate behaviors of objects and systems, make observations, and develop their own explanations and understandings of the physical world. Within labs, students explore patterns and systems to make conclusions that can be used to predict future outcomes. This cycle of observation, measurement, recording, analyzing, and concluding is the backbone of all science. Justifying conclusions by applying the knowledge, concepts, and principles that are discussed in lecture or classwork sessions to tangible material connects physical actions to conceptual understanding. Labs provide students with additional ways to encode information, which increases the methods by which they are able to retrieve and apply that information. An analysis of data from AP Physics examinees, regarding the length of time they spent per week in the laboratory, shows that increased lab time correlates with higher AP Exam scores.

Descriptions of Labs

AP Physics courses require that 25% of instruction time is spent in hands-on laboratory work. In practice, this translates to approximately one classroom period of 45 minutes per week (for a course that meets 5 days a week for 45 minutes for the entire school year) that is devoted to lab-related activities. This average can be implemented in a variety of ways. Some teachers do labs on the same day every week, using a weekly cycle of content, practice, application, and low-stakes formative assessment. Others prefer to do one “big” or more complex lab every two weeks. Some teachers prefer to thread quick 20-minute “mini labs” throughout their daily classroom routines. Some teachers plan a few investigative labs at the start of a unit; then spend significant class time on practice, discussion, and application of concepts; and then end the unit with one or two more complex labs that incorporate content from the entire unit. And even further still, some teachers do a combination of all of the above. Any approach is acceptable as long as the 25% requirement is met.

Defining “Labs” and “Lab Time”

Perhaps the most common questions asked by teachers who are planning their lessons are variations of:

- “What counts as a lab?”
- “What counts as time spent on labs?”
- “Do labs need to take the entire class period?”
- “Do students need to be in the ‘lab’ part of the classroom to count as lab time?”
- “Do digital or online lab simulations count for lab time?”
- “Do labs need to have formal write-ups?”

Labs

For AP Physics, a lab is performed any time data is collected and/or analyzed. A follow-up question might then be: “What is the threshold for collecting data?” For AP Physics, data is collected any time a student writes down an observation or measurement. Data can be qualitative, such as “The hockey puck looks like it slows down,” or quantitative “The acceleration of the hockey puck was $-1.23 \text{ m} / \text{s}^2$.” Data can be recorded in many ways, such as tables, lists, or paragraphs. The analysis itself can also be qualitative or quantitative, as appropriate for the objective of the lab.

Lab Time

For AP Physics, *lab time* is any time spent in the classroom that supports the act of doing a lab, as defined above. This includes, but is not limited to:

- Time spent discussing the goal and objectives of a lab.
- Setup of equipment and lab stations.
- “Pre-lab” questions and activities, such as identifying what to measure, developing and writing experimental procedures, sketching lab setups, creating data tables to complete, and so on.
- Performing experimental procedures.
- Collecting, plotting, and analyzing data as needed.
- “Post-lab” activities, such as interpreting, comparing, and discussing the results of the lab,

- connecting these results to course content, or exploring extension questions.
- Cleanup of equipment and lab stations.

Note that all of the above can be done individually, in small lab groups, or as an entire class, as deemed appropriate for any given teacher's students and class within the context of a specific lab. There are times when it is appropriate to simply let students explore on their own, and other times when more specific instructions and directions are required (either because of complexity or safety, or both). Sometimes a long summary and review session is not needed, other labs benefit from having the entire class share their data and make conclusions using this larger pool of data. All this time spent supporting the lab may be counted as *lab time*.

Types of Labs

Most labs can be broadly categorized into three types: Investigations, Verifications, and Applications. *Investigation labs* are activities where students are asked to induce an outcome and discover mathematical relationships or qualitative properties without having been taught the answer in the classroom. For example, a lab may pose the question: "What is the relationship between the impulse given to an object and that object's change in momentum?" Prior to this lab, teachers will have given definitions of impulse and momentum, but may not have discussed the Impulse–Momentum Theorem. Students will determine what data to record, how to obtain that data, take measurements, and then make a conclusion about the relationship between the impulse given to an object and that object's change in momentum.

The purpose of investigation labs is to have students create their own understanding of the behavior of a physical system. When created on its own, this understanding may provide a much more solid foundation on which the student can build further knowledge than when that same student is simply told about a physics concept. A real, tangible, physical experience is often much easier to relate to and remember. The phrase "Remember when you did ..." can be much more accessible than "Imagine you will ..."

Note that if students already know the relationship between impulse and the change in momentum, an investigation lab is easily turned into a verification lab.

Verification labs confirm information students have already been provided. Depending on the approach of the teacher, these labs can also be beneficial and useful in the classroom. However, the power of self-discovery should be harnessed as often as possible, as

it frequently helps students make their learning more permanent than when they simply confirm the answer found by others.

An *application lab* is when students are asked to apply a known physical principle or idea to a lab setup in order to find a specific answer or quantity. For example, a lab may ask students to "Determine the mass of a cart by measuring the impulse given to the cart and the cart's change in momentum." For this lab, students already know that $\bar{J} = \Delta \bar{p}$ and apply that relationship to accomplish the objective of the lab. The results in application labs are typically easy to assess as "right" or "wrong." If students experimentally determine that the mass of the cart is 350g, place the cart on a scale, and measure the mass of the cart to be 347g, that provides instant feedback on how well the students applied physics, laboratory skills, and the quality of their measurements. A lab group that obtains 682g for the same cart has similar instant feedback.

In an application lab, an unexpected result that significantly departs from the expected result should lead to double-checking measurements and procedures, recalibration of equipment, or finding other errors in methods or data. The ability for students to use instant feedback to check the accuracy of their work can be an invaluable tool used to develop student confidence as well as refine skills and understanding. Even when students do not obtain the "right" answer the first time, a student can earn a tremendous feeling of pride and accomplishment after self-correcting. Not only does this student learn how to overcome their mistakes, but the learning may also then be associated with positive outcomes.

Lab Skills

Labs should be selected to implement a wide variety of appropriate scientific skills. Within the context of AP Physics, all three skills within Science Practice 3: Scientific Questioning and Argumentation are appropriate to emphasize. However, in performing an experiment, students may also demonstrate any of the other skills within the AP Physics Science Practices. As such, teachers should intentionally choose which skills to emphasize, and when. For instance, some labs may require meticulous measurement and data collection, while others only need qualitative observations. Teachers are encouraged to choose labs that represent all the skills students will need to become well-rounded scientists and physicists. No single type of lab or instructional approach can provide a one-size-fits-all solution for students in the classroom. Students benefit from a variety of strategies and approaches to gain a deep, comprehensive understanding of physics concepts.

Suggested lab variations to address a variety of course skills include

- Labs that have small details that require careful attention as well as labs that are basic and straightforward.
- Labs that require students to repeat the same measurement many times to find an average as well as labs where students must change a single quantity in order to find a relationship between two variables.
- Labs that require graphical linearization and complex mathematical derivation to determine an experimental value as well as labs that have simple conclusions based on qualitative observations.

Lab Formats

Labs may appear in a variety of formats. For a quick 15-minute demonstration where students make observations and conclusions, students may simply write their observations on the front of an index card and their conclusions on the back side of that same card. There is no one right way to do labs in the classroom; there are many different methods that can be employed. Some suggested lab formats include:

- Printing out pages for students to complete
- Requiring students to keep detailed laboratory notebooks
- Combination approach, including both printed workbook style pages and full laboratory notebooks.
- Traditional lab manual and full lab report

Teachers are encouraged to use routine to their advantage in the lab. If structures and routines are introduced at the start of the academic year, the complexity of labs that can be performed throughout the course can be increased. At the start of the year, teachers can reinforce and emphasize the lab skills themselves (i.e., developing procedures, recording data effectively, analysis methods, etc.) in the context of more accessible content. For example, if the goal of a lab is to analyze the speed of a bowling ball as it rolls down a hallway, students can typically develop and refine a scientific method of doing so without having to use complex experimental equipment and setups or nuanced physics. Later in their studies, a lab could have students investigate the relationship between the period of a meterstick oscillating as a physical pendulum and the pivot point of that oscillation. While this lab would require specific equipment as well as more complex data collection and analysis, students would be able to focus on these complexities because they have practiced the foundational lab skills and techniques throughout the course.

Lab Equipment

There is no required lab equipment in AP Physics C: Mechanics. It is possible to develop a robust series of labs that only require the most basic materials. However, there is a wide range of equipment, sensors, and tools that are available to teachers to use to augment their current compilation of materials. A list of the most commonly used lab equipment is provided below. While students do not need to have personal experience with each of these tools, they need to be made aware of this equipment, as well as the uses for each piece, so that they will be aware of what equipment they might be asked about on the AP exam.

Generic Lab Equipment

- Stands, 90-degree cross supports, and clamps, of varying sizes and design
- Metersticks
- Scale (digital, triple-beam balance, etc.)
- String
 - ◆ Often heavy-duty fishing line is the best “physics” string. Fishing line is inexpensive, thin, easily available, and strong. Cotton twine is often too thick or breaks too easily, and nylon string can be difficult to tie in a reliable knot.
- Tape (including masking tape, painter’s tape, duct tape, clear tape, etc.)
- Scissors
- Glue and/or glue sticks
- Assorted spheres, balls, and masses

Physics-Specific Optional Lab Equipment


- Low-friction track
- Low-friction carts
 - ◆ Newer models of these carts can be loaded with short-cut features, such as built-in sensors that can measure the position, velocity, and acceleration of the cart, as well as a built-in force sensor, and can connect to a cell phone or computer using cables and/or Bluetooth.
- Ultrasonic motion sensor
 - ◆ An ultrasonic motion sensor is a device that emits a high-frequency “ping” and measures the amount of time to hear an echo of that ping. The sensor then makes some assumptions about the speed of sound to calculate the distance between the sensor and the object off which that ping is reflected. This can be repeated hundreds of times per second, and then those

- measurements can be used to calculate the velocity and acceleration of the object.
- ◆ Note that while the data ultrasonic motion sensors measure can be used to calculate speed, the quantity that these motion sensors directly measure is time.
- ◆ Ultrasonic motion sensors can be used to determine the position, velocity, and acceleration of an object.
- Photogates
 - ◆ A photogate is a device that uses an infrared light beam and a sensor to detect if a light is blocked (or not). In conjunction with data provided about the size of the object that passes through the photogate, and the amount of time for which the light is blocked, a computer can calculate the average speed of the object as it passes through the gate. Multiple photogates can be set up to precisely measure the time an object takes to pass from one gate to the next. Due to how photogates work, a single photogate cannot measure the direction of an object's motion.
 - ◆ Note that while the data photogates measure can be used to calculate speed, the quantity that photogates are directly measuring is time.
 - ◆ Photogates can be said to determine speed, but depending on the configuration of the photogates, the speed being measured may be considered to be equal to the object's instantaneous speed at that single location, or the average speed between two different photogates. In some applications, this distinction is crucial to obtaining the appropriate value.
- Spring scales/Force sensors
 - ◆ Spring scales use the calibrated compression or extension of a spring to determine the force exerted on the spring.
 - ◆ Electronic force sensors typically use a metal gauge that is deformed by a force exerted on the gauge. Electronic force sensors tend to have much more precision and accuracy than spring scales.
- ◆ Note that spring scales are a direct application of Hooke's law in the lab, and that while the discussion of how electronic force sensors may be fascinating to some students, knowing the specifics of exactly how and why they work is not required for the exam.
- Low-friction/low inertia pulleys
 - ◆ These are pulleys that have very low-friction axles and low rotational inertia, which allows the pulleys to be used without needing to account for friction or the rotation of the pulley in the experimental setup. Excessive friction within the axle of a pulley or large pulleys can significantly impact the results of the experiment.
 - ◆ Some manufacturers make pulleys that can be used in conjunction with photogates to precisely calculate the angular displacement, velocity, and acceleration of the pulley.
- Cell phones
 - ◆ Modern cell phones are packed with sensors, cameras, and apps that can be easily and appropriately implemented in the classroom. Cell phones have stopwatches, video cameras (and most with slow-motion or even time-lapse capabilities), accelerometers that can be used to measure angles and acceleration, magnetometers, microphones, GPS, and so on. In addition, there are many free apps that students can download that take advantage of these sensors within a physics lab setting. Cell phones can be used if available but are not required. For most laboratory investigations where data collection with phones is desired, one phone per group will suffice.
- Video analysis/Computer software
 - ◆ There are multiple options for computer software and video analysis of varying cost and functionality. Electronic sensors should come with the software needed to operate those sensors. More robust software can use collected data to measure the area under a curve, or perform curve-fitting analyses or linear regressions, and more.

THIS PAGE IS INTENTIONALLY LEFT BLANK.

AP PHYSICS C: MECHANICS

Instructional Approaches



Selecting and Using Course Materials

Selecting and Using Course Materials

Teachers will benefit from a wide array of materials to help students become proficient with the science practices necessary to develop a conceptual understanding of the relationships, laws, and phenomena studied in AP Physics C: Mechanics. In addition to using a college-level textbook that will provide required course content, teachers should provide students with regular opportunities to create and use data, representations, and models through supplemental material such as TIPERS (Tasks Inspired by Physics Education Research), AP Classroom, and released AP Physics C: Mechanics questions. Rich, experimental investigation is the cornerstone of AP Physics C: Mechanics, and diverse source material allows teachers more flexibility in designing the types of learning activities that will help develop the habits of thinking like a physicist.

Textbooks

While nearly all college-level physics textbooks address the 7 units of AP Physics C: Mechanics, it's important for teachers to identify other types of secondary sources (such as lab manuals, TIPERS, etc.) to supplement the chosen textbook, accordingly, ensuring that each of the 7 topic areas, as well as the science practices, receive adequate attention. AP Central provides an example textbook list to help determine whether a text is considered appropriate in meeting the AP Physics C: Mechanics Course Audit resource requirement. Teachers can also select textbooks locally.

Guided Inquiry in AP Physics C: Mechanics

The more active students are in their science education, the more scientifically literate they will become. Inquiry into authentic questions generated from student experiences should be one of the central strategies when teaching AP Physics C: Mechanics. By posing questions, planning investigations to answer those questions, and reviewing what is already known in

light of experimental evidence, students mirror how scientists analyze the natural world. Inquiry requires identifying assumptions, using critical and logical thinking, and considering alternative explanations. Having students probe for answers to scientific questions will lead to a deeper understanding of scientific concepts.

How to Scaffold Inquiry in the AP Classroom

Skill	MORE	AMOUNT OF DIRECTION FROM TEACHER	LESS	
1.A Create diagrams, tables, charts, or schematics to represent physical situations.	The student works with a representation provided by the teacher.	The student selects from a set of representations provided by the teacher.	The student sharpens, completes, or augments a representation provided by the teacher.	The student creates their own representation.
1.B Create quantitative graphs with appropriate scales and units, including plotting data.	The student works with a graph provided by the teacher.	The student plots data on a graph that is labeled and scaled, but not fully completed, by the teacher.	The student applies appropriate scales and plots data on a graph where the axes have been labeled for the student by the teacher.	The student creates appropriate graphs with scales and units, including plotting data, on their own.
1.C Create qualitative sketches of graphs that represent features of a model or the behavior of a physical system.	The student works with sketches of graphs that are provided by the teacher.	The student is able to identify important characteristics of a sketch of a given scenario (i.e., whether the quantity should be increasing or decreasing but not necessarily whether it is concave up or down).	The student creates a sketch that represents a feature of a model, based on a sketch from a slightly different scenario, either provided by the teacher or reviewed previously.	The student creates sketches of graphs that represent features of a model or the behavior of a system, on their own.
2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.	The student works with a derivation provided by the teacher.	The student selects from a set of given derivations.	The student is given possible starting points for a derivation by the teacher.	The student derives an expression using physics concepts and principles on their own.

How to Scaffold Inquiry in the AP Classroom				
Skill	MORE ←	AMOUNT OF DIRECTION FROM TEACHER	→ LESS	
2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.	The student works with a calculation provided by the teacher.	The student selects from a set of given calculations provided by the teacher.	The student is given possible starting points for a calculation by the teacher.	The student performs a calculation on their own using physics concepts and principles.
2.C Compare physical quantities between two or more scenarios or at different times and locations in a single scenario.	The student is given the relationship or pattern between quantities from the teacher.	The student is given possible relationships or patterns to choose from to compare quantities from the teacher.	The student is directed toward possible patterns or relationships by the teacher.	The student can examine relationships and form links to explanations on their own.
2.D Predict new values or factors of change of physical quantities using functional dependence between variables.	The student is given a scenario and an equation by the teacher and is instructed how to analyze the scenario using the given equation. The student is given data by the teacher and is told how to analyze it.	The student is given possible equations or relationships between variables for a given scenario by the teacher and is asked to choose the equation or relationship that could be helpful in analyzing the scenario. The student is given data to analyze by the teacher.	The student is directed toward first principles by the teacher that will help start a derivation to make claims about the functional dependence between variables in a given scenario. The student is directed to collect and analyze certain data by the teacher.	The student can derive relationships and make claims about the functional dependence between variables in a given scenario on their own. The student can determine both what constitutes evidence to support a claim and collect it on their own.
3.A Create experimental procedures that are appropriate for a given scientific question.	The student works with a procedure provided by the teacher.	The student selects from a set of given procedures provided by the teacher.	The student sharpens, completes, or augments an outline of a procedure provided by the teacher.	The student determines a procedure on their own.
3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.	The student is given procedures, relationships, or data by the teacher to make claims and predictions.	The student is given broad guidelines from the teacher to sharpen claims and predictions.	The student is coached in the development of claims and predictions using evidence summarized by the teacher.	The student devises a claim or prediction on their own after summarizing the evidence.
3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.	The student is provided with evidence to support an explanation.	The student is given possible ways to use evidence to create explanations by the teacher.	The student is guided through the process of formulating explanations from evidence.	The student can form reasonable and logical arguments to communicate explanations based on scientific theories and models on their own.

Understanding the different types of inquiry can help teachers scaffold the types of labs and activities to better meet the needs of their students.

Below are four suggestions to make labs and activities more student-centered and inquiry-based:

- **Start small:** Take out the “data” or “results” section from traditional labs. If the procedure is thorough and simple enough, students can read and design the data and results sections on their own.
- **Tackle the procedure:** Eventually, teachers will want students to design their own experiments, but students may need some practice first. Remove the step numbers and shuffle the steps in a given procedure. Have the students work in pairs to put the steps into the correct order. Next, try having them write a procedure as a pre-lab homework assignment, and then work together as a class to develop it further, making sure that the question, variables, and safety are addressed.
- **Try a goal-oriented task:** Completely remove the procedure, and prompt students with a question that asks them to achieve something they want to do. At this point, it’s best to choose a lab that incorporates topics students already understand conceptually and that uses simple, familiar equipment.
- **Let students do the thinking:** Create opportunities for students to choose what they will investigate. Facilitate their thought process without telling them what to do. A pre-lab brainstorming session in small groups is helpful when having students develop a question to investigate. It is important to provide students with some guidelines at this step. For example, students need to think about a question, a hypothesis, and materials before beginning an open-ended lab. Seeing and approving this in lab groups helps boost students’ confidence.

Instructional Strategies

The AP Physics C: Mechanics course framework outlines the concepts and science practices students must be proficient in order to be successful on the AP Exam. To address those concepts and science practices effectively, teachers should incorporate a variety of instructional approaches and best practices into their daily lessons and activities. Teachers can help students develop the science practices by engaging them in learning activities that allow them to apply their understanding of course concepts. Teachers may consider the following strategies as they plan instruction. Please note they are listed alphabetically and not by order of importance or instruction.

Strategy	Description	Example
Ask the Expert	Students are assigned as “experts” on concepts they understand well; groups rotate through the expert stations to learn about concepts they need to work on, providing students with opportunities to share knowledge and learn from one another.	Assign student “experts” on conservation of linear momentum questions. Have students rotate through stations in groups, working with the station expert to justify a set of claims pertaining to each question with corresponding physical laws. “Experts” can be swapped at any point during the rotation so that all students have the opportunity to lead work and engage with multiple problems.
Changing Representations	Students translate from one representation (e.g., motion map) to another (e.g., a free-body diagram). This may involve creating pictures, tables, graphs, lists, equations, models, and/or verbal expressions to interpret text or data.	For a given situation involving energy conservation, have students create a sketch of the identified system, a set of conservation of energy equations, sets of energy bar charts and graphs of potential energy, kinetic energy, total energy; or combinations of the above representations.
Concept-Oriented Demonstration	Students create a description, prediction, and/or explanation for a demonstration done by the teacher.	While demonstrating why different soup cans with identical diameters reach the bottom of an incline at different times because of the contents of the cans, have students explain the outcome of the “race” in terms of physical laws and theories.
Conflicting Contentions	Students are presented with two or three statements that disagree in some way and must both decide which contention they agree with and explain why.	Present students with the following scenario: <i>A small child and a large adult, both wearing roller skates, stand at rest facing each other. The child and adult push off each other, and when they are no longer touching, the child is moving faster than the adult.</i> Then, ask students to justify or disprove the following claims <i>Claim 1: “The adult pushed harder on the child because they are bigger.”</i> <i>Claim 2: “Both the child and the adult pushed equally hard, but the child moved farther while they were pushing, so the child ended up going faster.”</i> <i>Claim 3: “The child must have pushed harder to get the adult moving since the adult is bigger, and that caused the child to accelerate more.”</i>

continued on next page

Strategy	Description	Example
Construct an Argument	<p>Students use mathematical reasoning to present assumptions about mathematical situations, evaluate mathematical information, support conjectures with mathematically relevant and accurate data, and provide a logical progression of ideas leading to a reasonable conclusion. This strategy can be used with scenarios presented verbally that do not lend themselves to immediate application of a formula or mathematical process.</p>	<p>Provide students with distance versus time and velocity versus time graphs that represent a motorist's behavior through several towns on a map and ask them to construct a mathematical argument either in defense of or against a traffic camera's charge of speeding, given a known speed limit.</p>
Create a Plan	<p>Students analyze the tasks in a problem and create a process for completing the tasks. They find the information needed, interpret data, choose how to solve a problem, communicate the results, and verify accuracy.</p>	<p>Have groups of 3–4 students analyze the tasks necessary to design an experiment to determine the relationship between the diameter of a wooden dowel and the force required to break the dowel by scaffolding the process. Have students identify the steps needed to determine the relationship, including collecting and analyzing data, as well as what to do with the collected data.</p>
Debriefing	<p>Students discuss the understanding of a concept to lead to a consensus on its meaning while clarifying misconceptions and deepening understanding of context.</p>	<p>Have students roll a ball down a simple ramp and measure the distance the ball travels over time every second for five seconds. Then, have them plot position versus time and sketch a curve of best fit to help them discuss how they might determine the average velocity of the ball over the 5 seconds and then the instantaneous velocity of the ball at several points.</p>
Desktop Experiment Tasks	<p>Students perform a demonstration at their desks (either in class or at home) using a predict-and-explain format but add the step of actually doing the experiment. This "doing it" step consists of using the apparatus provided to answer a given question, and is followed by a reformulating step, where students reconsider their previous explanations while considering the results of the experiment.</p>	<p>Have students determine the coefficient of kinetic friction between their shoe and the surface of their desk by pulling the shoe across the surface with a spring scale at a constant speed. Students can compare the determined coefficients to the type of shoe (e.g., athletic, slipper, sandal, etc.) and discuss the relationship between type of shoe and coefficient.</p>

continued on next page

Strategy	Description	Example
Discussion Groups	<p>Students work with in groups to discuss related content, create problem solutions, and explain and justify a solution.</p>	<p>As a review for the AP Physics C: Mechanics exam, assign students the problem of determining the speed of an object just before it reaches the ground after it has been released from rest at a height h above the ground. Challenge students to solve the problem using as many physics pathways as they can. Some examples may include: analyzing the forces and then using kinematics, using conservation of energy on the object-Earth system, using the impulse-momentum theorem, and using angular impulse and angular momentum.</p>
Friends Without Pens	<p>Students solve problems by engaging in two "rounds" of timed work—in groups and then independently. In the first round, called "friends without pens," students are grouped together to discuss the problem but are not permitted to write anything. In the second round, called "pens without friends," students return to their desk where they complete and finalize their responses to the problem individually, using any information they remember from their group discussion and their own knowledge of course concepts.</p>	<p>Ask students to evaluate two scenarios where blocks sit at rest on a tabletop where friction between the table and the block is negligible. In one scenario, the block is pulled by a string where the tension in the string is 50 N. In the second scenario an identical string is attached to the block, travels over a pulley and is attached to an object of mass 5 kg. Ask students to compare the accelerations of the blocks in the two scenarios by making a claim about the accelerations and providing evidence to support that claim.</p>
Four-Square Problem Solving	<p>Students are given a scenario, perhaps one that came from a traditional, "plug-and-chug" calculation problem. They divide a sheet of paper into four quadrants. In each quadrant, students put some representation of what is going on in the problem (e.g., motion maps or graphs, free-body diagrams, energy bar graphs, momentum bar graphs, mathematical models (i.e., equations with symbols), well-labeled diagrams, or written explanation (i.e., two to three strong, clear sentences).</p>	<p>Assign students the scenario of a disk rolling without slipping down an incline. For the four-squares, have students</p> <ol style="list-style-type: none"> <li data-bbox="980 1269 1383 1296">sketch a force diagram of the disk. <li data-bbox="980 1311 1503 1459">sketch an energy bar chart of the translational kinetic, rotational kinetic, and gravitational potential energy of the disk-Earth system when the disk is at the top and bottom of the incline. <li data-bbox="980 1480 1498 1537">derive an equation for the translational speed of the disk at the bottom of the incline. <li data-bbox="980 1552 1498 1643">make a claim about the final speed of a hoop (with the same mass and radius) if it were released from rest at the top of the same incline.
Graph and Switch	<p>Each student in a pair generates a graph (or sketch of a graph), on a graphing calculator or on paper, to model a certain function. Then, the students switch graphing calculators or papers to review each other's solutions.</p>	<p>As students learn about momentum diagrams, have them graph momentum versus time and force versus time, as well as create a momentum diagram to model a single situation. Have students individually graph and explain how their representations support a claim they make about the situation. Then, have them share their steps with a partner and receive feedback on their graphs, claims, evidence, and reasoning.</p>

continued on next page

Strategy	Description	Example
Marking the Text	Students highlight, underline, and/or annotate a text to identify and focus on key information that helps them understand the concepts and interpretations of tasks required to solve the problem.	Have students read through an AP-level question on experimental design—or have them look at a write-up of another student's experimental design—and underline the pronouns, equipment, and key information (e.g., the car begins at rest) to identify important details needed to answer the question or improve a given response. Leave time for students to ask clarifying questions about words or phrases they find unclear before asking them to provide a solution.
Meaningful, Meaningless Calculations	Students decide whether a calculation is meaningful (i.e., it gives a value that tells us something legitimate about the physical situation) or is meaningless (i.e., the expression is a totally inappropriate use of a relation). For example, a meaningless calculation might involve substituting a wrong numerical value into an expression.	Ask students to write an expression for the energy of a system. Have them decide which of the following expressions are meaningful, based on the units for the involved quantities: MgD , Mg/D , MD/g and $1/MgD$. Have students explain why the other expressions are meaningless, and address and discuss any misconceptions that arise.
		Ask students about a situation where a cart with a fan is released from rest and moves across a flat tabletop 1 m long with negligible friction. Have them find the final speed of the cart by measuring the time it took to travel 1 m and dividing the displacement of the cart (1 m) by this time. Then, ask students if and why this is a meaningful calculation for this situation and why other calculations are inappropriate or meaningless.
Note Taking	Students create a record of information while reading a text, listening to a speaker, or interacting with a problem.	Have students write down descriptions of the steps needed to solve a problem, in words, so that a record of the processes can be referred to at a later point in time.
Predict and Explain	Students predict what will happen in a situation—one they are familiar with or have sufficient background information about—and explain why they think that outcome will occur.	When a ballistic pendulum is set up, ask students what will happen to the maximum swing height when the mass of the dart is increased or decreased. Then, ask students the following questions: What would happen if the dart were to bounce off of, instead of stick into the block? What if the dart passed through the block?
Qualitative Reasoning	Students are presented with an initial and a final version of the same physical situation and asked to apply a principle to qualitatively reason how some quantity, or aspect, will change.	Ask students what would happen to the angular momentum of an object in orbit around the Earth if the radius of orbit were increased, if the speed of orbit were decreased, or if the mass of the Earth were changed. To continue their thinking, you may ask students: What happens to the energy of the system as the physical properties above are changed?

continued on next page

Strategy	Description	Example
Quickwrite	Students write for a short, specific amount of time about a designated topic.	To help synthesize concepts after having learned about the conservation of mechanical energy, have students list as many ways as possible to change the total mechanical energy of a system and how each change affects the total mechanical energy.
Ranking Tasks	Students are presented with a series of variations of a situation, based on a specific scenario. The variations differ in the values (numeric or symbolic) for the variables involved, but also frequently include variables that are not important to the task. Students rank the variations of a specified physical quantity and must also explain the reasoning for their ranking choices, as well as rate their confidence in their ranking.	Given six different arrows launched from the ground with different speeds at different angles, have students rank the arrows based on highest acceleration at the top, longest time in the air, and largest velocity at the top.
Sharing and Responding	Students communicate with each other in pairs or in groups, taking turns proposing a solution to a problem and responding to the solutions of others.	Have students individually answer a released free-response question from the AP Physics C: Mechanics Exam. Then, have students review each other's work for the same problem in pairs or small groups. Have those pairs or groups make any necessary corrections and build a single, complete solution together.
Simplify the Problem	Students use "friendlier" numbers or functions to help solve a problem.	Have students use the analogy of one-dimensional motion when initially analyzing rotational kinematics. Ask them how they would go about solving the problem in the simpler context—what formulas they would use, what quantities they would substitute, and so on.
"What, If Anything, Is Wrong?"	Students analyze a statement or diagrammed situation to determine if it is correct. If everything is correct, students explain why the situation/statement works as described. If something is incorrect, students must identify the error and explain how to correct it.	Have students analyze a free-body diagram or a force diagram that may or may not have incorrect forces drawn. If all forces drawn are correct, have students explain why they are correct. If one or more forces drawn are incorrect, have students explain why they are incorrect and how they might correct the error.

continued on next page

Strategy	Description	Example
Write and Switch	<p>Students make observations, collect data, or make a claim about a situation and then switch papers with a partner. Each student in the pair gives feedback on the other's work and then returns the paper.</p>	<p>As students learn about creating an argument, have them draft an initial argument themselves; share their claim, evidence, and reasoning with a partner; and receive feedback on their argument. Give students a scenario such as:</p> <p>"Two objects sit at rest on a horizontal surface where friction between the objects and the surface is negligible. A force is exerted on one of the objects for a time Δt. Describe the motion of the center of mass of the two objects from before Δt to after Δt. Justify your answer."</p>
Working Backward	<p>Students work with the reverse order of the steps for solving a problem. For example, the given information could be an equation with specific values for all, or all but one, of the variables. Students then construct a physical situation for which the given equation would apply.</p>	<p>Give students an equation, such as $4 \text{ m} = (6 \text{ m/s})t - (9 \text{ m/s}^2)t^2$ and ask students to create another representation from this equation, such as a written scenario that this equation could represent, a position versus time graph, a velocity versus time graph, or a motion map. Start small by asking students for only one additional representation, and work toward having students create several representations for each scenario.</p>

Developing the Science Practices

Throughout the course, students will develop science practices that are fundamental to the discipline of physics. Students will benefit from multiple opportunities to develop these practices in a scaffolded manner. The tables that follow look at each of the science practices and their associated skills and provide examples of questions with sample activities for incorporating instruction on that skill into the course.

Science Practice 1: Creating Representations

Create representations that depict physical phenomena

When physicists describe and explain complex phenomena, they try to simplify real objects, systems, and processes to make the analysis manageable. These simplifications or models are used to predict how new phenomena will occur. A simple model may treat a system as an object, neglecting the system's internal structure and behavior. More complex models are models of a system of objects, such as a fireworks display or planets orbiting the sun. A process can be simplified, too. Models can be both conceptual and mathematical. The differential equation relating a velocity dependent force exerted on an object to the acceleration of that object is an example of a mathematical model, while the idea of the object reaching a terminal velocity is a conceptual model. To make a good model, students need to identify a set of the most important characteristics of a phenomenon or system that may simplify analysis. They then need to create a representation of those characteristics. Examples of representations used to

model introductory physics concepts are pictures, motion maps, free-body diagrams, force diagrams, graphs, energy bar charts, and momentum charts. Representations help in analyzing phenomena, making predictions and communicating ideas. AP Physics C: Mechanics requires students to use, analyze, and/or re-express models and representations of natural or man-made systems. A special note about free-body diagrams: *AP Physics C: Mechanics only expects students to depict the forces exerted on objects, not the force components on free-body diagrams. On the AP Physics exams, individual forces represented on a free-body diagram must be drawn as individual straight arrows, originating on the dot and pointing in the direction of the force. Individual forces that are exerted in the same direction must be drawn side by side, not overlapping.*

Students often think that to make a graph, they need to connect the data points, or that the best-fit function is always linear. Thus, it is important that they know how to construct a best-fit curve, even for data that do not fit a linear relationship.

The following table provides examples of questions and sample activities for strengthening the skill of creating representations.

Science Practice 1: Creating Representations

Skill	Questions to Ask Students	Sample Activities
1.A <i>Create diagrams, tables, charts, or schematics to represent physical situations.</i>	<ul style="list-style-type: none">▪ What kind of model or representation would be appropriate for this physical scenario?▪ What physical characteristics can be modeled or represented for this physical scenario?▪ What features of the representation provide information relevant to the question or problem?	Have students divide their paper into four quarters. In each quarter of the paper, have students create a representation of a provided physical situation. For example, have students create four different representations of two objects during an elastic collision. Representations can include graphs, equations, narratives, bar charts, motion maps, free-body diagrams, or sketches of physical situations. Have students describe the consistency between the representations.
1.B <i>Create quantitative graphs with appropriate scales and units, including plotting data.</i>	<ul style="list-style-type: none">▪ What data should be plotted?▪ What scale and axis labels should be used? What does an appropriately scaled graph look like?▪ What does a graph need to contain to be considered "correctly labeled"?▪ How should the data be graphed so that the best-fit curve shows a relationship?▪ What do the data on the graph show?▪ Is there a pattern present in the data? How do you know? What does the pattern show about the relationship between quantities?▪ What data would need to be graphed to create a linear relationship?▪ What is the physical meaning of the slope and/or area underneath the linearized graph?▪ What is the physical meaning of the y and/or x intercepts of the linearized graph?	<p>When learning about one-dimensional motion, have students measure the time it takes for an object to fall a specified height. Repeat the measurements for various heights. Have students determine what they should graph so that they can create a linearized graph.</p> <p>Have students identify correct graphs by giving them a "What, if Anything, Is Wrong?" task. Ask students to analyze a set of data and a supposed matching graph, and ask them to identify what, if anything, is wrong with the graph. The "wrong" things can be simple at first (e.g., scales not uniform, labels left off) and then can be scaffolded to be more difficult and address student misconceptions later in the course.</p>
1.C <i>Create qualitative sketches of graphs that represent features of a model or the behavior of a physical system.</i>	<ul style="list-style-type: none">▪ What are the main functional relationships needed to represent the phenomena?▪ What is the relationship between the two physical quantities?▪ What kind of graph (scatter plot, bar-graph, sketch of a graph etc.) is appropriate to represent the relationships between quantities that represent the phenomena?	Ask students to sketch graphs of the potential energy of a box-spring system as it oscillates horizontally, as a function of the position of the box. Then, have students add to that graph a sketch of the kinetic energy of the box as a function of the position of the box, and then the total mechanical energy of the box-spring system as a function of the position of the box. Finally, have students highlight the differences and similarities in the graphs.

Science Practice 2: Mathematical Routines

Conduct analyses to derive, calculate, estimate, or predict physical phenomena.

Physicists commonly use mathematical representations to describe and explain phenomena, as well as to solve problems. When students work with these representations, they should understand the connections between the mathematical descriptions, the physical phenomena, and the concepts represented in them. When using equations or mathematical representations, students need to be able to justify why using a particular equation or mathematical representation to analyze a situation is useful, and be aware of the conditions under which the equation/mathematical representation can be used. When solving a problem, students need to be able to describe the given situation in multiple ways, including through

pictorial representations, force diagrams, and so on, and then choose an appropriate mathematical representation—instead of first choosing a formula whose variables seem to match the “givens” in the problem.

Students should also be able to work with the algebraic form of an equation before substituting values, as well as be able to solve the equation and interpret the answer in terms of units and limiting case analysis.

Students should be able to translate between functional relationships in equations (e.g., proportionalities, inverse proportionalities, etc.) and cause-and-effect relationships in the physical world, while also being able to evaluate a numerical result in terms of appropriateness for the given context.

The following table provides examples of questions and instructional strategies for implementing mathematical routines into the course:

Science Practice 2: Mathematical Routines

Skill	Questions to Ask Students	Sample Activities
2.A <i>Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.</i>	<ul style="list-style-type: none">▪ What laws, definitions, or mathematical relationships relate to the given problem?▪ What are the rules, assumptions, or limitations surrounding the use of the chosen law, definition, or relationship?▪ Did the derivation begin with an equation or a fundamental physics relationship, law, or definition? If so, which one?▪ Are the steps clearly written out and annotated? Are any steps skipped? If so, which ones?	Have students identify which main law, definition, or mathematical relationship should be used in a scenario, based solely on question stems of multiple-choice questions, without looking at the question or response choices. Have students practice thinking about what could be asked of them, and what analysis technique they might want to use just from looking at the prompt they are given to analyze. When deriving the escape speed of a rocket launched from a planet, have students choose an equation or fundamental physics principle (e.g., conservation of energy) from the AP Physics C: Mechanics Table of Information: Equations.
2.B <i>Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.</i>	<ul style="list-style-type: none">▪ Did the calculation begin with an equation or a fundamental physics relationship, law, or definition? If so, which ones?▪ What known quantities can be used to calculate the unknown quantity?▪ What steps should you follow to use the known quantities to calculate the unknown quantity?▪ How should you label the calculated quantity? What units should be used?	Have students work backward from a given mathematical representation to a physical situation. For example, students can be given an equation such as $m_1g - \mu_k m_2 g \cos\theta - m_2 g \sin\theta = (m_1 + m_2)a$ and then ask students to create another representation from this equation, such as a written scenario that this equation could represent, a position versus time graph, a velocity versus time graph, free-body diagram, and so on.

continued on next page

Science Practice 2: Mathematical Routines

Skill	Questions to Ask Students	Sample Activities	
2.C	<p><i>Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.</i></p>	<ul style="list-style-type: none">▪ What relationship(s) link the needed and given quantities?▪ Can the relationship between the quantities be rewritten so that the variable in question is alone on one side of the equation?▪ What quantities in the relationship are constants versus variables that can change?	<p>Have students analyze a scenario where a force is being exerted on an object and ask them to determine the relationship between net force and acceleration when the mass of the object increases.</p>
2.D	<p><i>Predict new values or factors of change of physical quantities using functional dependence between variables.</i></p>	<ul style="list-style-type: none">▪ What relationship(s) link the needed and given quantities?▪ What are the rules, assumptions, or limitations surrounding the use of the chosen law, definition, or relationship?▪ How are the quantities in the relationship related (e.g., directly, inversely, etc.)?▪ What words would you use to describe the functional dependence of the variables on each other?	<p>When analyzing the torque applied to a door, have students qualitatively and quantitatively estimate, and then determine the changes in the applied torque depending on the length of the lever arm.</p>

Science Practice 3: Scientific Questioning and Argumentation

Describe experimental procedures, analyze data, and support claims.

Physicists examine data and evidence to develop claims about physical phenomena. As they articulate their claims, physicists use reasoning processes that rely on their awareness of different types of relationships, connections, and patterns within the data and evidence. They then formulate a claim and develop an argument that explains how the claim is supported by the available evidence. As a result, students should learn how to create persuasive and meaningful arguments by using claims they develop and evidence they've identified to support those claims.

Scientific questions can range in scope as well as in specificity, from determining influencing factors to determining mechanisms. The question posed will determine the type of data to be collected and will influence the plan for collecting data. Designing and improving experimental designs and/or data-collection strategies is a learned skill. Class discussions can reveal issues of measurement uncertainty and assumptions in data collection.

Being able to devise testable explanations goes hand-in-hand with dealing with new phenomena. It is important that students understand that scientific instruments do not produce exact measurements and learn what steps they can take to decrease uncertainty. One step may be designing a second experiment to determine the same quantity and then checking for consistency across the two measurements. Finally, students should be able to revise their initial explanation or reasoning based on the new data.

The analysis, interpretation, and application of quantitative information are vital skills for students in AP Physics C: Mechanics. Analysis skills can be taught using any type of data, but students will be more invested in their data analysis if it is data they have collected through their own investigations. Students should be encouraged to analyze their data, draw conclusions, and apply their knowledge to content across the course.

The following table provides examples of strategies for implementing opportunities to practice argumentation throughout the course.

Science Practice 3: *Scientific Questioning and Argumentation*

Skill	Questions to Ask Students	Sample Activities
3.A <i>Create experimental procedures that are appropriate for a given scientific question.</i>	<ul style="list-style-type: none">▪ What information will be needed to answer the scientific question? What data should be collected?▪ What equipment is needed to collect the necessary data?▪ How will each piece of equipment be used to collect the necessary data?▪ What possible errors need to be addressed before data collection?▪ What steps can be taken to decrease the uncertainty in the measurements and data?▪ What changes can be made to observations and measurements to refine the data?▪ How will the data be analyzed to answer the scientific question?▪ How can a second experiment be designed to answer the same scientific question and check for consistency?	<p>Have students design an experiment and plot and analyze graphical data where the area under a curve is needed to determine the work done on or by the object or system.</p> <p>Have students list the common sources of uncertainty and error in an experiment designed to find the rotational inertia of a bicycle wheel. Then, have them identify and/or describe the manner in which each source would affect the results of the experiment.</p>

continued on next page


Science Practice 3: Scientific Questioning and Argumentation

Skill	Questions to Ask Students	Sample Activities
3.B <i>Apply an appropriate law, definition, theoretical relationship, or model to make a claim.</i>	<ul style="list-style-type: none">▪ What law, definition, relationship, or model can be used to make a claim about the scenario?▪ What is your purpose (e.g., to define, show causality, compare, or explain a process) for making a claim?	Ask students a question such as, "Which of the following has the most effect on the speed of a sphere released from rest at the top of an inclined plane?" Then, have students analyze possibilities and the evidence for and against each claim.
3.C <i>Justify or support a claim using evidence from experimental data, physical representations or physical principles or laws.</i>	<ul style="list-style-type: none">▪ What reasoning (e.g., physical laws, theories) supports your claim? How does the reasoning support your claim?▪ How does the evidence support your claim?	While rolling a hollow sphere and a solid sphere of the same mass and radius down a ramp, ask students which sphere will get to the bottom first, and which one will have the largest speed at the bottom. Have the students start with fundamental principles of physics to justify their claims.

Practicing with Science Practices and Skills:

CASE STUDY—BLOCK ON A RAMP

The following multiple-choice questions all use the same stimulus and basic scenario. However, each multiple-choice question is written to assess a different course skill. This case study helps illustrate how the same content can be assessed in the context of different skills. The more opportunities that students have to practice content with different science practices, the better prepared they will be for the AP Physics C: Mechanics Exam. The content below is appropriate for AP Physics C: Mechanics. (Note: Science Practice 1 is FRQ only, and so is not represented below.)



A block is released from rest near the top of a rough ramp inclined at an angle θ above the horizontal. Point A is a distance L away from the point where the block is released, as shown in the figure. The coefficient of kinetic friction between the block and the ramp is μ_k . The block is moving with speed v_A when it reaches point A.

Skill 2.A: Derivations

Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.

QUESTION 2.A:

Derive an expression for the speed v_A in terms of the given quantities and physical constants, as appropriate.

- (A) $v_A = \sqrt{2gL \sin \theta}$
- (B) $v_A = \sqrt{2gL(\sin \theta - \mu_k \cos \theta)}$
- (C) $v_A = \sqrt{2gL(\mu_k \cos \theta)}$
- (D) $v_A = \sqrt{2gL(\sin \theta + \mu_k \cos \theta)}$

Skill 2.B: Calculations

Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.

QUESTION 2.B:

Given $L = 1.0$ m, $\mu_k = 0.1$, and $\theta = 30^\circ$, the speed v_A of the block as it reaches point A is most nearly

- (A) 2.9 m/s
- (B) 3.1 m/s
- (C) 8.3 m/s
- (D) 9.9 m/s

Skill 2.C: Comparisons

Compare physical quantities between two or more scenarios or at different times and/or locations within a single scenario.

QUESTION 2.C:

The work done by the force of gravity on the block as the block slides from the point of release to point A is W_1 . The angle of the ramp is increased, and the work done by the force of gravity on the block as the block slides from the point of release to point A is W_2 . How does W_1 compare to W_2 ?

- (A) $W_1 > W_2$
- (B) $W_1 < W_2$
- (C) $W_1 = W_2$
- (D) W_1 and W_2 cannot be compared without knowing the mass of the block.

Skill 2.D: Functional Dependence

Predict new values or factors of change of physical quantities using functional dependence between variables.

QUESTION 2.D:

The energy dissipated by the frictional force as the block travels from the point of release to point A is E_1 . If the coefficient of friction between the block and the ramp is doubled, the energy dissipated by the frictional force as the block travels from the point of release to point A is

E_2 . What is the ratio $\frac{E_1}{E_2}$?

- (A) $\frac{1}{2}$
- (B) 1
- (C) 2**
- (D) 4

Skill 3.B: Make a Claim

Apply an appropriate law, definition, theoretical relationship, or model to make a claim.

QUESTION 3.B:

Which of the following statements is correct about the total mechanical energy in the scenario above?

- (A) The total mechanical energy of the system consisting of only the block decreases from the time of release until the time when the block reaches point A.

- (B) The total mechanical energy of the system consisting of only the block remains constant from the time of release until the time when the block reaches point A.
- (C) The total mechanical energy of the system consisting of the block and Earth decreases from the time of release until the time when the block reaches point A.
- (D) The total mechanical energy of the system consisting of only the block and Earth remains constant from the time of release until the time when the block reaches point A.

Skill 3.C: Justify a Claim

Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.


QUESTION 3.C:

Which of the following statements correctly explains why the total mechanical energy of the block–Earth system decreases as the block travels to point A?

- (A) The height of the block above the surface of Earth decreases.
- (B) The force of friction removes energy from the block–Earth system.**
- (C) The downward gravitational force exerted on the block by Earth does negative work on the block–Earth system.
- (D) The normal force from the incline does negative work on the block–Earth system.

AP PHYSICS C: MECHANICS

Exam Information



Exam Overview

The AP Physics C: Mechanics exam assesses student application of the science practices and understanding of the learning objectives outlined in the course framework. The exam is 3 hours long and includes 40 multiple-choice questions and 4 free-response questions. A four-function scientific or graphing calculator is allowed on both sections of the exam. The details of the exam, including exam weighting and timing, can be found below:

Section	Type of Questions	Number of Questions	Weighting	Timing
I	Multiple-choice questions	40	50%	80 minutes
II	Free-response questions	4	50%	100 minutes
Question 1: Mathematical Routines				
Question 2: Translation Between Representations				
Question 3: Experimental Design and Analysis				
Question 4: Qualitative/Quantitative Translation				

The exam also assesses each of the seven units of instruction with the following exam weightings on the multiple-choice section of the AP exam:

Exam Weighting for the Multiple-Choice Section of the AP Exam

Units of Instruction	Weighting
Unit 1: Kinematics	10–15%
Unit 2: Force and Translational Dynamics	20–25%
Unit 3: Work, Energy and Power	15–25%
Unit 4: Linear Momentum	10–20%
Unit 5: Torque and Rotational Dynamics	10–15%
Unit 6: Energy and Momentum of Rotating Systems	10–15%
Unit 7: Oscillations	10–15%

How Student Learning is Assessed on the AP Exam

Exam Weighting by Science Practice

Science Practices 2 and 3 are assessed in the multiple – choice section with the following weighting (Science Practice 1 will not be assessed in the multiple – choice section). Science Practices 1, 2 and 3 are all assessed in the free response section with the following weighting.

Please note: Required course content (Learning Objectives and Essential Knowledge) can be assessed with any skill.

Skill	Approximate MCQ Exam Weighting	Approximate FR Exam Weighting
1.A Create diagrams, tables, charts, or schematics to represent physical situations.		
1.B Create quantitative graphs with appropriate scales and units, including plotting data.	N/A	20–35%
1.C Create qualitative sketches of graphs that represent features of a model or the behavior of a physical system.		
2.A Derive a symbolic expression from known quantities by selecting and following a logical mathematical pathway.	25–30%	
2.B Calculate or estimate an unknown quantity with units from known quantities, by selecting and following a logical computational pathway.	20–25%	
2.C Compare physical quantities between two or more scenarios or at different times and locations in a single scenario.	10–15%	40–45%
2.D Predict new values or factors of change of physical quantities using functional dependence between variables.	10–15%	

Skill	Approximate MCQ Exam Weighting	Approximate FR Exam Weighting
3.A Create experimental procedures that are appropriate for a given scientific question.	N/A	
3.B Apply an appropriate law, definition, theoretical relationship, or model to make a claim.	15–25%	30–35%
3.C Justify or support a claim using evidence from experimental data, physical representations, or physical principles or laws.	5–10%	

Free-Response Questions

The free-response section of the Physics C: Mechanics Exam consists of four question types listed below in the order they will appear on the exam.

Mathematical Routines (MR)

Skills: **1.A** **1.C** **2.A** **2.B** **3.B** **3.C**

10 points; suggested time 20-25 minutes

The Mathematical Routines (MR) question assesses students' ability to use mathematics to analyze a scenario and make predictions about that scenario. Students will be expected to symbolically derive relationships between variables, as well as calculate numerical values. Students will be expected to create and use representations that describe the scenario, either to help guide the mathematical analysis (such as drawing a free-body diagram) or that are applicable to the scenario (such as sketching velocity as a function of time).

Translation Between Representations (TBR)

Skills: **1.A** **1.C** **2.A** **2.D** **3.B** **3.C**

12 points; suggested time 25-30 minutes

The Translation Between Representations (TBR) question assesses students' ability to connect different representations of a scenario. Students will be expected to create a visual representation that describes a given scenario. Students will derive equations that are mathematically relevant to the scenario. Students will draw graphs that relate quantities within the scenario. Finally, students will be asked to do any one of the following:

- Justify why their answers to any two of the previous parts do/do not agree with each other.
- Use their representations, mathematical analysis, or graph to make a prediction about another situation and justify their prediction using that reasoning or analysis.
- Use their representations, mathematical analysis, or graph to make a prediction about how those representations would change if properties of the scenario were altered and justify that claim using consistent reasoning or analysis.

Experimental Design and Analysis (LAB)

Skills: **1.B** **2.B** **2.D** **3.A**

10 points; suggested time 25-30 minutes

The Experimental Design and Analysis (LAB) question assesses students' ability to create scientific procedures that can be used with appropriate data analysis techniques to determine the answer to given questions. The LAB question can roughly be divided into two sections: Design and Analysis. In the Design portion of the LAB question, students will be asked to develop a method by which a question about a given physical scenario could be answered. The experimental procedure is expected to be scientifically sound: vary a single parameter, and measure how that change affects a single characteristic. Methods must be able to be performed in a typical high school laboratory. Measurements must be made with realistically obtainable equipment or sensors. Students will be expected to describe a method by which the collected data could be analyzed in order to answer the posed question, by either graphical or comparative analyses.

Students will then be given experimental data collected in order to answer a similar, but not identical, question to what was asked in the Design portion of the question. Students will be asked to use the data provided to create and plot a graph that can be analyzed to determine the answer to the given question. For instance, the slope or intercepts of the line may be used to determine a physical quantity or perhaps the nature of the slope would answer the posed question.

Qualitative/Quantitative Translation (QQT)

Skills: **2.A** **2.D** **3.B** **3.C**

8 points; suggested time 15-20 minutes

The Qualitative/Quantitative Translation (QQT) question assesses students' ability to connect the nature of the scenario, the physical laws that govern the scenario, and mathematical representations of that scenario to each other. Students will be asked to make and justify a claim about a given scenario, as well as derive an equation related to that scenario. Finally, students will be asked to do any one of the following:

- Justify why their answers to any of the previous parts do/do not agree with each other.
- Use their representations or mathematical analysis to make a prediction about another situation and justify their prediction using that reasoning or analysis.
- Use their representations and mathematical analysis to make a prediction about how those representations would change if properties of the scenario were altered and justify that claim using consistent reasoning or analysis.

While students may not be directly assessed on their ability to create diagrams or other representations of the system to answer the QQT, those skills may still help students to answer the QQT. For instance, some students may find that drawing a free-body diagram is useful when determining the acceleration of a system. However, the student will earn points for the explanation and conclusions that diagram indicates (or perhaps the derivation that results from the diagram), rather than for creating the diagram itself.

Task Verbs Used in Free-Response Questions

The following task verbs are commonly used in the free-response questions.

Calculate: Perform mathematical steps to arrive at a final answer, including algebraic expressions, properly substituted numbers, and correct labeling of units and significant figures.

Compare: Provide a description or explanation of similarities and/or differences.

Derive: Starting with a fundamental law or relationship, perform a series of mathematical steps to arrive at a final answer.

Describe: Provide the relevant characteristics of a specified topic.

Determine: Make a decision or arrive at a conclusion after reasoning, observation, or applying mathematical routines (calculations).

Draw: Create a diagram or schematic that illustrates relationships, depicts physical objects, or demonstrates consistency between different types of representation. Labels may or may not be required.

Estimate: Roughly calculate numerical quantities, values (greater than, equal to, less than), or signs (negative, positive) of quantities based on experimental evidence or provided data. When making estimations, showing steps in calculations are not required.

Indicate: Provide information about a specified topic, without elaboration or explanation.

Justify: Provide qualitative reasoning beyond mathematical derivations or expressions to support, qualify, or defend a claim.

Label: Provide labels indicating unit, scale, and/or components in a diagram, graph, model, or representation.

Plot: Draw data points in a graph using a given scale or indicating the scale and units, demonstrating consistency between different types of representations.

Rank: Arrange quantities in relation to each other, typically by size or magnitude.


Sketch: Create a graph, representation, or model that illustrates relationships or phenomena, demonstrating consistency between different types of representations. Labels may or may not be required.


Verify: Confirm that the conditions of a scientific definition, law, theorem, or test are met to explain why it applies in a given situation. Also, use empirical data, observations, tests, or experiments to prove, confirm, and/or justify a hypothesis.


Sample Exam Questions

The sample exam questions that follow illustrate the relationship between the course framework and the AP Physics C: Mechanics Exam and serve as examples of the types of questions that appear on the exam. These sample questions do not represent the full range and distribution of items on an official AP Physics C: Mechanics Exam. After the sample questions is a table which shows which skill, learning objective, and essential knowledge statement each question relates to. This table also provides the answers to the multiple - choice questions.

Section I: Multiple-Choice Questions








5. A pendulum is constructed by attaching a 1 kg sphere to the end of a light string that is fixed to a ceiling. A second 1 kg sphere is attached the end of a spring, which is also fixed to the ceiling. The pendulum and spring have the same length when in equilibrium, as shown in the figure. Both spheres are displaced from equilibrium in the directions shown and oscillate with the same period. If the 1 kg spheres are replaced with 2 kg spheres and the amplitudes of oscillations are unchanged, which of the following is true about each of their resulting periods of oscillation?

	Period of pendulum	Period of spring
A	Remains the same	Remains the same
B	Remains the same	Increases
C	Increases	Remains the same
D	Increases	Increases



6. A heavy sign of mass M is held at rest by two supporting wires between two buildings, with each wire making an angle θ with the vertical, as shown in the figure. What is the tension in each wire?

(A) $\frac{Mg}{2\sin\theta}$


(B) $\frac{Mg}{2\cos\theta}$

(C) $\frac{Mg}{\sin\theta}$





(D) $\frac{Mg}{\cos\theta}$


	Mass (kg)	Area (cm^2)	Coefficient of Static Friction (μ_s)
Block 1	0.75	75	0.20
Block 2	3.0	100	0.40


7. In an experiment, two blocks made of different materials are placed on the same wooden board, which is initially horizontal. The table shown provides three values for each block: the mass, the area of the side of the block in contact with the board, and the coefficient of static friction between the block and the board. One end of the board is then slowly raised. Which of the following correctly identifies the block that will start sliding down the board first, and includes appropriate reasoning?
- (A) Block 1, because it has less mass per unit area.
 (B) Block 1, because the coefficient of static friction is smaller.
 (C) Block 2, because it has greater mass.
 (D) Block 2, because the coefficient of static friction is larger.



8. A student lifts a ball straight upward at a constant speed. The energy bar diagrams represent the gravitational potential energy U_G of the ball-Earth system and the kinetic energy K of the ball at a time $t = t_0$ and at a later time $t = t_f$. Which of the following energy bar diagrams correctly represents the change in mechanical energy ΔE of the ball-Earth system for the time interval $\Delta t = t_f - t_0$?







10. Two blocks of mass m_1 and m_2 are connected by a thin string that passes over a circular wheel of mass m , as shown. The wheel is attached to a vertical stand and rotates freely about its center. The string does not slip on the wheel and exerts forces T_1 and T_2 on the blocks. When the wheel is released from rest in the position shown, it undergoes an angular acceleration and rotates clockwise. Which of the following statements about the magnitudes of T_1 and T_2 is correct?

(A) $T_1 = T_2$ because the tension in the string must always be constant within the string.

(B) $T_1 = T_2$ because both blocks have the same acceleration.

(C) $T_1 < T_2$ because m_1 is farther from the wheel than m_2

(D) $T_1 < T_2$ because an unbalanced clockwise torque is needed to accelerate the wheel clockwise.


11. Two small, identical blocks, Block 1 and Block 2, are dropped from rest at different heights above a horizontal floor. Block 1 has speed v_1 immediately before hitting the floor, and Block 2 has speed $2v_1$ immediately before hitting the floor. The work done by gravity on Block 1 as it falls is W_1 . What is the work done by gravity on Block 2 as it falls?

(A) $\frac{1}{4}W_1$

(B) $\frac{1}{2}W_1$


(C) $2W_1$

(D) $4W_1$




12. A block is hung vertically from an ideal spring. The block is pulled down, released, and allowed to oscillate. The vertical position y of the block as a function of time t is shown in the graph. Which of the following graphs best represents the corresponding acceleration a of the block as a function of time?


(A)




(B)



(C)



(D)



13. A small rock is launched from the surface of a planet with no atmosphere. The

initial speed of the rock is $2v_{\text{esc}}$, where v_{esc} is the escape speed of the planet.


What is the speed of the rock when it is very far from the surface of the planet?

(A) Zero

(B) $\frac{1}{2}v_{\text{esc}}$

(C) $\sqrt{2}v_{\text{esc}}$


(D) $\sqrt{3}v_{\text{esc}}$







14. Two uniform disks, A and B, each of mass M , have radii $2R$ and R , respectively. The rotational inertia of a uniform disk of mass m and radius r is $\frac{1}{2}mr^2$. Disk A rotates in a horizontal plane about its center with angular velocity ω_0 and Disk B is initially held at rest. Disk B is then released and falls onto the center of Disk A such that both disks spin together about their centers without slipping. What is the angular velocity ω_f of the two-disk system?

$$(A) \frac{1}{2}\omega_0 \quad (B) \frac{2}{3}\omega_0$$

(C) $\frac{4}{5}\omega_0$ (D) $\frac{2}{\sqrt{5}}\omega_0$



15. A truck of mass m_T is initially at rest with a load of sand of initial mass m_s . At time $t = 0$, the truck is pushed forward by a constant force F_0 and the sand begins to leave the truck, as shown. The mass of sand that has left the truck as a function of time t is given by Ct , where C is a positive constant with appropriate units. At time t_1 , there is no sand left in the truck. Which of the following graphs most nearly shows the velocity v_T of the truck as a function of time?



Section II: Free-Response Questions

FREE-RESPONSE QUESTION: MATHEMATICAL ROUTINES




Figure 1

- A system is comprised of two objects, A and B, which interact with each other through a conservative force $F_{BA}(x)$, where x is the position of Object A with respect to Object B. The potential energy $U_{BA}(x)$ of the two-object system as a function of x is shown in Figure 1. No external forces are exerted on the two-object system.

Object A has mass m_A and is released from rest at position $x = 3x_0$. Object A starts moving, and later passes through position $x = 7x_0$.

(a)

- Derive an expression for the speed of Object A at the instant Object A is passing through position $x = 7x_0$. Express your answer in terms of m_A , U_0 , x_0 , and physical constants, as appropriate. Begin your derivation by writing a fundamental physics principle or an equation from the reference material.
- On the grid shown in Figure 2, draw a graph of the force exerted on Object A by Object B.




Figure 2

In another scenario, Object A is replaced by Object C. Objects C and B interact with each other through a conservative force $F_{BC}(x) = -\beta x^2$, where $\beta = \frac{3}{8} \frac{\text{kg}}{\text{s}^2 \text{m}}$. The potential energy $U_{BC}(x)$ of the Object C-Object B system is defined to be zero when Object

C is at position $x = -2 \text{ m}$. No external forces are exerted on the two object system.

- (b) Derive an equation for $U_{BC}(x)$. Express your answer only in terms of x . Begin your derivation by writing a fundamental physics principle or an equation from the reference material.

FREE-RESPONSE QUESTION: TRANSLATION BETWEEN REPRESENTATIONS





Figure 1

2. Two identical race cars Q and S, each of mass m , are driven on a flat, horizontal road. Turn 1 in the road can be modeled as a circular segment of radius R_1 , as shown in Figure 1. The coefficient of static friction between each car's tires and the road is μ . The race cars are constructed so that when the cars are moving forward at a speed v relative to the air, the air exerts a downward force of magnitude F_{down} on the car given by $F_{\text{down}} = bv^2$, where b is a positive constant with appropriate units.


Both cars travel through Turn 1 at constant speeds without slipping. Car Q travels at speed v_Q and Car S travels at speed $v_S = 2v_Q$. The air is not moving, so the cars' speeds relative to the air is the same as their speed relative to the ground.

The dot in Figure 2 represents Car Q, as seen from the back, as the car turns to the right through Turn 1. The four arrows represent the following forces exerted on the car: $F_{\text{down},Q}$, a gravitational force $F_{g,Q}$, a normal force $F_{n,Q}$, and a frictional force $F_{f,Q}$.



Car Q, Back View

Figure 2



Car S, Back View

Figure 3

The dot in Figure 3 represents Car S, as seen from the back, as the car turns to the right through Turn 1. The arrow labeled $F_{g,S}$ represents the gravitational force exerted on Car S.

- (a) On the dot in Figure 3, **draw and label** the other forces exerted on Car S. Each force must be represented by a distinct arrow starting on, and pointing away from, the dot. The lengths of the arrows should reflect the relative magnitudes of the forces exerted on Car Q.
- If the radius of the curve is large enough, then either car would be capable of traveling through the curve at any speed without slipping. The critical radius R_C is the smallest value of the radius of curvature where the cars can travel at any speed without slipping.
- (b) **Derive** an expression for R_C in terms of m , μ , b , and physical constants, as appropriate. Begin your derivation by writing a fundamental physics principle or an equation from the reference material.

The maximum speed v_{\max} that a car can travel along a circular track without slipping as a function of the track's radius R if air exerts no downward force on the car is shown with the dashed line in Figure 4.




Figure 4

- (c) On Figure 4, **sketch** the maximum speed that the car can have on a circular track of radius R when air exerts a downward force of magnitude $F_{\text{down}} = bv^2$ on the car.

Figure 5 shows Car Q in a semicircular turn of radius R_1 . Car Q enters the turn at Point A and then travels through both Point B, which is midway through the turn, and Point C, where the car exits the turn. Air moves in the direction shown with respect to the ground at speed v_{wind} . While turning, Car Q maintains a constant radius turn and always travels at the maximum speed possible without slipping. The time intervals in which Car Q travels between points A and B and between points B and C are Δt_{AB} and Δt_{BC} , respectively.




Figure 5

- (d) Is Δt_{AB} greater than, less than, or equal to Δt_{BC} ? **Justify** your answer using physical principles.

FREE-RESPONSE QUESTION: EXPERIMENTAL DESIGN AND ANALYSIS




Figure 1

3. A group of students have two carts, Cart 1 and Cart 2, each of known mass M_1 and M_2 , respectively. The carts are placed on a straight horizontal track. Cart 1 is given an initial speed v_0 toward the right. Cart 2 is initially at rest and has a spring attached to it, as shown in Figure 1. Cart 1 collides with Cart 2.

The group of students want to determine the relationship between v_0 and the fraction of kinetic energy remaining after the collision, which is described by the ratio $\frac{K_{\text{total},f}}{K_{\text{total},i}}$, where $K_{\text{total},f}$ is the total kinetic energy of Carts 1 and 2 after the collision and $K_{\text{total},i}$ is the total kinetic energy of Carts 1 and 2 before the collision.

- (a) **Describe** an experimental procedure to collect data that would allow the

students to determine if the initial speed of Cart 1 changes the ratio $\frac{K_{\text{total},f}}{K_{\text{total},i}}$.

Provide enough detail so that the experiment could be replicated, including any steps necessary to reduce experimental uncertainty.

- (b) **Describe** how the collected data should be analyzed to determine whether

the value of v_0 changes the ratio $\frac{K_{\text{total},f}}{K_{\text{total},i}}$.




Figure 2

In a later experiment, Cart 1 is placed at the bottom of a ramp. An impulse device at the bottom of the ramp delivers an impulse to Cart 1 that is directed up the ramp by quickly releasing a burst of high-pressure air, as shown in Figure 2. The magnitude of the impulse delivered to the cart is the same in all trials. Blocks of different known masses can be attached to Cart 1.

The students are asked to determine the value of the impulse delivered to the block-cart system by the impulse device. The students measure the combined mass $M_{1,B}$ of the cart and block. The impulse device delivers the impulse to the block-cart system, and the students measure the maximum vertical height h attained by the block-cart system above the initial position of the system.

The experiment is repeated using blocks of different masses. The students' measurements are shown in the following table.


Trial Number	Combined mass of cart and block, $M_{l,B}$ (kg)	Maximum Height h (m)		
1	0.100	0.395		
2	0.150	0.160		
3	0.250	0.070		
4	0.350	0.035		
5	0.500	0.015		

(c)

- Indicate two quantities that when graphed produces a straight line that could be used to determine a numerical value for the impulse delivered by the impulse device. You may use the blank columns in the table for any quantities you graph other than the given data. Use the blank columns in the table to list any calculated quantities you will graph other than the data provided.

Vertical Axis: _____ Horizontal Axis: _____


- Plot the data points for the quantities indicated in part (c)(i) on the following graph. Clearly scale and label all axes, including units.



- On the above graph, draw a straight line that best represents the data.

- Using the straight line from part (c)(iii), calculate the value of the impulse delivered to the cart by the impulse device.

FREE-RESPONSE QUESTION: QUALITATIVE/QUANTITATIVE TRANSLATION



4. A hollow sphere, a uniform solid sphere, and a hoop are placed at the top of a ramp of length L that makes an angle θ with the horizontal, as shown in the figure. The hollow sphere, solid sphere, and hoop have the same mass M and the same radius R . All three shapes are released from rest at the same time and roll down the ramp without slipping.

- (a) **Rank** the order in which the shapes reach the bottom of the ramp. A ranking of “1” indicates the shape reaches the bottom of the ramp first. If any two shapes reach the bottom of the ramp at the same time, give them the same ranking.

_____ Hollow Sphere _____ Uniform Solid Sphere _____ Hoop

Justify your rankings using relevant physics principles, but without directly manipulating or deriving equations.

The time for one of the shapes to roll without slipping to the bottom of the ramp is t , and the rotational inertia of that shape is I .

- (b) **Derive** the relationship between t and I to show that $t = \sqrt{\frac{2L(I+MR^2)}{MgR^2\sin\theta}}$.

Begin your derivation by writing a fundamental physics principle or an equation from the reference material.

A new sphere is constructed using a thin spherical shell of radius R . The shell is completely filled with liquid. The mass of the shell is much less than that of the liquid, and the total mass of the liquid-filled sphere is M . The liquid-filled sphere is placed at the top of the ramp, released from rest, and rolls without slipping to the bottom of the ramp. As the sphere rolls down the ramp, the liquid inside the sphere does not rotate with the shell.

- (c) Does the liquid-filled sphere reach the bottom of the ramp in more time, less time, or the same time as the solid sphere? Use the equation derived in part (b) to **justify** your answer.

Answer Key and Question Alignment to Course Framework

Multiple-Choice Question	Answer	Skill	Learning Objective	Essential Knowledge
1	D	2.B	3.4.B	3.4.B.2
2	C	2.C	1.3.A	1.3.A.4
3	B	2.B	4.2.B	4.2.B.2
4	D	2.D	6.4.A	6.4.A.2
5	B	2.C	7.2.A	7.2.A.1
6	B	2.A	2.4.A	2.4.A.1
7	B	3.C	2.7.B	2.7.B.2
8	C	3.B	3.4.B	3.4.B.2
9	B	2.B	5.3.B	5.3.B.2
10	D	3.C	5.6.A	5.6.A.1
11	D	2.D	3.2.A	3.2.A.4
12	A	3.B	7.3.A	7.3.A.3
13	D	2.A	6.6.A	6.6.A.4
14	C	2.A	6.3.A	6.3.A.2
15	C	2.C	4.2.B	4.2.B.2

Free-Response Question	Skill	Learning Objective
1	2.A, 3.B, 1.C	3.1.A, 3.4.B, 3.3.A
2	1.A, 3.B, 2.A, 1.C, 2.D, 3.C	1.4.B, 2.2.B, 2.4.A, 2.4.B, 2.5.A, 2.7.B, 2.10.A
3	3.A, 2.D, 1.B, 2.B, 3.C	2.1.B, 3.1.A, 3.4.B, 3.4.C, 4.2.B, 4.4.A
4	3.B, 3.C, 2.A, 2.D	1.3.A, 3.4.B, 5.4.A, 5.6.A, 5.4.B, 6.1.A



Scoring Guidelines

Scoring Guidelines for Question 1: Mathematical Routines

10 points**Learning Objectives:** **3.1.A** **3.4.B** **3.3.A**

- (a) i. For a multistep derivation that indicates one of the following: **1 point**

- the total energy of the two object system when Object A is at position $x = 3x_0$ is equal to the total energy of the system when Object A is at position $x = 7x_0$: $E_{\text{total},0} = E_{\text{total},f}$
- that the change in kinetic energy of Object A is equal to the negative of the system's change in potential energy: $\Delta K = -\Delta U$

For indicating the total energy of the two-object system is the sum of the system's potential energy and the kinetic energy of Object A: $E_{\text{total}} = U + K$ **1 point**

For indicating that either the velocity of Object A or the kinetic energy of Object A is zero when Object A is at position $x = 3x_0$, $K_0 = 0$ **1 point**

For correct substitutions of the potential energy of the system when Object A is at position $x = 3x_0$ and at position $x = 7x_0$: $U(7x_0) - U(3x_0) = -3U_0 - 2U_0$ OR **1 point**

For indicating that the change in potential energy as Object A moves from $x = 3x_0$ to $x = 7x_0$ is $-5U_0$ $\Delta U = -5U_0$ **1 point**

For a correct answer $v = \sqrt{\frac{10U_0}{m_A}}$ **1 point**

Example Response:

$$E_{\text{total},0} = E_{\text{total},f}$$

$$U_0 + K_0 = U_f + K_f$$

$$U_f - U_0 = -(K_f - K_0)$$

$$U(7x_0) - U(3x_0) = -(K(7x_0) - K_0)$$

$$-3U_0 - 2U_0 = -\frac{1}{2}m_A v^2$$

$$v = \sqrt{\frac{10U_0}{m_A}}$$

- (a) ii. For sketching a force is equal to zero for the entire region $0 < x < 2x_0$ **1 point**

For drawing a constant force across the interval $2x_0 < x < 6x_0$ that has twice the magnitude of a constant force across the interval $6x_0 < x < 8x_0$ **1 point**


Example Response:

Figure 2

	Total for Part (a)	7 points
(b) For a substituting the given expression for force into an appropriate equation to find a change in potential energy of the two-object system		1 point

$$\Delta U = - \int_a^b (\beta x^2) dx$$

For one of the following:	1 point
---------------------------	---------

- Correctly relating the change in potential energy of the two-object system to the difference in potential energy of the system when Object A is at position x and another arbitrary position: $\Delta U = U(x) - U(x')$
- Using correct limits in the integral where a definite integral can be evaluated by setting $U(-2 \text{ m}) = 0 \text{ J}$
- Indicating a correct integration constant

For a correct equation for potential energy as a function of position	1 point
---	---------

$$U(x) = \frac{x^3}{8} + 1$$

Example Response:

$$\begin{aligned} U(x) - U(-2 \text{ m}) &= - \int_{-2 \text{ m}}^x F(x) dx \\ U(x) - 0 &= - \int_{-2 \text{ m}}^x (-\beta x^2) dx = \int_{-2 \text{ m}}^x (\beta x^2) dx \\ U(x) &= \beta \left(\frac{x^3}{3} \right) \Big|_{-2 \text{ m}}^x = \left(\frac{x^3}{8} \right) \Big|_{-2}^x \\ U(x) &= \frac{x^3}{8} - \frac{(-2)^3}{8} = \frac{x^3}{8} + 1 \end{aligned}$$

Total for Part (b)	3 points
Total for question 1	10 points

Scoring Guidelines for Question 2: Translation Between Representations

12 points

Learning Objectives:


1.4.B 2.2.B 2.4.A 2.5.A 2.7.B 2.10.A

- (a) For correctly drawing and labeling the three forces $F_{\text{down,S}}$, $F_{n,S}$, and $F_{f,S}$ such that $\sum F_{\text{vertical}} = 0$ (regardless of the relative sizes of each arrow), with no extraneous forces **1 point**


For drawing a downward force $F_{\text{down,S}} = 4F_{\text{down,Q}}$, i.e., four grid units in length **1 point**

For drawing $F_{f,S}$ in the same horizontal direction as $F_{f,Q}$, with $F_{f,S} = 4F_{f,Q}$, i.e., four grid units in length **1 point**

Example Response:



Car Q, Back View



Car S, Back View

Figure 2

Figure 3

Total for Part (a) **3 points**

- (b) For a multistep derivation that uses Newton's second law, consistent with the diagram drawn in part (a) for the vertical direction **1 point**

$$\sum F_{\text{vert}} = 0$$

$$F_n - mg - F_{\text{down}} = 0$$

$$F_n = mg + bv^2$$

For a correct expression for the frictional force exerted on the car **1 point**

$$F_f \leq \mu F_n = \mu(mg + bv^2)$$

Scoring Note: An expression for normal force that is consistent with the previously drawn free-body diagram drawn earns this point.

For correctly equating the frictional force to the force that causes a centripetal acceleration **1 point**

$$F_f = m \frac{v^2}{R_c}$$

For a correct expression for R_c in terms of the given variables $R_c = \frac{m}{\mu b}$ **1 point**

Example Response 1:

Using Newton's second law for the vertical forces,

$$\sum F_{\text{vert}} = 0$$

$$F_n - m_c g - F_{\text{down}} = 0$$

$$F_n = m_c g + bv^2$$

The friction force is

$$F_f \leq \mu F_n$$

These quantities are equal when the car is going as fast as possible without slipping, so $F_f = \mu F_n = \mu(m_c g + bv^2)$

Using Newton's second law for the horizontal friction force,

$$F_f = m_c \frac{v^2}{R_c}$$

$$\frac{m_c v^2}{R_c} = \mu(bv^2 + m_c g)$$

$$R_c = \frac{m_c v^2}{\mu(bv^2 + m_c g)}$$

As $v \rightarrow \infty$, neglect $m_c g$ so $R_c \rightarrow \frac{m_c v^2}{\mu b v^2}$, and $R_c = \frac{m_c}{\mu b}$

Example Response 2:

$$\sum F_{\text{vert}} = 0$$

$$F_n - m_c g - F_{\text{down}} = 0$$

$$F_n = m_c g + bv^2$$

$$F_f \leq \mu F_n = \mu(m_c g + bv^2)$$

$$F_f = m_c \frac{v^2}{R_c}$$

$$\frac{m_c v^2}{R_c} \leq \mu(bv^2 + m_c g)$$

$$v^2 \left(\frac{m_c}{R_c} - \mu b \right) \leq \mu m_c g$$

$$v^2 \leq \frac{\mu m_c g}{\frac{m_c}{R_c} - \mu b}$$

v can have any value when the denominator goes to zero, so

$$\frac{m_c}{R_c} - \mu b = 0$$

$$\frac{m_c}{R_c} = \mu b$$

$$R_c = \frac{m_c}{\mu b}$$

Total for Part (b)**4 points**

(c)	For a sketch that is greater than the given curve for all $R > 0$	1 point
	For a sketch that starts at the origin and is always increasing	1 point
	For a sketch that has a single transition from concave down to concave up	1 point

Scoring Note: A vertical asymptote is not required to earn this point.

Example Response:




Figure 4

	Total for Part (c)	3 points
(d)	For indicating that the maximum speed before slipping is either greatest when the car and wind travel in opposite directions, or equivalently, least when the car and wind travel in the same direction.	1 point
	For a justification that correctly relates average speed to the time taken to travel between two points	1 point

Example Response:

The relative speed between the car and the air is greater when the car is moving into the wind between Point A and Point B, so the downward force and maximum speed are greater as well. Since the car can go faster between points A and B than between points B and C, the car spends less time between points A and B. Therefore $\Delta t_{AB} < \Delta t_{BC}$.

	Total for part (d)	2 points
	Total for Question 2	12 points

Scoring Guidelines for Question 3: Experimental Design and Analysis

10 points

Learning Objectives:

2.1.B 3.1.A 3.4.B 3.4.C 4.2.B 4.4.A

- (a) For repeating the experiment for a range of initial velocities of Cart 1 1 point

Scoring Note: While best practice encourages students to also perform multiple trials using the same v_0 , these measurements are not required to earn this point.

- For measuring the speed of Cart 1 before the collision and both carts after the collision 1 point

Example Response:

1. Position motion sensors at each end of the track.
2. Use the motion sensors to measure the initial speed of Cart 1 and the final speeds of both carts.
Repeat steps 1 and 2 for multiple values of v_0

Total for Part (a) 2 points

- (b) For indicating that the kinetic energy of the system before and after the collision will be calculated 1 point

For using the ratio between the initial and final kinetic energies of the system to determine if the ratio $\frac{K_{\text{total},f}}{K_{\text{total},i}}$ changes at different values of v_0 1 point

Example Response

Use the masses and speeds of the carts before and after the collision to calculate the total kinetic energy of the

two carts before ($K_{\text{total},i}$) and after ($K_{\text{total},f}$) the collision. Then graph final kinetic energy as a function of initial kinetic energy. The ratio $\frac{K_{\text{total},f}}{K_{\text{total},i}}$ is equal to the slope of a line of best fit for this graph. If the data is linear, then the ratio is constant for all values of v_0 .

Total for Part (b) 2 points

- (c) i. For indicating two quantities that have a linear relation and can be used to determine the impulse delivered by the impulse device 1 point

Scoring Note: Examples include

- $\frac{1}{M_{1,B}}$ and \sqrt{h} (on either axis)

- $M_{1,B}^2$ and $\frac{1}{h}$ (on either axis)

- ii. For graphing axes that have: 1 point


- Linear scales for which the data uses at least half the axis range
- Units consistent with the quantities listed in part (c)(i)

For correctly plotting data values from the table that are consistent with part (c)(i) 1 point

- iii. For drawing a line that approximates the trend of the data 1 point

Example Response:

Trial Number	Total Mass $M_{1,B}$ of block-Cart 1 (kg)	Maximum Height h (m)	$1 / M_{1,B}$ (kg^{-1})	\sqrt{h} ($\sqrt{\text{m}}$)	
1	0.100	0.395	10	0.628	
2	0.150	0.160	6.67	0.4	
3	0.250	0.070	4	0.265	
4	0.350	0.035	2.85	0.187	
5	0.500	0.015	2	0.122	



Total for Part (c) 4 points

- (d)** For correctly relating the slope of the graphed line to the impulse 1 point

For a value of the impulse delivered by the impulse device that is between 0.24 N · s and 0.30 N · s 1 point

Example Response

$$J = \Delta p$$

$$J = M_{1,B} v_0$$

$$v_0 = \sqrt{2gh}$$

$$J = M_{1,B} \sqrt{2gh}$$

$$\frac{1}{M_{1,B}} = \frac{\sqrt{2g}}{J} \sqrt{h}$$

$$\text{slope} = \frac{\sqrt{2g}}{J}$$

$$J = \frac{\sqrt{2g}}{\text{slope}}$$

$$J = \frac{\sqrt{2g}}{16.16} = 0.27 \text{ N} \cdot \text{s}$$

Total for part (d) 2 points

Total for Question 3 10 points

Scoring Guidelines for Question 4: Qualitative/Quantitative Translation

8 points

Learning Objectives:

1.3.A 3.4.B 5.4.A 5.6.A 5.4.B 6.1.A

- (a) For a correct ranking: 1 point

Hollow sphere – 2; Solid Sphere – 1; Hoop – 3

- For a justification that includes one of the following: 1 point

- Relating the amount of potential energy transformed into rotational kinetic energy to the rotational inertia of the shape
- Relating the time the shapes take to reach the bottom of the ramp to rotational inertia

- For a justification that includes one of the following: 1 point

- Relating the amount of translational kinetic energy of the shape to the speed of the shape at the bottom of the ramp
- Relating torque exerted on and angular acceleration of the shape to the time the shapes take to reach the bottom of the ramp

Example Response:

Hollow sphere – 2; Solid Sphere – 1; Hoop – 3

The more rotational inertia the object has, the more gravitational potential energy is converted into rotational kinetic energy, leaving less translational kinetic energy. The least kinetic energy will move the slowest and reach the bottom of the ramp last. Because an object's rotational inertia is related to the average distance of the object's mass from its rotational axis, the hoop will move the slowest and the solid sphere the fastest.

Total for Part (a) 3 points

- (b) For a multistep derivation that uses Newton's second law in rotational form to determine a translational acceleration 1 point

$$\tau_{\text{net}} = I\alpha$$

$$\alpha = \frac{a}{R}$$

- For a net torque and rotational inertia of the sphere that are consistent with the chosen axis of rotation about which to analyze the motion of the sphere: 1 point

$MgR \sin \theta = (I + MR^2)\alpha$ (gravity exerts a torque on the sphere about the point of contact between the sphere and ramp)

OR

$F_f R = I\alpha$ and $Mg \sin \theta - F_f = Ma$ (friction exerts a torque on the sphere about the sphere's center of mass)

Scoring Note: A derivation that correctly applies conservation of energy can earn points 1 and 2.

- For using an appropriate equation that relates translational acceleration, distance, and time 1 point

$$x = x_0 + v_0 t + \frac{1}{2} a t^2$$

Example Response:

$$\tau_{\text{net}} = I\alpha$$

$$MgR \sin \theta = (I + MR^2)\alpha$$

$$MgR \sin \theta = (I + MR^2) \left(\frac{a}{R} \right)$$

$$a = \frac{MgR^2 \sin \theta}{I + MR^2}$$

$$x = x_0 + v_0 t + \frac{1}{2} a t^2$$

$$L = \frac{1}{2} \left(\frac{MgR^2 \sin \theta}{I + MR^2} \right) t^2$$

$$t = \sqrt{\frac{2L(I + MR^2)}{MgR^2 \sin \theta}}$$

Total for Part (b) **3 points**

(c)	For correctly relating the amount of rotational inertia of the shell to the time for the shell to roll down the ramp	1 point
	For indicating that the liquid-filled sphere will have a smaller rotational inertia than the solid sphere because less mass is rotating as the liquid-filled sphere rolls down the ramp	1 point

Example Response:


Because the angle, length of the ramp, mass, and radius of the shell is the same as the solid sphere, the derivation in part (b) indicates the time to roll down the ramp will only change if the rotational inertia changes. The liquid-filled sphere must have a smaller rotational inertia because less mass will rotate as the sphere rolls down the ramp. Therefore t will be smaller because I is smaller.

Total for Part (c) **2 points**

Total for Question 4 **8 points**

AP PHYSICS C: MECHANICS

Appendix



Vocabulary and Definitions of Important Ideas in AP Physics

Vocabulary and Word Choice in AP Physics

The discussions below are included to elaborate on the choice of words and vocabulary used within AP Physics. Many of these words, when used in the context of AP Physics, have very specific and intentional meanings. The intentional use of certain words within specific contexts can have a significant impact on student understanding as well as their ability to communicate that understanding with others.

The AP Physics Exam will NOT directly assess student understanding of physics vocabulary. For instance, students will not be asked to identify the correct definition of acceleration, or the difference between a system and an object. Students will be expected to use these definitions in contextually appropriate situations. Descriptions and definitions, found in the appendix, are intended to be used as starting points for discussions and are included to help students be more conscientious about the language they use to describe a scenario—that they are inherently thinking more about the underlying principles and ideas that apply to that scenario. This can lead to a deeper and more robust understanding of the course content.

Often in physics contexts, words have specific meanings and are used differently than in colloquial conversation. Common examples of words that have specific physics definitions include object, system, momentum, and work. Students need to be aware of these subtleties, so that they can communicate appropriately about the details of a scenario. Ultimately, the language used to describe the natural world can be very important when helping students build understanding of physics concepts in measured and intentional increments.

Models

A PHYSICAL, MATHEMATICAL, OR CONCEPTUAL REPRESENTATION OF A SYSTEM OF IDEAS, EVENTS, OR PROCESSES.

A scientific model can be thought of as the set of rules that describe a physical phenomenon. The model sets out the boundaries within which the scientist will consider that phenomenon. Typically, these boundaries simplify a complex scenario to make the analysis and description of that scenario easier and more accessible, particularly to students just beginning their studies in physics.

Consider perhaps the most common example of an introductory physics problem: “A block is at rest at the top of an inclined plane. Determine the speed of a block at the bottom of the inclined plane.” What should students consider in their calculations? What model of the block/incline/earth should students use to describe this situation? To describe the subtleties of the scenario, students would need to consider friction and air resistance; the slight increase in gravitational field as the block slides downward; and the loss of energy to vibrations, sound, and thermal energy. Does the coefficient of friction decrease slightly as the abrasion between the block and incline subtly smooths the surfaces? Should the density, temperature, and relative humidity of the air be considered? Clearly, the physics of even such a straightforward example of a block-on-a-ramp can raise many questions to be considered.

Therefore, in introductory physics courses, phenomena are typically analyzed in the most basic conditions, using the most simplified models. This allows students to focus on big concepts and ideas, before exploring more complex models that include more detailed considerations. For example, when modeling Earth, we typically consider it to be uniform density, spherical, and an inertial frame of reference, even though none of those properties are completely accurate. Most often,

only gravitational effects from the Sun are considered. Even tidal effects from the Moon are only considered after introductory courses. This spherical, uniform description of Earth is a simplified model that is used to focus on bigger concepts without getting stuck with extraneous details and nuance. In the earlier block-on-a-ramp example, virtually all of the effects listed are considered negligible and are ignored in favor of obtaining an answer that is within the level of accuracy needed for the course. The mathematics required to describe these effects tends to get complex quickly. It is important, however, that students understand they are using a simplified model so that later extensions can be added in the context of refining the model—a normal scientific process.

The models chosen to simplify the universe have been done so with alignment to their respective AP Physics courses. These models are elaborated on within the boundary statements provided in the course frameworks, as well as in the conventions for the AP Exams, listed on the equation sheets. While nuances of these models are described in detail within each course's course framework, these models can be summarized as follows.

Unless otherwise stated, students may assume that:

- Frames of reference are inertial.
- Air resistance is negligible.
- Drag forces are negligible.
- Edge effects of charged plates are negligible.
- Strings, springs, and pulleys are ideal.

Representations

A METHOD OF UNDERSTANDING AND COMMUNICATING UNDERSTANDINGS ABOUT PHYSICS.

Once deciding on the boundaries of a model, scientists must decide how to communicate those boundaries to others. A representation is a depiction of a model or aspects of that model. Representations can take many forms, and scientists are consistently developing new representations.

Representations that are frequently used within AP Physics C: Mechanics include (but are not limited to):

- Written descriptions
- Drawings and pictures
- Diagrams or schematics
- Mathematical equations or sets of equations
- Graphs and data tables
- Charts
- Motion maps

- Energy bar charts
- Momentum charts
- Free-body diagrams
- Force diagrams

Students will benefit from familiarity with as many different representations as possible. What makes a concept or idea clear to one student using one representation may not be clear to another. The more methods that students are given to access and describe content, the more likely they are to use those descriptions. The depth to which a student understands course content is related to the variety of representations with which that student can communicate their knowledge. True understanding is demonstrated through the ability to use many different representations in many different situations. To this end, the AP Physics C: Mechanics Exam will use many representations, as well as require students to create many representations.

Objects

A PHYSICAL THING WHERE THE INTERNAL STRUCTURE AND PROPERTIES OF THE THING ARE IGNORED.

Whether it be a cow, the Earth, a car, or pencil, the object model of these entities has a very specific meaning. Within the context of AP Physics, using the word “object” denotes some key characteristics, and is used, as most models are, to simplify the analysis and descriptions of the interactions between two or more masses. Most notably, an object has no internal structure or surface properties. An object can be considered as a collection of atoms or molecules that stick together in a functional way. A person could imagine handling an object, picking it up, as though the object had no internal structure.

Consider a truck. Most often, it's simply “a truck.” The user of the truck does not consider the multitude of components that make a truck a truck: the engine, the doors and windows, the wheels, the frame, the radio, the suspension, and so on. The user treats the truck as a single object, neglecting the constituent parts and structure of the truck itself.

Similar to a well-packed box, an object is treated the same from different perspectives. The truck is a truck if viewed from the top, bottom, or side. However, when carrying a load of unsecured bricks, the object model of the truck may not be sufficient. The motion of the bricks within the truck may affect the behavior of the truck itself. Sudden accelerations—in any direction—may have significant effects on how the truck behaves.

Furthermore, using the object model ignores the physical size of the object itself. Objects cannot be compressed, twisted, or rotated because the physical dimensions of the object are ignored. When considering a truck as an object, there would be no need to make the distinction between the front, back, or sides of the truck. However, in the physical world, pushing the top of a truck has a different effect than pushing the bottom or middle of the truck. If the truck is modeled as an object, these effects are ignored; the location of the application of the force is not considered.

A notable discussion of some nuances of the object model can be found when analyzing friction. Friction, by definition, is the interaction of two objects in physical contact with each other. The amount of friction is inherently tied to the structure and properties of those objects. For instance, two wooden blocks will slide across each other differently if they are covered with sandpaper than if they are covered in grease. The surfaces of the blocks matter when it comes to describing their interactions. However, the blocks may still be treated as objects because the force of friction exerted on one block by the other block does not depend on the size or shape of the blocks. The amount of area of the blocks that are in contact with each other does not change the force of friction, and so the blocks may still be modeled as objects.

The object model is used throughout AP Physics C: Mechanics to simplify the analysis of most phenomena. An “object” can be anything because what the object *is* is not important to the analysis. The properties that matter to the analysis—the mass of the object, the coefficient of friction between the object and a surface, the speed of the object, and so on—can be used to describe any number of physical things. In this case, it is up to the student to create their own mental representation of the situation.

Systems


A COLLECTION OF OBJECTS THAT ARE ANALYZED TOGETHER.

A system is how a physicist chooses to group objects together to analyze a given scenario. As students gain a deeper understanding of physics concepts, they will notice that how systems are chosen can significantly simplify (or significantly complicate) the analysis of a problem. There is no single right or wrong way to group objects, but often the preferred method is to choose a system that simplifies the analysis.

Note that in special cases, a system can itself be reduced to a single object. This can happen when the behaviors and interactions of the individual parts of the system do not affect the behavior or analysis of

the system as a whole. Consider a box of cereal. In reality, this is a very complex system. A cardboard box, a plastic bag, and a large number of pieces of cereal within. However, the complex motion of the pieces of cereal within the box are not important to consider when handling the box of cereal. Therefore, the entire box–bag–cereal system can itself be considered as a single object.

Unless the system is chosen to be the entire observable universe (which would require an exceedingly complex analysis), a small group of objects chosen to be a system will exist as part of a larger local environment. The system as a whole then may interact with that environment. Consider the box of cereal above. Perhaps the box is torn, and cereal begins to spill. The physicist has a decision to make with regard to their system: continue to include every piece of cereal as part of the system (System A) or consider only the cereal inside the box to be part of the system (System B). See the figure below.




Analyzing System A will be exceedingly complex, as the small pieces of cereal move, bounce, accelerate, and collide with each other and the environment and scatter. Analyzing System B is much simpler: the box is losing mass to the environment, but the box–bag–cereal system may be modeled as a single object that has a changing mass.

Rigid System

A SYSTEM THAT DOES NOT CHANGE SHAPE, BUT DIFFERENT POINTS WITHIN THE SYSTEM MAY MOVE IN DIFFERENT DIRECTIONS AND WITH DIFFERENT SPEEDS.

Suppose a wheel is supported by a horizontal axle, so that the bottom of the wheel is not contacting the ground. While the wheel rotates, all points move together, and the shape of the wheel does not change. Points A and B are marked on the wheel, as shown in the following figure.



At any given instant in time, Point A is traveling with a greater translational speed and in a different direction than Point B. If the rotation of the wheel is relevant to the analysis of the situation, it cannot be modeled as an object because, by definition, the object model does not account for these differences. Instead, the wheel is modeled as a rigid system.

For a rigid system, the location at which forces are exerted or the location of the point of analysis matters. Pushing on the top of the wheel will have a different effect than pushing on the bottom of the wheel or pushing directly toward the axle of the wheel. Again, the goals and complexity of the analysis dictates what model to use.

Constant or conserved?

The cereal example is a good place to discuss the subtlety between the terms *constant* and *conserved*, and how the choice of the system determines whether a quantity is constant or conserved. For the leaking cereal box, the total amount of cereal is *conserved*,

in both System A and System B. In both choices of system, the total amount of cereal that exists does not change. However, the choice of system does influence whether the amount of cereal within that system is *constant*. In the first choice, where the student decides to continue to include each individual piece of cereal as part of the system, even as the cereal spills from the box, the total amount of cereal within the system is constant. In the second choice, where the student decides to only consider the cereal within the box as part of the system, the total amount of cereal within the system decreases, and is not constant. However, this cereal is still conserved—the cereal does not simply vanish, disappear, or cease to exist because it is not selected to be part of the system. The cereal is transferred out of the system.

Suppose students wanted to analyze the energy of the box of cereal as it falls toward Earth. In the box–Earth system, total mechanical energy is both conserved and constant. The total amount of energy within the system does not change as the box gains kinetic energy, and the gravitational potential energy of the box–Earth system decreases. However, in a system consisting only of the box, the total amount of energy that system is *not* constant, but energy *is* conserved. The kinetic energy of the box increases, but this increase in energy is due to the transfer of energy into the box system by the external force of gravity doing work on the box. The energy transferred into the box by the force of gravity is not “new” energy that was created by gravity—the total energy of the universe has remained the same and has been conserved.

AP PHYSICS C: MECHANICS

Table of Information: Equations

ADVANCED PLACEMENT PHYSICS C: MECHANICS TABLE OF INFORMATION

CONSTANTS AND CONVERSION FACTORS		
Universal gravitational constant, $G = 6.67 \times 10^{-11} \text{ m}^3/(\text{kg} \cdot \text{s}^2) = 6.67 \times 10^{-11} \text{ N} \cdot \text{m}^2/\text{kg}^2$		
Acceleration due to gravity at Earth's surface, $g = 9.8 \text{ m/s}^2$		
Magnitude of the gravitational field strength at the Earth's surface, $g = 9.8 \text{ N/kg}$		

PREFIXES		
Factor	Prefix	Symbol
10^{12}	tera	T
10^9	giga	G
10^6	mega	M
10^3	kilo	k
10^{-2}	centi	c
10^{-3}	milli	m
10^{-6}	micro	μ
10^{-9}	nano	n
10^{-12}	pico	p

UNIT SYMBOLS	hertz,	Hz	newton,	N
	joule,	J	second,	s
	kilogram,	kg	watt,	W
	meter,	m		



VALUES OF TRIGONOMETRIC FUNCTIONS FOR COMMON ANGLES							
θ	0°	30°	37°	45°	53°	60°	90°
$\sin \theta$	0	$1/2$	$3/5$	$\sqrt{2}/2$	$4/5$	$\sqrt{3}/2$	1
$\cos \theta$	1	$\sqrt{3}/2$	$4/5$	$\sqrt{2}/2$	$3/5$	$1/2$	0
$\tan \theta$	0	$\sqrt{3}/3$	$3/4$	1	$4/3$	$\sqrt{3}$	∞

The following assumptions are used in this exam.

- The frame of reference of any problem is assumed to be inertial unless otherwise stated.
- Air resistance is assumed to be negligible unless otherwise stated.
- Springs and strings are assumed to be ideal unless otherwise stated.

MECHANICS			
$v_x = v_{x0} + a_x t$	a = acceleration	$\omega = \frac{d\theta}{dt}$	a = acceleration
$x = x_0 + v_{x0}t + \frac{1}{2}a_x t^2$	E = energy	d = distance	d = distance
$v_x^2 = v_{x0}^2 + 2a_x(x - x_0)$	f = frequency	f = frequency	f = frequency
$\Delta x = \int v_x(t) dt$	F = force	$\alpha = \frac{d\omega}{dt}$	F = force
$\Delta v_x = \int a_x(t) dt$	h = height	$\omega = \omega_0 + \alpha t$	I = rotational inertia
$\vec{x}_{\text{cm}} = \frac{\sum m_i \vec{x}_i}{\sum m_i}$	J = impulse	$\theta = \theta_0 + \omega_0 t + \frac{1}{2}\alpha t^2$	k = spring constant
$\vec{r}_{\text{cm}} = \frac{\int \vec{r} dm}{\int dm}$	k = spring constant	$\omega^2 = \omega_0^2 + 2\alpha(\theta - \theta_0)$	K = kinetic energy
$\lambda = \frac{d}{d\ell} m(\ell)$	K = kinetic energy	$v = r\omega$	ℓ = length
$\vec{a}_{\text{sys}} = \frac{\sum \vec{F}}{m_{\text{sys}}} = \frac{\vec{F}_{\text{net}}}{m_{\text{sys}}}$	ℓ = length	$a_r = r\alpha$	L = angular momentum
$ \vec{F}_g = G \frac{m_1 m_2}{r^2}$	m = mass	$\vec{\tau} = \vec{r} \times \vec{F}$	m = mass
$ \vec{F}_f \leq \mu \vec{F}_N $	M = mass	$I_{\text{tot}} = \sum I_i = \sum m_i r_i^2$	M = mass
$\vec{F}_s = -k \Delta \vec{x}$	p = momentum	$I = \int r^2 dm$	p = momentum
$a_c = \frac{v^2}{r} = r\omega^2$	P = power	$I' = I_{\text{cm}} + M d^2$	r = radius, distance, or position
$T = \frac{1}{f}$	r = radius, distance, or position	$\alpha_{\text{sys}} = \frac{\Sigma \tau}{I_{\text{sys}}} = \frac{\tau_{\text{net}}}{I_{\text{sys}}}$	t = time
$K = \frac{1}{2}mv^2$	t = time	$K_{\text{rot}} = \frac{1}{2}I\omega^2$	T = period
$W = \int_a^b \vec{F} \cdot d\vec{r}$	T = period	$W = \int \tau \cdot d\theta$	v = velocity or speed
$\Delta K = \sum W_i = \sum F_{\parallel,i} d_i$	$\vec{L} = \vec{r} \times \vec{p} = I\vec{\omega}$	$\Delta L = \int \tau dt$	W = work
$\Delta U = -\int_a^b \vec{F}_{\text{ef}}(r) \cdot d\vec{r}$	$P_{\text{avg}} = \frac{W}{\Delta t} = \frac{\Delta E}{\Delta t}$	$\Delta x_{\text{cm}} = r\Delta\theta$	x = position or distance
$F_x = -\frac{dU(x)}{dx}$	$P_{\text{inst}} = \frac{dW}{dt}$	$T = \frac{2\pi}{\omega} = \frac{1}{f}$	α = angular acceleration
$U_s = \frac{1}{2}k(\Delta x)^2$	$\vec{p} = m\vec{v}$	$T_s = 2\pi\sqrt{\frac{m}{k}}$	θ = angle
$U_g = -G \frac{m_1 m_2}{r}$	$\vec{F}_{\text{net}} = \frac{d\vec{p}}{dt}$	$T_p = 2\pi\sqrt{\frac{\ell}{g}}$	τ = torque
$\Delta U_g = mg\Delta y$	$\vec{J} = \int_{t_1}^{t_2} \vec{F}_{\text{net}}(t) dt = \Delta \vec{p}$	$T_{\text{phys}} = 2\pi\sqrt{\frac{I}{mgd}}$	ϕ = phase angle
	$\vec{v}_{\text{cm}} = \frac{\sum \vec{p}_i}{\sum m_i} = \frac{\sum m_i \vec{v}_i}{\sum m_i}$	$x = x_{\max} \cos(\omega t + \phi)$	ω = angular frequency or angular speed

GEOMETRY AND TRIGONOMETRY			
Rectangle	Rectangular Solid		Right Triangle
$A = bh$	$V = \ell wh$	$A = \text{area}$	$a^2 + b^2 = c^2$
Triangle	Cylinder	$b = \text{base}$	$\sin \theta = \frac{a}{c}$
$A = \frac{1}{2}bh$	$V = \pi r^2 \ell$	$C = \text{circumference}$	$\cos \theta = \frac{b}{c}$
	$S = 2\pi r\ell + 2\pi r^2$	$h = \text{height}$	$\tan \theta = \frac{a}{b}$
Circle	Sphere	$\ell = \text{length}$	
$A = \pi r^2$	$V = \frac{4}{3}\pi r^3$	$r = \text{radius}$	
$C = 2\pi r$		$s = \text{arc length}$	
$s = r\theta$		$S = \text{surface area}$	
		$V = \text{volume}$	
		$w = \text{width}$	
		$\theta = \text{angle}$	



VECTORS	CALCULUS	IDENTITIES
$\vec{A} \cdot \vec{B} = AB \cos \theta$ $ \vec{A} \times \vec{B} = AB \sin \theta$ $\vec{r} = (A\hat{i} + B\hat{j} + C\hat{k})$ $\vec{C} = \vec{A} + \vec{B}$ $\vec{C} = (A_x + B_x)\hat{i} + (A_y + B_y)\hat{j}$	$\frac{df}{dx} = \frac{df}{du} \frac{du}{dx}$ $\frac{d}{dx}(x^n) = nx^{n-1}$ $\frac{d}{dx}(e^{ax}) = ae^{ax}$ $\frac{d}{dx}(\ln ax) = \frac{1}{x}$ $\frac{d}{dx}[\sin(ax)] = a \cos(ax)$ $\frac{d}{dx}[\cos(ax)] = -a \sin(ax)$ $\int x^n dx = \frac{1}{n+1} x^{n+1}, n \neq -1$ $\int e^{ax} dx = \frac{1}{a} e^{ax}$ $\int \frac{dx}{x+a} = \ln x+a $ $\int \cos(ax) dx = \frac{1}{a} \sin(ax)$ $\int \sin(ax) dx = -\frac{1}{a} \cos(ax)$	$\log(a \cdot b^x) = \log a + x \log b$ $\sin^2 \theta + \cos^2 \theta = 1$ $\sin(2\theta) = 2 \sin \theta \cos \theta$ $\frac{\sin \theta}{\cos \theta} = \tan \theta$

