3/15/25, 2:52 PM Easy Read

Darada Property




Your medication is called: Metformin

It is to help:



How to take, use, give:







You may also: (tell a doctor or carer if any of these side effects worry you)




Feel sick, be sick or get tummy Get diarrhoea (the runs) pain





Notice things taste different


3/15/25, 2:52 PM Easy Read



Feel less hungry



Feel faint, sweaty or dizzy (your blood sugar levels may be going down)



Feel weak or tired. You may have anaemia


You may also: (tell a doctor or carer straight away if you)



Feel weak, sick, or have breathing problems (could be lactic acidosis)



Become deeply unconscious (a Coma)



Get lung and breathing problems

What you also need to know to keep you safe while on this medicine: (check with a health professional if you are worried).



If you have diabetes, the closer you stick to your diet the better this medicine works



Stop this medicine if you have an iodine injection before an X-Ray or scan



Do not drink alcohol while on this medicine

3/15/25, 2:52 PM Easy Read



Do not take this medicine if you are pregnant or breastfeeding



Stop taking this if you get diarrhoea or are sick (vomit)



This does not mix well with many other medicines. You must not take aspirin or other non-steroidal anti-inflammatory drugs (NSAIDs) such as ibuprofen. Always check with your health professional



Check the product information leaflet for a full list of side effects and how to use this medicine



You must get advice from your healthcare professional if you want to get pregnant or breastfeed